

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P		=====																
ITMSEG-P	(AGE ONE YEAR)				ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)		
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																		
09010000	0.000	6.527	R	1	65	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0			
25 27			2	31.9	9211	RIDE		7.7	7.5	7.1	7.2	6.3*	8.1	8.0	8.0	7.7	7.5	7.4	7.2	7.3			
TURKEY TRACK RD(1.7R)																							
1944472	0.000	6.528	C	2021	0012	CRACKING		8.0	8.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	1.0*	1.0*	10.0	10.0	9.8	8.5		
4415191	0.000	6.528	C	2021	0012	CRACKING		7.2	7.0	6.8	7.5	7.3	7.4	7.6	7.6	7.5	7.8	8.6	8.6	8.6	8.4		
AJAX PAVING INDUSTRIES OF (2023) SPRIDE																							
09010000	6.527	11.883	R	1	65	CRACKING		8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0			
25 27			2	31.9	9211	RIDE		9.1	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5			
HORN RD(6.6R)																							
1944472	6.528	16.323	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	2.5*		
4489371	6.527	16.323	C	2025	0012	RIDE		8.5	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.8	8.7	8.5		
BETTER ROADS INC. (2008)																							
09010000	11.883	12.375	R	1	8 55	CRACKING		8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0			
25 27			2	31.9	9211	RIDE		9.1	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5			
SR 70(12.2C)																							
1944472	6.528	16.323	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5					
4489371	6.527	16.323	C	2025	0012	RIDE		8.5	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.9				
BETTER ROADS INC. (2008)																							
09010000	12.375	16.317	R	1	60	CRACKING		8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0			
25 27			2	27.3	11700	RIDE		9.1	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5			
S SUN N LAKES BLVD(14.0R)																							
1944472	6.528	16.323	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	2.5*		
4489371	6.527	16.323	C	2025	0012	RIDE		8.5	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.7		
BETTER ROADS INC. (2008)																							
09010000	16.317	22.730	R	1	55	CRACKING		4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
25 27			2	21.0	19800	RIDE		8.5	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1			
CAMP FLORIDA RD R(16.3R)																							
1945131	16.325	22.747	C	2002	0012	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*	0.5*		
4462071	16.317	22.740	C	2024	0012	SPRIDE		8.0	7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.0		
BETTER ROADS INC (2004)																							
09010000	22.730	28.650	R	1	65	CRACKING		5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
25 27			2	18.4	23000	RIDE		8.3	8.4	8.6	8.9	8.4	8.4	8.3	8.3	7.9	8.2	7.9	7.8	8.0			
LYKES RD(23.4R)																							
4394341	22.740	28.686	C	2021	0012	CRACKING		9.0	8.0	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*		10.0	9.8	9.0		
C. W. ROBERTS CONTRACTING, (2024) SPRIDE																							
09010000	28.650	28.970	R	1	6 55	CRACKING		5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0			
25 27			3	18.4	23000	RIDE		8.3	8.4	8.4	8.8	8.5	8.5	8.4	8.4	7.9	8.2	7.9	8.5	8.5			
US-98/SR-700(29.0R)																							
4397502	28.609	28.970	C	2027	0217	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.7	3.5*		
(2002) RIDE																							
09010000	28.650	28.970	L	1	55	CRACKING		3.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
25 27			3	18.4	23000	RIDE		8.3	8.1	8.8	9.0	7.8	7.7	8.3	8.5	7.8	8.6	8.6	8.6	8.5			
SR-66(29.0L)																							
4397502	28.609	28.970	C	2027	0217	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.1	2.0*		
(2002) RIDE																							
09010000	22.730	28.650	L	1	65	CRACKING		3.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
25 27			2	18.4	23000	RIDE		8.3	8.1	8.7	8.8	8.4	8.3	8.3	8.3	7.9	8.2	8.2	7.9	8.1			
LAKE FRANCIS RD(23.4L)																							
4394341	22.740	28.686	C	2021	0012	CRACKING		8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*		10.0	9.7	8.5		
C. W. ROBERTS CONTRACTING, (2024) SPRIDE																							
09010000	16.317	22.730	L	1	55	CRACKING		5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
25 27			2	21.0	19800	RIDE		8.4	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2			
TURNOUT(16.5L)																							
1945131	16.325	22.747	C	2002	0012	CRACKING		9.5	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.0*		
4462071	16.317	22.740	C	2024	0012	SPRIDE		8.1	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.2		
BETTER ROADS INC (2004)																							
09010000	12.375	16.317	L	1	60	CRACKING		9.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0			
25 27			2	27.3	11700	RIDE		9.2	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5			
KELSEY RD(15.5L)																							
1944472	6.528	16.323	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	1.5*		
4489371	6.527	16.323	C	2025	0012	RIDE		8.5	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8	8.9	8.9	8.7		
BETTER ROADS INC. (2008)																							

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====															
ITMSEG-P	CONTRACTOR (AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																	
09010000	11.883	12.375	L	1	8 55	CRACKING		9.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0		
25 27			2	31.9	9211	RIDE		9.2	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5		
SR 70(12.2C)					FC5																	
1944472	6.528	16.323	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*				
BETTER ROADS INC.				(2008)		RIDE		8.5	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8				
4489371	6.527	16.323	C	2025	0012																	
09010000	6.527	11.883	L	1	1 65	CRACKING		9.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0		
25 27			2	31.9	9211	RIDE		9.0	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5		
FIESTA CT(7.1L)					FC5																	
1944472	6.528	16.323	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	1.5*	
BETTER ROADS INC.				(2008)		RIDE		8.5	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8	8.8	8.9	8.7	
4489371	6.527	16.323	C	2025	0012																	
09010000	0.000	6.527	L	1	1 65	CRACKING		1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
25 27			2	31.9	9211	RIDE		7.0	6.3*	6.0*	5.6*		8.2	8.1	8.1	7.7	7.7	8.0	7.6	7.8		
CR 731(2.4L)					FC5M																	
4415191	0.000	6.528	C	2021	0012	CRACKING		9.0	7.5	7.5	7.5	5.5*	5.5*	5.5*	3.5*	1.0*	1.0*	10.0	10.0	9.0	8.0	
AJAX PAVING INDUSTRIES OF				(2023)		SPRIDE		7.7	7.5	7.1	7.8	7.7	7.6	7.7	7.8	7.6	7.5	8.6	8.6	8.6	8.4	
09030000	0.000	0.242	R	1	1 55	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	10.4	33000	RIDE		8.5		8.9	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6		
US-98/SR-700(0.0R)					FC3																	
				(2024)		CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	9.5	8.7	7.5	
4397502	0.000	0.302	C	2027	0217	RIDE		8.6	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.5	8.6	8.6	8.3	
09030000	0.242	2.672	R	1	1 55	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	10.4	33000	RIDE		8.5		8.9	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6		
LUNS福德 RD(1.1R)					FC5M																	
4394331	0.257	2.690	C	2021	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	10.0	10.0	10.0	9.0	
HUBBARD CONSTRUCTION COMPA				(2023)		SPRIDE		8.6	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.6	8.6	8.6	8.4	
09030000	2.672	4.520	R	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	6.4	42000	RIDE		9.0	8.6	8.8	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6		
EMERGENCY LN(2.7R)					FC3																	
1944891	2.755	4.516	C	1996	0218	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.0	8.0	7.5	4.5*	
APAC-FLORIDA INC				(1999)	S	RIDE		8.6	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.2	8.2	8.2	7.9	
09030000	4.520	6.811	R	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	6.3	44000	RIDE		9.0	8.8	8.9	9.0	8.6	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.6		
LAKEVIEW DR SW(6.1R)					FC3																	
				(2024)		CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	8.5	7.5	6.5	
						RIDE		8.5	8.4	8.3	8.1	8.1	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.1	7.8	
09030000	6.811	11.560	R	1	1 55	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	6.5	9.5	9.5		
25 27			3	6.6	42500	RIDE		8.5	8.4	8.3	8.5	8.3	8.2	8.2	8.2	8.1	7.9	8.0	8.3	8.2		
JERI KAY LN(6.9R)					FC5M																	
4252251	8.200	11.320	R	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	6.5	6.5	3.5*	
BETTER ROADS INC.				(2013)		RIDE		8.2	8.2	8.0	8.4	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.1	
4526211	6.811	11.612	C	2027	0226																	
09030000	11.560	13.704	R	1	1 55	CRACKING		7.5	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	7.8	38500	RIDE		8.2	8.1	7.9			8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.3		
ROBINETTE RD(12.0R)					FC125																	
1945101	11.536	13.453	C	2001	0218	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	6.2*	3.5*	
BETTER ROADS INC				(2005)		SPRIDE		8.3	8.2	7.4	7.8	7.6	8.0	7.9	8.0	7.8	7.9	7.8	7.8	7.9	7.6	
09030000	13.704	14.296	R	1	1 45	CRACKING		7.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	7.8	38500	RIDE		7.7	6.5	7.6		7.5	7.9	7.8	7.8	7.8	7.5	7.5	7.5	7.7		
W CORNELL ST(13.7R)					DGFC																	
				(2021)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5	
						RIDE		7.4	7.4	6.6	5.6					7.3	7.3	7.3	7.4	7.4	7.1	
09030000	14.296	14.739	R	1	1 45	CRACKING		10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0		
25 27			3	9.1	33500	RIDE		8.8	8.5	8.5	8.8	8.4	8.4		8.4	7.8	7.8	8.1	8.1	7.8		
W LOCKE ST(14.3R)					DGFC																	
				(2021)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0	
						RIDE		7.9	7.9	7.6	6.7	7.1	7.1	6.8		7.8	7.5	7.5	7.6	7.6	7.3	
4512701	14.283	15.286	R	2027	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
09030000	14.739	15.286	R	1	1 45	CRACKING		10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	
25 27			3	9.1	33500	RIDE		8.8	8.5	8.5	8.8	8.4	8.4		8.4	7.8	7.8	8.1	8.1	7.8	
MAXWELL ST(14.8R)					DGFC																
4084691	14.224	15.228	C	2005	0547	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0		7.0	7.0	6.0*	6.0*	5.6*	3.0*
CAROLINA CONSULTING CORP.			(2007)		SPRIDE			7.9	7.9	7.6	6.7	7.1	7.1	6.8		6.6	6.3	6.1	6.2	6.1	5.8
4512701	14.283	15.286	R	2027	0226																
09030000	15.286	18.041	R	1	1 50	CRACKING		10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	
25 27			3	13.5	29500	RIDE		8.8	8.5	8.5	8.8	8.4	8.4	8.1	8.3	8.1	8.1	8.1	8.1	7.9	
WOODMERE DR(15.3R)					FC5M																
1944851	15.286	18.038	C	2011	0218	CRACKING		6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	5.5*
BETTER ROADS INC.			(2015)		SPRIDE			7.7		8.2	8.4	8.2	8.2	8.2	8.1	8.1	7.9	7.8	7.7	7.8	7.6
4560291	15.286	18.041	C	2026	6060																
09030000	15.286	18.041	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	7.5	
25 27			3	13.5	29500	RIDE		8.8	8.4	8.5	8.8	8.4	8.4	8.2	8.2	8.1	7.9	8.0	8.0	7.8	
AVON PARK CITY LIMITS(15.7L)					FC5M																
1944851	15.286	18.038	C	2011	0218	CRACKING		5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	5.0*
BETTER ROADS INC.			(2015)		SPRIDE			7.5		8.0	8.3	8.0	8.1	8.1	8.1	8.1	8.1	8.0	7.9	7.9	7.7
4560291	15.286	18.041	C	2026	6060																
09030000	14.725	15.286	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	9.5	
25 27			3	9.1	33500	RIDE		8.8	8.4	8.5	8.8	8.4	8.4		8.2	8.2	7.8	8.0	8.1	8.0	
WALMART ENT(15.0L)					DGFC																
4084691	14.224	15.228	C	2005	0547	CRACKING		8.0	8.0	8.0	8.0	7.0	7.0	7.0		7.0	6.0*	5.5*	5.5*	5.6*	3.0*
CAROLINA CONSULTING CORP.			(2007)		SPRIDE			8.0	8.0	7.4	7.4	7.1	7.6	7.6		6.5	6.4	6.2	6.2	6.5	6.2
4512701	14.472	15.286	L	2027	0226																
09030000	14.471	14.725	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	9.5	
25 27			3	9.1	33500	RIDE		8.8	8.4	8.5	8.8	8.4	8.4		8.2	8.2	7.8	8.0	8.1	8.0	
CIRCLE ST E(14.5L)					DGFC																
			(2021)			CRACKING		8.0	8.0	8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0
4512701	14.472	15.286	L	2027	0226			8.0	8.0	7.4	7.4	7.1	7.6	7.6		7.7	7.6	7.4	7.5	7.6	7.3
09030000	13.690	14.471	L	1	1 45	CRACKING		5.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	
25 27			3	7.8	38500	RIDE		8.2	7.8	7.7		8.2	8.1	7.6	8.3	8.0	7.9	8.0	8.1	8.0	
CORNELL ST W(13.7L)					DGFC																
			(2021)			CRACKING		8.0	8.0	8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0
						RIDE		8.0	8.0	7.4	7.4	7.1	7.6	7.6		7.5	7.5	7.5	7.6	7.6	7.3
09030000	11.560	13.690	L	1	1 55	CRACKING		5.5*	5.5*	5.5*			10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	
25 27			3	7.8	38500	RIDE		8.3	8.0	7.9			8.4	8.2	8.3	8.3	8.2	8.0	8.1	8.0	
ROBINETTE RD(12.0L)					FC125																
1945101	11.536	13.453	C	2001	0218	CRACKING		8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.8*	3.0*
BETTER ROADS INC			(2005)		SPRIDE			8.0	8.0	7.4	7.4	7.1	7.6	7.6	8.0	7.9	7.8	7.7	7.7	7.8	7.5
09030000	6.811	11.560	L	1	1 55	CRACKING		10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	8.0	8.0	
25 27			3	6.6	42500	RIDE		8.6	8.2	8.2	8.5	8.3	8.2	8.2	8.1	8.0	7.4	8.0	8.2	8.2	
SPARROW AVE(6.9L)					FC5M																
			(2013)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5	7.5	7.8	4.5*
4526211	6.811	11.612	C	2027	0226			8.1	8.1	8.0	8.2	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.1	7.9
09030000	4.495	6.811	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
25 27			3	6.3	44000	RIDE		8.9	8.7	8.5	8.8	8.4	8.4	8.3	8.3	8.3	7.3	8.1	8.2	8.1	
TUBB RD L(4.5L)					FC3																
1945071	4.516	6.870	C	1996	0218	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	8.0	8.3	5.5*	
APAC-FLORIDA, INC			(2000)		S RIDE			8.0	8.0	7.2	7.6	7.5	7.8	7.8	7.9	7.8	7.7	7.6	7.6	7.7	7.4
09030000	2.672	4.495	L	1	1 50	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
25 27			3	6.4	42000	RIDE		8.9	8.6	8.8	8.9	8.5	8.4	8.5	8.5	8.5	7.5	8.5	8.5	8.5	
COOPER RD(3.1L)					FC3																
1944891	2.755	4.516	C	1996	0218	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.2	5.0*
APAC-FLORIDA INC			(1999)		S RIDE			8.4	8.4	7.8	8.0	7.8	8.2	8.2	8.1	8.1	8.1	8.0	8.1	8.0	7.7
09030000	0.242	2.672	L	1	1 55	CRACKING		4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
25 27			3	10.4	33000	RIDE		8.7		9.0	9.0	8.6	8.6	8.6	8.6	8.6	7.5	8.4	8.4	8.3	
GEORGE BLVD S L(0.5L)					FC5M																
4394331	0.257	2.690	C	2021	0012	CRACKING		9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.3	8.0
HUBBARD CONSTRUCTION COMPA			(2023)		SPRIDE			8.0	8.2	8.0	8.2	8.1	8.5	8.5	8.3	8.5	8.4	8.5	8.3	8.3	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====																
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	(PMRS)	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																		
09030000	0.000	0.242	L	1	1 55	CRACKING	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
25 27			3	10.4	33000	RIDE	8.7			9.0	9.0	8.6	8.6	8.6	8.6	8.6	7.5	8.4	8.4	8.3			
SR-66(0.0L)					FC3																		
					(2024)	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.5	9.0	8.0		
4397502	0.000	0.302	C	2027	0217			8.0	8.2	8.0	8.2	8.1	8.5	8.5	8.3	8.5	8.4	8.4	8.0	7.9	7.6		
09030001	0.000	1.058	C	1	1 35	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0			
17			2	4.5	16200	RIDE	8.6	8.5					6.0	7.5	7.1	7.5	6.7	6.6	7.0	7.0			
LAKEVIEW DR(0.0C)					FC4																		
1944252	0.426	0.927	C	2016	0012	CRACKING	8.0	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0		
LANE CONSTRUCTION CORPORAT(2018)					SPRIDE		6.9	6.7	6.4	6.1	5.7	7.8	7.6	7.6	7.6	7.4	7.4	7.4	6.8	6.5			
4566161	0.000	1.038	C	2029	0012																		
09040000	0.000	0.685	C	1	1 40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0			
17			4	3.0	14100	RIDE	8.0	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	6.7	7.9			
KENILWORTH BLVD(0.0L)					FC125M																		
4223941	0.000	0.329	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	4.5*			
BETTER ROADS INC.					(2012)	RIDE	7.9	7.8	7.0	7.1	6.9	6.8	6.9	6.9	7.0	6.8	6.7	6.6	6.8	6.5			
4512621	0.000	11.137	C	2026	0012																		
09040000	0.685	0.752	C	1	6 30	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0			
17			2	3.9	10200	RIDE	7.0	7.5	7.4	6.8	6.8	6.5	6.3	6.4	5.8	5.6							
N COMMERCE AVE(0.7L)					FC125M																		
					(2016)	CRACKING				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.1	5.5*			
4512621	0.000	11.137	C	2026	0012																		
09040000	0.752	1.313	C	1	1 30	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	9.5	9.5	8.0	8.0	8.0	8.0	10.0				
17			2	4.5	7000	RIDE	7.0	7.5	7.4	6.8	6.8	6.5	6.1	6.1	6.1	5.7	5.8	6.1	7.2				
WALL ST(0.8L)					FC125M																		
4223941	0.756	1.302	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.9	6.0*			
BETTER ROADS INC.					(2012)	RIDE	7.2	7.1	6.9	6.6	6.5	6.5	6.3	6.3	6.3	6.0	6.0	6.0	6.1	5.8			
4512621	0.000	11.137	C	2026	0012																		
09040000	1.313	3.969	C	1	1 45	CRACKING	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
17			2	9.7	5100	RIDE	7.6	7.3	7.4		8.0	8.0	8.0	7.8	7.8	6.7	7.6	7.4	7.4				
POMEGRANATE AVE(1.4L)					FC125																		
1944741	1.300	10.092	C	2002	0012	CRACKING	9.5	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*			
APAC-FLORIDA INC					(2004)	SPRIDE	7.3	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	6.4			
4512621	0.000	11.137	C	2026	0012																		
09040000	3.969	10.095	C	1	1 55	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
17			2	14.1	5700	RIDE	7.2	7.1	6.5		8.2	8.2	8.2	8.1	8.2	6.9	7.4	7.7	7.7				
MAXCY GROVE RD(4.1L)					FC125																		
1944741	1.300	10.092	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	4.5*			
APAC-FLORIDA INC					(2004)	SPRIDE	7.6	7.4	7.0	7.3	7.1	7.1	7.2	7.1	7.1	7.0	6.8	6.9	6.9	6.6			
4512621	0.000	11.137	C	2026	0012																		
09040000	10.095	11.160	R	1	1 30	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0				
17			2	5.6	13200	RIDE	6.5	6.7	6.7	6.6	6.0	6.1	6.0	5.8		6.8	7.7	7.1	7.7				
N VERONA AVE(10.3R)					FC95																		
1944262	10.170	11.134	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	6.9	4.5*			
PREFERRED MATERIALS, INC.					(2009)	RIDE	7.2	7.3	6.8	6.6	6.2	6.5	6.5	6.5	6.4	6.5	6.0	6.0	6.0	5.7			
4512621	0.000	11.137	C	2026	0012																		
09040000	10.095	11.160	L	1	1 30	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0				
17			2	5.6	13200	RIDE	6.9	6.5	6.6	6.4	5.8	6.0	6.0	5.8		7.0	7.7	7.5	7.6				
DELANCY AVE(10.2L)					FC95																		
1944262	10.170	11.134	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*			
PREFERRED MATERIALS, INC.					(2009)	RIDE	7.4	7.4	7.3	6.3	6.4	6.8	7.1	6.6	6.9	6.7	6.1	6.2	5.9	5.6			
4512621	0.000	11.137	C	2026	0012																		
09060000	0.000	14.170	C	1	1 60	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
70			2	34.6	4500	RIDE	8.4	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6	8.4	8.4	8.4	8.5				
ROBERT MCGEE RD(6.6C)					FC125																		
1944362	0.000	14.451	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	6.9	4.5*		
BETTER ROADS INC					(2006)	RIDE	8.5	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	7.8			
09060000	14.170	14.770	C	1	8 45	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5				
70			2	33.0	5200	RIDE	8.3	8.1	7.4	7.8	7.2	6.8	6.6	6.6	7.3	8.4	8.3	8.3	8.2	8.2			
ENT TO PLANT(14.2R)					FC5M																		
1944362	0.000	14.451	C	2004	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.5				
BETTER ROADS INC					(2008)	RIDE	8.1	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS

ROWID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP)	SIDE						=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE																
CONTRACTOR (AGE ONE YEAR)								2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
09060000	14.770	17.266	C	1	1	60	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5		
70			2	29.4		6000	RIDE	8.3	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2		
ALPINE PARK(15.0L)																						
1944372	14.581	22.243	C	2005		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	5.0*	
BETTER ROADS INC.				(2008)			RIDE	8.1	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.7	7.4	
09060000	17.266	21.649	C	1	1	60	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5		
70			2	29.4		6000	RIDE	8.3	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4	8.3	8.3	8.2	8.2		
LONESOME ISLAND RD(19.8L)																						
4145066	17.266	21.649	C	2021		FC125M		9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	0.0*	0.0*	10.0	10.0	9.6	8.5	
AJAX PAVING INDUSTRIES OF				(2023)		0012	CRACKING	8.1	7.3	6.7	6.4*	5.8*	6.2*	6.0*	8.0	7.7	7.4	8.5	8.5	8.4	8.1	
09060000	21.649	22.232	C	1	1	60	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5		
70			2	29.4		6000	RIDE	8.3	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4	8.3	8.3	8.2	8.2		
(2024)																						
CRACKING																						
70							RIDE	9.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	9.0	8.3	7.5	
09060000	22.232	29.472	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*		
70			2	29.4		6000	RIDE	9.0	8.8	8.4	8.8	8.4	8.4	8.0	8.0	7.5	7.2	7.2	6.9	6.7		
GREENBRIAR FARM RD(23.3L)																						
4252261	22.232	30.101	C	2011		FC125M		10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	7.0	5.0*	
BETTER ROADS INC.				(2013)		0012	CRACKING	8.7	8.6	7.9	7.9	7.5	8.2	8.2	8.1	7.8	7.8	7.6	7.4	7.2	6.9	
09060000	29.472	36.334	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	5.5*	5.5*		
70			2	25.2		5300	RIDE	9.0	8.9	8.4	8.9	8.2	8.1	7.8	8.0	7.8	7.5	7.5	7.3	7.4		
CR 721(32.0L)																						
4252271	30.136	36.334	C	2012		FC125M		3.5*	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.0*	
LAWRENCE-LYNCH CORP.				(2014)		0012	CRACKING	7.3	8.4	8.4	7.7	7.4	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.6	
09080000	0.000	3.082	C	1	1	60	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0		
64			2	11.4		14500	RIDE	6.6	6.7	8.5	8.5	8.2	8.1	8.0	8.0	8.1	8.1	8.1	7.9	8.0		
BALLARD RD(0.1L)																						
1944751	0.000	3.074	C	2001		FC125		8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*	
BETTER ROADS				(2002)		0012	CRACKING	7.9	7.8	7.6	6.9	6.8	7.6	7.5	7.6	7.5	7.4	7.4	7.5	7.4	7.1	
09110000	0.000	4.677	C	1	1	55	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
700 98			2	14.5		9600	RIDE	7.9	7.5		8.5	8.2	8.1	8.2	8.1	8.1	8.1	7.7	7.7	8.1	8.1	
US-27/SR-25(0.0R)																						
1944731	0.045	4.695	C	2001		FC125		9.5	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	3.0*	
BETTER ROADS INC				(2003)		0012	CRACKING	8.1	8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.7	7.8	7.7	7.4	
4145113	0.100	4.677	C	2027		0226	SPRIDE															
09110000	4.677	10.074	C	1	1	55	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
700 98			2	14.5		9600	RIDE	8.0	7.7	7.6	7.6	6.7	8.4	8.3	8.3	8.1	8.0	8.0	8.0	8.0		
SPRING LAKE BLVD(5.2L)																						
1944991	4.711	10.154	C	2003		FC125		9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.7*	3.0*	
BETTER ROADS INC				(2005)		0012	CRACKING	8.1	7.9	7.5	7.5	7.5	7.8	7.9	7.9	7.8	7.8	7.8	7.9	7.9	7.6	
4489361	4.677	14.555	C	2025		0012	RIDE															
09110000	10.074	14.560	C	1	1	60	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
700 98			2	22.7		4200	RIDE	8.0	7.7	7.6		8.4	8.5	8.5	8.4	8.3	8.0	8.0	8.0	8.0	7.9	
PALMS ESTATE RD(10.4R)																						
4366001	10.154	14.572	C	2002		FC125		9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.9*	3.0*	
APAC-FLORIDA INC				(2004)		0012	CRACKING	7.8	7.7	7.3	7.5	7.4	7.8	7.7	7.8	7.8	7.7	7.6	7.6	7.6	7.3	
4489361	4.677	14.555	C	2025		0012	SPRIDE															
09110000	14.560	24.521	C	1	1	60	CRACKING	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
700 98			2	25.7		3400	RIDE	8.4	8.2	8.0	8.2	7.5	8.5	8.4	8.3	8.0	7.7	7.7	7.7	7.7		
CARACARA RD(16.1L)																						
(2025)																						
CRACKING																						
70							RIDE	9.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	9.0	
09140000	0.000	9.342	C	1	1	60	CRACKING	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0		
66			2	17.1		7208	RIDE	7.8	7.6	7.4	7.5	8.4	8.2	8.3	8.1	8.0	6.9	7.8	7.9	7.8		
SPRING VALLEY LN(2.0L)																						
4366001	0.000	7.500	C	2017		FC125M		7.0	6.0*	6.0*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.9	7.5	
LAWRENCE-LYNCH CORP.				(2020)		0012	CRACKING	7.7	7.5	6.7	7.2	7.3	7.3		8.2	8.2	8.2	8.2	8.2	8.2	7.9	

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 "*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@0" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).