

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-X-P	ASTYPE	=====														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
12004000	4.150	4.480	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0		10.0	10.0	10.0	10.0	
865				2	8.2	14300	RIDE	8.9	8.6	8.5	8.3	8.2	8.2	8.1	8.6		7.9	7.6	7.5	7.4		
MAJESTIC PALMS BLVD(4.4L)							DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	9.0	7.0
							RIDE	7.2	7.5	7.0	7.4	7.3								7.2	6.9	
4528261	2.997	4.778	C	2028		0012																
12004000	3.282	4.150	L	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	
865				1	8.2	14300	RIDE	8.9	8.6	8.5	8.3	8.2	8.2	8.1	8.6	8.4	8.6	8.6	8.6	8.4	8.5	
CINNAMON COVE BLVD(3.4L)							DGFC															
							CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.7	8.5	5.5*	
							RIDE	8.4	8.4	8.0	7.9	8.0	7.7	7.9	7.9	7.9	7.9	7.8	7.8	7.0	6.7	
4528261	2.997	4.778	C	2028		0012																
12004000	2.997	3.282	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	
865				2	4.1	23500	RIDE	6.9	6.9	6.5	7.4	5.8*	5.4*	4.7*	4.6*	7.2	7.1	6.9	6.8	7.0		
SUMRLIN TO SANCRLEB(3.1L)							FC4															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.3	5.0*	
							RIDE	7.0	6.6											5.5	5.2*	
4528261	2.997	4.778	C	2028		0012																
12004000	1.145	2.997	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
865				2	4.1	23500	RIDE	8.2	8.5	8.1	7.6	7.8	7.8	7.6	7.5	7.4	7.0	7.2	6.8	7.0		
BOARDWALK CAPER #3 L(1.3L)							FC3															
1956311	0.659	2.773	C	1994		0005	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.7	8.5	5.5*	
FLORIDA STATE UNDERGROUND, (1998)							S RIDE	6.5	6.7	6.6	6.5	6.4	6.4	6.5	6.4	6.4	6.4	6.1	6.3	6.8	6.5	
4507271	1.051	2.998	C	2028		0226																
12004000	0.551	1.145	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
865				2	4.1	23500	RIDE	8.2	8.5	8.1	7.6	7.8	7.8	7.6	7.5	7.4	7.0	7.2	6.8	7.0		
MAIN ST(0.6C)							FC3															
							CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.7	10.0	9.0	
							RIDE	6.5	6.7	6.6	6.5	6.4	6.4	6.5	6.4	6.4	6.4	6.1	6.3	6.2	5.9	
12005000	1.171	2.374	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	
884				3	3.8	70000	RIDE	7.8	7.6	7.3	7.4	7.1	7.0	7.1	7.2	7.3	6.7	7.1	7.1	7.1		
TURNOUT(1.7R)							FC4															
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.9	7.9	5.0*	
							RIDE	7.1	6.8	6.9	6.7	6.4	6.4	6.5	6.6	6.4	6.5	6.2	6.7	6.8	6.5	
12005000	2.374	2.740	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	3.5*	3.5*	9.0	9.0	9.0	9.0		
884				3	5.8	62500	RIDE	7.8	7.6	7.3	7.4	7.1	7.0	7.1	7.8	7.8	7.7	7.4	7.5	7.3		
SOUTHLAND CT(2.4R)							FC4															
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.6	6.5	
							RIDE	7.3	6.9											7.6	7.3	
12005000	2.740	4.790	R	1	1	55	CRACKING	9.0	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
884				3	5.8	62500	RIDE	8.6	8.8	8.5	7.9	7.9	7.8	7.6	7.8	7.8	8.0	8.1	8.0	8.1		
PLANTATION RD(3.1R)							FC5M															
1956762	2.732	5.528	C	2009		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.7	7.8	5.0*	
AJAX PAVING INDUSTRIES OF (2010)							SPRIDE	8.0	7.9	8.5	8.5	8.4	8.3	8.5	8.6	8.6	8.6	8.7	8.6	8.5	8.3	
12005000	4.790	6.460	R	1	7	45	CRACKING	9.0	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	2.5*	2.5*		10.0		
884				4	6.6	73500	RIDE	8.6	8.8	8.5	7.9	7.9	7.8	7.6	7.8	7.8	6.5	6.3		8.1		
TURNOUT(5.3R)							FC125M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	9.0	
							RIDE	8.1	8.0	8.5	8.4	8.4	8.0	8.4	8.2	8.3				7.9	7.6	
12005000	4.740	6.460	L	1	7	45	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	2.5*	2.5*		10.0		
884				4	6.6	73500	RIDE	8.5	8.8	8.3	8.2	8.0	8.0	7.7	7.9	7.7	6.6	6.3		8.2		
TURNOUT(5.3L)							FC125M															
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0				10.0	9.0	
							RIDE	8.2	8.0	8.3	8.3	8.2	8.0	8.2	8.2	8.2				7.8	7.5	
12005000	2.740	4.740	L	1	1	55	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0		
884				3	5.8	62500	RIDE	8.5	8.8	8.3	8.2	8.0	8.0	7.7	7.9	7.7	8.2	8.3	8.2	8.1		
FORD ST(2.7L)							FC5M															
1956762	2.732	5.528	C	2009		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.2	5.5*	
AJAX PAVING INDUSTRIES OF (2010)							SPRIDE	8.1	8.0	8.5	8.5	8.1	8.5	8.6	8.6	8.6	8.5	8.3	8.5	8.5	8.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																										
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE					
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013						
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMXP		ASTYPE														
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		FY-F		WKMXP-F																		
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKMXP-F																
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKMXP-F																
12010000	16.994	20.905	R	1	1	45	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	7.0	3.5*	10.0	10.0	10.0	10.0	10.0						
45	41			3	3.6	53000	RIDE	8.2	8.0	7.9	7.4	7.4	7.0	6.8	6.5	8.2	8.2	8.2	8.2	8.2						
TURNOUT(17.0R)																										
4165191	16.994	21.032	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9					
BETTER ROADS INC.		(2009)		SPRIDE																						
4560311	10.062	29.009	C	2026	6060															8.0	8.0					
12010000	20.905	23.460	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0						
45	41			3	3.6	45500	RIDE	8.7	7.9	8.4	8.1	8.1	7.9	7.9	6.9	8.0	7.9	7.7	7.6	7.5						
WINKLER AVE(21.0R)																										
4560311	10.062	29.009	C	2026	6060															10.0	10.0					
(2025)				CRACKING		RIDE																				
12010000	23.460	23.688	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0					
45	41			2	3.7	46000	RIDE	8.7	7.9	8.4	8.1	8.1	7.9	7.9	8.2	8.1	8.0	8.2								
SR 80(23.6R)				UNKW																						
(2026)				CRACKING		RIDE																				
12010000	24.620	24.915	R	1	1	45	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0						
45	41			2	3.7	46000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4	6.1	8.6	8.6	8.5	8.5	8.3	8.4						
NORTH KEY DR(25.0R)																										
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0		6.0*	3.5*					
AJAX PAVING INDUSTRIES, IN(2008)				SPRIDE																						
4560311	10.062	29.009	C	2026	6060															7.4	7.1					
12010000	24.915	25.920	R	1	1	45	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0						
45	41			2	3.7	46000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4	6.1	8.6	8.6	8.5	8.5	8.3	8.4						
NORTH KEY DR(25.0R)																										
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	6.0*	6.0*	3.5*					
AJAX PAVING INDUSTRIES, IN(2008)				SPRIDE																						
4560311	10.062	29.009	C	2026	6060															7.4	7.1					
12010000	25.920	27.030	R	1	1	55	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0						
45	41			2	7.9	30000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4*	6.1*	8.1	8.2	8.1	8.1	8.0	8.0						
TOUCHSTONE RD(26.0R)																										
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.7	4.5*					
AJAX PAVING INDUSTRIES, IN(2008)				SPRIDE																						
4560311	10.062	29.009	C	2026	6060															8.0	7.8					
12010000	27.030	28.969	R	1	1	55	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0						
45	41			2	6.6	25000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4*	6.1*	5.9*	5.5*	5.2*	5.0*	8.1	8.2						
LITTLETON RD(28.0C)																										
1955363	26.913	28.899	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3	8.5	6.0*					
AJAX PAVING INDUSTRIES OF (2012)				RIDE																						
4560311	10.062	29.009	C	2026	6060															8.2	8.0					
12010000	28.969	33.409	R	1	1	55	CRACKING	7.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5						
45	41			2	12.5	38000	RIDE	7.2	8.7	8.6	8.0	7.9	7.9	7.8	7.9	7.9	7.6	7.7	7.6	7.5						
TURNOUT(29.0R)																										
4295471	29.585	33.317	C	2014	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.2	5.0*					
AJAX PAVING INDUSTRIES OF (2016)				RIDE																						
4560311	10.062	29.009	C	2026	6060															8.3	8.1					
12010000	28.969	33.409	L	1	1	55	CRACKING	5.0*	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5						
45	41			2	12.5	38000	RIDE	7.1	8.9	8.6	8.1	8.1	7.9	7.7	7.7	7.7	7.4	7.6	7.5	7.2						
NORTH FORK RD(29.1L)																										
4295471	29.585	33.317	C	2014	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	7.8	5.5*					
AJAX PAVING INDUSTRIES OF (2016)				RIDE																						
4560311	10.062	29.009	C	2026	6060															8.3	8.0					
12010000	27.030	28.969	L	1	1	55	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0						
45	41			2	6.6	25000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	6.9	6.7	6.8	6.1*	7.7	7.7						
DIPLOMAT PKWY(27.4L)																										
1955363	26.913	28.899	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7					
AJAX PAVING INDUSTRIES OF (2012)				RIDE																						
4560311	10.062	29.009	C	2026	6060															7.9	7.7					
12010000	25.920	27.030	L	1	1	55	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0						
45	41			2	7.9	30000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	8.2	8.3	8.2	8.2	8.1	8.1						
BETMAR BLVD(26.2L)																										
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.0	6.5	3.5*					
AJAX PAVING INDUSTRIES, IN(2008)				SPRIDE																						
4560311	10.062	29.009	C	2026	6060															8.2	8.0					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR (AGE_ONE_YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
12010000	24.915	25.920	L	1	1	45	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	3.7		46000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	8.8	8.7	8.6	8.6	8.5	8.5	
HOJO INN ENT(25.0L)																					
						FC125															
1955362	24.620	26.922	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.0*	6.0*	3.5*
AJAX PAVING INDUSTRIES, IN(2008)						SPRIDE		8.3	8.1	8.3	8.3	8.2	7.7	8.1	8.0	8.0	7.7	7.6	7.7	7.9	7.6
4560311	10.062	29.009	C	2026		6060															
12010000	24.620	24.915	L	1	1	45	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	3.7		46000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	8.8	8.7	8.6	8.6	8.5	8.5	
FC125																					
1955362	24.620	26.922	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0		5.7*	3.5*
AJAX PAVING INDUSTRIES, IN(2008)						SPRIDE		8.3	8.1	8.3	8.3	8.2	7.7	8.1	8.0	8.0	7.7	7.6		7.4	7.1
4560311	10.062	29.009	C	2026		6060															
12010000	23.421	23.688	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	3.6		36000	RIDE	8.1	8.4	8.1	7.9	7.8	7.7	7.4	6.7	6.4	6.6	6.3		10.0	10.0
CR 867(23.6L)																					
						FC3															
1956381	23.056	23.567	C	1998		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.4	5.5*
AJAX PAVING INDUSTRIES INC(1999)						S RIDE														5.4*	5.1*
4560311	10.062	29.009	C	2026		6060															
12010000	20.945	23.421	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
45 41			3	3.6		45500	RIDE	8.1	8.4	8.1	7.9	7.8	7.7	7.4	6.9	6.7	6.4	6.2	6.3	6.1	
COMMERCIAL DR(21.0L)																					
						FC125M															
							CRACKING	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	9.0
4560311	10.062	29.009	C	2026		6060	RIDE	5.9	5.8	6.2	5.9	6.1	6.1	6.3	6.5	6.9			7.0	7.0	6.7
12010000	16.994	20.945	L	1	1	45	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	7.0	2.5*	10.0	10.0	10.0	10.0	10.0	
45 41			3	3.6		53000	RIDE	8.1	7.8	7.8	7.2	7.1	7.0	6.9	5.6	8.4	8.3	8.3	8.2	8.3	
TURNOUT(17.0L)																					
						FC125M															
4165191	16.994	21.032	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.9	9.1	7.0
BETTER ROADS INC.						SPRIDE		8.2	8.1	8.1	8.1	7.8	7.8	8.0	8.0	7.9	7.9	7.8	7.8	7.9	7.6
4560311	10.062	29.009	C	2026		6060															
12010000	13.555	16.994	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	
45 41			3	5.3		69500	RIDE	8.6	8.6	8.6	8.0	8.1	8.1	8.0	8.4	8.3	8.3	8.2	8.1	8.0	
ISLAND PARK RD(13.8C)																					
						FC125M															
4349391	12.855	15.769	C	2017		0012	CRACKING	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
PREFERRED MATERIALS, INC.						SPRIDE		7.9	7.9	8.1	8.0	8.0	7.9	8.5	8.5	8.5	8.5	8.3	8.4	8.5	8.2
4560311	10.062	29.009	C	2026		6060															
12010000	12.515	13.555	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.0	
45 41			3	5.0		62500	RIDE	8.8	8.8	8.5	8.3	8.3	8.2	8.1	8.0	7.8	7.8	7.7	7.6	7.6	
UNSIGN(12.7L)																					
						FC5M															
4349391	12.855	15.769	C	2017		0012	CRACKING	8.0	8.0	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.2	6.5
PREFERRED MATERIALS, INC.						SPRIDE		7.6	7.6	7.5	7.4	7.3	7.3	8.5	8.5	8.5	8.5	8.3	8.2	8.1	7.9
4560311	10.062	29.009	C	2026		6060															
12010000	10.350	12.515	L	1	1	50	CRACKING	10.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
45 41			3	5.1		52500	RIDE	8.5	8.6		8.3	8.2	8.2	8.1	8.1	7.8	7.8	8.2	7.5	7.6	
UNICORN LN(10.5L)																					
						FC5HP															
4446401	10.164	12.534	C	2022		0012	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF						SPRIDE		7.6	7.7	7.7	7.7	7.4	7.7	7.7	7.8	7.8	7.7		8.8	8.8	8.6
4560311	10.062	29.009	C	2026		6060															
12010000	7.833	10.350	L	1	1	50	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5		
45 41			3	4.4		51500	RIDE	8.4	8.3	8.1	7.7	7.8	7.7	7.7	7.9	7.9	7.7	7.8	7.5		
LYCHEE RD(8.3L)																					
						FC5M															
1957651	7.940	10.084	L	2011		0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	8.8	6.5
RUSSELL ENGINEERING, INC						SPRIDE			8.0	8.3	8.3	7.9	8.0	8.1	8.1	8.3	8.1	8.0	7.9	8.0	7.8
4560311	10.062	29.009	C	2026		6060															
12010000	4.417	7.833	L	1	1	50	CRACKING	3.5*	1.0*	1.0*				10.0	10.0	10.0	10.0	10.0	10.0		
45 41			3	3.9		57000	RIDE	8.4	8.3	8.1				8.0	8.1	8.1	8.1	8.1	8.0	8.0	
CR 887(4.4L)																					
						FC5															
1956931	4.405	7.922	C	2002		0218	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.8	7.6	4.5*
AJAX PAVING INDUSTRIES, IN(2007)						SPRIDE		7.9	8.0	8.3	8.3	7.8	8.0	7.8	7.9	7.9	7.9	7.8	7.8	7.9	7.7
4560311	10.062	29.009	C	2026		6060															
12010000	1.311	4.417	L	1	1	50	CRACKING	9.0	8.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	4.3		48500	RIDE	7.8	7.9	7.5	7.1	6.9			8.1	8.1	8.0	7.8	8.0	8.0	
BONITA BAY BLVD(2.1L)																					
						FC125															
1957371	1.311	4.417	C	2003		0218	CRACKING	10.0	10.0	10.0	1										

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)			FY-F	WKM-X-F																(PMRS)
CONTRACTOR																					
ITMSEG-F																					
12010000	0.209	1.311	L	1	1	50	CRACKING	9.0	8.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	5.1	34000	RIDE	7.8	7.9	7.5	7.1	6.9			7.9	8.0	7.9	7.9	7.8	7.9		
FOLEY RD(0.5L)						FC125															
1957361	0.000	1.311	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.7	6.5
BETTER ROADS INC				(2008)		SPRIDE	7.8	7.9	7.4	7.3	7.3	6.9	7.2	7.2	7.1	7.2	7.1	7.2	7.3	7.0	
12010000	0.000	0.209	L	1	1	50	CRACKING	9.0	8.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	5.1	34000	RIDE	7.8	7.9	7.5	7.1	6.9			7.9	8.0	7.9	7.9	7.8	7.9		
WOODS EDGE PKWY(0.1L)						FC5															
1957361	0.000	1.311	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.3	5.0*
BETTER ROADS INC				(2008)		SPRIDE	7.8	7.9	7.4	7.3	7.3	6.9	7.2	7.2	7.1	7.2	7.1	7.2	7.0	6.8	
12011000	0.215	0.919	R	1	1	55	CRACKING														
739			2	7.6	37000	RIDE															
SR 45(0.2C)						FC125M															
				(2014)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	7.5
						RIDE	8.2	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.2	8.0	8.0	8.0	8.0	7.7
12011000	0.919	3.000	R	1	1	55	CRACKING														
739			3	7.6	37000	RIDE															
BRIARCLIFF RD(2.2C)						FC5M															
				(2014)		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.3	9.2	7.0
						RIDE	8.2	8.0	8.4	8.3	8.1	8.0	8.3	8.2	8.3	8.1	8.0	8.1	8.0	7.8	
12011000	3.000	4.137	R	1	1	45	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5		10.0	10.0	10.0	
739			3	6.6	29000	RIDE	7.7	7.5	7.4	6.7	6.8	6.4	6.2	6.2	6.4			8.7	8.4	8.4	
B C PRATT BLVD(3.0R)						FC125															
				(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	6.0*
						RIDE	8.3	8.3	8.4	8.4	8.4	8.3	8.2	8.3	8.1	8.1	8.0	8.1	7.9	7.6	
12011000	4.137	6.961	R	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
739			2	8.9	36500	RIDE	7.7	7.6	7.4	6.9	6.8	6.8	6.6	6.9	8.0	8.1	8.2	8.1	8.1		
CR 876(4.3C)						FC2															
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.8	6.0*
PREFERRED MATERIALS, INC.				(2009)		SPRIDE	8.1	8.1	7.9	7.9	7.8	7.7	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.4
12011000	6.961	7.815	R	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
739			2	6.6	38500	RIDE	7.7	7.6	7.4	6.9	6.8	6.8	6.6	6.9	8.0	7.5	7.5	7.4	7.4		
SIDE ROAD(7.6R)						FC2															
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.6	8.2	5.0*
PREFERRED MATERIALS, INC.				(2009)		SPRIDE	7.2	7.1	7.1	7.0	6.8	6.7	7.1	7.1	6.7	6.7	6.0	6.5	6.8	6.6	
12011000	7.815	8.310	R	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
739			2	8.0	24000	RIDE	7.7	7.6	7.4	6.9	6.8	6.8	6.6	6.9	8.0	7.5	7.5	7.4	7.4		
VILLAS AT VENEZIA(8.2R)						FC95															
				(2017)		CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.2	8.7	7.0	
						RIDE	7.2	7.1		7.9	7.0	6.6	6.9	6.3	6.3	6.1	5.9	5.5	5.9	5.6	
12011000	7.815	8.310	L	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
739			2	8.0	24000	RIDE	7.7	7.6	7.4	6.8	7.8	8.0	7.8	7.0	7.2	7.1	7.0	6.9	6.9		
CENTER POINTE RD(8.2L)						FC95															
				(2017)		CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0	6.0*	6.0*	4.5*	
						RIDE	6.4	6.3		7.6	7.0	7.2	7.1	6.4	6.7	6.2	6.9	6.4	6.4	6.1	
12011000	6.961	7.815	L	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
739			2	6.6	38500	RIDE	7.7	7.6	7.4	6.8	7.2	7.0	6.8	7.3	8.2	8.1	8.2	8.1	8.2		
IDLEWILD RD L(7.0L)						FC2															
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.5	5.5*
PREFERRED MATERIALS, INC.				(2009)		SPRIDE	8.1	8.1	7.1	6.4	7.0	6.8	6.8	7.4	7.2	7.6	7.1	7.0	6.8	6.6	
12011000	4.137	6.961	L	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
739			2	8.9	36500	RIDE	7.7	7.6	7.4	6.8	7.2	7.0	6.8	7.3	8.2	8.1	8.2	8.1	8.1		
CR 876(4.3C)						FC2															
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	5.5*
PREFERRED MATERIALS, INC.				(2009)		SPRIDE	8.1	8.1	7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.7	7.7	7.7	7.6	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)			FY-F	WKM-X-F																(PMRS)	
CONTRACTOR																						
ITMSEG-F																						
12017000	1.060	2.330	C	1	1	40	CRACKING															
739				3	5.2	8200	RIDE															
MAPLE AVE(1.1R)						FC125R																
						(2020)	CRACKING							10.0	10.0	9.0	9.0	7.5	6.5	4.5*	3.0*	
							RIDE							7.6	7.3	7.4	7.2	7.1	7.3	7.3	7.0	
4562471	0.000	2.316	C	2029		0226																
12017000	0.000	0.714	L	1	1	40	CRACKING															
739				3	5.2	16400	RIDE															
CAPE CORAL CITY LIMITS(0.0C)																						
						(2023)	CRACKING										10.0	10.0	8.0	7.7	6.5	
							RIDE										7.6	7.5	7.4	7.3	7.0	
4562471	0.000	2.316	C	2029		0226																
12020000	0.000	0.168	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
80 B41				4	1.6	8100	RIDE	3.7*	3.8*	4.6*	5.3*	4.9*	5.0*									
SR-82/DR MLK JR BLVD(0.0R)						DGFC																
						(2011)	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.3	7.1	5.0*
							RIDE	5.7												3.6*	3.3*	
12020000	1.753	4.364	R	1	2	45	CRACKING	10.0	9.0	9.0	8.5	6.5	8.0	7.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
80				2	9.6	28000	RIDE	7.2	7.1	6.9	6.4*	6.4*	6.2	6.1	6.0	8.2	8.1	8.0	7.9	8.0		
ALLEN ST(1.8R)						FC3																
4172431	1.666	4.364	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	8.0	7.5	5.0*	
BETTER ROADS INC.						(2009)	SPRIDE	7.8	7.6	7.4	7.3	7.3	7.0	7.0	6.9	6.7	6.6	6.5	6.2	6.3	6.0	
12020000	4.364	4.997	R	1	2	45	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
80				3	9.2	29000	RIDE	6.9	6.6	6.0*	6.8	6.6	6.2	6.0	6.1	8.5	8.5	8.5	8.4	8.5		
CR 80B(4.4R)						FC2																
4172431	4.364	5.777	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.9	6.0*	
BETTER ROADS INC.						(2009)	SPRIDE	8.5	8.4	8.3	8.2	8.2	7.7	7.8	7.7	7.7	7.7	7.5	7.4	7.8	7.6	
12020000	4.997	5.309	R	1	7	45	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
80				3	9.2	29000	RIDE	7.5	7.4	6.7	6.8	6.4*	6.2	6.2	6.2	8.5	8.5	8.5	8.4	8.5		
UNDERWOOD DR(5.0R)						FC2																
						(2026)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	10.0	
							RIDE	8.5	8.4	8.3	8.2	8.2	7.7	7.8	7.7	7.7	7.7	7.5	7.4	7.6	7.4	
12020000	5.309	6.026	R	1	1	45	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0			
80				3	15.4	36500	RIDE	7.5	7.4	6.7	6.8	6.4*	6.2	6.2	6.2	8.5	8.5	8.5	8.4			
CR 80A(5.8R)						FC125M																
						(2015)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*
							RIDE		8.5	8.3	8.2	7.9	8.0	7.5	7.4	7.4	7.4	7.4	7.4	7.7	7.6	7.3
12020000	6.026	8.345	R	1	1	55	CRACKING	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80				3	15.4	36500	RIDE	8.4	8.4	8.3	7.8	7.6	7.4	7.0	8.0	7.7	7.6	7.8	7.7	7.8		
FPL ENT GATE#1A & 2(7.0R)						FC5																
1955842	5.777	8.345	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	7.0	4.0*	
AJAX PAVING INDUSTRIES, IN(2008)						(2008)	SPRIDE	7.7	7.7	8.1	8.1	8.2	7.9	8.2	8.1	8.1	8.0	7.9	8.0	8.0	7.8	
12020000	8.345	10.828	R	1	1	45	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80				2	7.5	48500	RIDE	7.7	8.8	8.5	8.3	8.3	8.3	8.2	8.4	8.3	8.2	8.2	8.2	8.2		
ENT TO FT MYERS FIRE DEP(8.7R)						FC125																
1957151	8.310	10.828	C	2001		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.0	6.0*	3.0*	
BETTER ROADS INC						(2002)	SPRIDE	8.1	8.2	7.8	7.8	7.8	7.7	7.7	7.7	7.5	7.7	7.7	7.7	7.7	7.6	
12020000	10.828	13.769	R	1	8	55	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80				2	15.4	35500	RIDE	8.5	8.6	8.4	7.6	7.4	7.2	7.0	8.0	7.9	7.9	8.0	7.9	7.9		
IOZZI CT(11.1R)						FC5M																
1956062	10.716	13.765	C	2006		0012	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*				
PREFERRED MATERIALS, INC.						(2008)	RIDE	7.9	7.7	7.7	7.7	7.8	7.7	7.8	7.8	7.8	7.7	7.7				
4462921	10.802	20.340	C	2024		0012																
12020000	13.769	20.340	R	1	7	55	CRACKING	7.5	7.5	7.5	7.0											
80				2	15.4	30000	RIDE	8.3	8.6	8.3	7.7											
COOK LN(14.0R)						FC5M																
4462921	10.802	20.340	C	2024		0012	CRACKING	9.0	8.0	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*				
AJAX PAVING INDUSTRIES OF(2026)						(2026)	SPRIDE	7.5	7.5	7.6	7.5	7.5	7.3	7.5	7.5	7.5	7.4	7.4		10.0	9.0	
																				8.6	8.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)	IN	CONTRACTOR	(AGE_ONE YEAR)	IN	CONTRACTOR	(AGE_ONE YEAR)	IN	CONTRACTOR	(AGE_ONE YEAR)	IN	CONTRACTOR	(AGE_ONE YEAR)	IN	CONTRACTOR	(AGE_ONE YEAR)	IN	CONTRACTOR	(AGE_ONE YEAR)	IN	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
12040000	4.845	5.083	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	7.0	7.0	7.0	7.0	
867				2	5.2	23500	RIDE	7.9	8.0	7.8	7.5	7.5	7.4	7.1	6.7	6.7	7.3	7.6	7.4	7.4		
WINKLER RD(4.9R)																						
FC3																						
1957091	3.607	4.957	C	1998	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	8.0	5.0*
AJAX PAVING INDUSTRIES				IN	(2000)	S	RIDE	7.2	7.1	7.1	7.1	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.6	6.4	5.7	5.4*
4507281	0.000	5.075	C	2028	0226																	
12040000	5.083	5.549	R	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	
867				2	5.2	23500	RIDE	7.3	7.5	7.3	7.1	7.0	6.9	6.9	6.5	6.7	6.7	8.1	7.9	7.9	7.9	
WHISKEY CREEK DR R(5.2R)																						
FC125																						
1957102	5.144	6.458	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.9	8.1	6.0*
PREFERRED MATERIALS, INC.				(2010)			RIDE	7.7	7.7	7.3	7.3	7.3	7.1	6.8	6.9	6.8	6.8	6.8	6.7	6.6	7.5	7.2
12040000	5.549	6.485	C	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	7.0	7.0	10.0	10.0	9.0	9.0	
867				2	3.4	22500	RIDE	7.3	7.5	7.3	7.1	7.0	6.9	6.9	7.0	6.3	8.1	7.9	7.9	7.9		
CAJUPUT COVE(5.6L)																						
FC125																						
1957102	5.144	6.458	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.9	7.5	5.5*	
PREFERRED MATERIALS, INC.				(2010)			RIDE	7.7	7.7	7.3	7.3	7.3	7.1	6.8	6.9	6.8	6.8	6.7	6.6	5.9	5.6	
12040000	2.657	3.434	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	9.5	9.5	9.5	9.5	
867				2	4.2	35000	RIDE	7.5	7.5	8.1	8.2	7.6	7.4	6.8	7.9	7.8	7.9	7.9	7.9	8.0	7.8	
CR 876(2.7C)																						
FC3																						
1956331	2.461	3.317	C	1995	0005	CRACKING	9.5	9.5	9.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.3	4.0*	
				(1998)			RIDE	7.7	7.5	7.5	7.5	7.5	7.1	7.4	7.2	7.4	7.4	7.1	7.2	7.2	6.9	
4507281	0.000	5.075	C	2028	0226																	
12040000	0.000	2.657	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.0	8.0	8.0	
867				2	6.8	28000	RIDE	9.0	8.8	8.7	8.5	8.5	8.5	8.3	8.2	8.4	8.3	8.1	8.1	8.1	8.0	
OLD MCGREGOR BLVD(0.0L)																						
FC3																						
1956641	0.000	2.434	C	1998	0213	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	3.0*	
HARPER BROS CONSTRUCTION				I	(2001)	S	RIDE	7.8	7.7	7.7	7.7	7.7	7.6	7.5	7.3	7.4	7.3	7.2	6.9	7.1	6.8	
4507281	0.000	5.075	C	2028	0226																	
12060000	5.467	7.400	R	1	1	50	CRACKING	10.0	8.0	8.0	7.5	7.0				4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
78				2	11.7	20200	RIDE	8.9	8.9	8.7	7.8	7.7				7.3	7.3	7.0	7.1	6.8	6.7	
CR 884/VETERANS PKWY(5.5R)																						
FC5																						
4136951	5.467	7.281	C	2013	0213	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	8.5	6.5	
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE	6.7		8.5	8.3	8.4	8.2	8.3	8.3	8.2	8.2	8.2	8.2	8.4	8.2	
12060000	7.400	9.639	R	1	7	50	CRACKING	10.0	10.0	10.0	8.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	
78				2	7.0	42000	RIDE	8.9	8.6	8.6	8.2	7.9				7.8	7.8	7.8	7.8	7.8	7.7	
CHIQUITA BLVD(7.5C)																						
FC5M																						
4462911	7.410	9.618	C	2024	0012	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	7.7	7.7	7.6	7.6	7.6	7.3	7.4	7.5	7.4	7.4	7.4	7.2	7.3	8.6	
12060000	9.639	11.662	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*		
78				2	7.9	53500	RIDE	8.5	8.5	8.3	7.9	7.8	7.6	7.6	7.0	6.5	7.4	7.2	7.2	7.0	7.0	
TURNOUT(9.7R)																						
FC5M																						
4252291	9.639	11.879	C	2013	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	8.1	7.8	5.5*	
COMMUNITY ASPHALT CORP.				(2015)			RIDE	8.0	8.1	8.1	8.1	7.8	8.1	8.0	8.1	8.0	8.1	8.0	8.1	8.0	7.9	
4507231	9.618	12.107	C	2026	0012																	
12060000	11.662	11.879	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*		
78				2	7.9	53500	RIDE	8.5	8.5	8.3	7.9	7.8	7.6	7.6	7.0	6.5	7.4	7.2	7.2	7.0	7.0	
NE 15 AVE(11.8R)																						
FC5M																						
4252291	9.639	11.879	C	2013	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	8.1	9.5	7.0	
COMMUNITY ASPHALT CORP.				(2015)			RIDE	8.0	8.1	8.1	8.1	7.8	8.1	8.0	8.1	8.0	8.1	8.0	8.1	8.0	7.5	
4507231	9.618	12.107	C	2026	0012																	
12060000	11.879	12.095	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*		
78				3	7.9	53500	RIDE	8.5	8.5	8.3	7.9	7.8	7.6	7.6	7.0	6.5	7.4	7.2	7.2	7.0	7.0	
DEL PRADO BLVD(12.1R)																						
FC5M																						
				(2026)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	10.0	
							RIDE	8.1	8.0	8.4	8.3	8.2	7.9	8.1	8.1	8.2	8.0	7.9	8.1	7.5	7.3	
12060000	12.095	12.361	R	1	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0		
78				3	7.7	31000	RIDE	8.6	8.6	8.3	7.9	7.8	7.7	7.7	7.8	7.6	7.5	7.6	7.6	7.4	8.1	
ALBERTSON'S(12.4R)																						
FC5M																						
4252301	12.107	12.266	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	9.0	
AJAX PAVING INDUSTRIES OF				(2013)			RIDE	8.1	8.0	8.4	8.3	8.2	7.9	8.1	8.1	8.2	8.0	7.9	8.1	8.1	7.9	
4562401	12.107	17.023	C	2029	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
12060000	12.361	14.775	R	1	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	
78				2	8.6	38500	RIDE	8.6	8.6	8.3	7.9	7.8	7.7	7.7	7.8	7.6	7.5	7.6	7.4	8.1	
DEL PINE DR(12.7R)																					
4252301	12.266	14.736	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.9	6.5
AJAX PAVING INDUSTRIES OF (2013)																					
4562401	12.107	17.023	C	2029		0012	RIDE	8.1	8.0	8.4	8.3	8.2	7.9	8.1	8.1	8.2	8.0	7.9	8.1	8.2	8.0
12060000	14.775	15.865	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	8.0	8.0	7.0	
78				2	7.7	33000	RIDE	8.6	8.0	8.1	7.8	6.9	7.3	7.6	7.6	7.5	7.4	7.2	7.1	7.1	
BROWN RD(14.8C)																					
4313171	14.775	17.023	C	2016		0012	CRACKING	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
AJAX PAVING INDUSTRIES OF (2018)																					
4562401	12.107	17.023	C	2029		0012	SPRIDE	7.3	6.8	7.3	7.6	8.2	8.1	8.2	8.1	8.1	8.1	7.9	7.8	7.9	7.6
12060000	15.865	17.023	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.5	7.5	
78				2	6.5	41500	RIDE	7.5	7.7	7.5	6.8	7.1	7.1	6.5	6.6	6.4*	6.5	6.4*	6.9	6.9	
TURNOUT(15.9R)																					
4313171	14.775	17.023	C	2016		0012	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.0
AJAX PAVING INDUSTRIES OF (2018)																					
4562401	12.107	17.023	C	2029		0012	SPRIDE	6.7	6.9	6.7	6.6	8.2	8.1	8.2	8.1	8.1	8.1	7.9	8.0	8.0	7.8
12060000	17.023	18.285	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
78				2	12.6	42000	RIDE	8.8	8.9	8.5	8.6	8.2	8.3	8.3	8.4	8.2	8.1	8.2	8.1	8.0	
WHALEYS DR(17.3R)																					
1956651	17.145	18.440	C	1998		0213	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.5	7.5	7.5	7.5	6.5	3.5*
AJAX PAVING INDUSTRIES INC(2000)																					
4507221	17.023	18.361	C	2029		0226	S RIDE	7.9	7.9	7.9	7.8	7.8	7.4	7.6	7.7	7.8	7.6	7.4	7.5	7.6	7.3
12060000	18.285	20.934	R	1	1	50	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
78				2	7.7	26500	RIDE	6.8	6.8	7.2	7.1	6.9	6.6		8.3	8.1	8.2	8.2	8.2	8.2	
WILLOW STREAM LN(18.7R)																					
1957051	18.440	20.657	C	2004		0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	6.5	6.5	6.5	4.0*
WESTWIND CONTRACTING, INC.(2008)																					
12060000	20.934	21.559	R	1	1	50	CRACKING	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
78				2	20.7	19100	RIDE	8.6	8.5	8.2	7.9	7.5	7.1	7.2	7.1	6.9	6.5	8.0	7.5	7.7	
TURNOUT(21.1C)																					
4224021	20.919	22.104	C	2010		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.9*	6.5	3.5*
S. T. WOOTEN CORPORATION (2011)																					
4489561	20.857	21.430	C	2028		0226	RIDE	7.5	7.6	7.7	7.7	7.7	7.1	7.5	7.5	7.7	7.3	7.3	7.6	7.3	7.1
12060000	21.559	22.000	C	1	1	50	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0	10.0	
78				2	20.7	19100	RIDE	8.5	8.5	8.6	7.9	7.9	8.0	7.4	7.7	7.6	7.5	8.8	8.6	8.7	
EAST LAKE DR(21.6R)																					
4224021	20.919	22.104	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	7.9	6.0*
S. T. WOOTEN CORPORATION (2011)																					
12060000	22.000	22.273	C	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	
78				2	20.7	19100	RIDE	8.7	8.8	8.5	8.4	8.4	8.2	8.4	8.4	8.3	8.0	8.2	7.9	8.1	
(2026)																					
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.5	7.3	10.0	9.0
							RIDE	8.2	7.8	7.8	7.8	7.9	7.7	7.8	7.7	7.9	7.6	7.6	7.9	7.9	7.6
12060000	22.273	24.417	C	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	
78				2	20.7	19100	RIDE	8.7	8.8	8.5	8.4	8.4	8.2	8.4	8.4	8.3	8.0	8.2	7.9	8.1	
DURRANCE RD(22.4L)																					
1957131	22.114	24.400	C	1999		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.5	7.3	6.7	3.5*
BETTER ROADS INC (2001)																					
12060000	20.934	21.559	L	1	1	50	CRACKING	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	2.5*	10.0	10.0	10.0	
78				2	20.7	19100	RIDE	8.5	8.0	7.6	7.2	7.1	6.8	6.9	6.8	6.8	6.5	8.0	7.9	7.9	
TURNOUT(21.1C)																					
4224021	20.919	22.104	C	2010		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	5.6*	5.5*	2.5*
S. T. WOOTEN CORPORATION (2011)																					
4489561	20.857	21.430	C	2028		0226	RIDE	7.7	7.9	7.8	7.6	7.7	7.0	7.4	7.4	7.7	7.3	7.1	7.1	7.3	7.1
12060000	18.361	20.934	L	1	1	50	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
78				2	7.7	26500	RIDE	6.8	6.8	7.2	7.1	6.9	6.6		8.4	8.3	8.3	8.3	8.2	8.1	
OLD BAYSHORE RD(18.8L)																					
1957051	18.440	20.657	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.6	6.9	4.5*
WESTWIND CONTRACTING, INC.(2008)																					
							SPRIDE	8.1	8.1	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-X-P		ASTYPE										(PMRS)
		(AGE_ONE YEAR)																				
12060000	17.023	18.361	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
78			2	12.6	42000		RIDE	8.8	8.8	8.6	8.5	8.2	8.2	8.5	8.1	7.9	7.9	7.9	7.8	7.8		
SHORELINE BLVD(17.4L)																						
FC3																						
1956651	17.145	18.440	C	1998		0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.6	5.5*	2.5*	
AJAX PAVING INDUSTRIES INC(2000)																						
4507221	17.023	18.361	C	2029		0226																
12060000 15.865 17.023 L 1 1 50 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.5 9.0 9.0 9.0 9.0 9.0 9.0 7.5 7.5 7.5 7.5																						
78 2 6.5 41500 RIDE 7.7 7.8 7.7 7.1 7.1 7.0 7.0 7.1 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 6.8 6.8 6.7 7.0																						
MAGNOLIA DR(16.0C)																						
FC5M																						
4313171	14.775	17.023	C	2016		0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.1	8.9	7.0	
AJAX PAVING INDUSTRIES OF(2018)																						
4562401	12.107	17.023	C	2029		0012		6.8	6.6	6.2*	6.2*	8.1	7.9	8.1	8.2	8.2	8.1	8.1	8.0	8.0	7.8	
12060000 14.775 15.865 L 1 1 40 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0																						
78 2 7.7 33000 RIDE 8.6 8.4 8.2 7.5 7.4 7.8 7.3 7.5 7.2 7.5 7.5 7.5 7.5 7.1																						
BROWN RD(14.8C)																						
FC125A																						
4313171	14.775	17.023	C	2016		0012	CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.1	8.5	7.0	
AJAX PAVING INDUSTRIES OF(2018)																						
4562401	12.107	17.023	C	2029		0012		6.8	7.1	7.2	7.1	8.1	7.9	8.1	8.2	8.2	8.1	8.1	8.3	8.1	7.8	
12060000 12.095 14.775 L 1 1 55 CRACKING 9.0 9.0 9.0 8.0 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 4.5* 10.0																						
78 2 8.6 38500 RIDE 8.5 8.2 8.3 8.0 7.9 7.8 7.6 7.8 7.7 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.4 8.1																						
PUBLIX ENT(12.4L)																						
FC5M																						
4252301	12.266	14.736	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.7	6.0*	
AJAX PAVING INDUSTRIES OF(2013)																						
4562401	12.107	17.023	C	2029		0012		8.1	7.9	8.4	8.4	8.2	8.1	8.2	8.1	8.2	8.0	8.1	8.1	8.1	7.9	
12060000 11.879 12.095 L 1 1 55 CRACKING 10.0 10.0 10.0 10.0 9.0 8.0 8.0 8.0 6.5 4.5* 4.5* 3.5* 3.5*																						
78 3 7.9 53500 RIDE 8.3 8.4 8.2 7.8 7.6 7.2 7.3 7.3 7.2 7.1 7.0 7.0 7.0 7.0 7.0 7.0 6.9 6.8																						
CR 867A(12.1L)																						
FC5M																						
(2014)																						
4507231 9.618 12.107 C 2026 0012 CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 6.5 6.5 6.5 5.1* 3.5* 1.0*																						
78 2 7.9 53500 RIDE 7.6 7.6 8.0 7.8 7.7 7.6 7.8 7.4 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.5 7.3																						
12060000 9.639 11.879 L 1 1 55 CRACKING 10.0 10.0 10.0 10.0 9.0 8.0 8.0 8.0 6.5 4.5* 4.5* 3.5* 3.5*																						
78 2 7.9 53500 RIDE 8.3 8.4 8.2 7.8 7.6 7.2 7.3 7.3 7.2 7.1 7.0 6.9 6.8																						
JUANITA BLVD(9.8C)																						
FC5M																						
4252291	9.639	11.879	C	2013		0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.8	5.5*		
COMMUNITY ASPHALT CORP.(2015)																						
4507231	9.618	12.107	C	2026		0012			8.3	8.2	8.2	8.0	7.9	8.0	8.1	8.2	8.1	8.1	8.1	8.1	7.9	
12060000 7.400 9.639 L 1 7 50 CRACKING 10.0 10.0 10.0 8.5 7.5																						
78 2 7.0 42000 RIDE 8.9 8.6 8.6 8.2 7.9																						
CHIQUITA BLVD(7.5C)																						
FC5M																						
4462911	7.410	9.618	C	2024		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.4	10.0	9.0	
AJAX PAVING INDUSTRIES OF(2026)																						
12060000	5.467	7.400	L	1	1	50	CRACKING	10.0	8.0	8.0	7.5	7.0			4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
78			2	11.7	20200		RIDE	8.9	8.9	8.7	7.8	7.7			7.3	7.3	7.0	7.1	6.8	6.7		
BURNT STORE RD/CR765(5.5L)																						
FC5																						
4136951	5.467	7.281	C	2013		0213	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	8.7	6.5	
AJAX PAVING INDUSTRIES OF(2016)																						
12070000	0.000	0.457	R	1	1	30	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
82	B41		1	4.7	16700		RIDE	4.1*	6.6	5.1*	5.7	5.6	5.4*	5.2*	5.1*	5.0*	5.0*	5.1*	5.0*	4.9*		
SR 45/US 41(0.0C)																						
FC125																						
1956611	0.000	0.457	C	2000		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7	7.5	4.5*	
AJAX PAVING INDUSTRIES IN(2002)																						
12070000	0.457	0.889	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
82	B41		2	4.7	16700		RIDE	6.5	6.6	6.4	6.0	5.5	5.7	5.0*	5.5	6.3	6.3	6.1	6.1	5.9		
ROYAL PALM(0.6C)																						
FC125																						
(1997)																						
CRACKING 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 8.5 8.5 8.5 7.0 7.0 3.5* 0.0*																						
RIDE 5.9 5.4*																						
12070000 0.889 2.715 R 1 1 45 CRACKING 10.0																						
82 2 8.3 40500 RIDE 8.4 8.4 8.5 7.9 8.5 8.3 8.2 8.2 8.2 8.1																						
CRANFORD AVE(0.9C)																						
FC3																						
1956461	0.085	2.957	C	1999		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	8.0	8.5	8.3	5.5*	
HARPER BROS CONSTRUCTION I(2004)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RY	FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
12070000	2.715	3.838	R	1	1	50	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
82			2	10.0	51000		RIDE					8.1	8.1	8.1	8.1	8.1	8.0	7.6	7.5	7.8	
JACKSONVILLE ST(2.8R)																					
4380081	2.966	3.613	C	2019	0012		CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.7	9.4	8.0
82			3	10.0	51000		RIDE	7.8	7.6	7.5	7.8	7.7	7.2	7.7	8.7	8.6	8.6	8.6	8.4	8.6	8.4
COMMUNITY ASPHALT CORP. (2021)																					
12070000	3.838	4.507	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0				
82			3	10.0	45000		RIDE	8.2	8.3	7.7	7.4	7.5	7.3	7.3	7.1	7.0	7.0				
TURNOUT(3.8R)																					
4489551	3.847	6.895	R	2028	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	9.0	8.0
82			3	10.0	41500		RIDE	8.3	8.2	8.3	8.3	8.1	8.2	8.3	8.2	8.1	8.1	8.0	8.0	8.1	7.8
(2026)																					
12070000	4.507	6.882	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0				
82			3	10.0	41500		RIDE	9.0	9.1	8.3	8.3	8.3	8.3	8.3	8.6	8.5	8.6				
DESTINATION DR(4.7R)																					
1954882	4.876	7.140	C	2009	0218		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	2.0*
82			3	10.0	41500		RIDE	8.3	8.2	8.3	8.3	8.1	8.2	8.3	8.2	8.1	8.1	8.0	8.0	8.1	7.9
(2014)																					
4489551	3.847	6.895	R	2028	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	9.0	8.0
82			3	10.0	41500		RIDE	8.3	8.2	8.3	8.3	8.1	8.2	8.3	8.2	8.1	8.1	8.0	8.0	8.1	7.9
(2014)																					
12070000	6.882	10.939	R	1	1	55	CRACKING	5.0*	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	10.0	10.0	10.0	
82			3	7.9	36500		RIDE	7.8	8.7	8.2	8.0	7.9	7.8	7.8	7.7	7.6	8.3	8.3	8.2		
LANDFILL RD(7.6R)																					
4258411	7.082	11.544	C	2017	0213		CRACKING							10.0	10.0	10.0	10.0	9.2	9.5	8.0	
82			3	10.0	36500		RIDE	7.8	8.7	8.2	8.0	7.9	7.8	7.8	7.7	7.6	8.3	8.3	8.2		
AJAX PAVING INDUSTRIES OF (2021)																					
12070000	10.939	11.433	R	1	4	55	CRACKING	9.5	9.5	8.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
82			3	10.0	48000		RIDE	8.5	8.3	8.3	7.7	7.6	7.6	7.3	7.8	7.9	8.4	8.4	8.3	8.3	
TO DANIALS PKWY SB(11.1R)																					
4258411	7.082	11.544	C	2017	0213		CRACKING	10.0	10.0	10.0	10.0	10.0		9.0	9.3	9.1	9.1	9.1	9.1	9.2	8.5
82			3	10.0	48000		RIDE	8.3	8.1	8.0	7.9	7.6		8.6	8.6	8.5	8.7	8.4	8.7	8.6	
AJAX PAVING INDUSTRIES OF (2021)																					
12070000	11.433	15.055	R	1	1	55	CRACKING	9.5	9.5	8.5	7.0	5.5*	5.5*	5.5*	3.5*	4.5*	4.5*		10.0	10.0	
82			3	10.0	48000		RIDE	8.5	8.3	8.3	7.7	7.6	7.6	7.3	8.0	6.6	6.7		8.8	8.8	
SHAWNEE RD(11.5R)																					
4258411	7.082	11.544	C	2017	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	9.2	9.6	8.0	
82			3	10.0	48000		RIDE	8.8	8.7	8.6	8.6	8.5	8.4	8.1	8.6	8.7	8.6	8.6	8.6	8.6	8.4
(2022)																					
12070000	15.055	21.590	R	1	1	60	CRACKING	7.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	
82			2	14.1	22500		RIDE	7.5	7.6	7.3	6.8	6.7	6.5	6.4*	6.4*	6.2*	6.1*		8.8	8.8	
RUE LABEAU CIR(15.4R)																					
4258413	14.961	18.427	C	2018	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.6	9.5	8.0	
82			2	14.1	22500		RIDE	8.8	8.7	8.6	8.6	8.5	8.4		8.7	8.6	8.6	8.6	8.6	8.5	8.3
SACYR CONSTRUCCION SA (2022)																					
12070000	15.285	21.590	L	1	1	60	CRACKING	7.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	
82			2	14.1	22500		RIDE	7.5	7.6	7.3	6.8	6.7	6.5	6.4*	6.4*	6.2*	6.1*		8.8	8.8	
KALAMAR DR(16.0L)																					
4258413	14.961	18.427	C	2018	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.6	10.0	8.5	
82			2	14.1	22500		RIDE	8.8	8.7	8.6	8.6	8.5	8.4		8.9	8.8	8.7	8.7	8.6	8.4	
SACYR CONSTRUCCION SA (2022)																					
12070000	11.433	15.285	L	1	1	55	CRACKING	9.5	9.5	8.5	7.0	5.5*	5.5*	5.5*	3.5*	4.5*	4.5*		10.0	10.0	
82			3	10.0	48000		RIDE	8.5	8.3	8.3	7.7	7.6	7.6	7.3	8.0	6.6	6.7		8.8	8.8	
40TH ST SW(12.2L)																					
4258411	7.082	11.544	C	2017	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.4	10.0	8.5	
82			3	10.0	48000		RIDE	8.8	8.7	8.6	8.6	8.5	8.4	8.1	8.6	8.6	8.5	8.5	8.5	8.5	8.3
(2022)																					
12070000	10.939	11.433	L	1	4	55	CRACKING	9.5	9.5	8.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
82			3	10.0	48000		RIDE	8.5	8.3	8.3	7.7	7.6	7.6	7.3	8.5	8.5	8.2	8.3	8.2	8.2	
TOUT FROM GUNNARY SB(11.0L)																					
4258411	7.082	11.544	C	2017	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		8.9	9.3	9.3	9.3	9.3	9.2	8.5
82			3	10.0	48000		RIDE	8.2	8.1	8.0	7.9	7.6		8.4	8.6	8.7	8.4	8.5	8.6	8.5	8.5
AJAX PAVING INDUSTRIES OF (2021)																					
12070000	6.882	10.939	L	1	1	55	CRACKING	5.0*	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	10.0	10.0	10.0	
82			3	7.9	36500		RIDE	7.8	8.7	8.2	8.0	7.9	7.8	7.8	7.3	6.9	7.1	8.3	8.3	8.2	
RIVER TRENT CT(7.3L)																					
4258411	7.082	11.544	C	2017	0213		CRACKING							10.0	10.0	10.0	10.0	9.2	9.2	7.5	
82			3	7.9	36500		RIDE	7.8	8.7	8.2	8.0	7.9	7.8	7.8	7.3	6.9	7.1	8.3	8.3	8.2	
AJAX PAVING INDUSTRIES OF (2021)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****															
12070000	4.507	6.882	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0				
82				3	10.0	41500	RIDE	9.0	9.1	8.3	8.3	8.3	8.3	8.3	8.3	8.6	8.5	8.6				
TETER RD(4.7L)																						
1954882	4.876	7.140	C	2009	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.4*	3.0*
				(2014)		RIDE		8.2	8.1	8.2	8.2	8.0	7.9	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.8
FC5																						
4489551	3.855	6.895	L	2028	0226																	
12070000	3.838	4.507	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
82				3	10.0	45000	RIDE	8.5	8.4	8.2	7.2	7.8	7.7	7.7	7.7	7.7	7.7	7.6				
PARK 82(4.1L)																						
1954882	3.985	4.876	L	2011	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	8.3	6.5
				(2014)		RIDE		8.2	8.1	8.2	8.2	8.0	7.9	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.1	7.8
FC125M																						
4489551	3.855	6.895	L	2028	0226																	
12070000	2.715	3.838	L	1	1 50	CRACKING				10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
82				2	10.0	51000	RIDE			8.2		7.6	7.5	7.4	7.7	7.4	7.4	7.4	7.3	7.2	7.2	7.2
TURNOUT(3.0L)																						
4380081	2.966	3.613	C	2019	0012	CRACKING		9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.4	9.3	7.5
				(2021)		RIDE		7.3	7.2	7.3	8.1	8.0	7.8	7.9	8.6	8.5	8.6	8.6	8.6	8.5	8.6	8.4
COMMUNITY ASPHALT CORP.																						
12070000	0.889	2.715	L	1	1 45	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
82				2	8.3	40500	RIDE				8.6	8.6	8.6	8.5	8.4	8.4	8.2	8.4	8.2	8.1		
CRANFORD AVE(0.9C)																						
1956461	0.085	2.957	C	1999	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	7.9	5.0*
				(2004)		RIDE		8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.8	7.7	7.7	7.7	7.7	7.8	7.5
HARPER BROS CONSTRUCTION																						
12070000	0.457	0.889	L	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
82				1	4.7	16700	RIDE	6.5	6.6	6.4	6.0	5.5	5.7	5.0*	6.2	6.7	6.5	6.7	6.2	6.2	6.2	6.2
TURNOUT(0.5L)																						
				(1997)		CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	6.5	6.5	3.0*	4.8*
						RIDE		5.4*	5.9	5.8	5.7	5.2*	5.1*	5.3*							5.1*	4.8*
12070000	0.000	0.457	L	1	1 30	CRACKING		5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
82				1	4.7	16700	RIDE	4.1*	6.6	5.1*	5.7	5.6	5.4*	5.2*	6.1	6.0	5.8	5.9	5.7	5.6		
CLEVELAND ST(0.0L)																						
195611	0.000	0.457	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.2	4.5*	4.7*
				(2002)		SPRIDE		5.5	5.3*	5.3*	5.3*	4.5*	4.6*	4.9*	4.9*	5.0*	5.1*	4.5*	4.4*	5.0*	4.7*	
AJAX PAVING INDUSTRIES																						
12070001	0.000	0.148	R	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5		10.0	10.0	10.0		
82				2	3.1	6800	RIDE											5.9				
M L KING BLVD(0.0C)																						
				(2011)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.2	6.0*
						RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	3.4*	3.1*
UNKW																						
12070001	0.000	0.148	L	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5		10.0	10.0	10.0		
82				1	3.1	6800	RIDE											4.9*				
M L KING BLVD(0.0C)																						
				(2011)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*
						RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	3.6*	3.3*
UNKW																						
12075000	0.000	7.660	R	4	1 70	CRACKING		8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*			10.0	10.0	10.0		
93				3	9.4	116500	RIDE	8.9	9.0	8.9	8.3	8.2	8.1	8.2	8.4			8.4	8.4	8.4		
I75																						
				(2011)		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	5.0*	2.0*	
				(2011)		RIDE		8.3	8.3	8.5	8.6	8.5	8.5	8.7	8.6	8.7	8.6	8.6	8.3	8.0	7.9	
FC5M																						
4206551	0.000	26.307	C	2007	0213																	
				(2011)																		
I75																						
4525441	0.000	8.106	C	2027	0213																	
12075000	7.660	13.909	R	4	8 70	CRACKING		7.5	7.5	7.5	7.5	7.5	7.0	7.0	5.0*			10.0	10.0	10.0		
93				3	9.6	108500	RIDE	8.9	9.0	8.8	8.2	8.1	8.0	8.0	8.2			8.4	8.4	8.4		
I75																						
				(2011)		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5		
				(2011)		RIDE		8.3	8.3	8.5	8.6	8.5	8.5	8.7	8.6	8.7	8.6	8.6	8.3			
FC2																						
4463441	0.000	13.888	C	2024	0012																	
12075000	13.909	16.210	R	4	1 70	CRACKING		7.5	7.5	7.5	7.5	7.5	7.0	7.0	5.0*			10.0	10.0	10.0		
93				3	11.7	125280	RIDE	8.9	9.0	8.8	8.2	8.1	8.0	8.0	8.2			8.4	8.4	8.4		
I75																						
				(2026)		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	8.9	8.0
				(2026)		RIDE		8.3	8.3	8.5	8.6	8.5	8.5	8.7	8.6	8.7	8.6	8.6	8.3	8.6	8.6	8.5
OGFC																						
4527931	13.882	17.227	C	2027	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
12075000	16.210	20.481	R	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0				10.0	10.0	10.0
93 I75	130.6	134.9	3	14.5		118500	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4				8.4	8.4	8.4
							FC5M														
4206551	0.000	26.307	C	2007	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	3.5*
				(2011)			RIDE	8.3	8.3	8.5	8.6	8.5	8.5	8.7	8.6	8.7	8.6	8.6	8.3	8.2	8.1
4560251	16.400	24.400	R	2026	6060																
12075000	20.481	21.260	R	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0				10.0	10.0	10.0
93 I75	134.9	135.7	3	14.5		118500	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4				8.4	8.4	7.7
							FC5M														
4206551	0.000	26.307	C	2007	0213		CRACKING	10.0	9.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.0*
				(2013)			RIDE	7.7	7.7	8.5	8.6	8.5	8.5	8.7	8.6	8.7	8.6	8.6	8.3	7.9	7.8
4560251	16.400	24.400	R	2026	6060																
12075000	21.260	22.433	R	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0
93 I75	135.7	136.9	3	13.1		106500	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4	8.3	8.3				7.7
							FC5M														
							CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.7	10.0
4560251	16.400	24.400	R	2026	6060		RIDE	7.7	7.7	8.1	8.1	8.1	8.0	8.3	8.4	8.3	8.8	8.8	9.0	9.1	9.0
				(2023)																	8.5
12075000	22.433	23.729	R	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0
93 I75	136.9	138.2	3	15.7		118000	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4	8.3	8.3				7.7
							FC5M														
4110371	22.369	23.898	C	2010	0218		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	6.5
PREFERRED MATERIALS, INC.				(2013)			SPRIDE	7.7	7.7	8.1	8.1	8.1	8.0	8.3	8.4	8.3	8.6	8.6	8.5	8.2	8.1
4560251	16.400	24.400	R	2026	6060																
12075000	23.729	25.930	R	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				9.0
93 I75	138.2	140.4	3	15.8		113500	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4	8.3	8.3				8.4
							FC5M														9.0
4110381	23.898	25.565	C	2011	0213		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.8	7.7	5.5*
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE			8.5	8.5	8.5	8.4	8.8	8.8	8.8	8.6	8.6	8.5	8.7	8.6
12075000	25.930	26.538	R	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
93 I75	140.4	141.0	3	14.7		87000	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4	8.3	8.3				8.4
							FC5M														
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0
				(2017)			RIDE				8.0	8.3	8.2	8.4	8.4	8.4	8.3	8.3	8.4	8.4	8.3
12075000	27.273	28.390	R	4	1	70	CRACKING	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
93 I75	141.7	142.8	3	14.7		87000	RIDE	8.7	8.7	8.5	8.0	8.1	8.0	8.0	8.2	8.1	8.0				7.8
							FC5M														
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0
				(2017)			RIDE				8.4	8.4	8.3	8.6	8.6	8.6	8.4	8.5	8.5	8.4	8.3
12075000	28.390	34.138	R	4	1	70	CRACKING	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
93 I75	142.8	148.6	3	19.0		64500	RIDE	8.7	8.7	8.5	8.0	8.1	8.0	8.0	8.2	8.1	8.0				7.8
							FC5M														
4130412	28.147	34.138	C	2012	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.6
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE			8.6	8.6	8.6	8.6	8.8	8.7	8.8	8.8	8.7	8.3	8.3	8.2
12075000	28.390	34.138	L	4	1	70	CRACKING	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
93 I75	142.8	148.6	3	19.0		64500	RIDE	8.7	8.7	8.4	8.1	8.1	8.1	8.1	8.2	8.1	7.9	7.8	7.6	7.5	
							FC5M														
4130412	28.147	34.138	C	2012	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	8.8	6.5
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE			8.6	8.6	8.6	8.5	8.8	8.8	8.8	8.8	8.7	8.7	8.3	8.2
12075000	27.273	28.390	L	4	1	70	CRACKING	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
93 I75	141.7	142.8	3	14.7		87000	RIDE	8.7	8.7	8.4	8.1	8.1	8.1	8.1	8.2	8.1	7.9	7.8	7.6	7.5	
							FC5M														
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.0*
				(2017)			RIDE				8.3	8.3	8.3	8.5	8.5	8.5	8.4	8.5	8.4	8.4	8.3
12075000	25.930	26.538	L	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	140.4	141.0	3	14.7		87000	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5	8.5	8.4		
							FC5M														
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	6.5
				(2017)			RIDE				8.4	8.2	8.3	8.5	8.5	8.5	8.5	8.5	8.3	8.3	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = LEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
ITMSEG-F																						
12075000	23.836	25.930	L	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	138.3	140.4	4	15.8		113500	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5	8.5	8.5	8.4		
						FC5M																
4110381	23.898	25.565	C	2011		0213	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.3	6.0*	
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE			8.5	8.5	8.5	8.5	8.7	8.8	8.8	8.7	8.7	8.7	8.6	8.5	
12075000	22.397	23.836	L	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0	
93 I75	136.8	138.3	3	15.7		118000	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5				7.8	
						FC5M																
4110371	22.369	23.898	C	2010		0218	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	8.2	6.5	4.0*	
PREFERRED MATERIALS, INC.				(2013)			SPRIDE	7.8	7.9	8.3	8.3	8.2	8.2	8.4	8.5	8.4	8.4	8.3	8.3	7.7	7.6	
12075000	21.140	22.397	L	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0	
93 I75	135.6	136.8	3	13.1		106500	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5				7.8	
						FC5M																
				(2023)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	8.5
							RIDE	7.8	7.9	8.3	8.3	8.2	8.2	8.4	8.5			8.6	8.6	8.5	8.6	8.5
12075000	20.919	21.140	L	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0	
93 I75	135.4	135.6	3	14.5		118500	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5				7.8	
						FC5M																
				(2023)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			9.0	9.0	9.0	7.0	5.5*
							RIDE	7.8	7.9	8.3	8.3	8.2	8.2	8.4	8.5			8.3	8.5	8.5	8.3	8.2
12075000	16.252	20.919	L	4	1	70	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0						10.0	
93 I75	130.7	135.4	3	14.5		118500	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6						8.4	
						FC5M																
4206551	0.000	26.307	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.8	4.0*	
				(2011)			RIDE	8.4	8.3	8.6	8.7	8.6	8.5	8.8	8.8	8.8	8.8	8.7	8.7	8.6	8.5	
12075000	13.930	16.252	L	4	1	70	CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5						10.0	
93 I75	128.4	130.7	3	11.7		125280	RIDE	9.0	9.0	8.7	8.2	8.1	8.1	8.1	8.3						8.4	
						FC5M																
				(2026)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	8.9	8.0	
							RIDE	8.4	8.3	8.6	8.7	8.6	8.5	8.8	8.8	8.8	8.8	8.7	8.7	8.6	8.5	
4527931	13.882	17.227	C	2027		0012																
12075000	7.685	13.930	L	4	8	70	CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5						10.0	
93 I75	122.1	128.4	3	9.6		108500	RIDE	9.0	9.0	8.7	8.2	8.1	8.1	8.1	8.3						8.4	
						FC2																
4206551	0.000	26.307	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	3.5*	
				(2011)			RIDE	8.4	8.3	8.6	8.7	8.6	8.5	8.8	8.8	8.8	8.8	8.7	8.7	8.7	8.5	
4463441	0.000	13.888	C	2024		0012																
12075000	0.000	7.685	L	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.0*						10.0	
93 I75	114.4	122.1	3	9.4		116500	RIDE	9.1	9.1	9.0	8.4	8.4	8.4	8.3	8.5						8.4	
						FC5M																
4206551	0.000	26.307	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	
				(2011)			RIDE	8.4	8.3	8.6	8.7	8.6	8.5	8.8	8.8	8.8	8.8	8.7	8.7	8.6	8.5	
4525441	0.000	8.106	C	2027		0213																
12090000	0.000	0.510	C	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
31			2	21.9		20900	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	7.3	7.2	7.8	7.9	7.8	7.8		
						FC3																
1956621	0.017	4.684	C	2000		0221	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*	
AJAX PAVING INDUSTRIES INC(2002)							S RIDE	7.7	7.7	7.6	7.6	7.5	7.2	7.2	7.2	7.2	7.3	7.1	6.9	6.8	6.5	
12090000	0.510	0.877	C	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5		
31			2	21.9		20900	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	7.8	7.8	7.8	7.9	7.8	7.8		
						FC3																
1956621	0.017	4.684	C	2000		0221	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.9	5.0*	
AJAX PAVING INDUSTRIES INC(2002)							S RIDE	7.7	7.7	7.6	7.6	7.5	7.2	7.2	7.2	7.2	7.3	7.1	6.9	7.1	6.8	
12090000	0.877	1.118	C	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		
31			2	21.9		20900	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	8.0	7.9	7.8	7.9	7.8	7.8		
						FC3																
1956621	0.017	4.684	C	2000		0221	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*	
AJAX PAVING INDUSTRIES INC(2002)							S RIDE	7.7	7.7	7.6	7.6	7.5	7.2	7.2	7.2	7.2	7.3	7.1	6.9	7.5	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

