

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE			
SR US	G_BMP	G_EMP	LN	%T	ADT		RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	=====															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)
ITMSEG-P																						
ITMSEG-F																						
13010000	0.000	2.094	R	1	1	50	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
45 41				3	3.0	38500	RIDE	8.0	8.2	8.2	8.1	8.0	7.0	8.2	8.0	7.9	8.1	8.0	8.1	8.0		
BOMB SQUAD RD R(0.3R) FC5																						
1958932	0.000	2.090	C	2003	0012		CRACKING	9.0	9.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.9
APAC-FLORIDA INC (2005)																						
4446121	0.000	2.095	C	2026	0012		RIDE	7.9	7.7	7.6	7.3	7.7	7.8	7.7	7.6	7.5	7.3	7.3	7.3	7.4	7.1	
13010000	2.094	3.017	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	3.2	43000	RIDE	7.4	7.2	7.2	6.9	6.8	5.8*	5.8*	7.5	7.1	7.5	7.6	7.6	7.6	7.3	
BAY DR(2.3C) FC125																						
1958132	2.116	3.017	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.0*	6.0	
AJAX PAVING INDUSTRIES, IN(2006)																						
4510261	2.095	3.017	C	2027	0012		RIDE	7.3	7.3	7.4	7.3	6.8	6.9	6.6	6.6	6.8	6.6	6.8	6.3	6.5	6.1	
13010000	3.017	5.284	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	4.5*			10.0	10.0	
45 41				3	3.0	43500	RIDE	7.4	7.2	7.2	6.9	6.8	5.8*	5.8*	5.7	5.6	5.9			8.2	8.1	
BAYSHORE GARDENS PKW(3.1C) FC125																						
1958133	3.017	5.068	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.4	
PREFERRED MATERIALS, INC. (2010)																						
13010000	5.284	6.331	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	
45 B41				2	3.2	26500	RIDE	8.5	8.4	8.5	8.4	8.3	7.4	7.7	7.6	7.3	7.4	7.4	7.3	7.3		
SR684/US41/CORTEZ RD(5.3R) FC125A																						
4290961	5.284	6.298	C	2015	0012		CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	5.7	
SUPERIOR ASPHALT, INC. (2017)																						
45 B41	6.331	7.552	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	5.5*	5.5*	5.5*	5.5*		
45 41				4	2.6	19000	RIDE	7.5	6.8	6.3*	6.4	6.1	6.0	5.9	5.9	5.7	5.6	5.4*	5.4*	5.0*	5.0*	
23RD AVE W(6.4R) FC125R																						
4252321	6.240	7.388	C	2011	0012		CRACKING	5.5*	10.0	10.0	10.0	9.0	8.5	8.5	8.5		7.0	6.0*	6.0*	6.0*	3.6	
AJAX PAVING INDUSTRIES OF (2013)																						
45 B41	8.878	9.498	C	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
45 41				4	4.1	31500	RIDE		8.2	8.2	7.7	7.7	7.3	7.0	6.9	6.8	6.8	7.2	6.7	6.6		
THIRD ST(8.9R) FC3																						
1959771	9.022	9.483	C	1998	0004		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2
GATOR ASPHALT COMPANY (2000) S RIDE																						
13010000	5.284	6.331	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	
45 B41				2	3.2	26500	RIDE	8.3	8.0	8.3	8.0	8.0	7.8	7.7	7.6	7.0	7.2	7.3	7.2	7.2		
CORTEZ RD(5.3L) FC125A																						
4290961	5.284	6.298	C	2015	0012		CRACKING	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	6.1	
SUPERIOR ASPHALT, INC. (2017)																						
13010000	3.017	5.284	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	4.5*			10.0	10.0	
45 41				3	3.0	43500	RIDE	7.9	7.7	7.7	7.6	7.3	6.6	6.5	6.5	6.7	6.5			8.2	8.1	
BAYSHORE GARDENS PKW(3.1C) FC125																						
1958133	3.017	5.068	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5
PREFERRED MATERIALS, INC. (2010)																						
13010000	2.094	3.017	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	3.2	43000	RIDE	6.2*	6.5	6.5	6.2*	6.0*	5.6*	6.1*	6.6	6.3	6.4	6.6	6.4	6.5		
BAY DR(2.3C) FC125																						
1958132	2.116	3.017	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.0	7.0	7.0	6.0*	5.8	
AJAX PAVING INDUSTRIES, IN(2006)																						
4510261	2.095	3.017	C	2027	0012		RIDE	6.3	6.3	6.2	6.0	5.7	5.6	5.5	5.2*	5.2*	5.2*	5.1*	4.9*	4.9*	4.4	
13010000	0.000	2.094	L	1	1	50	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
45 41				3	3.0	38500	RIDE	8.3	8.2	8.2	8.1	8.0	7.1	8.2	8.0	7.9	8.0	8.0	8.0	7.8		
SEAGATE DR(0.1L) FC5																						
1958932	0.000	2.090	C	2003	0012		CRACKING	9.0	8.0	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.1
APAC-FLORIDA INC (2005)																						
4446121	0.000	2.095	C	2026	0012		RIDE	8.0	7.8	7.9	7.5	7.9	8.0	8.0	7.9	7.5	7.5	7.5	7.5	7.4	7.4	
13010001	0.000	0.480	R	1	1	35	CRACKING	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41				2	4.1	39000	RIDE	7.4	7.4	6.3*	6.3	6.0	5.7	5.4*	5.2*	7.7	7.8	7.4	7.9	7.9		
TENTH ST W(0.0C) DGFC																						
4067541	0.012	0.486	C	2005	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	
PREFERRED MATERIALS, INC. (2007)																						
							RIDE	7.1	7.3	7.5	7.4	7.4	7.4	7.3	7.0	7.3	7.2	7.1	6.8	6.6	6.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE								
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011					
												2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029					
												(REG)																		
13010001	45	B41	1.204		1.379	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	4.5*		10.0	10.0							
INTERSECT AT (MP SIDE)												8.7	8.5	8.5	8.7	8.6	7.5	6.4	6.6	6.7	6.1		8.0	7.9						
RIVERSIDE DR(1.4C)																														
												FC4																		
												CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
(2010)												RIDE	7.9	7.8	7.7	7.0	7.4	7.3	7.2	7.2	7.1	7.3	7.3	7.2	7.1	7.3	6.7	6.8	6.4	
13010001	45	B41	1.204		1.379	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	4.5*		10.0	10.0							
INTERSECT AT (MP SIDE)												8.0	8.4	8.5	8.2	7.7	7.2	7.3	6.9	6.4	6.3		7.4	7.4						
RIVERSIDE DR(1.4C)																														
												FC4																		
												CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	
(2010)												RIDE	7.3	7.4	7.2	7.1	6.9	6.8	7.0	6.9	6.8	6.7	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.3
13010001	45	B41	0.000		0.480	L	1	1	35	CRACKING	10.0	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
INTERSECT AT (MP SIDE)												6.6	6.7	6.0*	6.6	6.6	5.0*	3.9*	4.3*	7.3	7.1	7.2	7.3	7.3						
TENTH ST W(0.0C)																														
												DGFC																		
4067541			0.012		0.486	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8					
PREFERRED MATERIALS, INC.												7.1	7.3	7.2	6.6	6.6	6.9	7.1	6.6	7.2	7.1	6.9	6.5	7.1	6.7					
(2007)												RIDE																		
13020000	43		0.000		0.569	C	1	1	40	CRACKING	9.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5					
SR 45(0.0C)												6.0*	4.7*	6.4*	5.9	5.9	5.6	6.2	5.8	5.6	5.6	4.9*	5.5	5.1*						
												FC95MR																		
												CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	10.0	10.0	9.5	9.5	8.5				
(2021)												RIDE	5.2*	4.9*	5.0*	5.1*	3.7*	3.7*	3.8*			5.2*	5.5	5.5	5.5	5.5				
13020000	43	301	0.569		3.866	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0						
PALM BAY MOBIL HM PK(0.9R)												7.2	7.2	7.5	7.0	8.5	8.1	8.2	8.1	7.9	8.1		8.0	8.0	7.9					
SUPERIOR ASPHALT, INC.																														
												FC125M																		
4380621			1.091		2.633	C	2019	0012	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0						
AJAX PAVING INDUSTRIES OF												7.8	7.7	7.7	7.7	7.5	7.4	7.3	7.2	7.2			8.0	7.8	7.9					
(2022)												SPRIDE																		
13020000	43	301	3.866		4.542	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0							
AJAX PAVING INDUSTRIES OF												7.9	7.9	7.9	6.9	6.7	8.0	7.6	7.5	7.5	7.5	7.0	7.4	7.6						
												FC5M																		
4312121			3.885		4.341	C	2016	0012	CRACKING	7.0	7.0	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0							
AJAX PAVING INDUSTRIES OF												7.7	7.5	7.4	7.1	7.4	7.7	8.2	8.2	8.1	8.3	8.0	7.9	8.0						
(2018)												RIDE																		
13020000	43	301	4.542		4.928	R	1	8	45	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0							
60TH AVE E(4.5R)												7.9	7.9	7.9	6.9		8.1	8.1	8.1	7.8	7.8	7.7	7.6	7.5						
												FC3																		
1960581			4.540		6.595	C	2001	0213	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*								
HUBBARD CONSTRUCTION COMPA(2004)												7.1	7.2	7.2	6.5	7.3	7.2	7.1	7.0	7.0	7.0	6.9	6.3							
												S RIDE																		
13020000	43	301	4.928		6.437	R	1	7	45	CRACKING	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0							
68TH DR E(5.1R)												7.1	6.9	6.8		8.1	8.1	8.1	7.8	7.8	7.7	7.6	7.5							
												FC125M																		
4415341			4.950		6.441	C	2022	0012	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0							
AJAX PAVING INDUSTRIES OF												7.1	7.2	7.2	6.5	7.3	7.2	7.2	7.1	7.0	7.0	6.9	6.3	7.5						
(2024)												SPRIDE																		
13020000	43	301	6.437		10.457	R	1	1	50	CRACKING	10.0	10.0	10.0	9.0	9.0	7.0	6.5	7.0	6.0*	10.0	10.0									
FOY RD/96TH AVE E(7.1R)												8.9	8.9	8.9	8.9	8.7	8.1	7.9	7.8	7.6	8.0	7.9								
												DGFC																		
4226031			6.318		10.441	C	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5							
AJAX PAVING INDUSTRIES OF												8.7	8.7	8.5	8.4	8.2	8.1	8.2	8.1	8.1	8.0	8.0	8.0	8.0						
(2012)												RIDE																		
13020000	43	301	10.457		11.669	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.0*	6.0*	9.0							
PARRISH CEMETERY RD(10.8R)												8.5	8.6	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8	7.8	7.8							
												FC125																		
4279951			10.457		11.669	C	2015	0213	CRACKING	10.0	8.5	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0							
RUSSELL ENGINEERING, INC												7.5	7.4	7.4	7.1	7.5		7.9	7.7	7.7	7.7	7.6	7.5	7.4						
(2018)												SPRIDE																		
13020000	43	301	11.669		16.111	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.5							
DICKEY RD(13.3R)												9.0	9.0	9.0	8.9	8.9	8.6	8.7	8.5	8.6	8.6	8.5	8.4	8.5						
												FC125M																		
4394321			11.696		16.066	C	2020	0012	CRACKING	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0							
AJAX PAVING INDUSTRIES OF												8.4	8.4	8.2	7.9	8.2	8.2	8.2	8.2	8.1	8.4	8.3	8.3	8.2						
(2021)												RIDE																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	-P	=====															
CONTRACTOR (AGE_ONE YEAR)	ASTYPE							2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
13030000	8.228	8.864	R	1	4	60	CRACKING	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	4.5*	
45 41				2	12.6	15400	RIDE	7.4	9.0	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2	8.1	8.1	7.9		
INLAND TRANSPORT ST(8.5R) LGD																						
1961143	8.229	8.884	C	2015		0233	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		9.4	9.4	9.4	9.5	9.5	9.5	9.4	9.4	
PCS CIVIL INC. F/K/A PEPPE(2018) RIDE																						
13030000	8.864	9.782	R	1	1	60	CRACKING	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	4.5*	
45 41				2	12.6	15400	RIDE	7.4	9.0	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2	8.1	8.1	7.9		
ENT TO ROYSTER R(9.2R) FC5M																						
1961142	9.263	9.779	C	2015		0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
PCS CIVIL INC. F/K/A PEPPE(2018) SPRIDE																						
13030000	8.864	9.782	L	1	1	60	CRACKING	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.0*	4.5*	
45 41				2	12.6	15400	RIDE	8.0	8.9	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2	8.2	8.1	7.9		
FC5M																						
1961142	9.263	9.779	C	2015		0012	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
PCS CIVIL INC. F/K/A PEPPE(2018) SPRIDE																						
13030000	8.228	8.864	L	1	4	60	CRACKING	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.0*	4.5*	
45 41				2	12.6	15400	RIDE	8.0	8.9	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2	8.2	8.1	7.9		
DOCK ST S(8.3L) LGD																						
1961143	8.229	8.884	C	2015		0233	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*		9.4	9.3	9.4	9.4	9.3	9.3	9.5	9.4	
PCS CIVIL INC. F/K/A PEPPE(2018) RIDE																						
13030000	5.093	8.228	L	1	1	60	CRACKING	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.0*	4.5*	
45 41				2	16.2	17900	RIDE	8.0	8.9	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2	8.2	8.1	7.9		
85 ST E(5.6L) FC5M																						
1961142	6.432	8.242	C	2015		0012	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	
PCS CIVIL INC. F/K/A PEPPE(2018) SPRIDE																						
13030000	2.582	5.093	L	1	1	60	CRACKING	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	9.4	33500	RIDE	7.2	7.1	7.3	6.8	8.6	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.2	
SR 55(2.6L) FC5																						
1960941	2.257	4.997	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.1	
APAC-FLORIDA INC (2003) SPRIDE																						
4491141	2.238	4.801	C	2025		0012		8.1	8.1	8.0	8.1	8.1	8.2	8.2	8.1	8.2	8.2	8.3	8.1	8.1	8.1	
13030000	0.508	1.309	L	1	8	50	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41				2	5.6	24500	RIDE	7.9	7.7	8.0	7.7	7.7	8.2	6.6	8.0	8.0	8.0	8.0	7.9	7.9	7.8	
8TH AVE(0.8L) FC5																						
1959022	0.508	1.830	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	7.6	
AJAX PAVING INDUSTRIES, IN(2006) RIDE																						
4444401	0.527	1.309	C	2022		0012		7.7	7.7	7.5	7.6	7.8	7.9	7.9	7.7	7.8	7.7	7.8	7.8	7.6		
13030101	0.000	0.560	C	1	1	50	CRACKING													10.0	10.0	
45 B41				2	5.8	12500	RIDE													8.0	8.0	
26TH ST W(0.0L) OGFC																						
							CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	2.8
							RIDE	8.0	8.0	7.9	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.5
(2010) 4491151 0.070 0.528 C 2024 0226																						
13030102	0.000	0.457	C	1	1	55	CRACKING													10.0	10.0	
45 41				2	6.9	18000	RIDE													7.6	7.7	
SR 45 NB(0.0C) OGFC																						
							CRACKING	10.0	10.0	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	2.1
							RIDE	7.7	7.5	7.3	7.4	7.4	7.6	7.6	7.4	7.5	7.5	7.5	7.5	7.4	7.4	7.4
(2010) 4473841 0.000 0.457 C 2024 0012																						
13030103	0.000	0.385	C	1	1	50	CRACKING													7.5	7.5	
45 B41				2	5.5	12000	RIDE													8.4	8.4	
SR 45(0.0C) OGFC																						
							CRACKING													7.5	7.5	
							RIDE													8.4	8.3	
13040000 0.000 0.113 C 1 6 35 CRACKING 8.5 8.5 8.5 8.5 6.5 3.5* 3.5* 3.5* 3.5* 3.5* 10.0 10.0 9.0																						
684 4 4.3 15400 RIDE 6.6 5.7* 5.3* 6.0 5.7 3.7* 3.8* 2.9* 2.2*																						
GULF DR(0.0C) DGFC																						
4172421	0.000	0.121	C	2007		0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.1	
AJAX PAVING INDUSTRIES, IN(2009) RIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP)	(SIDE)	SURFTYPE		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE_YEAR)			FY-F	WKM-M	F																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																(REG)
13050000	3.522	5.941	R	1	1	50	CRACKING	7.5	6.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
64			3	4.7		49500	RIDE	8.2	8.1	8.0	7.8	7.9	6.7	6.7		7.9	8.0	7.9	7.9	8.2		
OAK LEAF BLVD(4.0R)																						
FC125M																						
4161201	3.742	5.773	C	2012		0213	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	
BETTER ROADS INC. (2015)																						
SPRIDE																						
13050000	5.941	6.831	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
64			3	5.6		48500	RIDE	8.6	8.6	8.6	8.6	8.3	7.9	7.8		7.8	8.1	8.0	7.8	8.0		
FC5M																						
(2020)																						
CRACKING																						
RIDE																						
13050000	6.831	7.382	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
64			3	5.6		48500	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1		7.8	8.1	8.0	7.8	8.0		
FC2																						
TIMBER OAK LANE(7.0R)																						
1960222	6.888	7.613	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	
(2007)																						
RIDE																						
4491171	6.822	7.390	C	2028		0226		8.0	8.0	8.0	7.6	8.0	8.0	8.0	8.1	8.2	8.3	8.2	8.3	8.0	8.0	
(2007)																						
RIDE																						
13050000	7.382	8.972	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5				10.0	
64			3	5.2		51000	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8				8.2	
FC5																						
HERITAGE GREENWAY(7.4R)																						
1960223	7.382	9.300	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	6.5	6.5	
(2011)																						
SPRIDE																						
13050000	8.972	9.907	R	1	2	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0		
64			2	7.6		32000	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3		
FC5																						
BLUE CYPRESS ST(9.6R)																						
1960224	9.300	11.866	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5			4.5*	3.5*	3.5*	2.3	
(2009)																						
SPRIDE																						
13050000	9.907	10.800	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0		
64			2	7.6		32000	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3		
FC5																						
GREYHAWK LANDING(10.1R)																						
(2023)																						
CRACKING																						
RIDE																						
13050000	10.800	11.866	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0		
64			2	13.4		13600	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3		
FC5																						
SAVANNA AT LKWOOD RA(10.9R)																						
1960224	9.300	11.866	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5			3.5*	3.5*	1.0*	0.9	
(2009)																						
SPRIDE																						
13050000	11.866	16.898	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*		
64			2	14.5		6147	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7		
FC125M																						
ZIPPER RD(12.4L)																						
4252351	11.812	16.727	C	2012		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	
(2014)																						
RIDE																						
SUPERIOR ASPHALT, INC.																						
13050000	22.134	30.759	C	1	1	60	CRACKING	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*		
70			2	21.4		8300	RIDE	8.3	8.1	8.2	8.3	8.1	7.5	7.0	6.7	7.1	6.7	6.8	6.7	6.6		
FC95M																						
CR 675(22.3L)																						
4223991	22.134	30.759	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	6.5	5.4	
(2012)																						
RIDE																						
AJAX PAVING INDUSTRIES OF																						
13050000	30.759	37.039	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0		
70			2	26.3		6400	RIDE	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.3	8.2	8.0	8.0	7.9	8.5		
FC125R																						
BRENDLE RD(30.8R)																						
4224031	30.785	37.039	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.9	
(2011)																						
RIDE																						
PREFERRED MATERIALS, INC.																						
13050000	37.039	39.483	C	1	7	60	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
70			2	26.3		6400	RIDE	7.5	7.6	7.9		8.4	8.1	8.0	8.0	7.9	8.0	8.0	8.0	8.0		
FC125M																						
CURTIS RD(37.8L)																						
4447771	37.003	39.466	C	2022		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	6.0*	3.5*	3.0*	3.0*	3.0*	3.0*	3.0*	10.0		
(2024)																						
RIDE																						
SUPERIOR ASPHALT, INC.																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT	(MP	SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE	ONE	YEAR)																		(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
13050000	10.800	11.866	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0		
64				2	13.4	13600	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4		
145TH ST E(11.4L)																						
1960224	9.300	11.866	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		3.5*	3.5*	4.5*	3.2	
PRINCE CONTRACTING, LLC (2009) SPRIDE																						
13050000	9.957	10.800	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0		
64				2	7.6	32000	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4		
GREYHAWK BLVD(10.1L)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			10.0	10.0		
(2023) RIDE 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 7.2 7.1																						
13050000	7.382	9.957	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			10.0		
64				3	5.2	51000	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8			8.3		
HERITAGE GREEN WAY(7.4L)																						
1960223	7.382	9.300	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	
RUSSELL ENGINEERING, INC (2011) SPRIDE 8.2 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 8.0 8.0 7.9 7.8 7.8 7.8 7.7																						
13050000	6.814	7.382	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
64				3	5.6	48500	RIDE	8.8	8.8	8.7	8.6	8.6	8.1	8.1		7.7	8.1	8.0	8.1	8.2		
GRAND HARBOUR PKW(6.8L)																						
1960222	6.888	7.613	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.2	
(2007) RIDE 8.2 8.2 8.2 8.2 8.0 8.1 8.1 8.1 8.1 8.0 8.1 7.8 8.1 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9																						
4491171	6.822	7.390	C	2028		0226																
13050000	5.917	6.814	L	1	1	50	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	6.5		
64				3	5.6	48500	RIDE	8.4	8.5	8.3	7.9	7.8	6.9	7.5		7.7	8.1	8.0	8.1	7.1		
66TH ST CT E(5.9L)																						
							CRACKING	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	
(2020) RIDE 6.8 6.8 6.6 6.5 6.9 6.6 6.4* 7.9 7.9 7.8 7.7 7.8 7.5																						
13050000	3.522	5.917	L	1	1	50	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
64				3	4.7	49500	RIDE	8.0	8.0	7.9	8.0	7.9	7.1	7.0		7.8	7.9	7.8	8.0	8.2		
CARLTON ARMS BLVD(3.6L)																						
4161201	3.742	5.773	C	2012		0213	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	
BETTER ROADS INC. (2015) SPRIDE 8.1 8.2 7.6 7.5 7.5 7.3 7.4 7.2 7.2 7.2 7.3 7.3 6.7																						
13050000	1.808	3.522	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
64				3	4.7	49500	RIDE	8.0	8.0	7.9	8.0	7.9	7.1	7.0		7.8	7.9	7.8	8.0	7.6		
EIGHTEENTH ST(1.9C)																						
4067581	1.808	5.800	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.0*	4.9	
AJAX PAVING INDUSTRIES, IN(2007) SPRIDE 7.5 7.5 7.4 7.4 7.5 7.5 7.4 7.3 7.2 7.2 6.5 6.5 6.5 6.9 7.0 4.9 6.8																						
4473781	1.808	3.476	C	2024		0012																
13050002	0.000	0.576	C	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0		
64				3	4.1	19000	RIDE	5.8*	6.1*	5.4*	5.4*	6.6	5.8	6.0	5.7		7.0	6.8	6.9	6.7		
OLD ALIGN(0.0R)																						
1958092	0.000	0.576	C	2006		0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.4	
PREFERRED MATERIALS, INC. (2008) RIDE 6.4 6.1 6.4 5.8 6.7 6.4 6.5 6.6 6.4 6.2 5.9 5.7 5.9 5.7 5.9 5.7 5.9 5.7 5.9 5.7 5.7																						
4473781	0.000	0.576	C	2024		0012																
13050101	0.189	1.510	C	1	1	35	CRACKING	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*		
64				3	3.4	19500	RIDE	5.3*	5.0*	4.6*	4.9*	5.1*	4.4*	3.8*	3.8*	3.9*	4.0*	4.0*	3.8*	4.0*		
11TH ST E(0.3R)																						
4224041	0.189	1.232	C	2010		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	
(2013) RIDE 7.0 6.6 6.6 6.5 6.9 6.6 6.0 6.4 6.4 6.3 5.8 6.3 5.8 6.3 5.7																						
13050102	0.000	0.372	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
64				3	4.8	20500	RIDE	6.9	7.5	6.4*	6.3	6.4	6.4	6.1	6.1		7.8	7.4	7.6	7.3		
SEVENTEENTH ST *(0.0C)																						
1958093	0.000	0.372	C	2006		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	5.9		
PREFERRED MATERIALS, INC. (2008) RIDE 7.5 7.6 7.3 7.4 7.2 7.3 7.3 7.0 6.9 6.8 6.7 6.6 5.2* 5.2																						
4473781	0.000	0.372	C	2024		0012																
13060000	0.000	6.931	C	1	1	60	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0		
62				2	23.1	4300	RIDE	8.7	8.6	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7		
SR 43(0.0C)																						
1959682	0.006	6.931	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	
SUPERIOR ASPHALT, INC. (2010) RIDE 8.6 8.5 8.3 8.0 8.0 8.0 8.0 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 7.9 7.9 7.9 7.7																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKMX-P	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
ITMSEG-P																					
ITMSEG-F																					
13060000	6.931	14.146	C	1	1	60	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
62			2	23.1		4300	RIDE	8.7	8.6	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.3	8.7	
CR 579(8.3L)																					
1959683	6.931	14.146	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
SUPERIOR ASPHALT, INC. (2010)																					
13060000	14.146	19.376	C	1	1	60	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
62			2	23.1		4300	RIDE	8.7	8.6	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.0	8.6	
BUNKER HILL RD(14.2L)																					
1959684	14.146	19.376	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
SUPERIOR ASPHALT, INC. (2010)																					
13060000	19.376	23.240	C	1	1	60	CRACKING	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
62			2	27.8		5200	RIDE	6.6	6.6	8.9	8.9	8.8	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.2	
DUETTE RD(20.2R)																					
1959931	19.199	23.215	C	1998		0221	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.2
GATOR ASPHALT COMPANY (2001)																					
4491181	19.376	23.215	C	2025		0226	RIDE	8.1	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.5
13070000	0.000	5.534	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	10.0	
37			2	32.0		2700	RIDE	8.3	8.3	8.5	8.3	8.3	7.8	7.7	7.5	7.5	7.7	7.6	7.4	8.4	
SR 62(0.0C)																					
1959832	0.023	5.432	C	2009		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	0.1
AJAX PAVING INDUSTRIES OF (2011)																					
4473821	0.023	5.420	C	2024		0226	RIDE	8.3	8.3	8.1	7.8	7.6	7.5	7.4	7.4	7.1	6.9	6.8	6.9	6.7	5.9
13075000	0.000	0.600	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	10.0	
93 I75			3	12.4		140000	RIDE		8.8	8.9	9.0	9.0	8.5	8.3	8.2	8.0	7.9	7.8	7.8	8.4	
(2022)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			9.0	9.0	9.0	9.0
							RIDE	8.4	8.4	8.4	8.4	8.6	8.5	8.4	8.4			8.1	8.1	8.1	8.1
13075000	0.600	6.600	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	10.0	
93 I75			4	12.4		140000	RIDE		8.8	8.9	9.0	9.0	8.5	8.3	8.2	8.0	7.9	7.8	7.8	8.4	
(2023)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	10.0	
							RIDE	8.4	8.4	8.4	8.4	8.6	8.5	8.4	8.4				8.7	8.6	
13075000	6.600	8.235	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	
93 I75			3	12.7		120500	RIDE	8.9	9.0	9.1	9.0	9.0	8.5	8.3	8.1	7.9	7.9	7.6	7.6	8.0	
(2021)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0	10.0	10.0
							RIDE	8.0	8.0	8.2	8.0	8.3	8.2	8.2	8.1			8.6	8.5	8.4	8.4
13075000	8.235	10.307	R	4	8	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	6.0*	10.0	
93 I75			3	12.7		120500	RIDE	9.0	9.0	9.0	8.8	8.9	8.4	8.3	8.2	8.0	7.9	7.6	7.6	8.5	
(2011)																					
4224981	8.234	12.736	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5		
AJAX PAVING INDUSTRIES OF (2011)																					
							RIDE	8.5	8.5	8.5	8.4	8.7	8.6	8.6	8.6	8.7	8.8	8.8	8.7		
13075000	11.049	12.380	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	10.0	
93 I75			3	14.7		115000	RIDE	8.9	9.0	8.9	9.0	8.9	8.4	8.3	8.2	8.1	7.9	7.8	7.6	8.2	
(2011)																					
4224981	8.234	12.736	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1
AJAX PAVING INDUSTRIES OF (2011)																					
4527941	11.709	15.756	C	2027		0012	RIDE	8.2	8.2	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.6	8.5	8.5	8.4	8.4
13075000	12.380	12.963	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	9.0	10.0	
93 I75			3	14.7		115000	RIDE	8.9	9.0	8.9	9.0	8.9	8.4	8.3	8.2	8.1	8.0	7.7	8.0	8.2	
(2017)																					
4332561	12.451	12.995	R	2016		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
AJAX PAVING INDUSTRIES OF (2017)																					
4527941	11.709	15.756	C	2027		0012	RIDE	7.9	7.8	7.8	7.9	8.2	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.4	8.4
13075000	12.963	15.700	R	4	1	70	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.0*	10.0	
93A I75			3	14.7		115000	RIDE	8.9	8.9	8.9	8.9	8.9	8.4	8.1	8.1	8.0	8.0	7.6	7.8	8.1	
(2011)																					
4202531	12.963	15.714	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.3
AJAX PAVING INDUSTRIES OF (2011)																					
4527941	11.709	15.756	C	2027		0012	RIDE	8.1	8.2	8.2	8.2	8.3	8.3	8.3	8.2	8.4	8.4	8.4	8.3	8.3	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
13130000	1.661	2.208	R	1	2 45	CRACKING		9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	
55 41				4	4.6	62500	RIDE	7.8	7.1	8.0	6.8	6.4*	5.1*	4.9*		6.6	6.7	7.0	7.0	7.1	
13TH AV (1.8C)																					
4067561	1.765	2.617	C	2004	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.0*	6.0
AJAX PAVING INDUSTRIES, IN(2007)																					
4473791	1.661	6.000	C	2025	0012	RIDE		6.9	7.0	6.9	6.4	6.2	6.8	6.6	7.0	6.6	6.3	6.3	5.9	6.5	6.1
13130000	2.208	2.617	R	1	1 50	CRACKING		9.0	9.0	9.0	9.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	
55 41				2	7.1	62000	RIDE	7.9	8.5	7.6	7.6	7.8	6.4*	7.0		7.9	7.9	7.9	7.8	7.9	
TURNOUT (2.3R)																					
4067561	1.765	2.617	C	2004	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	6.0*	6.0*	6.0*	4.0*	4.0
AJAX PAVING INDUSTRIES, IN(2007)																					
4473791	1.661	6.000	C	2025	0012	RIDE		7.9	7.8	7.7	7.6	7.5	7.5	7.4	7.3	7.1	7.1	7.1	6.7	6.9	6.6
13130000	3.038	5.819	R	1	1 50	CRACKING		0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
55 41				2	7.4	37000	RIDE	7.5		8.9	8.8	8.6	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.1	
1 ST E(3.4R)																					
1961261	3.038	6.061	C	1998	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5	6.0*	6.0*	5.5
GATOR ASPHALT PAVING INC (2001)																					
4473791	1.661	6.000	C	2025	0012	RIDE		8.0	8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	7.8	7.8	7.7	7.8	7.5
13130000	5.819	6.517	C	1	1 55	CRACKING		3.5*	6.5		10.0	3.5*	10.0	10.0	10.0	10.0	8.5	7.0	6.5	4.5*	
55 19				2	6.9	11000	RIDE	8.3	8.1		8.2	8.3	7.4	7.6	7.7	7.8	7.3	7.3	7.0	7.2	
SR 55 SB(5.8L)																					
4291171	6.095	6.500	C	2014	0012	CRACKING		4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0
AJAX PAVING INDUSTRIES OF (2015)																					
13130000	6.517	8.478	R	1	1 55	CRACKING		6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
55 19				2	6.4	23500	RIDE	8.1	8.1	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	
49 ST E(6.7R)																					
4394231	6.500	8.466	C	2020	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF (2022)																					
4394231	6.500	8.466	C	2020	0012	SPRIDE		7.8	7.8	7.8	7.8	8.0	8.0	8.0	7.9	8.1	8.0	8.3	8.2	8.3	8.3
13130000	8.478	9.194	C	1	1 55	CRACKING		3.5*	6.5	3.5*	3.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
55 19				2	7.0	11500	RIDE	8.3	8.1	8.5	8.2	7.9	7.7	7.5	7.6	7.4	7.8	7.8	7.8	7.8	
AJAX PAVING INDUSTRIES, IN(2008)																					
4491201	8.472	9.194	C	2025	0226	RIDE		7.7	7.6	7.7	7.4	7.6	7.5	7.4	7.3	7.5	7.4	7.6	7.4	7.6	7.3
13130000	9.194	10.005	R	4	1 65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	9.0	7.5	10.0	
55 1275				4	7.8	70500	RIDE	8.6	8.4	8.7	8.6	8.5	7.9	7.8	7.7	7.4	7.4	7.5	7.7	7.3	
AJAX PAVING INDUSTRIES OF (2011)																					
4202381	9.194	10.005	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.7
AJAX PAVING INDUSTRIES OF (2011)																					
4535601	9.194	10.005	C	2027	0012	RIDE		7.5	7.5	7.3	7.5	7.7	7.6	7.5	7.4	7.5	7.8	7.8	7.4	7.5	7.5
13130000	10.005	11.982	R	4	1 65	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0	
55 1275				2	7.8	70500	RIDE	8.6	8.5	8.4	8.4	8.3	8.0	7.9	7.7	7.2	7.5	7.2	7.2	7.9	
AJAX PAVING INDUSTRIES OF (2011)																					
4202381	10.005	11.982	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5
AJAX PAVING INDUSTRIES OF (2011)																					
4535601	9.194	10.005	C	2027	0012	RIDE		7.9	7.9	7.8	8.0	8.1	8.0	8.0	7.9	8.0	8.1	8.1	7.9	8.0	8.0
13130000	9.194	10.005	L	4	1 65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	10.0	
55 1275				4	7.8	70500	RIDE	8.8	8.8	8.9	8.8	8.8	8.1	8.1	8.0	7.7	7.9	7.8	7.5	7.7	
AJAX PAVING INDUSTRIES OF (2011)																					
4202381	9.194	10.005	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5
AJAX PAVING INDUSTRIES OF (2011)																					
4535601	9.194	10.005	C	2027	0012	RIDE		7.8	7.8	7.8	7.7	8.1	8.1	8.1	8.1	8.2	8.2	8.2	8.1	8.1	8.1
13130000	6.517	8.478	L	1	1 55	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	
55 19				2	6.4	23500	RIDE	8.3	8.4	8.5	8.2	8.3	7.9	7.9	7.8	7.8	7.8	7.7	7.8	7.7	
50 ST W(6.7L)																					
4394231	6.500	8.466	C	2020	0012	CRACKING		8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF (2022)																					
4394231	6.500	8.466	C	2020	0012	SPRIDE		7.7	7.6	7.6	7.5	7.8	7.8	7.8	7.7	7.9	7.8	8.3	8.2	8.3	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																		FUTURE
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011					2029	
INTERSECT AT	(MP SIDE)	W_BMP	W_EMP	RY	FY-P	W_KMX-P	ASTYPE																			
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RY	FY-F	W_KMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024			(REG)			
13130000 55 41	3.038	5.819	L	1	1	50	CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
CR 55(3.8L)																										
1961261 4473791	3.038	6.061	C	1998	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.3				
GATOR ASPHALT PAVING INC (2001)																										
13130000 55 41	1.661	2.617	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0					
13TH AV(1.8C)																										
4067561 4473791	1.765	2.617	C	2004	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.0*	3.7					
AJAX PAVING INDUSTRIES, IN(2007)																										
13130000 55 41	0.115	1.258	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5						
CR 683(0.2C)																										
4273631 4473791	0.220	1.080	C	2013	0012		CRACKING	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.2				
SUPERIOR ASPHALT, INC. (2015)																										
13130101 55 19	0.000	0.654	C	1	1	45	CRACKING														10.0	8.5				
SR 55 NB(0.0C)																										
13130401 55 41	0.000	0.403	C	1	1	45	CRACKING	10.0	7.5	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
21ST AVE W(0.0L)																										
4067571 4473791	0.000	0.638	C	2004	0012		CRACKING	10.0	10.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0				
PREFERRED MATERIALS, INC. (2006)																										
13130403 55 41	0.000	0.403	C	1	1	45	CRACKING									10.0	10.0	10.0	10.0	10.0						
RR #624712B(0.0C)																										
4473791	0.000	0.403	C	2025	0012		CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.4				
(2007)																										
13140000 64	0.000	4.947	C	1	1	60	CRACKING	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*							
CR 675(0.0C)																										
4224011 4510201	0.000	4.947	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	3.6					
SUPERIOR ASPHALT, INC. (2012)																										
13140000 64	4.947	10.744	C	1	1	60	CRACKING	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*							
BEAR BAY RD(8.7L)																										
4223981 4510201	4.947	10.735	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	3.6					
SUPERIOR ASPHALT, INC. (2012)																										
13140000 64	10.744	16.040	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.0*	6.0*	6.0*						
401 ST E(11.1R)																										
4252361 4473791	10.744	16.026	C	2012	0012		CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5				
PREFERRED MATERIALS, INC. (2014)																										
13150000 64	0.000	0.304	C	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0						
CR 789(0.0C)																										
1960722	0.000	0.698	C	2003	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.2				
PREFERRED MATERIALS, INC. (2005)																										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE										(REG)
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKM-F												
CONTRACTOR		(AGE_ONE YEAR)																				
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-F												
13150000		1.294	1.714	C	1	1	45	CRACKING	6.5	6.5	6.5		7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
64				2	4.6		17600	RIDE	7.5	7.5	7.4		7.3	6.1*	7.9	7.8	7.7	7.8	8.0	8.0	7.9	
PENCO HARBOR L(1.5L)										FC125												
1960722		1.294	1.714	C	2003		0012	CRACKING	9.5	9.0	9.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	5.7
64				2	3.8		32000	RIDE	7.8	7.8	7.7	7.8	7.5	7.3	7.5	7.3	7.2	7.2	7.2	7.2	7.0	6.9
PREFERRED MATERIALS, INC. (2005)																						
13150000		1.714	2.394	C	1	1	45	CRACKING	10.0	10.0	10.0		10.0	8.5	8.5	7.0	6.5	6.5	6.5	6.0*	6.0*	
64				2	4.6		17600	RIDE	8.6	8.6	8.4		8.2	7.9	7.8	7.7	7.5	7.5	7.3	7.3	7.0	
PERICO BAY CLUB(2.2R)										FC95R												
4252391		1.714	2.400	C	2012		0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
64				2	4.7		18000	RIDE	8.6	8.6	8.4		8.2	7.9	7.9	7.8	7.6	7.7	7.7	7.6	7.7	
SUPERIOR ASPHALT, INC. (2013)																						
13150000		2.394	4.051	C	1	1	45	CRACKING	10.0	10.0	10.0		8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.0*	
64				2	4.7		18000	RIDE	8.6	8.6	8.4		8.2	7.9	7.9	7.8	7.6	7.7	7.7	7.6	7.7	
UNSIGNED(2.5R)										FC125A												
4291301		2.394	4.032	C	2014		0012	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
64				2	3.9		39500	RIDE	7.8	7.5	7.4	7.6	7.5	6.6	6.9	10.0	10.0	10.0	10.0	9.0	9.0	8.0
AJAX PAVING INDUSTRIES OF (2015)																						
13150000		4.051	6.576	R	1	1	45	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	
64				2	3.8		32000	RIDE	7.8	7.8	7.8	7.7	7.6	6.8	6.7	6.6	6.4	6.4	6.6	6.6	8.3	
PALMA SOLA BLVD(4.2R)										FC4												
1958402		4.051	6.576	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
64				2	3.9		39500	RIDE	8.2	8.1	8.1	8.1	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.6	
SUPERIOR ASPHALT, INC. (2011)																						
13150000		6.576	8.305	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	
64				2	3.9		39500	RIDE	7.8	7.5	7.4	7.6	7.5	6.6	6.9	10.0	10.0	10.0	10.0	9.0	9.0	
43 ST W(6.6C)										FC4												
1960701		6.880	8.298	C	1996		0005	CRACKING	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
64				2	3.1		21000	RIDE	4.6*	5.4*	5.8*	5.2*	5.0*	4.0*	4.3*	3.6*	3.6*	3.5*	3.7*	3.4*	4.0*	
GATOR ASPHALT CO (1999)										S RIDE												
4415511		6.570	8.286	C	2023		0012	CRACKING	6.3	6.3	6.2	6.0	6.4	6.4	6.8	6.8	6.7	6.8	6.4	6.6	6.1	
BETTER ROADS INC. (2012)																						
13150000		8.305	8.613	C	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	
64				3	3.1		21000	RIDE	4.6*	5.4*	5.8*	5.2*	5.0*	4.0*	4.3*	3.6*	3.6*	3.5*	3.7*	3.4*	4.0*	
FIFTEENTH ST W *(8.3L)										FC4												
4233701		8.408	8.597	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	
64				2	4.3		24500	RIDE	5.6	5.3*									3.1*		3.6	
TENTH ST W(0.0C)										DGFC												
13150101		0.000	0.235	C	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	
64				2	4.3		24500	RIDE														
(2013)																						
13160000		0.000	2.495	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	
70				3	7.0		46000	RIDE			8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	7.5	7.7	7.4	
CR 683(0.0C)										FC125A												
4312071		0.015	2.495	C	2016		0012	CRACKING	7.5	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
64				2	4.3		24500	RIDE	7.3	7.0	7.3	6.6	7.4	7.3		8.1	8.0	7.9	8.0	7.8	7.9	
SUPERIOR ASPHALT, INC. (2019)										SPRIDE												
13160000		2.495	4.793	R	1	1	50	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	
70				3	8.0		52788	RIDE			8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	7.5	7.7	7.4	
LOCKWOOD RIDGE RD(2.5R)										FC5A												
4313731		2.495	4.793	C	2016		0012	CRACKING	7.5	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	
64				2	4.3		24500	RIDE	7.3	7.0	7.3	6.6	7.4	7.3		8.1	8.1	8.1	8.1	8.0	8.0	
SUPERIOR ASPHALT, INC. (2019)										SPRIDE												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE			
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)		SURFTYPE =====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
13160000	4.793	5.966	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5				10.0	10.0	10.0	
70	CREEK WOOD(4.8R)			3	5.9	73000	RIDE	8.4	8.4	8.4	8.4	8.4	7.9	7.8	7.9				8.0	7.9	8.0	
							FC5															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	10.0	10.0	10.0	
							RIDE	8.0	7.9	8.0	7.6	8.0	8.0	8.0	7.9	7.8	7.7	7.4	8.0	8.0	8.0	
13160000	5.966	7.481	R	1	1	50	CRACKING	8.5	8.5	8.5	8.5	6.5	6.5	6.5					10.0	10.0	10.0	
70	BRADEN RUN(6.3R)			3	5.1	55000	RIDE	8.3	8.5	8.5	8.4	8.2	8.0	7.9					8.0	7.9	8.0	
							FC5															
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	6.2
							SPRIDE	8.0	7.9	8.0	7.6	8.0	8.0	8.0	7.9	7.8	7.7	7.4	7.7	7.8	7.6	
13160000	7.481	9.728	R	1	1	50	CRACKING	8.5	8.5	8.5	8.5	6.5	6.5	6.5					10.0	10.0	10.0	
70	PALMBRUSH TRAIL(7.6R)			3	5.8	34500	RIDE	8.3	8.5	8.5	8.4	8.2	8.0	7.9					8.2	8.0	8.1	8.1
							FC5															
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.0
							RIDE	8.1	8.1	8.2	7.8	8.1	8.1	8.1	8.0	8.1	8.1	8.0	7.9	8.0	8.0	8.0
				(2025)			0226															
13160000	9.728	10.301	R	1	1	50	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70	GREENBROOK BLVD(10.1R)			1	10.3	19800	RIDE	8.8	8.7	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.8	7.6	7.5	
							FC125M															
				(2024)			CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	5.7*	10.0	10.0	
							RIDE	7.4	7.3	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	5.7*	6.6	
13160000	10.301	15.567	C	1	1	55	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70	UIHLEIN RD(10.8L)			2	10.3	19800	RIDE	8.8	8.7	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.8	7.6	7.5	
							FC125M															
				(2014)			CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.1	
							RIDE	7.4	7.3	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.6
13160000	9.728	10.301	L	1	1	50	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70	GARNET TR(9.9L)			1	10.3	19800	RIDE	8.8	8.7	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.8	7.6	7.5	
							FC125M															
				(2014)			CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.0*	6.0*	4.6	
							RIDE	7.4	7.3	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	8.0	7.7	7.5	
13160000	7.938	9.728	L	1	1	50	CRACKING	8.5	8.5	8.5	8.5	6.5	6.5	6.5					10.0	10.0	10.0	10.0
70	POPE RD(8.4L)			3	5.8	34500	RIDE	8.3	8.5	8.5	8.4	8.2	8.0	7.9					8.0	8.1	8.1	8.0
							FC5															
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.2
							RIDE	8.1	8.0	8.0	7.7	7.9	7.9	7.8	7.8	8.0	7.9	7.8	7.8	7.8	7.8	7.7
13160000	5.966	7.938	L	1	1	50	CRACKING	8.5	8.5	8.5	8.5	6.5	6.5	6.5					10.0	10.0	10.0	10.0
70	SIDE ROAD(6.3L)			3	5.1	55000	RIDE	8.3	8.5	8.5	8.4	8.2	8.0	7.9					7.9	7.9	7.9	7.9
							FC5															
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.8
							SPRIDE	7.9	7.9	8.0	7.5	8.0	7.9	8.0	7.9	8.0	8.0	7.5	7.9	8.0	7.9	7.9
13160000	4.793	5.966	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5					10.0	10.0	10.0
70	CREEKWOOD(4.8L)			3	5.9	73000	RIDE	8.3	8.3	8.2	8.2	8.2	7.7	7.5	7.0					7.9	7.9	7.9
							FC5															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	6.5	10.0	10.0	10.0	
							RIDE	7.9	7.9	8.0	7.5	8.0	7.9	8.0	7.9	8.0	8.0	7.5	7.9	7.9	7.8	
13160000	2.495	4.793	L	1	1	50	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.5	
70	LOCKWOOD RIDGE RD(2.5L)			3	8.0	52788	RIDE			8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	7.5	7.4	7.4	7.1	
							FC5A															
				(2019)			CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8
							SPRIDE	7.2	7.1	7.2	6.7	7.2	7.2		8.1	8.1	8.1	8.0	8.0	8.0	8.0	7.9
13160000	0.000	2.495	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.5	
70	CR 683(0.0C)			3	7.0	46000	RIDE			8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	7.5	7.4	7.4	7.1	
							FC125A															
				(2019)			CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							SPRIDE	7.2	7.1	7.2	6.7	7.2	7.2		8.0	8.0	7.9	7.9	7.8	7.9	7.9	7.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011				
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		W_KMX-P		ASTYPE														
ITMSEG-P		(AGE_ONE YEAR)		RW		FY-F		W_KMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR		W_BMP		W_EMP		RW		FY-F		W_KMX-F												(REG)		
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		W_KMX-F												(REG)		
13162000	0.000	1.074	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5				
70				4	3.4	31500	RIDE	7.5	8.2	8.2	8.1	7.8	7.3	7.4	7.0	6.8	6.5	6.6	6.6	6.5				
FORTEENTH ST(0.0C)						FC125M																		
4291041	0.011	1.155	C	2014	0226		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.6		
SUPERIOR ASPHALT, INC.				(2016)				RIDE		6.1	6.1	6.2	5.9	7.6	7.3	7.3	7.3	7.0	7.1	7.2	7.1	7.3	6.9	
13162000	1.074	1.761	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5			
70				2	3.4	31500	RIDE	7.5	7.6	7.1	7.1	6.9	6.7	6.5	6.5	6.4	6.5	6.6	6.5	6.4				
SEVENTH ST E(1.1R)						FC125M																		
4291041	1.155	1.574	C	2014	0226		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.3		
SUPERIOR ASPHALT, INC.				(2016)				RIDE		6.3	6.2	6.2	6.1	7.6	7.3	7.3	7.3	7.0	7.1	6.6	6.5	6.4	5.7	
13162000	1.074	1.761	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5				
70				2	3.4	31500	RIDE	7.5	7.6	7.1	7.1	6.9	6.7	6.5	6.5	6.4	6.5	6.6	6.5	6.4				
NINTH ST E(1.3C)						FC125M																		
4291041	1.155	1.574	C	2014	0226		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.3		
SUPERIOR ASPHALT, INC.				(2016)				RIDE		6.3	6.2	6.2	6.1	7.6	7.3	7.3	7.3	7.0	7.1	6.8	6.4	6.3	5.7	
13175000	0.000	1.347	C	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	10.0				
93	1275			2	7.3	17000	RIDE	8.7	8.8	8.7	8.8	8.6	8.4	8.3	8.2	8.2	8.2	8.1	8.0	8.2				
BRIDGE #89(0.0C)						FC5M																		
4202531	0.000	1.488	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1			
4527941				(2011)				RIDE		8.2	8.3	8.3	8.4	8.6	8.5	8.5	8.6	8.8	8.7	8.6	8.6	8.6		
13175000	1.347	3.553	R	4	1	70	CRACKING	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0				
93	I275			2	6.5	47000	RIDE	8.9	8.8	8.8	8.8	8.7	7.9	7.6	7.6	7.5	8.1	8.1	8.1	8.1				
2010152						FC2																		
4491871	1.347	3.553	C	2025	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.1			
AJAX PAVING INDUSTRIES, IN(2008)				(2010)				RIDE		8.0	7.9	7.9	7.7	8.1	8.1	8.1	8.0	8.1	8.2	8.1	8.1	8.0	8.0	
13175000	3.898	5.233	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0				
93	I275			2	6.5	47000	RIDE	9.0	8.8	9.0	8.9	8.8	8.2	8.1	8.1	8.0	7.8	7.7	8.4	8.4				
4202411						FC5M																		
4535611	3.884	5.233	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0		
AJAX PAVING INDUSTRIES OF(2010)				(2010)				RIDE		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.6	8.7	8.9	8.8	8.7	8.5	8.5	
13175000	3.884	5.233	L	4	1	65	CRACKING	10.0	10.0	10.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0				
93	I275			2	6.5	47000	RIDE	8.8	8.7	8.2	8.8	8.7	8.1	7.4	7.7	7.7	7.6	7.5	8.4	8.4				
4202411						FC5M																		
4535611	3.884	5.233	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5	7.5		
AJAX PAVING INDUSTRIES OF(2010)				(2010)				RIDE		8.4	8.3	8.3	8.3	8.5	8.6	8.5	8.5	8.6	8.9	8.7	8.6	8.5	8.5	
13175000	1.347	3.566	L	4	1	70	CRACKING	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0				
93	I275			2	6.5	47000	RIDE	8.9	8.9	8.9	8.8	8.7	7.9	7.8	7.6	7.4	8.1	8.2	8.2	8.2				
2010152						FC2																		
4491871	1.347	3.553	C	2025	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5		
AJAX PAVING INDUSTRIES, IN(2008)				(2010)				RIDE		8.1	8.1	8.1	7.9	8.2	8.2	8.1	8.0	8.2	8.3	8.2	8.1	8.0	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).