

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE																
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****																													
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F	*****																													
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-M	F	*****																													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F	*****																													
13010000	0.000	2.094	R	1	1	50	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0															
45 41				3	6.1	39000	RIDE	8.2	8.1	8.0	7.0	8.2	8.0	7.9	8.1	8.0	8.1	8.0	8.1	8.0	7.9	7.7														
BOMB SQUAD RD R(0.3R) FC5																																				
1958932	0.000	2.090	C	2003		0012	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*														
APAC-FLORIDA INC (2005)																																				
4446121	0.000	2.088	C	2026		0012	RIDE	7.6	7.3	7.7	7.8	7.7	7.6	7.5	7.3	7.3	7.3	7.4	7.3	7.3	7.3	7.1														
13010000	2.094	3.017	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
45 41				3	3.2	45000	RIDE	7.2	6.9	6.8	5.8*	5.8*	7.5	7.1	7.5	7.6	7.6	7.3	7.3	7.3	7.3															
BAY DR(2.3C) FC125																																				
1958132	2.116	3.017	C	2004		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.0*	6.0*	6.0*	3.5*															
AJAX PAVING INDUSTRIES, IN(2006)																																				
4510261	2.095	3.017	C	2027		0012	RIDE	7.4	7.3	6.8	6.9	6.6	6.6	6.8	6.6	6.8	6.3	6.5	6.3	6.5	6.2															
13010000	3.017	5.284	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0	7.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0																
45 41				3	2.8	45500	RIDE	7.2	6.9	6.8	5.8*	5.8*	5.7	5.6	5.9		8.2	8.1	8.0	8.0																
BAYSHORE GARDENS PKW(3.1C) FC125																																				
1958133	3.017	5.068	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.6	8.1	6.0*															
PREFERRED MATERIALS, INC. (2010)																																				
13010000	5.284	6.331	R	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5															
45 B41				2	3.2	27500	RIDE	8.5	8.4	8.3	7.4	7.7	7.6	7.3	7.4	7.4	7.4	7.3	7.3	7.3	7.0															
SR684/US41/CORTEZ RD(5.3R) FC125A																																				
4290961	5.284	6.298	C	2015		0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	5.2*	3.5*															
SUPERIOR ASPHALT, INC. (2017)																																				
13010000	6.331	7.552	C	1	1	35	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0															
45 B41				4	2.6	19900	RIDE	6.3*	6.7	6.1	6.0	6.2	5.9	5.7	5.6	5.4*	5.2*	5.0*	4.7*	7.1																
23RD AVE W(6.4R) FC125R																																				
4252321	6.240	7.388	C	2011		0012	CRACKING	10.0	10.0	9.0	8.5	8.5	8.5		7.0	6.0*	6.0*	6.0*	5.7*	4.8*	3.0*															
AJAX PAVING INDUSTRIES OF (2013)																																				
13010000	8.878	9.498	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5															
45 B41				4	3.0	32000	RIDE	8.2	7.7	7.7	7.3	7.0	6.9	6.9	6.8	7.2	6.7	6.6	6.6	6.6	6.6															
THIRD ST(8.9R) FC3																																				
1959771	9.022	9.483	C	1998		0004	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.4	9.5	6.5															
GATOR ASPHALT COMPANY (2000)																																				
4562371	8.878	9.498	C	2029		0012	S RIDE	6.6	6.9	7.0	6.8	6.9	6.8	6.5	6.7	6.6	6.2	6.2	6.5	6.4	6.1															
13010000	5.284	6.331	L	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0																
45 B41				2	3.2	27500	RIDE	8.3	8.0	8.0	7.8	7.7	7.6	7.0	7.2	7.3	7.2	7.2	7.1	7.1																
CORTEZ RD(5.3L) FC125A																																				
4290961	5.284	6.298	C	2015		0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	6.5	6.0*	4.5*															
SUPERIOR ASPHALT, INC. (2017)																																				
13010000	3.017	5.284	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	4.5*		10.0	10.0	10.0	10.0																
45 41				3	2.8	45500	RIDE	7.7	7.6	7.3	6.6	6.5	6.5	6.7	6.5		8.2	8.1	8.0	8.0																
BAYSHORE GARDENS PKW(3.1C) FC125																																				
1958133	3.017	5.068	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.4	8.1	6.0*															
PREFERRED MATERIALS, INC. (2010)																																				
13010000	2.094	3.017	L	1	1	45	CRACKING	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
45 41				3	3.2	45000	RIDE	6.5	6.2*	6.0*	5.6*	6.1*	6.6	6.3	6.4	6.6	6.4	6.5	6.3	6.3																
BAY DR(2.3C) FC125																																				
1958132	2.116	3.017	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	3.5*															
AJAX PAVING INDUSTRIES, IN(2006)																																				
4510261	2.095	3.017	C	2027		0012	RIDE	6.2	6.0	5.7	5.6	5.5	5.2*	5.2*	5.2*	5.1*	4.9*	4.9*	4.8*	5.0*	4.7*															
13010000	0.000	2.094	L	1	1	50	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0																
45 41				3	6.1	39000	RIDE	8.2	8.1	8.0	7.1	8.2	8.0	7.9	8.0	8.0	8.0	8.0	7.8	8.0	7.8															
SEAGATE DR(0.1L) FC5																																				
1958932	0.000	2.090	C	2003		0012	CRACKING	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.4*	1.0*															
APAC-FLORIDA INC (2005)																																				
4446121	0.000	2.088	C	2026		0012	RIDE	7.9	7.5	7.9	8.0	8.0	7.9	7.5	7.5	7.5	7.5	7.4	7.5	7.4	7.2															
13010001	0.000	0.480	R	1	1	35	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
45 B41				2	4.1	41000	RIDE	6.3*	6.3	6.0	5.7	5.4*	5.2*	7.7	7.8	7.4	7.9	7.9	7.1	7.3																
TENTH ST W(0.0C) DGFC																																				
4067541	0.012	0.486	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	6.5															
PREFERRED MATERIALS, INC. (2007)																																				
4562371	0.000	1.379	C	2029		0012	RIDE	7.5	7.4	7.4	7.4	7.3	7.0																							

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
13010001	1.204	1.379	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	7.0	7.0	6.5	4.5*		10.0	10.0	10.0	10.0	
45 B41				2	4.1	41000	RIDE	8.5	8.7	8.6	7.5	6.4	6.6	6.7	6.1		8.0	7.9	7.9	7.8	
RIVERSIDE DR (1.4C)							FC4														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	4.5*
							RIDE	7.7	7.0	7.4	7.3	7.3	7.2	7.2	7.1	7.3	6.7	6.8	6.8	7.1	6.8
4562371	0.000	1.379	C	2029		0012															
13010001	1.204	1.379	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	7.0	7.0	6.5	4.5*		10.0	10.0	10.0	10.0	
45 B41				2	4.1	41000	RIDE	8.5	8.2	7.7	7.2	7.3	6.9	6.4	6.3		7.4	7.4	7.3	7.4	
RIVERSIDE DR (1.4C)							FC4														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.5
							RIDE	7.2	7.1	6.9	6.8	7.0	6.9	6.8	6.7	6.7	6.8	6.7	6.5	6.8	6.5
4562371	0.000	1.379	C	2029		0012															
13010001	0.000	0.480	L	1	1	35	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 B41				2	4.1	41000	RIDE	6.0*	6.6	6.6	5.0*	3.9*	4.3*	7.3	7.1	7.2	7.3	7.3	7.1	7.3	
TENTH ST W(0.0C)							DGFC														
4067541	0.012	0.486	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.8	6.5
PREFERRED MATERIALS, INC. (2007)							RIDE	7.2	6.6	6.6	6.9	7.1	6.6	7.2	7.1	6.9	6.5	7.1	6.8	7.1	6.8
4562371	0.000	1.379	C	2029		0012															
13020000	0.000	0.569	R	1	1	40	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5
43 SR 45(0.0C)				3	6.4	19400	RIDE	6.4*	5.9	5.9	5.6	6.2	5.8	5.6	4.9*	5.5	5.1*	5.2*	4.9*		
							FC95MR														
							CRACKING	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	10.0	10.0	9.5	9.5	8.5	7.3	6.0*
							RIDE	5.0*	5.1*	3.7*	3.7*	3.8*			5.2*	5.5	5.6	5.5	5.8	5.9	5.6
4562371	0.000	0.573	C	2029		0012															
13020000	0.569	3.866	R	1	1	45	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0
43 301				2	6.9	38500	RIDE	7.5	7.0	8.5	8.1	8.2	8.1	7.9	8.1	8.0	8.0	7.9	7.8	7.7	
PALM BAY MOBIL HM PK(0.9R)							FC125M														
4380621	1.091	2.633	C	2019		0012	CRACKING	7.0	6.0*	6.0*	6.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.6	9.4	8.0
SUPERIOR ASPHALT, INC. (2022)							SPRIDE	7.7	7.7	7.5	7.4	7.3	7.2	7.2		8.0	7.8	7.9	7.8	7.9	7.6
13020000	3.866	4.542	R	1	8	45	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0
43 301				3	6.3	41000	RIDE	7.9	6.9	6.7	8.0	7.6	7.5	7.5	7.5	7.0	7.4	7.6	7.7	7.5	
							FC125M														
4312121	3.885	4.341	C	2016		0012	CRACKING	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
AJAX PAVING INDUSTRIES OF (2018)							RIDE	7.4	7.1	7.4	7.7	8.2	8.2	8.1	8.3	8.0	7.9	8.0			
13020000	4.542	4.928	R	1	8	45	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
43 301				2	5.1	42500	RIDE	7.9	6.9		8.1	8.1	8.1	7.8	7.8	7.7	7.6	7.5	7.1	7.2	
60TH AVE E(4.5R)							FC125M														
1960581	4.540	6.595	C	2001		0213	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*				
HUBBARD CONSTRUCTION COMPA(2004)							S RIDE	7.2	6.5	7.3	7.2	7.2	7.1	7.0	7.0	6.9	6.3				
13020000	4.928	6.437	R	1	1	45	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
43 301				2	5.1	42500	RIDE	6.8			8.1	8.1	8.1	7.8	7.8	7.7	7.6	7.5	7.1	7.2	
68TH DR E(5.1R)							FC125M														
4415341	4.950	6.441	C	2022		0012	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.2	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024)							SPRIDE	7.2	6.5	7.3	7.2	7.2	7.1	7.0	7.0	6.9	6.3	7.5	7.4	7.3	7.0
13020000	6.437	10.457	R	1	1	50	CRACKING	10.0	9.0	9.0	7.0	6.5	7.0	6.0*	10.0	10.0			10.0	10.0	
43 301				2	9.3	17000	RIDE	8.9	8.9	8.7	8.1	7.9	7.8	7.6	8.0	7.9			8.7	8.7	
FOY RD/96TH AVE E(7.1R)							DGFC														
4226031	6.318	10.441	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	9.0	9.1	7.0
							RIDE	8.5	8.4	8.2	8.1	8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	8.0	7.7
13020000	10.457	11.771	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.0*	6.0*	9.0	9.0	10.0	8.5	
43 301				2	14.0	18200	RIDE	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8	7.8	7.6	7.8	7.5	7.4	
PARRISH CEMETERY RD(10.8R)							FC125														
4279951	10.457	11.669	C	2015		0213	CRACKING	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.0	7.5
RUSSELL ENGINEERING, INC (2018)							SPRIDE	7.4	7.1	7.5		7.9	7.7	7.7	7.7	7.6	7.5	7.4	7.1	7.1	6.8
13020000	11.771	16.111	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.5	8.5	8.5	8.5	
43 301				2	10.7	9400	RIDE	9.0	8.9	8.9	8.6	8.7	8.5	8.6	8.6	8.5	8.4	8.5	8.4	8.4	
DICKEY RD(13.3R)							FC125M														
4394321	11.696	16.066	C	2020		0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.7	9.2	8.0
AJAX PAVING INDUSTRIES OF (2021)							RIDE	8.2	7.9	8.2	8.2	8.2	8.2	8.1	8.4	8.3	8.3	8.2	8.1	8.1	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
13020000	10.457	11.771	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	8.5	
43 301			2	14.0		18200	RIDE	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8	7.7	7.6	7.8	7.5	7.4	
71 ST E(10.6L)																					
4279951	10.457	11.669	C	2015		0213	CRACKING	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5
RUSSELL ENGINEERING, INC (2018) SPRIDE 7.4 7.1 7.5 7.7 7.6 7.6 7.5 7.6 7.5 7.3 6.8 6.7 6.4																					
13020000	6.437	10.457	L	1	1	50	CRACKING	10.0	9.0	9.0	7.0	6.5	7.0	6.0*	10.0	10.0			10.0	10.0	
43 301			2	9.3		17000	RIDE	8.9	8.9	8.7	8.1	7.9	7.8	7.6	7.8	7.8			8.6	8.6	
91ST AVE E(6.9L)																					
4226031	6.318	10.441	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.2	7.9	6.0*
RUSSELL ENGINEERING, INC (2012) RIDE 8.4 7.7 8.0 8.0 8.0 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.7 7.7 7.4																					
13020000	4.928	6.437	L	1	1	45	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	
43 301			2	5.1		42500	RIDE	6.8			8.2	8.1	7.9	7.7	7.9	7.7	7.6	7.6	7.5	7.3	
RIDGWOOD AVE(5.1L)																					
4415341	4.950	6.441	C	2022		0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	10.0	9.3	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024) SPRIDE 7.1 6.8 7.3 7.2 7.1 7.0 6.9 7.0 6.9 6.6 7.5 7.4 7.5 7.2																					
13020000	4.542	4.928	L	1	8	45	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	
43 301			2	5.1		42500	RIDE	6.9	6.2*		8.2	8.1	7.9	7.7	7.9	7.7	7.6	7.6	7.5	7.3	
19TH ST E(4.5L)																					
1960581	4.540	6.595	C	2001		0213	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*				
HUBBARD CONSTRUCTION COMPA(2004) S RIDE 7.1 6.8 7.3 7.2 7.1 7.0 6.9 7.0 6.9 6.6 6.6																					
13020000	3.866	4.542	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5
43 301			3	6.3		41000	RIDE	8.6	8.9	8.5	8.1	7.9	7.8	7.8	7.9	7.3	7.7	7.5	7.5	7.5	7.7
4312121 3.885 4.341 C 2016 0012 CRACKING 7.0 7.0 7.0 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 9.0																					
AJAX PAVING INDUSTRIES OF (2018) RIDE 7.6 7.3 7.7 7.7 8.3 8.1 8.4 8.4 8.3 8.6 8.5																					
13020000	0.569	3.866	L	1	1	45	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
43 301			2	6.9		38500	RIDE	7.3	7.3	8.6	8.2	8.2	8.1	7.8	8.2	8.2	8.1	8.1	8.0	7.9	
HASKOW RD(0.9L)																					
4380621	1.091	2.633	C	2019		0012	CRACKING	8.5	8.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.1	8.0
SUPERIOR ASPHALT, INC. (2022) SPRIDE 7.8 7.5 7.8 7.8 7.7 7.6 7.7 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.5																					
13030000	0.000	0.508	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	
45 B41			4	3.6		29500	RIDE	7.6	7.4	7.3	6.8	6.7	6.7	6.4	6.8	6.7	6.6	6.5	6.5	6.5	
SR 43/10TH ST E(0.0R)																					
4290941	0.168	0.435	C	2014		0226	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	8.1	6.5
SUPERIOR ASPHALT, INC. (2015) RIDE 6.4 8.0 7.5 7.5 7.5 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 6.8 6.5																					
4562371	0.000	0.508	C	2029		0012															
13030000	0.508	0.977	R	1	1	45	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	5.4		26500	RIDE	7.9	7.7	7.6	6.7	6.6	7.6	7.6	7.6	7.6	7.6	7.4	7.4	7.3	
NINETEENTH ST W(0.6R)																					
4444401	0.559	1.291	R	2022		0012	CRACKING	10.0	10.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		10.0	10.0	9.0
RUSSELL ENGINEERING, INC (2025) SPRIDE 7.3 7.0 6.9 7.1 6.8 6.7 6.7 6.4 6.0 6.3 7.3 7.3 7.0																					
13030000	0.977	1.309	R	1	1	50	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	5.4		26500	RIDE	7.9	7.7	7.6	6.7	6.6	7.6	7.6	7.6	7.6	7.6	7.4	7.4	7.3	
BAYSHORE RD(1.3R)																					
4444401	0.559	1.291	R	2022		0012	CRACKING	10.0	10.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		10.0	10.0	9.0
RUSSELL ENGINEERING, INC (2025) SPRIDE 7.3 7.0 6.9 7.1 6.8 6.7 6.7 6.4* 6.0* 6.3* 8.1 8.1 7.9																					
13030000	2.225	2.582	C	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
45 41			2	9.5		21500	RIDE	7.8	7.6	8.6	8.2	8.2	8.1	8.2	8.1	8.1	8.1	8.2	8.2	8.2	
TURNOUT(2.3R)																					
1960941	2.257	4.997	C	2002		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.6	3.0*
APAC-FLORIDA INC (2003) SPRIDE 8.1 7.9 8.2 8.3 8.2 8.2 8.3 8.3 8.3 8.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.0																					
4491141	2.238	4.801	C	2025		0012															
13030000	2.582	4.078	R	1	1	60	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
45 41			2	9.4		35000	RIDE	7.8	7.6	8.7	8.2	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.0
45 ST E(2.6R)																					
1960941	2.257	4.997	C	2002		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.7*
APAC-FLORIDA INC (2003) SPRIDE 8.0 7.8 8.0 8.1 8.1 8.0 8.1 8.1 8.0 7.9 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.6																					
4491141	2.238	4.801	C	2025		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
13030101	0.000	0.570	C	1	1	50	CRACKING										10.0	10.0	10.0	10.0	
45 B41				2	5.8	6500	RIDE										8.0	8.0	8.0	8.0	
26TH ST W(0.0L)							FC5M														
				(2025)			CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	10.0	10.0	9.0
							RIDE	7.9	7.8	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.4	7.4	7.2
13030102	0.000	0.457	C	1	1	55	CRACKING										10.0	10.0	10.0	10.0	
45 41				2	6.9	19000	RIDE										7.6	7.7	7.7	7.5	
SR 45 NB(0.0C)							FC5M														
4473841	0.000	0.457	C	2024	0012	CRACKING	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2025)			SPRIDE	7.3	7.4	7.4	7.6	7.6	7.4	7.5	7.5	7.5	7.4	7.4	8.2	8.2	8.0
13030103	0.000	0.264	C	1	1	50	CRACKING														
45 B41				2	7.0	13000	RIDE														
SR 45(0.0C)							OGFC														
							CRACKING								7.5	7.5	7.5	7.5	8.3	6.5	
							RIDE								8.4	8.4	8.4	8.3	8.2	8.3	
13030103	0.264	0.385	C	1	7	50	CRACKING														
45 B41				2	7.0	13000	RIDE														
26TH ST W(0.4R)							OGFC														
4444401	0.307	0.385	C	2022	0012	CRACKING									7.5	7.5	7.5	7.5	8.3	10.0	9.0
RUSSELL ENGINEERING, INC				(2026)			SPRIDE								8.4	8.4	8.4	8.3	8.2	7.9	7.7
13040000	0.000	0.113	C	1	1	35	CRACKING	8.5	8.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0	9.0	9.0	
684				4	4.3	16500	RIDE	5.3*	6.0	5.7	3.7*	3.8*	2.9*	2.2*							
GULF DR(0.0C)							DGFC														
4172421	0.000	0.121	C	2007	0012	CRACKING	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.4*	4.8*	2.5*	
AJAX PAVING INDUSTRIES, IN				(2009)			RIDE												5.5	5.2*	
13040000	0.611	0.868	R	1	1	35	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
684				1	4.3	16500	RIDE	8.7	8.5	8.5	8.1	8.1	8.0	7.0	7.2	6.2	6.3	6.4	6.1	6.3	
CORTEZ MHP ENT(0.7R)							DGFC														
				(2025)			CRACKING	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	9.2	9.0	8.0
							RIDE	6.4	6.4	6.6	6.5	6.4	6.4	6.4	6.0	6.4	6.0	5.9	6.0	6.1	5.8
13040000	0.868	1.177	R	1	1	35	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
684				2	4.6	30333	RIDE	8.7	8.5	8.5	8.1	8.1	8.0	7.0	7.2	6.2	6.3	6.4	6.1	6.3	
123 ST W(0.9R)							FC125M														
				(2023)			CRACKING	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.0
							RIDE	6.4	6.4	6.6	6.5	6.4	6.4	6.4	6.0	6.4	6.4	6.4	6.4	6.4	6.1
13040000	1.177	3.308	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	
684				2	4.6	30333	RIDE	8.6	8.4	8.5	8.0	8.0	7.7	7.9	8.0	7.9	7.7	8.0	7.7	7.7	
116 ST W(1.3R)							FC125M														
4365511	1.297	3.250	C	2019	0216	CRACKING	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	9.2	9.0	8.0
AJAX PAVING INDUSTRIES OF				(2022)			SPRIDE	7.8	7.5	7.8	7.8	7.7	7.6	7.7	7.6	8.0	7.9	7.9	7.7	7.6	7.3
13040000	3.308	3.974	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	
684				2	4.6	30333	RIDE	8.6	8.4	8.5	8.0	8.0	7.7	7.9	8.0	7.9	7.7	8.0	7.7	7.7	
75 ST W(4.0C)							FC4														
				(2026)			CRACKING	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	9.5	8.5
							RIDE	7.8	7.5	7.8	7.8	7.7	7.6	7.7	7.6	7.8	8.0	7.8	7.7	7.8	7.5
13040000	3.974	7.025	R	1	1	45	CRACKING	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
684				2	3.6	31500	RIDE	6.0*	6.4*	6.1*	5.8*	5.8*	8.3	7.9	8.1	7.9	7.8	7.7	7.3	7.2	
71 ST W(4.2C)							FC125														
4067551	5.073	6.857	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*
PREFERRED MATERIALS, INC.				(2006)			RIDE	7.6	7.3	7.4	7.4	7.3	7.2	7.2	7.1	7.1	6.9	6.8	6.7	6.5	6.2
4450441	3.243	6.722	C	2026	0012																
13040000	7.025	7.670	R	1	1	45	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
684				3	2.6	53500	RIDE	6.9	6.8	6.3*	5.6*	5.8*	5.5	6.6	6.6	6.5	6.5	7.9	7.5	7.2	7.1
TWENTIETH ST W(7.3C)							FC125														
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	6.5	10.0	10.0	10.0	10.0	9.0
							RIDE	7.2	7.2	6.6	6.6	6.4	6.2	6.4	6.0	6.5	7.4	7.2	7.3	7.1	6.8
4510221	6.722	8.574	C	2029	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
13040000	7.670	8.015	R	1	1	35	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
684 41			3	4.4	42000	RIDE		6.9	6.8	6.3	5.6	5.8	5.5		7.5	7.3	7.4	7.7	7.3	7.4	
SR 45(7.7R)						FC3															
1960911	7.730	8.003	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	6.5
PREFERRED MATERIALS, INC. (2008)						SPRIDE		7.5	7.1	6.6	7.1	6.8	7.1	6.8	6.6	6.6	6.5	6.2	6.6	6.2	5.9
4510221	6.722	8.574	C	2029	0012																
13040000	8.015	8.440	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
684 41			2	4.4	42000	RIDE		8.2	8.2	8.2	7.8	7.7	7.8	7.6	7.4	7.5	7.5	7.5	7.5	7.7	7.4
SR 45(7.7R)						FC3															
1960761	6.843	8.566	C	1994	0012	CRACKING	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.6	6.5
GATOR ASPHALT CO (1996)						S RIDE		7.5	7.6	7.3	7.5	7.4	7.4	7.4	7.3	7.4	7.2	7.1	7.3	7.2	6.9
4510221	6.722	8.574	C	2029	0012																
13040000	8.440	8.574	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
684			1	5.1	8500	RIDE		7.9	8.1	8.0	7.7	7.7	7.8	7.3	7.5	7.4	7.6				
CORTEZ(8.5R)						FC3															
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.7	8.3	5.0*
GATOR ASPHALT CO (1996)						S RIDE														5.4*	5.1*
4510221	6.722	8.574	C	2029	0012																
13040000	8.015	8.440	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
684 41			2	4.4	42000	RIDE		7.9	8.1	8.0	7.7	7.7	7.8	7.3	7.5	7.4	7.6	7.7	7.7	7.7	7.6
CORTEZ RD(8.4L)						FC3															
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	7.0	7.0	7.3	7.4	4.0*
GATOR ASPHALT CO (1996)						S RIDE		7.6	7.5	7.3	7.3	7.1	7.0	7.3	7.0	7.1	6.8	6.9	6.8	7.1	6.8
4510221	6.722	8.574	C	2029	0012																
13040000	7.670	8.015	L	1	1	35	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
684 41			3	4.4	42000	RIDE		7.3	6.8	6.7	5.9	5.3*	5.9		7.1	7.4	7.6	7.5	7.5	7.5	7.6
SR45/BUS US41(7.7L)						HFST															
1960911	7.730	8.003	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.9	8.7	6.5
PREFERRED MATERIALS, INC. (2008)						SPRIDE		7.8	7.3	7.1	7.1	7.0	7.0	6.8	6.9	7.0	6.6	6.5	6.0	6.3	6.0
4510221	6.722	8.574	C	2029	0012																
13040000	7.025	7.670	L	1	1	45	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0
684			3	2.6	53500	RIDE		7.3	6.8	6.7	5.9*	5.3*	5.9	7.4	7.6	7.6	8.0	7.8	7.8	7.7	
24 ST W(7.1L)						FC125															
								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
4510221	6.722	8.574	C	2029	0012			7.6	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.6	8.2	8.1	8.1	7.8	7.5
13040000	3.974	7.025	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
684			2	3.6	31500	RIDE		6.7	6.9	6.8	6.1*	6.3*	8.2	7.8	7.7	7.6	7.6	7.6	7.4	7.3	
71 ST W(4.2C)						FC125															
4067551	5.073	6.857	C	2004	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*
PREFERRED MATERIALS, INC. (2006)						RIDE		7.6	7.5	7.6	7.5	7.6	7.3	7.4	7.4	7.3	7.1	7.1	7.0	6.8	6.5
4450441	3.243	6.722	C	2026	0012																
13040000	3.250	3.974	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	7.0	7.0	7.0	7.0
684			2	4.6	30333	RIDE		8.5	8.2	8.4	8.1	7.9	7.9	7.8	7.7	7.8	7.6	7.7	7.7	7.7	7.6
PALMA SOLA BLVD(3.3L)						FC4															
1959821	2.536	3.946	C	1993	0213	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.0*	4.0*	4.0*	4.0*	0.5*
FREDERICK DERR & COMPANY, (1996)						S RIDE		7.5	7.5	7.6	7.6	7.6	7.4	7.4	7.4	7.1	7.3	7.4	7.3	7.1	6.8
4450441	3.243	6.722	C	2026	0012																
13040000	1.177	3.250	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	7.0	7.0	7.0	7.0
684			2	4.6	30333	RIDE		8.5	8.2	8.4	8.1	7.9	7.9	7.8	7.7	7.8	7.6	7.7	7.7	7.7	7.6
TURNOUT(1.2L)						FC125M															
4365511	1.297	3.250	C	2019	0216	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2022)						SPRIDE		7.5	7.5	7.6	7.6	7.6	7.4	7.4	7.4	8.1	8.0	8.0	7.9	7.9	7.6
13040000	0.868	1.177	L	1	1	35	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
684			1	4.6	30333	RIDE		8.7	8.5	8.5	8.1	8.1	8.0	7.4	7.8	6.5	6.3	6.4	6.1	6.2	
123 ST W(0.9L)						FC125M															
								10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	9.0
								6.4	6.3	6.7	6.6	6.7	6.6	6.6	6.5	6.8	7.5	7.5	7.4	7.3	7.0
13040000	0.611	0.868	L	1	1	35	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
684			1	4.3	16500	RIDE		8.7	8.5	8.5	8.1	8.1	8.0	7.4	7.8	6.5	6.3	6.4	6.1	6.2	
127 ST W(0.7L)						DGFC															
								10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.9	8.0	5.5*
								6.4	6.3	6.7	6.6	6.7	6.6	6.6	6.5	6.8	6.0	6.0	6.1	6.0	5.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
13040001	0.000	0.158	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
684	41			2	3.8	32500	RIDE															
44 AVE E(0.0R)																						
					(1988)		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.3	8.1	4.0*	
4510221	0.000	0.158	C	2029		0012	RIDE													5.8	5.5	
13040001	0.000	0.158	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
684	41			2	3.8	32500	RIDE															
CORTEZ AVE E(0.0C)																						
					(1989)		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.9	8.2	4.5*	
4510221	0.000	0.158	C	2029		0012	RIDE													6.4	6.1	
13040002	0.000	0.073	C	1	1	35	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0		
684				3	4.6	12500	RIDE															
T/O FROM CORTEZ RD(0.0L)																						
					(2007)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	8.6	6.0*
4510221	0.000	0.073	C	2029		0012	RIDE													2.8*	2.5*	
13050000	0.000	1.122	C	1	7	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
64				3	4.2	18000	RIDE	6.9	6.4	6.7	5.7	5.5	6.0	5.9	5.6	5.9	5.6	5.7	5.7	5.7	5.7	
10TH ST W(0.0C)																						
4415351	0.047	1.122	C	2023		0012	CRACKING		9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0			10.0	9.0
RUSSELL ENGINEERING, INC (2026)									5.6	5.1*	5.0*	5.0*	4.7*	4.7*	4.6*	4.7*	4.5*	4.6*			6.1	5.8
13050000	1.808	2.777	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
64				3	4.7	53500	RIDE	7.0	6.8	6.5	6.6	6.5		7.9	8.0	7.9	7.9	7.6	7.5	7.3		
EIGHTEENTH ST(1.9C)																						
4067581	1.808	5.800	C	2005		0012	CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	1.2*	0.0*	
AJAX PAVING INDUSTRIES, IN(2007)									7.5	7.4	7.5	7.5	7.4	7.3	7.4	7.3	7.3	7.2	7.2	7.1	6.7	6.4
4473781	1.808	3.476	C	2024		0012	SPRIDE															
13050000	2.777	2.985	R	1	8	45	CRACKING	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
64				3	4.7	53500	RIDE	8.0	7.8	7.9	6.7	6.7		7.9	8.0	7.9	7.9	7.6	7.5	7.3		
29TH ST E(2.9R)																						
4067581	1.808	5.800	C	2005		0012	CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*			
AJAX PAVING INDUSTRIES, IN(2007)									7.5	7.4	7.5	7.5	7.4	7.3	7.4	7.3	7.3	7.2	7.2	7.1	6.7	6.4
4473781	1.808	3.476	C	2024		0012	SPRIDE															
13050000	2.985	3.522	R	1	1	45	CRACKING	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
64				3	4.7	53500	RIDE	8.0	7.8	7.9	6.7	6.7		7.9	8.0	7.9	7.9	7.6	7.5	7.3		
4067581 1.808 5.800 C 2005 0012 CRACKING								8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	0.0*	0.0*	
AJAX PAVING INDUSTRIES, IN(2007)								7.5	7.4	7.5	7.5	7.4	7.3	7.4	7.3	7.3	7.2	7.2	7.1	7.4	7.2	
4473781	1.808	3.476	C	2024		0012	SPRIDE															
13050000	3.522	5.941	R	1	1	50	CRACKING	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0			
64				3	4.7	53500	RIDE	8.0	7.8	7.9	6.7	6.7		7.9	8.0	7.9	7.9	8.2	8.1			
OAK LEAF BLVD(4.0R)																						
4161201	3.742	5.773	C	2012		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.7	8.5	6.5	
BETTER ROADS INC. (2015)									7.9	7.3	7.3	7.3	6.9	7.0	7.0	7.0	6.9	6.8	6.7	6.8	6.5	
13050000	5.941	6.831	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
64				3	5.3	62000	RIDE	8.6	8.6	8.3	7.9	7.8		7.8	8.1	8.0	7.8	8.0	8.0	8.0		
(2020)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	8.0	7.6	8.0	8.0	8.0		8.3	8.2	8.2	8.1	8.1	8.1	8.1	7.9	
13050000	6.831	7.382	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
64				3	5.3	62000	RIDE	8.7	8.6	8.6	8.1	8.1		7.8	8.1	8.0	7.8	8.0	8.0	8.0		
TIMBER OAK LANE(7.0R)																						
1960222	6.888	7.613	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.3*	6.1*	3.0*	
(2007)									8.0	7.6	8.0	8.0	8.0	8.1	8.2	8.3	8.2	8.3	8.0	8.1	8.0	7.8
4556301	6.764	7.482	C	2025		6060	RIDE															
13050000	7.382	8.972	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			10.0	10.0	10.0		
64				3	5.2	55000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8			8.2	8.2	8.1		
HERITAGE GREENWAY(7.4R)																						
1960223	7.382	9.300	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	6.5	6.9	6.9	4.0*	
RUSSELL ENGINEERING, INC (2011)									8.2	7.7	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.8	7.8	7.6
4473831	6.822	9.825	C	2028		0226	SPRIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P		=====													
ITMSEG-P		(AGE_ONE YEAR)		RW		ASTYPE																	
CONTRACTOR								2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F		W_BMP		W_EMP		FY-F		WKMX-F															(PMRS)
13050000	8.972	9.907	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0			
64			2	6.9		35000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3			
BLUE CYPRESS ST(9.6R)																							
1960224	9.300	11.866	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5			4.5*	3.5*	3.5*	3.8*	3.2*	0.0*		
PRINCE CONTRACTING, LLC				(2009)		SPRIDE		8.3	7.8	8.2	8.2	8.2	8.2			8.0	7.9	7.8	7.8	7.7	7.5		
4473831	6.822	9.825	C	2028		0226																	
13050000	9.907	10.800	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0			
64			2	6.9		35000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3			
GREYHAWK LANDING(10.1R)																							
							CRACKING	10.0	10.0	10.0	10.0	10.0	6.5				10.0	10.0	9.3	10.0	9.0		
							RIDE	8.3	7.8	8.2	8.2	8.2	8.2				7.1	7.0	7.1	7.1	6.8		
13050000	10.800	11.186	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0			
64			2	16.5		15300	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3			
SAVANNA AT LKWOOD RA(10.9R)																							
1960224	9.300	11.866	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5			3.5*	3.5*	1.0*		0.0*	0.0*		
PRINCE CONTRACTING, LLC				(2009)		SPRIDE		8.3	7.8	8.2	8.2	8.2	8.2			8.2	8.1	7.8		8.0	7.8		
13050000	11.186	11.598	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0			
64			2	16.5		15300	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3			
LORRAINE RD(11.4R)																							
							CRACKING	10.0	10.0	10.0	10.0	10.0	6.5				3.5*	3.5*	1.0*		10.0		
							RIDE	8.3	7.8	8.2	8.2	8.2	8.2				8.2	8.1	7.8		7.1		
13050000	11.598	11.866	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0			
64			1	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3			
UNDESIGNED(12.4R)																							
1960224	9.300	11.866	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5			3.5*	3.5*	1.0*		0.0*	0.0*		
PRINCE CONTRACTING, LLC				(2009)		SPRIDE		8.3	7.8	8.2	8.2	8.2	8.2			8.2	8.1	7.8		7.6	7.4		
4473831	11.471	11.812	R	2028		0226																	
13050000	11.866	12.389	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
64			2	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6			
UNDESIGNED(12.4R)																							
4252351	11.812	16.727	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	6.5		
SUPERIOR ASPHALT, INC.				(2014)		RIDE		8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.5	7.5	7.2		
13050000	12.389	12.585	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
64			2	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6			
162ND ST(12.5R)																							
4252351	11.812	16.727	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	5.5*		
SUPERIOR ASPHALT, INC.				(2014)		RIDE		8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	8.0	8.1	7.8		
13050000	12.585	12.961	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
64			2	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6			
UIHLEIN RD(12.9R)																							
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	10.0	10.0	9.0		
							RIDE	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	7.7	7.4		
13050000	12.961	13.696	R	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
64			2	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6			
4252351 11.812 16.727 SUPERIOR ASPHALT, INC. (2014)																							
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.0	8.5	6.5		
							RIDE	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	7.7	7.4		
13050000	13.696	13.956	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
64			2	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6			
4252351 11.812 16.727 SUPERIOR ASPHALT, INC. (2014)																							
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.0	7.5	5.5*		
							RIDE	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	8.4	8.4	8.1		
13050000	13.956	14.385	R	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
64			2	13.8		6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6			
4252351 11.812 16.727 SUPERIOR ASPHALT, INC. (2014)																							
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	10.0	9.7	8.5		
							RIDE	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.4	7.3	7.0		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	(PMRS)																				
ITMSEG-F	CONTRACTOR (AGE_ONE YEAR)																					
13050000	14.385	14.659	R	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
64				2	13.8	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
							FC2															
4252351	11.812	16.727	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.2	5.0*	
SUPERIOR ASPHALT, INC.				(2014)			RIDE	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	7.0	6.8	
13050000	14.659	16.898	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
64				2	13.8	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
							FC125M															
DESOTO SPEEDWAY ENT(15.7R)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	5.0*	
SUPERIOR ASPHALT, INC.				(2014)			RIDE	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	8.0	7.7	
13050000	22.134	30.759	C	1	1	60	CRACKING	8.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0		
70				2	21.0	9300	RIDE	8.2	8.3	8.1	7.5	7.0	6.7	7.1	6.7	6.8	6.7	6.6	8.7	8.7		
							FC95M															
CR 675(22.3L)							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	6.5	6.5	3.5*	1.5*	
AJAX PAVING INDUSTRIES OF				(2012)			RIDE	8.7	8.4	8.4	8.3	8.2	8.1	8.0	7.9	7.9	7.6	7.6	7.4	7.4	7.1	
13050000	30.759	37.039	C	1	1	60	CRACKING	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
70				2	26.3	7000	RIDE	9.0	9.0	9.0	8.5	8.5	8.3	8.2	8.0	8.0	7.9	8.5	8.4	8.4		
							FC125R															
BRENDLE RD(30.8R)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.1	7.8	5.5*	
PREFERRED MATERIALS, INC.				(2011)			RIDE	8.3	8.0	8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.6	
13050000	37.039	39.483	C	1	1	60	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
70				2	26.3	7000	RIDE	7.9		8.4	8.1	8.0	8.0	7.9	8.0	8.0	8.0	8.0	8.0	7.8	7.6	
							FC125M															
CURTIS RD(37.8L)							CRACKING	8.5	8.5	8.5	6.0*	3.5*	3.0*	3.0*	3.0*	3.0*		10.0	9.5	10.0	9.0	
SUPERIOR ASPHALT, INC.				(2024)			RIDE	7.8	7.6	7.4	7.3	7.3	7.1	7.2	7.1	7.1		8.2	8.2	8.2	7.9	
13050000	11.598	11.866	L	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0		
64				2	13.8	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4	8.5	8.5		
							FC5															
1960224	9.300	11.866	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			3.5*	3.5*	4.5*	4.2*	2.0*	0.0*	
PRINCE CONTRACTING, LLC				(2009)			SPRIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5		8.4	8.3	8.2	8.2	7.6	7.4	
4473831	11.482	11.812	L	2028	0226																	
13050000	11.186	11.598	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0		
64				2	16.5	15300	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4	8.5	8.5		
							FC125M															
145TH ST E(11.4L)							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0		3.5*	3.5*	4.5*	4.2*	10.0	9.0	
				(2026)			RIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5		8.4	8.3	8.2	8.2	6.9	6.6	
13050000	10.800	11.186	L	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0		
64				2	16.5	15300	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4	8.5	8.5		
							FC5															
1960224	9.300	11.866	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			3.5*	3.5*	4.5*	4.2*	4.6*	1.5*	
PRINCE CONTRACTING, LLC				(2009)			SPRIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5		8.4	8.3	8.2	8.2	8.2	8.0	
13050000	9.957	10.800	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0		
64				2	6.9	35000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4	8.5	8.5		
							FC125M															
GREYHAWK BLVD(10.1L)							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	9.0	
				(2023)			RIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5		7.2	7.1	7.2	7.1	7.1	6.8	
13050000	9.133	9.957	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0		
64				2	6.9	35000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.3	8.2	8.2		
							FC5															
117 ST E(9.3L)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.6	3.5*	0.5*	
PRINCE CONTRACTING, LLC				(2011)			SPRIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.8	7.6	
4473831	6.822	9.825	C	2028	0226																	
13050000	7.382	9.133	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			10.0	10.0	10.0		
64				3	5.2	55000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8			8.3	8.2	8.2		
							FC5															
HERITAGE GREEN WAY(7.4L)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.6	6.8	4.0*
RUSSELL ENGINEERING, INC				(2011)			SPRIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.9	7.7	
4473831	6.822	9.825	C	2028	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE					
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031				
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE													
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		YEAR		RW		FY-F		WKM-F		ASTYPE													
ITMSEG-P		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE													
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-F		ASTYPE													
13050000	6.814	7.382	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
64			3	5.3		62000	RIDE	8.7	8.6	8.6	8.1	8.1		7.7	8.1	8.0	8.1	8.2	8.2	8.2					
GRAND HARBOUR PKW(6.8L)																									
1960222	6.888	7.613	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*			
							RIDE	8.2	8.2	8.0	8.1	8.1	8.0	8.1	7.8	8.1	7.9	7.9	8.0	8.0	7.8				
4556301 6.764 7.482 C 2025 6060																									
13050000	5.917	6.814	L	1	1	50	CRACKING	10.0	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	6.5	6.5	4.5*					
64			3	5.3		62000	RIDE	8.3	7.9	7.8	6.9	7.5		7.7	8.1	8.0	8.1	7.1	6.8	6.8					
66TH ST CT E(5.9L)																									
							CRACKING	4.5*	4.5*	3.5*	3.5*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.0				
							RIDE	6.6	6.5	6.9	6.6	6.4*		7.9	7.9	7.8	7.7	7.8	7.7	8.0	7.8				
(2020)																									
13050000	3.522	5.917	L	1	1	50	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0					
64			3	4.7		53500	RIDE	7.9	8.0	7.9	7.1	7.0		7.8	7.9	7.8	8.0	8.2	8.1						
CARLTON ARMS BLVD(3.6L)																									
4161201	3.742	5.773	C	2012		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.5	5.5*				
							SPRIDE		8.2	7.6	7.5	7.5	7.3	7.4	7.2	7.2	7.2	7.3	7.2	7.2	6.9				
BETTER ROADS INC. (2015)																									
13050000	3.107	3.522	L	1	1	50	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0					
64			3	4.7		53500	RIDE	7.9	8.0	7.9	7.1	7.0		7.8	7.9	7.8	8.0	7.6	7.5	7.5					
4067581 1.808 5.800 C 2005 0012 CRACKING 10.0 10.0 8.5 8.5 8.5 7.0 7.0 6.5 6.5 6.5 6.0* 6.0* 4.5* 1.5*																									
AJAX PAVING INDUSTRIES, IN(2007) SPRIDE 7.4 7.4 7.5 7.5 7.4 7.3 7.2 7.2 7.2 6.9 7.0 6.9 8.1 7.9																									
4473781 1.808 3.476 C 2024 0012																									
13050000	1.808	3.107	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0					
64			3	4.7		53500	RIDE	7.9	8.0	7.9	7.1	7.0		7.8	7.9	7.8	8.0	7.6	7.5	7.5					
EIGHTEENTH ST(1.9C)																									
4067581	1.808	5.800	C	2005		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	1.8*	0.0*				
							SPRIDE	7.4	7.4	7.5	7.5	7.4	7.3	7.2	7.2	7.2	6.9	7.0	6.9	6.4	6.1				
AJAX PAVING INDUSTRIES, IN(2007)																									
4473781 1.808 3.476 C 2024 0012																									
13050002	0.000	0.576	C	1	1	35	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	9.0	8.5					
64			3	3.4		23500	RIDE	5.4*	5.4*	6.6	5.8	6.0	5.7		7.0	6.8	6.9	6.7	6.4	6.1					
OLD ALIGN(0.0R)																									
1958092	0.000	0.576	C	2006		0012	CRACKING	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	6.2*	4.0*					
							RIDE	6.4	5.8	6.7	6.4	6.5	6.6	6.4	6.2	5.9	5.7	5.9	5.7	5.7	5.4*				
PREFERRED MATERIALS, INC. (2008)																									
4473781 0.000 0.576 C 2024 0012																									
13050101	0.189	1.510	C	1	1	35	CRACKING	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*		10.0					
64			3	3.4		21000	RIDE	4.6*	4.9*	5.1*	4.4*	3.8*	3.8*	3.9*	4.0*	4.0*	3.8*	4.0*		7.0					
11TH ST E(0.3R)																									
4224041	0.189	1.232	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.2	6.0*				
							RIDE	6.6	6.6	6.5	6.9	6.6	6.0	6.4	6.4	6.3	5.8	6.3	5.9	5.7	5.7	5.4*			
(2013)																									
13050102	0.000	0.372	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0					
64			3	4.7		20500	RIDE	6.4*	6.3	6.4	6.4	6.1	6.1		7.8	7.4	7.6	7.3	7.5	7.6					
SEVENTEENTH ST *(0.0C)																									
1958093	0.000	0.372	C	2006		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.8	4.5*				
							RIDE	7.3	7.4	7.2	7.3	7.3	7.0	6.9	6.8	6.7	6.6	5.2*	6.4	6.5	6.2				
PREFERRED MATERIALS, INC. (2008)																									
4473781 0.000 0.372 C 2024 0012																									
13060000	0.267	0.478	C	1	1	50	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0					
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5					
DGFC																									
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	10.0	9.0				
							RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	6.0*	5.7*				
(2026)																									
13060000	0.478	0.754	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0					
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5					
FC125																									
1959682	0.006	6.931	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	8.0	6.0*				
							RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.5	7.2				
SUPERIOR ASPHALT, INC. (2010)																									
13060000	0.754	1.121	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0					
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5					
SPENCER PARRISH RD(1.0R)																									
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	10.0	9.0				
							RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.3	7.0				
(2026)																									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
13060000	1.121	1.264	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5		
							FC125															
1959682	0.006	6.931	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	7.7	7.9	5.5*
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.9	7.6	
13060000	1.264	1.653	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5		
							DGFC															
				(2026)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	10.0	9.0	
							RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.1	6.8	
13060000	1.653	4.938	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5		
							FC125															
KEEN RD(2.5L)																					
1959682	0.006	6.931	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	8.5	6.5	
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.9	7.6	
13060000	4.938	5.288	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5		
							DGFC															
				(2026)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	10.0	9.0	
							RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.6	7.3	
13060000	5.288	6.931	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.1	8.7	8.6	8.5		
							FC125															
1959682	0.006	6.931	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	8.5	6.5	
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	7.9	7.9	7.7	8.0	7.7	
13060000	6.931	14.146	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.3	8.7	8.5	8.5		
							FC125															
CR 579(8.3L)																					
1959683	6.931	14.146	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	6.5	
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.3	8.1	8.1	8.0	8.2	8.1	8.1	8.2	8.0	8.0	7.9	7.9	7.6	
13060000	14.146	16.988	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	23.1		4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.0	8.6	8.5	8.5		
							FC125															
1959684	14.146	19.376	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	8.8	6.5	
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.3	8.0	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.8	7.8	7.5	
13060000	16.988	17.319	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
62			2	29.3		5900	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	8.0	8.6	8.5	8.5		
							FC125A															
COUNTY LINE	RD(17.1L)																					
1959684	14.146	19.376	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	7.5	5.5*	
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.3	8.0	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.8	6.4*	6.1*	
13060000	17.319	19.376	C	1	1	60	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
62			2	29.3		5900	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.4	7.5	7.4	8.0	8.6	8.5	8.5		
							FC125															
KEENTOWN	RD(19.0R)																					
1959684	14.146	19.376	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	9.0	7.0	
SUPERIOR	ASPHALT,	INC.		(2010)			RIDE	8.3	8.3	8.0	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.8	7.8	7.5	
13060000	19.376	23.274	C	1	7	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
62			2	27.8		5600	RIDE	8.9	8.9	8.8	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.1		
							FC125M															
DUETTE	RD(20.2R)																					
4491181	19.376	23.215	C	2025	0226		CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.0	
HUBBARD	CONSTRUCTION	COMPA		(2026)			RIDE	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	8.0	7.7	
13060001	0.000	0.274	C	1	7	40	CRACKING													10.0	9.0	
62			2	8.0		4800	RIDE													5.8	5.5	
				(2026)			CRACKING															
							RIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				*****														(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
13070000	0.000	5.534	C	1	1	60	CRACKING	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	
37				2	32.0		RIDE	8.5	8.3	8.3	7.8	7.7	7.5	7.5	7.7	7.6	7.4	8.4	8.3	8.3	
SR 62(0.0C)																					
4473821	0.023	5.420	C	2024	0226		CRACKING	9.0	9.0	9.0	8.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2025)					SPRIDE	8.1	7.8	7.6	7.5	7.4	7.4	7.1	6.9	6.8	6.9	6.7	8.4	8.4	8.1

13075000	0.000	0.600	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	10.0	10.0	10.0	
93	I75	213.2	213.8	3	11.9	148000	RIDE	8.9	9.0	9.0	8.5	8.3	8.2	8.0	7.9	7.8	7.8	8.4	8.4	8.4	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			9.0	9.0	9.0	9.2	9.1	7.5
							RIDE	8.4	8.4	8.6	8.5	8.4	8.4			8.1	8.1	8.1	8.2	8.1	8.0
(2022)																					
13075000	0.600	6.600	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	10.0	10.0	10.0	
93	I75	213.8	219.8	4	11.9	148000	RIDE	8.9	9.0	9.0	8.5	8.3	8.2	8.0	7.9	7.8	7.8	8.4	8.4	8.4	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0	10.0	9.7	8.5	8.5
							RIDE	8.4	8.4	8.6	8.5	8.4	8.4			8.7	8.6	8.6	8.6	8.6	8.5
(2023)																					
13075000	6.600	7.430	R	4	1	70	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
93	I75	219.8	220.6	3	13.0	128000	RIDE	9.1	9.0	9.0	8.5	8.3	8.1	7.9	7.9	7.6	7.6	8.0	8.0	8.0	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0	10.0	10.0	9.8	10.0	8.5
							RIDE	8.2	8.0	8.3	8.2	8.2	8.1		8.6	8.5	8.4	8.4	8.3	8.5	8.4
(2021)																					
13075000	7.430	10.307	R	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	6.0*	10.0	10.0	10.0	
93	I75	220.6	223.5	3	12.5	131000	RIDE	9.0	8.8	8.9	8.4	8.3	8.2	8.0	7.9	7.6	7.6	8.5	8.5	8.5	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5			10.0	9.0
							RIDE	8.5	8.4	8.7	8.6	8.6	8.6	8.7	8.8	8.8	8.7			8.2	8.1
(2026)																					
13075000	11.049	11.775	R	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	10.0	10.0	10.0	
93	I75	224.2	224.9	3	13.8	121000	RIDE	8.9	9.0	8.9	8.4	8.3	8.2	8.1	7.9	7.8	7.6	8.2	8.2	8.2	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.9	10.0	9.0
							RIDE	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.6	8.5	8.5	8.4	8.4	8.2	8.1
(2026)																					
13075000	11.775	12.380	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	10.0	10.0	10.0	
93	I75	224.9	225.5	3	13.8	121000	RIDE	8.9	9.0	8.9	8.4	8.3	8.2	8.1	7.9	7.8	7.6	8.2	8.2	8.2	
FC5M																					
4224981	8.234	12.736	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.9	7.5	4.5*
AJAX PAVING INDUSTRIES OF				(2011)			RIDE	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.6	8.5	8.5	8.4	8.4	8.3	8.2
4527941	11.709	15.756	C	2027	0012																
13075000	12.380	12.963	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	9.0	9.0	10.0	8.5	8.5	
93	I75	225.5	226.1	3	13.8	121000	RIDE	8.9	9.0	8.9	8.4	8.3	8.2	8.1	8.0	7.7	8.0	8.2	7.9	7.8	
FC5M																					
4332561	12.451	12.995	R	2016	0012		CRACKING	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.3	9.0	7.0
AJAX PAVING INDUSTRIES OF				(2017)			RIDE	7.8	7.9	8.2	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.4	8.5	8.3	8.2
4527941	11.709	15.756	C	2027	0012																
13075000	12.963	15.700	R	4	1	70	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.0*	10.0	10.0	10.0	
93A	I75	226.1	228.9	3	13.8	121000	RIDE	8.9	8.9	8.9	8.4	8.1	8.1	8.0	8.0	7.6	7.8	8.1	8.1	8.2	
FC5M																					
4202531	12.963	15.714	C	2009	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.7	7.0	4.0*
AJAX PAVING INDUSTRIES OF				(2011)			RIDE	8.2	8.2	8.3	8.3	8.3	8.2	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.2
4527941	11.709	15.756	C	2027	0012																
13075000	15.700	20.571	R	4	1	70	CRACKING	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	
93A	I75	228.9	233.7	3	11.1	95000	RIDE	8.9	8.8	8.7	8.1	8.2	8.2	8.2	8.1	8.1	7.9	7.8	7.6	7.4	
FC5M																					
4349291	17.006	20.571	C	2017	0012		CRACKING	6.5	6.5	4.5*	2.0*			10.0	10.0	10.0	10.0	10.0	8.8	8.5	6.5
AJAX PAVING INDUSTRIES OF				(2019)			SPRIDE	7.2	6.9	7.6	7.3			8.7	8.7	8.9	8.9	8.8	8.9	8.8	8.7

13075000	15.756	20.571	L	4	1	70	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5	7.5	9.0	9.0	7.5	
93A	I75	228.9	233.7	3	11.1	95000	RIDE	8.8	8.6	8.7	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.8	7.7	7.6	
FC5M																					
4349291	17.006	20.571	C	2017	0012		CRACKING	7.5	7.5	4.5*	2.0*			10.0	10.0	10.0	10.0	9.0	9.0	8.4	6.5
AJAX PAVING INDUSTRIES OF				(2019)			SPRIDE	7.3	6.8	7.6	7.4			8.6	8.7	8.8	8.8	8.8	8.7	8.7	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT	(MP)	(SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)					ASTYPE													(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
13075000	13.376	15.756	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	10.0	10.0	10.0	
93A I75	226.5	228.9	4	13.8		121000	RIDE	9.0	8.9	8.8	8.3	8.2	8.0	7.9	7.7	7.7	7.7	8.0	8.1	8.1		
							FC5M															
4202531	12.963	15.714	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	7.8	5.0*	
AJAX PAVING INDUSTRIES OF				(2011)			RIDE	8.2	7.9	8.4	8.4	8.4	8.3	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3	
4527941	11.709	15.756	C	2027	0012																	
13075000	12.736	13.376	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	9.0	10.0	7.0	7.0		
93 I75	225.9	226.5	3	13.8		121000	RIDE	9.0	8.9	8.8	8.3	8.2	8.0	7.9	7.6	7.6	7.9	8.0	7.3	7.4		
							FC5M															
4332561	12.773	13.352	L	2016	0012		CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.9	9.0	7.0	
AJAX PAVING INDUSTRIES OF				(2017)			RIDE	7.7	7.3	7.9	8.6	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.5	8.4	8.3	
4527941	11.709	15.756	C	2027	0012																	
13075000	11.726	12.736	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.0*	10.0	10.0	10.0		
93 I75	224.9	225.9	3	13.8		121000	RIDE	9.0	8.9	8.8	8.4	8.3	8.0	8.0	7.9	7.9	7.8	8.1	8.1	8.1		
							FC5M															
4224981	8.234	12.736	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	7.8	5.0*	
AJAX PAVING INDUSTRIES OF				(2011)			RIDE	8.2	7.9	8.3	8.3	8.2	8.2	8.3	8.4	8.4	8.3	8.3	8.2	8.2	8.1	
4527941	11.709	15.756	C	2027	0012																	
13075000	11.049	11.726	L	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.0*	10.0	10.0	10.0		
93 I75	224.2	224.9	3	13.8		121000	RIDE	9.0	8.9	8.8	8.4	8.3	8.0	8.0	7.9	7.9	7.8	8.1	8.1	8.1		
							FC5M															
				(2026)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	10.0	9.0	
							RIDE	8.2	7.9	8.3	8.3	8.2	8.2	8.3	8.4	8.4	8.3	8.3	8.2	8.0	7.9	
13075000	7.364	10.307	L	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	6.0*	10.0	10.0	10.0		
93 I75	220.5	223.5	4	12.5		131000	RIDE	9.0	8.9	9.0	8.3	8.3	8.1	7.9	7.8	7.8	7.8	8.0	8.0	8.0		
							FC5M															
				(2026)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5			10.0	9.0	
							RIDE	7.9	7.7	8.3	8.3	8.2	8.1	8.3	8.4	8.3	8.2			8.2	8.1	
13075000	0.600	7.364	L	4	1	70	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0		
93 I75	213.8	220.5	4	13.0		128000	RIDE	9.0	9.0	8.9	8.5	8.4	8.0	7.7	7.5	7.5	7.5	7.9	7.9	7.9		
							FC5M															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0				10.0	10.0	10.0	10.0	8.5	
							RIDE	7.9	7.6	8.2	8.2	8.1	8.0				8.9	8.9	8.8	8.8	8.7	
13075000	0.000	0.600	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	10.0	10.0	10.0		
93 I75	213.2	213.8	3	11.9		148000	RIDE	9.1	8.9	9.0	8.4	8.2	7.7	7.7	7.5	7.2	7.2	8.4	8.5	8.4		
							FC5M															
				(2022)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0			9.0	9.0	9.0	9.5	9.6	8.0	
							RIDE	8.5	8.1	8.6	8.1	8.4	8.3			8.2	8.1	8.2	8.2	8.1	8.0	
13080000	0.000	4.545	C	1	1	45	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0		
789			2	5.0		10500	RIDE	8.7	8.6	8.6	8.1	8.0	7.8	7.8	7.8	7.8	8.2	8.1	8.1	8.0		
							FC125															
SUTTON PL(0.3R)																						
1958082	0.000	4.545	C	2009	0226		CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	4.4*	1.5*	0.0*	
AJAX PAVING INDUSTRIES OF				(2010)			RIDE	7.9	7.9	7.7	7.6	7.6	7.4	7.4	7.2	7.3	7.0	7.0	6.9	6.8	6.5	
4491191	0.000	4.545	C	2029	0226																	
13080000	4.950	5.827	R	1	1	35	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	3.9		15500	RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	7.6	7.7		
							FC125R															
COQUINA PARK ENT(5.2C)																						
4224061	4.950	6.647	C	2010	0012		CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	7.7	5.5*	
PREFERRED MATERIALS, INC.				(2012)			RIDE	7.8	7.6	7.4	7.1	7.1	7.0	6.9	6.4	6.5	6.3	6.4	6.4	7.3	7.0	
4510211	4.950	8.717	C	2026	0226																	
13080000	5.827	6.647	C	1	1	25	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	3.9		15500	RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	7.6	7.7		
							FC125R															
THIRTEENTH ST S(5.9R)																						
4224061	4.950	6.647	C	2010	0012		CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	7.1	5.0*	
PREFERRED MATERIALS, INC.				(2012)			RIDE	7.8	7.6	7.4	7.1	7.1	7.0	6.9	6.4	6.5	6.3	6.4	6.4	5.5	5.2*	
4510211	4.950	8.717	C	2026	0226																	
13080000	6.647	6.885	C	1	1	35	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	3.9		10500	RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	6.9	7.0		
							DGFC															
TURNOUT(6.7R)																						
				(2020)			CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	9.0	8.5	8.3	7.0	
							RIDE	6.8	6.3						5.4*	5.5			4.4*	4.1*		
4510211	4.950	8.717	C	2026	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)	
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
13080000	6.885	8.717	C	1	1	35	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	3.9	10500		RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	8.0	7.9		
ELEVENTH ST N(6.9R)																						
4224051	6.835	8.717	C	2010	0012		CRACKING	10.0	10.0	10.0	9.5	9.0	7.0	7.0	7.0	6.5	6.5	6.5	7.6	5.5*		
PREFERRED MATERIALS, INC. (2012)																						
4510211	4.950	8.717	C	2026	0226		RIDE	7.8	7.5	7.0	7.1	7.0	6.9	6.7	6.4	6.4	6.0	5.8	5.7			

13120001	0.000	0.589	C	1	1	45	CRACKING	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0		
70			2	8.5	9000		RIDE	7.8	7.5	8.5	8.0	8.0	8.0	7.7	7.6	7.6	7.5	7.2	8.1	8.1		
CR 683(0.0L)																						
4224091	0.058	0.573	C	2010	0226		CRACKING	10.0	10.0	9.0	8.0	7.5	7.5	6.0*	5.5*	5.5*	5.5*	5.5*	5.3*	3.0*		
SUPERIOR ASPHALT, INC. (2012)																						
13120001	0.589	0.857	C	1	1	45	CRACKING	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*		
70			2	7.3	11300		RIDE	7.8	7.5	8.5	8.0	8.0	8.0	7.7	7.6	7.6	7.5	7.2	7.2	7.3		
44 AVE E(0.7C)																						
				(2016)			CRACKING	4.5*	4.5*	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	5.0*	
							RIDE	7.0	5.8	7.8	7.5	7.6	7.3	7.4	7.3	6.9	6.6	7.0	6.7	6.8	6.5	

13120001	0.857	1.597	C	1	1	40	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
70			2	7.3	11300		RIDE	7.8	7.3	7.2	6.0	5.8	5.3*	8.1	7.6	7.7	7.7	7.7	7.6	7.6		
38 AVE E(0.9R)																						
4473801	0.832	1.550	C	2024	0012		CRACKING	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	9.0	
RUSSELL ENGINEERING, INC (2025)																						
13120001	1.597	3.030	C	1	1	40	CRACKING	10.0	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0		
70			2	5.1	13100		RIDE	6.5	6.2	6.5	5.7	5.8	5.5	5.3*	5.9	6.5	7.4	7.3	7.2	7.0		
SR 683(1.6C)																						
1959703	1.798	2.986	C	2009	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.2	7.8	5.5*	
PREFERRED MATERIALS, INC. (2010)																						
4528461	1.616	3.009	C	2028	0012		RIDE	7.0	7.0	6.9	6.6	6.7	6.4	6.3	6.5	5.9	5.9	6.0	6.0	5.7	5.4*	

13121000	0.000	0.409	R	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*			6.5	6.5		10.0	10.0	10.0	10.0	10.0	
683 301			2	7.3	41000		RIDE	7.9	7.7	7.3	6.2*			6.0*	6.6		7.7	7.6	7.9	7.8	7.0	
UNIVERSITY PKWY(0.0C)																						
				(2009)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	8.1	7.3	4.5*	
							RIDE	7.5	7.4	7.7	7.6	7.2	7.4	7.0	7.3	7.4	7.3	7.3	7.5	7.4	7.2	

13121000	0.409	7.908	R	1	7	55	CRACKING	4.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0		
683 301			2	7.3	41000		RIDE	7.9	7.7	7.3	6.2*			8.2	8.2	8.2	8.2	8.2	8.1	8.0		
25TH CT E(0.6R)																						
4451441	0.392	7.908	R	2023	0012		CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	9.0	
SUPERIOR ASPHALT, INC. (2026)																						
13121000	0.409	7.908	L	1	7	55	CRACKING	4.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
683 301			2	7.3	41000		RIDE	8.1	8.0	7.7	6.5			8.1	8.1	8.2	8.2	8.2	8.1	7.9		
NB TURN LANE TO TALLEVAS(1.0C)																						
				(2026)			CRACKING	9.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	0.0*	0.0*		10.0	9.0	
							RIDE	8.0	7.9	8.1	8.0	8.0	7.9	8.1	8.0	7.9	7.7	7.6		8.9	8.7	

13121000	0.000	0.409	L	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*			6.5	6.5		10.0	10.0	10.0	10.0	10.0	
683 301			3	7.3	41000		RIDE	8.1	8.0	7.7	6.5			6.3*	6.2*		7.8	7.7	7.6	7.6	7.8	
UNIVERSITY PKWY(0.0C)																						
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.6	6.9	4.0*	
							RIDE	7.6	7.6	7.8	7.7	7.1	7.4	7.4	7.4	7.3	7.0	7.2	7.5	7.3	7.1	

13130000	0.115	1.258	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5		
55 41			3	4.3	39500		RIDE	7.7	7.8	7.3	6.8	6.9	6.9	6.4	7.1	6.6	6.8	7.0	6.8	6.8		
CR 683(0.2C)																						
4273631	0.220	1.080	C	2013	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	5.5*	
SUPERIOR ASPHALT, INC. (2015)																						
13130000	1.661	2.208	R	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
55 41			4	4.6	65500		RIDE	8.0	6.8	6.4*	5.1*	4.9*		6.6	6.7	7.0	7.0	7.1	6.9	7.0		
13TH AV(1.8C)																						
4067561	1.765	2.617	C	2004	0012		CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	6.0*	4.0*	3.6*	1.0*
AJAX PAVING INDUSTRIES, IN(2007)																						
4473791	1.661	6.000	C	2025	0012		RIDE	6.9	6.4	6.2	6.8	6.6	7.0	6.6	6.3	6.3	5.9	6.5	6.4	6.2	5.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM	F	*****														(PMRS)
CONTRACTOR																					
ITMSEG-F																					
13130000	2.208	2.617	R	1	1	50	CRACKING	9.0	9.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
55 41				3	7.1	65000	RIDE	7.6	7.6	7.8	6.4*	7.0		7.9	7.9	7.9	7.8	7.9	7.9	7.8	
TURNOUT(2.3R) FC125R																					
4067561	1.765	2.617	C	2004	0012		CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	6.0*	6.0*	6.0*	4.0*	3.0*	1.4*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)							RIDE	7.7	7.6	7.5	7.5	7.4	7.3	7.1	7.1	7.1	6.7	6.9	6.8	6.7	6.4*
4473791	1.661	6.000	C	2025	0012																
13130000	3.038	5.819	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
55 41				2	7.4	39000	RIDE	8.9	8.8	8.6	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.1	8.0	8.1	
1 ST E(3.4R) FC3																					
1961261	3.038	6.061	C	1998	0012		CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5	6.0*	6.0*	6.0*	6.4*	3.5*
GATOR ASPHALT PAVING INC (2001)							S RIDE	8.1	8.1	8.0	8.0	8.0	7.9	8.0	7.8	7.8	7.7	7.8	7.7	7.6	7.3
4473791	1.661	6.000	C	2025	0012																
13130000	5.819	6.032	C	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	4.5*	4.5*	4.5*	
45 41				2	6.5	13500	RIDE	8.9	8.9	8.7	8.2	8.3	8.3	8.2	7.8	8.2	8.2	7.2	7.2	6.9	
UNSIGN(5.8R) FC3																					
4473791	1.661	6.000	C	2025	0012		CRACKING	4.5*	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	10.0	10.0	8.0	7.1	7.2	6.0*
							RIDE	7.0	7.7	8.0	8.0	7.9	8.0	8.0	8.0	8.1	7.9	8.0	8.2	8.2	7.9
13130000	6.032	6.517	C	1	1	55	CRACKING	3.5*	10.0	3.5*	10.0	10.0	10.0	10.0	8.5	7.0	6.5	4.5*	4.5*	4.5*	
55 19				2	6.5	13500	RIDE	8.5	8.2	8.3	7.4	7.9	7.7	7.8	7.3	7.3	7.0	7.2	7.2	6.9	
SR 45(6.1R) FC5M																					
4291171	6.095	6.500	C	2014	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.5	7.9	5.5*	
AJAX PAVING INDUSTRIES OF (2015)							RIDE	7.0	8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.1	7.9	8.0	7.8	7.8	7.6
13130000	6.517	8.478	R	1	1	55	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
55 19				2	6.4	24500	RIDE	8.1	8.0	7.9	7.9	7.9	7.7	7.9	7.9	7.8	7.9	7.9	7.8	7.8	
49 ST E(6.7R) FC5																					
4394231	6.500	8.466	C	2020	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0	9.4	9.6	8.0
AJAX PAVING INDUSTRIES OF (2022)							SPRIDE	7.8	7.8	8.0	8.0	8.0	7.9	8.1	8.0	8.3	8.2	8.3	8.3	8.2	8.0
13130000	8.478	9.194	C	1	1	55	CRACKING	3.5*	3.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
55 19				2	7.0	13000	RIDE	8.5	8.2	7.9	7.7	7.5	7.6	7.4	7.8	7.8	7.8	7.8	7.7	7.6	
AJAX PAVING INDUSTRIES, IN(2008) FC5M																					
4491201	8.474	9.194	C	2025	0226		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*
							RIDE	7.7	7.4	7.6	7.5	7.4	7.3	7.5	7.4	7.6	7.4	7.6	7.6	7.5	7.3
13130000	9.194	10.005	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	9.0	7.5	10.0	10.0	10.0	
55 1275	5.2	6.0		4	7.8	79500	RIDE	8.7	8.6	8.5	7.9	7.8	7.7	7.4	7.4	7.5	7.7	7.3	7.5	7.5	
AJAX PAVING INDUSTRIES OF (2011) FC5M																					
4535601	9.194	10.005	C	2029	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.1	8.3	5.5*	
							RIDE	7.3	7.5	7.7	7.6	7.5	7.4	7.5	7.8	7.8	7.4	7.5	7.4	7.6	7.5
13130000	10.005	11.982	R	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
55 1275	6.0	8.0		2	7.8	79500	RIDE	8.8	8.6	8.7	8.3	8.4	8.2	8.1	8.3	8.3	8.2	7.9	7.9	7.9	
AJAX PAVING INDUSTRIES OF (2011) FC5M																					
4566141	10.005	11.982	C	2029	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.9	7.2	4.5*
							RIDE	7.9	8.0	8.1	8.0	8.0	8.0	8.0	8.1	8.1	7.9	7.9	7.9	8.0	7.9
13130000	10.005	11.982	L	4	1	65	CRACKING	10.0	9.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
55 1275	6.0	8.0		2	7.8	79500	RIDE	8.4	8.4	8.3	8.0	7.9	7.7	7.2	7.5	7.2	7.2	7.9	7.9	7.9	
AJAX PAVING INDUSTRIES OF (2011) FC5M																					
4566141	10.005	11.982	C	2029	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	6.5	3.5*
							RIDE	7.8	8.0	8.1	8.0	8.0	7.9	8.0	8.1	8.1	7.9	8.0	7.9	8.0	7.9
13130000	9.194	10.005	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	10.0	10.0	10.0	10.0	
55 1275	5.2	6.0		3	7.8	79500	RIDE	8.9	8.8	8.8	8.1	8.1	8.0	7.7	7.9	7.8	7.5	7.7	7.8	7.8	
AJAX PAVING INDUSTRIES OF (2011) FC5M																					
4535601	9.194	10.005	C	2029	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	4.5*
							RIDE	7.8	7.7	8.1	8.1	8.1	8.1	8.2	8.2	8.2	8.1	8.1	8.1	8.0	7.9
13130000	6.517	8.478	L	1	1	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5		
55 19				2	6.4	24500	RIDE	8.5	8.2	8.3	7.9	7.9	7.8	7.8	7.7	7.8	7.7	7.7	7.7	7.6	
50 ST W(6.7L) FC5																					
4394231	6.500	8.466	C	2020	0012		CRACKING	8.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.5	10.0	8.5
AJAX PAVING INDUSTRIES OF (2022)							SPRIDE	7.6	7.5	7.8	7.8	7.8	7.7	7.9	7.8	8.3	8.2	8.3	8.2	8.1	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	=====														
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																					(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
13130000	3.038	5.819	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
55 41				2	7.4	39000	RIDE	8.9	8.9	8.7	8.2	8.3	8.3	8.2	7.8	8.2	8.2	8.2	8.1	7.7		
CR 55(3.8L)																						
1961261	3.038	6.061	C	1998	0012		CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.0*	
GATOR ASPHALT PAVING INC				(2001)			S RIDE	8.1	7.7	8.0	8.0	7.9	8.0	8.0	8.0	7.8	7.9	7.8	7.8	7.8	7.5	
4473791	1.661	6.000	C	2025	0012																	
13130000	1.661	2.617	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
55 41				3	4.6	65500	RIDE	6.4*	6.4*	6.3*	5.5*	5.2*		6.8	6.2	6.8	6.7	6.8	6.7	6.3		
13TH AV(1.8C)																						
4067561	1.765	2.617	C	2004	0012		CRACKING	8.5	8.5	8.5	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.0*	4.0*	3.1*	0.5*	
AJAX PAVING INDUSTRIES, IN				(2007)			RIDE	6.6	6.4	6.4	6.3	6.0	6.1	6.2	6.0	6.3	6.0	6.0	5.6	5.8	5.5	
4473791	1.661	6.000	C	2025	0012																	
13130000	0.115	1.258	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	
55 41				3	4.3	39500	RIDE	7.8	7.8	7.7	7.2	7.2	7.2	6.6	6.9	6.8	7.1	7.2	7.0	7.1		
CR 683(0.2C)																						
4273631	0.220	1.080	C	2013	0012		CRACKING	6.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	7.6	6.7	5.0*	
SUPERIOR ASPHALT, INC.				(2015)			RIDE	7.0	8.2	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.9	8.0	7.8	7.9	7.6	

13130101	0.000	0.654	C	1	1	55	CRACKING										10.0	8.5	8.5	8.5		
55 19				2	7.1	12000	RIDE										8.3	8.1	8.1	8.0		
SR 55 NB(0.0C)																						
				(2022)			CRACKING	8.5	7.0	7.0	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	8.5	8.6	8.8	7.5	
							RIDE	7.9	7.9	8.2	8.2	8.1	8.0	8.2	8.2	8.1	8.1	8.1	8.1	8.1	7.9	

13130401	0.000	0.403	C	1	1	45	CRACKING	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
55 41				2	4.2	18500	RIDE	6.9	6.6	6.7	5.7*	5.4*	7.2	7.7	7.7	7.5	7.3	7.3	6.9	6.9		
21ST AVE W(0.0L)																						
4067571	0.000	0.638	C	2004	0012		CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.9*	2.5*	
PREFERRED MATERIALS, INC.				(2006)			RIDE	7.2	7.3	7.1	7.0	7.0	6.7	6.9	6.7	6.6	6.5	6.5	6.5	6.3	6.0	
4473791	0.000	0.403	C	2025	0012																	
13130403	0.000	0.403	C	1	1	45	CRACKING							10.0	10.0	10.0	10.0	10.0	8.5	8.5		
55 41				2	4.5	17000	RIDE							7.4	7.6	7.6	7.3	7.5	7.2	7.0		
RR #624712B(0.0C)																						
				(2007)			CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	1.5*	
4473791	0.000	0.403	C	2025	0012		RIDE	7.2	7.1	6.6	6.5	6.6	6.3	6.3	6.3	6.4	6.2	6.3	6.1	6.1	5.8	

13140000	0.000	4.947	C	1	1	60	CRACKING	10.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0		
64				2	20.6	6400	RIDE	8.4	8.6	8.5	7.7	7.8	7.6	7.6	7.5	7.2	7.4		8.4	8.4		
CR 675(0.0R)																						
4224011	0.000	4.947	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	
SUPERIOR ASPHALT, INC.				(2012)			RIDE	8.5	8.4	8.1	8.1	8.0	7.8	7.8	7.7	7.6	7.4	7.4	7.3	7.4	7.1	
4510201	0.000	10.744	C	2027	0012																	
13140000	4.947	10.744	C	1	1	60	CRACKING	10.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0		
64				2	20.6	6400	RIDE	8.4	8.6	8.5	7.7	7.8	7.6	7.6	7.5	7.2	7.4		8.3	8.3		
BEAR BAY RD(8.7L)																						
4223981	4.947	10.735	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.6*	3.5*	
SUPERIOR ASPHALT, INC.				(2012)			RIDE	8.3	8.1	7.9	7.8	7.7	7.5	7.4	7.3	7.2	6.9	7.0	6.9	6.9	6.6	
4510201	0.000	10.744	C	2027	0012																	
13140000	10.744	16.040	C	1	1	60	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	
64				2	20.6	6400	RIDE	8.5	8.4	8.3	7.8	7.8	7.4	7.6	7.5	7.3	7.2	7.1	6.8	6.7		
401 ST E(11.1R)																						
4252361	10.744	16.026	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.8	6.0*	
PREFERRED MATERIALS, INC.				(2014)			RIDE	8.4	8.4	8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.7	7.8	7.5	

13150000	0.000	0.304	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	
64				2	4.6	18500	RIDE	6.7	7.3	7.3	6.8	6.5	6.8	6.6	7.2	6.8	7.2	6.8	6.8	6.8	6.8	
CR 789(0.0C)																						
				(2016)			CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.6	6.0*	
							RIDE	6.8	6.5										6.6	6.3		
13150000	0.304	0.698	C	1	1	35	CRACKING	3.5*		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
64				2	4.6	18500	RIDE	6.3*		6.5	6.3	7.9	7.7	7.7	7.7	7.8	7.8	7.8	7.6	7.8		
DGFC																						
1960722	0.000	0.698	C	2003	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.1	6.7	4.0*	
PREFERRED MATERIALS, INC.				(2005)			RIDE	7.8	7.7	7.1	7.1	7.1	7.0	6.9	6.9	6.9	6.8	6.8	6.8	6.8	6.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
ITMSEG-P	ITMSEG-F																				
13150000	1.294	1.714	C	1	1	45	CRACKING	6.5		7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0
64			2	4.6	18500	RIDE	7.4		7.3	6.1*	7.9	7.8	7.7	7.8	8.0	8.0	7.9	7.8	7.8		
PENCO HARBOR L(1.5L)																					
1960722	1.294	1.714	C	2003	0012	CRACKING	9.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	6.5	4.0*
PREFERRED MATERIALS, INC. (2005)																					
13150000	1.714	2.394	C	1	1	45	CRACKING	10.0		10.0	8.5	8.5	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	
64			2	4.6	18500	RIDE	8.4		8.2	7.9	7.8	7.7	7.5	7.5	7.3	7.0	7.1	8.6			
PERICO BAY CLUB(2.2R)																					
4252391	1.714	2.400	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.4	8.2	6.0*
SUPERIOR ASPHALT, INC. (2013)																					
13150000	2.394	4.051	C	1	1	45	CRACKING	10.0		8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.0*	6.0*	6.0*	
64			2	4.2	20000	RIDE	8.4		8.2	7.9	7.9	7.8	7.6	7.7	7.7	7.6	7.7	7.5	7.4		
UNSIGN(2.5R)																					
4291301	2.394	4.032	C	2014	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.4	7.5
AJAX PAVING INDUSTRIES OF (2015)																					
13150000	4.051	6.576	R	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
64			2	3.8	35000	RIDE	7.8	7.7	7.6	6.8	6.7	6.6	6.4	6.4	6.6	6.6	6.6	8.3	8.2	8.1	
PALMA SOLA BLVD(4.2R)																					
1958402	4.051	6.576	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.3	6.0*
SUPERIOR ASPHALT, INC. (2011)																					
13150000	6.576	8.305	R	1	7	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	
64			2	4.0	44000	RIDE	7.4	7.6	7.5	6.6	6.9	6.7	6.1	6.6	6.3	6.3	6.5	6.3	6.3		
43 ST W(6.6C)																					
4415511	6.570	8.286	C	2023	0012	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
RUSSELL ENGINEERING, INC (2026)																					
13150000	8.305	8.613	C	1	1	30	CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	10.0	10.0	
64			3	3.1	22500	RIDE	5.8*	5.2*	5.0*	4.0*	4.3*	3.6*	3.6*	3.5*	3.7*	3.4*	4.0*	5.6	5.3*		
FIFTEENTH ST W *(8.3L)																					
4233701	8.408	8.597	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.4*	5.1*	3.0*	
BETTER ROADS INC. (2012)																					
13150000	6.576	8.305	L	1	7	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
64			2	4.0	44000	RIDE	7.9	7.9	7.8	7.2	7.3	7.1	6.7	7.0	7.0	7.0	7.1	6.9	6.9		
43 ST W(6.6C)																					
4415511	6.570	8.286	C	2023	0012	CRACKING	8.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
RUSSELL ENGINEERING, INC (2026)																					
13150000	4.051	6.576	L	1	1	45	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
64			2	3.8	35000	RIDE	7.8	7.7	7.7	6.9	6.9	6.7	6.3	6.5	6.2	6.4	8.4	8.2	8.1		
81 ST W(4.2L)																					
1958402	4.051	6.576	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.8	8.4	6.5
SUPERIOR ASPHALT, INC. (2011)																					
13150101	0.000	0.235	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0			10.0	
64			2	4.3	23000	RIDE														6.7	
TENTH ST W(0.0C)																					
(2013)																					
13160000	0.000	2.495	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.0	
70			3	7.0	51000	RIDE	8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	7.5	7.7	7.4	7.3	7.0		
CR 683(0.0C)																					
4312071	0.015	2.495	C	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	8.9	8.6	7.0	
SUPERIOR ASPHALT, INC. (2019)																					
4562421	0.000	4.793	C	2029	0012	SPRIDE	7.3	6.6	7.4	7.3			8.1	8.0	7.9	8.0	7.8	7.9	8.0	7.7	
13160000	2.495	3.635	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.0		
70			3	8.1	53584	RIDE	8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	7.5	7.7	7.4	7.3	7.0		
LOCKWOOD RIDGE RD(2.5R)																					
4313731	2.495	4.793	C	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.5	7.0
SUPERIOR ASPHALT, INC. (2019)																					
4562421	0.000	4.793	C	2029	0012	SPRIDE	7.3	6.6	7.4	7.3			8.1	8.1	8.1	8.1	8.0	8.0	7.6	7.6	7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
13160000	3.635	4.793	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0
70				3	8.1	53584	RIDE	8.9	8.8	8.8	8.3	8.2	8.1	7.7	7.6	7.5	7.7	7.4	7.3	7.0	
CARUSO RD(3.8C)																					
4313731	2.495	4.793	C	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0	7.0
SUPERIOR ASPHALT, INC. (2019) SPRIDE																					
4562421	0.000	4.793	C	2029	0012		7.3	6.6	7.4	7.3			8.1	8.1	8.1	8.1	8.0	8.0	8.4	8.3	8.1
FC5A																					
13160000	4.793	5.966	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5			10.0	10.0	10.0	10.0	10.0	
70				3	5.9	81000	RIDE	8.4	8.4	8.4	7.9	7.8	7.9			8.0	7.9	8.0	8.0	7.9	
CREEK WOOD(4.8R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	10.0	10.0	9.6	9.5	8.5
							RIDE	8.0	7.6	8.0	8.0	8.0	7.9	7.8	7.7	7.4	8.0	8.0	7.9	8.1	7.8
(2023)																					
13160000	5.966	7.481	R	1	1	50	CRACKING	8.5	8.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	
70				3	5.1	60000	RIDE	8.5	8.4	8.2	8.0	7.9				8.0	7.9	8.0	8.0	7.9	
BRADEN RUN(6.3R)																					
1961211	4.811	7.481	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	3.5*
RUSSELL ENGINEERING, INC (2009) SPRIDE																					
								8.0	7.6	8.0	8.0	8.0	7.9	7.8	7.7	7.4	7.7	7.8	7.7	7.7	7.5
FC5																					
13160000	7.481	9.290	R	1	7	50	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70				3	5.8	40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.2	8.0	8.1	8.1	8.2	8.1	8.1	
PALMBRUSH TRAIL(7.6R)																					
4491211	7.465	9.316	R	2025	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0
AJAX PAVING INDUSTRIES OF (2026) SPRIDE																					
								8.2	7.8	8.1	8.1	8.1	8.0	8.1	8.1	8.0	7.9	8.0	7.9	8.3	8.1
FC5M																					
13160000	9.290	9.621	R	1	1	50	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70				1	5.8	40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.2	8.0	8.1	8.1	8.2	8.1	8.1	
ARBOR GREEN TRAIL(9.3R)																					
4043232	7.448	9.470	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*
PREFERRED MATERIALS, INC. (2007) RIDE																					
								8.2	7.8	8.1	8.1	8.1	8.0	8.1	8.1	8.0	7.9	8.0	7.9	6.1*	5.9*
FC5																					
13160000	9.621	10.011	R	1	1	50	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
70				2	10.3	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
UNKW																					
4145067	9.476	10.301	R	2023	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	10.0	6.5	9.5	8.5
(2026) RIDE																					
								8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	6.6	6.3*	7.1	6.8
FC5M																					
13160000	10.011	10.301	R	1	1	50	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
70				2	10.3	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
GREENBROOK BLVD(10.1R)																					
4145067	9.476	10.301	R	2023	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	4.5*	10.0	6.5	3.8*	2.5*
(2024) RIDE																					
								8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	5.7*	6.6	6.3*	5.8*	5.5*
FC125M																					
13160000	10.301	11.281	C	1	1	55	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
70				2	10.3	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
UIHLEIN RD(10.8L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	8.2	6.5
AJAX PAVING INDUSTRIES OF (2014) RIDE																					
4145067	9.476	12.529	C	2023	0213		8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.6	7.3
FC125M																					
13160000	11.281	12.987	C	1	8	55	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
70				2	10.3	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
POLO TR(11.3L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	7.6	4.5*
AJAX PAVING INDUSTRIES OF (2014) RIDE																					
4145067	9.476	12.529	C	2023	0213		8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.3
FC125M																					
13160000	12.987	15.567	C	1	1	55	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
70				2	10.3	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
197TH ST E(13.2L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	5.9*	4.0*
AJAX PAVING INDUSTRIES OF (2014) RIDE																					
4145068	12.529	15.567	C	2024	0213		8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.8	7.5
FC125M																					
13160000	9.621	10.301	L	1	1	50	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
70				1	10.3	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
GARNET TR(9.9L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	6.0*	4.0*
AJAX PAVING INDUSTRIES OF (2014) RIDE																					
4145067	9.476	12.529	C	2023	0213		8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	8.0	7.7	8.0	7.9	7.6
FC125M																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
13160000	9.290	9.621	L	1	1	50	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			3	5.8		40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.0	8.1	8.1	8.0	8.0	8.1	8.0	
LORRAINE RD(9.5L)																					
4043232	7.448	9.470	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	2.2*	0.0*
PREFERRED MATERIALS, INC. (2007)																					
13160000	7.481	9.290	L	1	7	50	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			3	5.8		40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.0	8.1	8.1	8.0	8.0	8.1	8.0	
FIELDS LN(7.7L)																					
4491211	7.465	9.316	L	2025		0226	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF (2026)																					
13160000	5.966	7.481	L	1	1	50	CRACKING	8.5	8.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	
70			3	5.1		60000	RIDE	8.5	8.4	8.2	8.0	7.9				7.9	7.9	7.9	7.9	7.9	
SIDE ROAD(6.3L)																					
1961211	4.811	7.481	C	2005		0213	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	6.5	6.5	6.5	7.8	7.8	5.0*
RUSSELL ENGINEERING, INC (2009)																					
13160000	4.793	5.966	L	1	1	50	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5			10.0	10.0	10.0	10.0	10.0	
70			3	5.9		81000	RIDE	8.2	8.2	8.2	7.7	7.5	7.0			7.9	7.9	7.9	7.9	7.9	
CREEKWOOD(4.8L)																					
				(2023)			CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	6.5	10.0	10.0	9.2	9.6	8.5
							RIDE	8.0	7.5	8.0	7.9	8.0	7.9	8.0	8.0	7.5	7.9	7.8	7.7	7.6	7.3
13160000	3.635	4.793	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	6.5	6.5	
70			3	8.1		53584	RIDE	9.0	8.8	8.6	8.0	8.1	8.1	8.2	8.1	8.2	8.1	7.9	7.2	7.1	
CARUSO RD(3.8C)																					
4313731	2.495	4.793	C	2016		0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.5	10.0	8.0
SUPERIOR ASPHALT, INC. (2019)																					
4562421	0.000	4.793	C	2029		0012	SPRIDE	7.2	6.7	7.2	7.2		8.1	8.1	8.1	8.0	8.0	8.0	8.3	8.3	8.1
13160000	2.495	3.635	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	6.5	
70			3	8.1		53584	RIDE	8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	7.5	7.4	7.1	7.2	7.1	
LOCKWOOD RIDGE RD(2.5L)																					
4313731	2.495	4.793	C	2016		0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.3	9.6	8.0
SUPERIOR ASPHALT, INC. (2019)																					
4562421	0.000	4.793	C	2029		0012	SPRIDE	7.2	6.7	7.2	7.2		8.1	8.1	8.1	8.0	8.0	8.0	7.7	7.8	7.5
13160000	0.000	2.495	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	6.5	
70			3	7.0		51000	RIDE	8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	7.5	7.4	7.1	7.2	7.1	
CR 683(0.0C)																					
4312071	0.015	2.495	C	2016		0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.6	7.0
SUPERIOR ASPHALT, INC. (2019)																					
4562421	0.000	4.793	C	2029		0012	SPRIDE	7.2	6.7	7.2	7.2		8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.7	7.4
13162000	0.000	1.074	C	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
70			4	3.4		34500	RIDE	8.2	8.1	7.8	7.3	7.4	7.0	6.8	6.5	6.6	6.6	6.5	6.1	6.1	
FORTEENTH ST(0.0C)																					
4291041	0.011	1.155	C	2014		0226	CRACKING	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.0	6.5
SUPERIOR ASPHALT, INC. (2016)																					
4562421	0.013	1.761	C	2029		0012	RIDE	6.2	5.9	7.6	7.3	7.3	7.3	7.0	7.1	7.2	7.1	7.3	6.9	6.9	6.6
13162000	1.074	1.761	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	
70			2	3.4		34500	RIDE	7.1	7.1	6.9	6.7	6.5	6.5	6.4	6.5	6.6	6.5	6.4	6.3	6.2	
SEVENTH ST E(1.1R)																					
4291041	1.155	1.574	C	2014		0226	CRACKING	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.8	6.0*
SUPERIOR ASPHALT, INC. (2016)																					
4562421	0.013	1.761	C	2029		0012	RIDE	6.2	6.1	7.6	7.3	7.3	7.3	7.0	7.1	6.6	6.5	6.4	6.6	6.6	6.3
13162000	1.074	1.761	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	
70			2	3.4		34500	RIDE	7.1	7.1	6.9	6.7	6.5	6.5	6.4	6.5	6.6	6.5	6.4	6.3	6.2	
NINTH ST E(1.3C)																					
4291041	1.155	1.574	C	2014		0226	CRACKING	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.7	7.3	5.5*
SUPERIOR ASPHALT, INC. (2016)																					
4562421	0.013	1.761	C	2029		0012	RIDE	6.2	6.1	7.6	7.3	7.3	7.3	7.0	7.1	6.8	6.4	6.3	6.3	6.4	6.1
13175000	0.000	1.347	C	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	10.0	10.0	10.0	
93	1275	1.3	2	6.5		18500	RIDE	8.9	8.7	8.6	8.4	8.3	8.2	8.2	8.1	8.0	8.2	8.2	8.2	8.3	
BRIDGE #89(0.0C)																					
4202531	0.000	1.488	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1	7.1	4.5*
(2011)																					
4527941	0.000	1.347	R	2027		0012	RIDE	8.3	8.4	8.6	8.5	8.5	8.5	8.6	8.8	8.7	8.6	8.6	8.6	8.7	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = MANATEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
13175000	1.347	3.553	R	4	1	70	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
93 I275	1.3	3.6	2	6.5	53000		RIDE	8.8	8.8	8.7	7.9	7.6	7.6	7.5	8.1	8.1	8.1	8.1	8.1	8.0	7.9
							FC2														
2010152	1.347	3.566	C	2006	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.3*	1.0*
AJAX PAVING INDUSTRIES, IN(2008)							RIDE	7.9	7.7	8.1	8.1	8.1	8.0	8.1	8.2	8.1	8.1	8.0	7.9	8.0	7.9
4491871	1.347	3.553	C	2025	0012																
13175000	3.898	5.233	R	4	1	65	CRACKING	10.0	10.0	7.0	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0
93 I275	3.9	5.2	2	6.5	53000		RIDE	9.0	8.9	8.8	8.2	8.1	8.1	8.0	7.8	7.7	8.4	8.4	8.4	8.4	8.4
							FC5M														
4202411	3.884	5.233	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.9	7.5	4.5*
AJAX PAVING INDUSTRIES OF (2010)							RIDE	8.4	8.3	8.6	8.6	8.5	8.6	8.7	8.9	8.8	8.7	8.5	8.5	8.6	8.5
4535611	3.884	5.233	R	2027	0012																
13175000	3.884	5.233	L	4	1	65	CRACKING	10.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0
93 I275	3.9	5.2	2	6.5	53000		RIDE	8.2	8.8	8.7	8.1	7.4	7.7	7.7	7.6	7.5	8.4	8.4	8.4	8.4	8.3
							FC5M														
4202411	3.884	5.233	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5	6.9	6.1*	3.0*
AJAX PAVING INDUSTRIES OF (2010)							RIDE	8.3	8.3	8.5	8.6	8.5	8.5	8.6	8.9	8.7	8.6	8.5	8.5	8.6	8.5
4535611	3.553	5.233	L	2027	0012																
13175000	1.347	3.566	L	4	1	70	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
93 I275	1.3	3.6	2	6.5	53000		RIDE	8.9	8.8	8.7	7.9	7.8	7.6	7.4	8.1	8.2	8.2	8.2	8.1	8.1	
							FC2														
2010152	1.347	3.566	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	6.6	3.5*
AJAX PAVING INDUSTRIES, IN(2008)							RIDE	8.1	7.9	8.2	8.2	8.1	8.0	8.2	8.3	8.2	8.1	8.0	7.9	8.1	8.0
4491871	1.347	3.553	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).