FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14010000	0.012	3.415	R	1	7	50			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5													
45 41				3	5.2	54500			RIDE	8.6	8.7	8.6	8.3	8.2	8.0	8.0	8.2	8.3	8.1	8.1	7.9	7.7													
NORTHWOOD DR(0.2R)								FC125M																											
4416591	1.440	3.400	C	2023		0012			CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.0											
AJAX PAVING INDUSTRIES OF	(2026)							SPRIDE		7.6	7.6	7.3	7.5	7.6	7.3	7.3	7.3	7.2	7.2	7.3		8.3	7.9											
14010000	3.415	5.000	R	1	1	50			CRACKING	3.5*	1.0*		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5													
45 41				3	14.1	44500			RIDE	7.2	7.1		7.9	8.1	7.9	7.9	7.8	7.7	7.7	7.6	7.4	7.3													
HALE RD(3.9R)								FC4																											
2563151	3.028	6.162	C	2001		0213			CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	4.3*	4.4*	1.5*											
D.A.B. CONSTRUCTORS, INC	(2004)							SPRIDE		7.2	7.0	7.0	7.0	7.1	6.9	6.8	6.9	6.8	6.8	6.8	6.7	6.8	6.4*											
4491651	3.400	5.000	C	2027		0012																													
14010000	5.000	5.900	R	1	1	50			CRACKING	3.5*	1.0*		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0													
45 41				2	10.4	40500			RIDE	7.2	7.1		8.4	8.4	8.3	8.2	8.3	8.4	8.1	8.3	7.7	7.6													
HORTON RD(5.3R)								FC5M																											
4376491	5.291	5.879	C	2019		0012			CRACKING	6.5	6.5	6.5	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0	9.8	10.0	7.5											
C. W. ROBERTS CONTRACTING,	(2021)							SPRIDE		7.5	7.0	7.6	7.2	6.6	6.6		8.5	8.4	8.4	8.3	8.3	8.3	8.1											
14010000	5.900	8.747	R	1	1	55			CRACKING	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0													
45 41				2	8.2	30000			RIDE	7.2	7.1		8.1	8.2	7.9	7.8	7.9	7.9	7.8			8.4													
CARRIKER RD(6.0R)								FC5																											
2563241	6.040	8.881	C	2009		0213			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	9.0	4.5*											
R. E. PURCELL CONSTRUCTION	(2013)							SPRIDE		8.3	8.5	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.0	8.2	8.1	8.1	7.9											
14010000	8.747	11.124	R	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5													
45 41				2	14.1	22500			RIDE	8.9	8.8	8.8	8.4	8.5	8.2	8.2	8.2	7.6	8.0	8.1	8.1	8.1													
ENSEMBLE BLVD(9.3R)								FC5M																											
									CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	10.0	9.6	10.0	8.5											
	(2024)								RIDE	8.1	8.1	7.7	7.7	7.7	7.4	7.3	7.2	7.3	6.9	8.4	8.4	8.3	8.1											
14010000	11.124	11.415	R	1	4	55			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5													
45 41				2	14.1	22500			RIDE	8.9	8.8	8.8	8.4	8.5	8.2	8.2	8.2	7.6	8.0	8.1	8.1	8.1													
LAKE SHORE DR(11.3R)								LDG																											
									CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*		10.0	9.4	9.0											
	(2026)								RIDE	8.1	8.1	7.7	7.7	7.7	7.4	7.3	7.2	7.3	6.9		7.4	6.5	6.4*											
14010000	11.415	11.745	R	1	1	55			CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
45 41				2	14.6	11700			RIDE	8.7	8.6	8.5	7.6	7.4	6.8	6.7	6.4*	6.6	8.5	8.4	8.3	8.2													
								FC5M																											
2563231	10.830	11.739	C	2019		0213			CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	5.5*		10.0	10.0	8.5											
WESTERN SURETY COMPANY	(2025)							SPRIDE		8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.8	7.6	7.5		7.4	7.9	7.7											
14010000	11.745	12.020	R	1	1	55			CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
45 41				2	14.6	11700			RIDE	8.7	8.6	8.5	7.6	7.4	6.8	6.7	6.4*	6.6	8.5	8.4	8.3	8.2													
								OGFC																											
									CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	5.5*		5.0*	8.9	7.5											
	(2026)								RIDE	8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.8	7.6	7.5		7.2	6.6	6.4*											
4479361	11.758	19.671	C	2027		0012																													
14010000	12.020	12.445	C	1	1	55			CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
45 41				2	14.6	11700			RIDE	8.7	8.6	8.5	7.6	7.4	6.8	6.7	6.4*	6.6	8.5	8.4	8.3	8.2													
								FC95																											
4113341	11.340	19.659	C	2008		0012			CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	5.5*	5.0*	5.0*	6.5	4.0*											
LANE CONSTRUCTION CORPORAT	(2010)								RIDE	8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.8	7.6	7.5	7.4	7.2	6.4*	6.0*											
4479361	11.758	19.671	C	2027		0012																													
14010000	12.445	12.849	C	1	1	55			CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
45 41				2	14.6	11700			RIDE	8.7	8.6	8.5	7.6	7.4	6.8	6.7	6.4*	6.6	8.5	8.4	8.3	8.2													
MALABAR AVE(12.5R)								OGFC																											
4113341	11.340	19.659	C	2008		0012			CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	5.5*	5.0*	5.0*	7.8	2.5*											
LANE CONSTRUCTION CORPORAT	(2010)								RIDE	8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.8	7.6	7.5	7.4	7.2	6.5	6.3*											
4479361	11.758	19.671	C	2027		0012																													
14010000	12.849	19.811	R	1	1	55			CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
45 41				2	14.6	11700			RIDE	8.7	8.6	8.5	7.6	7.4	6.8	6.7	6.4*	6.6	8.5	8.4	8.3	8.2													
LOCKET AVE(13.1R)								FC95																											
4113341	11.340	19.659	C	2008		0012			CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	5.5*	5.0*	5.0*	5.5*	3.0*											
LANE CONSTRUCTION CORPORAT	(2010)								RIDE	8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.8	7.6	7.5	7.4	7.2	7.1	6.7											
4479361	11.758	19.671	C	2027		0012																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE / WKMX-P / ASTYPE / WKMX-F	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
14010000 / 45 / 41 / 2 14.6 / MICHIGAN LN(11.6L)	11.500	11.745	L	1	1	55	2	11700	CRACKING / RIDE / FC5M	7.0 / 8.7	6.5 / 8.6	6.5 / 8.5	4.5* / 7.6	4.5* / 7.4	4.5* / 6.8	4.5* / 6.7	4.5* / 6.4*	4.5* / 6.6	10.0 / 8.5	10.0 / 8.4	10.0 / 8.3	10.0 / 8.2												
2563231 / WESTERN SURETY COMPANY	10.830	11.739	C	2019		0213			CRACKING / RIDE	10.0 / 8.2	10.0 / 8.1	8.5 / 8.1	8.5 / 8.0	8.5 / 7.9	8.5 / 7.9	7.0 / 7.7	6.5 / 7.8	6.5 / 7.6	5.5* / 7.5		10.0 / 7.4	10.0 / 8.2	8.5 / 8.0											
								(2025)	SPRIDE																										
14010000 / 45 / 41 / 2 14.6 / FROM SR 52(11.3L)	11.300	11.500	L	1	4	55	2	11700	CRACKING / RIDE / LDG	7.0 / 8.7	6.5 / 8.6	6.5 / 8.5	4.5* / 7.6	4.5* / 7.4	4.5* / 6.8	4.5* / 6.7	4.5* / 6.4*	4.5* / 6.6	10.0 / 8.0	9.0 / 8.1	8.5 / 8.1	8.5 / 8.1												
								(2026)	CRACKING / RIDE	8.5 / 8.1	8.5 / 8.1	8.5 / 7.7	8.5 / 7.7	8.5 / 7.7	8.5 / 7.4	8.5 / 7.3	7.0 / 7.2	6.0* / 7.3	6.0* / 6.9		10.0 / 7.4	9.4 / 7.1	9.0 / 7.0											
14010000 / 45 / 41 / 2 14.1 / 2563231 / WESTERN SURETY COMPANY	11.124	11.300	L	1	1	55	2	22500	CRACKING / RIDE / FC5M	10.0 / 8.9	10.0 / 8.8	10.0 / 8.8	10.0 / 8.4	10.0 / 8.5	10.0 / 8.2	10.0 / 8.2	10.0 / 8.2	10.0 / 7.6	10.0 / 8.0	9.0 / 8.1	8.5 / 8.1	8.5 / 8.1												
2563231 / WESTERN SURETY COMPANY	10.830	11.739	C	2019		0213			CRACKING / RIDE	8.5 / 8.1	8.5 / 8.1	8.5 / 7.7	8.5 / 7.7	8.5 / 7.7	8.5 / 7.4	8.5 / 7.3	7.0 / 7.2	6.0* / 7.3	6.0* / 6.9		10.0 / 7.4	10.0 / 8.1	8.5 / 7.9											
								(2025)	SPRIDE																										
14010000 / 45 / 41 / 2 14.1 / SUNTERRA DR(9.1L)	8.747	11.124	L	1	1	55	2	22500	CRACKING / RIDE / FC5M	10.0 / 8.9	10.0 / 8.8	10.0 / 8.8	10.0 / 8.4	10.0 / 8.5	10.0 / 8.2	10.0 / 8.2	10.0 / 8.2	10.0 / 7.6	10.0 / 8.0	9.0 / 8.1	8.5 / 8.1	8.5 / 8.1												
								(2024)	CRACKING / RIDE	8.5 / 8.1	8.5 / 8.1	8.5 / 7.7	8.5 / 7.7	8.5 / 7.7	8.5 / 7.4	8.5 / 7.3	7.0 / 7.2	6.0* / 7.3	6.0* / 6.9	10.0 / 7.9	9.7 / 7.9	10.0 / 7.9	8.5 / 7.7										
14010000 / 45 / 41 / 2 8.2 / CARRICKER RD(6.0L)	5.866	8.747	L	1	1	55	2	30000	CRACKING / RIDE / FC5	3.5* / 7.2	1.0* / 7.1		10.0 / 8.1	10.0 / 8.2	10.0 / 7.9	10.0 / 7.8	10.0 / 7.8	10.0 / 7.9	10.0 / 7.8			10.0 / 8.4												
2563241 / R. E. PURCELL CONSTRUCTION	6.040	8.881	C	2009		0213			CRACKING / RIDE	10.0 / 8.3	10.0 / 8.4	10.0 / 8.2	10.0 / 8.3	10.0 / 8.2	10.0 / 8.2	10.0 / 8.0	9.0 / 8.2	9.0 / 8.1	9.0 / 8.1	9.0 / 8.0	9.4 / 8.1	8.8 / 8.1	4.5* / 7.9											
								(2013)	SPRIDE																										
14010000 / 45 / 41 / 2 10.4 / LAKE BAMBI CIR(5.3L)	5.000	5.866	L	1	1	50	2	40500	CRACKING / RIDE / FC5M	3.5* / 7.2	1.0* / 7.1		10.0 / 7.8	10.0 / 8.2	10.0 / 8.0	10.0 / 7.9	10.0 / 8.1	10.0 / 8.2	10.0 / 8.1	9.5 / 8.0	9.0 / 7.5	9.0 / 7.0												
4376491 / C. W. ROBERTS CONTRACTING,	5.291	5.879	C	2019		0012			CRACKING / RIDE	7.5 / 7.6	7.5 / 7.6	6.5 / 7.7	5.5* / 7.7	5.5* / 7.6	3.5* / 7.6		10.0 / 8.0	10.0 / 7.8	10.0 / 7.8	10.0 / 7.4	9.7 / 7.2	10.0 / 7.8	7.5 / 7.6											
								(2021)	SPRIDE																										
14010000 / 45 / 41 / 3 14.1 / SCHOOL RD(3.5L)	3.373	5.000	L	1	1	50	3	44500	CRACKING / RIDE / FC4	3.5* / 7.2	1.0* / 7.1		10.0 / 8.1	10.0 / 8.2	10.0 / 8.1	9.5 / 8.0	9.5 / 8.2	9.5 / 8.0	9.5 / 8.0	9.5 / 7.9	8.5 / 7.6	8.5 / 7.9												
2563151 / D.A.B. CONSTRUCTORS, INC	3.028	6.162	C	2001		0213			CRACKING / RIDE	8.5 / 7.7	8.5 / 7.8	8.5 / 7.2	8.5 / 7.3	8.5 / 7.3	8.5 / 7.2	8.5 / 7.1	8.0 / 7.1	7.0 / 7.1	7.0 / 7.1	5.5* / 7.0	3.2* / 7.1	2.8* / 7.1	0.0* / 6.7											
								(2004)	SPRIDE																										
4491651	3.400	5.000	C	2027		0012																													
14010000 / 45 / 41 / 3 5.2 / SIDE ROAD(0.7L)	0.012	3.373	L	1	7	50	3	54500	CRACKING / RIDE / FC125M	10.0 / 8.6	10.0 / 8.6	10.0 / 8.6	10.0 / 8.3	10.0 / 8.3	10.0 / 8.1	10.0 / 8.0	10.0 / 8.0	10.0 / 8.0	10.0 / 7.9	10.0 / 7.9	9.0 / 7.8	9.0 / 7.7												
4416591 / AJAX PAVING INDUSTRIES OF	1.440	3.400	C	2023		0012			CRACKING / RIDE	9.0 / 7.6	8.5 / 7.6	8.5 / 7.4	8.5 / 7.4	8.5 / 7.5	8.5 / 7.3	8.5 / 7.3	7.0 / 7.3	7.0 / 7.3	7.0 / 7.2	6.0* / 7.1		10.0 / 8.4	9.0 / 8.0											
								(2026)	SPRIDE																										
14030000 / 55 / 19 / 3 5.1 / PHOENIX AVE(0.0R)	0.000	11.486	R	1	1	45	3	52000	CRACKING / RIDE / FC5	10.0 / 8.8	10.0 / 8.8	10.0 / 8.6	10.0 / 8.1	9.0 / 8.2	9.0 / 7.9	9.0 / 7.9	9.0 / 7.8	7.5 / 7.8	4.5* / 7.5	4.5* / 7.3	3.5* / 6.8	3.5* / 6.1												
								(2016)	CRACKING / RIDE	3.5* / 6.4		10.0 / 8.2	10.0 / 8.1	10.0 / 8.0	10.0 / 8.1	10.0 / 8.0	9.5 / 8.1	9.0 / 8.0	9.0 / 8.1	9.0 / 7.9	8.7 / 7.9	8.4 / 7.9	4.5* / 7.7											
14030000 / 55 / 19 / 3 5.0 / ELIZABETH AVE(11.7R)	11.486	14.788	R	1	1	45	3	49500	CRACKING / RIDE / FC5	10.0 / 8.8	10.0 / 8.8	10.0 / 8.6	10.0 / 8.1	9.0 / 8.2	9.0 / 7.9	9.0 / 7.9	9.0 / 7.8	7.5 / 7.8	6.5 / 7.7	6.5 / 7.6	6.5 / 7.5	6.5 / 7.3												
								(2018)	CRACKING / RIDE	6.5 / 7.0				10.0 / 8.4	10.0 / 8.5	10.0 / 8.5	10.0 / 8.5	10.0 / 8.4	10.0 / 8.4	9.0 / 8.4	9.7 / 8.4	9.7 / 8.3	6.5 / 8.1										
14030000 / 55 / 19 / 3 9.2 / NEW YORK AVE(14.8C)	14.788	19.688	R	1	1	55	3	42500	CRACKING / RIDE / FC5	10.0 / 9.0	10.0 / 8.9	10.0 / 8.9	10.0 / 8.3	8.5 / 8.3	8.5 / 8.2	8.0 / 8.1	8.0 / 7.8	6.5 / 7.7	6.5 / 7.3	6.5 / 7.1	6.5 / 6.3*	6.5 / 6.0*												
4271571 / D.A.B. CONSTRUCTORS, INC	14.788	19.688	C	2013		0012			CRACKING / RIDE	6.5 / 5.7*			10.0 / 8.4	10.0 / 8.4	10.0 / 8.5	10.0 / 8.5	9.5 / 8.5	9.5 / 8.5	9.5 / 8.5	9.5 / 8.5	9.8 / 8.5	9.7 / 8.4	6.5 / 8.2											
								(2017)	SPRIDE																										

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE / ASTYPE	RW FY-P / RW FY-F	WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
14030000 / 55 / 19 / FROM NEW YORK AVE(14.8L)	14.788	19.688	L	1	1	55	3	9.2	42500	FC5		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*													
												RIDE	8.9	8.7	8.7	8.1	8.0	8.0	7.9	7.9	7.8	7.5	7.4	7.5	7.3													
4271571 / D.A.B. CONSTRUCTORS, INC	14.788	19.688	C	2013		0012			SPRIDE	(2017)		CRACKING	4.5*			10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.6	9.3	6.0*												
												RIDE	7.3			8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.5	8.4	8.2												
14030000 / 55 / 19 / BEACH BLVD(12.2L)	11.486	14.788	L	1	1	45	3	5.0	49500	FC5		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5													
												RIDE	8.9	8.9	8.8	8.2	8.3	8.0	8.0	8.1	8.0	8.0	8.0	7.6	7.5													
												CRACKING	6.5				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	8.7	5.5*											
										(2018)		RIDE	7.5				8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.3	8.1											
14030000 / 55 / 19 / ALBERTSONS(0.1L)	0.000	11.486	L	1	1	45	3	5.1	52000	FC5		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	3.5*	3.5*													
												RIDE	8.9	8.9	8.8	8.2	8.3	8.0	8.0	8.1	8.0	7.6	7.4	7.0	6.3													
												CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.8	8.5	5.0*											
										(2016)		RIDE	7.0			8.1	8.1	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0	7.9	7.7											
14030020 / 595 A19 / LOUIS AVE(0.2R)	0.000	0.859	R	1	1	45	1	7.6	18400	FC3		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5														
												RIDE	8.6	8.1	8.1	7.4	7.4	7.5	7.1	7.5	7.6	7.4	7.3	6.5														
												CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	7.0	6.0*	5.3*	4.9*	3.0*												
										(2014)		RIDE	7.7	7.6	7.4	7.2	6.7	6.5	6.8	6.8	6.8	6.7	7.0	6.7	6.5	6.1												
4491661	0.000	0.859	C	2028		0012																																
14030020 / 595 A19 / HOLIDAY LAKE DR(0.2L)	0.000	0.859	L	1	1	45	1	7.6	18400	FC3		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5														
												RIDE	8.6	8.1	8.1	7.4	7.4	7.5	7.1	7.5	7.6	7.4	7.3	6.5														
												CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	7.0	7.0	6.0*	4.5*	2.5*												
										(2014)		RIDE	7.7	7.6	7.4	7.2	6.7	6.5	6.8	6.8	6.8	6.7	6.3	6.1	6.3	5.9												
4491661	0.000	0.859	C	2028		0012																																
14040000 / 597 / FROM COUNTY LINE RD(0.0R)	0.000	0.840	R	1	1	50	2	13.6	32500	FC5A		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5													
												RIDE	8.3	8.7	8.6	8.1	8.0	7.8	7.3	7.9	8.0	7.7	7.4	7.3	7.0													
4290081 / D.A.B. CONSTRUCTORS, INC	0.000	0.840	C	2014		0012			SPRIDE	(2015)		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.7	7.6	3.5*												
												RIDE	6.8	8.3	8.1	8.1	8.0	8.1	7.9	8.0	8.0	8.0	7.8	7.6	7.9	7.7												
14040000 / 597 / BRINSON RD(0.8L)	0.840	1.011	C	1	1	50	2	6.8	7100	FC5A		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.5	7.5	7.5													
												RIDE	8.1	8.0	7.7	7.7	7.9	5.4*	5.3*	6.4*	5.6*	5.8*	5.4*	4.7*	4.7*												
4290082 / BLACKTIP SERVICES INCORPOR	0.878	1.011	C	2013		0012			SPRIDE	(2015)		CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	5.0*												
												RIDE	4.5*												6.0*	5.8*												
14040000 / 597 / D.A.B. CONSTRUCTORS, INC	0.000	0.840	L	1	2	50	2	13.6	32500	FC5A		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5													
												RIDE	8.9	8.9	8.8	8.3	8.2	8.1	5.8*	8.2	8.2	8.1	7.9	7.8	7.6													
4290081	0.000	0.840	C	2014		0012			SPRIDE	(2015)		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	3.5*												
												RIDE	7.5	8.3	8.2	8.2	8.2	8.2	8.1	7.9	7.9	7.7	7.9	7.4	7.8	7.6												
14040100 / 565	0.000	0.170	C	1	1	30	2	6.8	4400			CRACKING													5.8*													
												RIDE													3.5*													
14040101 / 597 / LAND O LAKES BLVD(0.0C)	0.000	0.248	C	1	1	50	2	6.8	7100	FC5A		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	6.5													
												RIDE									7.5	7.4	7.4	7.2	7.1													
4290082 / BLACKTIP SERVICES INCORPOR	0.000	0.210	C	2013		0012			SPRIDE	(2015)		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.4	8.2	4.5*												
												RIDE	6.8												7.2	7.0												
14050000 / 41 / 301 / RAPID RIDGE BLVD S(0.5R)	0.000	0.870	C	1	1	60	2	13.2	23500	FC125M		CRACKING	7.0	6.0*	6.0*	5.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
												RIDE	8.5	8.2	8.3	7.6	7.2	6.9	8.5	8.6	8.1	8.0	8.0	7.9	7.7													
4400631 / BURGESS CIVIL, LLC	0.000	3.067	C	2023		0012			SPRIDE	(2025)		CRACKING	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0												
												RIDE	7.5	6.7	7.3	7.6	7.6	7.4	7.4	7.5	7.4	7.3	7.2	8.1	8.2	7.8												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	DISTRESS RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14050000	0.870	3.240	R	1	1	55				CRACKING	7.0	6.0*	6.0*	5.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
41	301		2	13.2	23500					RIDE	8.5	8.2	8.3	7.6	7.2	6.9	8.5	8.6	8.1	8.0	8.0	7.9	7.7													
RAPID RIDGE BLVD N(1.0R)										FC125M																											
4400631	0.000	3.067	C	2023		0012				CRACKING	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0												
BURGESS CIVIL, LLC				(2025)		SPRIDE				RIDE	7.5	6.7	7.3	7.6	7.6	7.4	7.4	7.5	7.4	7.3	7.2	8.1	8.1	7.7												
14050000	3.240	3.737	C	1	1	45				CRACKING	7.0	6.0*	6.0*	5.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
41	301		2	15.7	16000					RIDE	8.5	8.2	8.3	7.6	7.2	6.9	8.5	8.6	8.1	8.0	8.0	7.9	7.7													
RAMBLEWOOD BLVD(3.6L)						FC125M																															
4400631	3.237	3.670	C	2023		0012				CRACKING	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0												
BURGESS CIVIL, LLC				(2025)		SPRIDE				RIDE	7.5	6.7	7.3	7.6	7.6	7.4	7.4	7.5	7.4	7.3	7.2	8.1	8.2	7.8												
14050000	3.737	5.700	C	1	1	35				CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*													
39	301		2	10.7	19800					RIDE	8.6	8.5	8.5	7.8	7.7	7.6	7.5	7.6	7.3	7.0	6.7	6.3	5.8													
PAUL S BUCHMAN HWY(3.8R)						FC95R																															
										CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	6.5	4.5*												
				(2015)						RIDE	5.4*	8.2	7.8	7.7	7.8	7.6	7.5	7.5	7.6	7.5	7.4	7.3	7.2	6.8												
14050000	5.700	7.869	R	1	1	45				CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	4.5*	4.5*													
39	301		2	6.2	23000					RIDE	8.2		8.7	8.2	8.2	8.1	8.0	8.0	8.1	7.8	7.7	7.2	7.0													
TO NORTH AVE(5.8R)						FC125A																															
4337601	5.958	7.526	C	2016		0012				CRACKING	4.5*	4.5*	3.5*	2.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	6.5												
D.A.B. CONSTRUCTORS, INC				(2018)		SPRIDE				RIDE	6.6	6.1	6.2	6.2	8.2	8.0	8.0	7.9	7.9	7.9	7.7	7.7	7.5	7.1												
14050000	7.869	13.000	R	1	1	55				CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	4.5*	4.5*													
39	301		2	8.1	26000					RIDE	8.2		8.7	8.2	8.2	8.1	8.0	8.0	8.1	7.8	7.7	7.2	7.0													
KOZY ACRES DR(8.0R)						FC5A																															
4312431	7.882	13.423	C	2014		0012				CRACKING	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.0*												
D.A.B. CONSTRUCTORS, INC				(2018)		SPRIDE				RIDE	6.6	6.1*			8.2	8.3	8.2	8.3	8.2	8.2	8.3	8.2	8.3	8.1												
14050000	13.000	13.550	R	1	1	40				CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	4.5*	4.5*													
35	98		2	10.7	28000					RIDE	8.2		8.7	8.2	8.2	8.1	8.0	8.0	8.1	7.8	7.7	7.2	7.0													
WILLINGHAM AVE(13.2C)						FC125A																															
4312431	7.882	13.423	C	2014		0012				CRACKING	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	4.6*	3.0*												
D.A.B. CONSTRUCTORS, INC				(2018)		SPRIDE				RIDE	6.6	6.1			8.2	8.3	8.2	8.3	8.2	8.2	7.4	7.3	7.4	7.0												
4553561	13.000	13.373	C	2029		0012																															
14050000	14.610	14.883	R	1	8	35				CRACKING	0.0*	10.0	10.0	10.0	10.0	4.5*	4.5*	10.0	10.0	10.0	9.5	10.0	10.0													
35	98		2	6.8	13000					RIDE	7.1	8.6	8.5	8.0	8.0	5.8	5.9	7.5	7.8	7.6	7.2	8.1	7.2													
POND AVE(14.6C)						FC125M																															
4290752	14.610	14.799	C	2019		0012				CRACKING	9.5	9.5	9.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5														
D.A.B. CONSTRUCTORS, INC				(2021)		SPRIDE				RIDE	6.9	6.6	7.1	6.9	6.9	7.0		8.1	8.0	8.0	7.9	7.9														
14050000	14.883	15.700	R	1	1	45				CRACKING	0.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	10.0	10.0													
35	98		2	13.0	22000					RIDE	7.1	8.6	8.5	8.0	8.0	7.9	8.0	8.1	8.0	7.9	7.4	8.1	7.2													
TO DADE CITY BUSINES(15.0R)						FC125M																															
4290752	14.976	15.487	C	2019		0012				CRACKING	9.5	9.5	9.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	10.0	8.5												
D.A.B. CONSTRUCTORS, INC				(2021)		SPRIDE				RIDE	6.9	6.6	7.1	6.9	6.9	7.0		8.1	8.0	8.0	7.9	7.9	7.8	7.4												
14050000	15.700	20.910	R	1	1	55				CRACKING	0.0*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	4.5*	4.5*													
35	98		2	10.7	21500					RIDE	7.9	8.5	8.6	8.0	7.9	7.9	7.8	7.8	7.9	7.7	7.5	7.3	6.8													
JORDAN RD(16.3R)						FC5																															
4271651	16.762	20.594	C	2013		0012				CRACKING		10.0	10.0	10.0	10.0	9.5	9.0	8.5	8.5	7.0	6.5	6.5	5.0*	1.0*												
AJAX PAVING INDUSTRIES OF				(2015)		SPRIDE				RIDE		8.3	8.4	8.4	8.4	8.4	8.5	8.5	8.4	8.4	8.4	8.4	8.3	8.1												
4512361	15.700	20.298	C	2027		0012																															
14050000	20.910	22.212	C	1	1	55				CRACKING	10.0	10.0	10.0	10.0	7.0	6.5	7.0	6.5	6.5	4.5*	4.5*		10.0													
35	301		2	5.5	7400					RIDE	8.5	8.8	8.9	8.4	8.3	8.2	8.1	8.2	8.0	7.8	7.9		8.3													
BALD EAGLE DR(21.0R)						FC125R																															
4215261	20.911	22.300	C	2011		0226				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	7.0	5.0*												
C. W. ROBERTS CONTRACTING,				(2013)		SPRIDE				RIDE	8.3	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.8	7.7	7.9	7.7	7.7	7.3												
4475362	19.983	22.212	C	2024		0213																															
14050000	20.466	20.910	L	1	1	55				CRACKING	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*													
35	301		1	10.7	8800					RIDE	8.7	8.5	8.5	7.9	7.9	7.8	7.7	7.7	7.7	7.1	7.0	6.9	6.4*													
SR 700(20.5L)						FC5																															
										CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	0.0*												
				(2015)						RIDE		8.3	8.5	8.2	8.3	8.2	8.3	8.3	8.1	8.1	8.1	7.9	7.6	7.4												
4475362	19.983	22.212	C	2024		0213																															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
14050000	15.656	20.466	L	1	1	55					CRACKING	0.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*													
35 98				2	10.7	21500					RIDE	6.8	8.5	8.5	7.9	7.9	7.8	7.7	7.7	7.7	7.1	7.0	6.9	6.4*													
PAYNE RD(16.6L)										FC5																											
4271651	16.762	20.594	C	2013		0012					CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	4.9*	1.0*												
AJAX PAVING INDUSTRIES OF (2015)										SPRIDE			8.3	8.5	8.5	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.4	8.3	8.1												
4512361	15.700	20.298	C	2027		0012																															
14050000	14.610	15.656	L	1	2	45					CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	10.0	10.0													
35 98				2	13.0	22000					RIDE	7.2	8.6	8.6	8.0	8.0	7.8	7.9	8.0	7.9	7.6	7.7	8.1	6.9													
POND AVE(14.6C)										FC125M																											
4290752	14.976	15.487	C	2019		0012					CRACKING	9.5	9.5	9.5	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.6	8.4	7.0												
D.A.B. CONSTRUCTORS, INC (2021)										SPRIDE		6.3	6.0	6.2	6.3	5.9	6.2		8.1	7.8	7.9	7.5	7.6	7.1	6.7												
14050000	13.022	13.550	L	1	1	40					CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	4.5*	4.5*													
35 98				2	10.7	28000					RIDE	8.4		8.6	8.0	8.1	8.1	7.9	7.9	8.0	7.4	7.6	7.1	6.8													
WILLINGHAM AVE(13.2C)										FC125A																											
4312431	7.882	13.423	C	2014		0012					CRACKING	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	4.5*	3.0*												
D.A.B. CONSTRUCTORS, INC (2018)										SPRIDE		6.5	6.1			8.2	8.3	8.2	8.2	8.3	7.7	7.8	7.6	7.5	7.1												
4553561	13.000	13.373	C	2029		0012																															
14050000	7.869	13.022	L	1	1	55					CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	4.5*	4.5*													
39 301				2	8.1	26000					RIDE	8.4		8.6	8.0	8.1	8.1	7.9	7.9	8.0	7.4	7.6	7.1	6.8													
PHELPS RD(8.3L)										FC5A																											
4312431	7.882	13.423	C	2014		0012					CRACKING	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.3	5.0*												
D.A.B. CONSTRUCTORS, INC (2018)										SPRIDE		6.5	6.1*			8.2	8.3	8.2	8.2	8.3	8.3	8.3	8.2	8.2	8.0												
14050000	5.700	7.869	L	1	1	45					CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	4.5*	4.5*													
39 301				2	6.2	23000					RIDE	8.4		8.6	8.0	8.1	8.1	7.9	7.9	8.0	7.4	7.6	7.1	6.8													
FIRST ST(5.7L)										FC125A																											
4337601	5.958	7.526	C	2016		0012					CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.1	6.5												
D.A.B. CONSTRUCTORS, INC (2018)										SPRIDE		6.5	6.1	6.4	6.2	8.0	7.7	7.8	7.7	7.8	7.7	7.3	7.5	7.5	7.1												
14050001	0.000	0.399	C	1	1						CRACKING																											
545				2	6.8	1500					RIDE																											
											CRACKING																											
											RIDE																											
4512361	0.000	0.399	C	2027		0012																															
14050100	0.000	0.069	C	1	1						CRACKING																											
39F				2	14.1	1600					RIDE																											
											CRACKING																											
											RIDE																											
14050200	0.000	0.374	C	1	1						CRACKING																											
35F				2	14.1	1600					RIDE																											
											CRACKING																											
											RIDE																											
14050300	0.000	0.447	C	1	1	30					CRACKING																											
39F				2	14.1	1600					RIDE																											
											CRACKING																											
											RIDE																											
14070000	0.000	1.823	C	1	8	60					CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0													
35 98				2	14.1	7400					RIDE	9.0	9.0	8.9	8.2	8.1	7.8	7.5	7.3	7.2		8.5	8.5	8.3													
CR-54(0.0L)										FC125																											
4168391	0.000	8.150	C	2009		0012					CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.0*	6.0*													
PREFERRED MATERIALS, INC. (2011)										SPRIDE		8.4	8.1	7.9	8.2	8.1	8.1	8.0	8.0	7.9	7.9	7.9	7.8													
4433683	0.000	8.183	C	2023		0213																															
14070000	1.823	4.840	C	1	1	60					CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0													
35 98				2	14.1	7400					RIDE	9.0	9.0	8.9	8.2	8.1	7.8	7.5	7.3	7.2		8.5	8.5	8.3													
STANTON HALL DR(3.9L)										FC125																											
4168391	0.000	8.150	C	2009		0012					CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	6.5	6.0*	3.5*	2.1*	1.8*	0.0*												
PREFERRED MATERIALS, INC. (2011)										SPRIDE		8.4	8.1	7.9	8.0	7.9	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.3	6.9												
4433683	0.000	8.183	C	2023		0213																															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14070000	4.840	5.170	C	1	8	60		CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0														
35 98			2	14.1			7400	RIDE	9.0	9.0	8.9	8.2	8.1	7.8	7.5	7.3	7.2		8.5	8.5	8.3														
							FC125																													
4168391	0.000	8.150	C	2009			0012	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	6.5	6.0*	3.5*	2.1*															
PREFERRED MATERIALS, INC.				(2011)			SPRIDE	RIDE	8.4	8.1	7.9	8.0	7.9	7.9	7.9	7.8	7.7	7.7	7.7	7.6															
4433683	0.000	8.183	C	2023			0213																												
14070000	5.170	5.480	C	1	8	60		CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0														
35 98			2	14.1			7400	RIDE	9.0	9.0	8.9	8.2	8.1	7.8	7.5	7.3	7.2		8.5	8.5	8.3														
							FC125																													
4168391	0.000	8.150	C	2009			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0	6.0*	5.5*	5.5*															
PREFERRED MATERIALS, INC.				(2011)			SPRIDE	RIDE	8.4	8.1	7.9	7.7	7.6	7.7	7.6	7.5	7.4	7.4	7.3	7.3															
4433683	0.000	8.183	C	2023			0213																												
14070000	5.480	8.183	C	1	1	55		CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0														
35 98			2	14.1			9800	RIDE	9.0	9.0	8.9	8.2	8.1	7.8	7.5	7.3	7.2		8.5	8.5	8.3														
FRANCIS DR(5.9R)							FC125																												
4168391	0.000	8.150	C	2009			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0	6.0*	5.5*	5.5*	3.5*	1.5*													
PREFERRED MATERIALS, INC.				(2011)			SPRIDE	RIDE	8.4	8.1	7.9	7.7	7.6	7.7	7.6	7.5	7.4	7.4	7.3	7.3	7.1	6.7													
4433683	0.000	8.183	C	2023			0213																												
14075000	0.000	0.265	R	4	1	65		CRACKING	3.5*	3.5*	3.5*	6.5	10.0	10.0	8.5	10.0	10.0	10.0																	
93A I75	273.6	273.8	3	7.2			96000	RIDE	7.4	6.9	7.5	7.6	7.5	7.6	6.5	8.0	8.3	8.1																	
NB I-275(0.3R)							OGFC																												
								CRACKING				10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	4.5*													
				(2017)				RIDE				8.2	8.2	8.2	8.1	8.3	8.1	8.0	8.2	8.1	8.0	7.9													
4491421	0.000	0.265	C	2027			0012																												
14075000	0.000	0.265	L	4	1	65		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	8.5	10.0	10.0	10.0																	
93A I75	273.6	273.8	4	7.2			96000	RIDE	8.5	7.5	8.4	7.4	7.0	7.7	7.3	8.2	8.5	8.0																	
I 275(0.3C)							OGFC																												
								CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.8	5.8*	3.5*													
				(2017)				RIDE				8.1	8.0	8.0	7.9	7.9	7.9	7.8	7.5	7.5	7.5	7.4													
4491421	0.000	0.265	C	2027			0012																												
14080000	0.000	0.641	C	1	1	55		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	4.5*														
700 98			2	14.1			8600	RIDE	7.6	8.2	8.1	7.5	7.1	7.3	7.2	7.3	7.4	7.2	7.0	6.5	5.9*														
US-301/SR-35(0.0R)							FC125M																												
4289601	0.046	0.648	C	2014			0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	6.5	4.5*													
PREFERRED MATERIALS, INC.				(2015)				RIDE	5.7*	8.0	7.9	7.9	7.8	7.7	7.6	7.8	7.4	7.4	7.3	7.2	7.3	6.9													
4520051	0.052	1.826	C	2029			0012																												
14080000	0.641	0.905	C	1	1	55		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	4.5*														
700 98			2	14.1			8600	RIDE	7.6	8.2	8.1	7.5	7.1	7.3	7.2	7.3	7.4	7.2	7.0	6.5	5.9*														
CR 575(0.8C)							FC125M																												
								CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	8.8	8.0													
				(2026)				RIDE	5.7*	8.0	7.9	7.9	7.8	7.7	7.6	7.8	7.4	7.4	7.3	7.2	5.5*	5.1*													
4520051	0.052	1.826	C	2029			0012																												
14080000	0.905	1.403	C	1	1	55		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	4.5*														
700 98			2	14.1			8600	RIDE	7.6	8.2	8.1	7.5	7.1	7.3	7.2	7.3	7.4	7.2	7.0	6.5	5.9*														
OLD TRILBY RD(1.1L)							FC125M																												
4289601	0.832	1.388	C	2014			0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	6.5	4.5*													
PREFERRED MATERIALS, INC.				(2015)				RIDE	5.7*	8.0	7.9	7.9	7.8	7.7	7.6	7.8	7.4	7.4	7.3	7.2	7.4	7.0													
4520051	0.052	1.826	C	2029			0012																												
14080000	1.403	1.826	C	1	1	55		CRACKING	10.0	10.0	10.0	6.5	3.5*	3.5*	0.0*	0.0*		10.0	10.0	10.0	10.0														
700 98			2	14.1			8600	RIDE	8.6	8.6	8.5	7.6	7.2	6.2*	5.6*	5.9*		8.5	8.5	8.6	8.6													
OAK FOREST DR(1.4R)							FC4																												
4168331	1.385	1.814	C	2008			0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.5	7.0	7.0	6.5	4.0*													
D.A.B. CONSTRUCTORS, INC				(2010)			SPRIDE	RIDE	8.5	8.5	8.3	8.3	8.2	8.2	8.1	7.8	7.4	7.4	7.3	7.2	7.8	7.4													
4520051	0.052	1.826	C	2029			0012																												
14090000	0.000	0.765	R	1	8	50		CRACKING	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0													
54			3	12.2			63000	RIDE	7.2			8.3	7.4	8.0	7.2	7.1	7.4	7.5	7.0	7.0	7.1	7.2													
LAND O LAKES BLVD(0.0C)							FC125																												
2563431	0.000	1.841	C	2000			0213	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*															
CONE & GRAHAM INC				(2003)			SPRIDE	RIDE	6.8	6.8	7.0	7.1	6.8	6.8	6.2*	6.4*	6.3*	6.2*	6.2*	6.0*													
4416581	0.030	0.754	C	2023			0012																												
14090000	0.765	3.631	R	1	1	50		CRACKING	4.5*			10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0													
54			3	5.2			73000	RIDE	7.2			8.6	7.9	7.7	7.8	7.8	7.8		8.7	8.7	8.7	8.6													
DAIQUIRI LN(0.8R)							DGFC																												
4165652	0.000	3.631	C	2008			0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	8.9	7.8	5.5*													
				(2010)				RIDE	8.5	8.5	8.4	8.3	8.2	8.2	8.1	8.2	8.1	8.1	8.0	7.8	8.1	7.7													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / SURFTYPE / FY-P / FY-F	AADT / ASTYPE / WKMX-P / WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14090000	0.765	3.631	L	1	1	50			CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0													
54				3	5.2		73000		RIDE	7.2		8.6	7.9	7.7	7.7	7.7	7.7		8.7	8.5	8.6	8.5													
JIMERSON LN(1.1L)								DGFC																											
4165652	0.000	3.631	C	2008			0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	8.3	6.0*											
				(2010)					RIDE	8.5	8.3	8.1	8.1	8.2	7.9	8.0	7.9	7.9	7.9	7.9	7.8	7.8	7.4											
14090000	0.000	0.765	L	1	8	50			CRACKING	4.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	8.0													
54				3	12.2		63000		RIDE	7.2		8.2	7.8	7.9	7.4	7.2	7.2	6.9	6.9	7.1	7.0	7.1													
LAND O LAKES BLVD(0.0C)								FC125																											
2563431	0.000	1.841	C	2000			0213		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	4.0*	3.0*	3.0*	3.0*	1.0*	1.7*														
CONE & GRAHAM INC				(2003)				SPR	IDE	7.0	6.9	6.7	6.5	6.8	6.2*	6.4*	6.2*	6.4*	6.5	6.2*	5.5*														
4416581	0.030	0.754	C	2023			0012																												
14091000	0.000	1.030	R	1	1	55			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5		10.0	10.0	10.0	10.0													
54				3	5.2		73000		RIDE			8.6	8.0	8.0	7.8	7.6	7.8		8.8	8.7	8.7	8.6													
CARPENTERS RUN(0.0R)								FC5																											
4165652	0.000	1.773	C	2008			0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.3	8.1	3.0*											
				(2010)					RIDE	8.5	8.5	8.2	8.1	8.1	8.1	8.0	7.7	8.1	7.9	7.5	7.7	7.7	7.5											
14091000	1.030	2.163	R	1	1	35			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5		7.0	6.5	6.5	6.5													
56				3	14.1		83000		RIDE			8.6	8.0	8.0	7.8	7.6	7.8		6.8	6.8	7.2	7.0													
								FC125M																											
									CRACKING	6.5	6.5			10.0	10.0					10.0	10.0	10.0	9.0												
				(2024)					RIDE	6.9	6.8			8.1	8.2					7.8	7.7	7.7	7.3												
14091000	2.163	3.698	R	1	1	55			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5													
56				3	14.1		83000		RIDE			8.7	7.9	7.8	7.9	7.6	7.6	7.5	6.8	6.8	7.2	7.0													
SILVER MAPLE PKWY(2.2R)								FC5A																											
4308981	1.889	3.587	C	2015			0012		CRACKING	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.4	5.0*											
D.A.B. CONSTRUCTORS, INC				(2018)				SPR	IDE	6.9	6.8			8.1	8.2	8.1	8.2	8.1	8.0	7.9	8.0	7.8	7.6											
14091000	3.698	5.418	R	1	1	55			CRACKING																											
56				3	14.1		41500		RIDE																											
CR-581/BRUCE B DOWNS(3.7R)								FC5M																											
									CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	0.0*											
				(2014)					RIDE	7.5	7.1	6.6	6.8	6.8	6.7	6.8	6.9	6.9	6.9	6.9	6.4*	6.3*	6.1*											
4491691	3.519	7.655	C	2026			0012																												
14091000	5.418	7.493	R	1	1	55			CRACKING																											
56				2	9.9		38500		RIDE																											
MANSFIELD BLVD(5.4R)								FC5M																											
									CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.0*	0.0*											
				(2014)					RIDE	7.3	7.0	7.1	6.9	7.1	7.2	7.3	7.3	7.2	7.3	7.3	7.2	6.9	6.7											
4491691	3.519	7.655	C	2026			0012																												
14091000	7.493	13.609	R	1	1	55			CRACKING																											
56				2	5.1		20000		RIDE																											
CR 579(10.6C)								FC5M																											
4347651	7.493	14.263	C	2015			0002		CRACKING								10.0	10.0	10.0	10.0	9.7	9.1	6.5												
CONE & GRAHAM, INC.				(2021)					RIDE								8.5	8.4	8.3	8.2	8.2	8.0	7.8												
14091000	7.493	13.609	L	1	1	55			CRACKING																											
56				2	5.1		20000		RIDE																											
CR 579(10.6C)								FC5M																											
4347651	7.493	14.263	C	2015			0002		CRACKING								10.0	10.0	10.0	10.0	9.8	9.4	7.0												
CONE & GRAHAM, INC.				(2021)					RIDE								8.4	8.3	8.2	8.2	8.1	8.0	7.8												
14091000	5.418	7.493	L	1	1	55			CRACKING																											
56				2	9.9		38500		RIDE																											
WIREGRASS RANCH BLVD(5.4L)								FC5M																											
									CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.7*	0.5*											
				(2014)					RIDE	7.6	7.2	7.4	7.4	7.3	7.4	7.2	7.2	7.2	7.2	7.1	7.1	6.8	6.6											
4491691	3.519	7.655	C	2026			0012																												
14091000	3.698	5.418	L	1	1	55			CRACKING																											
56				3	14.1		41500		RIDE																											
BRUCE B DOWNS BLVD(3.7L)								FC5M																											
									CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	5.1*	4.6*	0.5*											
				(2014)					RIDE	7.4	7.1	6.9	6.9	7.0	6.9	6.8	7.0	7.1	7.0	7.0	6.9	6.8	6.6											
4491691	3.519	7.655	C	2026			0012																												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14091000	2.175	3.698	L	1	1	55			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5													
56			3	14.1				83000	RIDE			8.3	7.4	7.6	7.5	7.2	7.5	7.5	7.3	6.9	7.1	7.1													
CYPRESS RIDGE BLVD(2.4L)								FC5A																												
4308981	1.889	3.587	C	2015				0012	CRACKING	6.5	4.5*			10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	5.3*	2.0*												
D.A.B. CONSTRUCTORS, INC				(2018)				SPRIDE	RIDE	6.9	6.6			8.1	8.0	7.8	7.9	7.8	7.7	7.5	7.7	7.2	7.0												
14091000	1.614	2.175	L	1	1	35			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5													
56			3	14.1				83000	RIDE			8.3	7.4	7.6	7.5	7.2	7.5	7.5	7.3	6.9	7.1	7.1													
WILLOW OAK DR(2.1L)								FC125M																												
									CRACKING	6.5	4.5*			10.0	10.0								10.0	9.6	10.0	9.0										
				(2024)					RIDE	6.9	6.6			8.1	8.0								7.6	7.3	7.5	7.1										
14091000	1.050	1.614	L	1	1	45			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5		10.0	10.0	10.0	10.0													
56			3	14.1				83000	RIDE			8.6	7.9	7.9	7.8	7.7	7.7		8.8	8.7	8.7	8.6													
MARSHBEND WAY(1.3L)								FC125M																												
									CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	10.0	10.0	10.0	9.0												
				(2024)					RIDE	8.6	8.5	8.1	8.1	8.2	8.1	8.1	7.8	7.8	7.6	8.3	8.2	8.0	7.6												
14091000	0.000	1.050	L	1	1	55			CRACKING			10.0	10.0	10.0	10.0	8.5	8.5		10.0	10.0	10.0	10.0													
54			3	5.2				73000	RIDE			8.6	7.9	7.9	7.8	7.7	7.7		8.8	8.7	8.7	8.6													
CARPENTERS RUN(0.0C)								FC5																												
4165652	0.000	1.773	C	2008				0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	7.6	2.5*												
				(2010)					RIDE	8.6	8.5	8.1	8.1	8.2	8.1	8.1	7.8	7.8	7.6	7.7	7.7	7.6	7.4												
14110000	0.000	0.665	C	1	1	60			CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0													
39			2	9.8				19400	RIDE	8.3	8.4	8.3	7.8	7.9	7.7	7.9	8.1	8.1	8.1	8.0	7.8	7.4													
CENTRAL AVE(0.5L)								FC125M																												
4398301	0.308	0.679	C	2020				0012	CRACKING	8.0	8.0	7.0	6.0*	6.0*	5.0*	5.0*	5.0*	10.0	10.0	10.0	9.6	10.0	8.5												
C. W. ROBERTS CONTRACTING,				(2022)				SPRIDE	RIDE	7.3	7.1	7.4	7.3	7.3	7.1	7.1	7.1	8.4	8.4	8.4	8.3	8.3	7.9												
14110000	0.665	3.448	C	1	1	60			CRACKING	10.0	10.0	10.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0													
39			2	9.8				19400	RIDE	8.3	8.4	8.3	7.8	8.3	8.3	8.2	8.3	8.3	8.2		8.2	8.0													
BAY AVE(0.7C)								FC3																												
4192561	0.662	2.587	C	2009				0012	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.0	5.5*	5.5*	5.5*	3.5*	1.6*	1.3*	0.0*												
CONE & GRAHAM, INC.				(2012)				SPRIDE	RIDE	8.1	8.0	7.8	7.8	7.7	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.4	7.0												
4479511	0.679	3.448	C	2025				0012																												
14120000	0.000	3.113	R	1	1	45			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0													
52			3	6.0				28500	RIDE	8.6	8.4	8.3	7.8	7.8	7.5	7.4	7.7	7.8	7.6	7.6	7.5	7.3													
SR 55(0.0C)								FC125M																												
4313151	0.085	1.885	C	2016				0012	CRACKING	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.6	7.2	5.5*												
AJAX PAVING INDUSTRIES OF				(2018)				SPRIDE	RIDE	7.3	7.2	7.3	7.2	8.1	8.0	7.9	8.0	8.0	8.0	7.9	7.8	7.6	7.2												
14120000	3.113	6.040	R	1	1	50			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5													
52			3	9.8				29500	RIDE	8.3	8.3	8.3	8.0	8.1	7.8	7.7	7.8	7.8	7.8	7.7	7.6	7.4													
MANCINI WAY(3.2R)								FC3																												
2563161	3.113	6.451	C	1997				0213	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	4.8*	4.3*	1.5*												
J. W. CONNER & SONS, INC.				(2000)				S	RIDE	7.4	7.3	7.0	7.0	6.9	6.8	6.7	6.8	6.7	6.7	6.7	6.6	6.6	6.2*												
4491731	3.113	6.040	C	2027				0012																												
14120000	6.040	9.030	R	1	1	50			CRACKING	7.0	6.5	4.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0													
52			3	9.8				29500	RIDE	8.3	8.1	8.2	7.2	6.9	6.7			8.4	8.4	8.3	8.2	8.1													
CR 587(6.2R)								FC125																												
2563221	6.195	9.185	C	2006				0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	8.8	6.5												
D.A.B. CONSTRUCTORS, INC				(2009)				SPRIDE	RIDE	8.1	8.0	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.5	7.1												
14120000	9.030	9.950	R	1	1	45			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0													
52			3	14.1				22500	RIDE		8.8	8.7	8.1	8.2	8.0	7.7	6.7	7.6	7.7	7.7	8.2	8.1												
								FC125M																												
									CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.0*	6.0*		10.0	10.0	9.0												
				(2025)					RIDE	8.1	7.9	8.0	8.0	7.8	7.8	7.8	7.9	7.6	7.7		8.1	7.9	7.5												
14120000	9.950	12.311	R	1	1	55			CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
52			3	14.1				22500	RIDE	8.1	7.9	7.9	7.0	7.2	6.9	6.9	7.0	7.2	7.2	6.9	8.1	8.1													
TRAIL BLAZER LN(11.4R)								FC5M																												
									CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	5.5*	5.5*		10.0	10.0	8.5												
				(2025)					RIDE	8.1	8.0	7.9	7.8	7.7	7.7	7.4	7.4	7.3	7.1		8.6	8.7	8.5												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / AADT / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14120000 52 SR 45(12.4R)	12.311	12.544	R	1	4	55	1 3 14.1 25500 LDG	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.0	8.0	7.8	7.8	8.1	8.1															
								CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	5.5*	5.5*		10.0	9.3	9.0														
							(2026)	RIDE	8.1	8.0	7.9	7.8	7.7	7.7	7.4	7.4	7.3	7.1		8.6	7.1	7.0														
14120000 52 2563231 WESTERN SURETY COMPANY	12.544	13.102	R	1	1	55	2 14.1 16500 FC5M	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.0	8.0	7.8	7.8	7.8	7.5														
	12.585	13.037	C	2019	0213			CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*			10.0	10.0	8.5														
				(2025)				RIDE	7.4	7.3	7.2	7.1	7.0	6.9	6.7	6.7	6.5			8.3	8.2	8.0														
14120000 52 SECRETARIAT RD(14.6L) 4364901 HUBBARD CONSTRUCTION COMPA 2563343	13.102	18.077	C	1	1	55	2 14.1 16500 FC125M	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.0	8.0	7.8	7.8	7.8	7.5														
	14.664	17.702	C	2018	0012			CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.6	8.5	7.0														
				(2020)			SPRIDE	RIDE	7.4	7.3	7.2	7.1	7.0	6.9	8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.5														
	15.155	18.173@	C	2028	0213																																
14120000 52 4325831 HUBBARD CONSTRUCTION COMPA 2563341	18.077	21.051	C	1	1	55	2 14.1 24000 FC125M	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.1	8.1	8.1	8.1	8.0	7.9														
	18.077	21.026	C	2016	0012			CRACKING	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.0	7.0	5.5*														
				(2017)				RIDE	7.7	7.6	7.4	8.2	8.1	8.0	7.9	7.9	7.9	7.9	7.8	7.7	7.6	7.2														
	18.170	21.780	C	2027	0213																																
14120000 52 BELLAMY BROTHERS BLV(21.4C) 2562432 D.A.B. CONSTRUCTORS, INC 2563341	21.051	22.100	R	1	1	55	2 14.1 26000 FC5M	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.1	8.1	8.1	8.1	8.0	7.9														
	21.508	22.121	C	2016	0213			CRACKING	7.0	6.0*	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	8.9	6.0*														
				(2020)			SPRIDE	RIDE	7.7	7.6	7.4	7.1	7.1		8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.7														
	18.170	21.780	C	2027	0213																																
14120000 52 OLD PASCO RD(22.7R) 2562432 D.A.B. CONSTRUCTORS, INC	22.100	22.869	R	1	1	55	2 14.1 26000 FC125M	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.1	8.1	8.1	8.1	8.0	7.9														
	22.456	22.867	C	2016	0213			CRACKING	7.0	6.0*	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.3	8.5	7.0														
				(2020)			SPRIDE	RIDE	7.7	7.6	7.4	7.1	7.1		7.9	7.8	7.8	7.8	7.6	7.7	7.6	7.2														
14120000 52 COLONIAL BLVD(23.0R) 2587362	22.869	23.861	R	1	1	45	3 14.1 26000 FC125	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0															
								RIDE	8.1	7.9	7.2	7.1	7.3	7.1	7.2	7.1	6.5	7.2	7.1	6.9	6.8														
	22.474	23.343	C	2014	0218			CRACKING	7.0	6.0*	6.0*				10.0	10.0	10.0	10.0	10.0	9.6	9.0	7.5														
				(2020)				RIDE	6.6	6.7	6.3				8.0	8.0	8.0	8.0	7.8	7.7	7.7	7.3														
14120000 52 MC KENDREE RD(24.2R)	23.861	24.584	R	1	1	55	2 14.1 18500 FC125M	CRACKING	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0															
								RIDE	7.5	7.3	7.3	5.4*	5.1*	5.3*	5.4*	5.2*	6.1*	8.2	8.2	8.2	8.0														
								CRACKING	10.0	10.0	10.0				8.5	8.5	7.5			10.0	10.0	9.0														
				(2025)				RIDE	8.0	7.9	7.6				7.5	7.4	7.4			7.5	7.3	6.9														
14120000 52 CORP LANE BLVD(24.2L)	23.861	24.584	L	1	1	55	3 14.1 18500 FC125M	CRACKING	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	9.5	10.0	10.0	10.0	10.0	10.0	10.0															
								RIDE	7.5	7.3	7.3	5.4*	5.1*	5.3*	5.4*	5.4*	6.0*	8.2	8.2	8.2	8.0														
								CRACKING	10.0	10.0	10.0				8.5	8.5	7.5			10.0	10.0	9.0														
				(2025)				RIDE	8.0	7.9	7.6				7.5	7.4	7.4			8.2	8.2	7.8														
14120000 52 LEVI LOOP(23.0L) 2587362	22.786	23.861	L	1	1	45	3 14.1 26000 FC125M	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	10.0	9.5	8.0	8.0	7.0	7.0															
								RIDE	8.1	7.9	8.3	7.1	6.8	6.7	6.7	7.0	6.5	7.2	7.1	6.9	6.8														
	22.474	23.343	C	2014	0218			CRACKING	7.0	6.0*	6.0*				10.0	10.0	10.0	10.0	10.0	9.6	9.1	7.5														
				(2020)				RIDE	6.6	6.7	6.3				8.2	8.1	8.1	7.8	8.1	8.1	7.9	7.5														
14120000 52 OSSIE MURPHY RD(22.8L) 2562432 D.A.B. CONSTRUCTORS, INC	22.100	22.786	L	1	1	55	2 14.1 26000 FC125M	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0															
								RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.1	8.1	8.1	8.1	8.0	7.9														
	22.121	22.456	L	2016	0213			CRACKING	7.0	6.0*	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.6	8.9	7.5														
				(2020)			SPRIDE	RIDE	7.7	7.6	7.4	7.1	7.1		8.1	8.0	8.0	7.9	7.9	7.9	7.8	7.4														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / INTERSECT AT (MP|SIDE) / ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14120000 21.051 22.100 L 1 1 55	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0													
52 2 14.1 26000	RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.1	8.1	8.1	8.1	8.0	7.9													
BELLAMY BROTHERS BLVD(21.4L) FC5M																											
2562432 21.508 22.121 C 2016 0213	CRACKING	7.0	6.0*	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.7	9.3	6.5												
D.A.B. CONSTRUCTORS, INC (2020) SPRIDE	RIDE	7.7	7.6	7.4	7.1	7.1		8.3	8.3	8.2	8.1	8.2	8.0	8.0	7.8												
2563341 18.170 21.780 C 2027 0213																											
14120000 12.615 13.102 L 1 1 55	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0													
52 3 14.1 16500	RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.0	8.0	7.8	7.8	7.8	7.5													
PILOT COUNTRY DR(12.9L) FC5M																											
2563231 12.585 13.037 C 2019 0213	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*			10.0	10.0	8.5												
WESTERN SURETY COMPANY (2025)	RIDE	7.4	7.3	7.2	7.1	7.0	6.9	6.7	6.7	6.5			8.2	8.1	7.9												
14120000 12.375 12.615 L 1 4 55	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0													
52 3 14.1 16500	RIDE	8.1	7.9	7.8		8.1	8.0	8.0	8.0	8.0	7.8	7.8	8.1	8.1													
LAND O LAKES BLVD(12.4C) LDG																											
	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	5.5*	5.5*		10.0	9.4	9.0												
(2026)	RIDE	8.1	8.0	7.9	7.8	7.7	7.7	7.4	7.4	7.3	7.1		8.2	7.8	7.7												
14120000 9.950 12.375 L 1 1 55	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
52 3 14.1 22500	RIDE	8.1	7.9	7.9	7.0	7.2	6.9	6.9	7.0	7.2	7.2	6.9	8.1	8.1													
SHADY HILLS RD(10.0L) FC5M																											
	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	5.5*	5.5*		10.0	10.0	8.5												
(2025)	RIDE	8.1	8.0	7.9	7.8	7.7	7.7	7.4	7.4	7.3	7.1		8.2	8.5	8.3												
14120000 9.280 9.950 L 1 1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	10.0	10.0													
52 3 14.1 22500	RIDE		8.9	8.7	7.7	7.9	8.0	8.0	7.8	8.1	7.5	7.7	8.2	8.1													
DEERBROOK BLVD(9.6L) FC125M																											
2563231 9.645 9.976 C 2019 0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5		10.0	10.0	9.0												
WESTERN SURETY COMPANY (2025)	RIDE	8.2	8.1	7.8	7.9	7.7	7.8	7.8	7.7	7.6	7.6		8.4	8.3	7.9												
14120000 6.040 9.280 L 1 1 50	CRACKING	7.0	6.5	4.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0													
52 3 9.8 29500	RIDE	8.3	8.1	8.2	7.2	6.9	6.7			8.4	8.3	8.3	8.2	8.2													
RIDGEDALE DR(6.6L) FC125																											
2563221 6.195 9.185 C 2006 0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	9.0	9.1	9.0	6.5												
D.A.B. CONSTRUCTORS, INC (2009) SPRIDE	RIDE	8.1	8.1	7.8	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.2												
14120000 3.113 6.040 L 1 1 50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5													
52 3 9.8 29500	RIDE	8.4	7.7	8.4	8.1	8.1	7.9	7.9	7.6	7.9	7.6	7.7	7.5	7.2													
ALPHA CT(3.3L) FC3																											
2563161 3.113 6.451 C 1997 0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	5.9*	3.0*												
J. W. CONNER & SONS, INC. (2000) S	RIDE	7.5	7.4	7.4	7.5	7.5	7.4	7.3	7.5	7.4	7.4	7.4	7.4	7.4	7.0												
4491731 3.113 6.040 C 2027 0012																											
14120000 0.000 3.113 L 1 1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.5	7.0	7.0	7.0													
52 3 6.0 28500	RIDE	8.7	8.6	8.4	8.0	7.7	7.7	7.5	7.5	7.4	7.1	7.1	7.2	7.2													
SR 55(0.0C) FC125M																											
4313151 0.085 1.885 C 2016 0012	CRACKING	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.5	7.0												
AJAX PAVING INDUSTRIES OF (2018) SPRIDE	RIDE	7.2	7.0	7.3	7.4	8.1	7.8	7.9	7.9	7.9	7.8	7.6	7.5	7.1	6.7												
14121000 0.000 0.600 R 1 1 45	CRACKING																										
52 2 14.1 18500	RIDE																										
DGFC																											
4351421 0.000 6.245 C 2020 0002	CRACKING												10.0	9.7	8.5												
SUPERIOR CONSTRUCTION COMP(2025) SPRIDE	RIDE												7.5	7.2	6.8												
14121000 0.600 4.360 R 1 4 45	CRACKING																										
52 2 14.1 18500	RIDE																										
JPCP																											
4351421 0.000 6.245 C 2020 0002	CRACKING												9.5	9.5	9.0												
SUPERIOR CONSTRUCTION COMP(2025)	RIDE												8.7	8.7	8.6												
14121000 0.600 4.360 L 1 4 45	CRACKING																										
52 2 14.1 18500	RIDE																										
LDG																											
4351421 0.000 6.245 C 2020 0002	CRACKING												9.5	9.5	9.0												
SUPERIOR CONSTRUCTION COMP(2025)	RIDE												8.8	8.9	8.8												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
14121000	0.000	0.600	L	1	1	45	1	18500	CRACKING																									
52			2	14.1				DGFC	RIDE																									
4351421	0.000	6.245	C	2020			0002		CRACKING												10.0	9.2	8.0											
SUPERIOR CONSTRUCTION COMP			(2025)					SPRIDE													7.8	7.6	7.2											
14130000	0.000	1.602	C	1	8	45	1	18400	CRACKING	9.5	9.5	7.0	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0											
533 98			2	23.8				FC125M	RIDE	8.4	8.2	8.1	7.2	6.9	5.6	6.3	6.3	8.3	8.2	8.3	8.2	8.0											
US-98/301/SR-35/700(0.0R)																																		
4133941	0.000	1.602	C	2007			0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	6.4*												
D.A.B. CONSTRUCTORS, INC			(2009)					SPRIDE	RIDE	8.1	8.0	7.7	7.6	7.8	7.6	7.6	7.7	7.6	7.6	7.7	7.1												
2564233	0.000	1.602	C	2023			0213																											
14140000	0.000	0.260	R	4	1	70			CRACKING	10.0	9.0	9.0	6.5		9.0		10.0	10.0	10.0															
93 I275	60.0	60.3	2	5.5			76500		RIDE	9.0	8.8	8.9	7.5		5.3*		7.6	7.8	8.1														
COUNTY LINE RD(0.0C)								FC5M																										
									CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.7	5.5*											
			(2017)						RIDE				8.3	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1											
4491421	0.000	5.879	C	2027			0012																											
14140000	0.260	0.812	R	4	1	70			CRACKING	10.0	9.0	9.0	6.5		9.0	6.5	10.0	10.0	10.0															
93 I75	273.9	274.4	4	8.9			134000		RIDE	9.0	8.8	8.9	7.5		7.6	7.3	8.1	8.3	8.2															
								FC5M																											
									CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	4.5*	2.5*											
			(2017)						RIDE				8.4	8.3	8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.1	8.0											
4491421	0.000	5.879	C	2027			0012																											
14140000	0.812	4.892	R	4	1	70			CRACKING	10.0	9.0	9.0	9.0		6.5	6.5	4.5*	4.5*	3.5*															
93 I75	274.4	278.5	4	13.0			135287		RIDE	9.0	8.8	8.9	8.2		7.7	7.3	7.1	7.2	6.4*															
								FC5M																											
4084594	1.670	5.970	C	2011			0213		CRACKING				10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	3.9*	1.5*										
BETTER ROADS INC.			(2016)					SPRIDE					8.1	8.3	8.4	8.4	8.4	8.4	8.3	8.3	8.2	8.0	7.8	7.7										
4491421	0.000	5.879	C	2027			0012																											
14140000	4.892	5.890	R	4	1	70			CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*																
93 I75	278.5	279.5	3	8.9			104000		RIDE	9.0	8.8	8.9	8.2	8.2	7.7	7.3	7.1	7.2																
								FC5M																											
4084594	1.670	5.970	C	2011			0213		CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.6	6.6	4.5*										
BETTER ROADS INC.			(2016)					SPRIDE					8.6	8.5	8.4	8.7	8.6	8.6	8.6	8.5	8.6	8.5	8.4	8.3										
4491421	0.000	5.879	C	2027			0012																											
14140000	5.890	7.429	R	4	1	70			CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0												
93 I75	279.5	281.0	3	8.9			104000		RIDE	9.0	8.8	8.9	8.2	8.2	7.7	7.3	7.1	7.2	7.5		8.1	8.1												
								FC5M																											
2587362	5.970	12.819	C	2014			0218		CRACKING	9.5					10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0											
			(2019)						RIDE	8.1					8.9	8.8	8.8	8.9	8.8	9.0	8.9	8.9	8.8											
14140000	7.429	8.618	R	4	1	70			CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0												
93 I75	281.0	282.2	3	8.9			104000		RIDE	9.0	8.8	8.9	8.2	8.2	7.7	7.3	7.1	7.2	7.5		8.1	8.1												
								FC5M																											
									CRACKING	9.5					10.0	10.0	10.0	10.0	10.0	10.0	9.8	10.0	8.5											
			(2024)						RIDE	8.1					8.9	8.8	8.8	8.9	8.8	8.3	8.3	8.3	8.2											
14140000	8.618	12.934	R	4	1	70			CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	1.0*		10.0	10.0												
93 I75	282.2	286.5	3	8.9			104000		RIDE	9.0	9.0	8.9	8.2	7.9	7.4	7.0	6.9	7.1	6.8		8.1	8.1												
								FC5M																											
2587362	5.970	12.819	C	2014			0218		CRACKING	9.5					10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.6	6.5											
			(2019)						RIDE	8.1					8.9	8.8	8.8	8.9	8.8	8.7	8.6	8.7	8.6											
14140000	12.934	20.352	R	4	1	70			CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	1.0*		10.0	10.0												
93 I75	286.5	294.0	3	8.9			67500		RIDE	9.0	9.0	8.9	8.2	7.9	7.4	7.0	6.9	7.1	6.8		8.2	8.2												
								FC5M																											
4110142	12.558	20.352	C	2014			0213		CRACKING	9.5			10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	6.8	5.9*	4.0*										
			(2017)						RIDE	8.2			8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.1	8.0	7.9										
4544991	12.934	20.352	C	2029			0012																											
14140000	12.934	20.352	L	4	1	70			CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0												
93 I75	286.5	294.0	3	8.9			67500		RIDE	9.0	9.0	8.9	8.2	8.0	7.6	7.2	7.0	7.3	7.0		8.1	8.1												
								FC5M																											
4110142	12.558	20.352	C	2014			0213		CRACKING	8.5			10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.5	4.5*										
			(2017)						RIDE	8.1			8.3	8.4	8.4	8.4	8.5	8.5	8.4	8.4	8.2	8.2	8.1										
4544991	12.934	20.352	C	2029			0012																											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	LN / RW / SURFTYPE / FY-P / FY-F	SYS / %T / RW / WKMX-P / WKMX-F	TYP / AADT / ASTYPE	SPD	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2031 (PMRS)
14140000	11.767	12.934	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	
93 I75	285.4	286.5	3	8.9	67500		RIDE	9.0	9.0	8.9	8.2	8.0	7.6	7.2	7.0	7.3	7.0		8.1	8.1	
					FC5M																
2587362	5.970	12.819	C	2014	0218		CRACKING	8.5					10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
				(2019)			RIDE	8.1					8.5	8.4	8.4	8.4	8.2	8.1	8.1	8.2	8.1
14140000	10.565	11.767	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	
93 I75	284.2	285.4	3	8.9	104000		RIDE	9.0	9.0	8.9	8.2	8.0	7.6	7.2	7.0	7.3	7.0		8.2	8.2	
					FC5M																
2587362	5.970	12.819	C	2014	0218		CRACKING	8.5						10.0	10.0	10.0	10.0	10.0	9.7	9.2	7.5
				(2020)			RIDE	8.2						8.7	8.7	8.7	8.6	8.6	8.6	8.6	8.5
14140000	8.603	10.565	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	
93 I75	282.2	284.2	3	8.9	104000		RIDE	9.0	9.0	8.9	8.2	8.0	7.6	7.2	7.0	7.3	7.0		8.2	8.2	
					FC5M																
2587362	5.970	12.819	C	2014	0218		CRACKING	8.5					10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.2	7.5
				(2019)			RIDE	8.2					8.7	8.7	8.7	8.7	8.7	8.9	8.8	8.8	8.7
14140000	6.960	8.603	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	
93 I75	280.6	282.2	3	8.9	104000		RIDE	9.0	8.8	8.9	8.1	7.8	7.4	7.1	6.8	7.0	7.1		8.2	8.2	
					FC5M																
							CRACKING	8.5					10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	8.5
				(2024)			RIDE	8.2					8.7	8.7	8.7	8.7	8.7	8.1	8.1	8.0	7.9
14140000	5.890	6.960	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	
93 I75	279.5	280.6	3	8.9	104000		RIDE	9.0	8.8	8.9	8.1	7.8	7.4	7.1	6.8	7.0	7.1		8.2	8.2	
					FC5M																
2587362	5.970	12.819	C	2014	0218		CRACKING	8.5					10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
				(2019)			RIDE	8.2					8.7	8.7	8.7	8.7	8.7	8.6	8.6	8.6	8.5
14140000	4.748	5.890	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5					
93 I75	278.4	279.5	3	8.9	104000		RIDE	9.0	8.8	8.9	8.1	7.8	7.4	7.1	6.8	7.0					
					FC5M																
4084594	1.670	5.970	C	2011	0213		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.6*	2.5*
BETTER ROADS INC.				(2016)		SP	RIDE			8.6	8.2	8.1	8.3	8.3	8.3	8.3	8.2	8.2	8.0	8.0	7.9
4491421	0.000	5.879	C	2027	0012																
14140000	1.640	4.748	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0		6.5	6.5	6.5	6.5	4.5*				
93 I75	275.2	278.4	4	13.0	135287		RIDE	9.0	8.8	8.9	8.1		7.4	7.1	6.8	7.0	6.3*				
					FC5M																
4084594	1.670	5.970	C	2011	0213		CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.6	4.5*
BETTER ROADS INC.				(2016)		SP	RIDE			8.6	7.9	7.9	8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.8	7.7
4491421	0.000	5.879	C	2027	0012																
14140000	1.140	1.640	L	4	1	70	CRACKING	10.0	9.0	9.0	9.0		9.0	6.5	6.5	6.5	6.5	6.5			
93 I75	274.7	275.2	6	13.0	135287		RIDE	9.0	8.8	8.9	8.1		7.8	7.6	7.8	8.2	8.1	8.0			
					FC5M																
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	8.5
				(2024)			RIDE				8.0	7.9	7.8	7.6	7.7	7.7	7.5	7.8	7.9	7.9	7.8
4491421	0.000	5.879	C	2027	0012																
14140000	0.227	1.140	L	4	1	70	CRACKING	10.0	9.0	9.0	6.5		9.0	6.5	10.0	10.0	10.0	10.0			
93 I75	60.2	61.2	6	8.9	134000		RIDE	9.0	8.8	8.9	7.7		7.8	7.3	8.0	8.1	8.2	7.8			
NB 14075000(0.2L)					FC5M																
							CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.1	6.8	4.5*
				(2017)			RIDE				8.2	8.1	8.2	8.2	8.1	8.1	8.1	8.0	7.9	7.9	7.8
4491421	0.000	5.879	C	2027	0012																
14140000	0.000	0.227	L	4	1	70	CRACKING	10.0	9.0	9.0	6.5		9.0		10.0	10.0	10.0	10.0			
93 I275	60.0	60.2	3	5.5	76500		RIDE	9.0	8.8	8.9	7.7		7.9		7.8	8.1	7.9	8.1			
COUNTY LINE RD(0.0C)					FC5M																
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	6.5
				(2017)			RIDE													7.1	7.0
4491421	0.000	5.879	C	2027	0012																
14140014	0.000	0.571	C	1	1		CRACKING														
537			1	6.8	250		RIDE														
							CRACKING													9.5	8.5
				(2026)			RIDE													5.6*	5.2*

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / RATINGS / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14150000	0.000	2.241	C	1	1	40	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	8.5	8.5	8.5															
575			2	14.1		600	RIDE	7.8	7.9	8.1	7.3	7.4	7.1	7.0	8.5	8.3	8.3	8.4	8.3	7.9															
SR 35(0.0C)							DGFC																												
4113251	0.000	2.215	C	2006		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	7.0	7.5	7.4	7.3	5.0*														
D.A.B. CONSTRUCTORS, INC				(2008)			SPRIDE	7.9	7.8	7.7	7.6	7.8	7.5	7.5	7.4	7.6	7.5	7.4	7.2	7.3	6.9														
14470000	0.000	0.472	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	15.3	15.8	2	12.2		62800	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
HILLSBOROUGH CNTY LN(0.0C)							FC5M																												
4247921	0.000	11.066	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	3.5*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	7.9	7.8													
4477021	0.000	3.457	C	2025		0012																													
14470000	0.472	1.002	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	15.8	16.3	2	12.2		62800	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
						FC5M																														
							CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	8.5													
				(2024)			RIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.3													
4477021	0.000	3.457	C	2025		0012																													
14470000	1.002	3.488	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	16.3	18.8	2	12.2		51900	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
						FC5M																														
4247921	0.000	11.066	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	7.5	5.5*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.1													
4477021	0.000	3.457	C	2025		0012																													
14470000	3.488	3.866	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	18.8	19.2	2	12.2		51900	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
						OGFC																														
							CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	8.9	8.0													
				(2026)			RIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.1													
14470000	3.866	5.000	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	19.2	20.3	2	12.2		51900	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
						FC5M																														
4247921	0.000	11.066	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	7.0	5.0*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.4	8.3													
4477021	3.836	11.099	C	2025		0012																													
14470000	5.000	6.600	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	20.3	21.9	2	12.2		51900	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
						FC5M																														
4247921	0.000	11.066	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.7*	2.5*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.1	8.1	8.2	8.1	8.0	7.8	7.7													
4477021	3.836	11.099	C	2025		0012																													
14470000	6.600	11.067	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5														
589	21.9	26.4	2	12.2		51900	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	7.7	7.5	7.5	7.4														
						FC5M																														
4247921	0.000	11.066	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.3	5.0*	3.0*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.5	8.4	8.3	8.4	8.3	8.3	8.4	8.4	8.3	8.4	8.3	8.2	8.1													
4477021	3.836	11.099	C	2025		0012																													
14470000	11.067	19.865	R	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5														
589	26.4	35.2	2	12.2		32500	RIDE				8.7	8.9	8.3	8.2	8.1	8.1	8.1	8.1	8.0	7.6	7.9	7.8														
COUNTY LINE RD(19.9C)							FC5M																												
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.3	9.0	8.0													
				(2026)			RIDE				8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.4	8.3													
14470000	11.066	19.865	L	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	4.5*														
589	26.4	35.2	2	12.2		32500	RIDE				8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	8.1	7.9	7.8	7.6														
COUNTY LINE RD(19.9C)							FC5M																												
4247924	11.099	19.865	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.1	7.5	5.5*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.6	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4													
4513651	11.099	19.865	C	2026		0012																													
14470000	6.600	11.066	L	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	21.9	26.4	2	12.2		51900	RIDE				8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
						FC5M																														
4247921	0.000	11.066	C	2012		0012	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.7	8.0	6.0*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE				8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.4	8.4	8.3	8.2													
4477021	3.836	11.099	C	2025		0012																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	LN / RW / FY-P / FY-F	SYS / %T / SURFTYPE / WKMX-P / WKMX-F	TYP / AADT / ASTYPE	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14470000	5.000	6.600	L	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	20.3	21.9	2	12.2	51900		RIDE		8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
						FC5M																													
4247921	0.000	11.066	C	2012	0012		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.9	5.0*	3.0*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE		8.5	8.4	8.4	8.4	8.4	8.4	8.3	7.9	7.9	7.9	7.8	7.7	7.6													
4477021	3.836	11.099	C	2025	0012																														
14470000	3.819	5.000	L	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	19.1	20.3	2	12.2	51900		RIDE		8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
						FC5M																													
4247921	0.000	11.066	C	2012	0012		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	6.5	4.5*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE		8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.4	8.4	8.3	8.2													
4477021	3.836	11.099	C	2025	0012																														
14470000	3.440	3.819	L	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	18.8	19.1	2	12.2	51900		RIDE		8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
						OGFC																													
							CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	9.0	8.0													
				(2026)			RIDE		8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.4	8.4	8.4	8.3													
14470000	1.002	3.440	L	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	16.3	18.8	2	12.2	51900		RIDE		8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
						FC5M																													
4247921	0.000	11.066	C	2012	0012		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	7.0	5.0*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE		8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.4	8.4	8.3	8.2													
4477021	0.000	3.457	C	2025	0012																														
14470000	0.472	1.002	L	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	15.8	16.3	2	12.2	62800		RIDE		8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
						FC5M																													
							CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	10.0	9.4	10.0	8.5													
				(2024)			RIDE		8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.5	8.5	8.4	8.3													
4477021	0.000	3.457	C	2025	0012																														
14470000	0.000	0.472	L	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	4.5*														
589	15.3	15.8	2	12.2	62800		RIDE		8.9	9.0	8.3	8.3	8.1	8.1	8.1	8.1	7.7	7.5	7.4	7.3														
HILLSBOROUGH CNTY LN(0.0C)						FC5M																													
4247921	0.000	11.066	C	2012	0012		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.1*	2.0*													
D.A.B. CONSTRUCTORS, INC				(2015)			SPRIDE		8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.4	8.4	7.9	7.8													
4477021	0.000	3.457	C	2025	0012																														
14570000	0.000	1.634	R	1	7	45	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0														
54			3	4.5	30000		RIDE	8.3	8.2		8.0	7.8	7.4	7.6	7.9	7.9	7.8	7.6	7.7	7.3														
SR 55(0.0C)						FC125M																													
4437831	0.107	1.650	C	2023	0012		CRACKING	8.0	8.0	8.0	8.0	7.5	6.5	6.5	3.5*	3.5*	3.5*	2.5*		10.0	9.0														
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	7.3	7.3	7.1	7.0	7.0	6.8	6.8	6.8	6.8	6.8	6.8		7.9	7.5														
14570000	1.634	3.109	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5														
54			3	7.6	36500		RIDE	8.6	8.2	8.4	7.9	7.5	7.9	7.8	7.8	8.1	7.8	7.9	7.7	7.6														
CEDAR BLVD(2.3R)						FC3																													
2563301	1.564	3.037	C	1997	0213		CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	0.5*													
R E PURCELL				(2000)			S RIDE	7.7	7.7	7.7	7.4	7.7	7.6	7.6	7.5	7.5	7.4	7.3	7.4	7.1	6.7													
4479521	1.650	3.109	C	2025	0012																														
14570000	5.125	8.115	R	1	7	55	CRACKING	7.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0															
54			3	4.5	56000		RIDE	8.3	8.1	8.1	7.2			8.1	8.2	8.4	8.3	8.1	8.1	8.1															
HOSPITAL BLVD(5.4R)						FC95MR																													
4437841	5.125	8.045	C	2023	0012		CRACKING	9.5	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	2.5*	1.9*	10.0	9.0														
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	8.0	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.7	7.6	7.7	7.3	8.6	8.2													
14570000	5.125	8.115	L	1	7	55	CRACKING	7.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0															
54			3	4.5	56000		RIDE	8.3	8.1	8.1	7.2			8.1	8.2	8.2	8.2	8.2	8.1	7.9															
SEVEN SPRINGS VILLA ENT(5.5L)						FC95MR																													
4437841	5.125	8.045	C	2023	0012		CRACKING	9.5	9.5	9.0	9.0	8.0	6.5	6.5	5.5*	3.5*	3.5*	2.5*	1.6*	10.0	9.0														
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	8.0	7.8	8.0	7.9	7.9	8.0	7.9	7.9	7.7	7.7	7.4	7.3	8.6	8.2													
14570000	1.634	3.109	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5															
54			3	7.6	36500		RIDE	8.6	8.5	8.4	8.2	8.0	8.0	8.2	8.1	7.2	7.9	8.0	7.6	7.6														
VIRGINIA CITY DR(1.7L)						FC3																													
2563301	1.564	3.037	C	1997	0213		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	2.5*													
R E PURCELL				(2000)			S RIDE	7.9	7.6	7.9	7.9	7.7	7.7	7.7	7.7	7.6	7.6	7.4	7.6	7.4	7.0													
4479521	1.650	3.109	C	2025	0012																														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = PASCO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / RW / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14570000	0.000	1.634	L	1	7	45	1	30000	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
54							4.5		RIDE	8.3	8.2		8.1	7.9	8.1	8.1	7.8	7.0	6.9	7.4	7.2	7.4													
SR 55(0.0C)								FC125M																											
4437831	0.107	1.650	C	2023			0012		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	5.5*	5.5*	3.5*		10.0	9.0												
AJAX PAVING INDUSTRIES OF			(2026)					SPRIDE	RIDE	7.4	7.3	7.4	7.3	7.1	7.3	7.1	7.1	7.1	7.1	6.5		7.7	7.3												
14570002	0.000	1.660	R	1	1	50			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5													
54							4.5	47000	RIDE	8.8	8.7	8.6	8.0	8.0	7.9	7.7	8.1	8.1	8.0	7.8	7.7	7.6													
MILL POND PL(0.0C)								FC5M																											
4364211	0.218	1.660	C	2019			0012		CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*		10.0	10.0	10.0	9.6	10.0	8.0												
D.A.B. CONSTRUCTORS, INC			(2022)						RIDE	7.6	7.5	7.7	7.7	7.6	7.3	7.6		8.0	7.9	7.7	7.8	7.8	7.6												
14570002	0.000	1.660	L	1	1	50			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5													
54							4.5	47000	RIDE	8.2	8.5	8.4	7.9	7.8	7.8	7.7	7.8	7.7	7.6	7.4	7.3	6.9													
OLD MILL POND DR(0.0L)								FC5M																											
4364211	0.218	1.660	C	2019			0012		CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*		10.0	10.0	10.0	9.3	10.0	8.0												
D.A.B. CONSTRUCTORS, INC			(2022)						RIDE	7.5	7.2	7.4	7.5	7.4	7.4	7.3		8.2	8.0	8.1	8.1	7.9	7.7												
14570101	0.191	0.386	R	1	7	55			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5													
54							4.5	56000	RIDE	7.6	8.1	8.8	7.7	7.6	7.2	7.5	7.8	7.7	7.6	7.7														
A PT ON 54 MP 5.125(0.4C)								OGFC																											
4437841	0.191	0.386	C	2023			0012		CRACKING	9.5	9.5	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	9.0												
AJAX PAVING INDUSTRIES OF			(2026)					SPRIDE																8.0	7.8										
14570101	0.191	0.386	L	1	7	55			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5													
54							4.5	56000	RIDE	7.9	8.3	7.8	7.1	7.4	7.5	7.5	7.5	7.4	6.9	7.3														
A PT ON 54 MP 5.125(0.4C)								OGFC																											
4437841	0.191	0.386	C	2023			0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	10.0	9.0												
AJAX PAVING INDUSTRIES OF			(2026)					SPRIDE																7.9	7.7										
14571000	0.000	0.177	R	1	1	55			CRACKING								10.0	10.0	10.0	10.0	10.0	10.0															
54							6.4	50000	RIDE								8.1	7.8	8.1	8.0	8.1	7.9															
CR-587/GUNN HWY(0.0R)								FC125M																											
									CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.7*	1.0*	0.0*												
				(2008)					RIDE	7.9	7.9	7.9	7.8	7.9	7.8	7.7	7.7	7.8	7.7	7.6	7.3	6.5	6.1*												
4479541	0.000	0.177	C	2025			0012																												
14571000	0.177	2.950	R	1	7	55			CRACKING								10.0	10.0	10.0	10.0	10.0	10.0															
54							6.4	50000	RIDE								8.1	7.8	8.1	8.0	8.1	7.9															
BLACK LAKE RD(0.5R)								FC125M																											
4479531	0.177	2.950	C	2025			0012		CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.7*	10.0	9.0												
HUBBARD CONSTRUCTION COMPA			(2026)					SPRIDE	RIDE	7.9	7.9	7.9	7.8	7.9	7.8	7.7	7.7	7.8	7.7	7.6	7.3	8.4	8.0												
14571000	2.950	3.560	R	1	1	55			CRACKING								10.0	7.0	6.5	6.5		10.0															
54							8.3	69000	RIDE								8.2	7.5	7.6	7.4		8.6															
NORTHPOINTE PKWY(3.5R)								FC125M																											
4263791	3.146	4.050	C	2010			0221		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	6.0*	5.5*	3.5*												
				(2013)					RIDE	8.7	8.5	8.4	8.1	7.9	7.8	7.7	7.7	7.7	7.6	7.7	7.5	7.5	7.1												
4520041	2.950	3.867	C	2029			0012																												
14571000	3.560	3.875	R	1	1	55			CRACKING								10.0	10.0	10.0	10.0		10.0															
54							6.8	68500	RIDE								8.2	7.9	8.2	8.2		8.6															
								FC5A																													
									CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	5.5*												
				(2017)					RIDE	8.7	8.5	8.4	8.5	8.4	8.4	8.4	8.2	8.2	8.2	8.1	8.0	8.1	7.9												
4520041	2.950	3.867	C	2029			0012																												
14571000	3.875	7.754	R	1	2	60			CRACKING								10.0	10.0	10.0	10.0	10.0	9.5															
54							5.2	63500	RIDE								8.2	7.9	8.2	8.2	8.2	8.1															
MEADOWBROOK DR(4.0R)								FC5A																											
2563392	3.869	7.796	C	2015			0218		CRACKING	9.5	8.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	6.5												
				(2017)					RIDE	8.1	8.0	8.0	8.5	8.4	8.4	8.4	8.2	8.2	8.2	8.1	8.0	8.2	8.0												
14571000	7.754	8.289	R	1	1	50			CRACKING								10.0	10.0	10.0	10.0	10.0	9.0															
54							5.2	57000	RIDE								7.1	6.4*	6.8	6.7	5.9*	5.6*															
BRUNELLO TRL(7.8R)								FC125M																											
									CRACKING	9.0	7.5	7.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.2	8.7	7.5												
				(2021)					RIDE	5.8*	5.9*	5.6*					8.2	8.2	8.2	8.1	8.0	6.9	6.5												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = PASCO ----------

RDWYID / SR US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW SYS TYP SPD / LN %T AADT / SURFTYPE / RW FY-P WKMX-P / RW FY-F WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
14571000 54 HUNT RD(8.1L)	7.999 3 (2021)	8.289 5.2	L 1 1 50 57000 FC125M	CRACKING RIDE	9.5 7.3	8.0 7.1	7.5 7.2	7.5	7.5	6.5		10.0 7.4 9.5 8.3	10.0 6.7 9.5 8.3	10.0 6.5 9.5 8.3	10.0 6.8 9.5 8.1	10.0 7.3 9.3 8.2	9.5 7.3 9.5 6.1*	8.0 5.7*
14571000 54 MISSING DESCRIPTION I(4.0L) 2563392	3.860 3 3.869 (2017)	7.999 5.2 7.796	L 1 2 60 63500 FC5A C 2015 0218	CRACKING RIDE CRACKING RIDE	8.5 8.1	8.5 8.0	8.0 8.0	10.0 8.4	10.0 8.4	10.0 8.4	9.5 8.4	10.0 8.2 9.5 8.3	10.0 8.0 9.5 8.3	10.0 8.3 9.5 8.3	10.0 8.2 9.5 8.1	10.0 8.2 9.3 8.2	9.5 8.1 9.5 8.3	6.0* 8.1
14571000 54 BEXLY VILLAGE DR(3.5L) 4263791 4520041	2.950 3 3.146 (2013) 2.950	3.860 6.8 4.050 3.867	L 1 1 55 68500 FC5A C 2010 0221 C 2029 0012	CRACKING RIDE CRACKING RIDE	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.9	9.5 7.7	10.0 8.2 8.5 7.6	7.0 7.4 8.5 7.7	6.5 7.3 7.5 7.4	6.5 7.3 7.0 7.2	7.0 7.2	10.0 8.7 4.8* 7.3	0.5* 7.1
14571000 54 ASTURIAN PKWY(1.3L) 4479531 HUBBARD CONSTRUCTION COMPA	0.177 3 0.177 (2026)	2.950 6.4 2.950	L 1 7 55 50000 FC125M C 2025 0012 SP	CRACKING RIDE CRACKING RIDE	9.5 7.9	9.5 7.9	9.0 7.8	9.0 7.7	9.0 7.8	9.0 7.7	7.5 7.7	10.0 8.1 6.5 7.7	10.0 7.9 4.5* 7.6	10.0 8.2 3.5* 7.4	10.0 8.0 3.5* 7.4	10.0 8.0 2.6* 7.1	10.0 8.0 10.0 8.2	9.0 7.8
14571000 54 CR 587(0.0C) 4479541	0.000 3 0.000 (2008)	0.177 6.4 0.177	L 1 1 55 50000 FC125M C 2025 0012	CRACKING RIDE CRACKING RIDE	9.5 7.9	9.5 7.9	9.0 7.8	9.0 7.7	9.0 7.8	9.0 7.7	7.5 7.7	10.0 8.1 6.5 7.7	10.0 7.9 4.5* 7.6	10.0 8.2 3.5* 7.4	10.0 8.0 3.5* 7.4	10.0 8.0 2.6* 7.1	10.0 8.0 0.7* 5.1*	0.0* 4.7*
14572000 54 MARATHON DR(0.0C) 4479541	0.000 3 0.000 (2011)	1.774 4.5 1.774	R 1 1 55 60000 FC5M C 2025 0012	CRACKING RIDE CRACKING RIDE	9.5 8.2	9.5 8.1	9.0 8.1	8.0 8.0	8.0 8.0	8.0 8.0	6.5 8.0	6.5 8.0	4.5* 7.9	4.5* 7.9	10.0 8.3 3.5* 7.9	10.0 8.2 2.3* 7.6	10.0 8.2 0.9* 7.3	0.0* 7.1
14572000 54 MARATHON RD(0.0L) 4479541	0.000 3 0.000 (2011)	1.774 4.5 1.774	L 1 1 55 60000 FC5M C 2025 0012	CRACKING RIDE CRACKING RIDE	9.5 7.9	9.5 7.9	9.0 8.0	9.0 8.0	9.0 7.9	9.0 7.9	7.5 7.8	6.5 7.7	4.5* 7.6	3.5* 7.6	10.0 8.1 1.0* 7.5	10.0 8.1 1.6* 7.3	10.0 8.1 0.8* 7.1	0.0* 6.9
14680000 52 (2025)	0.000 2	2.100 6.8	R 1 1 45 10500 FC125M	CRACKING RIDE												10.0 7.7	9.4 7.8	8.5 7.4
14680000 52 (2025)	2.100 2	3.121 6.8	R 1 1 45 10500 FC125M	CRACKING RIDE												8.5 7.4	7.0 7.4	6.0* 7.0
14680000 52 (2025)	2.100 2	3.121 6.8	L 1 1 45 10500 FC125M	CRACKING RIDE												8.5 7.1	7.8 7.3	6.5 6.9
14680000 52 (2025)	0.000 2	2.100 6.8	L 1 1 45 10500 FC125M	CRACKING RIDE												10.0 7.8	9.4 7.8	8.5 7.4

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).