

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)
ITMSEG-P	ITMSEG-F																					
17000064 777	0.000	0.613	R	1	8	45	CRACKING RIDE															
							DGFC															
							(2021)										9.0	9.0	9.0			
							CRACKING RIDE										7.1	7.2	7.2			
17000064 777	0.613	5.060	C	1	8	45	CRACKING RIDE															
							DGFC															
							(2021)															
							CRACKING RIDE										6.5	6.5	6.5			
							DGFC										7.6	7.5	7.5			
4450591	0.188	5.310	C	2021		0213																
17000064 777	5.060	5.819	R	1	8	55	CRACKING RIDE															
							DGFC															
							(2021)										9.0	9.0	9.0			
							CRACKING RIDE										7.9	7.8	7.9			
17000064 777	5.060	5.819	L	1	8	55	CRACKING RIDE															
							OGFC															
							(2021)										9.0	9.0	9.0			
							CRACKING RIDE										7.8	7.7	7.8			
17000064 777	0.000	0.613	L	1	8	45	CRACKING RIDE															
							DGFC															
							(2021)										6.5	6.5	6.5			
							CRACKING RIDE										7.7	7.8	6.7			
4450591	0.188	5.310	C	2021		0213																
17005000 681	0.000	3.158	R	1	1	55	CRACKING RIDE	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
							FC5	7.6	7.9	9.1	8.9	8.9	8.2	8.3	8.3	8.1	7.8	8.0	8.1	7.9		
							SR 45( 0.0C)															
							1980091	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	2.5	
							GATOR ASPHALT PAVING INC (2001)	7.7	7.5	7.3	7.4	8.0	8.1	8.1	8.2	8.2	8.1	8.0	7.9	8.1	7.6	
							4415601															
							0.327 4.142 C 2023 0012															
17005000 681	3.158	4.142	C	1	1	60	CRACKING RIDE	8.0	8.0	8.0	8.0	10.0	9.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
							FC5	6.9	8.3	8.7	8.1	8.6	8.4	8.5	8.4	8.4	8.1	8.2	8.3	8.3		
							RAMP #005102( 3.2L)															
							(2003)	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5
							CRACKING RIDE	8.3	8.1	8.2	8.0	8.2	8.3	8.4	8.5	8.4	8.5	8.5	8.4	8.4	8.4	6.5
4415601	0.327	4.142	C	2023		0012																
17005000 681	0.000	3.158	L	1	1	55	CRACKING RIDE	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
							FC5	7.8	8.0	9.0	9.0	8.8	8.3	8.4	8.2	8.2	8.1	8.1	8.2	8.0		
							SR 45( 0.0C)															
							1980091	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.3
							GATOR ASPHALT PAVING INC (2001)	7.9	7.9	7.6	7.4	8.0	8.1	8.2	8.4	8.4	8.2	8.1	8.2	8.3	7.8	
							4415601															
							0.327 4.142 C 2023 0012															
17008000 758	0.000	3.368	R	1	1	45	CRACKING RIDE	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	7.0	7.0	6.5	6.5	6.5	5.5*		
							FC125M	5.7*	5.8*	5.9*	5.5*	5.4*	7.2	7.3	7.2	7.1	7.1	6.9	7.0	6.7		
							S TAMIAMI TRL( 0.0C)															
							4313061	5.5*	5.5*	5.5*	5.5*	5.5*			10.0	10.0	8.5	8.5	8.5	8.5	6.4	
							WATSON CIVIL CONSTRUCTION, (2019)	6.4	6.4	6.3	5.9	5.9			8.4	8.3	8.2	8.2	8.2	8.2	8.0	
17008000 758	3.368	4.840	R	1	1	45	CRACKING RIDE	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
							FC125H	6.1*	5.8*	5.7*	5.7*	8.3	7.8	7.7	7.4	7.2	7.1	7.0	6.9			
							DUNN DR( 3.6R)															
							4365671	9.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
							AJAX PAVING INDUSTRIES OF (2020)	6.4	6.1	6.3	6.1	6.7	6.2	6.3	6.2	8.4	8.3	8.3	8.3	8.3	8.3	8.2
17008000 758	4.840	5.432	R	1	1	45	CRACKING RIDE	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
							FC125A	8.3	8.5	8.1	8.2	7.7	7.6	7.5	7.5	7.3	7.4	7.2	7.1	7.7		
							CATTLEMAN RD( 4.9C)															
							4291191	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	
							SUPERIOR ASPHALT, INC. (2015)	7.4	7.2	7.1	8.0	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.1	7.1	6.6	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP)	SIDE	W_BMP	W_EMP	RW	FY-P	WKM	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
ITMSEG-P																					
CONTRACTOR	(AGE_ONE YEAR)																				
ITMSEG-F																					
17008000		4.840	5.432	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	
758				3	5.0	29000	RIDE	8.4	7.9	8.3	8.3	7.7	7.2	7.2	7.1	7.0	5.7	6.5	5.4*	6.9	
CATTLEMAN RD( 4.9C)																					
4291191		4.867	5.148	C	2014	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.3
SUPERIOR ASPHALT, INC.					(2015)		RIDE	6.7	6.8	6.7	7.4	7.1	7.1	7.4	7.8	7.4	7.4	7.4	7.3	7.3	7.3
17008000		3.368	4.840	L	1	1 45	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
758				2	4.8	37500	RIDE	6.9	6.6	6.5	6.4*	8.5	8.0	8.2	8.1	7.9	8.0	7.4	7.8	7.7	
BOND PL( 3.4L)																					
4365671		3.368	4.737	C	2018	0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF					(2020)		SPRIDE	7.6	7.4	7.1	6.5	7.0	7.2	7.1	6.8	8.5	8.6	8.3	8.6	8.5	8.5
17008000		0.000	3.368	L	1	1 45	CRACKING	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
758				3	7.3	36500	RIDE	6.0*	6.1*	6.2*	6.1*	6.1*	7.4	7.6	7.2	7.5	7.3	7.1	7.1	7.0	
S TAMMIAMI TRL( 0.0C)																					
4313061		0.157	3.200	C	2016	0005	CRACKING	8.5	8.0	6.5	6.5	5.5*			10.0	10.0	8.5	8.5	7.5	7.5	4.4
WATSON CIVIL CONSTRUCTION, INC.					(2019)		SPRIDE	7.0	6.7	6.8	6.1	6.0			8.2	8.2	8.1	8.0	7.9	7.9	7.5
17010000		0.000	1.350	R	1	1 45	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	4.6	37500	RIDE	7.9	8.6	8.8	8.7	8.4	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.8	
SALFORD BLVD( 0.2C)																					
4227105		0.209	1.205	C	2017	0213	CRACKING	10.0	9.5	9.5	8.5	8.0	6.5	6.5			10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC					(2021)		SPRIDE	7.8	7.8	7.8	7.6	8.1	8.0	8.0			8.5	8.4	8.4	8.4	8.2
17010000		1.350	4.270	R	1	1 45	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	4.6	37500	RIDE	7.9	8.6	8.8	8.7	8.4	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.8	
LOWES ENT( 1.4R)																					
1980241		0.000	4.320	C	1999	0012	CRACKING	10.0	9.5	9.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.2
BETTER ROADS INC					(2000)		SPRIDE	7.8	7.8	7.8	7.6	8.1	8.0	8.0	8.1	8.1	8.0	7.9	7.9	7.9	7.7
4415501		1.324	7.393	R	2023	0012															
17010000		4.270	7.850	R	1	1 55	CRACKING	9.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
45 41				2	4.6	37500	RIDE	8.4	8.2	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	
DE LEON DR( 4.6R)																					
4091901		4.320	7.887	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.7
AJAX PAVING INDUSTRIES, INC					(2007)		RIDE	7.8	7.7	7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5	7.4
4415501		1.324	7.393	R	2023	0012															
17010000		7.850	12.701	R	1	1 55	CRACKING	5.0*	5.0*	5.0*	4.5*	5.0*	5.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	3.4	30500	RIDE	8.4	8.2	8.2	8.0	7.8	6.8	6.9	7.8	8.0	7.9	7.9	7.9	8.0	
GALLERIA BLVD( 8.9R)																					
4067641		7.850	12.293	C	2004	0012	CRACKING	10.0	10.0	9.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.0
PREFERRED MATERIALS, INC.					(2006)		RIDE	7.8	7.8	7.7	7.6	7.9	7.7	7.8	7.9	7.8	7.7	7.7	7.7	7.6	7.6
4491001		8.590	12.751	C	2025	0226															
17010000		12.701	14.543	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	6.5	
45 41				3	2.8	51500	RIDE	8.7	8.6	8.8	8.7	8.4	8.2	7.9	8.1	8.0	7.9	7.8	7.8	7.9	
PARK PL(12.8R)																					
4314231		12.940	14.535	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
AJAX PAVING INDUSTRIES OF					(2017)		SPRIDE	7.6	7.6	7.4	7.0	7.7	8.7	8.6	8.6	8.5	8.2	8.3	8.1	7.9	7.4
17010000		14.543	14.840	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	2.8	51500	RIDE	8.7	8.6	8.8	8.7	8.4		7.4	7.4	7.5	7.6	7.5	7.4		
SHAMROCK BLVD(14.7R)																					
1980261		14.661	16.621	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5
JOHNSON BROS. CORPORATION					(2006)		SPRIDE	7.4	6.9	7.1	7.1	7.0	6.7	7.1	6.3	6.4	6.5	6.2	6.3	7.0	6.0
17010000		14.840	16.569	R	1	1 45	CRACKING	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	
45 B41				2	2.4	31000	RIDE	7.5	7.3	7.1	7.4	6.5	6.5		7.6	7.5	7.5	7.6	7.5	7.5	
SR 45A(14.9R)																					
1980261		14.661	16.621	C	2002	0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.9
JOHNSON BROS. CORPORATION					(2006)		SPRIDE	7.5	7.5	7.3	7.2	6.9	7.0	6.9	6.9	6.8	6.8	6.7	6.6	6.7	6.3
17010000		16.569	17.155	R	1	6 35	CRACKING	6.5	6.5	6.5		10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	
45 B41				2	2.4	31000	RIDE	6.5	6.4*	6.4*				5.9	7.6	7.5	7.5	7.6	7.5	7.5	
PUBLIX ENT(16.6R)																					
4349611		16.587	17.131	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.1
AJAX PAVING INDUSTRIES OF					(2019)		RIDE	7.0	6.6	6.3	6.4	5.4*	5.5	5.7							

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(REG)
17010000	16.569	17.155	L	1	6 35	CRACKING		6.5	6.5	4.5*		10.0	10.0	9.5	10.0	10.0	9.5	9.5	9.5	8.5	
45 B41			2	2.4	31000	RIDE		6.8	5.7*	6.0*				6.4	7.5	7.6	7.6	7.5	7.5	7.5	
PALERMO PL(16.6L)																					
4349611	16.587	17.131	C	2017	0012	CRACKING		7.0	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	8.5	8.5	8.5	8.5	6.4
AJAX PAVING INDUSTRIES OF				(2019)		RIDE		6.8	6.6	6.2	6.5	5.5	5.1*	5.3*							
17010000	14.840	16.569	L	1	1 45	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0		10.0	10.0	9.5	9.5	9.5	8.5	
45 B41			2	2.4	31000	RIDE		7.7	7.5	7.6	7.4	6.8	7.0		7.5	7.6	7.6	7.5	7.5	7.5	
WYE TO SR 45A(14.9C)																					
1980261	14.661	16.621	C	2002	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.1
JOHNSON BROS. CORPORATION				(2006)		SPRIDE		7.7	7.6	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.0	7.0	6.9	6.9	6.8
17010000	14.543	14.840	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	2.8	51500	RIDE		8.8	8.5	8.5	8.6	7.9			7.9	7.9	7.4	8.0	7.9	7.8	
SHAMROCK AVE(14.7L)																					
1980261	14.661	16.621	C	2002	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5
JOHNSON BROS. CORPORATION				(2006)		SPRIDE		7.3	7.1	7.6	7.6	6.7	6.9	6.9	6.9	6.9	7.0	6.7	6.8	7.2	6.4
17010000	12.701	14.543	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41			3	2.8	51500	RIDE		8.8	8.5	8.5	8.6	7.9	8.1	8.0	8.0	8.0	7.9	7.7	7.7	8.0	
TURNOUT(12.8L)																					
4314231	12.940	14.535	C	2015	0012	CRACKING		7.5	7.5	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.2
AJAX PAVING INDUSTRIES OF				(2017)		SPRIDE		7.7	7.6	6.8	7.3	7.6	8.4	8.3	8.4	8.3	8.3	8.0	8.1	8.1	7.8
17010000	7.850	12.701	L	1	1 55	CRACKING		8.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	3.4	30500	RIDE		8.5	8.1	8.4	8.2	8.0	7.2	7.2	8.0	8.0	8.0	7.9	8.0	8.0	
CORRADINO BLVD( 8.9L)																					
4067641	7.850	12.293	C	2004	0012	CRACKING		10.0	9.5	9.5	8.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.0
PREFERRED MATERIALS, INC.				(2006)		RIDE		7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.9	7.9
4491001	8.590	12.751	C	2025	0226																
17010000	4.270	7.850	L	1	1 55	CRACKING		7.5	6.5	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
45 41			2	4.6	37500	RIDE		7.9	8.3	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	
PORTSIDE DR( 4.4L)																					
4091901	4.320	7.887	C	2005	0012	CRACKING		10.0	10.0	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*	0.0
AJAX PAVING INDUSTRIES, IN				(2007)		RIDE		7.8	7.8	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4	7.2
17010000	1.350	4.270	L	1	1 45	CRACKING		0.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41			2	4.6	37500	RIDE		6.1*	8.6	8.8	8.8	8.5	7.9	7.9	7.3	7.9	7.8	7.7	7.8	7.8	
TUSCOLOA BLVD( 1.4L)																					
1980241	0.000	4.320	C	1999	0012	CRACKING		9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.6
BETTER ROADS INC				(2000)		SPRIDE		7.7	7.6	7.6	7.4	7.8	7.9	7.9	8.0	8.0	7.9	7.9	7.9	7.8	7.5
17010000	0.000	1.350	L	1	1 45	CRACKING		7.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41			3	4.6	37500	RIDE		8.1	8.6	8.8	8.8	8.5	7.9	7.9	7.3	7.9	7.8	7.7	7.8	7.8	
SALFORD BLVD( 0.2C)																					
4227105	0.209	1.205	C	2017	0213	CRACKING		9.0	8.0	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC				(2021)		SPRIDE		7.7	7.6	7.6	7.4	7.8	7.9	7.9		8.3	8.2	8.2	8.1	7.8	
17020000	0.000	0.585	R	1	1 40	CRACKING		10.0	10.0	9.5	9.5				10.0	10.0	9.0	9.0	9.0	9.0	
45 B41			2	2.6	18800	RIDE		8.5	8.3	8.4	7.2				7.4	7.0	7.0	7.1	7.2	7.3	
CR 772 VENICE AVE( 0.0R)																					
1980051	0.000	0.685	C	2000	0002	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.0*	6.0*	6.0
GLF CONSTRUCTION CORPORATI				(2006)		S RIDE		7.1	7.0	6.9	7.1	5.9	5.5	5.6	6.0	6.1	5.8	5.7	5.5	5.7	4.9
17020000	0.585	3.895	R	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5				10.0	10.0	
45 41			3	3.5	46000	RIDE		8.1	8.0	8.0	8.1	7.8	7.6	7.5	7.4				8.0	7.6	
TURNOUT( 0.6R)																					
				(2010)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2
						RIDE		7.6	7.7	7.6	7.4	6.8	7.0	7.6	7.7	7.6	7.6	7.7	7.6	7.7	7.5
17020000	3.895	4.258	R	1	1 55	CRACKING		4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	4.9	35000	RIDE		7.7	7.7	8.0	7.8	8.4	7.7	7.8	8.0	7.8	7.7	8.0	8.0	7.8	
UNSIGN( 4.0R)																					
1980441	3.911	4.253	C	2002	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5
APAC-FLORIDA INC				(2003)		SPRIDE		7.6	7.6	7.6	7.7	8.2	8.2	8.3	8.5	8.4	8.4	8.3	8.3	8.3	8.3

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP		SIDE)			=====														(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
17020000	4.258	7.350	R	1	1	55	CRACKING	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0
45 41				2	4.9	35000	RIDE	8.5	8.4	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0			7.6
GULF AVE( 4.3R)																					
1979872	4.244	7.350	C	2009		0012	CRACKING	10.0	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0
PREFERRED MATERIALS, INC. (2011)																					
4462901	4.258	7.352	C	2025		0226															
17020000	7.350	9.682	R	1	1	55	CRACKING	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0
45 41				2	3.4	42500	RIDE	8.6	8.5	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0			8.4
BAY ST( 7.4C)																					
						FC125															
						(2023)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				8.5
							RIDE	8.4	8.4	8.4	7.7	6.9	7.1	8.1	8.0	8.0					7.9
17020000	9.682	12.132	R	1	1	45	CRACKING	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*
45 41				2	3.2	33275	RIDE	8.6	8.5	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0	7.5	7.3	
ENT SARA SQ MALL( 9.9R)																					
4291311	9.682	12.132	C	2014		0012	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.2
AJAX PAVING INDUSTRIES OF (2017)																					
							RIDE	7.3	7.1	7.1	6.7		8.1	8.2	8.1	8.0	8.0	8.0	7.9	8.0	7.8
17020000	12.132	15.230	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41				3	3.1	45000	RIDE	8.1	8.0	8.0	8.3	7.6	7.6	7.6	7.7	7.8	7.5	7.4	7.4	7.3	
MOBILE ESTATES DR S(12.1R)																					
1979551	12.567	15.247	C	1993		0005	CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5
PCL CIVIL CONSTRUCTORS INC(1997)																					
							S	7.3	7.3	7.1	6.5	6.8	6.8	6.8	7.0	6.7	6.6	6.5	6.4	6.6	6.0
17020000	15.230	17.225	R	1	1	45	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0
45 41				3	2.8	58000	RIDE	7.7	7.6	7.5	7.4	7.0	6.9	6.8	7.0	7.0	7.0	6.6	6.6	8.3	8.2
BAY RD(15.3R)																					
4218301	15.248	17.206	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.0
AJAX PAVING INDUSTRIES, IN(2010)																					
							RIDE	7.9	8.2	7.9	8.1	8.0	7.8	7.9	7.6	7.7	7.8	7.7	7.7	7.6	7.4
17020000	17.225	18.476	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41				2	2.8	18600	RIDE	7.9	7.8	7.5	7.4	7.0	7.2	7.2	7.1	6.9	7.0	6.8	6.2	6.2	
BAY ST(17.3R)																					
							(2020)	CRACKING	8.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.1	6.1	5.6	5.3*	5.3*	5.4*		7.5	7.1	7.3	7.7	7.6	7.6	7.6
17020000	18.476	19.700	R	1	2	35	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	
45 41				2	3.0	31500	RIDE	6.2*	6.3*	8.2	7.3	6.8	5.9	6.6	6.2	6.1	6.2	5.9	5.5	5.5	
MAIN ST(18.5R)																					
							(2023)	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	
							RIDE	5.2*	5.1*	5.5	5.1*	5.3*	5.2*		7.5	7.1	7.3	6.1	5.9		
17020000	19.700	22.085	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	3.3	32500	RIDE	6.2*	6.3*	6.6	6.3*	6.0*	5.9*	5.8*	5.7	7.6	7.5	7.4	7.4	7.3	
16TH ST(19.7R)																					
1977672	19.357	22.048	R	2004		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.0	6.5	5.5*	3.5*	3.5
AJAX PAVING INDUSTRIES, IN(2007)																					
							RIDE	7.2	7.2	7.0	6.4	6.8	6.5	6.9	6.8	6.7	6.6	6.2	6.3	6.3	5.9
17020000	22.085	22.430	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41				3	3.0	39000	RIDE	6.2*	6.3*	6.6	7.4	7.0	6.4*	6.8	6.6	7.0	6.8	6.6	6.7	6.6	
GEN SPAATZ BLVD(22.2R)																					
1977671	19.275	22.406	C	1983		0216	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5
MACASPALT A DIVISION OF (1986)																					
4510111	20.903	22.390	C	2026		0226															
17020000	22.045	22.430	L	1	1	45	CRACKING	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
45 41				3	3.0	39000	RIDE	6.5	6.2*	6.3*	7.9	7.6	7.4	7.6	7.6	7.3	7.2	7.3	7.3	7.5	
COLLEGE DR(22.2L)																					
							(1992)	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5
							RIDE	7.3	7.3	6.8	7.2	7.1	6.3	6.8	6.8	6.8	6.6	6.3	6.4	6.3	6.3
4510111	20.903	22.390	C	2026		0226															
17020000	19.700	22.045	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	3.3	32500	RIDE	6.5	6.2*	6.3*	6.0*	5.7*	5.5*	5.6*	5.5	7.3	6.5	7.4	7.3	7.3	
HAMPTON RD(19.7L)																					
1977672	19.357	22.047	L	2004		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.0	5.5*	5.5*	3.5*	3.5
AJAX PAVING INDUSTRIES, IN(2007)																					
							RIDE	7.0	6.9	6.6	6.6	6.8	6.5	6.7	6.6	6.5	6.5	6.2	6.0	6.2	5.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														
17020000	18.476	19.700	L	1	2	35	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0
45 41			2	3.0		31500	RIDE	6.5	6.2*	7.1	6.7	6.4	6.1	6.6	6.6	6.4	6.3	6.5	6.7	5.7	
MARINA PLZ(18.5L)							DGFC														
				(2023)			CRACKING	9.0	9.0	9.0	9.0	9.0	7.0			10.0	10.0	10.0	10.0	10.0	
							RIDE	5.6	5.5	5.4*	5.6	6.0	5.5			7.3	7.6	7.4	6.0	6.0	
17020000	17.910	18.476	L	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	
45 41			2	2.8		18600	RIDE	8.2	8.1	7.3	7.3	7.1	6.7	6.7	6.7	6.3	6.3	6.4	6.5	6.6	
PALM AVE S(17.9C)							FC125M														
4313111	18.009	19.155	C	2016	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC. (2020)							RIDE	6.8	6.8	6.6	5.8	5.7	6.4			7.3	7.6	7.4	7.6	7.7	7.7
17020000	17.225	17.910	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	
45 41			3	2.8		18600	RIDE	6.5	6.8	7.3	7.3	7.1	6.7	6.7	6.7	6.3	6.3	6.4	6.5	6.6	
BAY ST(17.3L)							FC125M														
				(2020)			CRACKING	9.0	9.0	9.0	9.0	9.0	5.5*			10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.8	6.8	6.6	5.8	5.7	6.3			8.0	7.6	7.8	7.6	7.8	7.5
17020000	15.250	17.225	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	10.0	10.0
45 41			3	2.8		58000	RIDE	7.1	7.6	7.5	7.5	7.4	7.0	6.9	6.8	7.5	6.7	6.7	8.3	8.2	
SR758/BAY RD(15.3L)							FC3														
4218301	15.248	17.206	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	6.0*	5.5
AJAX PAVING INDUSTRIES, IN(2010)							RIDE	8.2	8.2	8.1	7.7	7.9	7.2	7.6	7.6	7.6	7.5	7.4	7.3	7.4	6.9
17020000	12.132	15.250	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	
45 41			3	3.1		45000	RIDE	8.3	7.6	7.5	7.5	7.4	7.0	6.9	6.8	7.5	6.7	6.7	7.9	7.8	
BAYWOOD DR(12.2L)							FC4														
1979551	12.567	15.247	C	1993	0005		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5
PCL CIVIL CONSTRUCTORS INC(1997)							S RIDE	7.9	7.9	7.8	7.0	7.0	7.2	7.6	7.6	7.6	7.6	7.5	7.4	7.6	7.3
17020000	9.682	12.132	L	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	
45 41			2	3.2		33275	RIDE	8.6	8.6	8.5	8.6	8.4	8.0	8.0	7.8	7.8	7.3	7.5	7.8	7.7	
VAMO RD(10.0L)							FC125M														
4291311	9.682	12.132	C	2014	0012		CRACKING	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF (2017)							RIDE	7.7	7.5	7.6	7.0			8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.1
17020000	7.350	9.682	L	1	1	55	CRACKING	10.0	10.0	9.5	9.5	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	
45 41			2	3.4		42500	RIDE	8.6	8.6	8.5	8.6	8.4	8.0	8.0	7.8	7.8	7.3	7.5	8.5	8.4	
BAY ST( 7.4C)							FC125														
1978372	7.350	9.680	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2
PREFERRED MATERIALS, INC. (2010)							RIDE	8.4	8.3	8.3	7.8	7.3	7.7	8.1	8.0	8.0	7.8	7.4	7.7	7.7	7.3
17020000	4.258	7.350	L	1	1	55	CRACKING	10.0	10.0	9.5	9.5	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*		10.0	
45 41			2	4.9		35000	RIDE	8.5	8.6	8.5	8.6	8.4	8.0	8.0	7.8	7.8	7.3	7.5		7.9	
LYCHE RD L( 4.3L)							FC5														
1979872	4.244	7.350	C	2009	0012		CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	3.2
PREFERRED MATERIALS, INC. (2011)							RIDE	7.8	7.8	7.8	7.7	7.9	7.9	7.9	7.9	8.0	8.0	7.8	7.9	7.9	7.9
4462901	4.258	7.352	C	2025	0226																
17020000	3.895	4.258	L	1	1	55	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	4.9		35000	RIDE	8.0	8.0	7.9	7.8	8.4	7.9	8.1	8.2	7.8	7.8	7.7	7.6	8.0	
BAYSHORE DR L( 4.0L)							FC5														
1980441	3.911	4.253	C	2002	0012		CRACKING	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.3
APAC-FLORIDA INC (2003)							SPRIDE	7.8	7.8	7.9	7.9	8.4	8.3	8.4	8.5	8.5	8.4	8.2	8.1	8.3	8.3
17020000	0.585	3.895	L	1	1	45	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5				10.0	10.0	
45 41			3	3.5		46000	RIDE	8.2	8.1	8.0	7.9	7.8	7.6	7.5	7.5				7.8	7.7	
SR 45 SB US 41( 0.6L)							FC125														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2
							RIDE	7.7	7.7	7.6	7.0	7.3	7.1	7.7	7.7	7.6	7.7	7.8	7.6	7.7	7.6
17020000	0.000	0.585	L	1	2	40	CRACKING	10.0	10.0	9.5	9.5					10.0	10.0	10.0	10.0	9.5	9.5
45 B41			2	2.6		18800	RIDE	8.5	8.3	8.4	7.2					7.6	7.0	7.0	7.4	7.0	6.9
CR 772 VENICE AVE( 0.0L)							DGFC														
1980051	0.000	0.685	C	2000	0002		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*
GLF CONSTRUCTION CORPORATI(2006)							S RIDE	7.2	6.9	6.7	6.8	5.5	5.5	5.9	5.3*	5.6	5.9	5.7	5.7	5.7	4.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT	(MP)	(SIDE)					*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE)	YEAR)			ASTYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
17030000	0.013	0.194	C	1	7	40	CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	9.0	9.0	9.5	9.0	9.0	9.5	8.0	
789			4	4.3	41500		RIDE	8.3	7.8	6.7	6.6	6.7		4.9*	5.8	5.7	5.2*	5.7	7.2	5.0*	
TURNOUT( 0.0L)							FC4														
				(2024)			CRACKING	9.5	9.5	9.5	8.0	9.5	9.5	9.5	7.0	10.0	10.0	10.0		10.0	
4459262	0.000	0.194	C	2025	0012		RIDE	7.0	6.9	6.8	5.0*									6.7	
17030000	1.206	2.252	R	1	1	40	CRACKING	10.0	10.0	10.0	9.5	9.5	10.0	10.0	9.0	9.0	7.5	7.5		10.0	
789			2	4.3	36000		RIDE	6.6	7.2	7.0	7.1	6.9	6.4	6.5	6.6	6.6	5.7	6.2		7.8	
BIRD KEY DR( 1.2C)							FC125R														
1978832	0.000	3.170	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0
AJAX PAVING INDUSTRIES, IN(2011)							RIDE	7.7	7.7	7.6	7.6	6.6	6.4	7.2	7.3	7.2	7.1	7.2	7.0	6.9	6.6
17030000	2.252	2.750	R	1	6	25	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5		10.0	
789			2	5.2	20000		RIDE	6.6	7.2	7.0	7.1	5.4*	6.0	6.5	6.1	4.6*	6.1	6.0		7.8	
MADISON DR( 2.4C)							FC125R														
1978832	0.000	3.170	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	5.6
AJAX PAVING INDUSTRIES, IN(2011)							RIDE	7.7	7.7	7.6	7.6	6.6	6.4	7.2							
17030000	2.750	3.208	C	1	6	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5		10.0	
789			2	5.2	20000		RIDE	7.7	7.5	7.6	7.1	7.4	6.4	6.2	6.3	6.1	6.3	5.8		8.1	
MORNINGSIDE DR( 3.0L)							FC4														
1978832	0.000	3.170	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5
AJAX PAVING INDUSTRIES, IN(2011)							RIDE	8.0	8.0	8.0	8.0										
17030000	3.870	5.953	C	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	
789			2	4.3	16900		RIDE	8.6	8.5	8.1	8.4	8.2	7.6	7.5	7.3	7.4	7.3	6.9	7.2	7.1	
HOFFMAN LN( 4.1R)							FC95														
4224071	3.870	5.953	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.5	6.5	5.5*	4.5
AJAX PAVING INDUSTRIES OF (2012)							RIDE	8.8	8.5	8.6	8.6	8.4	8.1	8.2	8.1	8.1	8.0	8.0	7.8	7.9	7.4
4510131	3.870	8.957	C	2027	0226																
17030000	5.953	8.957	C	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	
789			2	3.6	13100		RIDE	8.6	8.5	8.1	8.4	8.2	7.6	7.5	7.3	7.4	7.3	6.9	7.2	7.1	
BAY ISLES ENT( 6.0R)							DGFC														
4223951	5.953	8.953	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	6.5	6.5	6.0*	4.5
AJAX PAVING INDUSTRIES OF (2012)							RIDE	8.5	8.3	8.4	8.0	8.2	8.0	8.0	7.9	7.9	7.7	7.7	7.5	7.6	7.1
4510131	3.870	8.957	C	2027	0226																
17030000	2.252	2.750	L	1	6	25	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5		10.0	
789			2	5.2	20000		RIDE	6.2*	6.9	7.5	7.3	6.8	6.6	6.8	6.6	6.3	6.4	6.0		7.9	
HARDING CIR( 2.3L)							FC125R														
1978832	0.000	3.170	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	5.9
AJAX PAVING INDUSTRIES, IN(2011)							RIDE	7.6	7.6	7.7	7.7	7.4	7.3	7.4							
17030000	1.206	2.252	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5		10.0	
789			2	4.3	36000		RIDE	6.2*	6.9	7.5	7.3	6.8	6.6	6.8	6.6	6.3	6.4	6.0		7.9	
BIRD KEY DR( 1.2C)							FC125R														
1978832	0.000	3.170	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5
AJAX PAVING INDUSTRIES, IN(2011)							RIDE	7.6	7.6	7.7	7.7	7.4	7.3	7.4	7.6	7.3	7.4	7.4	7.3	7.0	7.0
17030201	0.000	0.267	C	1	1	40	CRACKING													10.0	10.0
789			2	3.7	37000		RIDE													7.2	7.7
SUNSET DR( 0.0R)							DGFC														
				(2010)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.5
							RIDE	7.7	7.7	7.6	7.7	7.1	7.1	7.1	6.8	6.8	7.0	6.7	6.6	6.6	6.2
17030201	0.867	1.006	C	1	6	40	CRACKING													10.0	10.0
789			2	3.7	37000		RIDE													7.2	6.7
BIRD KEY DR( 1.0C)							DGFC														
				(2010)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	5.7
							RIDE	6.5	6.4	6.4	6.4	6.1									
17030401	0.000	0.372	C	1	6	35	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	
789			2	3.6	19600		RIDE	6.9	6.9	7.0	7.0	6.8	6.2	6.4	6.3	6.0	6.3	6.3	8.0	8.0	7.9
WESTWAY PL( 0.0L)							FC4														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0
							RIDE	8.0	7.7	7.8	7.6										

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).







# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE																	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	W_KMX-P	ASTYPE	=====																											(REG)			
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																																
17075000	29.039	39.300	L	4	1	70	CRACKING	10.0	9.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0																	
93 175				3	9.4	114000	RIDE	9.0	8.9	9.0	8.9	8.7	8.3	8.2	8.0	8.2	8.1	8.0	8.3	8.3																	
							FC5M																														
4202401	29.039	37.132	C	2009	0012		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	5.9																
AJAX PAVING INDUSTRIES OF				(2010)			RIDE	8.3	8.2	8.3	8.0	8.4	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4																	
4491881	29.039	38.096	L	2026	0012																																
17075000	20.315	29.039	L	4	1	70	CRACKING	6.0*	6.0*	6.0*	4.5*	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5																	
93 175				3	10.5	93000	RIDE	8.8	8.5	8.7	8.6	9.0	8.6	8.5	8.2	8.4	8.3	8.2	8.2	8.1																	
							FC5M																														
EXIT 36(29.0L)																																					
4063143	20.151	28.919	C	2010	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	5.1																
ASTALDI CONSTRUCTION CORP.				(2014)			SPRIDE			8.1	7.9	8.3	8.3	8.3	8.5	8.5	8.5	8.5	8.5	8.4	8.4																
4517341	20.315	29.039	L	2026	0012																																
17075000	11.466	20.315	L	4	1	70	CRACKING	6.0*	6.5	6.5	6.0*	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5																	
93 175				3	11.6	72500	RIDE	8.8	8.6	8.7	8.5	9.0	8.6	8.5	8.2	8.4	8.3	8.2	8.2	8.1																	
							FC5A																														
4130444	11.466	19.986	C	2013	0218		CRACKING	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
CNA				(2018)			SPRIDE	7.8	7.6	7.8				8.8	8.9	8.9	8.9	8.9	8.9	8.9	8.8	8.8															
17075000	0.000	11.466	L	4	1	70	CRACKING	7.5	6.5	6.5	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5																	
93 175				3	11.8	57500	RIDE	8.8	8.6	8.7	8.5	8.2	7.8		8.1	8.2	8.1	8.1	8.1	8.1																	
							FC5M																														
4130442	0.000	7.465	C	2016	0213		CRACKING	9.5	9.0	8.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0																
ASTALDI CONSTRUCTION CORP.				(2019)			SPRIDE	8.0	7.8	7.9	7.5	8.2			8.8	8.8	8.9	8.8	8.8	8.8	8.8																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

