

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M-F																
17000064 777	0.000	0.613	R	1	8 45	21500	CRACKING RIDE														
							DGFC														
							(2021)								9.0	9.0	9.0				
							CRACKING RIDE								7.1	7.2	7.2				
17000064 777	0.613	5.060	C	1	8 45	21500	CRACKING RIDE														
							DGFC														
							(2021)														
							CRACKING RIDE								6.5	6.5	6.5				
															7.6	7.5	7.5				
4450591	0.188	5.310	C	2021	0213																
17000064 777	5.060	5.310	R	1	8 55	21500	CRACKING RIDE														
							DGFC														
							(2021)														
							CRACKING RIDE								9.0	9.0	9.0				
															7.9	7.8	7.9				
17000064 777	5.310	5.819	R	1	1 55	21500	CRACKING RIDE														
							DGFC														
							(2021)														
							CRACKING RIDE								9.0	9.0	9.0				6.5
															7.9	7.8	7.9				7.9
																					5.0*
																					7.6
17000064 777	5.310	5.819	L	1	1 55	21500	CRACKING RIDE														
							OGFC														
							(2021)														
							CRACKING RIDE								9.0	9.0	9.0				6.5
															7.8	7.7	7.8				7.5
																					7.3
17000064 777	5.060	5.310	L	1	8 55	21500	CRACKING RIDE														
							DGFC														
							(2021)														
							CRACKING RIDE								9.0	9.0	9.0				
															7.8	7.7	7.8				
4450591	5.115	5.249	C	2021	0213																
							(2021)														
							CRACKING RIDE								9.0	9.0	9.0				
															7.8	7.7	7.8				
17000064 777	0.000	0.613	L	1	8 45	21500	CRACKING RIDE														
							DGFC														
							(2021)														
							CRACKING RIDE								6.5	6.5	6.5				
															7.7	7.8	6.7				
4450591	0.188	5.310	C	2021	0213																
17005000 681	0.000	0.327	C	1	1 45	6700	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
							FC5M	9.0	8.9	8.8	8.3	8.4	8.2	8.2	8.1	8.1	8.2	8.0	8.0	7.9	7.9
							(2025)														
							CRACKING RIDE	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0
								7.6	7.4	8.0	8.1	8.2	8.4	8.2	8.1	8.2	8.3	8.6	8.4	8.2	8.2
17005000 681	0.327	3.158	R	1	1 55	16100	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0
							FC5M	9.1	8.9	8.9	8.2	8.3	8.3	8.1	7.8	8.0	8.1	7.9	7.7	7.5	7.5
							(2025)														
							CRACKING RIDE	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0
								7.3	7.4	8.0	8.1	8.1	8.2	8.1	8.0	7.9	8.1	8.6	8.7	8.5	8.5
17005000 681	3.158	4.142	C	1	1 60	7800	CRACKING RIDE	8.0	8.0	10.0	9.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
							FC5M	8.7	8.1	8.6	8.4	8.5	8.4	8.4	8.1	8.2	8.3	8.3	8.3	8.1	8.1
							(2025)														
							CRACKING RIDE	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	10.0	10.0	9.0
								8.2	8.0	8.2	8.3	8.4	8.5	8.4	8.5	8.5	8.4	8.4	8.5	8.5	8.3
4415601	3.500	4.000	C	2023	0012																
							(2025)														
							SPRIDE	8.2	8.0	8.2	8.3	8.4	8.5	8.4	8.5	8.5	8.4	8.4	8.5	8.5	8.3
17005000 681	0.327	3.158	L	1	1 55	16100	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0
							FC5M	9.0	9.0	8.8	8.3	8.4	8.2	8.2	8.1	8.1	8.2	8.0	8.0	7.9	7.9
							(2025)														
							CRACKING RIDE	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0
								7.6	7.4	8.0	8.1	8.2	8.4	8.4	8.2	8.1	8.2	8.3	8.6	8.6	8.4

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F	*****														(PMRS)
ITMSEG-P	ITMSEG-F																				
17008000	0.000	3.368	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	
758				3	3.3	38500	RIDE	5.9*	5.5*	5.4*	7.2	7.3	7.2	7.1	7.1	6.9	7.0	6.7	6.4	6.4	
S TAMAMI	TRL( 0.0C)					FC125M															
4313061	0.157	3.200	C	2016		0005	CRACKING	5.5*	5.5*	5.5*			10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.6	5.0*
WATSON CIVIL CONSTRUCTION, (2019)						SPRIDE		6.3	5.9	5.9			8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.0	7.7
17008000	3.368	4.840	R	1	1	45	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0
758				2	4.8	39500	RIDE	5.7*	5.7*	8.3	7.8	7.7	7.7	7.4	7.2	7.1	7.0	6.9	6.4	6.1	
DUNN DR( 3.6R)						FC125H															
4365671	3.368	4.737	C	2018		0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.0
AJAX PAVING INDUSTRIES OF (2020)						SPRIDE		6.3	6.1	6.7	6.2	6.3	6.2	8.4	8.3	8.3	8.3	8.3	8.3	8.3	7.9
17008000	4.840	5.432	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0
758				3	5.0	28000	RIDE	8.1	8.2	7.7	7.6	7.5	7.5	7.3	7.4	7.2	7.1	7.7	7.4	7.2	
CATTLEMAN RD( 4.9C)						FC125A															
4291191	4.867	5.148	C	2014		0012	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	6.6	5.0*
SUPERIOR ASPHALT, INC. (2015)						RIDE		7.1	8.0	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.1	7.1	7.0	7.1	6.8
17008000	4.840	5.432	L	1	1	45	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	
758				3	5.0	28000	RIDE	8.3	8.3	7.7	7.2	7.2	7.1	7.0	5.7	6.5	5.4*	6.9	6.7	6.8	
CATTLEMAN RD( 4.9C)						FC125A															
4291191	4.867	5.148	C	2014		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.3	6.9	5.0*
SUPERIOR ASPHALT, INC. (2015)						RIDE		6.7	7.4	7.1	7.1	7.4	7.8	7.4	7.4	7.4	7.3	7.3	7.3	7.4	7.1
17008000	3.368	4.840	L	1	1	45	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.0	
758				2	4.8	39500	RIDE	6.5	6.4*	8.5	8.0	8.2	8.1	7.9	8.0	7.4	7.8	7.7	7.6	7.4	
BOND PL( 3.4L)						FC125H															
4365671	3.368	4.737	C	2018		0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	9.4	9.4	8.0
AJAX PAVING INDUSTRIES OF (2020)						SPRIDE		7.1	6.5	7.0	7.2	7.1	6.8	8.5	8.6	8.3	8.6	8.5	8.5	8.4	8.1
17008000	0.000	3.368	L	1	1	45	CRACKING	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.0	
758				3	3.3	38500	RIDE	6.2*	6.1*	6.1*	7.4	7.6	7.2	7.5	7.3	7.1	7.1	7.0	7.0	6.7	
S TAMAMI	TRL( 0.0C)					FC125M															
4313061	0.157	3.200	C	2016		0005	CRACKING	6.5	6.5	5.5*			10.0	10.0	8.5	8.5	7.5	7.5	6.6	7.5	6.0*
WATSON CIVIL CONSTRUCTION, (2019)						SPRIDE		6.8	6.1	6.0			8.2	8.2	8.1	8.0	7.9	7.9	7.8	7.8	7.5
17010000	0.000	1.350	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
45 41				3	4.6	40500	RIDE	8.8	8.7	8.4	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8
SALFORD BLVD( 0.2C)						FC5M															
4227105	0.209	1.205	C	2017		0213	CRACKING	9.5	8.5	8.0	6.5	6.5			10.0	10.0	10.0	10.0	9.3	9.4	8.0
RUSSELL ENGINEERING, INC (2021)						SPRIDE		7.8	7.6	8.1	8.0	8.0			8.5	8.4	8.4	8.4	8.4	8.4	8.2
17010000	1.350	5.947	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
45 41				2	4.6	40500	RIDE	8.8	8.7	8.4	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8
LOWES ENT( 1.4R)						FC5M															
4415501	1.324	5.925	R	2023		0012	CRACKING	9.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF (2026)						SPRIDE		7.8	7.6	8.1	8.0	8.0	8.1	8.1	8.0	7.9	7.9	7.9	7.9	8.2	8.0
17010000	5.947	6.348	R	1	2	55	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41				2	5.7	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.8	7.7	
TURNOUT( 6.2R)						OGFC															
4091901	4.320	7.887	C	2005		0012	CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	6.5	3.5*	
AJAX PAVING INDUSTRIES, IN(2007)						RIDE		7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5	7.1	6.9	
4415501	1.324	7.393	R	2023		0012															
17010000	6.348	7.430	R	1	7	55	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41				2	5.7	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.8	7.7	
ROCK HAVEN LANE( 6.7R)						FC125M															
4415501	6.334	7.393	R	2023		0012	CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2026)						SPRIDE		7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5	7.6	7.6	7.3
17010000	7.430	7.703	R	1	1	55	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41				2	5.7	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.8	7.7	
						OGFC															
						(2026)	CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	8.8	8.0	
						RIDE		7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5	7.9	7.7	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****														(PMRS)	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	*****														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****														(PMRS)	
17010000	7.703	7.794	R	1	1	55	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41				2	5.7	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.9	7.8	7.7	
							FC5															
4091901	4.320	7.887	C	2005	0012		CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		0.6*	0.0*	
AJAX PAVING INDUSTRIES, IN(2007)							RIDE	7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5		5.8*	5.6*	
4491001	7.672	7.762	R	2025	0226																	
17010000	7.794	8.613	R	1	7	55	CRACKING	5.0*	4.5*	5.0*	5.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	5.7	24000	RIDE	8.2	8.0	7.8	6.8	6.9	7.8	8.0	7.9	7.9	7.9	7.9	8.0	7.8	7.8	
							FC125M															
							(2026)	9.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.0	
							RIDE	7.7	7.6	7.9	7.7	7.8	7.9	7.8	7.7	7.7	7.7	7.6		7.0	6.7	
17010000	8.613	12.701	R	1	1	55	CRACKING	5.0*	4.5*	5.0*	5.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				2	3.4	32500	RIDE	8.2	8.0	7.8	6.8	6.9	7.8	8.0	7.9	7.9	7.9	7.9	8.0	7.8	7.8	
							FC5															
GALLERIA BLVD( 8.9R)																						
4067641	7.850	12.293	C	2004	0012		CRACKING	9.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.9	5.5*	2.0*	
PREFERRED MATERIALS, INC. (2006)							RIDE	7.7	7.6	7.9	7.7	7.8	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.4	
4491001	8.590	12.751	C	2025	0226																	
17010000	12.701	14.543	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	6.5	4.5*	4.5*		
45 41				3	2.8	55500	RIDE	8.8	8.7	8.4	8.2	7.9	8.1	8.0	7.9	7.8	7.8	7.9	7.6	7.6		
							FC95MR															
PARK PL(12.8R)																						
4314231	12.940	14.535	C	2015	0012		CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	9.0	7.5	
AJAX PAVING INDUSTRIES OF (2017)							SPRIDE	7.4	7.0	7.7	8.7	8.6	8.6	8.5	8.2	8.3	8.1	7.9	8.0	7.9	7.6	
17010000	14.543	14.840	R	1	1	45	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	2.8	55500	RIDE	8.8	8.7	8.4				7.4	7.4	7.5	7.6	7.5	7.4	7.4	6.9	
							FC2															
SHAMROCK BLVD(14.7R)																						
1980261	14.661	16.621	C	2002	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.7	7.7	4.5*
JOHNSON BROS. CORPORATION (2006)							SPRIDE	7.1	7.1	7.0	6.7	7.1	6.3	6.4	6.5	6.2	6.3	7.0	6.9	6.6	6.4	
17010000	14.840	16.569	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
45 B41				2	2.5	29500	RIDE	7.1	7.4	6.5	6.5			7.6	7.5	7.5	7.6	7.5	7.5	7.5	7.5	
							FC125															
SR 45A(14.9R)																						
1980261	14.661	16.621	C	2002	0213		CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.2	5.5*
JOHNSON BROS. CORPORATION (2006)							SPRIDE	7.3	7.2	6.9	7.0	6.9	6.9	6.8	6.8	6.7	6.6	6.7	6.3	6.4	6.1	
4527811	15.230	17.155	C	2029	0226																	
17010000	16.569	17.155	R	1	1	35	CRACKING	6.5		10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0		
45 B41				2	2.5	29500	RIDE	6.4*				5.9	7.6	7.5	7.5	7.6	7.5	7.5	7.0	6.6		
							FC125M															
PUBLIX ENT(16.6R)																						
4349611	16.587	17.131	C	2017	0012		CRACKING	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5	7.7	8.5	7.0	
AJAX PAVING INDUSTRIES OF (2019)							RIDE	6.3	6.4	5.4*	5.5	5.7								7.5	7.2	
4527811	15.230	17.155	C	2029	0226																	
17010000	16.569	17.155	L	1	1	35	CRACKING	4.5*		10.0	10.0	9.5	10.0	10.0	9.5	9.5	9.5	8.5	7.0	6.5		
45 B41				2	2.5	29500	RIDE	6.0*				6.4	7.5	7.6	7.6	7.5	7.5	7.5	6.8	6.6		
							FC125M															
PALERMO PL(16.6L)																						
4349611	16.587	17.131	C	2017	0012		CRACKING	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	8.5	8.5	8.5	8.5	7.2	8.0	6.5	
AJAX PAVING INDUSTRIES OF (2019)							RIDE	6.2	6.5	5.5	5.1*	5.3*								6.5	6.2	
4527811	15.230	17.155	C	2029	0226																	
17010000	14.840	16.569	L	1	1	45	CRACKING	9.5	9.5	9.0	9.0			10.0	10.0	9.5	9.5	9.5	8.5	9.5	9.5	
45 B41				2	2.5	29500	RIDE	7.6	7.4	6.8	7.0			7.5	7.6	7.6	7.5	7.5	7.5	7.7	7.6	
							FC125															
WYE TO SR 45A(14.9C)																						
1980261	14.661	16.621	C	2002	0213		CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.7	6.0*
JOHNSON BROS. CORPORATION (2006)							SPRIDE	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.0	7.0	6.9	6.9	6.8	6.9	6.6	
4527811	15.230	17.155	C	2029	0226																	
17010000	14.543	14.840	L	1	1	45	CRACKING	10.0	10.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	2.8	55500	RIDE	8.5	8.6	7.9				7.9	7.9	7.4	8.0	7.9	7.8	7.3	7.1	
							FC2															
SHAMROCK AVE(14.7L)																						
1980261	14.661	16.621	C	2002	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.1	8.4	5.0*
JOHNSON BROS. CORPORATION (2006)							SPRIDE	7.6	7.6	6.7	6.9	6.9	6.9	6.9	7.0	6.7	6.8	7.2	6.6	6.6	6.4	
17010000	12.701	14.543	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5		
45 41				3	2.8	55500	RIDE	8.5	8.6	7.9	8.1	8.0	8.0	8.0	7.9	7.7	7.7	8.0	7.7	7.6		
							FC95MR															
TURNOUT(12.8L)																						
4314231	12.940	14.535	C	2015	0012		CRACKING	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.6	8.4	6.5	
AJAX PAVING INDUSTRIES OF (2017)							SPRIDE	6.8	7.3	7.6	8.4	8.3	8.4	8.3	8.3	8.0	8.1	8.1	8.1	8.0	7.7	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														(PMRS)
17010000	8.613	12.701	L	1	1	55	CRACKING	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
45 41			2	3.4		32500	RIDE	8.4	8.2	8.0	7.2	7.2	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	7.9
CORRADINO BLVD( 8.9L)																					
4067641	7.850	12.293	C	2004		0012	CRACKING	9.5	8.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.2*	5.5*	2.0*
PREFERRED MATERIALS, INC. (2006)																					
4491001	8.590	12.751	C	2025		0226	RIDE	7.8	7.8	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.9	7.8	7.8	7.6
17010000	7.715	8.613	L	1	7	55	CRACKING	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
45 41			2	5.7		24000	RIDE	8.4	8.2	8.0	7.2	7.2	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	7.9
FC125M																					
							CRACKING	9.5	8.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.0
							RIDE	7.8	7.8	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.9	6.6	6.3*
(2026)																					
17010000	7.660	7.715	L	1	1	55	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	5.7		24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.8
UNKW																					
4091901	4.320	7.887	C	2005		0012	CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		1.0*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)																					
							RIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4	6.5	6.2*	6.2*
17010000	7.394	7.660	L	1	1	55	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	5.7		24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.8
OGFC																					
							CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		9.1	8.0
							RIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4	8.3	8.3	8.1
(2026)																					
17010000	6.262	7.394	L	1	7	55	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	5.7		24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.8
FC125M																					
4415501	6.319	7.430	L	2023		0012	CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		10.0	9.0
AJAX PAVING INDUSTRIES OF (2026)																					
							SPRIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4	7.1	6.8	6.8
17010000	6.031	6.262	L	1	1	55	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	5.7		24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.8
OGFC																					
4091901	4.320	7.887	C	2005		0012	CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		5.9*	2.5*
AJAX PAVING INDUSTRIES, IN(2007)																					
							RIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4	7.3	7.1	7.1
17010000	1.350	6.031	L	1	7	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
45 41			2	4.6		40500	RIDE	8.8	8.8	8.5	7.9	7.9	7.3	7.9	7.8	7.7	7.8	7.8	7.7	7.7	7.6
TUSCOILA BLVD( 1.4L)																					
4415501	1.324	6.091	L	2023		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
AJAX PAVING INDUSTRIES OF (2026)																					
							SPRIDE	7.6	7.4	7.8	7.9	7.9	8.0	8.0	7.9	7.9	7.9	7.9	7.8	8.5	8.3
17010000	0.000	1.350	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
45 41			3	4.6		40500	RIDE	8.8	8.8	8.5	7.9	7.9	7.3	7.9	7.8	7.7	7.8	7.8	7.7	7.7	7.6
SALFORD BLVD( 0.2C)																					
4227105	0.209	1.205	C	2017		0213	CRACKING	8.0	8.0	8.0	8.0	8.0			10.0	10.0	10.0	10.0	9.3	9.0	7.5
RUSSELL ENGINEERING, INC (2021)																					
							SPRIDE	7.6	7.4	7.8	7.9	7.9			8.3	8.2	8.2	8.1	8.1	8.2	8.0
17020000	0.000	0.585	R	1	1	40	CRACKING	9.5	9.5				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
45 B41			2	2.6		20000	RIDE	8.4	7.2				7.4	7.0	7.0	7.1	7.2	7.3	7.1	7.0	7.0
CR 772 VENICE AVE( 0.0R)																					
1980051	0.000	0.685	C	2000		0002	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.0*	6.0*	5.8*	5.2*	2.5*
GLF CONSTRUCTION CORPORATI(2006)																					
4527811	0.000	0.585	C	2029		0226	S RIDE	6.9	7.1	5.9	5.5	5.6	6.0	6.1	5.8	5.7	5.5	5.7	5.7	5.7	5.4*
17020000	0.585	3.895	R	1	1	45	CRACKING	10.0	9.5	9.5	9.5	8.0	7.5				10.0	10.0	10.0	10.0	10.0
45 41			3	3.5		50000	RIDE	8.0	8.1	7.8	7.6	7.5	7.4				8.0	7.6	7.6	7.6	7.7
TURNOUT( 0.6R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.1	9.0	7.0
							RIDE	7.6	7.4	6.8	7.0	7.6	7.7	7.6	7.6	7.7	7.6	7.7	7.6	7.6	7.3
(2010)																					
17020000	3.895	4.258	R	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			3	5.1		41500	RIDE	8.0	7.8	8.4	7.7	7.8	8.0	7.8	7.7	8.0	8.0	7.8	7.6	7.6	7.6
UNSGIGNED( 4.0R)																					
1980441	3.911		C	2002		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.6	6.5	3.0*
APAC-FLORIDA INC (2003)																					
							SPRIDE	7.6	7.7	8.2	8.2	8.3	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F														(PMRS)	
17020000	4.258	7.350	R	1	1	55	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.5
45 41				2	5.1	41500	RIDE	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0		7.6	7.5	7.6	
GULF AVE( 4.3R)																					
1979872	4.244	7.350	C	2009		0012	CRACKING	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.2*	5.7*	3.0*
PREFERRED MATERIALS, INC. (2011)																					
4462901	4.247	7.394	C	2025		0226	RIDE	7.6	7.5	7.8	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.5
FC5																					
17020000	7.350	9.682	R	1	1	55	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0
45 41				2	3.4	45500	RIDE	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0		8.4	8.4	8.4	8.4
BAY ST( 7.4C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0				8.5	8.5	9.4	9.4
							RIDE	8.4	7.7	6.9	7.1	8.1	8.0	8.0				7.9	7.9	7.9	7.9
(2023)																					
17020000	9.682	11.356	R	1	1	45	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*
45 41				2	3.3	32170	RIDE	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0	7.5	7.3	7.3	7.3	7.1
ENT SARA SQ MALL( 9.9R)																					
							CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.8	9.5	8.5
							RIDE	7.1	6.7		8.1	8.2	8.1	8.0	8.0	8.0	7.9	8.0	7.9	7.8	7.5
(2026)																					
17020000	11.356	12.132	R	1	1	45	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*
45 41				2	3.1	46000	RIDE	8.4	8.5	8.2	7.8	7.8	7.6	7.6	7.3	7.0	7.5	7.3	7.3	7.3	7.1
CASS WAY(11.5R)																					
							CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.8	10.0	9.0
							RIDE	7.1	6.7		8.1	8.2	8.1	8.0	8.0	8.0	7.9	8.0	7.9	8.0	7.7
(2026)																					
17020000	12.132	12.511	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
45 41				3	3.1	46000	RIDE	8.0	8.3	7.6	7.6	7.6	7.7	7.8	7.5	7.4	7.4	7.4	7.3	7.3	7.3
MOBILE ESTATES DR S(12.1R)																					
							CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	10.0	9.0
							RIDE	7.1	6.5	6.8	6.8	6.8	7.0	6.7	6.6	6.5	6.4	6.6	6.8	6.8	6.5
(2026)																					
4510091	12.151	15.248	C	2029		0226	RIDE	7.1	6.5	6.8	6.8	6.8	7.0	6.7	6.6	6.5	6.4	6.6	6.8	6.8	6.5
DGFC																					
17020000	12.511	15.230	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
45 41				3	3.1	49000	RIDE	8.0	8.3	7.6	7.6	7.6	7.7	7.8	7.5	7.4	7.4	7.4	7.3	7.3	7.3
COUVER DR(12.6R)																					
1979551	12.567	15.247	C	1993		0005	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	7.2	4.0*
PCL CIVIL CONSTRUCTORS INC(1997)																					
4510091	12.151	15.248	C	2029		0226	RIDE	7.1	6.5	6.8	6.8	6.8	7.0	6.7	6.6	6.5	6.4	6.6	6.8	6.4	6.1
FC4																					
17020000	15.230	17.225	R	1	1	45	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0
45 41				3	4.8	58500	RIDE	7.5	7.4	7.0	6.9	6.8	7.0	7.0	7.0	6.6	6.6	8.3	8.2	7.9	8.2
BAY RD(15.3R)																					
4218301	15.248	17.206	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	6.4*	6.5
AJAX PAVING INDUSTRIES, IN(2010)																					
4527841	15.248	17.222	C	2028		0012	RIDE	7.9	8.1	8.0	7.8	7.9	7.6	7.7	7.8	7.7	7.7	7.6	7.6	7.7	7.4
FC3																					
17020000	17.225	18.476	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	
45 41				2	2.8	19700	RIDE	7.5	7.4	7.0	7.2	7.2	7.1	6.9	7.0	6.8	6.2	6.2	6.1	6.1	6.1
BAY ST(17.3R)																					
							CRACKING	7.0	7.0	6.0*	5.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.4	8.0
							RIDE	5.6	5.3*	5.3*	5.4*			7.5	7.1	7.3	7.7	7.6	7.4	7.4	7.1
(2020)																					
17020000	18.476	19.700	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.0*	
45 41				2	4.3	27500	RIDE	8.2	7.3	6.8	5.9	6.6	6.2	6.1	6.2	5.9	5.5	5.5	5.2*	5.1*	
MAIN ST(18.5R)																					
							CRACKING	6.0*	6.0*	6.0*	5.5*			10.0	10.0	10.0	10.0	10.0	9.5	8.1	7.0
							RIDE	5.5	5.1*	5.3*	5.2*			7.5	7.1	7.3	6.1	5.9	5.9	5.8	5.5
(2023)																					
17020000	19.700	22.085	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
45 41				2	3.3	35000	RIDE	6.6	6.3*	6.0*	5.9*	5.8*	5.7	7.6	7.5	7.4	7.4	7.3	7.2	7.2	
16TH ST(19.7R)																					
1977672	19.357	22.048	R	2004		0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.0	6.5	5.5*	3.5*	2.8*	2.1*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)																					
45 41				3	3.0	42000	RIDE	7.0	6.4	6.8	6.5	6.9	6.8	6.7	6.6	6.2	6.3	6.3	6.2	5.9	5.6
FC125																					
17020000	22.085	22.430	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41				3	3.0	42000	RIDE	6.6	7.4	7.0	6.4*	6.8	6.6	7.0	6.8	6.6	6.7	6.6	6.5	6.5	
GEN SPAATZ BLVD(22.2R)																					
1977671	19.275	22.406	C	1983		0216	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5	5.1*	4.4*	0.0*
MACASPALT A DIVISION OF (1986)																					
45 41				3	3.0	42000	RIDE	6.3	5.8	6.3	6.2	6.5	6.3	6.4	6.2	6.3	6.0	6.1	5.9	5.8	5.5

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														(PMRS)	
17020000 45 41 COLLEGE DR(22.2L)	22.045	22.430	L	1	1	45	CRACKING RIDE	9.0 6.3*	10.0 7.9	10.0 7.6	10.0 7.4	10.0 7.6	10.0 7.6	10.0 7.3	9.0 7.2	9.0 7.3	9.0 7.3	9.0 7.5	9.0 7.3	9.0 7.3	9.0	
							CRACKING RIDE	9.0 6.8	9.0 7.2	9.0 7.1	9.0 6.3	9.0 6.8	9.0 6.8	9.0 6.8	7.0 6.6	6.5 6.3	6.5 6.4	6.5 6.3	6.5 5.9	6.7 6.3	3.0*	
17020000 45 41 HAMPTON RD(19.7L)	19.700	22.045	L	1	1	45	CRACKING RIDE	9.0 6.3*	9.0 6.0*	9.0 5.7*	9.0 5.5*	9.0 5.6*	9.0 5.5	10.0 7.3	10.0 6.5	10.0 7.4	10.0 7.3	10.0 7.3	10.0 7.0	9.5 6.9		
1977672 AJAX PAVING INDUSTRIES, IN(2007)	19.357	22.047	L	2004	0012	CRACKING RIDE	9.5 6.6	9.5 6.6	9.5 6.8	9.5 6.5	9.5 6.7	7.5 6.6	7.5 6.5	7.0 6.5	5.5* 6.2	5.5* 6.0	3.5* 6.2	3.9* 6.2	3.3* 5.9	3.3* 5.6	1.0*	
17020000 45 41 MARINA PLZ(18.5L)	18.476	19.700	L	1	1	35	CRACKING RIDE	10.0 7.1	10.0 6.7	10.0 6.4	10.0 6.1	10.0 6.6	10.0 6.6	9.5 6.4	9.5 6.3	9.0 6.5	9.0 6.7	9.0 5.7	9.0 5.6	9.0 5.5		
							CRACKING RIDE	9.0 5.4*	9.0 5.6	9.0 6.0	7.0 5.5			10.0 7.3	10.0 7.6	10.0 7.4	10.0 6.0	10.0 6.0	9.0 5.9	8.9 5.9	7.5 5.6	
17020000 45 41 PALM AVE S(17.9C)	17.910	18.476	L	1	1	35	CRACKING RIDE	9.5 7.3	9.5 7.3	9.5 7.1	9.5 6.7	9.5 6.7	9.0 6.7	9.0 6.3	9.0 6.3	9.0 6.4	9.0 6.5	9.0 6.6	9.0 6.8	9.0 6.8		
4313111 PREFERRED MATERIALS, INC. (2020)	18.009	19.155	C	2016	0012	CRACKING RIDE	9.0 6.6	9.0 5.8	9.0 5.7	9.0 6.4				10.0 7.3	10.0 7.6	10.0 7.4	10.0 7.6	10.0 7.7	9.5 7.7	9.6 7.7	8.0 7.4	
17020000 45 41 BAY ST(17.3L)	17.225	17.910	L	1	1	35	CRACKING RIDE	9.5 7.3	9.5 7.3	9.5 7.1	9.5 6.7	9.5 6.7	9.0 6.7	9.0 6.3	9.0 6.3	9.0 6.4	9.0 6.5	9.0 6.6	9.0 6.8	9.0 6.8		
							CRACKING RIDE	9.0 6.6	9.0 5.8	9.0 5.7	5.5* 6.3			10.0 8.0	10.0 7.6	10.0 7.8	10.0 7.6	10.0 7.8	9.6 7.6	10.0 7.3	8.5 7.0	
17020000 45 41 SR758/BAY RD(15.3L)	15.250	17.225	L	1	1	45	CRACKING RIDE	10.0 7.5	9.0 7.5	9.0 7.4	9.0 7.0	9.0 6.9	9.0 6.8	8.0 7.5	8.0 6.7	8.0 6.7	10.0 8.3	10.0 8.2	10.0 8.2	10.0 8.2		
4218301 AJAX PAVING INDUSTRIES, IN(2010)	15.248	17.206	C	2008	0012	CRACKING RIDE	10.0 8.1	10.0 7.7	10.0 7.9	10.0 7.2	10.0 7.6	8.5 7.6	8.5 7.6	8.5 7.5	7.0 7.4	6.0* 7.3	6.0* 7.4	6.1* 7.3	5.6* 7.3	3.5* 7.0		
4527841	15.248	17.222	C	2028	0012																	
17020000 45 41 CRESTWOOD AVE(12.6L)	12.511	15.250	L	1	1	45	CRACKING RIDE	10.0 7.5	9.0 7.5	9.0 7.4	9.0 7.0	9.0 6.9	9.0 6.8	8.0 7.5	8.0 6.7	8.0 6.7	8.0 7.9	8.0 7.8	8.0 7.9	8.0 7.9		
1979551 PCL CIVIL CONSTRUCTORS INC(1997)	12.567	15.247	C	1993	0005	CRACKING RIDE	8.0 7.8	8.0 7.0	8.0 7.0	8.0 7.2	8.0 7.6	7.5 7.6	7.5 7.6	7.0 7.6	6.5 7.5	5.5* 7.4	5.5* 7.6	6.0* 7.5	5.4* 7.5	2.0* 7.2		
4510091	12.151	15.248	C	2029	0226																	
17020000 45 41 BAYWOOD DR(12.2L)	12.132	12.511	L	1	7	45	CRACKING RIDE	10.0 7.5	9.0 7.5	9.0 7.4	9.0 8.0	9.0 6.9	9.0 6.8	8.0 7.5	8.0 6.7	8.0 6.7	8.0 7.9	8.0 7.8	8.0 7.9	8.0 7.9		
							CRACKING RIDE	8.0 7.8	8.0 7.0	8.0 7.0	8.0 7.2	8.0 7.6	7.5 7.6	7.5 7.6	7.0 7.6	6.5 7.5	5.5* 7.4	5.5* 7.6	6.0* 7.5	10.0 7.5	9.0 7.2	
4510091	12.151	15.248	C	2029	0226																	
17020000 45 41 CARIBBEAN DR(11.4L)	11.356	12.132	L	1	1	45	CRACKING RIDE	9.5 8.5	9.5 8.6	9.0 8.4	9.0 8.0	7.5 8.0	6.5 7.8	3.5* 7.8	3.5* 7.3	3.5* 7.5	3.5* 7.8	3.5* 7.7	3.5* 7.7	3.5* 7.5		
							CRACKING RIDE	3.5* 7.6	3.5* 7.0		10.0 8.1	10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	8.0 7.9	10.0 7.9	9.0 7.6	
17020000 45 41 VAMO RD(10.0L)	9.682	11.356	L	1	1	45	CRACKING RIDE	9.5 8.5	9.5 8.6	9.0 8.4	9.0 8.0	7.5 8.0	6.5 7.8	3.5* 7.8	3.5* 7.3	3.5* 7.5	3.5* 7.8	3.5* 7.7	3.5* 7.7	3.5* 7.5		
							CRACKING RIDE	3.5* 7.6	3.5* 7.0		10.0 8.1	10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	8.0 7.9	9.5 7.9	8.5 7.6	
17020000 45 41 BAY ST( 7.4C)	7.350	9.682	L	1	1	55	CRACKING RIDE	9.5 8.5	9.5 8.6	9.0 8.4	9.0 8.0	7.5 8.0	6.5 7.8	3.5* 7.8	3.5* 7.3	3.5* 7.5	10.0 8.5	10.0 8.4	10.0 8.4	10.0 8.3		
1978372 PREFERRED MATERIALS, INC. (2010)	7.350	9.680	C	2009	0012	CRACKING RIDE	10.0 8.3	10.0 7.8	10.0 7.3	10.0 7.7	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.0	8.5 7.8	8.5 7.4	8.5 7.7	8.5 7.7	9.4 7.8	9.3 7.8	7.0 7.5	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
17020000	4.258	7.350	L	1	1	55	CRACKING	9.5	9.5	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	9.5		
45 41				2	5.1	41500	RIDE	8.5	8.6	8.4	8.0	8.0	7.8	7.8	7.3	7.5		7.9	7.8	7.8		
LYCHE RD	L( 4.3L)						FC5															
1979872	4.244	7.350	C	2009		0012	CRACKING	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	6.1*	5.5*	2.5*	
PREFERRED MATERIALS, INC.	(2011)						RIDE	7.8	7.7	7.9	7.9	7.9	7.9	8.0	8.0	7.8	7.9	7.9	7.9	7.8	7.6	
4462901	4.247	7.394	C	2025		0226																
17020000	3.895	4.258	L	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
45 41				2	5.1	41500	RIDE	7.9	7.8	8.4	7.9	8.1	8.2	7.8	7.8	7.7	7.6	8.0	7.8	7.8		
BAYSHORE DR	L( 4.0L)						FC5															
1980441	3.911	4.253	C	2002		0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.8	6.9	3.0*	
APAC-FLORIDA INC	(2003)						SPRIDE	7.9	7.9	8.4	8.3	8.4	8.5	8.5	8.4	8.2	8.1	8.3	8.4	8.3	8.1	
17020000	0.585	3.895	L	1	1	45	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0		
45 41				3	3.5	50000	RIDE	8.0	7.9	7.8	7.6	7.5	7.5				7.8	7.7	7.7	7.7		
SR 45 SB US 41( 0.6L)							FC125															
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	8.8	6.5
							RIDE	7.6	7.0	7.3	7.1	7.7	7.7	7.6	7.7	7.8	7.6	7.7	7.6	7.6	7.3	
17020000	0.000	0.585	L	1	1	40	CRACKING	9.5	9.5					10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
45 B41				2	2.6	20000	RIDE	8.4	7.2					7.6	7.0	7.0	7.4	7.0	6.9	7.2	6.9	
CR 772( 0.0C)							DGFC															
1980051	0.000	0.685	C	2000		0002	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	4.9*	4.7*	2.0*
GLF CONSTRUCTION CORPORATI	(2006)						S RIDE	6.7	6.8	5.5	5.5	5.9	5.3*	5.6	5.9	5.7	5.7	5.7	5.9	5.9	5.9	5.6
4527811	0.000	0.585	C	2029		0226																
17030000	0.013	0.194	R	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
789				4	4.2	36500	RIDE	6.7	6.6	4.7*		4.9*	5.8	5.6	5.2*	5.7	5.0*	5.0*	4.7*	4.6*		
CEDAR POINT DR( 0.1R)							FC4															
				(2024)			CRACKING	8.0	8.0	6.5	6.5	6.5	5.5*	10.0	10.0	10.0		10.0	9.5	10.0	9.0	
							RIDE	4.4*	5.0*									6.7	6.7	6.8	6.5	
4459262	0.000	0.194	C	2025		0012																
17030000	1.206	2.252	R	1	1	40	CRACKING	10.0	9.5	9.5	10.0	10.0	9.0	9.0	7.5	7.5		10.0	10.0	10.0		
789				2	4.3	32000	RIDE	7.0	7.1	6.9	6.4	6.5	6.6	6.6	5.7	6.2		7.8	7.7	7.7		
BIRD KEY DR( 1.2C)							FC125R															
1978832	0.000	3.170	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.5	4.5*	
AJAX PAVING INDUSTRIES, IN	(2011)						RIDE	7.6	7.6	6.6	6.4	7.2	7.3	7.2	7.1	7.2	7.0	6.9	6.9	6.3	6.0	
17030000	2.252	2.750	R	1	1	25	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0		
789				2	5.2	21000	RIDE	7.0	7.1	5.4*	6.0	6.5	6.1	4.6*	6.1	6.0		7.8	7.7	7.7		
MADISON DR( 2.4C)							FC125R															
1978832	0.000	3.170	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.2	6.7	4.5*	
AJAX PAVING INDUSTRIES, IN	(2011)						RIDE	7.6	7.6	6.6	6.4	7.2								5.9	5.6	
17030000	2.750	3.208	C	1	1	35	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0		
789				2	5.2	21000	RIDE	7.6	7.1	7.4	6.4	6.2	6.3	6.1	6.3	5.8		8.1	8.0	8.0		
MORNINGSIDE DR( 3.0L)							FC4															
1978832	0.000	3.170	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.7	6.5	4.5*	
AJAX PAVING INDUSTRIES, IN	(2011)						RIDE	8.0	8.0											6.6	6.3	
17030000	3.870	5.953	C	1	1	45	CRACKING	9.5	9.5	9.5	8.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0		
789				2	4.3	17900	RIDE	8.1	8.4	8.2	7.6	7.5	7.3	7.4	7.3	6.9	7.2	7.1	8.8	8.5		
HOFFMAN LN( 4.1R)							FC95															
4224071	3.870	5.953	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.5	6.5	5.5*	5.2*	4.0*	2.0*	
AJAX PAVING INDUSTRIES OF	(2012)						RIDE	8.6	8.6	8.4	8.1	8.2	8.1	8.1	8.0	8.0	7.8	7.9	7.7	7.6	7.3	
4510131	3.870	8.957	C	2027		0226																
17030000	5.953	8.957	C	1	1	45	CRACKING	9.5	9.5	9.5	8.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0		
789				2	4.0	12400	RIDE	8.1	8.4	8.2	7.6	7.5	7.3	7.4	7.3	6.9	7.2	7.1	8.5	8.3		
BAY ISLES ENT( 6.0R)							DGFC															
4223951	5.953	8.953	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	6.5	6.5	6.0*	5.2*	4.9*	3.0*	
AJAX PAVING INDUSTRIES OF	(2012)						RIDE	8.4	8.0	8.2	8.0	8.0	7.9	7.9	7.7	7.5	7.5	7.6	7.4	7.2	6.9	
4510131	3.870	8.957	C	2027		0226																
17030000	2.252	2.750	L	1	1	25	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0		
789				2	5.2	21000	RIDE	7.5	7.3	6.8	6.6	6.8	6.6	6.3	6.4	6.0		7.9	7.6	7.6		
HARDING CIR( 2.3L)							FC125R															
1978832	0.000	3.170	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	7.0	6.8	4.5*	
AJAX PAVING INDUSTRIES, IN	(2011)						RIDE	7.7	7.7	7.4	7.3	7.4								6.5	6.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031				
INTERSECT AT (MP SIDE)							*****																		
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P							*****																		
CONTRACTOR (AGE_ONE YEAR) ASTYPE							*****																		
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F							*****																		
17030000	1.206	2.252	L	1	1	40	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5					10.0	10.0	10.0		
789				2	4.3	32000	RIDE	7.5	7.3	6.8	6.6	6.8	6.6	6.3	6.4	6.0					7.9	7.6	7.6		
BIRD KEY DR( 1.2C)							FC125R																		
1978832	0.000	3.170	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	7.3	7.0	6.6	6.6	4.5*		
AJAX PAVING INDUSTRIES, IN(2011)								7.7	7.7	7.4	7.3	7.4	7.6	7.3	7.4	7.4	7.3	7.0	7.0	6.9	7.1	6.8			
17030000	0.013	0.194	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
789				2	4.2	36500	RIDE	7.1	6.6	6.7		5.6	6.1	5.7	5.6	5.8	7.2	7.0	7.0	6.9	6.9				
TURNOUT( 0.0L)							FC4																		
							CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	10.0	10.0	10.0					10.0	9.5	10.0	9.0	
							RIDE	6.8	6.7													6.7	6.7	6.5	6.2
							(2024)																		
4459262	0.000	0.194	C	2025	0012																				
							CRACKING																		
							RIDE																		
							(2010)																		
17030201	0.000	0.267	R	1	1	40	CRACKING												10.0	10.0	9.5	9.5			
789				2	3.7	39000	RIDE												7.2	7.7	7.7	7.7			
GOLDEN GATE( 0.0C)							DGFC																		
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	6.0*	7.0	5.0*		
							RIDE	7.6	7.7	7.1	7.1	7.1	6.8	6.8	7.0	6.7	6.6	6.6	6.6	6.5	6.2	5.9			
							(2010)																		
17030201	0.867	1.006	R	1	1	40	CRACKING												10.0	10.0	9.5	9.5			
789				2	3.7	39000	RIDE												7.2	6.7	6.5	6.4			
BIRD KEY DR( 1.0C)							DGFC																		
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.8*	5.5*	3.5*			
							RIDE	6.4	6.4	6.1										5.6	5.3*				
							(2010)																		
17030201	0.867	1.006	L	1	1	40	CRACKING												10.0	10.0	9.5	9.5			
789				2	3.7	39000	RIDE												7.2	6.7	6.5	6.4			
BIRD KEY DR( 1.0C)							DGFC																		
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.3*	3.0*				
							RIDE	6.4	6.4	6.1										5.2*	4.9*				
							(2010)																		
17030201	0.000	0.267	L	1	1	40	CRACKING												10.0	10.0	9.5	9.5			
789				2	3.7	39000	RIDE												7.2	7.7	7.7	7.7			
GOLDEN GATE( 0.0C)							DGFC																		
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.1	6.7	4.5*				
							RIDE	7.6	7.7	7.1	7.1	7.1	6.8	6.8	7.0	6.7	6.6	6.6	5.5	5.5	5.2*				
							(2010)																		
17030401	0.000	0.372	R	1	1	35	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0				
789				1	5.1	18800	RIDE	7.0	7.0	6.8	6.2	6.4	6.3	6.0	6.3	6.3	6.3	8.0	7.9	8.0	7.7				
WESTWAY PL( 0.0C)							FC4																		
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.2	7.0	5.0*				
							RIDE	7.8	7.6											6.4	6.1				
							(2010)																		
17030401	0.372	0.648	R	1	1	35	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		8.0	10.0	10.0					
789				1	5.1	18800	RIDE	7.0	7.0	6.8	6.2	6.4	6.3	6.0	6.3	6.3		7.1	8.5	8.3					
LONGBOAT CLUB RD( 0.6C)							FC4																		
4224071	0.363	0.643	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.8	7.0	5.0*				
AJAX PAVING INDUSTRIES OF(2012)								8.1	8.3	7.7	7.9	7.9	7.8	7.8	7.8	7.8	7.6	7.6	7.6	7.4	7.1				
17040000	0.381	4.231	R	1	1	45	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0					
780				3	3.7	58500	RIDE	7.7	7.5	7.2	6.8	7.0	6.9	6.8	6.1	6.7	6.7	8.4	8.2	8.2					
LIME AVE( 0.5C)							FC125M																		
1977532	0.404	4.226	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.2	6.6	4.5*				
AJAX PAVING INDUSTRIES OF(2011)								8.1	7.4	7.7	7.9	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.6	
17040000	4.231	5.692	R	1	1	45	CRACKING	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0					
780				3	4.2	63500	RIDE	8.3	8.2	8.0	7.4	7.3	7.1	7.2	6.8	6.4	7.0	7.0	8.2	8.1					
TARGET ENT( 4.5R)							FC125M																		
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.8	7.4	5.5*			
							RIDE	8.1	8.1	7.3	7.7	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.8	7.7	7.7	7.7	7.4		
							(2012)																		
17040000	4.231	5.692	L	1	2	45	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0					
780				3	4.2	63500	RIDE	7.9	8.0	7.9	7.3	7.0	7.1	6.9	6.6	6.6	6.4	6.4	7.9	7.9					
BROWN RD( 4.9L)							FC125M																		
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.1	7.8	5.5*			
							RIDE	7.9	7.5	7.6	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.8	7.9	7.8	7.5	7.2			
							(2012)																		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-M	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																
17040000	0.381	4.231	L	1	2	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	10.0	10.0	10.0		
780				3	3.7	58500	RIDE	7.8	7.7	7.5	7.3	7.2	7.1	7.1	6.3	6.9	6.8	8.4	8.5	8.4		
LIME AVE( 0.5C)																						
1977532	0.404	4.226	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1	6.8	4.5*	
AJAX PAVING INDUSTRIES OF (2011)							RIDE	8.3	7.9	8.0	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.2	8.1	7.8	7.5	
-----																						
17040401	0.000	0.325	R	1	1	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0		
780				3	4.2	35000	RIDE	6.8	5.9	6.1	6.0	6.5	5.8	6.1	6.2	6.4	6.4	6.4	6.7	6.6		
SR 683( 0.0C)																						
1977533	0.075	0.325	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	5.9*	5.3*	3.0*	
AJAX PAVING INDUSTRIES OF (2011)							RIDE	6.8	6.1	5.8										6.9	6.6	
-----																						
17040401	0.000	0.325	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	10.0	10.0	10.0		
780				3	4.2	35000	RIDE	6.6	7.3	6.4	6.4	6.3	6.2	6.1	6.0	5.9	6.3	7.6	7.9	7.7		
SR 683( 0.0C)																						
1977533	0.075	0.325	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.3	7.0	5.0*	
AJAX PAVING INDUSTRIES OF (2011)							RIDE	7.6	6.7	6.7										7.2	6.9	
-----																						
17050000	0.000	1.251	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0		
776				2	4.4	24500	RIDE	8.8	8.7	8.3	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.6	7.5		
HORTON AVE( 0.1R)																						
1979401	0.000	1.262	C	1994		0005	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.8	4.5*	
GATOR ASPHALT CO (1998)							S RIDE	7.6	7.6	7.5	7.6	7.6	7.4	7.4	7.2	7.3	7.2	7.2	7.2	7.2	6.9	
4510141	0.000	8.140	C	2026		0226																
-----																						
17050000	1.251	4.728	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
776				2	4.8	23500	RIDE		8.9	8.7	8.4	8.4	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.0		
LAKEVIEW LN( 1.3R)																						
1979481	1.262	4.741	C	1999		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.3	4.5*	
RUSSELL ENGINEERING INC (2002)							S RIDE	7.9	7.8	7.4	7.5	7.7	7.7	7.6	7.3	7.5	7.2	7.4	7.3	7.4	7.1	
4510141	0.000	8.140	C	2026		0226																
-----																						
17050000	4.728	8.222	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
776				3	4.0	38500	RIDE	8.9	9.0	8.7	8.5	8.4	8.4	8.4	8.3	8.3	8.2	8.1	8.1	8.1		
KEY WAY PL( 4.9R)																						
1979721	4.741	8.186	C	1996		0005	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	7.0	4.0*
CONE CONSTRUCTORS INC (2000)							S RIDE	8.0	7.7	7.0	7.6	7.7	7.7	7.6	7.5	7.6	7.5	7.6	7.6	7.6	7.3	
4510141	0.000	8.140	C	2026		0226																
-----																						
17050000	4.660	8.222	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0		
776				3	4.0	38500	RIDE	8.7	8.9	8.6	8.3	8.3	8.5	8.3	8.3	8.2	8.2	8.0	8.0	7.9		
SAUVINGNON LN( 5.0L)																						
1979721	4.741	8.186	C	1996		0005	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.6	6.5	3.5*
CONE CONSTRUCTORS INC (2000)							S RIDE	7.9	7.5	7.2	6.8	7.8	7.7	7.6	7.5	7.5	7.3	7.6	7.4	7.5	7.2	
4510141	0.000	8.140	C	2026		0226																
-----																						
17050000	1.256	4.660	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
776				2	4.8	23500	RIDE		9.1	8.9	8.5	8.5	8.5	8.5	8.5	8.4	8.5	8.5	8.5	8.5		
WENTWORTH ST L( 1.4L)																						
1979481	1.262	4.741	C	1999		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5	3.5*	
RUSSELL ENGINEERING INC (2002)							S RIDE	8.4	8.2	7.9	7.5	8.1	8.1	8.0	7.9	8.0	7.7	7.9	7.8	7.9	7.6	
4510141	0.000	8.140	C	2026		0226																
-----																						
17050000	0.000	1.256	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
776				2	4.4	24500	RIDE	8.8	8.8	8.6	8.2	8.2	8.2	8.2	8.1	7.7	8.0	7.9	7.8	7.7		
MC CALL RD( 0.1L)																						
1979401	0.000	1.262	C	1994		0005	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	4.0*	
GATOR ASPHALT CO (1998)							S RIDE	7.6	7.1	7.1	7.4	7.5	7.4	7.2	7.1	7.2	7.0	7.1	7.1	7.1	6.8	
4510141	0.000	8.140	C	2026		0226																
-----																						
17070000	0.000	0.689	R	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	8.0	10.0	10.0	10.0		
72				3	4.2	29500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	6.8	6.9	8.1	8.0	7.9		
SR 45( 0.0C)																						
1979342	0.004	4.490	C	2010		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	4.4*	7.0	5.0*	
PREFERRED MATERIALS, INC. (2011)							RIDE	7.8	7.1	7.1	7.4	7.3	7.3	7.0	7.0	6.8	6.6	6.7	6.7	7.1	6.8	
4491221	0.059	2.696	C	2026		0012																
-----																						
17070000	0.689	3.680	R	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	8.0	10.0	10.0	10.0		
72				3	5.4	41500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	6.8	6.9	8.1	8.0	7.9		
COLONIAL DR( 0.9R)																						
1979342	0.004	4.490	C	2010		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	4.4*	3.7*	1.5*	
PREFERRED MATERIALS, INC. (2011)							RIDE	7.8	7.1	7.1	7.4	7.3	7.3	7.0	7.0	6.8	6.6	6.7	6.7	6.3	6.0	
4491221	0.059	2.696	C	2026		0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
17070000	3.680	4.018	R	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	8.5	7.0	6.5	6.5	
72				3	5.4	41500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	6.8	6.2	6.5	6.4	5.8	
PALMER PLAZA BLVD( 3.7R)		FC3																			
					(2015)		CRACKING	6.5	10.0	10.0	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	4.3*	4.0*	2.0*
4462891	3.807	4.245	C	2025		0012	RIDE	5.8	7.0	6.0	6.4	6.0	5.4*	4.7*	5.1*	5.7	5.4*	5.0*	5.2*	5.0*	4.7*
17070000	4.018	4.490	R	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	8.5	10.0	10.0	10.0	
72				3	5.4	41500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	6.8	6.2	8.2	8.0	7.8	
PALMER CROSSING DR( 4.1R)		FC125M																			
1979342	0.004	4.490	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.0*	5.5*	5.5*	3.9*	2.0*
PREFERRED MATERIALS, INC. (2011)		RIDE																			
							RIDE	7.8	7.2	6.7	7.0	7.3	7.1	6.8	6.7	6.4	6.2	6.0	5.0*	5.5	5.2*
17070000	4.490	5.240	R	1	7	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
72				4	8.4	12900	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	6.8	8.4	8.3	8.4	8.3	
ACCESS RD R( 5.1R)		FC125M																			
					(2026)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0		10.0	9.0
							RIDE	8.3	7.6	7.0	7.6	8.0	7.9	7.8	7.9	7.9	7.6	7.7		6.0	5.7
17070000	5.240	6.374	C	1	1	45	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
72				2	8.4	12900	RIDE	8.5	8.3	8.0	7.6	7.6	7.5	7.4	7.2	6.9	8.3	8.3	8.3	8.2	
HUMMINGBIRD AVE( 5.3R)		FC125M																			
					(2010)		CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	4.1*	4.1*	2.0*
							RIDE	8.2	7.5	7.5	7.7	8.1	8.0	7.9	7.7	7.8	7.5	7.6	7.7	7.5	7.2
17070000	6.374	9.641	C	1	1	55	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
72				2	13.7	8000	RIDE	8.1	8.0	7.6	7.2	7.3	7.0	7.1	7.0	7.0	7.2	7.1	7.0	8.7	
DOVE AVE( 6.5R)		FC95R																			
4252541	6.589	9.641	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.6	5.5*
AJAX PAVING INDUSTRIES OF (2013)		RIDE																			
							RIDE	8.6	8.0	7.4	7.8	8.2	8.2	8.1	8.0	8.0	7.1	7.6	7.5	7.5	7.2
17070000	9.641	12.898	C	1	1	55	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
72				2	13.7	8000	RIDE	8.1	8.0	7.6	7.2	7.3	7.0	7.1	7.0	7.0	7.2	7.1	7.0	8.6	
SADDLE OAK TRL( 9.7L)		FC95R																			
4252551	9.648	12.898	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.4	7.5	5.5*
SUPERIOR ASPHALT, INC. (2013)		RIDE																			
							RIDE	8.7	8.0	8.2	7.5	7.8	7.8	7.6	7.5	7.3	7.4	7.4	7.3	7.2	6.9
17070000	12.898	21.221	C	1	1	55	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	4.5*			10.0	10.0	10.0	
72				2	15.0	3600	RIDE	8.1	8.0	7.6	7.2	7.3	7.0	7.1	7.0			8.6	8.6	8.6	
		FC125M																			
					(2011)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.2	9.0
							RIDE	8.5	7.7	8.2	7.5	8.0	7.9	7.5	7.5	7.2	7.1	7.1	7.1	7.0	7.1
17070000	21.221	24.220	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
72				2	15.0	3600	RIDE	8.9	8.8	8.6	8.4	8.4	8.3	8.2	8.0	7.8	7.6	7.5	7.4	7.0	
		FC3																			
1980131	21.273	24.280	C	1999		0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.8	5.0*
GATOR ASPHALT PAVING INC (2001)		S RIDE																			
							RIDE	7.1	6.6	7.3	7.2	7.3	7.5	7.3	7.2	7.1	6.9	7.1	7.2	7.2	6.9
17070000	24.220	30.591	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
72				2	15.0	3600	RIDE	8.8	8.7	8.6	8.5	8.4	8.4	8.3	8.0	7.4	7.7	7.7	7.4	6.9	
SIDEELL RD(26.3L)		FC125M																			
4415591	24.220	30.591	C	2022		0012	CRACKING	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.6	10.0	9.0
PREFERRED MATERIALS, INC. (2024)		SPRIDE																			
							RIDE	6.3*	6.5	6.9	7.0	6.7	7.0	6.8	6.4*	6.4*		8.4	8.4	8.4	8.1
17070000	4.351	5.240	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	10.0	10.0	10.0	10.0	
72				3	5.4	41500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	8.3	8.4	8.4	8.4	
CATAMARAN DR( 4.5L)		FC125M																			
					(2026)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5				10.0	9.0
							RIDE	8.4	7.5	7.5	7.7	8.1	8.0	8.0	7.8	7.9				6.4	6.1
17070000	4.018	4.351	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.5	10.0	10.0	10.0	
72				3	5.4	41500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.8	8.1	7.8	7.8	
FIELDING LN( 4.1L)		FC125M																			
1979342	0.004	4.490	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	4.5*	4.9*	3.0*
PREFERRED MATERIALS, INC. (2011)		RIDE																			
							RIDE	7.5	7.2	6.9	7.2	7.6	7.5	7.2	7.3	7.1	6.7	6.8	6.4	6.4	6.1
4462891	3.807	4.245	C	2025		0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)
17070000	3.680	4.018	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.5	7.0	7.0	7.0
72				3	5.4	41500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.8	7.6	7.7	7.4	
ROSIN WAY( 3.7L)																					
							FC3														
							CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	5.9*	4.7*	3.0*
							RIDE	7.1	7.0	7.1	7.6	7.9	8.0	7.5	7.5	7.3	6.9	7.0	7.1	6.5	6.2
4462891	3.807	4.245	C	2025		0012															
17070000	0.689	3.680	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	10.0	10.0	10.0
72				3	5.4	41500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.8	7.6	7.7	7.6	
TURNOUT( 0.8L)																					
							FC125M														
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	4.5*
PREFERRED MATERIALS, INC. (2011)																					
4491221	0.059	2.696	C	2026	0012	RIDE	7.6	6.7	6.8	7.1	7.3	7.2	7.0	6.9	6.8	6.6	6.6	6.6	6.7	6.4	6.1
17070000	0.000	0.689	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	10.0	10.0	10.0
72				3	4.2	29500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.5	7.6	7.7	7.6	
SR 45( 0.0C)																					
							DGFC														
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	7.5	5.5*
PREFERRED MATERIALS, INC. (2011)																					
4491221	0.059	2.696	C	2026	0012	RIDE	7.6	6.7	6.8	7.1	7.3	7.2	7.0	6.9	6.8	6.6	6.6	6.6	6.7	6.7	6.4
17075000	0.000	11.466	R	4	1	70	CRACKING	6.5	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
93	175	170.5	3	17.4	65000	RIDE	8.9	8.8	8.5	8.0	7.8	8.2	8.3	8.2	8.2	8.2	8.2	8.1	8.0	7.9	
ASTALDI CONSTRUCTION CORP. (2019)																					
							FC5M														
4130442	0.000	7.465	C	2016	0213	CRACKING	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.0
ASTALDI CONSTRUCTION CORP. (2019)																					
							SPRIDE	7.7	7.3	8.1											
17075000	11.466	20.068	R	4	1	70	CRACKING	6.5	6.0*	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
93	175	182.0	3	16.3	70000	RIDE	8.9	8.8	8.8	8.6	8.6	8.1	8.5	8.0	8.3	7.9	8.2	8.0	8.0	8.0	
CNA																					
							FC5A														
4130444	11.466	19.986	C	2013	0218	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	6.5
CNA																					
							SPRIDE	7.8			8.7	8.9	8.9	8.8	8.9	8.8	8.8	8.8	8.8	8.7	8.6
17075000	20.068	29.519	R	4	1	70	CRACKING	6.5	4.5*	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
93	175	190.6	3	14.3	99500	RIDE	8.8	8.6	8.8	8.6	8.6	8.1	8.5	8.3	7.9	8.2	8.0				
EXIT 36(29.5R)																					
							FC5M														
4063143	20.151	28.919	C	2010	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.0*
ASTALDI CONSTRUCTION CORP. (2014)																					
4517341	20.068	29.519	R	2026	0012	SPRIDE	8.3	8.0	8.5	8.4	8.5	8.6	8.7	8.7	8.6	8.6	8.5	8.4	8.3	8.2	
17075000	29.519	33.286	R	4	1	70	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	
93	175	200.1	3	11.7	113000	RIDE	9.1	9.0	8.7	8.4	8.2	8.1	8.3	8.1	7.7	8.3	8.3	8.2	8.2	8.2	
AJAX PAVING INDUSTRIES OF (2010)																					
							FC5M														
4491881	29.519	38.096	R	2028	0012	CRACKING	9.5	9.5	9.5	8.5	8.5	9.5	9.0	8.6	8.6	7.5	7.5	6.5	6.5	6.6	3.5*
AJAX PAVING INDUSTRIES OF (2010)																					
							RIDE	8.3	8.0	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.5	8.4	8.6	8.5
17075000	33.286	36.406	R	4	1	70	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	
93	175	203.8	3	11.4	127000	RIDE	9.1	9.0	8.7	8.4	8.2	8.1	7.8	7.5	7.2	8.3	8.3	8.2	8.2	8.2	
AJAX PAVING INDUSTRIES OF (2010)																					
							FC5M														
4491881	29.519	38.096	R	2028	0012	CRACKING	9.5	9.5	9.5	8.5	8.5	9.5	9.0	8.6	8.6	7.5	7.5	6.5	6.5	10.0	9.0
AJAX PAVING INDUSTRIES OF (2010)																					
							RIDE	8.3	8.0	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.5	8.4	8.2	8.1
17075000	36.406	39.600	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	
93	175	206.9	3	11.4	139500	RIDE	8.9	8.8	8.6	8.1	8.1	7.9	7.8	7.6	7.3	8.3	8.3	8.2	8.2	8.2	
AJAX PAVING INDUSTRIES OF (2010)																					
							FC5														
4206481	37.105	42.582	C	2009	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.9*	2.0*
AJAX PAVING INDUSTRIES OF (2010)																					
4491881	29.519	38.096	R	2028	0012	RIDE	8.3	8.0	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.5	8.4	8.1	8.0	7.9
17075000	39.600	42.615	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	
93	175	210.1	4	11.8	150500	RIDE	8.9	8.8	8.6	8.1	8.1	7.9	7.8	7.6	7.3	8.3	8.3	8.2	8.2	8.2	
AJAX PAVING INDUSTRIES OF (2010)																					
							OGFC														
							CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.4	7.5
							RIDE	8.3	8.0	8.5			8.7	8.7	8.7						

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
17075000	36.406	39.300	L	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	
93 I75	206.9	209.8	3	11.4	139500		RIDE	8.9	8.9	8.6	8.1	8.1	7.9	7.8	7.6	7.4	8.3	8.3	8.3	8.2	
							FC5														
4206481	37.105	42.582	C	2009	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	3.5*
AJAX PAVING INDUSTRIES OF							RIDE	8.3	8.0	8.4	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.1	8.0	7.9
4491881	29.039	38.096	L	2028	0012																
17075000	33.286	36.406	L	4	1	70	CRACKING	8.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	
93 I75	203.8	206.9	3	11.4	127000		RIDE	9.0	8.9	8.7	8.3	8.2	8.0	7.8	7.5	7.4	8.3	8.3	8.3	8.2	
							FC5M														
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	10.0	10.0	9.0
4491881	29.039	38.096	L	2028	0012		RIDE	8.3	8.0	8.4	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.2	8.2	8.1
17075000	29.039	33.286	L	4	1	70	CRACKING	8.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	
93 I75	199.6	203.8	3	11.7	113000		RIDE	9.0	8.9	8.7	8.3	8.2	8.0	8.2	8.1	8.0	8.3	8.3	8.3	8.2	
							FC5M														
4202401	29.039	37.132	C	2009	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	7.2	6.8	4.0*
AJAX PAVING INDUSTRIES OF							RIDE	8.3	8.0	8.4	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.5	8.5	8.4
4491881	29.039	38.096	L	2028	0012																
17075000	20.315	29.039	L	4	1	70	CRACKING	6.0*	4.5*	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5			
93 I75	190.9	199.6	3	14.3	99500		RIDE	8.7	8.6	9.0	8.6	8.5	8.2	8.4	8.3	8.2	8.2	8.1			
							FC5M														
4063143	20.151	28.919	C	2010	0218		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.1*	2.5*
ASTALDI CONSTRUCTION CORP.							SPRIDE	8.1	7.9	8.3	8.3	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.1	7.9	7.8
4517341	20.315	29.039	L	2026	0012																
17075000	11.466	20.315	L	4	1	70	CRACKING	6.5	6.0*	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.5	
93 I75	182.0	190.9	3	16.3	70000		RIDE	8.7	8.5	9.0	8.6	8.5	8.2	8.4	8.3	8.2	8.2	8.1	7.8	7.6	
							FC5A														
4130444	11.466	19.986	C	2013	0218		CRACKING	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.4	6.5
CNA							SPRIDE	7.8		8.8	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.8	8.8	8.8	8.7
17075000	0.000	11.466	L	4	1	70	CRACKING	6.5	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
93 I75	170.5	182.0	3	17.4	65000		RIDE	8.7	8.5	8.2	7.8		8.1	8.2	8.1	8.1	8.1	8.1	8.0	7.8	
							FC5M														
4130442	0.000	7.465	C	2016	0213		CRACKING	8.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.6	6.5
ASTALDI CONSTRUCTION CORP.							SPRIDE	7.9	7.5	8.2			8.8	8.8	8.9	8.8	8.8	8.7	8.7	8.6	
17120000	0.000	1.070	R	1	1	35	CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5			8.0	
683 301			2	2.6	39000		RIDE	6.3*	6.4	5.9	5.5	6.5	6.4	6.3	6.6	6.6	6.4			6.1	
							FC125														
1977742	0.017	1.109	C	2003	0012		CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
APAC-FLORIDA INC							RIDE	6.1	5.7	4.9*	5.3*	5.0*	5.1*	5.2*	5.2*	5.0*	4.8*	4.8*	5.1*	4.9*	4.6*
4510171	0.000	1.070	C	2026	0012																
17120000	1.070	1.398	R	1	1	35	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	
683 301			2	5.4	38500		RIDE	8.5	8.3	8.1	7.8	7.5	7.4	7.4	7.3	7.2	7.2			7.5	
							FC125M														
1980103	0.000	1.398	C	2009	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	6.2*	4.0*
PRINCE CONTRACTING, LLC							SPRIDE	7.0	6.9	6.7	7.0	7.1	6.6	6.9	6.4	6.7	6.9	6.7	6.8	6.6	6.3
17120000	1.398	2.548	R	1	1	45	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	
683 301			3	4.6	50000		RIDE	8.5	8.3	8.1	7.8	7.5	7.4	7.4	7.3	7.2	7.2			8.1	
							FC125M														
1980103	1.398	2.604	C	2009	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	6.8	6.7	4.5*
PRINCE CONTRACTING, LLC							SPRIDE	7.9	7.2	7.4	7.8	7.7	7.6	7.5	7.4	7.4	7.4	7.4	7.2	7.3	7.0
17120000	2.548	3.690	R	1	1	45	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	
683 301			3	4.6	50000		RIDE	8.5	8.3	8.1	7.8	7.5	7.4	7.4	7.3	7.2	7.2			7.9	
							FC125M														
1980104	2.630	3.639	C	2010	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.0
MYRTLE ST( 2.6C)							RIDE	7.9	7.5	7.3	7.5	7.5	7.3	7.3	7.2	7.3	7.3	7.2	7.3	7.3	7.0
17120000	3.690	4.184	R	1	1	50	CRACKING	9.5	9.5	9.0	9.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
683 301			3	6.1	44500		RIDE	5.6*	7.9	7.4	6.9	6.8	6.4*		7.7	7.5	7.7	7.5	7.4	7.5	
							OGFC														
TURNOUT( 4.1R)							CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*
4491131	3.671	4.145	C	2025	0226		RIDE	7.2	6.9	7.0	6.9	6.9	7.0	6.6	6.8	6.6	6.8	6.5	6.9	6.8	6.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = SARASOTA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	YEAR	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
17120000	3.690	4.184	L	1	1 50	CRACKING		4.5*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
683 301					3 6.1	44500	RIDE	7.6	7.5	7.1	6.2*	6.1*	5.9*	6.3*	7.7	7.5	7.3	7.2	7.1	7.4		
57TH ST( 3.8L)						OGFC																
						(2008)	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	5.5*	2.5*	
4491131	3.671	4.145	C	2025	0226		RIDE	7.1	6.9	6.8	6.9	6.8	6.7	6.6	6.6	6.4*	6.5	6.3*	6.4*	6.3*	6.1*	
17120000	2.604	3.690	L	1	1 45	CRACKING		7.5	7.5	7.5	7.5	5.5*	4.5*	4.5*	2.0*	2.0*	2.0*				10.0	
683 301					3 4.6	50000	RIDE	8.4	8.3	8.3	7.5	7.2	6.8	6.4	6.7	6.8	6.1				8.0	
MYRTLE ST( 2.6C)						FC125M																
1980104	2.630	3.639	C	2010	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.5	6.5	
						(2013)	RIDE	8.0	7.6	7.4	7.3	7.6	7.4	7.4	7.2	7.4	7.4	7.4	7.4	7.5	7.2	6.9
17120000	1.398	2.604	L	1	1 45	CRACKING		7.5	7.5	7.5	7.5	5.5*	4.5*	4.5*	2.0*	2.0*	2.0*				10.0	
683 301					3 4.6	50000	RIDE	8.4	8.3	8.3	7.5	7.2	6.8	6.4	6.7	6.8	6.1				8.1	
THIRTEENTH ST( 1.4C)						FC125M																
1980103	1.398	2.604	C	2009	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.8	7.6	5.5*
PRINCE CONTRACTING, LLC						(2013)	SPRIDE	8.1	7.7	7.6	7.9	8.1	8.1	8.0	8.0	7.8	7.9	8.0	8.0	8.0	7.8	7.5
17120000	0.000	1.398	L	1	1 35	CRACKING		6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0				8.0	
683 301					2 5.4	38500	RIDE	5.7*	5.8	6.1	5.4*	6.2	6.2	6.2	6.6	6.5	6.2				6.1	
SR 45( 0.0L)						FC125																
1977742	0.017	1.109	C	2003	0012	CRACKING		8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.7	6.8	4.0*
APAC-FLORIDA INC						(2005)	RIDE	5.8	5.7	5.4*	5.2*	5.3*	5.2*	5.2*	5.0*	4.8*	4.8*	5.3*	5.1*	5.1*	4.8*	
4510171	0.000	1.070	C	2026	0012																	
17180000	0.106	0.350	R	1	1 45	CRACKING		7.0	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45A 41					3 3.8	40000	RIDE	7.5	7.2	7.3			7.5	7.6	7.1	7.6	7.6	7.6	7.6	7.6	7.6	7.5
						FC3																
						(2023)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	9.0	8.5	7.5	
							RIDE	7.4	7.0	6.6	6.7	6.7	6.6	6.4	7.2		7.9	7.9	7.9	6.4	6.1	
17180000	0.350	1.749	R	1	1 45	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*			10.0	10.0	10.0
45A 41					3 3.8	40000	RIDE	7.5	7.2	7.3	6.3*	6.3*	6.2	6.1	6.0	5.7			8.5	8.4	8.4	
CENTER RD( 0.4C)						FC125H																
1980176	0.534	1.630	C	2019	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	9.0	9.6	8.5	
BERGERON LAND DEVELOPMENT, (2023)							SPRIDE	8.4	7.8	8.2	8.2	8.6	8.6	8.5			7.9	7.9	7.9	8.1	7.8	
17180000	1.749	3.074	R	1	1 45	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*			10.0	10.0	10.0
45A 41					3 4.8	33500	RIDE	7.5	7.2	7.3	6.3*	6.3*	6.2	6.1	6.0	5.7			8.5	8.4	8.4	
BROULAND AVE( 1.8R)						FC125A																
1980174	1.630	2.768	C	2015	0213	CRACKING		10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.1	6.5
BERGERON LAND DEVELOPMENT, (2019)							SPRIDE	8.4	7.8	8.2	8.2		7.6	7.6	7.6	7.6	7.5	7.6	7.6	7.6	7.6	7.3
17180000	1.749	3.074	L	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0
45A 41					3 4.8	33500	RIDE	7.3	7.6	6.9	6.3*	6.5	6.0	5.9	6.4	6.2			8.6	8.5	8.5	
SPUR ST( 1.8L)						FC125A																
1980174	1.630	2.768	C	2015	0213	CRACKING		10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	7.9	6.5
BERGERON LAND DEVELOPMENT, (2019)							SPRIDE	8.5	7.7	8.3	8.3		7.6	7.6	7.6	7.6	7.6	7.6	7.7	7.6	7.6	7.3
17180000	0.350	1.749	L	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0
45A 41					3 3.8	40000	RIDE	7.3	7.6	6.9	6.3*	6.5	6.0	5.9	6.4	6.2			8.6	8.5	8.5	
CENTER RD( 0.4C)						FC125H																
1980176	0.534	1.630	C	2019	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.0
BERGERON LAND DEVELOPMENT, (2023)							SPRIDE	8.5	7.7	8.3	8.3	8.6	8.5	8.4			8.0	7.9	7.9	7.9	7.9	7.6
17180000	0.106	0.350	L	1	1 45	CRACKING		6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45A 41					3 3.8	40000	RIDE	7.3	7.6	6.9			7.2	7.6	7.8	7.6	7.5	7.6	7.7	7.7	7.7	
SR 45 WYE( 0.1L)						FC3																
						(2006)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	6.5
							RIDE	7.8	7.1	5.6	5.7									6.4	6.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).