

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = BAKER -----																																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE																			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029					
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====																															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																																	
CONTRACTOR	(AGE_ONE	YEAR)					ASTYPE																																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																												(REG)					
27010000	0.000	9.273	C	1	1	60	CRACKING	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	6.5																			
10	90			2	12.8		RIDE	8.4	8.3	8.1	7.9	8.4	8.1	8.1	8.0	8.3	8.3	8.2	8.0	8.0																			
FOX HOLLOW LN( 0.6R)																																							
							FC125M																																
							CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0																		
							RIDE	7.9	7.9	7.8	7.6	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.0	8.0	7.9																		
27010000	9.273	10.029	R	1	1	50	CRACKING	8.5	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0																			
10	90			2	12.8		RIDE	8.6	8.5	8.3	8.4	8.3	7.8	7.7	7.6	7.5	7.7	8.2	8.2	8.0																			
							FC125																																
							CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.4		
							RIDE	8.0	8.0	7.8	7.8	7.6	7.5	7.4	7.4	7.4	7.3	7.4	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3		
27010000	10.029	11.890	C	1	1	50	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5																			
10	90			2	10.1		RIDE	7.9	7.8	7.6	7.4	8.4	8.1	8.0	7.9	8.0	8.0	7.9	7.7	7.5																			
NO NAME(10.5R)																																							
							FC125M																																
4305591	10.029	11.865	C	2015			CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.8		
ANDERSON COLUMBIA CO., INC(2016)																																							
							SPRIDE	7.3	7.2	7.2	6.9	8.4	8.4	8.3	8.3	8.2	8.2	8.0	8.0	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.4	
27010000	11.890	18.690	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	4.5*	4.5*																				
10	90			2	10.1		RIDE	9.1	8.9	8.9	8.8	8.7	8.3	8.2	8.1	8.2	8.1	8.2	8.1	7.9	7.7																		
THOMAS SWEAT RD(11.9R)																																							
							FC125M																																
2079144	12.071	18.493	C	2010			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0		
PREFERRED MATERIALS, INC. (2012)																																							
							SPRIDE	8.6	8.6	8.5	8.5	8.1	8.1	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.2	
27010000	18.690	20.378	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	4.5*	4.5*	3.5*	3.5*																				
10	90			4	10.1		RIDE	8.8	8.8	8.5	8.5	8.5	8.0	7.7	7.4	7.4	7.0	6.7	6.2																				
N SHERMAN AVE(18.7C)																																							
							FC125M																																
2079144	18.623	20.274	R	2010			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.2		
PREFERRED MATERIALS, INC. (2012)																																							
							SPRIDE	8.6	8.6	8.5	8.5	8.3	8.3	8.3	8.2	8.1	8.1	8.1	8.1	8.1	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.6	
27010000	20.378	20.946	R	1	1	35	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*																			
10	90			1	10.1		RIDE	8.9	8.7	8.4	8.2	8.2	7.7	7.6	7.2	7.4	7.3	7.1	7.0	6.8																			
S MLK JR DR(20.8R)																																							
							FC125M																																
2079144	20.274	20.942	R	2010			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	7.5	7.0	6.0*	5.4																	
PREFERRED MATERIALS, INC. (2012)																																							
							SPRIDE	8.2	8.2	8.2	8.2	7.8	7.8	7.8	7.6	7.7	7.6	7.6	7.6	7.6	7.6	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.4
27010000	20.946	25.448	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*																			

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = BAKER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	P																(REG)
27030000	0.000	8.813	C	1	2	60	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
121							8800 RIDE	8.4	8.3	8.1	8.8	8.7	8.5	8.4	8.4	8.6	8.6	8.6	8.6	8.5	8.4	
SAPP RD( 0.4L)																						
2079261	0.000	9.160	C	2001			0012 CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.0*	6.0*	4.5	
ANDERSON	COLUMBIA	CO., INC(2002)					SPRIDE	8.4	8.3	8.2	8.3	8.2	8.2	8.2	8.1	8.2	8.0	8.0	8.0	8.0	8.0	7.8
4454361	0.000	9.027	C	2023			0012															
27030000	8.813	9.223	C	1	1	45	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
121							8800 RIDE	8.4	8.3	8.1	8.8	8.7	8.5	8.4	8.4	8.6	8.6	8.6	8.6	8.5	8.4	
ESTATES ST( 8.9R)																						
2079261	0.000	9.160	C	2001			0012 CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.8	
ANDERSON	COLUMBIA	CO., INC(2002)					SPRIDE	8.4	8.3	8.2	8.3	7.2	7.2	7.2	7.0	7.1	7.0	6.9	7.0	7.0	6.4	
4454361	0.000	9.027	C	2023			0012															
27030000	9.223	10.150	R	1	1	45	CRACKING	7.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
121							11100 RIDE	7.7	7.3	7.2	6.3*			8.3	8.1	8.0	8.3	8.4	8.1	8.0	7.9	
INDUSTRIAL WAY( 9.5R)																						
2079111	9.223	10.783	C	2002			0213 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	6.0*	4.0*	4.0*	4.0	
J.B. COXWELL	CONTRACTING,I(2004)						SPRIDE	8.2	7.9	8.0	7.9	7.9	7.8	7.9	7.6	7.8	7.7	7.7	7.7	7.7	7.7	7.5
27030000	10.150	10.796	R	1	1	30	CRACKING	8.0	7.0	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
121							11100 RIDE	8.0	7.9	7.8	7.0			8.1	7.9	7.6	7.8	7.8	7.4	7.1	7.3	
JONATHAN ST W(10.2R)																						
2079111	9.223	10.783	C	2002			0213 CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	5.5*	5.5*	5.3	
J.B. COXWELL	CONTRACTING,I(2004)						SPRIDE	7.1	7.2	7.0	6.8	6.9	7.0	7.1	6.9	6.5	6.4	6.3	6.5	6.7	6.0	
27030000	10.796	11.823	C	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
121							5000 RIDE	7.9	7.9	7.8	8.1	8.1	7.7	7.4	6.9	7.2	8.4	7.9	7.6	7.7		
MACCLENNY AVE(10.8C)																						
2079113	10.824	11.890	C	2007			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.0*	6.0*	6.0	
ANDERSON	COLUMBIA	CO., INC(2008)					SPRIDE	8.0	8.1	7.9	8.0	7.7	7.7	7.6	7.5	7.7	7.4	7.1	7.5	7.3	7.1	
27030000	11.823	16.404	C	1	1	60	CRACKING	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	
121							2967 RIDE	8.5	8.1	8.0	8.3	8.1	7.9	7.7	7.7	7.9	8.4	8.3	8.3	8.2		
CR 228(12.0R)																						
2079113	12.074	16.404	C	2007			0012 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	6.8	
ANDERSON	COLUMBIA	CO., INC(2008)					SPRIDE	8.2	8.1	8.0	8.1	7.8	7.8	7.8	7.8	7.8	7.6	7.5	7.6	7.5	7.2	
27030000	10.150	10.796	L	1	1	30	CRACKING	8.0	7.0	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
121							11100 RIDE	8.0	7.9	7.8	7.0			8.1	7.9	7.6	7.8	7.8	7.4	7.1	7.3	
S SEVENTH ST(10.3L)																						
2079111	9.223	10.783	C	2002			0213 CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	3.0*	4.0*	4.0	
J.B. COXWELL	CONTRACTING,I(2004)						SPRIDE	7.1	7.2	7.0	6.8	6.9	7.0	7.1	6.9	6.5	6.4	6.3	5.7	5.6	5.5	
27030000	9.223	10.150	L	1	1	45	CRACKING	7.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
121							11100 RIDE	7.7	7.3	7.2	6.3*			8.2	7.9	7.3	8.1	8.2	8.1	8.0	7.9	
GEORGE HODGES RD( 9.4L)																						
2079111	9.223	10.783	C	2002			0213 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	6.0*	4.0*	4.0*	4.0	
J.B. COXWELL	CONTRACTING,I(2004)						SPRIDE	8.0	8.0	8.0	7.9	7.6	7.4	7.5	7.5	7.5	7.5	7.5	7.3	7.1	7.4	7.1
27070000	5.617	6.024	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
228							12800 RIDE	8.2	7.9	7.7	8.0	7.7	7.4	6.7	7.2	7.7	7.4	7.0	6.8	7.1		
E M SPENCE RD( 6.0C)																						
4376131	5.617	6.138	R	2019			0012 CRACKING	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA	CO., INC(2021)					SPRIDE	6.7	6.8	6.6	6.2	6.7	6.6	6.6	6.1	6.3	8.1	7.9	8.0	7.7	7.2	
27070000	6.024	7.544	C	1	1	30	CRACKING	4.0*	4.0*	3.5*	3.5*	1.0*			10.0	10.0	10.0	10.0	10.0	8.5	7.5	
228							12800 RIDE	8.4	8.1	7.9	7.3	7.4			7.7	7.8	7.9	7.9	7.9	7.7	7.7	
BARBER RD( 6.1L)																						
4376131	6.138	7.544	C	2019			0012 CRACKING	7.5	7.5	7.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA	CO., INC(2021)					SPRIDE	7.5	7.6	7.6	7.4	7.4	7.4	7.5	7.4	7.3	8.1	8.1	8.0	8.1	8.0	8.0
27070000	5.617	6.024	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
228							12800 RIDE	8.7	8.1	7.6	7.9	8.0	7.9	7.2	7.3	7.7	7.7	7.5	7.3	7.1		
E M SPENCE RD( 6.0C)																						
4376131	5.617	6.138	L	2019			0012 CRACKING	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA	CO., INC(2021)					SPRIDE	7.1	6.8	6.6	6.7	6.3					8.2	8.0	8.0	8.0	8.0	7.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = BAKER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP	SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
27090000	0.000	8.942	R	4	1	70	CRACKING	10.0	10.0	9.5	8.0	7.0	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	
8	I10			2	28.1	25243	RIDE	9.1	9.0	8.9	8.9	8.8	8.1	7.8	7.6	7.5	8.1	8.2	8.0	8.1	
							FC5M														
2130032	0.000	8.884	C	2007		0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	2.1
ANDERSON	COLUMBIA	CO., INC	(2008)				SPRIDE	8.0	7.9	7.9	7.8	8.2	8.1	8.3	8.2	8.3	8.2	8.1	7.9	7.8	7.8
4434221	0.000	8.918	C	2022		0012															
27090000	8.942	11.100	R	4	8	70	CRACKING	10.0	10.0	9.5	8.0	7.0	6.0*	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	
8	I10			2	34.2	23500	RIDE	9.1	9.0	8.9	8.9	8.8	8.1	7.6	7.2	6.5	7.4	8.4	8.1	8.5	
							FC5M														
2130033	8.922	20.398	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	4.5*	4.5*	3.5*		
PREFERRED	MATERIALS, INC.	(2009)					SPRIDE	8.4	8.3	8.2	8.0	8.3	8.2	8.5	8.3	8.4	8.3	8.0	7.7		
4434231	8.918	20.396	C	2022		0012															
27090000	11.100	20.400	R	4	8	70	CRACKING	10.0	10.0	9.5	8.0	7.0	6.0*	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	
8	I10			2	29.1	27500	RIDE	9.1	9.0	8.9	8.9	8.8	8.1	7.6	7.2	6.5	7.4	8.4	8.1	8.5	
							FC5M														
2130033	8.922	20.398	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	4.5*	4.5*	3.5*		
PREFERRED	MATERIALS, INC.	(2009)					SPRIDE	8.4	8.3	8.2	8.0	8.3	8.2	8.5	8.2	8.4	8.3	8.0	7.6		
4434231	8.918	20.396	C	2022		0012															
27090000	20.400	25.462	R	4	1	70	CRACKING	10.0	10.0	9.5	8.0	7.0	6.0*	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	
8	I10			2	29.1	40000	RIDE	9.1	9.0	8.9	8.9	8.8	8.1	7.6	7.2	6.5	7.4	8.4	7.9	8.3	
							FC5M														
2130034	20.398	25.462	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.0*	6.0
ANDERSON	COLUMBIA	CO., INC	(2009)				RIDE	8.3	8.2	8.2	8.1	8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1
4460421	20.400	25.462	C	2024		0012															
27090000	20.400	25.462	L	4	1	70	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	
8	I10			2	29.1	40000	RIDE	9.2	9.1	9.0	9.0	9.0	8.6	8.4	8.3	8.3	8.3	8.5	7.9	8.3	
							FC5M														
2130034	20.398	25.462	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	5.9
ANDERSON	COLUMBIA	CO., INC	(2009)				RIDE	8.2	8.2	8.2	8.1	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3
4460421	20.400	25.462	C	2024		0012															
27090000	8.942	20.400	L	4	8	70	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	
8	I10			2	29.1	27500	RIDE	9.2	9.1	9.0	9.0	9.0	8.6	8.4	8.3	8.3	8.3	8.5	8.1	8.6	
							FC5M														
2130033	8.922	20.398	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.0	5.5*	5.5*		
PREFERRED	MATERIALS, INC.	(2009)					SPRIDE	8.5	8.5	8.4	8.4	8.6	8.5	8.6	8.6	8.6	8.6	8.6	8.4		
4434231	8.918	20.396	C	2022		0012															
27090000	0.000	8.942	L	4	8	70	CRACKING	10.0	10.0	9.5	8.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	9.5	
8	I10			2	28.1	25243	RIDE	9.2	9.1	9.0	8.9	8.9	8.4	8.0	7.8	7.9	8.1	8.1	7.8	8.1	
							FC5M														
2130032	0.000	8.884	C	2007		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		
ANDERSON	COLUMBIA	CO., INC	(2008)				SPRIDE	8.1	8.0	8.0	8.0	8.3	8.3	8.5	8.5	8.5	8.5	8.4	8.4		
4434221	0.000	8.918	C	2022		0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).