



FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = COLUMBIA

Table with columns: RDWYID, SR US, BMP, G\_BMP, EMP LN, RW, SYS, TYP, SPD, DISTRESS, SURVEYED YEAR (1999-2021), and FUTURE (2022-2029). Rows include project details like 'INTERSECT AT (MP|SIDE)', 'BILLY CRAIG CT NE(14.7L)', and 'DUVAL ST W( 9.3L)'.

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = COLUMBIA

RDWYID	SR	US	BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE			
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011
INTERSECT AT (MP SIDE)												SURFTYPE =====													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P												2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR) ASTYPE																									(REG)
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																									
29020000	15.020	18.000	C	1	1	55	CRACKING	10.0	10.0	10.0	8.5	7.5	7.5	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5				
47	BROOKWOOD DR SW(15.1R)											8.5	8.5	8.4	8.3	8.1	7.4	8.3	8.1	8.1	8.4	8.3	8.3	8.2	
2084172 4.321 18.318 C 2004 0012												8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	4.0
ANDERSON COLUMBIA CO., INC(2005)												8.1	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.6
4454021	4.325	18.676	C	2023		0012																			
29020000	18.000	18.821	R	1	1	55	CRACKING	10.0	10.0	10.0	8.5	7.5	7.5	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0				
47	ARUID DR SW(18.2R)											8.5	8.5	8.4	8.3	8.1	7.4	8.3	8.1	8.1	8.0	7.8	7.8	7.9	
(2008)												9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	5.5*	4.3
4454021 4.325 18.676 C 2023 0012												7.7	7.5	7.7	7.5	7.1	7.0	7.3	7.3	7.3	7.4	7.2	7.4	7.3	6.9
29020000	18.821	22.554	R	1	1	50	CRACKING	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0					
47	CHAD PL SW(19.0R)											8.5	8.5	8.5	8.4	8.3	7.7	7.4			8.1	8.2	8.0	8.0	
2083631 18.821 22.554 C 2004 0213												10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	5.0
ANDERSON COLUMBIA CO., INC(2008)												7.9	7.9	7.8	7.8	7.7	7.5	7.6	7.6	7.5	7.5	7.5	7.5	7.3	7.1
29020000	18.821	22.554	L	1	1	50	CRACKING	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0					
47	SW RING CT(19.1L)											8.5	8.5	8.5	8.4	8.3	7.7	7.4			8.3	8.2	8.1	8.1	
2083631 18.821 22.554 C 2004 0213												10.0	10.0	10.0	9.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	4.8
ANDERSON COLUMBIA CO., INC(2008)												8.0	7.9	7.9	7.8	7.5	7.6	7.4	7.4	7.4	7.3	7.4	7.3	7.4	6.8
29020000	18.000	18.821	L	1	1	55	CRACKING	10.0	10.0	10.0	8.5	7.5	7.5	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0				
47	RIDGE RD(18.3L)											8.5	8.5	8.4	8.3	8.1	7.4	8.3	8.1	8.1	7.6	7.5	7.3	7.4	
(2008)												10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.4
4454021 4.325 18.676 C 2023 0012												7.2	7.1	7.1	7.2	6.7	6.6	7.7	7.6	7.6	7.4	7.5	7.6	7.3	7.3
29030000	0.000	9.664	C	1	1	60	CRACKING	3.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
25 41	RIVERVIEW CIR SE( 0.2R)											8.6	8.3	8.4	8.2	8.1		8.1	7.9	8.0	7.9	7.9	7.9	7.9	
(2020)												10.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0
29030000 9.664 10.377 R 1 1 45												10.0	10.0	10.0	10.0	8.5		8.5	9.0	9.0	10.0	7.0	6.5	6.5	
25 41	25 41											8.5	8.4	8.5	8.4	8.4		7.6	7.4	7.4	7.2	7.3	7.0	6.9	
(2013)												6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0
29030000 10.377 20.509 C 1 1 60												7.5	7.0	7.0	6.0*	6.0*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
25 41	25 41											9.0	9.0	9.0	8.9	8.8	8.1	7.7	7.8	7.8	8.5	8.5	8.4	8.4	
2083522 10.377 20.509 C 2007 0012												10.0	9.0	7.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	2.9
ANDERSON COLUMBIA CO., INC(2008)												8.1	8.1	8.0	7.7	7.9	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.7	7.3
2083523	10.344	20.832	C	2022		0012																			
29030000	20.509	20.837	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0				
25 41	FINDERS PL SE(20.7R)											8.0	8.0	7.8	8.3	8.3	7.9	7.8	7.9	7.3	8.5	8.5	8.3	8.2	
2083522 20.509 20.713 C 2007 0012												10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	3.2
ANDERSON COLUMBIA CO., INC(2008)												8.0	7.9	8.0	7.7	7.6	7.6	7.7	7.7	7.6	7.6	7.7	7.4	7.6	7.1
2083523	10.344	20.832	C	2022		0012																			
29030000	20.837	22.458	R	1	1	55	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.0*			
25 41	ALFRED MAR SE(20.9R)											8.0	8.0	8.8	8.7	8.8	8.2	8.3	8.0	8.1	8.0	8.0	7.9	7.9	
4286931 20.837 22.478 C 2014 0012												6.0*	6.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	5.7
ANDERSON COLUMBIA CO., INC(2015)												7.8	7.7	7.7	8.7	8.3	8.2	8.1	8.1	8.0	8.0	8.1	8.0	8.0	7.6
29030000	22.458	23.949	R	1	1	45	CRACKING	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5				
25 41	SHOPPING ENT(22.7R)											7.1	7.3	8.2	8.2	8.1	7.7	7.7	7.7	7.3	7.5	7.3	7.4	7.7	
4305611 22.458 23.949 C 2015 0012												8.5	7.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON COLUMBIA CO., INC(2017)												7.3	7.3	7.4	7.2	7.4	7.9	7.8	7.7	7.7	7.6	7.6	7.4	7.5	7.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = COLUMBIA -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE												
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
INTERSECT AT (MP SIDE)				SURFTYPE	*****																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)				ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																(REG)
29030000	22.458	23.949	L	1	1	45	CRACKING	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5		
25 41				2	7.3	17900	RIDE	6.8	7.1	7.9	8.0	8.0	7.7	7.7	7.5	7.6	7.6	7.7	7.6	7.5		
SR 47 NB(22.5L)						FC125																
4305611	22.458	23.949	C	2015	0012	CRACKING	7.5	7.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.1	
ANDERSON COLUMBIA CO., INC(2017)						SPRIDE	7.6	7.3	7.4	7.3	7.4	8.0	8.0	7.8	7.9	7.8	7.7	7.6	7.6	7.6	7.3	
29030000	20.835	22.458	L	1	1	55	CRACKING	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*		
25 41				2	5.3	8900	RIDE	8.2	8.2	8.8	8.8	8.7	8.0	8.3	8.0	7.9	8.0	7.8	7.5	7.7		
UNSIGNED(20.9L)						FC125																
4286931	20.837	22.478	C	2014	0012	CRACKING	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	6.0*	4.6	
ANDERSON COLUMBIA CO., INC(2015)						SPRIDE	7.3	7.1	7.2	8.6	8.3	7.9	8.1	8.2	8.2	8.1	8.1	8.1	8.2	8.0	7.9	
29030000	20.509	20.835	L	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.5	10.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
25 41				2	7.3	9500	RIDE	8.2	8.2	7.4	7.1	7.3	8.0	7.0	6.6	6.7	8.5	8.3	8.1	7.9		
2083522	20.509	20.713	C	2007	0012	CRACKING	10.0	10.0	8.5	8.5	7.5	7.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	4.0*	2.4		
ANDERSON COLUMBIA CO., INC(2008)						SPRIDE	7.7	7.7	7.7	7.6	7.5	7.6	7.7	7.4	7.6	7.4	7.3	7.4	7.2	6.9		
2083523	10.344	20.832	C	2022	0012																	
29030000	9.664	10.377	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0		8.5	8.5	8.5	9.5	8.5	8.5	7.5		
25 41				2	9.2	4800	RIDE	8.2	8.2	8.1	7.6	8.3		7.5	7.2	7.4	7.6	7.2	7.1	7.1		
HOWELL ST SW( 9.9L)						FC125																
						CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	6.0*	5.0	
				(2013)		RIDE	7.0	8.0	8.1	8.0	7.8	7.8	7.7	7.6	7.7	7.6	7.5	7.5	7.4	7.2	7.0	
29040000	0.000	0.720	R	1	1	45	CRACKING	7.5	7.0	7.0	5.5*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 41				2	12.2	10300	RIDE	6.8	7.5	7.3	7.1	7.0		7.8	7.9	7.5	7.7	7.9	7.8	7.8		
DUVAL ST( 0.0C)						FC125																
4361781	0.031	1.261	R	2021	0012	CRACKING	10.0	9.0	8.5	8.5	7.5	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	10.0	10.0			
ANDERSON COLUMBIA CO., INC(2023)						SPRIDE	7.8	7.7	7.6	7.7	7.5	7.5	7.5	7.4	7.6	7.6	7.3	8.1	7.2			
29040000	0.720	1.934	R	1	2	45	CRACKING	9.0	8.5	8.5	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	8.5	8.5		
25 41				1	12.2	9700	RIDE	8.6	8.6	7.8	7.8	7.7		8.5	8.2	8.1	8.3	8.3	8.2	8.2		
LONG ST NW( 0.7C)						FC125																
						CRACKING	8.5	8.5	7.5	7.5	7.0	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	10.0	10.0			
				(2023)		RIDE	8.0	7.9	7.8	7.3	7.8	7.7	7.6	7.6	7.9	7.8	7.8	8.1	8.1			
29040000	1.934	4.149	C	1	1	60	CRACKING	9.0	8.5	7.5	7.0	5.5*		10.0	10.0	10.0	10.0	9.0	9.0	7.5		
25 41				2	12.2	7800	RIDE	8.6	8.6	8.5	8.3	8.2		8.4	8.3	8.4	8.5	8.4	8.4	8.3		
MOORE RD NW( 3.0C)						FC125																
						CRACKING	7.5	7.5	7.0	7.0	7.0	5.5*	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0			
				(2023)		RIDE	8.3	8.1	8.0	8.0	7.9	7.8	7.9	7.8	7.9	7.9	7.8	8.6	8.6	8.4		
29040000	4.149	4.788	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		
25 41				2	12.2	7800	RIDE		8.9	8.9	8.8	8.9	8.4	8.5	8.2	8.1	8.1	8.0	7.9	7.9		
CR 25A NW( 4.3R)						FC125																
						CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	6.5	6.0	
				(2013)		RIDE	7.9	8.2	8.3	8.2	8.0	7.9	7.9	7.7	7.7	7.6	7.7	7.5	7.4	7.0		
29040000	4.788	11.480	C	1	1	60	CRACKING	8.5	7.5	7.5	7.5	7.0	5.0*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0		
25 41				2	12.2	5500	RIDE	8.3	8.4	8.4	8.1	8.0	7.2	7.0	6.6	6.4*	8.6	8.5	8.4	8.5		
FLAMINGO GLEN NW( 5.0L)						FC95																
2083893	4.788	11.480	C	2007	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	3.6		
ANDERSON COLUMBIA CO., INC(2008)						RIDE	8.4	8.3	8.3	8.2	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.6	
2083895	4.837	11.480	C	2027	0012																	
29040000	4.149	4.788	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 41				2	12.2	7800	RIDE		8.1	8.5	8.3	8.3	7.6	7.8	7.7	7.7	7.8	7.8	7.8	7.7		
						FC125																
						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	4.9	
				(2013)		RIDE	7.8	8.1	8.2	8.1	7.9	7.8	7.8	7.6	7.8	7.6	7.6	7.6	7.4	7.3	7.0	
29040000	0.000	1.934	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	3.0*		10.0	10.0	10.0	10.0	8.5	8.5	8.5		
25 41				2	12.2	10300	RIDE	6.5	6.7	6.2*	7.0	7.0		8.3	7.8	8.1	8.0	8.4	7.7	8.1		
DUVAL ST( 0.0C)						FC125																
4361781	0.031	1.261	L	2021	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0			
ANDERSON COLUMBIA CO., INC(2023)						SPRIDE	7.6	7.9	7.6	7.8	7.6	7.9	7.7	7.7	7.8	7.8	7.7	8.0	7.7			

-----

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = COLUMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====														(REG)
ITMSEG-P	(AGE_ONE YEAR)							2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
29050000	0.000	7.219	C	1	1	60	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20 27							7000 RIDE	8.7	8.6	8.5	8.8	8.8	8.4	8.6	8.4	8.4	8.5	8.5	8.5	8.4	
RIVER RISE STATE PK( 0.3R) FC125																					
2084181	0.000	12.590	C	2001		0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5
ANDERSON COLUMBIA CO., INC(2002) SPRIDE																					
2084183	0.000	12.590	C	2022		0012															
29050000	7.219	7.968	C	1	1	30	CRACKING	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20 27							6200 RIDE	7.7	7.6	7.6	8.5	8.4	7.9	8.1	8.0	8.0	8.1	7.7	7.8	7.8	
CR-18( 7.3R) FC125																					
2084181	0.000	12.590	C	2001		0012	CRACKING	9.5	9.5	8.5	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.1
ANDERSON COLUMBIA CO., INC(2002) SPRIDE																					
2084183	0.000	12.590	C	2022		0012															
29050000	7.968	12.590	C	1	1	60	CRACKING	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20 27							6200 RIDE	8.8	8.7	8.6	8.8	8.8	8.5	8.6	8.4	8.5	8.6	8.5	8.6	8.5	
CENTERVILLE AVE SW( 8.5R) FC125																					
2084181	0.000	12.590	C	2001		0012	CRACKING	9.5	9.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.0
ANDERSON COLUMBIA CO., INC(2002) SPRIDE																					
2084183	0.000	12.590	C	2022		0012															
29060000	0.000	7.350	C	1	1	60	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	
100							4100 RIDE	8.1	7.3	7.9	7.4	8.9	8.4	8.7	8.6	8.6	8.7	8.7	8.7	8.6	
CR 242 SE( 1.2C) FC125M																					
4342971	0.000	7.350	C	2019		0012	CRACKING	8.5	7.0	7.0	5.5*	5.5*	3.5*	3.5*	3.0*		10.0	10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC. (2021) SPRIDE																					
29060000	7.350	9.989	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	
100							4100 RIDE	8.7	8.6	8.7	8.7	8.7	7.9	8.0	8.1	8.0	8.1	8.2	8.2	8.1	
ACADEMIC AVE SE( 7.5R) FC125A																					
4286941	7.354	9.915	C	2015		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON COLUMBIA COMPANY (2017) SPRIDE																					
29070000	0.061	2.652	C	1	1	45	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	10.0	10.0
25A 441							6800 RIDE	7.7	7.8	7.9	7.9	7.7	7.4	7.2	7.3	7.2	7.2	6.7	8.4	8.3	
SR 25( 0.1C) FC125																					
2084024	1.086	2.653	L	2009		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	5.3
(2010) RIDE																					
29070000	2.652	2.978	C	1	4	30	CRACKING	5.9*	5.8*	1.4*	3.2*	3.0*	2.3*	0.9*	0.5*	1.0*	0.0*	2.4*	2.0*	2.2*	
25A 441							4800 RIDE	7.4	6.8	7.2	6.9	7.1	5.8	5.7	5.2*	5.6	5.6	5.9	6.3	6.1	
SE CAMP ST( 2.7R) LGD																					
2083861	2.524	3.005	C	1992		0217	CRACKING	1.2*	0.8*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.1*	0.0
ANDERSON COLUMBIA CO., INC(1997) RIDE																					
29070000	2.978	3.031	C	1	6	30	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	10.0	10.0	
25A 441							4800 RIDE	4.5*	4.7*	5.0*	5.6	4.9*	4.9*	4.5*	4.0*	4.2*	4.0*	4.2*	5.4*	5.0*	
DUVAL ST( 3.0C) LGD																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		8.5	8.5	8.5	8.5	8.5	7.0	6.6
							RIDE	4.9*	5.2*	5.1*	5.0*	4.7*	4.6*								
(2019)																					
29070000	4.000	6.513	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	10.0	9.0	9.0	9.0	9.0	
47 441							6000 RIDE	6.9	6.7	6.7	6.7	7.6	6.8	6.9	6.4	8.1	8.2	8.1	8.1	8.1	
BASCOM NORRIS DR( 4.0R) FC125																					
2084022	4.011	6.513	C	2005		0012	CRACKING	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	2.6
ANDERSON COLUMBIA CO., INC(2007) RIDE																					
4454341	3.971	6.490	C	2024		0012															
29070000	6.513	6.819	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	
47 441							3400 RIDE		8.4	8.3	8.3	8.3	7.7	7.6	7.6	7.6	7.5	7.5	7.6	7.5	
FC125M																					
							CRACKING	7.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	5.1
							RIDE	7.4	8.4	8.4	8.2	7.7	7.7	7.6	7.5	7.5	7.6	7.5	7.5	7.4	6.8
(2013)																					
29070000	6.819	8.284	C	1	1	60	CRACKING	9.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	
47 441							3400 RIDE	8.7	8.6	8.5	8.5	8.2	7.5	7.6		8.4	8.5	8.4	8.3	8.3	
FRASER GREEN RD( 7.0R) FC125																					
2084022	6.819	8.284	C	2005		0012	CRACKING	10.0	10.0	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	2.2
ANDERSON COLUMBIA CO., INC(2007) RIDE																					
2084026	6.881	15.971	C	2023		0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = COLUMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE										
		(AGE_ONE YEAR)																		(REG)		
						FY-F		WKM-F														
29070000	47	441	8.284	15.991	C	1	1 60	CRACKING	10.0	10.0	10.0	10.0	7.0	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
NW ZACK JONES GLN( 8.5L)						FC125																
2084023			8.277	15.968	C	2008	0012	CRACKING	10.0	10.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	1.4
HUBBARD CONSTRUCTION COMPA(2009)						SPRIDE																
2084026			6.881	15.971	C	2023	0012															
29070000	47	441	15.991	32.016	C	1	1 60	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	
NE REGISTER LN(16.2R)						FC125M																
4244921			15.991	32.016	C	2013	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.0*	3.3
ANDERSON COLUMBIA CO., INC(2014)						SPRIDE																
29070000	47	441	6.513	6.819	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	
(2013)						CRACKING																
29070000	47	441	4.000	6.513	L	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	10.0	9.0	9.0	
US-441/SR-100A( 4.0L)						FC125																
2084022			4.011	6.513	C	2005	0012	CRACKING	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	2.3
ANDERSON COLUMBIA CO., INC(2007)						RIDE																
4454341			3.971	6.490	C	2024	0012															
29080000	238		0.000	1.473	C	1	1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	10.0
SR 25 US 41 US 441( 0.0C)						FC125M																
2083932			0.000	1.472	C	2010	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	
ANDERSON COLUMBIA CO., INC(2011)						RIDE																
29090000	247		0.000	10.245	C	1	1 60	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
RAMP FROM MARKET RD( 0.2L)						FC125M																
2084115			0.000	5.580	C	2007	0012	CRACKING	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	3.5*	3.5*	3.5*	2.3
ANDERSON COLUMBIA CO., INC(2008)						RIDE																
2084119			0.000	10.074	C	2027	0012															
29090000	247		10.245	11.348	R	1	1 45	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
LEISURE DR SW(10.4R)						FC4																
4454351			10.074	11.348	C	2027	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.2
(2003)						RIDE																
29090000	247		10.245	11.348	L	1	1 45	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	8.5	9.0	8.5	8.5	8.5	
REAL TERR SW(10.4L)						FC4																
4454351			10.074	11.348	C	2027	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.2
(2003)						RIDE																
29110000	2		0.000	0.837	C	1	1 60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	
ANDERSON COLUMBIA CO., INC(2016)						FC125A																
4244841			0.000	0.837	C	2015	0012	CRACKING	7.5	7.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	6.2
(2016)						RIDE																
29160000	136		0.000	2.243	C	1	1 55	CRACKING	7.0	6.0*	6.0*	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	
NULL DR NW( 0.9L)						FC125																
2083712			0.000	2.243	C	2006	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.0*	6.0*	5.5*	3.5*	3.4
ANDERSON COLUMBIA CO., INC(2007)						RIDE																
29170000	8	110	0.000	6.455	R	4	1 70	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.0*	
(2013)						FC5M																
2130743			0.000	9.522	C	2011	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5
ANDERSON COLUMBIA CO., INC(2013)						SPRIDE																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = COLUMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)								=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)	
29180000	19.008	27.379	L	4	1	70	CRACKING	10.0	10.0	10.0	8.5	7.0	6.0*		10.0	10.0	9.0	9.0	9.0	8.5	
93	I75		3	30.7	48944		RIDE	9.1	9.0	9.0	8.9	8.8	8.1		8.3	8.3	8.2	8.2	8.0	7.9	
								FC5M													
4327331	19.008	27.379	C	2016	0012		CRACKING	8.5	8.5	7.0	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.1	
ANDERSON	COLUMBIA CO.,	INC(2018)					SPRIDE	7.7	7.6	7.4	7.2	7.8		8.8	8.8	8.8	8.9	8.9	8.9	8.9	
29180000	15.315	19.008	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0	
93	I75		3	30.0	54500		RIDE	9.0	8.8	9.0	8.5	8.8	8.2	8.1	7.9	7.8	8.2	8.1	8.1	8.1	
								FC5M													
4425811	15.318	19.002	C	2021	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
ANDERSON	COLUMBIA CO.,	INC(2023)					SPRIDE	8.1	7.9	7.8	7.5	8.1	8.1	8.0	8.3	8.3	8.3	8.1	9.1	9.1	
29180000	9.802	15.315	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	
93	I75		3	30.0	55000		RIDE	9.0	8.8	9.0	8.5	8.8	8.2	8.1	7.9	7.8	7.8	8.2	8.3	8.2	
								FC5M													
2130714	9.802	14.989	L	2008	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	3.9
ANDERSON	COLUMBIA CO.,	INC(2009)					RIDE	7.9	7.8	7.9	7.7	8.3	8.3	8.3	8.3	8.3	8.6	8.5	8.4	8.4	8.4
4455471	9.802	15.318	C	2023	0012																
29180000	0.000	9.802	L	4	1	70	CRACKING	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	
93	I75		3	30.0	55000		RIDE	8.7	9.1	9.1	9.0	8.9	8.4	8.2	8.2	7.8	7.8	7.5	7.0	7.1	
								FC5M													
2130713	0.000	9.802	C	2011	0012		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.7
V. E. WHITEHURST	& SONS,	I(2013)					SPRIDE		8.3	8.3	8.2	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).