

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = LEVY -----																									
RDWYID	SR	US	BMP	G_BMP	EMP LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR									FUTURE				
												1999	2000	2001	2002	2003	2004	2005	2006	2007		2008	2009	2010	2011
INTERSECT AT (MP SIDE)		W_BMP		W_EMP LN		FY-P		WKM-M		ADT		RATINGS		SURFTYPE		=====									
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP LN		FY-F		WKM-M		ADT		RATINGS		SURFTYPE		=====									
ITMSEG-P	ITMSEG-F																								
34010000	500	A27	34.339	35.685	L	1	1	35	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	7.5			
SW 7TH ST(34.4L)											6.9	8.7	8.7	8.2	8.3	8.0	8.0	8.0	7.9	7.9	7.3	7.2	7.7		
(2020)											7.5	7.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	8.5	7.6
											7.8	7.5	7.5	7.2	7.3	7.3	6.9	7.2	8.0	7.9	7.9	7.6	7.7	7.2	
34010000	500	A27	29.968	34.339	L	1	1	65	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
CR 241(30.1L)											8.3	8.2		8.6	8.5	8.0	7.9	7.8	7.9	7.8	7.7	7.5	7.3		
(2014)											9.0	8.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	
V. E. WHITEHURST & SONS, INC											7.2	6.9	8.5	8.6	8.9	8.9	8.8	8.7	8.9	8.9	8.7	8.7	8.7	8.7	
34010000	500	A27	23.269	29.968	L	1	1	65	CRACKING	6.0*	6.0*	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
NE 90 CT(23.7L)											8.3	8.2	8.1	7.8	7.5		8.0	8.0	8.2	8.2	8.1	8.1	8.0		
(2023)											10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	1.0*	1.0	
ANDERSON COLUMBIA CO., INC											8.0	8.0	7.8	7.7	8.0	7.9	7.7	7.8	8.0	8.0	7.8	7.7	7.6	7.6	
34010000	500	A27	22.327	23.269	L	1	1	40	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0		
SR 24(22.3C)											8.2	8.0	8.1	7.9	7.7	7.5	7.2	7.2	7.6	7.6	7.5	7.3	7.3		
(2007)											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0		
V. E. WHITEHURST & SONS, INC											7.4	7.3	7.2	7.2	6.3	6.4	6.4	6.3	6.2	6.3	6.1	5.9	6.0	5.3	
34010000	500	A27	14.600	22.327	L	1	1	65	CRACKING	7.5	7.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
CR 124(14.8L)											7.4	7.4	7.5	7.0		8.2	8.2	8.1	8.3	8.3	8.3	8.2	8.1		
(2023)											9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0		
ANDERSON COLUMBIA CO., INC											8.1	7.9	7.6	7.5	7.6	7.5	7.3	7.5	7.7	7.7		8.6	8.6		
34010000	500	A27	8.900	14.600	L	1	1	65	CRACKING	7.5	6.5	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
UNDESIGNED(9.4L)											8.8	8.7	8.6		8.8	8.3	8.3	8.3	8.5	8.5	8.4	8.3	8.2		
(2022)											7.5	7.5	7.5	7.5	5.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
PREFERRED MATERIALS, INC.											8.1	8.0	7.7	7.7	8.1	8.0	7.9	8.0	8.2		9.0	8.9	8.9	8.6	
34010000	500	A27	8.323	8.900	L	1	1	45	CRACKING	9.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
NE 7TH AVE(8.5L)											6.9	6.9	6.9		8.0	7.9	7.9	7.7	7.6	7.7	7.5	7.6	7.5		
(2003)											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0		
D.A.B. CONSTRUCTORS, INC											7.6	7.6	7.3	7.3	7.3	7.3	7.4	7.0	7.2	7.1	6.9	6.9	6.7	6.6	
34010000	55	19	0.000	8.199	L	1	1	65	CRACKING	3.5*	3.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
CR 55A(0.3L)											8.4	8.1	8.0	8.8	8.7	8.3	8.3	8.3	8.5	8.5	8.5	8.4	8.4		
(2002)											9.5	8.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	2.4	
ANDERSON COLUMBIA CO., INC											8.4	8.3	8.2	8.1	8.2	8.2	8.1	8.2	8.3	8.3	8.2	8.2	8.1	8.0	
34010101	500	A27	0.000	0.057	R	1	6	35	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
US-19/US-98/SR-55(0.0R)															0.0*										
(2004)											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
34010101	500	A27	0.000	0.057	L	1	6	35	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
US-19/98/27A N YOUNG(0.0L)															0.0*										
(2004)											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
34020000	49	129	0.000	7.832	C	1	1	60	CRACKING	3.5*	3.0*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
SR 500(0.0C)											8.5	8.0	8.2	7.9	7.6	7.9	8.0	8.1	8.3	8.3	8.3	8.3	8.2	8.2	
(2020)											9.5	8.0	8.0	6.0*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	
PREFERRED MATERIALS, INC.											8.1	8.0	7.7	7.6	7.9	7.9	7.8	7.9	8.8	8.8	8.7	8.7	8.7	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = LEVY -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-X-P													
(AGE_ONE YEAR)		(AGE_ONE YEAR)		ASTYPE																			
ITMSEG-P		ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-X-F											
34050000		24.026	35.060	L	1	1	65 CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0			
55	19				2	16.2	4000 RIDE	8.4	8.3	8.3	8.2	8.1	7.7	7.6	7.5	7.6	7.6	7.6	7.5	8.3			
SE 3 ST(24.0L)																							
2103763		24.026	35.028	L	10	10	0012 CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	1.2			
PREFERRED MATERIALS, INC. (2011) SPRIDE																							
2104285		24.026	36.547	C	2026		0012																
34050000		9.831	24.026	L	1	1	65 CRACKING	8.5	7.0	7.0	7.0	7.0	5.5*	4.0*	4.0*	3.5*	3.5*	3.5*		10.0			
55	19				2	16.2	4100 RIDE	9.0	8.9	8.9	8.8	8.6	8.1	8.0	8.0	7.8	7.7			8.0			
COUTLER RD(13.0L)																							
2103764		9.831	24.026	L	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	2.8		
ANDERSON COLUMBIA CO., INC(2011) SPRIDE																							
2104286		10.600	22.826@	C	2027		0012																
34050000		0.000	9.831	L	1	1	65 CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.5	7.5		10.0	10.0			
55	19				2	16.2	6900 RIDE	8.3	8.2	8.2	8.0	8.0	7.5	7.5	7.4	7.5	7.5		8.3	8.3			
INGLIS AVE(0.1L)																							
2103762		0.000	9.831	L	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	3.1		
D.A.B. CONSTRUCTORS, INC (2010) RIDE																							
34070000		0.000	1.935	C	1	1	30 CRACKING	6.0*	5.5*	5.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
24					2	9.0	2500 RIDE	7.6	7.4	7.6	7.2	7.3	6.8	8.2	8.1	8.3	8.2	8.0	7.8	7.9			
SECOND ST(0.0C)																							
2104212		0.000	1.941	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0		
V. E. WHITEHURST & SONS, I(2005) RIDE																							
34070000		1.935	9.227	C	1	1	60 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0			
24					2	9.0	2700 RIDE	8.4	8.3	8.3	8.1	8.1	7.7	7.6	6.8	7.5		8.8	8.7	8.6			
OLD CR 24(2.6R)																							
2103843		2.057	9.227	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.0		
PREFERRED MATERIALS, INC. (2009) RIDE																							
34070000		9.227	21.640	C	1	1	60 CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0			
24					2	9.0	1613 RIDE	8.4	8.2	8.2	8.1	7.9	7.6	7.4	7.2	8.4	8.4	8.4	8.3	8.2			
CR 345(9.4L)																							
2103842		9.303	21.684	C	2005	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.2		
V. E. WHITEHURST & SONS, I(2007) RIDE																							
34070000		21.640	32.922	C	1	1	60 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.0			
24					2	13.9	1550 RIDE	8.8	8.6	8.7	8.5	8.4	8.2	8.2	8.1	8.1	8.1	8.0	7.8	7.9			
NE 16 TER(23.5L)																							
4305481		21.640	32.922	C	2015	0012	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5		
V. E. WHITEHURST & SONS, I(2016) SPRIDE																							
34070000		32.922	39.818	C	1	1	55 CRACKING	9.5	9.5	7.0	9.5	7.5	7.5	6.0*		10.0	10.0	10.0	10.0	10.0			
24					2	13.9	3900 RIDE	8.5	7.8	8.1	7.8	7.5	6.8	6.5		8.4	8.5	8.5	8.5	8.5			
HATHAWAY AVE E(32.9C)																							
2103772		32.900	39.740	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	6.0*	5.5*	5.5		
V. E. WHITEHURST & SONS, I(2007) RIDE																							
4454331		32.944	39.818	C	2024		0012																
34080000		0.000	7.132	C	1	1	60 CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0			
121					2	7.2	7400 RIDE	8.4	8.3	8.3	7.9	7.7	7.0	6.9	6.7	6.7	6.5	6.1*	8.5	8.4			
SR 45(0.0C)																							
2103792		0.870	7.132	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.5	7.0		
ANDERSON COLUMBIA CO., INC(2010) SPRIDE																							
34110000		12.607	20.140	C	1	1	55 CRACKING	7.0	7.0	5.5*	5.0*	5.0*	5.0*	5.0*		10.0	10.0	10.0	10.0	10.0			
345					2	7.3	2000 RIDE	7.8	7.8	7.8	7.6	7.5	7.1	7.0		8.2	8.2	8.1	7.9	7.7			
NW 50 ST(12.6R)																							
2103782		12.607	20.186	C	2005	0012	CRACKING	10.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	3.9			
JOHN C. HIPPO CONSTRUCTION (2007) RIDE																							
2103784		12.607	20.140	C	2025		0012																
34110001		0.000	0.063	C	1	6	45 CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0			
345					2	7.3	1200 RIDE																
PAVEMENT CHANGE(0.0C)																							
(2005) CRACKING																							
RIDE																							
2103784		0.000	0.063	C	2025		0012	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.5	6.5		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = LEVY -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		SURFTYPE					=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
																				(REG)	
34150000	0.840	6.624	C	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	
320			2	2.9	4200		RIDE	8.3	8.0	8.2	7.8	7.8	7.5	7.3	7.2	7.5	7.5	8.1	8.0	7.8	
NW 113 TER(1.0R)							FC125														
2102922	0.000	6.580	C	2008	0012		CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	4.2
V. E. WHITEHURST & SONS, I(2009)							RIDE	7.7	7.6	7.4	7.3	7.3	7.3	7.2	7.2	7.1	7.1	7.0	6.9	6.5	
2102923	0.840	6.607	C	2027	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).