

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = UNION -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
39010000	0.000	3.423	C	1	1	60	CRACKING	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0
100			2	15.6			6100 RIDE	7.7	7.4	8.1	8.6	8.6	8.4	8.3	8.3	8.5	8.5	8.3	8.3	8.3	
SE 206 PL(0.3L)																					
4342951	0.000	3.399	C	2017	0012		CRACKING	7.0	7.0	7.0	7.0	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
V. E. WHITEHURST & SONS, I(2018) SPRIDE																					
39010000	3.423	5.338	C	1	1	30	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	6.0*
100			2	15.6			6100 RIDE	8.1	7.9	8.0	8.4	8.2	7.8	7.8	7.7	7.9	7.8	7.7	7.7	7.4	
RAMP TO SR 121(3.5R)																					
4234271	3.782	14.012	C	2016	0012		CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON COLUMBIA CO., INC(2017) SPRIDE																					
39010000	5.338	14.012	C	1	1	60	CRACKING	3.5*	3.5*	3.0*	3.0*	3.0*		10.0	10.0	10.0	10.0	9.5	9.5	7.5	
100			2	12.9			3400 RIDE	8.1	7.8	7.6	7.0	6.5		8.5	8.4	8.6	8.6	8.4	8.4	8.3	
CR 231(5.6R)																					
4234271	3.782	14.012	C	2016	0012		CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
ANDERSON COLUMBIA CO., INC(2017) SPRIDE																					
39020000	0.029	2.300	C	1	1	50	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	
121			2	18.7			6200 RIDE	8.1	7.7	7.4	7.0	6.9	8.2	8.0	8.1	8.3	8.3	8.1	8.1	8.0	
SW 33 TRL(0.3R)																					
4323071	0.029	8.600	C	2016	0012		CRACKING	6.0*	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	8.2
V. E. WHITEHURST & SONS, I(2017) SPRIDE																					
39020000	2.300	8.600	C	1	1	60	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	
121			2	18.7			6200 RIDE	8.1	7.7	7.4	7.0	6.9	8.2	8.0	8.1	8.3	8.3	8.1	8.1	8.0	
SW 50 ST(2.4R)																					
4323071	0.029	8.600	C	2016	0012		CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9
V. E. WHITEHURST & SONS, I(2017) SPRIDE																					
39020000	8.600	23.410	C	1	1	60	CRACKING	3.5*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
121			2	18.7			6000 RIDE	7.1	6.8		8.8	8.8	8.6	8.6	8.3	8.7	8.7	8.6	8.6	8.5	
SW 9TH AVE(8.6L)																					
			(2016)				CRACKING	9.5	9.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.8
							RIDE	8.5	8.5	8.4	8.4	8.6	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4
39040000	0.000	2.605	C	1	1	45	CRACKING	7.5	7.5	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	
16			2	10.3			3000 RIDE	8.4	8.2	8.0	8.0	7.4	6.6	6.1*	5.9	6.0	8.4	8.2	8.1	8.2	
S.R. 121(0.0C)																					
2109492	0.000	1.770	C	2007	0012		CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	3.9
ANDERSON COLUMBIA CO., INC(2008) RIDE																					
39050000	0.000	13.850	C	1	1	60	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	10.0	
238			2	8.1			3300 RIDE	8.9	8.9	8.2	8.7	8.7	8.3	8.2	8.1	8.0	7.8	7.5	7.4	8.6	
31ST LN SW(0.2R)																					
2109553	0.000	13.887	C	2010	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.5	6.0*	6.0*	4.4
ANDERSON COLUMBIA CO., INC(2011) RIDE																					
39050000	13.850	13.986	C	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	6.5	6.5	10.0	10.0	
238			2	8.1			5600 RIDE	6.6	5.2*	5.9*	5.7	6.1	5.4*	4.3*	4.8*	4.9*	4.6*	3.9*	7.0		
SR 231(13.9R)																					
			(2010)				UNKN														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.5	6.5
							RIDE														
39070000	0.000	0.892	C	1	1	40	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	
18			2	7.0			900 RIDE	7.5	7.1	7.2	6.8	6.1	6.1	6.5	6.3	6.4	6.5	8.0	8.0	8.0	
SR 121(0.0C)																					
2109622	0.000	0.892	C	2007	0221		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.5	7.3	
ANDERSON COLUMBIA CO., INC(2009) SPRIDE																					
39090000	0.000	2.739	C	1	1	55	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	3.5*	3.5*	10.0	10.0	
231			2	3.4			4700 RIDE	8.7	8.8	8.5	8.5	8.4	8.1	7.8	7.8	8.0	7.8	7.7	8.0	8.0	
SW 73 ST(0.0L)																					
2109522	0.000	2.739	C	2008	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.0	8.0	7.0	6.5	6.0*	6.0*	4.6
V. E. WHITEHURST & SONS, I(2010) RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).