

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP)	(SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														(PMRS)
ITMSEG-P																					
ITMSEG-F																					
48003000	0.000	0.519	C	1	1	35	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	10.0	9.5	
289 98				4	1.5	14100	RIDE	7.1	7.2	6.7	6.2	6.2	6.3	6.1	6.1	5.8	5.5	5.3*	6.7	6.9	
US-98/SR-30(0.0R)																					
4230611	0.000	0.436	C	2011		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	6.0*	5.0*	5.1*	3.0*
ROADS, INC. OF NWF				(2012)			RIDE	6.5	5.8	4.4*	4.6*	4.4*	4.4*	4.3*	4.1*	4.1*	4.1*	4.0*	4.0*	4.1*	3.7*
4269343	0.000	6.087	C	2029		0012															
48003000	0.519	3.882	C	1	1	35	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	10.0	9.5	
289				4	3.0	15900	RIDE	7.7	7.5	7.4	7.2	7.0	7.1	7.2	7.3	7.0	7.1	6.9	6.5	6.5	6.5
E STRONG ST(0.6C)																					
				(2017)			CRACKING	6.5	6.5		10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.2	6.9	5.0*
4269343	0.000	6.087	C	2029		0012	RIDE	6.7	6.1		8.0	8.1	8.0	7.9	7.9	7.8	7.6	7.7	7.7	7.5	7.1
48003000	3.882	6.087	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	
289				2	1.5	27500	RIDE	8.4	7.8	7.6	7.3	7.3	7.2	7.0	7.1	6.9	7.1	6.6	6.9	6.6	
CARPENTERS CREEK DR(3.9R)																					
4269341	3.878	6.005	C	2015		0012	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	7.9	6.0*
OLDCASTLE MATERIALS SOUTHE				(2017)			RIDE	6.9	6.6		8.0	8.2	8.1	8.1	8.1	7.9	8.0	8.0	8.0	7.7	7.3
4269343	0.000	6.087	C	2029		0012															
48003000	6.087	7.281	R	1	8	45	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
289				2	3.1	25000	RIDE	7.6	7.7	7.4	6.7	6.5	7.5	7.6	7.6	6.9	7.7	7.6	7.5	7.5	
KEATING RD(6.5R)																					
4063211	6.013	6.627	C	2005		0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.1*		
PREFERRED MATERIALS, INC.				(2006)			SPRIDE	7.6	6.9	7.2	6.5	6.9	6.9	6.9	6.9	6.6	6.8	6.8	6.8		

48003000	6.750	7.281	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
289				2	3.1	25000	RIDE	8.5	8.3	8.1	8.0	6.8	7.4	6.7	8.2	7.6	8.3	8.1	8.0	7.6	
BEAU TERRA LN(6.8C)																					
2186201	6.696	7.281	C	1999		0213	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	4.4*		
APAC-FLORIDA, INC				(2001)			S RIDE	8.2	7.7	7.3	7.4	7.2	7.5	7.4	7.0	7.0	7.3	7.1	7.0		
4269342	6.053	7.281	L	2024		0012															
48003000	6.087	6.750	L	1	8	45	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
289				2	3.1	25000	RIDE	7.9	7.8	7.5	6.8	6.9	7.6	7.7	7.8	7.3	7.9	7.6	7.6	7.5	
DUNMIRE ST(6.5L)																					
4063211	6.013	6.627	C	2005		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5		
PREFERRED MATERIALS, INC.				(2006)			SPRIDE	7.7	7.3	6.8	6.5	6.7	6.6	6.7	6.4	6.5	6.5	6.5	6.5		
4269342	6.053	7.281	L	2024		0012															

48004000	0.000	2.582	C	1	1	40	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	
727				2	3.5	6600	RIDE	7.9	7.7	7.6	7.0	6.8	6.6	6.8	6.6	6.4	6.4	6.4	6.3	6.2	
GULF BEACH HWY(0.0C)																					
				(2015)			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.3*	6.5	4.5*
4565911	0.015	5.461	C	2029		0012	RIDE		7.9	7.9	7.4	7.6	7.4	7.3	7.4	7.2	7.2	7.2	7.2	6.8	6.4
48004000	2.582	5.819	R	1	1	40	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
727				1	2.8	16500	RIDE	7.9	7.7	7.6	7.0	6.8	6.6	6.8	6.6	6.4	6.4	6.4	6.3	6.2	
CR 298A(2.8R)																					
				(2015)			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.3*	7.0	5.0*
4565911	0.015	5.461	C	2029		0012	RIDE		7.9	7.9	7.4	7.6	7.4	7.3	7.4	7.2	7.2	7.2	7.2	7.3	6.9
48004000	5.819	6.900	R	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	4.5*	6.0*	6.0*	6.0*	6.0*	
727				2	2.8	22000	RIDE	8.0	8.2	8.2	7.5	7.8	7.5	7.6	7.6	7.2	6.9	7.4	7.3	7.2	
MOBILE HWY(6.0C)																					
				(2018)			CRACKING	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.5	7.0
							RIDE	7.3	6.7	6.3		8.0	7.9	7.7	7.8	7.6	7.4	7.6	7.6	7.4	7.0
48004000	6.900	8.293	R	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	4.5*	7.0	7.0	7.0	7.0	
295				2	3.5	44500	RIDE	8.0	8.2	8.2	7.5	7.8	7.5	7.6	7.6	7.2	7.2	7.1	7.6	7.6	
OLD FAIRFIELD DR(6.9R)																					
4269511	6.833	8.293	C	2016		0012	CRACKING	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.1	6.5
ROADS, INC. OF NWF				(2018)			SPRIDE	7.7	7.5	7.3	7.0	8.5	8.5	8.2	8.4	8.3	8.4	8.5	8.5	8.4	8.0
48004000	8.293	9.203	R	1	1	40	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5	3.5*	3.5*	4.5*	7.0	7.0	10.0	10.0	
295				2	7.1	32500	RIDE	7.0	7.0	6.8	5.9	5.3*	4.8*	4.7*	3.9*	4.2	7.2	7.1	7.7	7.7	
PACE BLVD N(8.3C)																					
4193011	8.337	9.203	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.0*	5.5*	3.2*	3.0*	1.0*
OLDCASTLE MATERIALS SOUTHE				(2012)			SPRIDE	7.7	7.5	7.6	7.5	7.5	7.4	7.3	7.1	7.3	7.1	7.2	7.1	6.9	6.5
2184152	8.250	9.238	C	2027		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====															
CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	ITMSEG-F														(PMRS)							
48004000	9.203	9.819	R	1	1	40	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5	3.5*	3.5*		10.0	10.0	10.0	10.0		
295				2	7.1	39500	RIDE	7.0	7.0	6.8	5.9	5.3*	4.8*	4.7*	3.9*		8.4	8.3	8.3	8.2		
MARCUS DR (9.4R)							FC125M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	6.5
							RIDE	8.3	8.2	7.9	7.4	7.6	7.8	7.8	7.6	7.8	7.8	7.8	7.8	7.8	7.8	7.4
							(2010)															
48004000	9.819	10.043	C	1	1	35	CRACKING	10.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	6.5	6.5	10.0	10.0		
295				4	3.0	27000	RIDE	6.9	6.2	5.7	5.5	5.4*	5.7	5.7	5.2*	5.1*	4.9*	4.9*	8.1	7.7		
FAIRFAX DR (9.9R)							UNKW															
4193011	9.819	10.043	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	5.9*	5.3*	3.5*	
OLDCASTLE MATERIALS SOUTHE							SPRIDE	6.9	8.0	7.7	7.1	6.4								6.8	6.4	
							(2012)															
48004000	9.203	9.819	L	1	1	40	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	3.5*	3.5*		10.0	10.0	10.0	10.0		
295				2	7.1	39500	RIDE	7.1	6.7	6.6	5.9	5.9	5.6	5.2*	4.6*		8.3	8.2	8.2	8.1		
E FAIRFIELD DR (9.4L)							FC125M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.1	6.0*
							RIDE	7.8	7.8	7.3	7.7	7.6	7.6	7.3	7.3	7.3	7.5	7.5	7.5	7.6	7.4	7.0
							(2010)															
48004000	8.293	9.203	L	1	1	40	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	3.5*	3.5*	4.5*	4.5*	4.5*	10.0	10.0		
295				2	7.1	32500	RIDE	7.1	6.7	6.6	5.9	5.9	5.6	5.2*	4.6*	5.9	5.4*	6.0	7.5	7.6		
PACE BLVD N(8.3C)							DGFC															
4193011	8.337	9.203	C	2011	0012	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.0*	5.5*	4.0*	3.6*	1.5*	
OLDCASTLE MATERIALS SOUTHE							SPRIDE	7.7	7.3	7.3	7.4	7.3	7.3	7.2	7.4	7.0	7.0	7.0	6.9	6.7	6.3	
2184152	8.250	9.238	C	2027	0012																	
							(2012)															
48004000	6.900	8.293	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.0	7.0	7.0		
295				2	3.5	44500	RIDE	8.4	8.5	7.8	8.0	7.6	8.2	8.0	7.2	7.9	8.2	8.1	8.0	8.0	7.8	
HOLLYWOOD AVE(7.1C)							FC95MR															
4269511	6.833	8.293	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	7.0
ROADS, INC. OF NWF							SPRIDE	7.9	7.5	7.9	7.6	8.6	8.6	8.5	8.4	8.5	8.5	8.6	8.5	8.4	8.0	
							(2018)															
48004000	6.462	6.900	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
295				3	2.8	22000	RIDE	8.4	8.5	7.8	8.0	7.6		8.0	7.2	8.0	8.0	8.1	8.1	8.0		
EMERALD AVE(6.6L)							FC95MR															
4269511	6.575	6.833	C	2016	0012	CRACKING	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.4	7.5	6.0*	
ROADS, INC. OF NWF							SPRIDE	7.9	7.5	7.6	7.8	8.9	8.5	8.1	8.5	8.0	8.7	8.5	8.5	8.4	8.0	
							(2018)															
48004000	5.819	6.462	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0		
295				2	2.8	22000	RIDE	8.4	8.5	7.8	8.0	7.6	6.8	6.5	5.8	6.9	7.3	7.1	7.1	7.0		
FROM US 90/SR10A EB(5.9L)							FC95MR															
4269511	5.985	6.435	C	2016	0012	CRACKING	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.7	7.2	5.5*	
ROADS, INC. OF NWF							SPRIDE	7.8	7.3	7.4		8.0	7.7	7.7	8.0	7.6	7.5	7.7	7.7	7.6	7.2	
							(2018)															
48005000	0.000	1.182	R	1	1	40	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5	6.5		
752				2	7.1	8500	RIDE	5.5*	5.4*	7.6	6.7	6.9	6.7	6.6	6.6	6.3	6.6	6.2	5.9	5.9		
FAIRFIELD DR W(0.0C)							FC95MR															
4269281	0.497	1.177	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.7	5.0*	
ROADS, INC. OF NWF							SPRIDE	6.0	5.9	7.9	7.7	7.7	7.7	7.3	7.6	7.4	7.5	7.3	7.2	7.1	6.7	
							(2016)															
48006000	0.000	0.490	R	1	1	35	CRACKING	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
196				2	6.7	17100	RIDE	6.6	6.9	6.5	6.2		6.3	6.8		6.5	7.9	7.8	7.7	7.8		
RR #339739(0.0C)							FC125M															
4153731	0.014	0.501	C	2009	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*	
PREFERRED MATERIALS, INC.							RIDE	8.0	7.9	6.9	7.2	7.1	7.0	7.1	6.7	6.8	6.8	6.6	6.7	6.5	6.1	
							(2010)															
48006000	0.490	1.009	R	1	1	35	CRACKING	4.5*	4.5*	4.5*	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
196				2	6.7	13900	RIDE	8.0	7.8	7.5	8.2		6.3	6.8		6.0	6.8	6.7	6.7	6.7		
WHARF AVE(0.9R)							DGFC															
2186821	0.530	1.020	C	2003	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	
PANHANDLE GRADING & PAVING							RIDE	6.6	6.0	5.6	5.2*	5.6	5.8	5.8	5.9	5.7	5.6	5.7	5.7	5.5	5.1*	
							(2006)															
48006000	0.490	1.009	L	1	1	35	CRACKING	9.5	9.5	8.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
196				2	6.7	13900	RIDE	6.8	6.8	6.6	8.0	7.9	7.6	7.8	8.1	6.6	6.6	6.6	6.6	6.6		
S 9TH AVE(0.5L)							DGFC															
2186821	0.530	1.020	C	2003	0012	CRACKING	8															

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)		SURFTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
48006000	0.000	0.490	L	1	1	35	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	
196			2	6.7		17100	RIDE	7.2	7.2	6.8	6.0	6.2	6.3	6.0		6.3	7.3	7.3	7.1	7.2		
TARRAGONA	ST(0.0L)				FC125M																
4153731	0.014	0.501	C	2009	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.1	6.9	5.0*	
PREFERRED	MATERIALS,	INC.		(2010)			RIDE	7.0	7.2	6.6	7.0	6.8	6.8	6.6	6.7	6.6	6.5	6.3	6.2	6.2	5.8	
48008000	0.000	0.160	R	1	1	40	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0		
750			2	4.7		17500	RIDE	6.8	7.8	7.2					7.2	6.6	7.0	7.6	7.3	7.1		
N 9TH AVE(0.0C)					DGFC																
				(2007)			CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.1	6.8	4.5*
							RIDE	7.3	6.6	6.3	7.4	8.0	7.6	7.6	7.5	7.2	7.0	6.8	7.0	5.3*	4.9*	
48008000	0.160	0.582	R	1	1	40	CRACKING	6.0*	6.0*	6.0*	6.0*	5.5*		10.0	10.0	9.5	9.5	9.0	9.0	9.0		
750			2	4.7		17500	RIDE	6.8	7.8	7.2	6.3	5.8		7.2	6.6	7.0	7.6	7.3	7.3	7.1		
CORPORATE	WOODS DR(0.5C)				FC125																
4063311	0.155	0.582	C	2005	0012		CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.1	7.1	5.0*	
PREFERRED	MATERIALS,	INC.		(2007)			SPRIDE	7.3	6.6	6.3	7.4	8.0	7.6	7.6	7.5	7.2	7.0	6.8	7.0	7.4	7.0	
48010000	0.135	0.644	C	1	1	55	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*			
10 90			2	7.0		7108	RIDE	8.7	8.7	8.5	8.1	8.1	8.1	7.9	7.8	7.9	7.9	7.8	7.7			
FISH CAMP	RD(0.3L)				FC95MR																
				(2014)			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	4.7*	4.2*	2.5*	
							RIDE	8.2	7.8	7.2	7.0	6.9	6.7	6.5	6.2*	6.3*	5.9*	5.6*	5.6*	5.2*	4.8*	
4529301	0.140	3.964	C	2026	0012																	
48010000	0.644	2.162	C	1	1	55	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0		
10 90			2	7.0		7108	RIDE	8.7	8.7	8.5	8.1	8.1	8.1	7.9	7.8	7.9	7.9	7.8	7.7	8.6		
WESTERN WAY	DR(2.1R)				FC95MR																
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.8	5.0*	
							RIDE	8.6	8.3	8.3	8.0	8.3	8.2	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.4	
4529301	0.140	3.964	C	2026	0012																	
48010000	2.162	2.877	R	1	1	55	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	10.0		
10 A90			2	13.8		6700	RIDE	7.2	6.7	7.9	7.7	7.6	7.6	7.7	7.5	7.5	7.5	7.4	7.3	8.4		
SILCOX LN(2.2R)					FC95MR																
4193021	2.162	2.877	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.8	6.7	5.0*	
PANHANDLE	GRADING &	PAVING(2013)				SPRIDE	8.6	8.3	8.1	7.6	8.1	7.9	7.9	7.7	7.7	7.4	7.4	7.6	7.4	7.0	
4529301	0.140	3.964	C	2026	0012																	
48010000	2.877	3.978	R	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
10 A90			2	13.8		6700	RIDE	9.0	8.9	8.9	8.5	8.5	8.4	8.4	7.8	8.1	8.1	8.0	8.0	8.5		
BRIDLEWOOD	RD(3.3C)				FC95MR																
				(2022)			CRACKING	10.0	10.0	10.0	10.0	9.5			10.0	8.0	8.0	8.0	7.0	6.5	5.0*	
							RIDE	8.7	8.3	8.4	7.9	8.3			8.3	8.1	8.1	8.1	8.1	7.9	7.5	
4529301	0.140	3.964	C	2026	0012																	
48010000	3.978	6.704	R	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
10 A90			2	7.0		24000	RIDE	9.0	8.9	8.9	8.5	8.5	8.4	8.4	7.8	8.1	8.1	8.0	8.0	8.5		
BEULAH RD(4.3C)					FC95MR																
				(2022)			CRACKING	10.0	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	8.7	8.3	8.4	7.9	8.3			8.3	8.5	8.4	8.4	8.3	7.9		
48010000	6.704	7.400	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.0	10.0		
10 A90			2	4.8		21500	RIDE	8.8	8.7	8.6	7.6	8.2	8.0	8.1	7.1	8.0	8.1	8.0	8.0	8.5		
KLONDIKE RD	R(7.3R)				FC95MR																
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	8.6	8.2	8.0	8.0	8.1				8.2	8.2	8.2	8.1	7.7		
4379052	6.616	7.483	C	2030	0213																	
48010000	7.400	10.785	R	1	1	45	CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	9.0	6.5	6.5	6.5	6.5		
10 A90			2	4.6		31500	RIDE	8.5	8.3	8.2	7.8	7.8	7.7	7.8	6.6	7.5	7.5	7.5	7.4	7.1		
EIGHT MILE	CREEK RD N(7.8C)				FC95MR																
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	8.9	8.5	8.3	8.2	8.2				8.2	8.2	8.2	8.1	7.7		
48010000	10.785	15.828	R	1	1	45	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
10 A90			2	4.1		42500	RIDE	8.7	8.6	8.6	8.1	8.2	7.9	7.9	7.2	7.8	7.7	7.5	7.4	7.2		
HOLSBERY LN(11.1C)					FC95MR																
4169401	10.237	15.827	R	2012	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.9	5.0*	
PANHANDLE	GRADING &	PAVING(2014)				SPRIDE	8.9	8.0	8.3	7.9	8.3	8.2	8.2	8.3	8.2	8.2	8.2	8.2	8.1	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR	(AGE_ONE_YEAR)																			(PMRS)	
ITMSEG-F																						
48010000	10.785	15.855	L	1	1	45	CRACKING	10.0	10.0	8.0	5.5*	5.5*	5.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
10 A90				2	4.1	42500	RIDE	8.7	8.5	8.5	8.0	7.9	7.8	7.7	7.4	7.6	7.2	7.3	7.2	6.8		
NIMS LN(10.9L)																						
4169401	10.237	15.855	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.8	6.6	5.0*
PANHANDLE GRADING & PAVING(2014)																						
FC95MR																						
SPRIDE																						
48010000	7.400	10.785	L	1	1	45	CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	9.0	6.5	6.5	6.5	6.5	6.5	
10 A90				2	4.6	31500	RIDE	8.5	8.3	8.2	7.8	7.8	7.7	7.8	6.6	7.5	7.5	7.5	7.4	7.1		
CR 97(7.5L)																						
FC95MR																						
(2023)																						
CRACKING																						
RIDE																						
48010000	6.704	7.400	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.5	10.0		
10 A90				2	4.8	21500	RIDE	8.7	8.7	8.7	8.2	8.2	7.7	7.8	7.0	7.7	7.4	8.0	7.9	8.3		
FC95MR																						
(2023)																						
CRACKING																						
RIDE																						
4379052	6.616	7.483	C	2030	0213			10.0	10.0	10.0	10.0	9.5				10.0	10.0	10.0	10.0	8.5		
CRACKING																						
RIDE																						
48010000	3.978	6.704	L	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
10 A90				2	7.0	24000	RIDE	9.0	8.9	8.9	8.5	8.5	8.4	8.4	7.8	8.1	8.1	8.0	8.0	8.5		
CRYSTAL LAKE ESTATES(4.1L)																						
FC95MR																						
(2022)																						
CRACKING																						
RIDE																						
48010000	2.877	3.978	L	1	1	45	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
10 A90				2	13.8	6700	RIDE	9.0	8.9	8.9	8.5	8.5	8.4	8.4	7.8	8.1	8.1	8.0	8.0	8.5		
TOWER RIDGE RD(3.0L)																						
FC95MR																						
(2022)																						
CRACKING																						
RIDE																						
4529301	0.140	3.964	C	2026	0012			10.0	10.0	10.0	10.0	9.5				10.0	8.0	8.0	7.0	6.5	5.0*	
CRACKING																						
RIDE																						
48010000	2.162	2.877	L	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	9.5	10.0		
10 A90				2	13.8	6700	RIDE	7.0	6.5	8.4	8.1	8.0	8.0	7.9	7.0	7.7	7.9	7.3	7.6	8.5		
MAGNOLIA SPRINGS RD(2.2L)																						
FC95MR																						
4193021	2.162	2.877	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.2*	7.0	5.0*	
PANHANDLE GRADING & PAVING(2013)																						
SPRIDE																						
4529301	0.140	3.964	C	2026	0012			8.6	8.1	7.7	7.9	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.9	7.7	7.3	

48012000	0.000	3.690	R	1	7	40	CRACKING	6.0*	6.0*	6.0*		10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0		
296				2	2.7	34500	RIDE	7.6	7.6	7.5		8.1	8.2	8.2	8.2	8.1	7.7	8.1	8.0	7.9		
MOBILE HWY(0.0C)																						
FC125M																						
4325611	0.027	3.690	R	2024	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.9	10.0	8.5
C. W. ROBERTS CONTRACTING,(2026)																						
RIDE																						
48012000	3.690	4.207	R	1	1	35	CRACKING	8.0	8.0	8.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
296				2	3.4	36500	RIDE	7.7	7.4	7.3	7.9	7.6	7.3	6.3	6.3	6.0	5.3*	5.7	7.4	7.4		
BRENT LN(3.8R)																						
DGFC																						
2186681	3.678	3.928	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	6.9	7.0	4.5*	
APAC-FLORIDA INC																						
(2004)																						
SPRIDE																						
48012000	4.207	4.680	R	1	1	35	CRACKING	8.0	8.0	8.0	10.0	10.0	10.0	9.5	6.5		10.0	10.0	10.0	10.0		
296				3	2.0	44500	RIDE	7.7	7.4	7.3	6.1	5.8	5.8	5.4*	5.2*		7.2	7.1	7.3	7.3		
HONEYSUCKLE LN(4.3R)																						
FC125M																						
2224691	4.228	4.680	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.4	7.5	
(2010)																						
RIDE																						
48012000	4.680	5.459	R	1	8	35	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0		
296				2	2.0	26473	RIDE	6.3*	6.2	6.1	8.0	7.9	7.6	7.6	8.0	7.2	7.3	7.4	6.9	6.8		
DAVIS HWY(4.7C)																						
DGFC																						
2186681	4.759	5.440	C	2003	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	4.9*			
APAC-FLORIDA INC																						
(2004)																						
SPRIDE																						
4346801	4.638	7.342	C	2025	0012			7.1	7.4	7.4	7.1	7.2	6.9	6.9	6.7	6.6	6.3	7.1	6.4			
4346801																						
4.638																						
7.342																						
C 2025																						
0012																						
48012000	5.459	6.274	R	1	8	35	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0		
296				2	1.2	24000	RIDE	6.3*	6.2	6.6	8.4		6.0	6.4	6.4	5.1*	6.3	6.2	6.0	6.4		
SR 289(5.5C)																						
DGFC																						
2186681	5.591	6.245	C	2003	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.3*		
APAC-FLORIDA INC																						
(2004)																						
SPRIDE																						
4346801	4.638	7.342	C	2025	0012			6.5	6.3	5.7	5.8	6.1	6.3	5.9	6.2	5.8	6.0	5.8	6.0			
4346801																						
4.638																						
7.342																						
C 2025																						
0012																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
48012000 296	6.274	6.450	R	1	8	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	9.5
HIGH PINE PL R(6.4R)				1	2.6	12400	RIDE	7.5	7.7	6.3	6.0	6.2	5.5	6.1	5.5	5.3*	5.3*	7.9	7.7	7.4	
4169141	6.274	6.462	C	2010		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.6*	
OLDCASTLE MATERIALS SOUTHE (2011)							RIDE	7.3	7.2	6.6	6.4	7.3	6.9	7.2	7.0	6.9	6.8	6.9	6.6		
4346801	4.638	7.342	C	2025		0012															
48012000 296	6.450	7.383	C	1	8	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	9.5
KENYON RD(6.5L)				2	2.6	12400	RIDE	7.5	7.7	6.3	6.0	6.2	5.5	6.1	5.5	5.3*	5.3*	7.9	7.7	7.4	
4169141	6.462	7.386	C	2010		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.6*	
OLDCASTLE MATERIALS SOUTHE (2011)							RIDE	7.3	7.2	6.6	6.4	7.3	6.9	7.2	7.0	6.9	6.8	6.9	6.6		
4346801	4.638	7.342	C	2025		0012															
48012000 296	7.383	8.411	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0
DUPONT DR(7.4L)				2	2.1	10600	RIDE	8.0	8.1	7.8	7.7	7.5	7.6	7.3	7.7	7.1	7.0	6.9	6.8	6.6	
							FC95MR														
							CRACKING	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	6.9	5.0*
							RIDE	6.8	6.3	6.3	6.4	8.4	8.3	8.1	8.0	8.0	7.8	7.7	7.7	7.5	7.1
							(2018)														
48012000 296	8.411	8.911	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0
HYDE PARK RD(8.6C)				1	2.7	8800	RIDE	8.0	8.1	7.8	7.7	7.5	7.6	7.3	7.7	7.1	7.0	6.9	6.8	6.6	
4288461	8.424	8.654	C	2016		0012	CRACKING	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.3	5.5*
ROADS, INC. OF NWF							SPRIDE	6.8	6.3	6.3	6.4	8.4	8.3	8.1	8.0	8.0	7.8	7.7	7.7	7.9	7.5
							(2018)														
48012000 296	8.911	9.601	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0
EVERY ST E(8.9L)				2	2.0	8400	RIDE	8.0	8.1	7.8	7.7	7.5	7.6	7.3	7.7	7.1	7.0	6.9	6.8	6.6	
4288461	8.912	9.595	C	2016		0012	CRACKING	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.9	6.0*
ROADS, INC. OF NWF							SPRIDE	6.8	6.3	6.3	6.4	8.4	8.3	8.1	8.0	8.0	7.8	7.7	7.7	7.5	7.1
							(2018)														
48012000 296	6.274	6.450	L	1	8	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	9.5
UNKNW				1	2.6	12400	RIDE	7.5	7.7	6.3	6.0	6.2	5.5	6.1	5.5	5.3*	5.3*	7.9	7.7	7.4	
4169141	6.274	6.462	C	2010		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.6*	
OLDCASTLE MATERIALS SOUTHE (2011)							RIDE	7.3	7.2	6.6	6.4	7.3	6.9	7.2	7.0	6.9	6.8	6.9	6.6		
4346801	4.638	7.342	C	2025		0012															
48012000 296	5.606	6.274	L	1	8	35	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0
ASKEW DR(5.7C)				2	1.2	24000	RIDE	6.3*	6.1	5.5	7.7	7.7	7.6	7.2	6.7	5.5	6.1	6.2	6.0	6.8	
2186681	5.591	6.245	C	2003		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	
APAC-FLORIDA INC							SPRIDE	6.8	6.6	6.4	6.1	6.2	6.5	5.9	5.9	5.9	5.7	6.0	5.8		
4346801	4.638	7.342	C	2025		0012															
48012000 296	4.680	5.606	L	1	8	35	CRACKING	8.0	8.0	9.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0
DAVIS HWY(4.7C)				2	2.0	26473	RIDE	7.2	6.5	7.0	8.1	7.8	7.8	7.5	7.4	7.1	7.0	7.1	6.9	6.8	
2186681	4.759	5.440	C	2003		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	5.8*		
APAC-FLORIDA INC							SPRIDE	7.0	6.8	6.2	6.5	7.1	6.9	6.5	6.7	6.7	6.8	6.6	6.8		
4346801	4.638	7.342	C	2025		0012															
48012000 296	4.207	4.680	L	1	1	35	CRACKING	9.0	8.0	8.0	9.5	8.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0
RAWSON LN(4.4C)				3	2.0	44500	RIDE	7.5	7.4	7.1	5.6	5.1*	5.2*	4.9*	4.4*		8.2	8.0	7.7	8.0	
2224691	4.228	4.680	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.5	6.5
							RIDE	8.1	7.9	7.8	7.0	7.3	7.3	7.5	7.3	7.2	7.0	7.3	6.9	7.8	7.4
							(2010)														
48012000 296	3.690	4.207	L	1	1	35	CRACKING	9.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
BRENT LANE(3.8L)				2	3.4	36500	RIDE	7.5	7.4	7.1	7.8	7.2	7.1	7.5	7.5	7.6	7.9	7.9	7.7	7.7	
2186681	3.678	3.928	C	2003		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.4	7.2	5.0*
APAC-FLORIDA INC							SPRIDE	8.0	7.7	7.1	7.0	7.5	7.2	7.3	7.7	7.7	7.6	7.3	7.3	7.4	7.0
							(2004)														
48012000 296	0.000	3.690	L	1	7	40	CRACKING	8.0	6.0*	5.5*		10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0
MOBILE HWY(0.0C)				2	2.7	34500	RIDE	7.6	7.1	6.7		8.3	8.3	8.1	8.2	8.1	8.2	8.0	7.9	7.8	
4325611	0.027	3.690	L	2024		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.6	10.0	8.5
C. W. ROBERTS CONTRACTING, (2026)							SPRIDE	8.0	7.5	8.0	7.6	8.1	7.9	7.8	7.8	7.8	7.6	7.7	7.7	8.0	7.6
							(2026)														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RY	FY-F	WKM-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
48013000	0.000	0.396	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
742			2	4.4		11700	RIDE	8.0	6.8	7.1	7.4	7.2	7.2	7.2	6.3	6.8	7.5	6.8	6.6	6.4	
CR 95A(0.0C)																					
2186221	0.000	0.384	C	2000	0012		CRACKING	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	4.3*	4.1*	1.5*
2224341	0.381	1.428	C	2002	0213		RIDE	6.4	6.6	5.7	6.1	6.0	6.0	6.2	5.6	5.6	5.6	5.6	5.3*	5.5	5.1*
PANHANDLE GRADING & PAVING(2001)																					
4529471	0.000	1.336	C	2027	0012																
48013000	0.396	1.336	C	1	1	35	CRACKING	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
742			2	4.4		11700	RIDE	8.0	7.5	7.3	6.9	6.8	7.2	7.0	7.2	7.2	6.9	7.1	7.2	7.0	
RHODA DR(0.5R)																					
2224341	0.381	1.428	C	2002	0213		CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	5.9*	6.5	4.5*
4529471	0.000	1.336	C	2027	0012		SPRIDE	7.2	6.5	6.1	6.6	6.6	6.4	6.3	6.3	6.2	6.2	6.2	6.2	6.0	5.6
ARCHER WESTERN CONTRACTORS(2006)																					
48013000	3.154	4.410	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	7.0	7.0	
742			2	1.9		20500	RIDE	8.0	7.8	7.8	7.5	7.4	7.5	7.6	7.5	7.3	7.4	7.5	7.4	7.3	
SCHWAB DR(3.4C)																					
4288471	3.154	3.924	R	2017	0012		CRACKING	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.8	6.0*
4529471	0.000	1.336	C	2027	0012		RIDE	7.5	6.7	7.1	6.9	7.5	8.0	7.9	7.7	7.8	7.8	7.8	7.8	7.7	7.3
OLDCASTLE MATERIALS SOUTHE(2019)																					
48013000	4.410	4.916	R	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	
742			1	2.5		9900	RIDE	8.5	8.3	8.2	7.7	7.7	7.5	7.5	7.2	6.5	7.4	7.3	7.4	7.2	
KEATING RD(4.6C)																					
4288471	4.464	4.894	R	2017	0012		CRACKING	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.4	9.0	7.5
4529471	0.000	1.336	C	2027	0012		RIDE	7.2	6.4	6.6	6.8	6.5	8.0	7.8	7.8	7.7	7.6	7.7	7.6	7.3	6.9
OLDCASTLE MATERIALS SOUTHE(2019)																					
48013000	4.916	6.361	C	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	
742			2	2.5		9900	RIDE	8.5	8.3	8.2	7.7	7.7	7.5	7.5	7.2	6.5	7.4	7.3	7.4	7.2	
PENSACOLA CITY LIMITS(5.0L)																					
4288471	4.894	5.589	C	2017	0012		CRACKING	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.4	9.0	7.5
4529471	0.000	1.336	C	2027	0012		RIDE	7.2	6.4	6.6	6.8	6.6	8.0	7.8	7.8	7.7	7.6	7.7	7.6	7.7	7.3
OLDCASTLE MATERIALS SOUTHE(2019)																					
48013000	3.154	4.410	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	
742			2	1.9		20500	RIDE	7.8	7.8	7.9	7.5	7.4	7.7	7.5	7.4	7.4	7.4	7.4	7.4	6.8	6.9
CRRIGHTON RD(3.2L)																					
4288471	3.154	3.924	L	2017	0012		CRACKING	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.5	7.0
4529471	0.000	1.336	C	2027	0012		SPRIDE	6.9	6.8	7.4	7.3	7.4	8.0	7.8	7.7	7.8	7.6	7.7	7.8	7.6	7.2
OLDCASTLE MATERIALS SOUTHE(2019)																					
48013001	19.439	20.015	C	1	1	20	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	
742			2	5.1		8200	RIDE	7.5	7.1	7.1	6.3	6.4	5.6	5.8	5.1*	5.8	5.2*	4.8*	7.5	7.2	
BURGESS RD(19.6L)																					
4230541	19.495	19.939	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	5.5*	4.0*	3.8*	2.0*
4529471	19.439	20.015	C	2027	0012		RIDE	7.0	6.5	6.6	6.6	7.2	7.4	6.7	7.0	6.8	6.9	6.3	6.5	6.5	6.1
ANDERSON COLUMBIA CO., INC(2012)																					
48013002	1.324	2.132	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
742			2	2.6		13900	RIDE	7.7	8.1	7.7	7.2	7.1	7.1	7.5	7.3	7.2	7.4	7.2	7.0	7.1	
PLANTATION RD(1.6C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.8	7.5	5.0*
							RIDE	7.0	6.6	6.6	6.7	6.5	6.4	6.6	6.6	6.4	6.5	6.6	6.6	6.6	6.2
(1997)																					
48013002	2.132	2.985	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	
742			2	2.6		25000	RIDE	7.7	8.1	7.7	7.2	7.1	7.1	7.5	7.8	7.8	7.1	7.7	7.9	7.7	
CHAPEL ST(2.4C)																					
4288471	2.132	2.985	C	2017	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.0	6.5
4529471	0.000	1.336	C	2027	0012		RIDE	7.5	7.3	7.8	7.8	7.7	8.2	8.2	8.1	8.0	8.0	7.9	8.0	7.9	7.5
OLDCASTLE MATERIALS SOUTHE(2019)																					
48013002	2.132	2.985	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	
742			2	2.6		25000	RIDE	7.9	7.9	8.0	7.6	7.4	7.3	7.5	8.2	8.0	7.9	7.7	7.6	7.7	
CHAPEL ST(2.4C)																					
4288471	2.132	2.985	C	2017	0012		CRACKING	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.3	7.5
4529471	0.000	1.336	C	2027	0012		RIDE	7.7	6.9	7.5	7.5	7.4	8.1	8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.4
OLDCASTLE MATERIALS SOUTHE(2019)																					
48013002	1.324	2.132	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
742			2	2.6		13900	RIDE	7.9	7.9	8.0	7.6	7.4	7.3	7.5	6.8	6.9	6.8	6.8	6.7	6.6	
PLANTATION RD(1.6C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.2	7.1	4.5*
							RIDE	6.7	6.6	6.1	6.1	6.3	6.2	5.9	6.2	5.8	5.8	6.0	6.2	6.1	5.7
(1997)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
48013003	0.000	0.106	C	1	1	35	CRACKING										10.0	10.0	10.0	10.0		
742				2	2.6	13900	RIDE															
BURGESS RD E(0.0R)																						
					(2010)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	9.0	9.0	7.0	
							RIDE														4.1*	3.7*
48020000	0.000	6.296	C	1	1	45	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	
10A 90				2	6.7	15200	RIDE	7.4	6.8	6.7	8.0	8.0	8.0	7.9	7.8	7.9	7.7	7.6	7.5	7.4	7.4	
US-90/SR-10A(0.0R)							FC95MR															
					(2025)		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.0*	4.0*		10.0	10.0	8.5	
							RIDE	7.4	6.9	7.0	6.9	7.1	7.0	6.9	6.7	6.7	6.6		8.3	8.1	7.7	
48020000	6.296	7.012	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
10A 90				1	6.7	15200	RIDE	7.4	7.0	7.0	8.2	8.2	8.0	7.8	7.9	7.5	7.8	7.7	7.7	7.4	7.4	
RAMP TO SR 173 SB(6.7R)							FC95MR															
4377641	6.275	6.989	R	2022	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*		10.0	10.0	8.5	
				(2025)			RIDE	7.5	6.9	7.3	7.0	7.1	7.1	7.0	6.9	7.0	6.8		8.3	7.7	7.3	
48020000	7.012	7.486	C	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
10A 90				2	5.6	10100	RIDE	7.4	7.0	7.0	8.2	8.2	8.0	7.8	7.9	7.5	7.8	7.7	7.7	7.4	7.4	
BRIDGET LN(7.2L)							FC95MR															
4377641	6.989	7.552	C	2022	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*		10.0	10.0	8.5	
				(2025)			RIDE	7.5	6.9	7.3	7.0	7.1	7.1	7.0	6.9	7.0	6.8		8.3	8.3	7.9	
48020000	7.486	7.585	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
10A 90				2	5.6	10100	RIDE	7.4	7.0	7.0	8.2	8.2	8.0	7.8	7.9	7.5	7.8	7.7	7.7	7.4	7.4	
							FC95MR															
4377641	6.989	7.552	C	2022	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*		10.0	10.0	8.5	
				(2025)			RIDE	7.5	6.9	7.3	7.0	7.1	7.1	7.0	6.9	7.0	6.8		8.3	7.6	7.2	
48020000	7.585	10.479	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
10A 90				2	3.4	32500	RIDE	8.0	8.0	7.8	7.3	7.1	7.1	8.2	8.2	8.2	8.2	8.2	8.1	8.0	8.0	
GODWIN LN(7.6C)							FC125M															
4063221	7.672	10.487	C	2006	0012		CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.8	7.2	5.0*	
PREFERRED MATERIALS, INC.				(2007)			SPRIDE	8.1	7.5	7.8	7.6	7.9	7.9	7.8	7.9	7.8	7.9	7.8	7.8	7.9	7.5	
48020000	10.479	11.250	R	1	1	40	CRACKING	6.0*	3.5*	3.5*		10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0		
10A 90				3	3.8	37500	RIDE	7.2	6.1	5.2*		8.1	7.9	8.0	8.2	7.9	8.0	8.1	8.0	7.9		
TONAWANDA DR(10.7R)							FC95MR															
4307851	10.494	11.263	C	2016	0012		CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.9	6.5	5.0*	
ROADS, INC. OF NWF				(2018)			SPRIDE	7.7	7.4	7.7		8.7	8.6	8.3	8.5	8.5	8.4	8.3	8.3	7.9	7.5	
48020000	11.250	12.035	R	1	1	35	CRACKING	6.5	4.5*	3.5*		10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0		
10A 90				2	3.5	33000	RIDE	7.0	6.2	6.3		8.1	7.9	8.0	8.2	7.9	8.0	7.8	7.6	7.4		
SIDE ROAD(11.3C)							FC95MR															
4307851	11.460	11.851	C	2016	0012		CRACKING	7.0	7.0	6.5		10.0	9.0	9.0	9.0	9.0	8.0	7.0	5.9*	5.5*	4.0*	
ROADS, INC. OF NWF				(2018)			SPRIDE	7.5	7.2	7.4		8.7	8.5	8.5	8.3	8.3	8.1	8.0	7.9	7.8	7.4	
48020000	12.035	13.011	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.0	7.0	
10A 90				2	3.2	19000	RIDE	7.3	7.2	7.0	6.6	6.6	8.3	8.1	8.2	7.7	7.9	7.8	7.9	7.5	7.5	
LYNCH ST(12.1R)							FC95															
4113871	12.057	13.025	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.3	7.2	5.0*	
PREFERRED MATERIALS, INC.				(2006)			SPRIDE	7.5	7.2	7.6	7.4	7.4	7.4	7.3	7.2	7.2	7.2	7.3	7.2	7.1	6.7	
4565932	11.731	18.243	C	2029	0012																	
48020000	13.011	13.464	C	1	1	35	CRACKING	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	
10A 90				4	3.9	16700	RIDE	6.7	6.3	6.1	7.7	7.1	7.0	6.6	6.3	6.4	6.0	5.7	5.5	5.3*	5.3*	
N U ST(13.1C)							FC125															
4325391	13.011	13.406	C	2016	0012		CRACKING	8.5	8.5	8.5		10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.7	7.1	5.5*	
ROADS, INC. OF NWF				(2018)			SPRIDE					7.9	7.8	7.6	7.6	7.1	6.6	7.2	7.1	6.9	6.5	
4565932	11.731	18.243	C	2029	0012																	
48020000	13.464	15.174	R	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10A 90				2	3.2	15900	RIDE	7.6	7.8	7.1	6.7	7.2	7.1	7.0	8.1	7.6	7.7	7.4	7.4	7.4	7.6	
US-98/SR-292/N PACE(13.5R)							DGFC															
4116911	13.479	14.900	C	2007	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.9	7.6	5.5*	
PREFERRED MATERIALS, INC.				(2008)			RIDE	7.3	6.8	7.5	7.1	7.5	7.4	7.0	6.9	6.9	7.2	7.2	7.2	7.1	6.7	
4565932	11.731	18.243	C	2029	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE	
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	RY	FY-P	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	RY	FY-F	WKM-F	ASTYPE														(PMRS)		
48020000	10A	90	15.174	16.067	R	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	8.0	10.0	10.0	10.0	10.0	9.5		
ALCANIZ ST * (15.2R)																							
4116911	10A	90	15.161	16.067	C	2007	0012	FC95M	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	8.0	8.0	7.0	7.0	7.0	6.3*	7.0	5.0*
PREFERRED MATERIALS, INC. (2008)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	7.7	7.2	7.8	8.0	8.1	7.8	7.8	7.4	7.7	7.7	7.7	7.4	7.0	7.0
48020000	10A	90	16.067	16.618	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	8.0	9.5	7.0	7.0	9.5	7.0	7.0	
15TH AVE (16.1R)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	8.4	8.4	8.3	8.0	7.3	7.1	6.9	7.9	7.2	7.4	7.8	7.5	7.5	
(2016)																							
48020000	10A	90	16.618	17.170	R	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	9.5	9.5	9.5	9.5	8.5	7.0	
BAYOU BLVD (16.8R)																							
4269351	10A	90	16.724	17.290	C	2014	0012	FC95M	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.3	7.1	5.5*	
OLDCASTLE MATERIALS, INC. (2016)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	6.4	7.9	7.8	7.7	7.7	7.3	7.5	7.7	7.5	7.5	7.4	7.4	7.0	7.0
48020000	10A	90	17.170	18.232	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
CHIPLEY AVE (17.2R)																							
4269351	10A	90	17.290	18.243	C	2014	0012	FC95M	CRACKING	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	5.6*	5.2*	3.5*	
OLDCASTLE MATERIALS, INC. (2016)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	6.9	8.4	8.2	8.2	8.1	8.1	8.0	7.9	7.8	7.8	7.7	7.7	7.3	7.3
48020000	10A	90	18.232	19.786	R	1	8	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	5.5*	3.5*	10.0	10.0	10.0	10.0	9.5	
BROOKSHIRE DR (19.8L)																							
4113931	10A	90	18.298	26.658	C	2006	0012	FC125M	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	5.8*			
PREFERRED MATERIALS, INC. (2009)																							
4269352	10A	90	18.211	23.035	C	2024	0012	FC125M	SPRIDE	8.0	7.3	7.2	7.4	7.5	7.4	7.3	7.3	7.2	7.1	7.1	7.1		
48020000	10A	90	19.786	23.099	C	1	8	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	5.5*	3.5*	10.0	10.0	10.0	10.0	9.5	
BROOKSHIRE DR (19.8L)																							
4113931	10A	90	18.298	26.658	C	2006	0012	FC125M	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	5.8*			
PREFERRED MATERIALS, INC. (2009)																							
4269352	10A	90	18.211	23.035	C	2024	0012	FC125M	SPRIDE	8.0	7.3	7.2	7.4	7.5	7.4	7.3	7.3	7.2	7.1	7.1	7.1		
48020000	10A	90	23.099	23.711	R	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	5.5*	3.5*	10.0	10.0	10.0	10.0	9.5	
BARRANCA LORA (24.4L)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	8.2	8.0	7.9	7.5	7.4	7.2	7.2	7.2	8.3	8.2	8.2	8.2	7.9	
(2018)																							
48020000	10A	90	23.711	24.045	R	1	7	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	5.5*	3.5*	10.0	10.0	10.0	10.0	9.5	
ROADS, INC. OF NWF																							
4456291	10A	90	23.715	23.990	R	2023	0012	FC125M	CRACKING	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.0*	6.0*	10.0	8.5	
(2026)																							
48020000	10A	90	24.045	26.679	C	1	7	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	5.5*	3.5*	10.0	10.0	10.0	10.0	9.5	
BARRANCA LORA (24.4L)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	8.2	8.0	7.9	7.5	7.4	7.2	7.2	7.2	8.3	8.2	8.2	8.2	7.9	
(2026)																							
48020000	10A	90	7.855	10.479	L	1	1	45	CRACKING	9.5	6.5	6.5	6.5	6.5	5.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
BELLVIEW AVE (8.2C)																							
4063221	10A	90	7.672	10.487	C	2006	0012	FC125M	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.4*	4.5*
PREFERRED MATERIALS, INC. (2007)																							
4565931	10A	90	7.877	11.731	L	2029	0012	FC125M	SPRIDE	7.9	7.5	7.7	7.2	7.6	7.6	7.4	7.4	7.4	7.4	7.4	7.4	7.3	6.9
48020000	10A	90	7.585	7.855	L	1	7	45	CRACKING	9.5	6.5	6.5	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
GODWIN LN (7.6C)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	7.9	7.6	7.4	8.5	10.0	5.7	8.1	7.9	7.9	8.2	8.1	8.0	7.8	
(2026)																							
4565932	10A	90	11.731	18.243	C	2029	0012	FC95M	RIDE	7.9	7.5	7.7	7.2	7.6	7.6	7.4	7.4	7.4	7.4	7.4	7.4	8.2	7.8
(2026)																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

															DISTRICT = 3		COUNTY = ESCAMBIA																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE												
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013												
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****																										
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031												
CONTRACTOR																																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																												
48020001	0.000	0.045	R	1	7	45	CRACKING										9.5	6.5	6.5	5.5*													
10A 90				1	3.7	17800	RIDE																										
SCENIC HWY(0.0C)																																	
4456291	0.000	0.045	R	2023		0012	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	0.0*	0.0*	0.0*		10.0	8.5												
ROADS, INC. OF NWF				(2026)			RIDE													5.9	5.5												
48040000	0.000	1.120	C	1	2	30	CRACKING	9.2	8.7	8.0	9.1	9.1	9.3	9.3	9.3	9.2	8.8	6.7	6.4*	6.5													
95 29				4	6.4	7200	RIDE	5.2*	5.0*	4.9*	4.9*	5.0*	4.9*	4.6*	5.1*	5.0*	4.8*	4.7*	4.6*	4.8*													
CERVANTES ST(0.0C)						LDG																											
2186361	0.011	1.120	C	1998		0227	CRACKING	6.6	6.7	6.7	6.8	7.4	7.3	8.6	8.3	8.5	8.1	8.0	6.9	8.1	7.0												
COUCH CONSTRUCTION LP				(2000)			RIDE	4.9*	4.8*	4.0*	4.0*	4.1*	4.0*	6.8	6.9	6.7	6.7	6.8	6.6	6.5	6.4												
4325681	0.000	3.524	C	2023		0012																											
48040000	1.120	3.543	R	1	7	40	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5													
95 29				2	7.2	11900	RIDE	6.1*	7.7	7.8	7.6	7.1	7.4	7.3	7.5	7.4	7.4	7.3	7.4	7.2													
E CROSS ST(1.2R)						FC95MR																											
4325681	1.121	2.885	R	2023		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	8.5												
ROADS, INC. OF NWF				(2026)			RIDE	7.2	7.1	6.4	6.8	6.9	6.9	6.7	6.7	6.5	6.4	6.4	6.4	8.5	8.1												
48040000	3.543	6.750	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0													
95 29				3	6.7	22000	RIDE	8.1	8.2	7.7	7.7	7.5	7.3	7.4	7.5	7.4	7.4	7.3	7.6	7.4													
CR-95A/HWY 95A(3.7R)						FC95MR																											
4346771	3.524	6.661	C	2022		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	8.5												
ROADS, INC. OF NWF				(2024)		SPRIDE	RIDE	7.7	7.5	6.7	7.1	7.3	7.2	7.0	7.2	7.1		8.4	8.4	8.3	7.9												
48040000	6.750	7.080	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0													
95 29				5	5.1	38000	RIDE	8.3	8.3	8.2	7.8	7.7	7.6	7.6	7.5	7.6	8.0	7.5	7.3	7.4	7.3												
BROAD ST(7.1C)						FC95MR																											
				(2023)			CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	8.5												
							RIDE	7.2	7.3	7.4	6.8						8.6	8.6	8.4	8.7	8.3												
48040000	7.080	9.281	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0													
95 29				3	5.1	38000	RIDE	8.6	8.7	8.7	8.5	8.4	8.4	8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.3												
CAROLINA DR(7.3R)						FC95MR																											
				(2023)			CRACKING	8.0	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	8.5											
							RIDE	8.3	7.5	8.0	7.8	8.1						8.6	8.5	8.5	8.6	8.2											
48040000	9.281	12.289	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0													
95 29				2	11.8	33000	RIDE	8.6	8.7	8.7	8.5	8.4	8.4	8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.3												
TEN MILE RD(9.7C)						FC95MR																											
4346111	9.281	14.594	C	2017		0012	CRACKING	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5												
PANHANDLE GRADING & PAVING(2020)						SPRIDE	RIDE	8.3	7.5	8.0	7.8	8.1		8.6	8.6	8.6	8.6	8.6	8.6	8.4	8.6	8.2											
48040000	12.289	13.551	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0													
95 29				2	11.8	33000	RIDE	8.6	8.7	8.7	8.5	8.4	8.4	8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.3												
ARCHER DR(12.9C)						FC5M																											
4346111	9.281	14.594	C	2017		0012	CRACKING	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.0	8.8	6.5												
PANHANDLE GRADING & PAVING(2020)						SPRIDE	RIDE	8.3	7.5	8.0	7.8	8.1		8.6	8.6	8.6	8.6	8.6	8.6	8.4	8.6	8.4											
48040000	13.551	15.142	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0													
95 29				2	11.8	33000	RIDE	8.6	8.7	8.7	8.5	8.4	8.4	8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.3												
TATE RD(13.8R)						FC95MR																											
4346111	9.281	14.594	C	2017		0012	CRACKING	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.0	8.1	6.5												
PANHANDLE GRADING & PAVING(2020)						SPRIDE	RIDE	8.3	7.5	8.0	7.8	8.1		8.6	8.6	8.6	8.6	8.6	8.6	8.4	8.2	7.8											
48040000	15.142	23.561	R	1	1	65	CRACKING	9.0	9.0	9.0	7.5	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5													
95 29				2	11.8	22500	RIDE	8.9	8.7	8.4	7.2	6.8	6.4*	6.4*		8.0	8.1	8.1	8.1	7.9													
NEAL RD(16.1C)						FC5M																											
4377461	14.930	23.561	R	2019		0012	CRACKING	9.5	9.5	8.5	8.5	8.5	6.5	6.0*	10.0	10.0	10.0	10.0	9.5	9.1	7.0												
ROADS, INC. OF NWF				(2021)		SPRIDE	RIDE	8.0	7.6	8.1	8.0	8.0	8.0	8.1	8.3	8.4	8.7	8.7	8.7	8.7	8.5												
48040000	15.142	23.561	L	1	1	65	CRACKING	9.5	8.0	8.0	8.0	8.0	6.5	3.5*		10.0	10.0	10.0	10.0	9.0													
95 29				2	11.8	22500	RIDE	8.7	8.5	7.9	6.7	6.5	6.1*	6.2*		7.8	7.9	7.9	7.8	7.5													
SIDE ROAD(15.2L)						FC5M																											
4377461	14.930	23.561	L	2019		0012	CRACKING	7.5	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	9.1	9.6	7.5												
ROADS, INC. OF NWF				(2021)		SPRIDE	RIDE	7.4	7.3	7.7	7.4	7.4	7.4	7.3	8.0	8.0	8.8	8.7	8.7	8.7	8.5												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	FW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)							ASTYPE														(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
48040000	13.551	15.142	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	6.5	
95 29				2	11.8	33000	RIDE	8.7	8.6	8.6	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.0	8.0	
TATE RD(13.8L)																					
4346111	9.281	14.594	C	2017	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.8	6.0*
PANHANDLE GRADING & PAVING(2020)																					
FC95MR																					
SPRIDE																					
48040000	12.289	13.551	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	6.5	
95 29				2	11.8	33000	RIDE	8.7	8.6	8.6	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.0	8.0	
ARCHER DR(12.9C)																					
4346111	9.281	14.594	C	2017	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.2	7.0
PANHANDLE GRADING & PAVING(2020)																					
FC5M																					
SPRIDE																					
48040000	9.281	12.289	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	6.5	
95 29				2	11.8	33000	RIDE	8.7	8.6	8.6	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.0	8.0	
TEN MILE RD(9.7C)																					
4346111	9.281	14.594	C	2017	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.5	8.0
PANHANDLE GRADING & PAVING(2020)																					
FC95MR																					
SPRIDE																					
48040000	6.285	9.281	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	6.5	
95 29				3	5.1	38000	RIDE	8.7	8.6	8.6	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.0	8.0	
CR 465(6.9L)																					
FC95MR																					
CRACKING																					
				(2023)			RIDE	6.5	6.5	4.5*	4.5*						10.0	10.0	10.0	10.0	8.5
8.0 7.6 7.8 7.7 8.0 8.6 8.6 8.5 8.5 8.1																					
48040000	3.534	6.285	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	
95 29				3	6.7	22000	RIDE	8.2	8.1	7.9	7.6	7.6	7.5	7.6	7.7	7.6	7.6	7.5	7.7	7.6	
SR-296/BEVERLY PKWY(3.5L)																					
4346771	3.524	6.661	C	2022	0012	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	8.5
ROADS, INC. OF NWF																					
FC95MR																					
SPRIDE																					
48040000	1.120	3.534	L	1	7	40	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	6.5	6.5	6.5	
95 29				2	7.2	11900	RIDE	5.9*	8.2	7.7	7.5	7.6	7.3	7.4	7.4	7.1	7.1	7.2	7.0	7.1	
SCOTT ST W(1.1L)																					
4325681	1.121	2.885	L	2023	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.0*	10.0	8.5	
ROADS, INC. OF NWF																					
FC95MR																					
RIDE																					
				(2026)			6.9	6.5	7.0	6.6	6.9	6.8	6.8	6.8	6.6	6.6	6.7	6.5	8.6	8.2	
8.5 8.2 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5																					
48050000	6.200	6.306	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
292				2	3.5	18000	RIDE	8.5	8.3	8.3	7.7	7.4	7.4	7.4	7.3	7.3	7.3	7.1	7.0	6.8	
FC95MR																					
4307861	6.138	6.301	L	2017	0012	CRACKING	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.8	7.3	5.5*	
PANHANDLE GRADING & PAVING(2018)																					
FC95MR																					
RIDE																					
				(2023)			6.9	6.4	6.4		8.7	8.6									7.0
8.5 8.5																					
48050000	6.734	7.535	R	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	
292				2	3.5	20000	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0	6.2	8.4	8.3	8.3	
CR-292A/GULF BCH HWY(7.0R)																					
4436561	7.045	7.526	R	2022	0012	CRACKING	8.5	8.5	8.5	8.5	6.5	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0	9.7	8.5	
ROADS, INC. OF NWF																					
FC95MR																					
RIDE																					
				(2024)			8.4	7.9	8.1	7.9	7.7	7.5	7.3	7.0	6.8	6.8	8.4	8.4	7.9	7.5	
8.4 7.9 8.1 7.9 7.7 7.5 7.3 7.0 6.8 6.8 8.4 8.4 7.9 7.5																					
48050000	7.535	8.630	C	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	
292				2	3.5	20000	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3	
DOUG FORD DR(7.8L)																					
4436561	7.789	8.284	C	2022	0012	CRACKING	8.5	8.5	8.5	8.5	6.5	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0	10.0	8.5	
ROADS, INC. OF NWF																					
FC95MR																					
RIDE																					
				(2024)			8.4	7.9	8.1	7.9	7.7	7.5	7.3	7.0	6.8	6.8	8.4	8.4	8.5	8.1	
8.4 7.9 8.1 7.9 7.7 7.5 7.3 7.0 6.8 6.8 8.4 8.4 8.5 8.1																					
48050000	8.630	9.022	R	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	
292				1	3.5	20000	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3	
BAUER RD(9.0R)																					
4436561	8.470	8.903	R	2022	0012	CRACKING	8.5	8.5	8.5	8.5	6.5	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0	10.0	8.5	
ROADS, INC. OF NWF																					
FC95MR																					
RIDE																					
				(2024)			8.4	7.9	8.1	7.9	7.7	7.5	7.3	7.0	6.8	6.8	8.4	8.4	8.5	8.1	
8.4 7.9 8.1 7.9 7.7 7.5 7.3 7.0 6.8 6.8 8.4 8.4 8.5 8.1																					
48050000	9.022	9.130	R	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	
292				2	3.5	20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3	
FC95MR																					
CRACKING																					
				(2026)			8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*		6.0*	6.0*	9.1	8.0
8.4 7.9 8.1 7.9 8.3 8.2 8.2 8.1 8.0 7.9 7.8 7.9 7.5																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****															
48050000	9.130	10.022	C	1	1	55	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3*	6.0*		8.4	8.3	8.3		
							FC125															
4153761	9.120	12.072	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.4*	4.5*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	8.1	7.7	
4508141	9.132	12.797	C	2025		0012																
							DGFC															
48050000	10.022	10.280	C	1	7	55	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3*	6.0*		8.4	8.3	8.3		
							DGFC															
NIGHT HAWK LN(10.2L)																						
4508141	10.004	10.262	L	2025		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	10.0	8.5	
ROADS, INC. OF NWF			(2026)				RIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	7.4	7.0	
48050000	10.280	11.276	C	1	1	55	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3*	6.0*		8.4	8.3	8.3		
							FC125															
4153761	9.120	12.072	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	7.4	5.5*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	8.3	7.9	
4508141	9.132	12.797	C	2025		0012																
							DGFC															
48050000	11.276	11.523	C	1	7	55	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3*	6.0*		8.4	8.3	8.3		
							DGFC															
4508141	10.262	11.740	C	2025		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	10.0	8.5	
ROADS, INC. OF NWF			(2026)				RIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	8.0	7.6	
48050000	11.523	11.755	C	1	1	55	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3*	6.0*		8.4	8.3	8.3		
							FC125															
4153761	9.120	12.072	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.3*	4.5*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	7.7	7.3	
4508141	9.132	12.797	C	2025		0012																
							DGFC															
48050000	11.755	12.285	R	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3		
							FC125															
BLUE ANGEL PKWY(12.0C)																						
4153761	9.120	12.072	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	4.9*	3.0*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	6.6	6.2	
4508141	9.132	12.797	C	2025		0012																
							DGFC															
48050000	12.285	12.852	C	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	5.3		13800	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3		
							FC125															
CORAL CREEK DR(12.7L)																						
4153761	12.545	13.063	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.9	5.0*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8	7.5	7.1	
4508141	9.132	12.797	C	2025		0012																
							DGFC															
48050000	12.852	14.320	C	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	3.5		20500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3		
							FC125															
PAZ PL(12.9L)																						
4153761	13.063	15.219	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.8*	5.4*	3.5*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.5	7.1	
2183372	12.795	17.478	C	2025		0012																
							DGFC															
48050000	14.320	14.629	C	1	1	45	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0		
292			2	4.4		24500	RIDE	7.7	7.5	7.5	7.1	6.8	6.8	6.8	6.3	6.0		8.4	8.3	8.3		
							FC95M															
VALDOSTA AVE(14.4R)																						
4153761	13.063	15.219	C	2009		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.8*	4.7*	2.5*	
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	7.9	8.1	7.9	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.1	6.7	
2183372	12.795	17.478	C	2025																		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
48050000	17.047	17.530	R	1	1	40	CRACKING	7.5	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	9.0	9.0	9.0	9.0	
292				4	5.1	25500	RIDE	7.6	7.4	7.9	7.3	7.3	7.1	7.1	6.9	7.3	7.0	7.2	6.8	6.8	
MERRIT ST(17.1R)							DGFC														
					(2018)		CRACKING	9.0	9.0	8.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.9	7.6	6.0*
2183372	12.795	17.478	C	2025		0012	RIDE	6.8	6.6	7.0										6.7	6.3
48050000	17.530	18.808	R	1	1	40	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
292				2	4.0	28500	RIDE	7.6	6.6	8.4	7.4	7.6	7.6	7.2	7.5	7.1	7.0	7.2	6.8	6.8	
CR 295A(17.6R)							FC125M														
4436481	17.478	18.808	R	2022		0012	CRACKING	9.0	9.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	8.5
PANHANDLE GRADING & PAVING(2024)							RIDE	6.8	6.6	7.0	7.1	7.3	7.2	7.0	7.0	7.1		8.1	8.0	8.0	7.6
48050000	19.852	23.676	R	1	1	40	CRACKING	4.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
292 98				2	4.3	20500	RIDE	5.1*	4.5*	4.2*	3.5*		7.3	7.0	6.9	6.8	7.0	6.9	7.0	6.8	
GIMBLE ST W(19.9R)							FC125M														
4397351	19.852	23.601	R	2022		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	9.1	7.5
C. W. ROBERTS CONTRACTING,(2024)							RIDE	6.9	6.7	6.2	6.4	6.5	6.4	6.3	6.1	6.0	5.9	7.7	7.6	7.6	7.2
48050000	19.852	23.676	L	1	1	40	CRACKING	2.0*	1.5*	0.0*	0.0*		10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	
292 98				2	4.3	20500	RIDE	6.1*	5.2*	4.9*	4.4*		7.3	7.4	7.3	7.3	7.3	7.2	7.2	7.1	
GARDEN ST(20.4L)							FC125M														
4397351	19.852	23.601	L	2022		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	9.2	8.0
C. W. ROBERTS CONTRACTING,(2024)							RIDE	6.9	6.6	6.6	6.1	6.3	6.0	6.1	5.9	5.8	5.7	7.8	7.7	7.6	7.2
48050000	17.530	18.808	L	1	1	40	CRACKING	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	
292				2	4.0	28500	RIDE	6.7	6.4	8.3	7.3	7.2	6.8	6.9	6.8	6.5	6.3	6.6	6.4	6.4	
CR-295A/OLD CORRY FI(17.6L)							FC125M														
4436481	17.478	18.808	L	2022		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	8.5
PANHANDLE GRADING & PAVING(2024)							RIDE	6.3	6.0	6.5	6.5	7.0	6.9	6.9	6.9	6.8		7.8	7.8	7.7	7.3
48050000	17.047	17.530	L	1	1	40	CRACKING	7.5	9.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	9.5	8.0	8.0	8.0	
292				2	5.1	25500	RIDE	6.7	7.6	7.1	6.7	7.0	6.9	6.5	6.4	7.0	6.3	6.6	6.4	6.4	
HARRIS ST(17.2C)							DGFC														
					(2018)		CRACKING	8.0	8.0	7.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.2	6.5
2183372	12.795	17.478	C	2025		0012	RIDE	6.3	6.0	6.5							6.6	6.6	6.5	6.3	5.9
48050001	0.000	0.417	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	
292				3	5.1	27000	RIDE	8.0	8.0	7.9	7.6	7.6	7.5	7.9	7.9	7.6	7.9	7.9	7.9	7.9	
GORE W OF LEMHURST(0.0C)							FC125M														
4436481	0.115	0.406	R	2022		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*		10.0	10.0	10.0	8.5
PANHANDLE GRADING & PAVING(2024)							RIDE	7.7	7.4	7.1	6.8	7.2	7.1	6.9	6.9	7.0		8.0	8.0	8.0	7.6
48050001	0.856	1.000	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5	
292				3	5.1	27000	RIDE														
S PACE BLVD(1.0R)							FC125M														
4397351	0.846	1.000	R	2022		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	5.5*	10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING,(2024)							RIDE												8.1	8.0	7.6
48050001	0.856	1.000	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.0	
292				3	5.1	27000	RIDE														
SR-292/S PACE BLVD(1.0L)							FC125M														
4397351	0.846	1.000	L	2022		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	5.5*	10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING,(2024)							RIDE												7.5	7.7	7.3
48050001	0.000	0.417	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	
292				3	5.1	27000	RIDE	8.5	8.2	7.6	7.9	7.8	7.6	7.7	7.5	7.3	7.3	7.9	8.1	8.0	
GORE W OF LEMHURST(0.0C)							FC125M														
4436481	0.115	0.406	L	2022		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*		10.0	10.0	10.0	8.5
PANHANDLE GRADING & PAVING(2024)							RIDE	7.9	7.7	7.4	7.0	7.5	7.3	7.2	7.2	7.2		7.7	7.7	7.8	7.4
48060000	0.000	4.664	R	1	7	65	CRACKING	10.0	9.0	7.5	7.5	7.5	7.5	3.5*	1.0*	1.0*		10.0	10.0	10.0	
95 29				2	14.2	8109	RIDE	8.8	8.5	8.6	7.7	7.2	6.9	6.8	6.5	6.3*		8.5	8.3	8.2	
CR-97(0.0R)							FC5M														
4377462	0.030	3.105	R	2024		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	6.5	4.5*	3.5*		10.0	9.0
C. W. ROBERTS CONTRACTING,(2026)							SPRIDE	8.4	8.2	8.4	8.3	8.5	8.4	8.5	8.4	8.3	8.4	8.2		8.8	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	W	FY-F	WKM-F																(PMRS)
CONTRACTOR																					
ITMSEG-F																					
48060000	4.664	16.678	R	1	1	65	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*		10.0	
95 29				2	14.2	8109	RIDE	8.4	9.0	8.9	8.6	8.5	8.5	8.4	8.3	8.2	7.7	7.2		8.3	
BOGIA RD E (7.9R)							FC5M														
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.0	8.0	10.0	7.3	6.0*
							RIDE	8.4	8.2	8.4	8.3	8.5	8.5	8.6	8.5	8.5	8.5	8.4	8.8	8.4	8.2
48060000	16.678	18.881	R	1	1	35	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*		10.0	
95 29				2	14.2	8109	RIDE	8.4	9.0	8.9	8.6	8.5	8.5	8.4	8.3	8.2	7.7	7.2		8.3	
SALTERS LAKE RD(17.0R)							FC95MR														
4269292	13.411	20.075	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.1	5.6*	3.5*
OLDCASTLE MATERIALS SOUTHE (2013)							SPRIDE	8.4	8.2	8.4	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.2	7.8
4546181	16.678	18.852	C	2028	0012																
48060000	18.881	20.075	R	1	7	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.0*		10.0	
95 29				2	14.2	10500	RIDE	8.7	8.4	8.3	8.1	7.9	7.7	7.7	7.7	7.4	7.7	7.4		8.3	
MCCURDY ST(19.1R)							FC95MR														
							CRACKING	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*		10.0	8.5
							RIDE	8.4	8.2	8.4	8.3	7.5	7.1	6.9	6.6	6.5	6.3	6.6		7.7	7.3
48060000	18.881	20.075	L	1	7	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	6.0*		10.0	
95 29				2	14.2	10500	RIDE	8.6	8.6	8.4	7.9	7.3	7.7	7.6	7.5	7.4	7.5	7.4		8.3	
HILLTOP RD(19.0L)							FC95MR														
							CRACKING	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*	5.5*	3.5*		10.0	8.5
							RIDE	8.5	8.2	8.4	8.2	7.2	7.1	6.9	6.6	6.5	5.8	5.7		7.6	7.2
48060000	16.678	18.881	L	1	1	35	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	3.5*		10.0	
95 29				2	14.2	8109	RIDE	7.8	9.0	9.0	8.6	8.6	8.5	8.5	8.3	8.1	7.5	6.9		8.3	
TEDDER RD(16.7L)							FC95MR														
4269292	13.411	20.075	C	2012	0012	CRACKING	10.0	10.0	9.0	9.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	5.8*	5.6*	3.5*
OLDCASTLE MATERIALS SOUTHE (2013)							SPRIDE	8.5	8.2	8.4	8.2	8.5	8.5	8.5	8.5	8.4	7.9	7.9	7.8	7.8	7.4
4546181	16.678	18.852	C	2028	0012																
48060000	4.664	16.678	L	1	1	65	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	3.5*		10.0	
95 29				2	14.2	8109	RIDE	7.8	9.0	9.0	8.6	8.6	8.5	8.5	8.3	8.1	7.5	6.9		8.3	
BOGIA RD W(7.9L)							FC5M														
							CRACKING	10.0	10.0	9.0	9.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	10.0	8.0	6.5
							RIDE	8.5	8.2	8.4	8.2	8.5	8.5	8.6	8.5	8.5	8.5	8.5	8.5	8.8	8.5
48060000	0.000	4.664	L	1	7	65	CRACKING	9.0	8.0	7.5	7.5	7.5	7.5	3.5*	1.0*	1.0*		10.0	10.0	10.0	
95 29				2	14.2	8109	RIDE	8.7	8.7	8.5	7.7	7.4	7.1	6.9	6.8	6.6		8.4	8.3	8.2	
SR-97(0.0L)							FC5M														
4377462	0.030	3.105	L	2024	0012	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.5	4.5*	4.5*		10.0	9.0	
C. W. ROBERTS CONTRACTING,(2026)							SPRIDE	8.4	8.1	8.5	8.4	8.5	8.5	8.6	8.6	8.5	8.5	8.4		8.7	8.5
48070000	0.000	2.488	C	1	1	35	CRACKING	10.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
291				2	4.5	1800	RIDE	7.7	7.7	7.8	6.9	6.9	6.4	6.6	6.2	5.9	6.4	6.4	6.4	6.2	5.8
MISSING DESCRIPTION I(0.0R)							FC95MR														
4153781	0.123	2.499	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	6.3*	6.5	4.5*
ROADS, INC. OF NWF (2014)							SPRIDE	7.9	7.5	7.5	7.6	7.5	7.7	7.6	7.4	7.4	7.1	7.1	7.1	6.9	6.5
4531531	0.112	2.501	C	2027	0012																
48070000	2.488	2.802	R	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5		10.0	10.0	10.0	10.0	
291				2	3.2	15800	RIDE	8.0	7.8	7.9	7.4	6.7	7.3	7.1	6.6		7.5	7.4	7.6	7.3	
HART DR(2.5R)							FC125M														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	6.5
							RIDE	7.4	7.0	6.9	6.8	6.0								6.6	6.2
48070000	2.802	5.418	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	
291				2	3.2	21500	RIDE	8.0	7.8	7.9	7.4	6.7	7.3	7.1	6.6	6.4	7.3	7.1	7.1	7.0	
WOODLAND DR(3.2R)							FC125M														
4269531	2.802	4.140	C	2016	0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.1	7.5	6.0*	
PANHANDLE GRADING & PAVING(2018)							SPRIDE	6.9	6.8	7.0		8.3	8.2	8.0	7.8	7.7	7.6	7.6	7.6	7.6	7.2
48070000	5.418	6.035	R	1	1	35	CRACKING	10.0	10.0	8.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	
291				3	1.9	35000	RIDE	8.0	8.0	6.6	5.5	5.5	4.8*		7.4	6.7	7.8	7.7	7.7	7.5	
BURGESS RD(5.6C)							FC125														
2185391	5.389	6.277	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.4	8.2	6.0*
(2008)							RIDE	7.8	7.2	6.8	7.1	7.1	7.1	6.9	7.1	7.1	7.2	7.2	7.3	7.2	6.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
48070000 291	6.035	6.450	R	1	1 35	CRACKING	6.5	10.0	8.0	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	
				3	3.2	70500	RIDE	4.7*	8.0	6.6	5.5	5.5	4.8*			6.4	7.7	7.6	7.6	7.6	
						FC125M															
2185391	5.389	6.277	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.2	8.1	6.0*
				(2009)		RIDE	7.7	7.1	6.4	6.5	7.1	6.9	6.9	7.0	7.0	7.0	7.0	7.1	6.9	6.9	6.5
4533321	6.060	6.998	C	2027	0012																
48070000 291	6.450	7.000	R	1	1 35	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				3	3.2	70500	RIDE	4.7*		7.9	7.5	7.5	7.8	7.1	6.8	7.5	7.4	7.4	7.3	7.2	
						FC125															
ATWOOD DR (6.5R)	6.430	7.033	C	2001	0547	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.0*	5.2*	4.8*	2.5*
2186531				(2004)		RIDE	7.0	7.2	6.9	7.0	7.1	7.3	7.2	7.1	7.1	7.1	7.1	7.0	7.0	6.9	6.5
4533321	6.060	6.998	C	2027	0012																
48070000 291	7.000	8.672	R	1	1 45	CRACKING	6.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	
				2	4.5	32000	RIDE	4.7*	8.2	8.3	7.6	7.7	7.5	7.5	7.4	6.9	7.5	7.5	7.5	7.3	
						FC95MR															
BERG(7.1R)	7.065	8.672	C	2014	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.4	7.1	5.5*
4169411				(2016)		SPRIDE	7.3	8.2	7.7	8.4	8.3	8.2	8.3	8.3	8.3	8.2	8.1	8.1	8.1	8.1	7.7
PANHANDLE GRADING & PAVING(2016)																					
48070000 291	8.672	8.803	C	1	1 45	CRACKING	6.5	8.0	8.0	7.5	7.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
				1	3.2	9700	RIDE	4.7*	8.2	8.2	7.6	7.7	7.4	7.3	7.2	6.7	7.5	7.3	7.5	6.9	
						FC95MR															
NINE MILE RD(8.8C)	8.672	8.803	C	2014	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	7.2	5.5*
4169411				(2016)		RIDE	6.9	8.0	8.2	7.4	7.1	7.0	7.2	7.1	6.9	7.0	7.1	7.1	6.9	7.2	6.5
PANHANDLE GRADING & PAVING(2016)																					
48070000 291	7.000	8.672	L	1	1 45	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
				2	4.5	32000	RIDE	8.2	8.2	8.2	7.6	7.3	7.4	7.3	7.2	6.7	7.4	7.3	7.0	6.9	
						FC95MR															
HOSPITAL(7.1L)	7.065	8.672	C	2014	0012	CRACKING	6.5	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.9	6.6	5.0*
4169411				(2016)		SPRIDE	6.9	8.0	8.2	8.3	8.4	8.3	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.2	7.8
PANHANDLE GRADING & PAVING(2016)																					
48070000 291	6.450	7.000	L	1	1 35	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
				3	3.2	70500	RIDE	8.2		7.6	7.6	7.7	7.8	7.5	7.2	7.7	7.7	7.7	7.6	7.6	
						FC125															
RESTAURANT(6.6L)	6.430	7.033	C	2001	0547	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.7	6.7	4.5*
2186531				(2004)		RIDE	7.6	7.2	6.6	6.9	6.7	7.0	7.0	6.9	7.0	6.9	7.1	6.6	6.8	6.4	
4533321	6.060	6.998	C	2027	0012																
48070000 291	5.418	6.450	L	1	1 35	CRACKING		10.0	9.0	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	
				3	3.2	43000	RIDE		8.4	7.9	6.2	6.7			8.0	6.6	7.3	7.4	7.3	6.8	
						FC125															
SCHUBERT DR(5.4L)	6.430	7.033	C	2001	0547	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.3	8.0	6.0*
2185391				(2008)		RIDE	7.4	7.0	6.3	7.2	7.4	7.2	7.3	7.2	7.1	7.3	7.2	7.2	7.3	7.3	6.9
PANHANDLE GRADING & PAVING(2016)																					
48070000 291	2.802	5.418	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
				2	3.2	21500	RIDE	8.2	8.4	8.2	7.7	7.5	7.6	7.5	7.2	6.9	8.0	7.6	7.7	7.2	
						FC125M															
HYATT ST(3.4L)	2.802	4.140	C	2016	0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.2	5.5*	
4269531				(2018)		SPRIDE	7.8	7.3	7.3		8.3	8.2	8.0	7.8	7.7	8.1	8.0	8.0	7.9	7.5	
PANHANDLE GRADING & PAVING(2018)																					
48070000 291	2.488	2.802	L	1	1 35	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	
				2	3.2	15800	RIDE	8.2	8.4	8.2	7.7	7.5	7.6	7.5	7.2		7.4	7.1	6.9	6.6	
						FC125M															
FAIRFIELD DR E(2.7C)				(2010)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.6	6.5
						RIDE	7.3	7.0	6.8	6.8	6.3								7.0	6.6	
48070101 291	0.063	2.405	C	1	1 35	CRACKING	6.0*	6.0*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
				2	4.5	1800	RIDE	6.8	6.6	6.3	5.5	7.0	6.7	7.0	6.8	6.1	6.6	6.9	6.7	6.7	
						FC125															
FROM SR-291 NB(0.1L)	0.379	2.451	C	2004	0012	CRACKING	9.5	9.5	8.0	8.0	7.5	7.0	7.0	7.0	7.0	6.0*	5.5*	4.5*	4.4*	2.0*	
2186811				(2005)		RIDE	6.9	6.4	6.3	5.8	6.2	6.1	5.8	5.6	5.7	5.5	5.4*	5.4*	5.4*	5.0*	
4529311	0.063	2.405	C	2027	0012																
48080000 295	0.000	1.042	R	1	1 35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	
				3	3.0	18300	RIDE	7.9	7.4	7.7	7.4	7.4	7.1	7.0	6.4	6.8	7.5	7.5	7.4	6.8	
						FC125M															
BAYOU GRANDE BRIDGE NE(0.0C)	0.131	0.807	R	2022	0012	CRACKING	6.5	6.5	6.5		6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	9.0	8.3	7.0
4325631				(2024)		SPRIDE	7.2	7.0	6.4	</											

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
48080000	1.042	1.539	R	1	4	35	CRACKING	5.0*	5.3*		9.0	9.0	9.0	9.0	9.0	9.3	9.1	8.5	8.3	8.3	
295				2	3.4	26000	RIDE	5.4*	5.1*		4.7*	5.8	5.2*	4.9*	4.7*	4.9*	5.1*	4.8*	4.8*	4.9*	
SCHOOL ENT(1.1R)																					
2186911	0.960	1.683	C	2002		0227	CRACKING	8.1	8.0	8.5	8.9	9.0	9.0	9.0	9.0	8.8	8.8	8.8	8.7	8.0	
GULF-ATLANTIC CONSTRUCTORS(2004)																					
4090132	1.043	4.704	C	2026		0012	RIDE	4.9*	4.8*	5.9	7.5	7.6	7.7	7.5	7.6	7.3	7.5	7.6	7.4	7.6	7.5
48080000	1.539	4.471	R	1	1	40	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	
295 98				2	3.0	30000	RIDE	8.1	7.9	7.8	7.4	7.4		8.3	7.1	8.1	8.0	7.7	7.7	7.7	
COAST RD(1.9R)																					
4090131	1.713	3.626	C	2005		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.7*	3.5*
PREFERRED MATERIALS, INC.(2007)																					
4090132	1.043	4.704	C	2026		0012	SPRIDE	7.8	7.5	7.0	7.1	7.6	7.4	7.3	7.1	7.3	7.2	7.1	7.1	7.0	6.6
48080000	4.471	4.704	C	1	1	40	CRACKING	8.5	7.5	7.5	7.5	7.5		10.0	10.0	9.5	10.0	9.5	10.0	9.5	
295				2	3.0	11750	RIDE	8.2	7.9	7.8	7.3	7.2		8.3	7.3	8.3	8.0	8.3	7.7	7.9	
FC95																					
4090131	3.997	4.704	C	2005		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	4.5*
PREFERRED MATERIALS, INC.(2007)																					
4090132	1.043	4.704	C	2026		0012	SPRIDE	7.9	7.5	7.6	7.8	8.1	8.0	7.8	7.7	7.7	7.7	7.7	7.7	7.6	7.2
48080000	1.539	4.471	L	1	1	40	CRACKING	8.0	7.0	6.5	6.5	6.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	
295 98				2	3.0	30000	RIDE	8.0	7.7	7.7	6.7	6.6		8.3	7.3	8.3	8.3	8.3	8.3	7.9	
DOC FARRIN(1.7L)																					
4090131	1.713	3.626	C	2005		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.7*	5.4*	3.5*
PREFERRED MATERIALS, INC.(2007)																					
4090132	1.043	4.704	C	2026		0012	SPRIDE	7.9	7.5	7.6	7.8	7.9	7.7	7.6	7.4	7.5	7.4	7.3	7.3	7.3	6.9
48080000	1.042	1.539	L	1	2	35	CRACKING	6.3*	5.9*		9.0	9.0	9.0	9.0	9.0	9.5	8.6	9.2	7.6	7.5	
295				2	3.4	26000	RIDE	6.0*	5.8		4.7*	5.7	5.3*	5.9	5.3*	5.1*	5.3*	5.5	5.3*	5.4*	
RAYMOND ST(1.1L)																					
2186911	0.960	1.683	C	2002		0227	CRACKING	8.1	8.0	8.3	8.8	9.1	9.1	9.1	9.1	8.8	8.5	8.3	8.7	8.7	8.0
GULF-ATLANTIC CONSTRUCTORS(2004)																					
4090132	1.043	4.704	C	2026		0012	RIDE	5.9	5.5	6.6	7.8	7.8	7.9	7.6	7.7	7.4	7.7	7.8	7.3	7.1	7.0
48080000	0.000	1.042	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
295				2	3.0	18300	RIDE	8.5	8.3	8.3	7.2	7.9	7.3	7.5	6.5	7.0	7.4	7.1	7.2	6.7	
BAYOU GRANDE BRIDGE NE(0.0C)																					
4325631	0.131	0.807	L	2022		0012	CRACKING	6.5	6.5	6.5		6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	8.5
ROADS, INC. OF NWF(2024)																					
4325631	0.131	0.807	L	2022		0012	SPRIDE	7.1	7.0	6.7		6.9	6.9	6.6	6.3	6.1	6.4	7.9	7.9	7.7	7.3
48080060	0.000	0.125	R	1	1	40	CRACKING	8.5	9.1	9.2	9.2	9.2	9.0	9.0	8.9	8.2	8.3	7.8	8.3	8.2	
30 98				2	3.6	14500	RIDE	7.6	7.7	7.5	6.4	6.6	6.5	6.6	6.3	6.1	6.3	4.1*	2.5*	2.5*	
US-98/SR-30/NAVY BLV(0.0R)																					
4230622	0.000	0.092	R	2015		0012	CRACKING	2.5*	2.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	6.7	6.5
OLDCASTLE MATERIALS SOUTHE(2016)																					
4565921	0.000	0.118	C	2029		0012	SPRIDE														6.3
48080060	0.125	1.199	R	1	4	40	CRACKING	8.5	9.1	9.2	9.2	9.2	9.0	9.0	8.9	8.2	8.3	7.8	8.3	8.2	
30 98				2	4.6	19500	RIDE	7.6	7.7	7.5	6.4	6.6	6.5	6.6	6.3	6.1	6.3	6.3	6.3	6.3	
CORY FIELD(0.3C)																					
2186371	0.000	2.491	C	1998		0227	CRACKING	8.2	8.2	8.1	8.0	8.3	8.2	8.2	8.3	8.1	7.9	7.8	7.8	7.7	7.0
COUCH CONSTRUCTION LP(1999)																					
2186371	0.000	2.491	C	1998		0227	RIDE	6.8	6.6	6.9	7.1	7.2	6.9	7.1	7.1	7.0	6.9	6.9	6.9	6.8	6.7
48080060	1.199	1.499	R	1	1	40	CRACKING	8.5	9.1	9.2	9.2	9.2	9.0	9.0	8.9	8.2		10.0	10.0	10.0	
30 98				2	4.6	19500	RIDE	7.6	7.7	7.5	6.4	6.6	6.5	6.6	6.3	6.1		7.9	7.6	7.9	
S PINWOOD LN(1.2R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5	4.5*
							RIDE	7.8	7.1	6.7	6.9	7.0	6.6	6.5	6.6	6.5	6.2	6.2	6.3	6.2	5.8
4565921	1.170	1.470	C	2029		0012															
48080060	1.499	1.830	R	1	4	40	CRACKING	8.5	9.1	9.2	9.2	9.2	9.0	9.0	8.9	8.2	7.3	6.9	5.7*	5.7*	
30 98				2	4.6	19500	RIDE	7.6	7.7	7.5	6.4	6.6	6.5	6.6	6.3	6.1	6.7	5.7	5.4*	6.2	
S CAHN ST(1.5R)																					
2186371	0.000	2.491	C	1998		0227	CRACKING	5.6*	5.6*	5.6*	5.8*	6.8	6.4*	6.4*	7.6	6.8	6.4*	6.2*	6.3*	5.3*	4.5*
COUCH CONSTRUCTION LP(1999)																					
2186371	0.000	2.491	C	1998		0227	RIDE	6.6	6.6	6.4	6.7	6.8	6.5	6.4	6.7	6.2	6.2	6.2	6.3	6.1	6.0
48080060	1.830	2.448	R	1	1	40	CRACKING	6.4*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	3.6	21500	RIDE	5.3*		8.3	7.8	6.9	6.9	7.3	6.8	7.1	7.3	7.7	7.8	7.7	
PACE BLVD(2.4R)																					
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	4.6*	4.5*	2.0*
							RIDE	7.7	7.2	7.1	6.8	7.1	7.2	7.0	7.0	6.8	6.8	6.4	6.4	6.6	6.2
4565921	1.831	2.353	C	2029		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RY	FY-F	WKM-X-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
48080060	2.448	3.335	C	1	2	35	CRACKING	10.0	8.5	7.0	7.0	7.0	7.0	7.0	5.5*	4.0*	4.0*	10.0	9.5	9.5	9.0
30 B98				4	3.6	14700	RIDE	7.4	7.5	7.3	7.1	7.0	6.8	6.4	5.8	5.0*	8.2	7.8	7.6	7.8	
S M ST(2.5R)																					
4134401	2.496	4.348	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.0	7.5	6.0*	6.0*	6.0*	5.5*	5.5*	5.3*	4.6*	2.5*
PREFERRED MATERIALS, INC. (2010)						SPRIDE	7.8	7.2	7.5	7.7	7.6	7.5	7.5	7.4	7.2	7.0	6.9	7.0	7.0	6.7	6.3
4351783	2.378	4.463	C	2024	0012																
48080060	3.335	4.242	R	1	1	30	CRACKING	10.0	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	
30 B98				2	3.6	20700	RIDE	6.2*	6.0	5.6	5.1*	5.4*	5.0*	4.9*	4.4*	4.5*	7.3	7.0	6.9	6.6	
COYLE ST(3.5R)																					
4134401	2.496	4.348	C	2009	0012	CRACKING	10.0	9.5	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.7*	5.6*	3.5*
PREFERRED MATERIALS, INC. (2010)						SPRIDE	6.4	6.3	6.4	6.0	5.8	5.5	5.1*	4.9*	4.5*	4.2*	4.2*	4.2*	4.2*	3.8*	3.4*
4351783	2.378	4.463	C	2024	0012																
48080060	4.242	4.463	R	1	1	30	CRACKING	10.0	8.5	9.0	9.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
30 B98				3	3.6	10500	RIDE	6.2*	6.0			10.0	6.0	5.5	5.5	5.9	5.1*	4.9*	4.3*	4.4*	
ALCANIZ ST(4.3R)																					
2185701	3.459	4.352	C	1995	0215	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	5.2*	5.1*	2.5*
EDWARD CHADBOURNE INC (1996)						S RIDE														4.0*	3.6*
4351783	2.378	4.463	C	2024	0012																
48080060	4.242	4.463	L	1	6	30	CRACKING	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 B98				3	3.6	10500	RIDE	6.6	6.0			6.6	7.0	7.2	6.6	6.9	6.5	6.2	5.7	5.8	
E GREGORY ST(4.5L)																					
2186811	4.228	4.447	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.0*	6.0*	5.4*	5.9*	3.5*
(2005)						RIDE															
4351783	2.378	4.463	C	2024	0012																
48080060	3.335	4.242	L	1	6	30	CRACKING	10.0	8.5	8.5	7.0	7.0	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
30 B98				2	3.6	20700	RIDE	6.1*	6.3	4.9*	4.8*	4.9*	4.6*	4.3*	4.0*	4.2*	7.1	6.9	6.3	6.6	
DONELSON ST N(3.4L)																					
4134401	2.496	4.348	C	2009	0012	CRACKING	10.0	9.5	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.3*	5.3*	3.5*
PREFERRED MATERIALS, INC. (2010)						SPRIDE	6.5	6.1	6.1	5.7	5.5	5.3*	4.8*	4.6*	4.2*	4.0*	4.2*	4.0*	4.0*		
4351783	2.378	4.463	C	2024	0012																
48080060	1.830	2.448	L	1	1	40	CRACKING	5.8*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
30 98				2	3.6	21500	RIDE	6.9		8.3	7.5	6.7	7.3	7.3	7.0	6.7	7.3	7.1	7.1	7.1	
N Q ST(2.2L)																					
						FC125	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.0*	4.9*	4.8*	2.5*
(2003)						RIDE	7.5	7.0	6.2	5.9	6.7	6.5	6.5	6.6	6.8	6.6	6.7	6.9	6.8	6.4	
4565921	1.831	2.353	C	2029	0012																
48080060	1.499	1.830	L	1	4	40	CRACKING	8.1	8.8	8.8	8.8	8.8	9.0	8.9	8.8	8.2	7.3	8.2	7.1	7.3	
30 98				2	4.6	19500	RIDE	7.9	8.0	7.5	6.5	6.9	6.5	6.9	6.6	6.4	6.1	6.5	6.6	6.4	
CAHN ST(1.5L)																					
						LDG	CRACKING	7.3	7.0	6.9	6.8	7.3	7.2	7.2	7.5	7.5	7.0	6.6	6.8	6.6	
(2003)						RIDE	6.7	6.7	6.6	7.0	7.2	6.9	6.7	7.0	7.1	6.8	6.6	6.6	6.7	6.8	
48080060	1.199	1.499	L	1	1	40	CRACKING	8.1	8.8	8.8	8.8	8.8	9.0	8.9	8.8	8.2		10.0	10.0	10.0	
30 98				2	4.6	19500	RIDE	7.9	8.0	7.5	6.5	6.9	6.5	6.9	6.6	6.4		7.3	6.8	6.8	
N PINWOOD LN(1.2L)																					
						DGFC	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.2	7.0	5.0*
(2011)						RIDE	6.9	6.7	5.6	5.6	6.2	5.9	5.9	5.5	5.6	5.7	5.2*	5.3*	5.5	5.1*	
4565921	1.170	1.470	C	2029	0012																
48080060	0.161	1.199	L	1	4	40	CRACKING	8.1	8.8	8.8	8.8	8.8	9.0	8.9	8.8	8.2	8.8	8.6	6.5	6.4*	
30 98				2	4.6	19500	RIDE	7.9	8.0	7.5	6.5	6.9	6.5	6.9	6.6	6.4	7.0	6.5	6.6	6.4	
CORY FIELD(0.3C)																					
						LDG	CRACKING	6.5	6.9	7.9	8.6	8.9	8.8	8.8	8.8	8.7	8.7	8.7	8.7	8.7	8.4
(2003)						RIDE	6.4	6.5	7.0	7.7	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.6	7.6	7.4	
48080060	0.000	0.161	L	1	1	40	CRACKING	8.1	8.8	8.8	8.8	8.8	9.0	8.9	8.8	8.2	8.8	8.6	6.5	6.4*	
30 98				2	3.6	14500	RIDE	7.9	8.0	7.5	6.5	6.9	6.5	6.9	6.6	6.4	7.0	6.5	6.6	6.4	
SR-295/NEW WARRINGTO(0.0L)																					
						DGFC	CRACKING	6.5	6.9	7.9	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0
(2017)						RIDE	6.4	6.5	7.0											7.2	6.8
4565921	0.000	0.118	C	2029	0012																
48080061	0.000	0.209	C	1	1	30	CRACKING	2.1*	2.2*	5.6*	5.7*	5.7*	5.1*	5.1*	5.4*	0.0*	0.0*	0.0*	0.0*	0.0*	
294				2	4.1	4800	RIDE														
NEW WARRINGTON RD(0.0C)																					
4230621	0.056	0.209	C	2015	0012	CRACKING	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	7.6	6.0*
OLDCASTLE MATERIALS SOUTHE (2016)						SPRIDE														3.6*	3.2*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****																
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE																					
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																		
ITMSEG-F																							
48100001	0.982	1.090	R	1	1	35	CRACKING	5.5*	5.5*	4.5*	10.0												
30 98				2	6.7	32000	RIDE	6.6	5.9	5.1*	8.1		6.9	7.7	6.8	6.0	6.6	6.3	6.3	6.5			
BAYFRONT PKWY(1.0R)							DGFC																
							CRACKING	8.5	8.5	8.5	8.5						9.5	8.0	7.4	5.7*	4.5*		
							RIDE	6.4	5.6	5.6	5.5						5.7	6.1	6.5	5.0*	4.6*		
							(2023)																
48100001	1.090	1.296	R	1	7	35	CRACKING	5.5*	5.5*	4.5*	10.0												
30 98				2	6.7	32000	RIDE	6.6	5.9	5.1*	8.1		6.9	7.7	6.8	6.0	6.6	6.3	6.3	6.5			
GREGORY ST(1.3C)							DGFC																
							CRACKING	8.5	8.5	8.5	8.5						9.5	8.0	7.4	10.0	8.5		
							RIDE	6.4	5.6	5.6	5.5						5.7	6.1	6.5	7.4	7.0		
							(2026)																
48100001	1.090	1.296	L	1	1	35	CRACKING	8.0	8.0	8.0	10.0												
30 98				2	6.7	32000	RIDE	7.1	5.9	6.5	7.3		6.8	6.6	7.2	6.3	6.8	7.2	7.0	6.3			
N 14TH AVE(1.1L)							DGFC																
4378441	1.096	1.258	L	2019	9924		CRACKING	9.0	9.0	9.0	8.0	8.0					10.0	10.0	9.4	10.0	8.5		
							RIDE	6.3	6.3	6.3	5.8	5.9					6.2	6.8	6.8	6.9	6.5		
							(2023)																
48100001	0.982	1.090	L	1	1	35	CRACKING	8.0	8.0	8.0	10.0												
30 98				2	6.7	32000	RIDE	7.1	5.9	6.5	7.3		6.8	6.6	7.2	6.3	6.8	7.2	7.0	6.3			
							DGFC																
							CRACKING	9.0	9.0	9.0	8.0	8.0					9.5	7.0	6.0*	5.2*	4.0*		
							RIDE	6.3	6.3	6.3	5.8	5.9					6.4	6.3	6.2	6.2	5.8		
							(2023)																
48100003	0.000	0.636	C	1	7	30	CRACKING							10.0	7.0	7.0	7.0	7.0	7.0				
30 B98				3	4.0	6135	RIDE							6.4	6.3	5.8	6.3	6.1	6.0	6.0			
N 9TH AVE(0.0C)							FC125M																
4346781	0.000	0.636	C	2024	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	4.8*	10.0	8.5		
C. W. ROBERTS CONTRACTING,(2026)							RIDE	6.3	5.9	5.4*	5.2*	5.3*	5.5	5.2*	5.1*	4.7*	5.0*	4.8*	4.8*	8.0	7.6		
							(2026)																
48110000	0.777	1.950	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5		
30 98				2	6.0	15267	RIDE	8.8	8.8	8.6	8.3	8.2	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.4			
PARADISE LN(0.9R)							FC95MR																
4362721	0.777	2.331	C	2018	0012		CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5		
OLDCASTLE MATERIALS SOUTHE(2020)							SPRIDE	7.4	7.0	7.0	7.0	7.0		8.5	8.4	8.4	8.4	8.3	8.3	8.6	8.2		
							(2020)																
48110000	1.950	2.580	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5		
30 98				1	6.0	15267	RIDE	8.8	8.8	8.6	8.3	8.2	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.4			
BRONSON RD(2.0R)							FC95MR																
4362721	0.777	2.331	C	2018	0012		CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.6	9.1	7.5		
OLDCASTLE MATERIALS SOUTHE(2020)							SPRIDE	7.4	7.0	7.0	7.0	7.0		8.5	8.4	8.4	8.4	8.3	8.3	8.1	7.7		
							(2020)																
48110000	2.580	4.048	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5		
30 98				2	5.6	20000	RIDE	8.8	8.8	8.6	8.3	8.2	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.4			
CROWN POINTE(2.6R)							FC95MR																
							CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.6	9.1	7.5		
							RIDE	7.4	7.0	7.0	7.0	7.0		8.5	8.4	8.4	8.4	8.3	8.3	8.1	7.7		
							(2020)																
48110000	4.048	7.020	C	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5		
298				2	5.2	10500	RIDE	8.8	8.8	8.6	8.3	8.3	8.2	8.2	8.0	8.0	8.0	8.0	8.0	7.9			
HERRON VILLA LN(4.2L)							FC95MR																
4436511	4.048	5.939	C	2022	0012		CRACKING	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	8.5		
C. W. ROBERTS CONTRACTING,(2025)							SPRIDE	8.1	8.1	7.3	7.6	7.8	7.8	7.7	7.7	7.6	7.5		8.2	8.2	7.8		
							(2025)																
48110000	7.020	7.550	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5		
298				1	5.2	10500	RIDE	8.8	8.8	8.6	8.3	8.3	8.2	8.2	8.0	8.0	8.0	8.0	8.0	7.9			
ROEBLING TR(7.1R)							FC95MR																
4436511	6.982	7.306	R	2022	0012		CRACKING	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	9.5	8.0		
C. W. ROBERTS CONTRACTING,(2025)							RIDE	8.1	8.1	7.3	7.6	7.8	7.8	7.7	7.7	7.6	7.5		8.2	8.0	7.6		
							(2025)																
48110000	7.550	8.140	C	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5		
298				2	5.5	14500	RIDE	8.8	8.8	8.6	8.3	8.3	8.2	8.2	8.0	8.0	8.0	8.0	8.0	7.9			
STAFFORD LN(7.7R)							FC95MR																
4436511	7.534	7.856	C	2022	0012		CRACKING	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	9.2	8.0		
C. W. ROBERTS CONTRACTING,(2025)							RIDE	8.1	8.1	7.3	7.6	7.8	7.8	7.7	7.7	7.6	7.5		8.2	8.3	7.9		
							(2025)																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	WKM-F	ASTYPE	=====																
ITMSEG-P	W_BMP	W_EMP	YEAR	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	YEAR	FY-F	WKM-F	WKM-F	ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	YEAR	FY-F	WKM-F	WKM-F	ASTYPE																	
48110000	8.140	10.808	C	1	1	35	CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
298				2	3.7	7600	RIDE	8.2	8.2	7.9	7.9	7.7	7.4	7.7	7.4	7.2	7.2	7.0	6.9	6.9				
N 78TH AVE(8.2R)							FC95M																	
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	5.2*	3.5*			
							RIDE	8.6	8.1	8.1	7.8	8.1	7.9	7.8	7.9	7.7	7.5	7.6	7.6	7.2				
48116000	0.000	1.085	R	1	1	40	CRACKING								7.0	8.0	8.0	8.0	7.5					
750				2	4.7	37000	RIDE								6.6	6.3	6.4	6.5	5.9					
DAVIS HWY(0.0C)							FC95MR																	
4325621	0.154	1.064	C	2018	0012		CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.6	8.4	7.0			
PANHANDLE GRADING & PAVING(2020)								5.8	5.2*	5.4*	5.4*	5.5		8.0	7.8	7.7	7.6	7.8	7.8	7.7	7.3			
48117000	0.000	0.154	R	1	7	40	CRACKING												6.5	6.5				
750				2	6.3	15300	RIDE												3.9*	3.6*				
PENSACOLA BLVD(0.0C)							DGFC																	
4362742	0.062	0.159	R	2025	0012		CRACKING	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	8.5			
PIGOTT ASPHALT AND SITEWOR(2026)								3.5*	3.5*	2.8*	4.4*	4.5*	4.4*	4.1*	5.5	5.1*	6.6	4.5*	3.9*	5.5	5.1*			
48117000	0.154	1.606	R	1	1	40	CRACKING												9.5	9.5				
750				2	4.7	19300	RIDE												7.2	6.6				
CR 95A(0.2C)							FC125M																	
4436581	0.187	1.155	R	2022	0012		CRACKING	9.5	9.5	9.5		8.0	8.0	8.0	8.0	8.0	10.0	10.0	9.0	10.0	8.5			
C. W. ROBERTS CONTRACTING,(2023)								7.3	7.0	6.8		7.0	7.0	6.8	7.0	7.1	7.5	7.3	7.4	7.1	6.7			
48117000	0.154	1.606	L	1	1	40	CRACKING												9.5	9.5				
750				2	4.7	19300	RIDE												7.2	6.6				
CR 95A(0.2C)							FC125M																	
4436581	0.187	1.155	L	2022	0012		CRACKING	9.5	9.5	9.5		8.0	8.0	8.0	8.0	8.0	10.0	10.0	9.4	10.0	8.5			
C. W. ROBERTS CONTRACTING,(2023)								7.3	7.0	6.8		7.0	7.0	6.8	7.0	7.1	7.5	7.3	7.2	6.8	6.4			
48117000	0.000	0.154	L	1	7	40	CRACKING												6.5	6.5				
750				2	6.3	15300	RIDE												3.9*	3.6*				
PENSACOLA BLVD(0.0C)							DGFC																	
4362742	0.062	0.159	L	2025	0012		CRACKING	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	8.5			
PIGOTT ASPHALT AND SITEWOR(2026)								3.5*	3.5*	2.8*	4.4*	4.5*	4.4*	4.1*	5.5	5.1*	6.6	4.5*	6.4	5.0*	4.6*			
48130000	0.610	22.507	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0				
97				2	12.4	7500	RIDE	8.9	8.9	8.7	8.3	8.0	7.8	7.6	7.5	7.2	7.0	8.7	8.6	8.5				
SR 95(0.6C)							FC95R																	
4193041	0.021	22.507	C	2010	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.0*	6.0*	5.5*	5.2*	3.0*			
PANHANDLE GRADING & PAVING(2011)							SPRIDE	8.5	8.1	7.8	7.8	8.0	7.9	7.8	7.7	7.6	7.4	7.5	7.4	7.1	6.7			
4508211	0.486	22.507	C	2026	0012																			
48140000	0.000	0.192	C	1	1	45	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5				
4				2	11.0	5500	RIDE	7.5	7.8	8.2	7.8	7.7	7.6	7.5	7.7	7.5	7.7	7.5	7.4	7.7				
N CENTURY BLVD(0.0C)							FC125M																	
4325551	0.016	1.152	C	2017	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.7	6.0*			
ANDERSON COLUMBIA CO., INC(2018)								7.7	7.3	7.1	7.2	8.0	8.0	7.9	7.8	7.8	7.6	7.5	7.5	6.5	6.5	6.1		
48140000	0.192	1.200	C	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5				
4				2	11.0	5500	RIDE	7.5	7.8	8.2	7.8	7.7	7.6	7.5	7.7	7.5	7.7	7.5	7.4	7.7				
ANTHONY PLEASANT PK(0.2R)							FC125M																	
4325551	0.016	1.152	C	2017	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.4	5.5*			
ANDERSON COLUMBIA CO., INC(2018)								7.7	7.3	7.1	7.2	8.0	8.0	7.9	7.8	7.8	7.6	7.5	7.5	7.6	7.2			
48140001	0.000	0.280	C	1	1	55	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5				
4				2	11.0	5500	RIDE	8.3	6.1*	8.4	7.7	8.1	8.1	7.8	8.5	8.3	8.3	8.3	8.1	8.2				
NEW ALIGN(0.0C)							FC125M																	
4325551	0.120	0.276	C	2017	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	7.3	5.5*			
ANDERSON COLUMBIA CO., INC(2018)								8.1	7.9	7.6	7.6	8.4	8.2	8.2	8.0	7.9	7.7	7.5	7.7	7.6	7.2			
48190000	0.000	1.006	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0				
297				2	5.5	19800	RIDE	8.5	8.5	8.4	7.6	7.5	8.3	8.1	8.3	7.9	8.3	8.0	7.9	7.9				
MOBILE HWY(0.0C)							FC95MR																	
4475891	0.000	0.921	R	2024	0012		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	2.8*	10.0	8.5			
C. W. ROBERTS CONTRACTING,(2026)								8.0	6.8	6.8	7.3	7.4	7.5	7.5	7.3	7.3	7.3	7.3	7.3	7.5	8.1	7.7		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT	(MP)	(SIDE)					*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
48190000	1.006	3.603	R	1	1	45	CRACKING	9.0	7.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0
297				2	8.1	33000	RIDE	8.2	8.0	7.7	8.3	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.2	8.1	
COPE LN(1.5R)																					
2186791	0.931	3.603	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	4.8*	4.6*	2.5*
ANDERSON COLUMBIA CO., INC(2004)																					
4508041	1.016	3.617	C	2027	0012	SPRIDE	8.2	7.9	7.6	7.4	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.2
48190000 3.603 3.820 R 1 1 45 CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.5 9.0																					
297				1	6.1	29000	RIDE	7.8	7.6	7.6	7.0	6.9	6.6	7.9	8.4	8.1	8.0	8.0	7.9	8.0	
SHARON LN(3.7R)																					
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.2*	3.5*
							RIDE	8.1	7.6	7.6	7.0	7.4	7.6	7.6	7.5	7.4	7.4	7.5	7.4	6.3	5.9
(2007)																					
48190000	3.820	4.294	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
297				1	6.1	29000	RIDE	7.8	7.6	7.6	7.0	6.9	6.6	7.9	8.4	8.1	8.0	8.0	7.9	8.0	
BUSH ST(3.8R)																					
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.2*	8.1
							RIDE	8.1	7.6	7.6	7.0	7.4	7.6	7.6	7.5	7.4	7.4	7.5	7.4	7.7	7.3
(2007)																					
48190000	3.820	4.294	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
297				2	6.1	29000	RIDE	7.8	7.6	7.6	7.0	6.9	6.6	7.9	7.6	6.8	6.7	6.7	6.5	6.4	
FC125M																					
							CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.2*	7.0
							RIDE	7.2	7.5	7.2	6.9	6.9	6.7	6.8	6.8	6.9	6.7	6.8	6.7	6.8	5.0*
(2007)																					
48190000	3.603	3.820	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
297				2	6.1	29000	RIDE	7.8	7.6	7.6	7.0	6.9	6.6	7.9	7.6	6.8	6.7	6.7	6.5	6.4	
FC125M																					
							CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.2*	4.7*
							RIDE	7.2	7.5	7.2	6.9	6.9	6.7	6.8	6.8	6.9	6.7	6.8	6.7	6.3	5.9
(2007)																					
48190000	1.006	3.603	L	1	1	45	CRACKING	6.5	4.5*	2.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	
297				2	8.1	33000	RIDE	8.4	7.9	7.7	8.3	8.2	8.2	8.2	8.4	8.3	8.3	8.2	8.2	8.2	
MANDEVILLE LN(1.4L)																					
2186791	0.931	3.603	C	2003	0012	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.1*	4.8*	2.5*
ANDERSON COLUMBIA CO., INC(2004)																					
4508041	1.016	3.617	C	2027	0012	SPRIDE	8.1	7.7	7.8	7.7	7.9	7.9	7.9	7.7	7.8	7.7	7.7	7.7	7.6	7.7	7.3
48190000 0.000 1.006 L 1 7 45 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0																					
297				2	5.5	19800	RIDE	8.7	8.5	8.5	7.6	8.3	8.2	8.2	7.8	7.9	7.7	7.7	7.7	7.6	
MOBILE HWY(0.0C)																					
4475891	0.000	0.921	L	2024	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.0*	10.0	8.5
C. W. ROBERTS CONTRACTING,(2026)																					
							SPRIDE	7.7	7.0	7.4	7.6	8.0	7.9	8.0	7.6	7.1	7.6	7.6	7.8	8.3	7.9
48205000	0.721	2.595	R	1	1	55	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
173				2	5.4	9300	RIDE	8.2	7.8	8.0	7.6	7.4	7.4	8.1	8.7	8.7	8.6	8.5	8.4	8.4	
CR 292A(0.7C)																					
4113951	0.524	2.595	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.5	8.5	8.5	8.4	8.4	6.5
PANHANDLE GRADING & PAVING(2007)																					
4546421	0.721	5.393	C	2028	0012	RIDE	8.5	8.5	7.7	7.8	8.1	8.1	7.9	7.9	7.8	8.0	8.0	8.0	8.0	8.0	7.6
48205000	2.595	2.972	R	1	1	45	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				1	5.4	21000	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
DGFC																					
							CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.2*	8.6
							RIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	7.5	7.1
(2026)																					
4546421	0.721	5.393	C	2028	0012																
48205000	2.972	4.095	R	1	1	55	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				1	5.4	21000	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
CORAL CREEK(3.0R)																					
							CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.2*	6.5
							RIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	8.0	7.6
(2012)																					
4546421	0.721	5.393	C	2028	0012																
48205000	4.095	5.395	C	1	1	55	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				2	3.8	21500	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
DANIEL MARCUS DR(5.2R)																					
4192921	4.084	5.393	C	2011	0012	CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.2*	6.5
OLDCASTLE MATERIALS SOUTHE(2012)																					
4546421	0.721	5.393	C	2028	0012	SPRIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	7.9	7.9	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
48205000	5.395	5.920	R	1	1	45	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				1	5.4	18000	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
SR 30(5.6C)																					
4192921	5.393	5.896	C	2011	0012	CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2*	5.8*	4.0*
OLDCASTLE	MATERIALS	SOUTHE	(2012)			SPRIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	6.7	6.3	
FC95MR																					
48205000	5.920	6.930	C	1	1	55	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				2	5.4	18000	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
FC95MR																					
4192921	5.896	6.913	C	2011	0012	CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2*	6.5	4.5*
OLDCASTLE	MATERIALS	SOUTHE	(2012)			SPRIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	7.6	7.2	
4546421	5.905	9.722	C	2028	0012																
FC95MR																					
48205000	6.930	7.610	R	1	1	45	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				1	5.4	24000	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
LILLIAN HWY(7.1C)																					
4192921	6.913	7.361	C	2011	0012	CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2*	6.5	4.5*
OLDCASTLE	MATERIALS	SOUTHE	(2012)			SPRIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	8.1	7.7	
4546421	5.905	9.722	C	2028	0012																
FC95MR																					
48205000	7.610	9.515	C	1	1	45	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				2	5.4	24000	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
KENNEDY DR(8.0R)																					
							CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2*	6.5	4.5*
4546421	5.905	9.722	C	2028	0012		RIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	7.4	7.0
FC95MR																					
48205000	9.515	9.722	R	1	1	45	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
173				1	5.4	21500	RIDE	8.4	8.3	8.2	7.7	7.5	7.5	7.4	6.6	7.0	6.9		8.6	8.5	
BLUE ANGEL CT(9.7R)																					
4192921	9.497	9.724	C	2011	0012	CRACKING	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2*	6.5	4.5*
OLDCASTLE	MATERIALS	SOUTHE	(2012)			SPRIDE	8.5	7.8	8.1	7.7	8.2	8.1	7.9	8.0	7.9	7.9	7.8	7.7	8.0	7.6	
4546421	5.905	9.722	C	2028	0012																
FC95MR																					
48205000	9.722	12.654	R	1	1	45	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
173				1	6.7	15000	RIDE	7.8	7.7	7.6	7.5	7.3	7.3	7.2	6.7	7.1	7.1	7.1	6.9	7.0	
BLUE ANGEL LN N(9.7R)																					
							CRACKING	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.4	6.5
							RIDE	6.9	6.8	7.2	8.1	8.5	8.5	8.3	8.4	8.3	8.4	8.3	8.2	8.1	7.7
(2017)																					
48205000	0.721	2.595	L	1	1	55	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
173				2	5.4	9300	RIDE	7.4	7.9	7.8	7.3	7.0	7.0	8.4	8.4	8.4	8.5	8.4	8.3	8.4	
CR 292A(0.7C)																					
4113951	0.524	2.595	C	2006	0012	CRACKING	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.1	8.0	6.0*
PANHANDLE	GRADING	& PAVING	(2007)			RIDE	8.2	7.5	7.8	7.7	7.8	7.9	7.5	7.5	7.6	7.4	7.5	7.5	7.3	7.3	6.9
4546421	0.721	5.393	C	2028	0012																
FC95MR																					
48260000	0.222	9.100	R	4	1	70	CRACKING	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
8 I10	0.2	9.1	2	24	0	35500	RIDE	7.0			8.4	8.4	8.3	8.4	7.9	8.3	8.3	8.2	8.2	8.1	
FC5																					
2224721	0.222	9.722	C	2001	0005	CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	5.5*	5.5*	5.5*	5.5*	6.2*	5.5*	2.0*	
ANDERSON	COLUMBIA	CO., INC	(2004)			SPRIDE	8.2	8.0	8.2	8.3	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.4	8.3	8.2
2224122	0.222	8.898	C	2025	0012																
FC5M																					
48260000	9.100	10.090	R	4	8	60	CRACKING	8.6			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
8 I10	9.1	10.1	2	13.8	0	65931	RIDE	7.2			8.4	8.4	8.3	8.4	7.9	8.3	8.3	8.2	8.2	8.1	
FC5M																					
4295201	9.000	10.060	C	2014	0012	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.4		
ROADS, INC. OF NWF			(2015)			SPRIDE	8.2	8.1	8.4	8.6	8.6	8.8	8.8	8.9	8.9	8.8	8.8	8.8	8.6		
FC5M																					
48260000	10.090	10.529	R	4	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
8 I10	10.1	10.5	2	13.8	0	65931	RIDE	8.5	8.4	8.2	8.0	7.9	7.8	7.7	7.3	7.7	7.9	7.7	7.8	7.8	
FC5M																					
							CRACKING	8.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
							RIDE	7.1	8.1	8.4			8.6	8.5	8.6	8.5	8.3	8.1	8.1	8.3	8.2
(2019)																					
48260000	10.529	10.950	R	4	8	60	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.5	
8 I10	10.5	11.0	2	8.1	0	90000	RIDE	8.5	8.4	8.2				7.9	8.0	7.9	7.8	7.8	7.8		
FC5M																					
							CRACKING	9.5	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0		
							RIDE	7.9	8.1	8.4			8.6	8.5	8.6	8.5	8.3	8.1	8.1		
(2019)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE	ONE	YEAR)					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)
48260000	10.950	11.551	R	4	8	60	CRACKING	10.0	10.0							10.0	10.0	10.0	10.0	9.5	
8	I10	11.0	11.6	3	8.1	90000	RIDE	8.5	8.4							7.9	8.0	7.9	7.8	7.8	
							FC5M														
				(2009)			CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*		
							RIDE	7.9	7.6	8.1	8.1	8.2	8.2	8.2	8.2	8.2	8.1	8.0	8.1		
48260000	11.551	13.370	R	4	1	60	CRACKING	10.0	10.0							10.0	10.0	10.0	10.0	9.5	
8	I10	11.6	13.4	3	8.1	90000	RIDE	8.5	8.4							7.9	8.0	7.9	7.8	7.8	
							FC5M														
				(2009)			CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	1.5*
							RIDE	7.9	7.6	8.1	8.1	8.2	8.2	8.2	8.2	8.2	8.1	8.0	8.1	7.8	7.7
2224572	11.613	13.500	C	2025	0012																
48260000	13.370	16.549	R	4	1	70	CRACKING	8.5		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
8	I10	13.4	16.5	3	18.0	71500	RIDE	7.7		8.9	8.4	8.3	7.1	7.6	8.1	8.1	8.0	8.0	7.9		
							FC5M														
2224771	13.809	16.418	C	2014	0213		CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.0
PHOENIX	CONSTRUCTION	SERVI	(2019)				SPRIDE	7.9	7.4	8.2			8.7	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.6
48260000	13.500	16.549	L	4	1	70	CRACKING	8.0		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	
8	I10	13.5	16.5	3	18.0	71500	RIDE	7.4		8.8	8.4	8.4	8.3	8.3	8.1	8.2	8.1	7.9	7.8	7.8	
							FC5M														
2224771	13.809	16.418	C	2014	0213		CRACKING	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.0
PHOENIX	CONSTRUCTION	SERVI	(2019)				SPRIDE	7.8	7.4	8.0			8.5	8.5	8.6	8.6	8.5	8.5	8.5	8.5	8.4
48260000	11.150	13.500	L	4	1	60	CRACKING	10.0	10.0	10.0						10.0	10.0	10.0	10.0	9.5	
8	I10	11.2	13.5	3	8.1	90000	RIDE	8.6	8.6	8.4						8.2	8.2	8.1	8.1	7.9	
							FC5M														
				(2009)			CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	3.2*	0.0*
							RIDE	8.0	7.7	8.1	8.0	8.2	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.1	8.0
2224572	11.613	13.500	C	2025	0012																
48260000	10.040	11.150	L	4	1	60	CRACKING	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
8	I10	10.0	11.2	2	8.1	90000	RIDE	8.6	8.6		8.1	8.1	8.1	7.9	7.5	8.0	8.0	7.5	7.5	7.7	
							FC5M														
				(2019)			CRACKING	9.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.3	6.5
							RIDE	7.5	8.1	8.4			8.7	8.7	8.6	8.6	8.6	8.4	8.3	8.4	8.3
48260000	9.000	10.040	L	4	1	60	CRACKING	8.7		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
8	I10	9.0	10.0	2	13.8	65931	RIDE	7.1		8.4	8.4	8.3	8.3	8.1	8.4	8.3	8.2	8.2	8.1		
							FC5M														
4295201	9.000	10.060	C	2014	0012		CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	5.0*
ROADS, INC.	OF NWF			(2015)			SPRIDE	8.2	8.1	8.4	8.5	8.6	8.7	8.7	8.9	8.8	8.6	8.7	8.6	8.5	8.4
48260000	0.222	9.000	L	4	1	70	CRACKING	5.9*		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
8	I10	0.2	9.0	2	24.0	35500	RIDE	7.3		8.4	8.4	8.3	8.3	8.1	8.4	8.3	8.2	8.2	8.1		
							FC5														
2224721	0.222	9.722	C	2001	0005		CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	5.5*	5.5*	5.5*	5.5*	6.2*	5.7*	2.0*
ANDERSON	COLUMBIA	CO., INC	(2004)				SPRIDE	8.2	8.1	8.3	8.3	8.4	8.5	8.5	8.6	8.6	8.5	8.4	8.4	8.4	8.3
2224122	0.222	8.898	C	2025	0012																
48270000	1.484	6.341	R	4	1	65	CRACKING	8.7	8.7	9.0	9.0						10.0	10.0	10.0	10.0	
8A	I110	1.5	6.3	3	5.4	72541	RIDE	7.5	8.1	7.9	7.3						8.3	8.2	8.2	8.1	
							FC5M														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	6.5	3.5*
							RIDE	8.2	8.1	8.4	8.4	8.4	8.5	8.5	8.6	8.6	8.5	8.5	8.5	8.5	8.4
2224673	1.484	6.285	C	2025	0012																
48270000	1.484	6.341	L	4	1	65	CRACKING	8.4	8.0	8.0	8.8						10.0	10.0	10.0	10.0	
8A	I110	1.5	6.3	3	5.4	72541	RIDE	7.9	8.0	7.8	7.0						8.3	8.2	8.2	8.1	
							FC5M														
				(2010)			CRACKING	10.0	10.0	10.0	9.5	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*
							RIDE	8.2	7.9	8.3	8.4	8.4	8.5	8.5	8.6	8.6	8.5	8.4	8.4	8.5	8.4
2224673	1.484	6.285	C	2025	0012																
48280000	0.232	1.495	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5	
30	98			2	7.0	11100	RIDE	8.6	8.7	8.7	8.1	8.1	8.5	7.8	8.3	8.3	8.3	8.1	8.1	8.0	
							FC3														
4362722	0.293	1.528	C	2019	0012		CRACKING	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5
ROADS, INC.	OF NWF			(2021)			SPRIDE	7.9	7.8	7.4	7.2	7.7	7.7	7.6	8.3	8.4	8.4	8.4	8.4	8.3	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = ESCAMBIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	W-P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	W-F															(PMRS)	
48280000	1.495	1.874	R	1	2	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5	7.5	
30 98				1	7.0	11100	RIDE	8.6	8.7	8.7	8.1	8.1	8.5	7.8	8.3	8.3	8.3	8.1	8.1	8.0		
AILERON AVE(1.6R)																						
4362722	1.528	1.899	R	2019		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
ROADS, INC. OF NWF																						
				(2021)			SPRIDE	7.9	7.8	7.4	7.2	7.7	7.7	7.6	8.3	8.4	8.4	8.4	8.4	7.9	7.5	
48280000	1.874	6.067	R	1	1	45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
30 98				2	3.7	19300	RIDE	8.6		8.6	8.3	8.1	8.3	8.3	8.2	8.3	8.2	8.0	8.2	8.3		
SKY HAWK DR(1.9R)																						
2184871	1.886	6.067	C	2000		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	6.4*	6.1*	4.0*	
PANHANDLE GRADING & PAVING(2003)																						
				(2003)			S	8.2	8.1	7.6	7.8	7.9	7.8	7.7	7.7	7.8	7.8	7.8	7.7	7.7	7.3	
48280000	1.874	6.067	L	1	1	45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
30 98				2	3.7	19300	RIDE	8.6		8.3	8.1	8.0	8.0	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9	
HOSPITAL(2.0L)																						
2184871	1.886	6.067	C	2000		0213	CRACKING	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.0*	5.7*	3.5*
PANHANDLE GRADING & PAVING(2003)																						
				(2003)			S	7.9	7.3	7.6	7.1	7.6	7.6	7.5	7.6	7.6	7.6	7.6	7.4	7.4	7.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).