FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = FRANKLIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
49010000	0.000	1.783	C	1	1	60				CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	7.0													
30 98			2	12.4		3900				RIDE	8.5	8.7	8.6	8.1	7.8	8.1	8.0	8.2	7.8	7.9	7.8	7.6	7.5													
CR-30A(0.0R)									FC95MR																											
4269561	0.000	1.783	C	2016		0012				CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.5	7.0												
C. W. ROBERTS CONTRACTING,(2016)									SPRIDE		7.5	7.1	8.3	8.0	8.6	8.5	8.5	8.4	8.4	8.3	8.3	8.2	8.2	7.8												
49010000	1.783	7.290	C	1	1	60				CRACKING	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0													
30 98			2	12.4		3900				RIDE	7.7	7.7	8.7	8.3	8.2	8.2	8.2	8.2	7.9	7.9	7.8	7.7	7.8													
JULE RD(4.0L)									FC95MR																											
4415401	1.780	5.119	C	2021		0012				CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,(2023)									SPRIDE		7.5	7.4	7.4	7.3	7.6	7.5	7.4	7.4	7.3	8.4	8.3	8.3	8.2	7.8												
49010000	7.290	7.851	C	1	1	35				CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5													
30 98			2	12.4		8000				RIDE	8.1	7.9	7.6	7.3	7.1	7.0	6.8	6.9	6.6	6.4	6.4	6.3	5.3*													
12TH ST(7.3R)									FC125																											
4287451	7.296	7.786	C	2015		0012				CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	5.5*												
ROBERTS AND ROBERTS, INC. (2016)									RIDE		5.6	5.3*											6.6	6.2												
49010000	7.851	8.047	C	1	1	25				CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5													
30 98			2	7.7		7800				RIDE	8.1	7.9	7.6	7.3	7.1	7.0	6.8	6.9	6.6	6.4	6.4	6.3	5.3*													
AVE D(7.9C)									FC125																											
4287451	7.912	8.047	C	2015		0012				CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	5.5*												
ROBERTS AND ROBERTS, INC. (2016)									RIDE		5.6	5.3*											6.3	5.9												
49010000	8.879	9.653	C	1	7	55				CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0													
30 98			2	7.7		7800				RIDE	8.4	8.4	8.2	7.8	7.8	8.0	7.7	8.0	7.6	8.2	8.1	7.8	7.8													
									DGFC																											
2239203	8.880	9.659	C	2025		0012				CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	8.5												
ROBERTS AND ROBERTS, INC. (2026)									RIDE		7.8	7.6	7.7	7.8	7.8	8.0	7.4	7.1	7.4	8.3	8.4	8.2	8.1	7.7												
49010000	12.388	13.171	C	1	7	55				CRACKING	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	9.5													
30 98			2	7.7		7800				RIDE	8.7	8.6	8.5	8.1	8.1	8.2	8.1	8.2	8.0	8.0	8.0	7.9	8.0													
									FC1																											
2239203	12.343	13.788	C	2025		0012				CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	10.0	8.5												
ROBERTS AND ROBERTS, INC. (2026)									RIDE		8.0	7.5	7.8	7.8	7.9	7.9	7.9	7.8	7.7	7.8	7.9	7.8	8.0	7.6												
49010000	13.171	13.787	C	1	1	35				CRACKING	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0													
30 98			2	7.7		7800				RIDE	6.6	6.6	8.6	8.3	8.3	7.0	6.7	7.0	7.2	7.9	7.7	7.5	7.5													
BAY SHORE DR N(13.2R)									FC125																											
2187741	13.114	17.597	C	2002		0012				CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*												
C. W. ROBERTS CONTRACTING,(2003)									SPRIDE		7.7	7.2	7.4	7.5	7.3	7.3	7.2	7.0	6.9	6.9	6.2	6.6	6.3	5.9												
2239203	12.343	13.984	C	2025		0012																														
49010000	13.787	13.981	C	1	1	35				CRACKING	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0													
30 98			2	9.1		5800				RIDE	6.6	6.6	8.6	8.3	8.3	7.0	6.7	7.0	7.2	7.9	7.7		8.1													
SR-300/ISLAND DR(13.9R)									FC125																											
										CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	6.0*	5.6*	5.8*	4.0*												
				(2013)						RIDE	7.7	6.8											6.3	5.9												
2239203	12.343	13.984	C	2025		0012																														
49010000	13.981	17.600	C	1	1	55				CRACKING	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5													
30 98			2	9.1		5800				RIDE	6.7	6.7	8.6	8.3	8.3	7.0	6.7	7.0	7.2	7.9	7.7	7.6	7.1													
S FRANKLIN ST(14.0R)									FC125																											
2187741	13.114	17.597	C	2002		0012				CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*												
C. W. ROBERTS CONTRACTING,(2003)									SPRIDE		7.3	7.0	7.0	7.3	7.2	7.1	6.9	6.9	6.8	6.8	6.6	6.6	6.4*	6.0*												
4457611	13.981	29.262	C	2025		0012																														
49010000	17.600	27.130	C	1	1	55				CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
30 98			2	13.9		5200				RIDE	6.7	6.7	6.6	6.2*		7.6	7.6	7.7	7.3	7.7	7.6	7.2	7.1													
GRAMERCY PLANTATION(17.7L)									DGFC																											
4039291	17.598	29.259	C	2004		0012				CRACKING	9.0	9.0	9.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.1*	4.9*	2.5*												
MITCHELL BROTHERS, INC.				(2006)					SPRIDE		7.2	6.8	6.6	6.6	6.6	6.4*	6.3*	6.3*	6.2*	6.1*	5.9*	6.0*	5.8*	5.4*												
4457611	13.981	29.262	C	2025		0012																														
49010000	27.130	29.272	C	1	1	45				CRACKING	7.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
30 98			2	12.4		4700				RIDE	7.2	7.1	6.7	6.2*		7.6	7.6	7.7	7.3	7.7	7.6	7.2	6.9													
BEACON ST(27.8L)									FC125																											
4039291	17.598	29.259	C	2004		0012				CRACKING	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.0*	4.0*	4.7*	4.4*	2.0*												
MITCHELL BROTHERS, INC.				(2006)					SPRIDE		7.2	6.8	6.7	6.7	6.4	6.4	6.2	6.3	6.2	6.2	6.0	6.0	5.9	5.5												
4457611	13.981	29.262	C	2025		0012																														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = FRANKLIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	AADT / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
49010000 30 98 CR 67(29.6L) 4153791 C. W. ROBERTS CONTRACTING,(2010) 4457614	29.618 2 14.5 FC95M 29.610 30.260 C 2008 0012 SPRIDE 29.619 30.260 C 2029 0012	30.260	C	1	1	35 6300	CRACKING RIDE CRACKING SPRIDE	10.0 7.9 10.0 8.1	10.0 8.1 10.0 7.4	10.0 7.8 10.0 7.7	10.0 7.4 9.0 7.6	9.5 7.1 8.5 7.6	9.5 7.3 8.5 7.4	9.5 6.9 8.5 7.3	7.0 7.2 8.5 7.3	 7.5 7.1	10.0 8.6 7.0 6.9	10.0 8.3 6.0* 6.7	10.0 8.4 5.5* 6.7	10.0 8.1 3.8* 6.6	2.0* 6.2
49030000 377 319 US-98/SR-30(0.0R) 2187651 MITCHELL BROTHERS, INC. 4546201	0.000 2 12.7 FC3 0.114 (2000) 0.000	5.536 2900 5.365 0012 S 5.372	C C 1999 C 2028	1	1	55	CRACKING RIDE CRACKING RIDE	10.0 8.7 7.5 7.4	10.0 8.7 7.5 6.9	10.0 8.4 7.5 7.1	10.0 8.0 7.5 7.3	10.0 8.0 7.5 7.4	10.0 7.9 7.5 7.2	10.0 7.8 7.5 7.2	8.5 7.8 7.5 7.3	8.5 7.5 7.5 7.1	8.5 7.5 7.5 7.3	8.5 7.5 7.0 7.2	7.5 7.4 6.0* 7.3	7.5 7.3 4.8* 7.1	2.5* 6.7
49040000 30 98 CR-30A/MARINE ST(0.0R) 4153791 C. W. ROBERTS CONTRACTING,(2010) 4457614	0.000 2 8.3 FC95M 0.000 SPRIDE 0.000	10.194 3781 9.896 0012 C 2029	C C 2008	1	1	55	CRACKING RIDE CRACKING SPRIDE	8.0 7.9 10.0 8.2	8.0 7.8 10.0 7.6	7.5 7.6 10.0 7.6	7.5 7.2 10.0 7.6	7.5 7.0 9.0 7.8	6.5 6.8 9.0 7.6	6.5 6.8 9.0 7.5	4.5* 6.7 9.0 7.4	 8.5 7.1	10.0 8.7 7.5 7.2	10.0 8.6 7.5 7.0	10.0 8.5 7.4 6.9	10.0 8.3 7.1 6.8	5.0* 6.4*
49040000 30 98 SIDE ROAD(12.4R) 4457591 C. W. ROBERTS CONTRACTING,(2025)	10.194 2 20.9 FC95MR 10.688 SPRIDE	20.465 1400 20.467 0012	C C 2023	1	1	55	CRACKING RIDE CRACKING RIDE	6.0* 7.5 8.0 7.3	5.5* 7.3 8.0 6.9	10.0 8.6 8.0 7.0	10.0 8.3 8.0 7.1	10.0 8.2 7.0 7.1	10.0 8.1 7.0 6.8	9.0 8.1 6.0* 6.7	9.0 8.2 6.0* 6.7	9.0 7.9 6.0* 6.4*	9.0 7.8 5.5* 6.6	9.0 7.6 5.5* 6.4*	8.0 7.6 10.0 8.7	8.0 7.2 10.0 8.7	8.5 8.3
49060000 65 SR 30(0.0C) 4039301 C. W. ROBERTS CONTRACTING,(2007) 4565841	0.000 2 17.4 FC125 0.000 24.284 SPRIDE 0.000 24.266	8.377 1943 C 2004 0012 C 2029 0012	C	1	1	60	CRACKING RIDE CRACKING SPRIDE	5.5* 7.8 9.5 7.9	3.5* 7.5 9.5 7.5	3.5* 7.1 9.5 7.8	3.5* 6.6 9.5 7.6	3.5* 6.3* 8.0 7.9	 7.5 7.7	10.0 8.6 7.5 7.7	10.0 8.7 7.5 7.8	10.0 8.5 7.0 7.7	10.0 8.5 7.0 7.8	10.0 8.2 7.0 7.3	9.5 8.0 7.0 7.4	9.5 7.7 5.7* 7.4	3.5* 7.0
49060000 65 PITTS RD(8.6R) 4039301 C. W. ROBERTS CONTRACTING,(2007) 4565841	8.377 2 17.4 FC125 0.000 24.284 SPRIDE 0.000 24.266	13.086 1943 C 2004 0012 C 2029 0012	C	1	1	60	CRACKING RIDE CRACKING SPRIDE	5.5* 7.8 9.5 7.9	3.5* 7.5 9.5 7.5	3.5* 7.1 9.5 7.8	3.5* 6.6 9.5 7.6	3.5* 6.3* 8.0 7.9	 7.5 7.7	10.0 8.6 7.5 7.7	10.0 8.7 7.5 7.8	10.0 8.5 7.0 7.7	10.0 8.5 7.0 7.8	10.0 8.2 8.0 8.0	9.5 8.0 7.2 8.0	9.5 7.7 8.0 7.9	6.0* 7.5
49060000 65 BLOODY BLUFF RD(14.3L) 4565841	13.086 2 17.4 FC125 (2024) 0.000 24.266	24.266 1943 C 2029 0012	C	1	1	60	CRACKING RIDE CRACKING RIDE	8.0 8.2 9.5 7.9	6.5 8.1 9.5 7.5	6.5 7.7 9.5 7.8	6.5 7.1 9.5 7.6	4.5* 6.9 8.0 7.9	4.5* 6.7 7.5 7.7	10.0 8.6 7.5 7.7	10.0 8.7 7.5 7.8	10.0 8.5 7.0 7.7	10.0 8.5 7.0 7.8	10.0 8.2 9.0 7.7	9.5 8.0 7.9 7.8	9.5 7.7 8.0 7.7	6.5 7.3
49090000 30 98 CR-30A(0.0L) 4269561 C. W. ROBERTS CONTRACTING,(2017)	0.000 2 10.6 FC95MR 0.000 SPRIDE	3.932 2623 3.932 0012 C 2016	C C 2016	1	1	60	CRACKING RIDE CRACKING SPRIDE	10.0 8.4 7.0 7.9	10.0 8.4 7.0 7.7	10.0 8.2 	9.5 7.8 10.0 8.6	9.5 7.9 10.0 8.6	9.5 7.7 10.0 8.5	9.5 7.9 10.0 8.4	8.0 8.3 10.0 8.3	8.0 7.6 10.0 8.2	8.0 7.8 10.0 8.1	8.0 8.1 9.5 8.0	8.0 8.0 8.7 8.0	8.0 7.8 7.0 7.5
49580000 300 CR-300/E GULF BEACH(0.0R) 4469742	0.000 1 10.0 FC125 (2006) 0.000	0.227 5400 0.227 0012 C 2025	R C 2025	1	1	35	CRACKING RIDE CRACKING RIDE	9.0 9.5 7.5	9.0 9.5 7.4	9.0 9.5 6.5	9.0 9.5 6.5	9.0 9.5 6.3	10.0 7.8 9.5 6.4	10.0 7.5 9.5 6.4	10.0 7.9 9.5 6.2	10.0 7.8 7.0 6.2	10.0 7.7 7.0 6.0	10.0 7.6 7.0 6.0	9.5 7.7 7.0 5.7	9.5 7.6 6.8 5.4*	4.5* 5.0*
49580000 300 BAY SHORE DR S(4.9L) 4469742	4.823 2 10.0 FC3 (2019) 4.823	5.439 5400 5.439 0012 C 2025	C C 2025	1	1	45	CRACKING RIDE CRACKING RIDE	9.0 5.9* 10.0 7.6	7.5 5.2* 10.0 7.5	4.5* 5.0* 10.0 7.3	4.5* 4.7* 10.0 6.7	10.0 8.1 	10.0 8.0 9.0 7.3	10.0 8.1 9.0 7.3	10.0 8.3 9.0 7.1	10.0 7.9 8.0 7.1	10.0 8.1 8.0 7.1	10.0 8.1 8.0 6.8	10.0 8.0 6.8 6.9	10.0 7.8 6.6 6.7	5.0* 6.3
49580000 300 W GULF BEACH DR(0.0L) 4469742	0.000 1 10.0 FC125 (2006) 0.000	0.227 5400 0.227 0012 C 2025	L C 2025	1	1	35	CRACKING RIDE CRACKING RIDE	9.0 9.5 7.3	9.0 9.5 6.6	9.0 9.5 6.2	9.0 9.5 6.6	6.5 7.0 6.5	10.0 7.4 7.0 6.5	10.0 7.3 7.0 6.4	10.0 7.7 7.0 6.3	10.0 7.5 7.0 6.5	10.0 7.5 7.0 6.3	10.0 7.5 6.5 6.1	9.5 7.5 6.5 6.1	9.5 7.2 6.0* 5.9	4.0* 5.5

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = FRANKLIN

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS RATINGS / SURFTYPE / ASTYPE	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
49580100	0.000	0.242	C	1	1	35	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5													
300			2	10.0		5400	RIDE						7.6	7.5	7.4	7.6	7.4	7.5	7.5	7.4	7.3													
MEDIAN GORE SR-300(0.0C)						FC3																												
							CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.2*	4.6*	2.5*													
						(2005)	RIDE	7.2	6.8	6.8	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.5	6.6	5.9	5.5													
4469742	0.000	0.355	C	2025		0012																												
49580100	0.242	0.355	C	1	7	55	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5													
300			2	10.0		5400	RIDE						7.6	7.5	7.4	7.6	7.4	7.5	7.5	7.4	7.3													
						FC3																												
4469742	0.000	0.355	C	2025		0012	CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.2*	10.0	8.5													
PIGOTT ASPHALT AND SITEWOR(2026)						SPRIDE	RIDE	7.2	6.8	6.8	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.5	6.6	8.0	7.6													
49580100	4.435	4.736	C	1	1	55	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5													
300			2	10.0		5400	RIDE						7.9	7.4	7.6	8.1	7.8	7.9	7.7	7.8	7.7													
PRUETT RD(4.7R)						FC125																												
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.5	6.5	4.5*													
						(2005)	RIDE	7.8	7.3	7.2	6.5	7.1	7.1	7.2	7.1	7.0	7.0	6.9	6.9	6.8	6.4*													
4469742	4.435	4.736	C	2025		0012																												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).