

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = FRANKLIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-M	F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																
49010000	0.000	1.783	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	7.0		
30 98					2	12.4	3900 RIDE	8.5	8.7	8.6	8.1	7.8	8.1	8.0	8.2	7.8	7.9	7.8	7.6	7.5		
CR-30A( 0.0R)							FC95MR															
4269561	0.000	1.783	C	2016	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.5	7.0	
C. W. ROBERTS CONTRACTING, (2016)							SPRIDE	7.5	7.1	8.3	8.0	8.6	8.5	8.5	8.4	8.4	8.3	8.3	8.2	8.2	7.8	
49010000	1.783	7.290	C	1	1	60	CRACKING	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0		
30 98					2	12.4	3900 RIDE	7.7	7.7	8.7	8.3	8.2	8.2	8.2	7.9	7.9	7.8	7.8	7.7	7.8		
JULE RD( 4.0L)							FC95MR															
4415401	1.780	5.119	C	2021	0012	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	7.5	7.4	7.4	7.3	7.6	7.5	7.4	7.4	7.3	8.4	8.3	8.3	8.2	7.8	
49010000	7.290	7.851	C	1	1	35	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
30 98					2	12.4	8000 RIDE	8.1	7.9	7.6	7.3	7.1	7.0	6.8	6.9	6.6	6.4	6.4	6.3	5.3*		
12TH ST( 7.3R)							FC125															
4287451	7.296	7.786	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	5.5*		
ROBERTS AND ROBERTS, INC. (2016)							RIDE	5.6	5.3*										6.6	6.2		
49010000	7.851	8.047	C	1	1	25	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
30 98					2	7.7	7800 RIDE	8.1	7.9	7.6	7.3	7.1	7.0	6.8	6.9	6.6	6.4	6.4	6.3	5.3*		
AVE D( 7.9C)							FC125															
4287451	7.912	8.047	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	5.5*		
ROBERTS AND ROBERTS, INC. (2016)							RIDE	5.6	5.3*										6.3	5.9		
49010000	8.879	9.653	C	1	7	55	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
30 98					2	7.7	7800 RIDE	8.4	8.4	8.2	7.8	7.8	8.0	8.0	7.7	8.0	7.6	8.2	8.1	7.8	7.8	
							DGFC															
2239203	8.880	9.659	C	2025	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	8.5	
ROBERTS AND ROBERTS, INC. (2026)							RIDE	7.8	7.6	7.7	7.8	7.8	8.0	7.4	7.1	7.4	8.3	8.4	8.2	8.1	7.7	
49010000	12.388	13.171	C	1	7	55	CRACKING	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	9.5		
30 98					2	7.7	7800 RIDE	8.7	8.6	8.5	8.1	8.1	8.2	8.1	8.2	8.0	8.0	8.0	7.9	8.0		
							FC1															
2239203	12.343	13.788	C	2025	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	10.0	8.5	
ROBERTS AND ROBERTS, INC. (2026)							RIDE	8.0	7.5	7.8	7.8	7.9	7.9	7.9	7.8	7.7	7.8	7.9	7.8	8.0	7.6	
49010000	13.171	13.787	C	1	1	35	CRACKING	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
30 98					2	7.7	7800 RIDE	6.6	6.6	8.6	8.3	8.3	7.0	6.7	7.0	7.2	7.9	7.7	7.5	7.5		
BAY SHORE DR N(13.2R)							FC125															
2187741	13.114	17.597	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	
C. W. ROBERTS CONTRACTING, (2003)							SPRIDE	7.7	7.2	7.4	7.5	7.3	7.3	7.2	7.0	6.9	6.9	6.2	6.6	6.3	5.9	
2239203	12.343	13.984	C	2025	0012																	
49010000	13.787	13.981	C	1	1	35	CRACKING	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0			
30 98					2	9.1	5800 RIDE	6.6	6.6	8.6	8.3	8.3	7.0	6.7	7.0	7.2	7.9	7.7		8.1		
SR-300/ISLAND DR(13.9R)							FC125															
							CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.0*	5.6*	5.8*	4.0*		
							RIDE	7.7	6.8									6.3	5.9			
2239203	12.343	13.984	C	2025	0012																	
49010000	13.981	17.600	C	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5		
30 98					2	9.1	5800 RIDE	6.7	6.7	8.6	8.3	8.3	7.0	6.7	7.0	7.2	7.9	7.7	7.6	7.1		
S FRANKLIN ST(14.0R)							FC125															
2187741	13.114	17.597	C	2002	0012	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	
C. W. ROBERTS CONTRACTING, (2003)							SPRIDE	7.3	7.0	7.0	7.3	7.2	7.1	6.9	6.9	6.8	6.8	6.6	6.6	6.4*	6.0*	
4457611	13.981	29.262	C	2025	0012																	
49010000	17.600	27.130	C	1	1	55	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
30 98					2	13.9	5200 RIDE	6.7	6.7	6.6	6.2*		7.6	7.6	7.7	7.3	7.7	7.6	7.2	7.1		
GRAMERCY PLANTATION(17.7L)							DGFC															
4039291	17.598	29.259	C	2004	0012	CRACKING	9.0	9.0	9.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.1*	4.9*	2.5*		
MITCHELL BROTHERS, INC. (2006)							SPRIDE	7.2	6.8	6.6	6.6	6.6	6.4*	6.3*	6.3*	6.2*	6.1*	5.9*	6.0*	5.8*	5.4*	
4457611	13.981	29.262	C	2025	0012																	
49010000	27.130	29.272	C	1	1	45	CRACKING	7.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
30 98					2	12.4	4700 RIDE	7.2	7.1	6.7	6.2*		7.6	7.6	7.7	7.3	7.7	7.6	7.2	6.9		
BEACON ST(27.8L)							FC125															
4039291	17.598	29.259	C	2004	0012	CRACKING	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.0*	4.0*	4.7*	4.4*	2.0*		
MITCHELL BROTHERS, INC. (2006)							SPRIDE	7.2	6.8	6.7	6.7	6.4	6.4	6.2	6.3	6.2	6.2	6.0	6.0	5.9	5.5	
4457611	13.981	29.262	C	2025	0012			</														

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = FRANKLIN -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
49010000	29.618	30.260	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0		10.0	10.0	10.0	10.0	
30 98				2	14.5	6300	RIDE	7.9	8.1	7.8	7.4	7.1	7.3	6.9	7.2		8.6	8.3	8.4	8.1	
CR 67(29.6L)						FC95M															
4153791	29.610	30.260	C	2008		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	6.0*	5.5*	3.8*	2.0*
C. W. ROBERTS CONTRACTING, (2010)						SPRIDE		8.1	7.4	7.7	7.6	7.6	7.4	7.3	7.1	6.9	6.7	6.7	6.6	6.2	
4457614	29.619	30.260	C	2029		0012															
49030000	0.000	5.536	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5
377 319				2	12.7	2900	RIDE	8.7	8.7	8.4	8.0	8.0	7.9	7.8	7.8	7.5	7.5	7.5	7.5	7.4	7.3
US-98/SR-30( 0.0R)						FC3															
2187651	0.114	5.365	C	1999		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.0*	4.8*	2.5*
MITCHELL BROTHERS, INC. (2000)						S	RIDE	7.4	6.9	7.1	7.3	7.4	7.2	7.2	7.3	7.1	7.3	7.2	7.3	7.1	6.7
4546201	0.000	5.372	C	2028		0012															
49040000	0.000	10.194	C	1	1	55	CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	
30 98				2	8.3	3781	RIDE	7.9	7.8	7.6	7.2	7.0	6.8	6.8	6.7		8.7	8.6	8.5	8.3	
CR-30A/MARINE ST( 0.0R)						FC95M															
4153791	0.000	9.896	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.4	7.1	5.0*
C. W. ROBERTS CONTRACTING, (2010)						SPRIDE		8.2	7.6	7.6	7.6	7.8	7.6	7.5	7.4	7.1	7.2	7.0	6.9	6.8	6.4*
4457614	0.000	9.896	C	2029		0012															
49040000	10.194	20.465	C	1	1	55	CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
30 98				2	20.9	1400	RIDE	7.5	7.3	8.6	8.3	8.2	8.1	8.1	8.2	7.9	7.8	7.6	7.6	7.2	
SIDE ROAD(12.4R)						FC95MR															
4457591	10.688	20.467	C	2023		0012	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025)						RIDE		7.3	6.9	7.0	7.1	7.1	6.8	6.7	6.7	6.4*	6.6	6.4*	8.7	8.7	8.3
49060000	0.000	8.377	C	1	1	60	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.5
65				2	17.4	1943	RIDE	7.8	7.5	7.1	6.6	6.3*			8.6	8.7	8.5	8.5	8.2	8.0	7.7
SR 30( 0.0C)						FC125															
4039301	0.000	24.284	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.0	7.0	7.0	7.0	5.7*	3.5*
C. W. ROBERTS CONTRACTING, (2007)						SPRIDE		7.9	7.5	7.8	7.6	7.9	7.7	7.7	7.8	7.7	7.8	7.3	7.4	7.4	7.0
4565841	0.000	24.266	C	2029		0012															
49060000	8.377	13.086	C	1	1	60	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.5
65				2	17.4	1943	RIDE	7.8	7.5	7.1	6.6	6.3*			8.6	8.7	8.5	8.5	8.2	8.0	7.7
PIITTS RD( 8.6R)						FC125															
4039301	0.000	24.284	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.0	7.0	8.0	7.2	8.0	6.0*
C. W. ROBERTS CONTRACTING, (2007)						SPRIDE		7.9	7.5	7.8	7.6	7.9	7.7	7.7	7.8	7.7	7.8	8.0	8.0	7.9	7.5
4565841	0.000	24.266	C	2029		0012															
49060000	13.086	24.266	C	1	1	60	CRACKING	8.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
65				2	17.4	1943	RIDE	8.2	8.1	7.7	7.1	6.9	6.7	8.6	8.7	8.5	8.5	8.2	8.0	7.7	
BLOODY BLUFF RD(14.3L)						FC125															
							CRACKING	9.5	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.0	7.0	9.0	7.9	8.0	6.5
							RIDE	7.9	7.5	7.8	7.6	7.9	7.7	7.7	7.8	7.7	7.8	7.7	7.8	7.7	7.3
4565841	0.000	24.266	C	2029		0012															
49090000	0.000	3.932	C	1	1	60	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0
30 98				2	10.6	2623	RIDE	8.4	8.4	8.2	7.8	7.9	7.7	7.9	8.3	7.6	7.8	8.1	8.0	7.8	
CR-30A( 0.0L)						FC95MR															
4269561	0.000	3.932	C	2016		0012	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.7	7.0
C. W. ROBERTS CONTRACTING, (2017)						SPRIDE		7.9	7.7		8.6	8.6	8.5	8.4	8.3	8.2	8.1	8.0	8.0	7.9	7.5
49580000	0.000	0.227	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
300				1	10.0	5400	RIDE						7.8	7.5	7.9	7.8	7.7	7.6	7.7	7.6	
CR-300/E GULF BEACH( 0.0R)						FC125															
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.8	4.5*
4469742	0.000	0.227	C	2025		0012	RIDE	7.5	7.4	6.5	6.5	6.3	6.4	6.4	6.2	6.2	6.0	6.0	5.7	5.4*	5.0*
49580000	4.823	5.439	C	1	1	45	CRACKING	9.0	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
300				2	10.0	5400	RIDE	5.9*	5.2*	5.0*	4.7*	8.1	8.0	8.1	8.3	7.9	8.1	8.1	8.0	7.8	
BAY SHORE DR S( 4.9L)						FC3															
							CRACKING	10.0	10.0	10.0	10.0		9.0	9.0	9.0	8.0	8.0	8.0	6.8	6.6	5.0*
4469742	4.823	5.439	C	2025		0012	RIDE	7.6	7.5	7.3	6.7		7.3	7.3	7.1	7.1	7.1	6.8	6.9	6.7	6.3
49580000	0.000	0.227	L	1	1	35	CRACKING	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
300				1	10.0	5400	RIDE						7.4	7.3	7.7	7.5	7.5	7.5	7.5	7.2	
W GULF BEACH DR( 0.0L)						FC125															
							CRACKING	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.		

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = FRANKLIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP   SIDE)								=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
49580100	0.000	0.242	C	1	1	35	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
300			2	10.0		5400	RIDE					7.6	7.5	7.4	7.6	7.4	7.5	7.5	7.4	7.3		
MEDIAN GORE SR-300( 0.0C)																						
				(2005)			CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.2*	4.6*	2.5*	
4469742	0.000	0.355	C	2025		0012	RIDE	7.2	6.8	6.8	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.5	6.6	5.9	5.5	
49580100	0.242	0.355	C	1	7	55	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
300			2	10.0		5400	RIDE					7.6	7.5	7.4	7.6	7.4	7.5	7.5	7.4	7.3		
PIGOTT ASPHALT AND SITEWOR(2026)																						
4469742	0.000	0.355	C	2025		0012	CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.2*	10.0	8.5	
PRUETT RD( 4.7R)																						
				(2005)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.5	6.5	4.5*	
4469742	4.435	4.736	C	2025		0012	RIDE	7.8	7.3	7.2	6.5	7.1	7.1	7.2	7.1	7.0	7.0	6.9	6.9	6.8	6.4*	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).