

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = GULF -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P												
		(AGE_ONE YEAR)		RW		FY-F		WKMX-F														
51001000	0.000	3.500	C	1	1	45	CRACKING		10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
30E				2	12.2	3600	RIDE		8.1	8.0	8.0	8.0	7.3	7.1	6.8	6.7	6.8	6.7	6.8	6.7	6.8	6.7
SR-30A(0.0R)							FC95															
					(2021)		CRACKING	7.0	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.6	6.5	6.5	6.5	5.6	8.4	8.3	8.3		8.0	7.7	7.8	7.6	7.6	7.1
51001000	3.500	4.066	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5
30E				2	12.2	3600	RIDE		7.2	7.2	7.3	7.3	7.1	7.7	6.7	6.5	6.7	6.7	6.6	6.6	6.8	6.8
					(2021)		FC95															
							CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.7	6.7	6.5	6.5	6.3	8.4	8.3	8.3		7.4	7.3	7.3	7.3	7.3	7.1
51001000	4.066	8.716	C	1	1	45	CRACKING		3.5*	3.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30E				2	12.2	3600	RIDE		6.1*	5.9*	5.5*	5.5*	4.5*	8.4	8.1	8.1	8.0	7.7	7.8	7.8	7.8	7.8
COVE RD(5.0R)							FC125															
4067351	5.318	8.690	C	2004	0221		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	6.5	6.5	5.9	6.4
C. W. ROBERTS CONTRACTING,(2005)							SPRIDE	7.5	7.5	7.4	7.3	7.1	7.2	7.3	6.9	7.0	7.2	7.0	7.0	6.9	6.9	6.4
51010000	0.000	1.706	C	1	1	45	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0
30 98				2	12.4	8800	RIDE	8.0	8.3	7.5	8.2	8.2	7.3	7.3	6.9	6.8	6.8	8.8	8.8	8.8	8.7	8.7
SR-30A(0.0L)							FC95															
4153741	0.038	0.981	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5
C. W. ROBERTS CONTRACTING,(2009)							SPRIDE	8.6	8.6	8.5	8.6	8.5	8.4	8.4	8.2	8.2	7.9	7.7	7.9	7.9	7.9	7.5
51010000	1.706	3.383	C	1	1	35	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*
30 98				2	11.0	11200	RIDE	7.9	7.9	7.7	7.3	7.5	6.7	6.6	6.2	6.3	6.2	5.9	5.9	6.0	6.0	6.0
NINTH ST(1.8R)							FC125M															
					(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	3.3
							RIDE	8.0	7.4	7.4	7.4	7.6	7.5	7.6	7.4	7.3	7.2	7.1	6.9	6.9	6.9	6.7
4508081	1.291	3.383	C	2026	0012																	
51010000	3.876	5.295	C	1	1	55	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	7.0	7.0	7.0	7.0	7.0
30 98				2	10.7	10700	RIDE	7.1		8.8	8.8	8.7	8.4	8.3	8.1	7.8	8.0	7.9	7.9	7.8	7.8	7.8
DOLPHIN ST(4.0R)							FC95MR															
4307781	4.111	4.958	C	2016	0012		CRACKING	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.9
C. W. ROBERTS CONTRACTING,(2018)							SPRIDE	7.6	7.6	7.5	7.5	7.3		8.2	8.1	8.0	7.9	7.9	7.9	7.8	7.8	7.5
51010000	8.744	9.326	C	1	1	45	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	8.5		8.0	7.0	7.0	7.0	7.0	7.0
30 98				2	11.4	9000	RIDE	6.0*		8.8	8.8	8.7	8.4	8.3	8.1		8.3	8.2	8.1	8.0	8.0	8.0
PINE ST(8.8R)							FC3															
2190401	4.092	11.607	C	1999	0012		CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5
FLORIDA ASPHALT PAVING COM(2001)							SPRIDE	8.0	7.5	7.9	7.7	7.7	7.6	7.5	7.3	7.5	7.4	7.1	7.2	7.2	7.3	6.8
4335692	8.744	11.633	C	2025	0012																	
51010000	9.326	11.070	C	1	1	45	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	8.5		8.0	7.0	7.0	7.0	7.0	7.0
30 98				2	11.4	9000	RIDE	6.0*		8.8	8.8	8.7	8.4	8.3	8.1		8.3	8.2	8.1	8.0	8.0	8.0
MAGELLAN ST(9.4R)							FC95															
4269571	8.744	11.633	C	2012	0012		CRACKING	7.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	2.5
ANDERSON COLUMBIA CO., INC(2013)							RIDE	8.0	8.6	8.5	8.4	8.3	8.3	8.2	8.0	8.1	8.0	7.8	7.9	7.8	7.8	7.4
4335692	8.744	11.633	C	2025	0012																	
51010000	11.070	11.633	C	1	1	45	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	8.5		8.0	7.0	7.0	7.0	7.0	7.0
30 98				2	11.4	9000	RIDE	6.0*		8.8	8.8	8.7	8.4	8.3	8.1		8.3	8.2	8.1	8.0	8.0	8.0
FRYER LN(11.1R)							FC95															
2190401	4.092	11.607	C	1999	0012		CRACKING	7.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*	2.9
FLORIDA ASPHALT PAVING COM(2001)							SPRIDE	8.0	7.5	7.3	7.3	7.1	7.1	7.1	6.9	7.0	6.8	6.9	6.8	6.7	6.7	6.1
4335692	8.744	11.633	C	2025	0012																	
51011000	0.000	3.594	C	1	1	55	CRACKING											10.0	10.0	10.0	10.0	10.0
30 98				2	11.4	8900	RIDE											8.7	8.7	8.6	8.6	8.6
SURVEYED MARKER(0.0C)							FC125															
					(2009)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	6.0*	5.5*	5.5*	5.3
							RIDE	8.5	8.2	8.2	8.1	8.1	8.1	8.0	7.7	7.8	7.7	7.6	7.7	7.5	7.5	7.1
51020000	0.000	0.415	R	1	4	35	CRACKING	5.1*	5.1*	4.9*	4.4*	4.8*	5.4*	5.4*	8.5	8.4	6.7	6.3	6.5	6.3*	7.8	7.7
71				2	12.7	5400	RIDE	4.8*	4.3*	5.1*	5.3*	5.0*	4.5*	4.5*	6.7	6.3	6.5	6.5	6.3	6.3	6.2	5.1*
C C SIMMS PKWY(0.0C)							LGD															
4090041	0.000	0.413	C	2004	0227		CRACKING	7.2	8.1	7.9	7.9	7.8	7.7	7.8	7.8	7.5	7.3	6.1*	5.8*	5.7*	5.7	5.7
KIEWIT INFRASTRUCTURE SOUT(2006)							RIDE	5.6	6.3	5.9	6.2	6.7	6.6	6.9	6.2	6.5	6.5	6.4	6.2	6.2	6.2	6.2
4307941	0.006	0.419	C	2026	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = GULF -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
51020000	0.415	1.112	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	
71				2	12.9		RIDE	7.8	8.0	7.4	7.4	6.9	6.8	6.5	6.4	6.1	6.4	6.4	6.3	6.5	
GARRISON AVE(0.5C)																					
4193051	0.419	1.112	C	2014		0012	CRACKING	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING, (2016)																					
51020000	1.112	6.799	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	
71				2	12.9		RIDE	8.5	8.6	8.5	8.5	8.4	8.0	7.9	7.7	7.6	7.7	7.5	7.4	7.6	
CHEMICAL DR(1.1R)																					
4193051	1.112	6.799	C	2014		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
C. W. ROBERTS CONTRACTING, (2016)																					
51020000	7.140	23.381	C	1	1	60	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	
71				2	12.2		RIDE	8.0	7.9		8.8	8.8	8.6	8.5	8.4	8.3	8.4	8.3	8.2	8.2	
SEALEY RD(7.2L)																					
4307891	12.090	23.381	C	2018		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING, (2020)																					
51020000	23.381	24.584	C	1	1	35	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	5.5*	5.0*	6.5	5.5*	5.5*	10.0	
71				2	11.0		RIDE	8.2	8.5	8.4	8.3	8.2	7.7	7.7	7.2	7.1	7.9	7.7	7.6	8.9	
E ORANGE AVE(23.4R)																					
4192931	23.367	24.584	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	5.8
C. W. ROBERTS CONTRACTING, (2011)																					
51020000	24.584	25.168	C	1	1	45	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
71				2	13.0		RIDE	8.0		8.7	8.7	8.9	8.6	8.6	8.4	8.5	8.4	8.5	8.5	8.4	
BRITT AVE(24.6L)																					
2190441	24.600	30.540	C	1999		0012	CRACKING	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.2
ROBERTS C W CONTRACTING IN(2001)																					
4307892	24.584	30.422	C	2024		0012	SPRIDE	8.4	8.4	8.5	8.3	8.2	8.1	8.2	8.1	8.1	8.1	8.0	8.0	7.7	7.7
51020000	25.168	25.791	C	1	1	45	CRACKING	6.5		7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
71				2	13.4		RIDE	8.0		7.1	6.9	8.8	8.4	8.3	8.2	8.2	8.0	8.1	8.0	8.1	
LAKE DR(25.3L)																					
2190441	24.600	30.540	C	1999		0012	CRACKING	10.0	9.0	9.0	9.0	8.5	7.5	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5
ROBERTS C W CONTRACTING IN(2003)																					
4307892	24.584	30.422	C	2024		0012	SPRIDE	8.0	7.9	7.8	7.6	7.4	7.3	7.3	7.1	7.0	6.9	6.9	6.7	6.5	6.2
51020000	25.791	30.422	C	1	1	55	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
71				2	12.6		RIDE	8.0		9.0	9.0	9.0	8.7	8.7	8.6	8.5	8.6	8.6	8.4	8.5	
TEXAS ST(25.8L)																					
2190441	24.600	30.540	C	1999		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	5.0
ROBERTS C W CONTRACTING IN(2001)																					
4307892	24.584	30.422	C	2024		0012	SPRIDE	8.3	8.1	8.0	7.6	7.9	7.7	7.9	7.7	7.6	7.4	7.3	7.1	7.1	6.8
51020000	0.415	1.112	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	
71				2	12.9		RIDE	5.7*	8.2	7.4	7.7	7.4	7.3	7.2	6.7	6.7	6.7	6.8	6.6	6.4	
GARRISON AVE(0.5C)																					
4193051	0.419	1.112	C	2014		0012	CRACKING	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7
C. W. ROBERTS CONTRACTING, (2016)																					
51020000	0.000	0.415	L	1	4	35	CRACKING	5.0*	4.8*	4.7*	3.4*	3.8*	3.5*		8.9	8.9	7.9	6.9	8.5	8.4	
71				2	12.7		RIDE	5.0*	4.3*	4.9*	4.8*	4.3*	4.0*		6.3	5.5	6.0	5.3*	5.9	5.4*	
C C SIMMS PKWY(0.0C)																					
				(2010)			CRACKING	8.7	8.4	8.5	8.3	8.5	8.3	8.2	8.2	7.6	7.6	6.9	6.6	6.7	6.3
4307941	0.006	0.419	C	2026		0012	RIDE	5.6	5.8	5.8	5.9	6.2	6.1	6.5	5.9	6.0	5.8	5.6	5.6	5.9	5.9
51030000	0.000	5.376	C	1	1	60	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.5	6.5	6.5	
22				2	11.3		RIDE	8.2		8.9	8.8	8.8	8.5	8.5	8.3	8.3	8.1	8.1	7.8		
NO NAME(2.3R)																					
4246201	0.000	5.376	C	2014		0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.3
C. W. ROBERTS CONTRACTING, (2015)																					
51030000	5.376	12.174	C	1	2	60	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	
22				2	11.3		RIDE	8.8	8.4	8.8	8.7	8.7	8.4	8.4	8.2	8.3	8.3	8.3	8.3	8.3	
CR 12(5.6L)																					
4216411	5.418	12.136	C	2012		0012	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	7.0	7.0	7.0	5.2
ANDERSON COLUMBIA CO., INC(2013)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = GULF -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)		ASTYPE																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)
51070000	0.000	9.199	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.5	
30 98				2	10.9	2594	RIDE	8.9	8.7	8.7	8.5	8.5	7.9	8.0	7.8	7.8	7.9	7.9	7.9	7.9	
FORESTRY STATION ENT(1.2C)				FC95MR																	
4307811	0.000	4.686	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
C. W. ROBERTS CONTRACTING, (2017)				SPRIDE																	
51502000	5.803	12.464	C	1	1	55	CRACKING		8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	
30A				2	12.2	4600	RIDE		8.7	8.6	8.5	8.5	7.9	7.8	7.5	7.5	7.5	7.4	7.3	7.1	
CAPE SAN BLAS(5.8L)				FC95MR																	
				(2015)		CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5
						RIDE	7.0	6.8		8.8	8.6	8.4	8.4	8.1	8.0	7.9	7.8	7.8	7.8	7.8	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).