

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = GULF -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)	
CONTRACTOR																						
ITMSEG-F																						
51001000	0.000	3.500	C	1	1	45	CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
30E			2	11.2		3000	RIDE	8.0	8.0	8.0	7.3	7.1	6.8	6.7	6.8	6.7	6.8	6.7	6.6	6.5		
SR-30A(0.0R)							FC95															
								7.0	5.5*	5.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.6	8.1	6.5	
								6.5	6.5	5.6	8.4	8.3	8.3		8.0	7.7	7.8	7.6	7.4	7.0	6.6	
51001000	3.500	4.066	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
30E			2	11.2		3000	RIDE	7.2	7.3	7.3	7.1	7.7	6.7	6.5	6.7	6.7	6.6	6.8	6.7	6.7	6.7	
							FC95															
								6.5	6.5	6.5	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	8.5	
								6.5	6.5	6.3	8.4	8.3	8.3		7.4	7.3	7.3	7.3	7.3	7.2	6.8	
51001000	4.066	4.343	C	1	1	45	CRACKING	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
30E			2	11.2		3000	RIDE	8.1	8.0	7.9	7.5	7.4	7.0	7.0	7.0	8.8	8.8	8.4	8.3	8.3	8.3	
							FC95															
4134411	4.142	5.342	C	2008		0221	CRACKING	10.0	10.0	9.0	8.5	8.5	7.5		7.0	7.0	6.5	6.5	6.7	8.4	6.5	
C. W. ROBERTS CONTRACTING, (2009)							RIDE	8.3	8.3	8.2	8.2	8.3	8.0		7.2	7.0	7.0	6.9	6.8	6.8	6.4	
4565871	4.066	8.716	C	2029		0012																
51001000	4.343	4.596	C	1	1	45	CRACKING	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
30E			2	11.2		3000	RIDE	8.1	8.0	7.9	7.5	7.4	7.0	7.0	7.0	8.8	8.8	8.4	8.3	8.3	8.3	
							FC95															
								10.0	10.0	9.0	8.5	8.5	7.5		7.0	7.0	6.5	6.5	6.7	10.0	8.5	
								8.3	8.3	8.2	8.2	8.3	8.0		7.2	7.0	7.0	6.9	6.8	6.6	6.2	
4565871	4.066	8.716	C	2029		0012																
51001000	4.596	8.716	C	1	1	45	CRACKING	3.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30E			2	11.2		3000	RIDE	5.9*	5.5*	5.5*	4.5*	8.4	8.1	8.1	8.0	7.7	7.8	7.8	7.5	7.5	7.5	
COVE RD(5.0R)							FC125															
4067351	5.318	8.690	C	2004		0221	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	6.5	6.5	6.7	6.5	4.5*	
C. W. ROBERTS CONTRACTING, (2005)							SPRIDE	7.4	7.3	7.1	7.2	7.3	6.9	7.0	7.2	7.0	7.0	6.9	6.8	6.4	6.0	
4565871	4.066	8.716	C	2029		0012																
51010000	0.000	0.988	C	1	1	55	CRACKING	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
30			2	7.8		8400	RIDE	7.5	8.2	8.2	7.3	7.3	6.9	6.8	6.8	8.8	8.8	8.7	8.6	8.6	8.6	
SR-30A(0.0L)							FC95															
4153741	0.038	0.981	C	2008		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.3	5.5*	
C. W. ROBERTS CONTRACTING, (2009)							SPRIDE	8.5	8.6	8.5	8.4	8.4	8.2	8.2	7.9	7.7	7.9	7.9	7.8	8.1	7.7	
51010000	0.988	1.312	C	1	7	45	CRACKING	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
30			2	14.3		9100	RIDE	7.5	8.2	8.2	7.3	7.3	6.9	6.8	6.8	8.8	8.8	8.7	8.6	8.6	8.6	
DUPONT DR(1.0R)							FC95															
								10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	10.0	8.5	
								8.5	8.6	8.5	8.4	8.4	8.2	8.2	7.9	7.7	7.9	7.9	7.8	7.1	6.7	
51010000	1.312	1.706	C	1	1	45	CRACKING	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
30			2	14.3		9100	RIDE	7.5	8.2	8.2	7.3	7.3	6.9	6.8	6.8	8.8	8.8	8.7	8.6	8.6	8.6	
FOURTEENTH ST(1.4R)							FC95															
4153741	1.175	1.706	C	2008		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.9	6.0*	
C. W. ROBERTS CONTRACTING, (2009)							SPRIDE	8.5	8.6	8.5	8.4	8.4	8.2	8.2	7.9	7.7	7.9	7.9	7.8	7.6	7.2	
4508081	1.291	3.383	C	2026		0012																
51010000	1.706	3.383	C	1	1	35	CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.5	5.5*	5.5*		10.0	10.0	10.0	
30			2	7.8		11200	RIDE	7.7	7.3	7.5	6.7	6.6	6.2	6.3	6.2	5.9	6.0		8.0	7.4	7.4	
NINTH ST(1.8R)							FC125M															
								10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	
								7.4	7.4	7.6	7.5	7.6	7.4	7.3	7.2	7.1	6.9	6.9	6.8	6.9	6.5	
4508081	1.291	3.383	C	2026		0012																
51010000	3.876	5.295	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	
30			2	8.3		10800	RIDE	8.8	8.8	8.7	8.4	8.3	8.1	7.8	8.0	7.9	7.9	7.8	7.6	7.6	7.6	
DOLPHIN ST(4.0R)							FC95MR															
4307781	4.111	4.958	C	2016		0012	CRACKING	7.0	7.0	6.0*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1	7.9	6.0*	
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	7.5	7.5	7.3		8.2	8.1	8.0	7.9	7.9	7.9	7.8	7.7	7.7	7.3	
4546231	3.876	5.295	C	2028		0012																
51010000	8.744	9.326	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0											

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = GULF -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE					
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031				
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE													
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		RW		FY-F		WKM-F															
51010000	9.326	11.070	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5		8.0	7.0	7.0	7.0	7.0	7.0	10.0				
30 98			2	7.8		8600	RIDE	8.8	8.8	8.7	8.4	8.3	8.1		8.3	8.2	8.1	8.0	8.0	8.0	8.6				
MAGELLAN ST(9.4R) FC95																									
4269571	8.744	11.633	C	2012	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.0	5.5*	5.5*	5.5*	5.5*	5.4*	5.1*	3.0*				
ANDERSON COLUMBIA CO., INC(2013) RIDE																									
4335692	8.744	11.633	C	2025	0012			8.5	8.4	8.3	8.3	8.2	8.0	8.1	8.0	7.8	7.9	7.8	7.8	7.6	7.2				
51010000 11.070 11.633 C 1 1 45 CRACKING 10.0 10.0 10.0 10.0 10.0 8.5																									
30 98 2 7.8 8600 RIDE 8.8 8.8 8.7 8.4 8.3 8.1																									
FRYER LN(11.1R) FC3																									
2190401	4.092	11.607	C	1999	0012		CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*	4.0*	1.5*				
FLORIDA ASPHALT PAVING COM(2001) SPRIDE																									
4335692	8.744	11.633	C	2025	0012			7.3	7.3	7.1	7.1	7.1	6.9	7.0	6.8	6.9	6.8	6.7	6.7	6.6	6.2				
51011000 0.000 3.594 C 1 1 55 CRACKING																									
30 98 2 7.8 9600 RIDE																									
SURVEYED MARKER(0.0C) FC125																									
CRACKING 10.0 10.0 9.0 9.0 9.0 8.5 8.5 7.5 7.5 6.0* 5.5* 5.9* 5.3* 3.5*																									
RIDE 8.2 8.1 8.1 8.1 8.0 7.7 7.8 7.7 7.6 7.7 7.5 7.5 7.3 6.9																									
4546231	0.000	3.594	C	2028	0012			8.2	8.1	8.1	8.1	8.0	7.7	7.8	7.7	7.6	7.7	7.5	7.5	7.3	6.9				
51020000 0.000 0.415 R 1 4 35 CRACKING 4.9* 4.4* 4.8* 5.4*																									
71 2 10.9 4600 RIDE 5.1* 5.3* 5.0* 4.5*																									
C C SIMMS PKWY(0.0C) LDG																									
4090041	0.000	0.413	C	2004	0227		CRACKING	7.9	7.9	7.8	7.7	7.8	7.8	7.5	7.3	6.1*	5.8*	5.7*	5.7*	6.1*	5.5*				
KIEWIT INFRASTRUCTURE SOUT(2006) RIDE																									
4307941	0.006	0.419	C	2026	0012			5.9	6.2	6.7	6.6	6.9	6.2	6.5	6.5	6.4	6.2	6.2	6.2	6.0	5.9				
51020000 0.415 1.112 R 1 1 35 CRACKING 10.0 10.0 10.0 10.0 8.5 8.5 8.5 8.5 7.5 7.5 7.5 7.0 6.0*																									
71 2 10.9 3400 RIDE 7.4 7.4 6.9 6.8 6.5 6.4 6.1 6.4 6.4 6.3 6.5 7.0 7.0																									
GARRISON AVE(0.5C) FC95MR																									
4193051	0.419	1.112	C	2014	0012		CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.0				
C. W. ROBERTS CONTRACTING, (2016) RIDE 6.1 6.0 8.1 8.0 8.0 7.9 8.0 7.8 7.9 7.7 7.7 7.8 7.6 7.2																									
51020000 1.112 6.799 C 1 1 60 CRACKING 10.0 10.0 8.5 8.5 7.5 7.5 7.5 7.0 6.0* 6.0* 6.0* 6.0* 6.0*																									
71 2 10.9 3400 RIDE 8.5 8.5 8.4 8.0 7.9 7.7 7.6 7.7 7.5 7.4 7.6 7.4 7.4																									
CHEMICAL DR(1.1R) FC95MR																									
4193051	1.112	6.799	C	2014	0012		CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	9.5	8.0				
C. W. ROBERTS CONTRACTING, (2016) RIDE 7.2 7.1 8.6 8.5 8.5 8.5 8.4 8.3 8.3 8.2 8.2 8.2 8.0 7.6																									
51020000 7.140 23.381 C 1 1 60 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.5 8.5 7.0 7.0 7.0																									
71 2 11.2 4900 RIDE 8.8 8.8 8.6 8.5 8.4 8.3 8.4 8.3 8.4 8.3 8.2 8.2 7.8 7.8																									
SEALEY RD(7.2L) FC95MR																									
4307891	12.090	23.381	C	2018	0012		CRACKING	7.0	6.5	6.5	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5				
C. W. ROBERTS CONTRACTING, (2020) SPRIDE 7.7 7.4 7.6 7.5 7.6 7.3 8.5 8.4 8.4 8.4 8.4 8.4 8.4 8.3 7.9																									
51020000 23.381 24.561 C 1 1 35 CRACKING 8.5 8.5 8.5 8.5 7.0 5.5* 5.0* 6.5 5.5* 5.5* 10.0 10.0 10.0																									
71 2 8.7 6600 RIDE 8.4 8.3 8.2 7.7 7.7 7.2 7.1 7.9 7.7 7.6 7.6 8.9 8.7 8.7																									
E ORANGE AVE(23.4R) FC95MR																									
4192931	23.367	24.584	C	2010	0012		CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	5.5*	6.3*	4.5*					
C. W. ROBERTS CONTRACTING, (2011) SPRIDE																									
4546281	23.367	24.584	C	2028	0012			8.7	8.7	8.5	8.5	8.4	8.4	8.4	8.2	8.1	8.1	8.1	8.0	7.9	7.5				
51020000 24.561 30.422 C 1 1 55 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.5 8.5 8.5 8.5 8.5																									
71 2 10.5 3407 RIDE 9.0 9.0 9.0 8.7 8.7 8.6 8.5 8.6 8.6 8.4 8.5 8.3 8.1																									
BRITT AVE(24.6L) FC125M																									
4307892	27.451	30.422	C	2024	0012		CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	8.5				
ROBERTS AND ROBERTS, INC. (2025) SPRIDE 8.0 7.6 7.9 7.7 7.9 7.7 7.6 7.4 7.3 7.1 7.1 7.1 8.5 8.4 8.0																									
51020000 0.415 1.112 L 1 1 35 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.5 8.0 7.0 6.5 6.5																									
71 2 10.9 3400 RIDE 7.4 7.7 7.4 7.3 7.2 6.7 6.7 6.8 6.6 6.4 6.3 6.2																									
GARRISON AVE(0.5C) FC95MR																									
4193051	0.419	1.112	C	2014	0012		CRACKING	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6	8.6	8.6	7.0				
C. W. ROBERTS CONTRACTING, (2016) RIDE 6.2 6.1 8.1 8.1 8.1 7.9 7.9 7.9 7.8 7.6 7.7 7.5 7.4 7.0																									
51020000 0.000 0.415 L 1 4 35 CRACKING 4.7* 3.4* 3.8* 3.5*																									
71 2 10.9 4600 RIDE 4.9* 4.8* 4.3* 4.0*																									
C C SIMMS PKWY(0.0C) LDG																									
CRACKING 8.5 8.3 8.5 8.3 8.2 8.2 7.6 7.6 6.9 6.6 6.7 6.6 6.6 6.0*																									
RIDE 5.8 5.9 6.2 6.1 6.5 5.9 6.0 5.8 5.6 5.6 5.9 5.5 5.5 5.4*																									
4307941	0.006	0.419	C	2026	0012			5.8	5.9	6.2	6.1	6.5	5.9	6.0	5.8	5.6	5.6	5.9	5.5	5.5	5.5				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = GULF -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE																
51030000	0.000	5.140	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
22				2	9.2	3000	RIDE	8.9	8.8	8.8	8.5	8.5	8.3	8.3	8.3	8.1	8.1	7.8	7.6	7.3		
NO NAME(2.3R) FC125																						
4246201	0.000	5.376	C	2014	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.8	8.6	7.0	
C. W. ROBERTS CONTRACTING,(2015) RIDE																						
4546311	0.000	12.138	C	2028	0012																	
51030000	5.140	5.639	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
22				2	9.2	3000	RIDE	8.9	8.8	8.8	8.5	8.5	8.3	8.3	8.3	8.1	8.1	7.8	7.6	7.3		
JARRETT DANIELS RD(5.3R) FC125M																						
				(2025)			CRACKING	6.5	10.0	10.0	10.0	10.0	8.5	8.0	8.0	7.0	7.0	7.0	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING,(2015) RIDE																						
4546311	0.000	12.138	C	2028	0012																	
51030000	5.639	12.174	C	1	1	60	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	10.0	
22				2	9.2	3000	RIDE	8.8	8.7	8.7	8.4	8.4	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.5		
SHORTY KEMP RD(6.1L) FC95MR																						
4216411	5.418	12.136	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	7.0	7.0	7.0	7.0	6.5	4.5*	
ANDERSON COLUMBIA CO., INC(2013) SPRIDE																						
4546311	0.000	12.138	C	2028	0012																	
51070000	0.000	9.199	C	1	1	60	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5
30	98			2	10.6	2623	RIDE	8.7	8.5	8.5	7.9	8.0	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.8		
FORESTRY STATION ENT(1.2C) FC95MR																						
4307811	0.000	4.686	C	2016	0012		CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0		
C. W. ROBERTS CONTRACTING,(2017) SPRIDE																						
51502000	5.803	12.464	C	1	1	55	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*
30A				2	11.2	4700	RIDE	8.6	8.5	8.5	7.9	7.8	7.5	7.5	7.5	7.4	7.3	7.1	7.0	6.8		
CAPE SAN BLAS(5.8L) FC95MR																						
				(2015)			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.3	7.9	6.0*	
C. W. ROBERTS CONTRACTING,(2015) RIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).