

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

Table with columns: DISTRICT = 3 COUNTY = JACKSON, RDWYID, SR, US, G_BMP, W_BMP, EMP, W_EMP, RW, YEAR, SYS, TYP, SPD, DISTRESS, RATINGS, SURVEYED (1999-2021), FUTURE (2022-2029), and notes. Rows include road names like THIRD AVE(19.6C), O HARA AVE(18.7C), and DANIELS RD(7.5C).

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----

RDWYID	SR US	BMP	G_BMP	EMP LN	RW	SYS TYP	SPD	DISTRESS	SURVEYED	YEAR										FUTURE				
										1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	
INTERSECT AT (MP SIDE)								*****																
ITMSEG-P	W_BMP	W_EMP	W_YEAR	RY-P	W_KMX-P																			
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																			
53030000 75 231 CR 1656 (9.3L)	8.965	9.997	L	1	2	45	7800	CRACKING RIDE	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*		
4287351 ANDERSON COLUMBIA CO., INC (2014)	7.445	9.987	C	2014		0012	FC95MR SPRIDE	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5
53030000 75 231 DANIELS RD (7.5C)	7.292	8.965	L	1	2	65	6000	CRACKING RIDE	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	5.5*		
4287351 ANDERSON COLUMBIA CO., INC (2014)	7.445	9.987	C	2014		0012	FC5M SPRIDE	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.9	
53030000 75 231 BLOSSOM LOOP S (5.7L)	5.014	7.292	L	1	2	55	6000	CRACKING RIDE	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
4377491 ANDERSON COLUMBIA CO., INC (2020)	5.014	7.446	L	2019		0012	FC5M SPRIDE	CRACKING	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
53030000 75 231 C/D 0.586	0.000	0.586	L	1	2	65	6900	CRACKING RIDE	6.0*	3.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
4397401 ANDERSON COLUMBIA CO., INC (2023)	0.000	0.586	L	2021		0012	FC5M SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	
53030035 75 231 C/D 0.586	0.708	4.979	R	1	2	65	6000	CRACKING RIDE	5.5*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
4397401 ANDERSON COLUMBIA CO., INC (2023)	1.579	4.806	R	2021		0012	FC5M SPRIDE	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
53030035 75 231 C/D 0.586	0.708	4.979	L	1	2	65	6000	CRACKING RIDE	5.5*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
4397401 ANDERSON COLUMBIA CO., INC (2023)	1.567	4.806	L	2021		0012	FC5M SPRIDE	CRACKING	9.5	9.5	9.5	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
53040000 71 BIG BONE LN (0.1L)	0.000	7.369	C	1	2	55	5900	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	
4230651 ANDERSON COLUMBIA CO., INC (2014)	0.000	7.356	C	2013		0012	FC95MR SPRIDE	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
53040000 71 CR-280/ROCKY CRK RD (7.5R)	7.369	7.940	R	1	1	45	8300	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	
4230651 ANDERSON COLUMBIA CO., INC (2014)	7.356	7.780	C	2013		0012	FC95MR RIDE	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5
53040000 71 SIDE ROAD (8.0C)	7.940	8.526	R	1	2	45	18700	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5		
4230651 ANDERSON COLUMBIA CO., INC (2016)	8.044	8.861	C	2013		0012	LGD RIDE	CRACKING	10.0	10.0	10.0		9.4	9.4	9.4	9.3	9.4	9.4	8.1	8.2	8.1	7.7	8.0	8.0
53040000 71 WHITE TAIL RD (8.5C)	8.526	10.216	R	1	2	45	17200	CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
2193491 ANDERSON COLUMBIA CO., INC (2000)	8.138	10.217	C	1997		0213	FC3 S RIDE	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.3
4457601	9.334	10.216	R	2024		0012			7.6	7.6	7.5	7.6	7.4	7.6	7.5	7.3	7.4	7.4	7.2	7.1	7.2	7.2	6.8	
53040000 71	8.600	10.216	L	1	2	45	17200	CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	
2193491 ANDERSON COLUMBIA CO., INC (2000)	8.138	10.217	C	1997		0213	FC3 S RIDE	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5	
4457601	8.528	10.216	L	2024		0012			8.0	8.0	8.0	7.7	7.7	7.8	7.8	7.8	7.6	7.5	7.5	7.4	7.4	7.4	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	#T	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)		W_BMP W_EMP W_RW		FY-P	W_KMX-P	ASTYPE			=====													(REG)
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		FY-F	W_KMX-F	SURFTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	
ITMSEG-F		W_BMP W_EMP W_RW		FY-F	W_KMX-F	SURFTYPE																(REG)
53090000	7.667	13.097	C	1	1	55	CRACKING	5.5*	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
ALBERNATHY ST(7.7L)				2	11.0	2800	RIDE	7.9	7.7	7.5	7.1	7.4	8.1	8.2	8.2	8.4	8.4	8.2	8.2	8.2		
						FC125																
2193781	4.531	14.076	C	2001	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.1	
ANDERSON COLUMBIA CO., INC(2004)						0012	CRACKING															
						SPRIDE		8.2	8.1	8.1	7.9	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.4	7.3	7.4	
4307822						0012																
53090000	13.097	14.073	R	1	1	35	CRACKING	5.5*	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
THIRTEENTH AVE(13.2C)				2	11.3	3400	RIDE	7.9	7.7	7.5	7.1	7.4	8.1	8.2	8.2	8.1	8.0	8.2	8.2	8.2		
						FC125																
2193781	4.531	14.076	C	2001	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*	6.0*	3.5*	3.5	
ANDERSON COLUMBIA CO., INC(2004)						0012	CRACKING															
						SPRIDE		8.2	8.1	8.1	7.9	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.4	7.5	7.4	
4307822						0012																
53090000	14.073	17.840	C	1	1	55	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	
FOURTH AVE(14.1L)				2	14.2	1750	RIDE	9.0	8.9	8.8	8.7	8.5	8.0	8.1	8.0	8.1	7.9	7.7	7.4	7.5		
						FC95MR																
4307821	14.091	17.887	C	2015	0226	CRACKING		6.0*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	
OXFORD CONSTRUCTION COMPAN(2016)						0226	CRACKING															
						SPRIDE		7.0	6.3*	6.1*	5.9*	8.6	8.4	8.4	8.2	8.2	8.1	8.0	7.9	7.8		
4307822						0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMXP	ASTYPE	=====														(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMXP	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMXP	ASTYPE															(REG)
53130000	3.373	4.210	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	7.0	7.0		
69				1	18.4		2200 RIDE	8.9	8.8	8.8	8.6	8.3	7.9	7.8	7.7	7.5	7.4	7.5	7.2		
CHIPS DR(4.0R)																					
4192941	3.374	4.209	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.4
ANDERSON	COLUMBIA	CO., INC	(2012)				SPRIDE	8.6	8.5	8.5	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.3
53130000	4.210	8.555	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	5.5*	4.0*	3.5*		
69			2	18.4		2200	RIDE	8.7	8.7	8.7	8.4	8.0	7.8	7.6	7.6	7.7	7.6	7.3	7.1		
BRUSHEY POND RD(5.3C)																					
4192941	4.210	8.555	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
ANDERSON	COLUMBIA	CO., INC	(2012)				SPRIDE	8.2	8.3	8.2	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.6	7.4	7.4	7.1
53130000	8.555	24.069	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	6.0*	6.0*
69			2	12.1		1800	RIDE	8.9	8.8	8.8	8.7	8.6	8.3	8.3	8.2	7.7	8.3	8.2	8.0	8.0	8.0
PARK ST(8.6R)																					
4230661	8.564	24.062	C	2013		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.5	6.7
ANDERSON	COLUMBIA	CO., INC	(2014)				SPRIDE	8.0	7.9	8.9	8.8	8.6	8.5	8.3	8.2	8.0	7.8	7.6	7.5	7.3	6.5
53130000	3.373	4.210	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5		
69			1	18.4		2200	RIDE	8.7	8.6	8.4	8.5	8.3	7.4	7.7	7.6	7.6	7.6	7.2	6.8		
CHIPS DR(4.0R)																					
4192941	3.374	4.209	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.4
ANDERSON	COLUMBIA	CO., INC	(2012)				SPRIDE	8.4	8.3	8.3	8.1	7.9	7.8	7.7	7.6	7.5	7.3	7.2	7.1	6.9	6.3
53220000	0.000	10.709	C	1	1	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
273			2	17.6		3200	RIDE	7.6	7.4	8.6	8.4	8.4	8.2	8.1	8.1	8.2	8.2	8.0	8.0	8.0	8.0
CR 164(0.5C)																					
4397241	0.000	10.687	C	2020		0012	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA	CO., INC	(2022)				SPRIDE	8.0	7.9	7.9	7.8	7.7	7.5	7.5	7.4	7.4		8.4	8.3	8.4	8.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).