

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
53002000	0.000	10.256	R	4	1	70	CRACKING	9.0	8.5	7.0	5.5*	3.5*	1.0*	0.0*		10.0	10.0	10.0	10.0	10.0		
8	I10	126.8	137.1	2	28.9		RIDE	8.9	8.7	8.7	7.9	7.6	7.3	7.0		8.6	8.5	8.5	8.5	8.5		
							FC5M															
4152581	3.073	9.623	C	2006	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*
ANDERSON	COLUMBIA	CO.,	INC	(2009)			SPRIDE	8.4	8.3	8.6	8.6	8.6	8.8	8.8	8.9	8.8	8.7	8.7	8.7	8.7	8.7	8.6
4506911	0.000	9.684	C	2026	0012																	
53002000	10.256	19.468	R	4	1	70	CRACKING	8.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0		
8	I10	137.1	146.3	2	33.3		RIDE	8.9	8.9	8.8	8.2	8.2	8.0	8.6	8.7	8.6	8.6	8.6	8.6	8.6	8.6	
							FC5M															
4456351	10.260	19.486	R	2023	0012		CRACKING	10.0	9.0	9.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0	
ANDERSON	COLUMBIA	CO.,	INC	(2025)			SPRIDE	8.5	8.5	8.7	8.7	8.7	8.9	9.0	9.0	8.9	8.9	8.7	8.8	8.8	8.7	8.7
53002000	19.468	27.046	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
8	I10	146.3	153.8	2	36.0		RIDE		9.0	8.9	8.4	8.6	8.5	8.6	8.5	8.5	8.3	8.3	8.1	8.3		
							FC5M															
4327401	19.468	25.224	C	2017	0012		CRACKING	9.0	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.0	
ANDERSON	COLUMBIA	CO.,	INC	(2019)			SPRIDE	8.0	7.9	8.2	8.2		8.9	8.9	9.0	9.0	8.9	8.9	8.9	8.9	8.8	
53002000	27.046	33.260	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
8	I10	153.8	160.1	2	32.7		RIDE		9.0	8.9	8.4	8.6	8.5	8.6	8.6	8.6	8.5	8.4	8.4	8.4	8.3	
							FC5M															
4327402	27.018	33.260	C	2017	0012		CRACKING	10.0	9.0	9.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	
ANDERSON	COLUMBIA	CO.,	INC	(2020)			SPRIDE	8.2	8.2	8.4	8.4	8.4		9.0	9.1	9.0	9.0	9.0	9.0	9.0	8.9	
53002000	27.046	33.260	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
8	I10	153.8	160.1	2	4		RIDE		9.0	9.0	8.4	8.5	8.4	8.6	8.6	8.5	8.4	8.3	8.3	8.3		
							FC5M															
4327402	27.018	33.260	C	2017	0012		CRACKING	8.5	7.0	7.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0	8.6	7.0	
ANDERSON	COLUMBIA	CO.,	INC	(2020)			SPRIDE	8.2	8.0	8.3	8.3	8.3		9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	
53002000	19.468	27.046	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
8	I10	146.3	153.8	2	36.0		RIDE		9.0	9.0	8.4	8.5	8.4	8.4	8.4	8.3	8.2	8.0	7.9	7.8		
							FC5M															
4327401	19.468	25.224	C	2017	0012		CRACKING	8.0	8.0	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	
ANDERSON	COLUMBIA	CO.,	INC	(2019)			SPRIDE	7.8	7.5	8.0	8.0		9.0	8.9	9.0	9.0	9.0	8.9	8.9	8.9	8.8	
53002000	10.256	19.468	L	4	1	70	CRACKING	8.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0		
8	I10	137.1	146.3	2	33.3		RIDE	8.8	8.9	8.6	8.4	8.3	8.2	8.1	8.4	8.7	8.7	8.6	8.5	8.5		
							FC5M															
4456351	10.260	19.486	L	2023	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	9.0	
ANDERSON	COLUMBIA	CO.,	INC	(2025)			SPRIDE	8.4	8.3	8.6	8.6	8.6	8.9	8.9	9.0	8.9	8.7	8.6	8.9	8.9	8.8	
53002000	0.000	10.256	L	4	1	70	CRACKING	9.0	8.5	7.0	5.5*	3.5*	1.0*	0.0*		10.0	10.0	10.0	10.0	10.0		
8	I10	126.8	137.1	2	28.9		RIDE	9.0	8.8	8.7	7.7	7.2	6.7	6.5		8.5	8.5	8.5	8.4	8.4		
							FC5M															
4152581	3.073	9.623	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	
ANDERSON	COLUMBIA	CO.,	INC	(2009)			SPRIDE	8.5	8.3	8.6	8.6	8.6	8.8	8.9	8.9	8.9	8.7	8.7	8.7	8.7	8.6	
4506911	0.000	9.684	C	2026	0012																	
53010000	0.000	4.369	C	1	1	55	CRACKING	3.5*	3.5*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5		
10	90			2	9.3		RIDE	8.2	7.6	8.6	8.4	8.3	8.4	8.5	8.5	8.5	8.3	8.5	8.4	8.4		
							FC95MR															
4436572	0.000	4.390	C	2022	0012		CRACKING	8.5	7.5	7.5	7.5	7.0	7.0	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	8.5	
ANDERSON	COLUMBIA	CO.,	INC	(2023)			SPRIDE	8.3	8.3	8.0	8.0	8.0	8.0	8.0	7.9	7.8	8.6	8.5	8.5	8.4	8.0	
53010000	4.369	4.681	C	1	4	45	CRACKING	7.5	7.1	7.1	7.6	7.6	7.4	7.2	6.8	6.8	6.7	6.6	6.6	6.6		
10	90			2	6.3		RIDE	6.6	6.4*	6.3*	5.7*	5.7*	5.6	5.9	5.5	5.5	5.5	5.8	5.8	5.8		
							B															
							CRACKING	6.5	6.5	6.5	6.5	6.4*	6.4*	7.4	6.5	6.8	7.4	7.9	7.7	7.8	6.5	
							RIDE	5.8	5.7	5.5	5.4*	5.2*	5.1*	5.2*	4.8*	5.1*	5.2*	5.1*	4.8*	5.0*	4.9*	
4456331	4.369	11.758	C	2023	0012																	
53010000	4.681	5.113	C	1	7	35	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
10	90			2	7.1		RIDE	7.8	7.4	8.6	8.3	8.3	7.5	7.6	7.4	7.2	6.9	6.6	6.5	6.3		
							FC125M															
CARTLEDGE RD( 4.7R)							CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	1.0*	1.0*	10.0	8.5	
							RIDE	6.3	6.2											6.9	6.5	
							(2026)															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
53010000	5.113	5.718	R	1	7	45	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
10 90				1	7.1	4600	RIDE	7.8	7.4	8.6	8.3	8.3	8.0	8.3	8.2	8.4	8.3	8.3	8.2	8.0		
HENDERSON ST( 5.3C)						FC125M																
						(2026)	CRACKING	9.0	7.5	7.5	7.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	4.2*	10.0	8.5	
							RIDE	8.0	7.9	7.8	7.8	7.6	7.6	7.6	7.6	7.3	7.4	7.3	7.1	7.9	7.5	
53010000	5.718	9.511	C	1	7	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
10 90				2	7.1	4600	RIDE	7.8	7.4	8.6	8.3	8.3	8.4	8.6	8.5	8.4	8.3	8.3	8.2	8.0		
HARNER LN( 5.8R)						FC125M																
4456331	5.483	9.550	C	2023	0012	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	4.2*	10.0	8.5	
ANDERSON COLUMBIA CO., INC(2026)						SPRIDE	8.0	7.9	7.8	7.8	7.6	7.6	7.6	7.6	7.6	7.3	7.4	7.3	7.1	8.5	8.1	
53010000	9.511	10.069	R	1	7	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
10 90				1	7.1	4600	RIDE	7.8	7.4	8.6	8.3	8.3	8.4	8.6	8.5	8.4	8.3	8.3	8.2	8.0		
ST CORRECTIONAL RD( 9.6R)						FC125M																
4456331	9.550	10.104	R	2023	0012	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	4.2*	10.0	8.5	
ANDERSON COLUMBIA CO., INC(2026)						SPRIDE	8.0	7.9	7.8	7.8	7.6	7.6	7.6	7.6	7.6	7.3	7.4	7.3	7.1	8.2	7.8	
53010000	10.069	11.840	C	1	7	55	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
10 90				2	6.3	5900	RIDE	7.8	7.4	8.6	8.3	8.3	8.5	8.7	8.6	8.4	8.3	8.3	8.2	8.0		
CLEARMONT RD(10.1L)						FC125M																
4456331	10.104	11.758	C	2023	0012	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	4.2*	10.0	8.5	
ANDERSON COLUMBIA CO., INC(2026)						SPRIDE	8.0	7.9	7.8	7.8	7.6	7.6	7.6	7.6	7.6	7.3	7.4	7.3	7.1	8.5	8.1	
53010000	11.840	12.046	R	1	7	45	CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
10 90				1	6.3	5900	RIDE	8.0	7.6	7.8	7.5	7.4	7.5	7.6	7.5	7.4	7.1	7.0	7.1	7.2		
HALL ST(11.9R)						FC95MR																
						(2026)	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.1	10.0	8.5	
							RIDE	6.8	7.0	8.6	8.5	8.4	8.3	8.3	8.1	7.9	7.7	7.7	7.5	8.0	7.6	
53010000	12.046	14.076	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
10 90				2	6.7	14346	RIDE	8.3	7.3	7.6	7.4	7.5	7.5	7.6	7.5	7.4	7.1	7.0	7.1	7.2		
AUCTION DR(12.2R)						FC95MR																
4246211	11.878	13.580	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.1	6.6	5.0*		
ANDERSON COLUMBIA CO., INC(2016)						RIDE	6.8	7.0	8.6	8.5	8.4	8.3	8.3	8.1	7.9	7.7	7.7	7.5	7.6	7.2		
53010000	12.046	14.076	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5		
10 90				2	6.7	14346	RIDE	8.3	7.6	7.6	7.4	7.3	7.0	7.1	7.0	7.4	7.1	7.0	7.1	7.2		
SR 73(12.1L)						FC95MR																
4246211	11.878	13.580	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.0	7.4	7.2	5.5*	
ANDERSON COLUMBIA CO., INC(2016)						RIDE	6.8	7.0	8.6	8.5	8.4	8.3	8.3	8.1	7.9	8.1	8.0	8.0	7.7	7.9	7.5	
53010000	11.840	12.046	L	1	7	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5		
10 90				1	6.3	5900	RIDE	8.0	7.6	7.8	7.5	7.4	7.0	7.1	7.0	7.4	7.1	7.0	7.1	7.2		
						FC125M																
						(2026)	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.4	10.0	8.5	
							RIDE	6.8	7.0	8.6	8.5	8.4	8.3	8.3	8.1	7.9	8.1	8.0	7.7	8.0	7.6	
53020000	0.000	0.685	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
10 90				2	3.3	20300	RIDE	8.4	8.1	8.1	7.9	7.5	7.5	7.9	7.6	7.7	7.6	7.7	7.8	7.6		
CR 167( 0.0C)						FC95MR																
4246211	0.182	0.604	C	2015	0012	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.9	7.5	6.0*	
ANDERSON COLUMBIA CO., INC(2016)						RIDE	7.4	7.1	8.4	8.3	8.4	8.2	8.2	8.2	8.0	7.3	7.6	7.5	7.2	6.8		
53020000	0.685	3.305	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0		
10 90				2	6.3	21500	RIDE	8.7	8.6	8.4	8.1	8.3	8.0	8.0	8.1	8.0	7.7	7.9	7.8	7.8		
RACE LN( 1.2R)						FC125M																
4455411	0.687	2.657	R	2023	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*		10.0	8.5	
ANDERSON COLUMBIA CO., INC(2026)						RIDE	7.6	7.5	7.6	7.4	7.3	7.4	7.3	7.4	7.3	7.4	7.1	7.3	7.1	8.3	7.9	
53020000	3.305	4.120	R	1	7	55	CRACKING	10.0	8.5	7.5	7.0	5.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	
10 90				1	9.4	9100	RIDE	8.9	8.8	8.6	8.1	8.1	8.0	8.1	8.0			8.7	8.6	8.6	8.4	
SIDE ROAD( 3.4C)						FC125M																
4153752	3.305	3.753	R	2025	0012	CRACKING	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	5.5*	5.5*	10.0	8.5	
ANDERSON COLUMBIA CO., INC(2026)						SPRIDE	8.4	8.3	8.4	8.4	8.3	8.2	8.1	8.0	7.8	7.5	7.4	7.4	7.4	8.6	8.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
53020000	4.120	12.811	C	1	7	55	CRACKING	10.0	8.5	7.5	7.0	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
10 90				2	9.4		6000 RIDE	8.9	8.8	8.6	8.1	8.1	8.0	8.1	8.0		8.7	8.6	8.6	8.4	
CILE LN( 4.4L) FC125M																					
4153752	4.166	12.829	C	2025		0012	CRACKING	10.0	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	3.5*	3.6*	10.0	8.5
ANDERSON	COLUMBIA CO., INC			(2026)			SPRIDE	8.4	8.3	8.4	8.4	8.3	8.2	8.1	8.0	7.8	8.0	8.0	7.9	8.6	8.2
53020000	12.811	15.586	R	1	1	55	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*
10 90				2	9.4		6400 RIDE	8.7	8.5	8.3	8.1	8.2	8.1	8.2	8.2	8.0	7.9	8.0	7.9	7.9	
PORTER AVE(13.5C) FC95MR																					
4169441	13.079	15.360	C	2015		0012	CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.2	6.5	5.0*
CAPITAL	ASPHALT INC			(2016)			SPRIDE	7.8	7.6	8.6	8.5	8.4	8.4	8.3	8.2	8.0	8.1	8.1	8.2	8.1	7.7
53020000	15.586	18.617	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10 90				2	9.6		5700 RIDE	8.9	8.7	8.5	8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.2	8.2	8.2	
CR 69A(16.3L) FC95M																					
4134421	15.561	18.625	C	2006		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	5.5*	3.5*	3.1*	1.0*
ANDERSON	COLUMBIA CO., INC			(2007)			RIDE	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.4
4531511	15.571	23.661	C	2027		0012															
53020000	18.617	19.446	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	
10 90				2	9.4		7700 RIDE	8.1	7.9	7.6	7.3	7.4	7.6	7.7	7.7	7.5	7.4	7.2	6.8	6.6	
O HARA AVE(18.7C) FC95MR																					
4246151	18.679	19.456	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	6.1*	5.3*	3.5*
JONES	CONSTRUCTION OF NORT			(2014)			SPRIDE	8.1	8.0	7.9	7.8	7.7	7.6	7.5	7.4	7.3	7.2	7.0	6.9	6.8	6.4
4531511	15.571	23.661	C	2027		0012															
53020000	19.446	20.302	R	1	1	45	CRACKING	7.0	8.5	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10 90				1	9.4		6600 RIDE	8.3	8.0	8.0	6.8	8.3	8.3	8.4	8.2	8.1	8.1	8.1	8.0	8.0	
THIRD AVE(19.6C) FC125																					
4063241	19.454	23.352	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.5	7.5	6.0*	6.0*	4.9*	4.4*	2.0*
ANDERSON	COLUMBIA CO., INC			(2005)			RIDE	8.0	7.9	7.8	7.8	7.7	7.8	7.7	7.6	7.5	7.4	7.3	7.3	6.9	
4531511	15.571	23.661	C	2027		0012															
53020000	20.302	22.655	C	1	1	55	CRACKING	7.0	8.5	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10 90				2	8.3		6100 RIDE	8.3	8.0	7.8	6.8	8.3	8.3	8.4	8.2	8.1	8.1	8.1	8.0	8.0	
DAIRY RD(20.7L) FC125																					
4063241	19.454	23.352	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	5.5*	3.5*	1.5*
ANDERSON	COLUMBIA CO., INC			(2005)			RIDE	8.0	7.9	7.8	7.8	7.7	7.8	7.7	7.6	7.5	7.4	7.3	7.3	7.6	7.2
4531511	15.571	23.661	C	2027		0012															
53020000	19.446	20.302	L	1	1	45	CRACKING	7.0	8.5	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10 90				1	9.4		6600 RIDE	8.3	8.0	7.8	6.8	8.3	8.3	8.4	8.2	8.1	8.1	8.1	8.0	8.0	
THIRD AVE(19.6C) FC125																					
4063241	19.454	23.352	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.5	7.5	6.0*	6.0*	4.6*	4.3*	2.0*
ANDERSON	COLUMBIA CO., INC			(2005)			RIDE	8.0	7.9	7.8	7.8	7.7	7.8	7.7	7.6	7.5	7.1	7.1	7.0	6.9	6.5
4531511	15.571	23.661	C	2027		0012															
53020000	18.617	19.446	L	1	1	45	CRACKING	10.0	9.0	8.5	8.5	8.5	8.5	7.5	6.5	7.0	6.5	6.5	6.5	6.5	
10 90				2	9.4		7700 RIDE	8.2	8.1	7.9	7.6	7.5	7.3	7.4	7.2	7.5	7.4	7.2	6.8	6.6	
O HARA AVE(18.7C) FC95MR																					
4246151	18.679	19.456	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	6.0*	6.0*	4.7*	3.9*	2.0*
JONES	CONSTRUCTION OF NORT			(2014)			SPRIDE	8.1	8.0	7.9	7.8	7.7	7.6	7.5	7.4	7.3	7.3	7.3	7.3	7.2	6.8
4531511	15.571	23.661	C	2027		0012															
53020000	13.258	15.586	L	1	1	55	CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	
10 90				2	9.4		6400 RIDE	8.5	8.2	8.2	7.9	7.9	7.8	7.9	7.8	7.7	7.5	7.6	7.5	7.4	
ASHLEIGH AVE(13.3L) FC95MR																					
4169441	13.079	15.360	C	2015		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.9	7.0	5.5*
CAPITAL	ASPHALT INC			(2016)			SPRIDE	7.2	7.0	8.4	8.3	8.1	8.1	8.0	7.9	7.7	7.9	7.9	7.9	7.9	7.5
53020000	12.811	13.258	L	1	1	55	CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	
10 90				1	9.1		4825 RIDE	8.5	8.2	8.2	7.9	7.9	7.8	7.9	7.8	7.7	7.5	7.6	7.5	7.4	
JOLIE AVE(13.1L) FC95MR																					
				(2016)			CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.9	7.0	5.5*
							RIDE	7.2	7.0	8.4	8.3	8.1	8.1	8.0	7.9	7.7	7.9	7.9	7.9	7.2	6.8
53020000	3.305	4.120	L	1	7	55	CRACKING	10.0	8.5	7.5	7.0	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
10 90				1	9.4		9100 RIDE	8.9	8.8	8.6	8.1	8.1	8.0	8.1	8.0		8.7	8.6	8.6	8.4	
SIDE ROAD( 3.4C) FC125M																					
4153752	3.305	3.753	L	2025		0012	CRACKING	10.0	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	5.0*	10.0	8.5
ANDERSON	COLUMBIA CO., INC			(2026)			SPRIDE	8.4	8.3	8.4	8.4	8.3	8.2	8.1	8.0	7.8	7.6	7.5	7.4	8.2	7.8

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
53020000	0.685	3.305	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
10 90				2	6.3		21500 RIDE	8.7	8.7	8.5	8.0	8.2	8.1	8.4	8.3	8.3	8.2	8.2	8.1	8.0	
OLD US RD( 0.9L)							FC125M														
4455411	0.687	2.657	L	2023	0012		CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	8.5
ANDERSON COLUMBIA CO., INC(2026)							SPRIDE	8.0	7.7	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.6		8.4	8.0
53020000	0.000	0.685	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	9.0	9.0	9.0	9.0	9.0	
10 90				2	3.3		20300 RIDE	8.5	8.3	7.9	7.6	7.7	7.0	7.2	7.1	7.7	7.6	7.7	7.7	7.8	7.6
CR 167( 0.0C)							FC95MR														
4246211	0.182	0.604	C	2015	0012		CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.4	6.9	5.0*
ANDERSON COLUMBIA CO., INC(2016)							RIDE	7.4	7.1	8.4	8.3	8.4	8.2	8.2	8.2	8.0	7.4	7.4	7.3	7.1	6.7
53030000	0.000	0.586	R	1	1	65	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	11.2		6500 RIDE	8.3	8.5	8.8	8.4	6.7	8.5	8.5	8.4	8.6	8.3	8.3	8.3	8.4	
							FC5M														
4397401	0.000	0.586	R	2021	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	9.8	10.0	8.5
ANDERSON COLUMBIA CO., INC(2023)							SPRIDE	8.3	8.2	8.4	8.5	8.4	8.5	8.5	8.4	8.5	8.7	8.8	8.7	8.7	8.5
53030000	5.014	7.292	R	1	1	55	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
75 231				2	27.0		7000 RIDE	7.3	8.8	8.8	8.4	8.4	8.3	8.6	8.6	8.6	8.4	8.1	8.3	8.2	
SHERRY CIR( 5.2R)							FC5														
4377491	5.014	7.446	R	2019	0012		CRACKING	9.5	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.2	9.1	6.5
ANDERSON COLUMBIA CO., INC(2020)							SPRIDE	8.1	7.9	8.1	8.0	8.0	8.1	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.7
53030000	7.292	8.965	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	5.5*	5.5*	5.5*	
75 231				2	27.0		7000 RIDE	8.7	8.8	8.7	8.2	8.2	8.3	8.2	8.2	8.0	8.0	7.8	7.7	7.5	7.4
DANIELS RD( 7.5C)							FC5M														
4287351	7.445	9.987	C	2014	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	6.7	3.0*
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	8.5	8.5	8.6	8.5	8.5	8.3	8.5	8.5	8.4	8.5	8.6	8.5	8.5	8.3
4475882	7.446	9.982	C	2029	0012																
53030000	8.965	9.997	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	5.5*	5.5*	5.5*	
75 231				2	18.8		8100 RIDE	8.8	8.6	8.6	8.1	8.0	8.1	8.3	8.2	8.0	7.9	7.8	7.4	6.9	
FIFTH AVE( 9.1R)							FC95MR														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	10.0	6.8	5.5*
4475882	7.446	9.982	C	2029	0012		RIDE	8.0	8.5	8.5	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.6	8.1	7.7
53030000	9.997	12.840	R	1	1	65	CRACKING	10.0	9.0	7.5	7.0	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	
75 231				2	27.0		7700 RIDE	9.0	8.8	8.8	7.9	7.6	7.1	6.9		8.5	8.4	8.4	8.4	8.4	
LITTLE VALLEY RD(10.1R)							FC5M														
4475881	9.982	12.843	R	2024	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	8.5
ANDERSON COLUMBIA CO., INC(2025)							SPRIDE	8.3	8.2	8.5	8.4	8.4	8.5	8.5	8.5	8.4	8.5	8.5	8.6	8.7	8.5
53030000	12.840	13.905	R	1	1	45	CRACKING	7.5	7.5	7.5	6.5	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	28.6		9800 RIDE	8.7	8.1	8.4	7.6	7.4	7.2	8.1	8.3	8.3	8.3	8.3	8.3	8.3	
DILMORE RD(13.1C)							FC95MR														
4397311	12.843	15.982	R	2021	0012		CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	9.6	10.0	8.5
ANDERSON COLUMBIA CO., INC(2023)							SPRIDE	8.3	8.2	8.2	8.2	8.1	8.2	8.2	8.1	8.1	8.5	8.2	8.2	8.2	7.8
53030000	13.905	15.990	R	1	1	65	CRACKING	7.5	7.5	7.5	6.5	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	28.6		9800 RIDE	8.7	8.1	8.4	7.6	7.4	7.2	8.1	8.3	8.3	8.3	8.3	8.3	8.3	
BARBER RD(14.2R)							FC5M														
4397311	12.843	15.982	R	2021	0012		CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5
ANDERSON COLUMBIA CO., INC(2023)							SPRIDE	8.3	8.2	8.2	8.2	8.1	8.2	8.2	8.1	8.1	8.8	8.8	8.8	8.8	8.6
53030000	15.990	17.381	R	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	30.9		9700 RIDE	7.6	8.1	8.1	7.6	7.6	7.7	7.0	7.1	7.3	7.1	7.1	7.0	7.1	
THOMAS ST(16.2R)							FC125M														
4090101	16.465	17.230	C	2005	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	5.4*	5.0*	3.0*
ANDERSON COLUMBIA CO., INC(2006)							RIDE	7.0	6.8	7.2	6.9	7.0	6.8	6.9	7.0	6.9	6.6	6.7	6.7	6.7	6.3
4529331	15.982	17.381	C	2027	0012																
53030000	17.381	20.217	R	1	1	65	CRACKING	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.0	
75 231				2	33.2		7300 RIDE	8.8	8.6	8.6		8.3	8.3	8.4	8.4	8.4	8.2	8.1	8.1	7.9	
LOVEWOOD RD(17.8R)							FC5M														
4377471	17.381	20.217	R	2019	0012		CRACKING	8.0	7.0	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.4	9.0	6.5
ANDERSON COLUMBIA CO., INC(2020)							RIDE	7.7	7.5	8.2	8.0	7.9	8.1	9.1	9.1	9.0	9.0	9.0	8.9	8.9	8.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F																					
53030000	17.381	20.217	L	1	1	65	CRACKING	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	
75 231				2	33.2		RIDE	8.6	8.2	8.2		8.3	8.3	8.5	8.4	8.4	8.2	8.0	7.7	7.5	
COUNTRY OAKS DR(17.5L) FC5M																					
4377471	17.381	20.217	L	2019	0012		CRACKING	7.5	4.5*	3.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5
ANDERSON	COLUMBIA CO., INC(2020)						RIDE	7.1	6.7	7.6	8.5	8.5	8.5	9.1	9.1	9.0	9.0	9.0	9.0	9.0	8.8
53030000	15.990	17.381	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	30.9		RIDE	7.3	7.7	7.9	7.2	7.5	7.7	7.8	7.8	7.7	7.5	7.3	7.3	7.2	
LEVY ST(16.2C) FC125M																					
4090101	16.465	17.230	C	2005	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	5.5*	5.0*	4.6*	2.5*
ANDERSON	COLUMBIA CO., INC(2006)						RIDE	6.9	7.2	7.1	7.0	6.8	6.8	7.0	6.7	6.7	6.7	6.6	6.5	6.6	6.2
4529331	15.982	17.381	C	2027	0012																
53030000	13.905	15.990	L	1	1	65	CRACKING	9.0	7.5	7.5	7.5	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	28.6		RIDE	8.9	8.0	8.5	7.8	7.6	7.3	8.4	8.5	8.4	8.4	8.4	8.4	8.4	
OBERT RD(15.4L) FC5M																					
4397311	12.843	15.982	L	2021	0012		CRACKING	10.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	3.5*	10.0	10.0	9.8	10.0	8.5
ANDERSON	COLUMBIA CO., INC(2023)						SPRIDE	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.9	8.8	8.8	8.8	8.6
53030000	12.840	13.905	L	1	1	45	CRACKING	9.0	7.5	7.5	7.5	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	28.6		RIDE	8.9	8.0	8.5	7.8	7.6	7.3	8.4	8.5	8.4	8.4	8.4	8.4	8.4	
DILMORE RD(13.1C) FC95MR																					
4397311	12.843	15.982	L	2021	0012		CRACKING	10.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC(2023)						SPRIDE	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.2	8.1	8.0	7.6
53030000	9.997	12.840	L	1	1	65	CRACKING	9.0	7.5	7.5	7.5	6.5	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	
75 231				2	27.0		RIDE	9.0	9.0	8.9	8.2	7.9	7.3	6.8		8.3	8.3	8.3	8.2	8.2	
HALLMAN LN(10.5L) FC5M																					
4475881	9.982	12.843	L	2024	0012		CRACKING	10.0	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC(2025)						SPRIDE	8.2	8.1	8.5	8.5	8.4	8.6	8.6	8.6	8.5	8.5	8.4	8.6	8.6	8.4
53030000	8.965	9.997	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	
75 231				2	18.8		RIDE	9.0	8.9	8.8	8.3	8.3	8.2	8.4	8.3	8.1	7.8	7.4	7.3	6.5	
CR 1656( 9.3L) FC95MR																					
4475882	7.446	9.982	C	2029	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	10.0	8.5	7.0
				(2025)			RIDE	8.4	8.7	8.5	8.5	8.5	8.5	8.5	8.4	8.3	8.4	8.3	8.6	8.2	7.8
53030000	7.292	8.965	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	
75 231				2	27.0		RIDE	9.0	9.0	9.0	8.4	8.5	8.3	8.4	8.3	8.0	7.8	7.6	7.3	7.0	
DANIELS RD( 7.5C) FC5M																					
4287351	7.445	9.987	C	2014	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.9	7.6	4.0*
ANDERSON	COLUMBIA CO., INC(2014)						SPRIDE	8.7	8.6	8.7	8.6	8.6	8.4	8.6	8.6	8.5	8.6	8.6	8.5	8.5	8.3
4475882	7.446	9.982	C	2029	0012																
53030000	5.014	7.292	L	1	1	55	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	
75 231				2	27.0		RIDE	8.2	8.8	8.8	8.3	8.4	8.3	8.4	8.4	8.4	8.2	8.2	8.0	7.9	
BLOSSOM LOOP S( 5.7L) FC5																					
4377491	5.014	7.446	L	2019	0012		CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.4	9.2	7.0
ANDERSON	COLUMBIA CO., INC(2020)						SPRIDE	7.7	7.5	7.8	7.7	7.6	7.8	8.9	9.0	8.9	8.9	8.9	8.9	8.9	8.7
53030000	0.000	0.586	L	1	1	65	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
75 231				2	11.2		RIDE	6.8	8.9	9.0	8.3	8.5	8.5	8.6	8.6	8.6	8.3	8.4	8.2	8.2	
FC5M																					
4397401	0.000	0.586	L	2021	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC(2023)						SPRIDE	8.0	8.1	8.4	8.2	8.3	8.3	8.4	8.3	8.3	8.6	8.7	8.7	8.7	8.5
53030035	0.708	4.979	R	1	1	65	CRACKING	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
75 231				2	25.4		RIDE	8.2	8.9	9.0	8.5	8.5	8.5	8.7	8.7	8.6	8.5	8.5	8.5	8.4	
C/D 0.586 53030000( 0.7C) FC5M																					
4397401	1.579	4.806	R	2021	0012		CRACKING	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC(2023)						SPRIDE	8.5	8.3	8.4	8.4	8.3	8.4	8.4	8.4	8.4	8.7	8.7	8.7	8.6	8.4
53030035	0.708	4.979	L	1	1	65	CRACKING	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
75 231				2	25.4		RIDE	7.9	9.0	9.0	8.4	8.5	8.5	8.6	8.6	8.5	8.5	8.4	8.4	8.3	
C/D 0.586 53030000( 0.7C) FC5M																					
4397401	1.567	4.806	L	2021	0012		CRACKING	9.5	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.4	10.0	8.5
ANDERSON	COLUMBIA CO., INC(2023)						SPRIDE	8.3	8.2	8.4	8.3	8.2	8.3	8.4	8.4	8.3	8.6	8.6	8.6	8.6	8.4

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
53040000	0.000	7.369	C	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*		
71			2	9.6		5200	RIDE	8.6	8.4	8.4	8.0	8.0	8.0	8.1	8.0	7.8	7.7	7.6	7.6	7.4		
BIG BONE LN( 0.1L)																						
4230651	0.000	7.356	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.5	4.5*	
ANDERSON	COLUMBIA	CO., INC	(2014)			SPRIDE		8.8	8.6	8.4	8.3	8.2	8.2	8.0	8.0	7.9	8.1	8.0	7.8	7.8	7.4	
53040000	7.369	7.940	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*		
71			1	12.3		7900	RIDE	8.6	8.4	8.4	8.0	8.0	8.1	8.0	7.9	7.8	7.7	7.6	7.6	7.4		
CR-280/ROCKY CRK RD( 7.5R)																						
4230651	7.356	7.780	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	5.0*
ANDERSON	COLUMBIA	CO., INC	(2014)			RIDE		8.8	8.6	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.5
53040000	7.940	8.526	R	1	4	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	10.0	10.0		
71			2	9.6		19500	RIDE	8.3	8.3	8.1	7.8	7.8	7.6	7.8	7.6	7.5	7.3	7.3	8.2	8.2		
SIDE ROAD( 8.0C)																						
4230651	8.044	8.861	C	2013	0012	CRACKING	10.0		9.4	9.4	9.4	9.3	9.4	9.4	9.2	9.1	9.1	8.9	8.5	8.0		
ANDERSON	COLUMBIA	CO., INC	(2016)			RIDE		8.1	8.1	7.9	7.5	8.0	8.1	8.2	8.1	7.7	8.0	8.2	8.2	8.1	8.1	
53040000	8.526	8.853	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5		
71			2	9.6		19500	RIDE	8.3	8.4	8.3	8.3	8.4	8.2	7.8	7.6	7.5	7.3	7.3	7.6	7.6		
WHITE TAIL RD( 8.5C)																						
4457601	8.528	9.301	R	2024	0012	CRACKING	8.5		8.5	7.5	7.5	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	8.7	8.3	7.0	
ANDERSON	COLUMBIA	CO., INC	(2025)			SPRIDE		7.5	7.4	7.6	7.5	7.3	7.4	7.4	7.4	7.2	7.1	7.2	8.2	8.1	7.7	
53040000	8.853	10.216	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5		
71			2	6.9		17000	RIDE	8.5	8.4	8.3	8.3	8.4	8.2	7.6	8.0	7.3	7.6	7.6	7.6	7.6		
ANDERSON COLUMBIA( 9.1R)																						
2193491	8.138	10.217	C	1997	0213	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	5.5*	3.5*	2.4*	0.0*		
ANDERSON	COLUMBIA	CO., INC	(2000)			S RIDE		7.5	7.6	7.4	7.6	7.5	7.3	7.4	7.4	7.2	7.1	7.2	7.1	7.0	6.6	
4457601	9.334	10.216	R	2024	0012																	
53040000	8.853	10.216	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5		
71			2	6.9		17000	RIDE	8.6	8.5	8.4	8.3	8.3	8.2	8.2	8.3	8.1	7.7	8.1	8.0	8.0		
ANDERSON COLUMBIA( 9.1R)																						
2193491	8.138	10.217	C	1997	0213	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	
ANDERSON	COLUMBIA	CO., INC	(2000)			S RIDE		8.0	7.7	7.7	7.8	7.8	7.8	7.6	7.5	7.5	7.4	7.4	7.3	7.2	6.8	
4457601	8.528	10.216	L	2024	0012																	
53040000	8.600	8.853	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5		
71			2	9.6		19500	RIDE	8.6	8.5	8.4	8.3	8.3	8.2	7.6	7.6	7.5	7.4	7.3	8.0	8.0		
ANDERSON COLUMBIA( 9.1R)																						
4457601	8.608	9.301	L	2024	0012	CRACKING	8.5		8.5	7.5	7.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	9.0	8.7	7.5
ANDERSON	COLUMBIA	CO., INC	(2025)			SPRIDE		8.0	7.7	7.8	7.8	7.8	7.8	7.6	7.5	7.5	7.4	7.4	7.6	7.6	7.7	7.3
53040000	7.940	8.600	L	1	4	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	10.0	10.0		
71			2	9.6		19500	RIDE	8.5	8.2	8.0	7.7	7.8	7.6	7.6	7.6	7.5	7.4	7.3	8.5	8.5		
SIDE ROAD( 8.0C)																						
4230651	8.044	8.861	C	2013	0012	CRACKING	10.0		9.4	9.4	9.4	9.3	9.3	9.3	9.4	9.5	9.5	9.5	9.4	9.3	8.5	
ANDERSON	COLUMBIA	CO., INC	(2016)			RIDE		8.4	8.0	7.7	7.7	8.1	8.0	8.0	8.0	8.0	7.5	7.8	8.0	8.0	7.9	
53040000	7.369	7.940	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*		
71			1	12.3		7900	RIDE	8.6	8.4	8.4	8.0	8.0	7.7	7.6	7.6	7.8	7.7	7.6	7.6	7.4		
DOVE REST DR( 7.4L)																						
4230651	7.356	7.780	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	5.0*	
ANDERSON	COLUMBIA	CO., INC	(2014)			RIDE		8.8	8.6	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.6	7.6	7.5	7.6	7.2	
53050000	0.000	6.075	C	1	1	55	CRACKING	10.0	8.5	7.5	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	10.0	10.0	10.0	10.0		
73			2	20.8		5500	RIDE	8.6	8.5	8.3	8.2	8.2	7.9	8.1	7.9	7.8	8.7	8.6	8.5	8.5		
LAFAYETTE ST( 0.0C)																						
4153831	0.079	6.075	C	2008	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	7.1	6.9	5.0*	
PREFERRED	MATERIALS,	INC.	(2010)			SPRIDE		8.5	8.4	8.3	8.3	8.2	8.1	8.2	8.0	8.0	8.0	7.9	7.8	7.8	7.4	
53050000	6.971	10.560	R	1	1	65	CRACKING	8.5	8.5	7.5	6.5	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0		
75	231		2	28.5		11600	RIDE	8.9	8.8	8.7	7.9	7.6	7.0	6.5		8.6	8.5	8.5	8.4	8.4		
SPRINGFIELD RD( 8.9C)																						
4397221	7.018	10.495	R	2020	0012	CRACKING	10.0	8.5	8.5	7.5	7.0	5.5*	4.0*	10.0	10.0	10.0	10.0	10.0	9.6	8.8	6.5	
ANDERSON	COLUMBIA	CO., INC	(2021)			SPRIDE		8.4	8.2	8.5	8.5	8.3	8.4	8.5	9.0	8.9	8.9	8.8	8.8	8.8	8.6	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
53050000	10.560	14.210	R	1	1	65	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5	
75 231				2	21.8		12200 RIDE	8.6	8.2	8.3		8.2	8.2	8.4	8.3	8.2	7.9	7.7	7.4	7.3	
CECIL RD(11.1R)																					
4325321	10.499	13.918	C	2015		0012	CRACKING	7.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	7.5	4.0*
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	6.8	6.3*	8.8	8.7	8.7	8.7	8.8	8.7	8.7	8.6	8.6	8.6	8.6	8.4
4565831	10.445	18.365	C	2029		0012															
53050000	14.210	15.325	R	1	1	45	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	
75 231				2	21.8		12200 RIDE	8.6	8.2	8.3		8.2	7.9	8.1	8.1	8.0	7.8	7.6	7.3	6.9	
FERNWOOD(14.3R)																					
4307761	14.576	17.454	C	2015		0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	5.5*	4.0*
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	6.3	6.1	8.8	8.7	8.7	8.7	8.8	8.7	8.7	8.6	8.6	8.6	5.3*	4.9*
4565831	10.445	18.365	C	2029		0012															
53050000	15.325	18.365	R	1	1	65	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	
75 231				2	15.0		15696 RIDE	8.3	9.1	9.0	8.6	8.7	8.5	8.6	8.6	8.5	8.2	7.8	7.6	7.3	
RAMBO RD(17.2R)																					
4307761	14.576	17.454	C	2015		0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	7.5	4.0*
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	7.1	6.8	8.8	8.7	8.7	8.7	8.8	8.7	8.7	8.6	8.6	8.6	9.0	8.8
4565831	10.445	18.365	C	2029		0012															
53050000	15.325	18.365	L	1	1	65	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	
75 231				2	15.0		15696 RIDE	7.9	8.7	9.0	8.5	8.5	8.4	8.5	8.5	8.4	8.2	7.9	7.7	7.5	
FINN RD(16.2L)																					
4307761	14.576	17.454	C	2015		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	7.7	4.5*
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	7.0	6.9	8.7	8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.5	8.6	8.6	8.4
4565831	10.445	18.365	C	2029		0012															
53050000	14.210	15.325	L	1	1	45	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	
75 231				2	21.8		12200 RIDE	8.4	8.1	8.0		8.3	8.0	8.2	8.2	7.6	8.0	6.8	6.7	6.4	
OVER PASS RD(14.4L)																					
4307761	14.576	17.454	C	2015		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	4.9*	3.0*
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	5.7	6.0	8.7	8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.5	8.6	7.9	7.5
4565831	10.445	18.365	C	2029		0012															
53050000	13.919	14.210	L	1	1	55	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	4.5*	
75 231				2	21.8		12200 RIDE	8.4	8.1	8.0		8.3	8.3	8.5	8.4	8.3	8.1	7.9	7.6	7.5	
4307761 13.918 14.537 C 2015 0012 CRACKING 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 9.0 9.0 7.5 7.5 7.2 4.5* 1.0*																					
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	7.1	6.5	8.7	8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.5	8.6	5.9*	5.7*
4565831	10.445	18.365	C	2029		0012															
53050000	10.560	13.919	L	1	1	65	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	4.5*	
75 231				2	21.8		12200 RIDE	8.4	8.1	8.0		8.3	8.3	8.5	8.4	8.3	8.1	7.9	7.6	7.5	
SIDE ROAD(13.3C)																					
4325321	10.499	13.918	C	2015		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.2	7.5	4.0*
ANDERSON	COLUMBIA CO., INC	(2016)					SPRIDE	7.1	6.5	8.7	8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.5	8.6	8.6	8.5
4565831	10.445	18.365	C	2029		0012															
53050000	6.971	10.560	L	1	1	65	CRACKING	10.0	10.0	8.5	6.5	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	
75 231				2	28.5		11600 RIDE	8.9	8.7	8.7	8.0	7.4	7.0	6.6		8.6	8.5	8.5	8.4	8.5	
DOUGLAS RD( 7.8L)																					
4397221	7.018	10.495	L	2020		0012	CRACKING	10.0	8.5	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	9.3	8.9	6.5
ANDERSON	COLUMBIA CO., INC	(2021)					SPRIDE	8.5	8.3	8.6	8.5	8.5	8.5	8.5	9.0	8.9	8.9	8.8	8.8	8.8	8.6
53050001	0.000	0.566	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	7.5	6.0*	6.0*	10.0	10.0	10.0	10.0	
73				2	16.1		4900 RIDE	7.9	8.7	8.3	7.2	8.1	8.1	7.7	7.7	7.5	8.5	8.1	8.2	7.4	
MP 6.075 OF 53050000( 0.0C)																					
4153831	0.000	0.548	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.5	7.7	5.5*
PREFERRED MATERIALS, INC.	(2010)						SPRIDE	7.1	6.8	8.1	7.9	7.4	7.6	7.9	7.6	7.3	7.9	7.8	7.7	7.6	7.2
53050001	0.566	0.939	R	1	1	65	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	
75 231				2	28.5		11600 RIDE				8.0	7.2	7.3	8.1	7.9	7.9	7.7	7.6	7.6	7.2	
4377471 0.566 0.939 C 2019 0012 CRACKING 7.5 7.5 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 6.5																					
ANDERSON	COLUMBIA CO., INC	(2020)					RIDE	7.2	6.8	8.1	8.1	8.1	7.5	8.5	8.4	8.3	8.2	8.3	8.4	8.4	8.2
53050001	0.566	0.939	L	1	1	65	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
75 231				2	28.5		11600 RIDE				8.0	7.2	7.3	8.0	8.1	8.0	8.3	8.3	8.1	8.0	
SR 73( 0.6L)																					
4377471	0.566	0.939	C	2019		0012	CRACKING	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.0	6.5
ANDERSON	COLUMBIA CO., INC	(2020)					RIDE	7.6	7.6	8.5	8.4	8.4	8.5	9.0	8.7	8.7	8.9	8.7	8.5	8.6	8.4

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
53060000	0.000	8.363	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.0	8.0	7.0	7.0	7.0	
77				2	8.4		3600 RIDE	8.9	9.0	9.0	8.6	8.6	8.5	8.6	8.6	8.5	8.3	8.2	8.1	7.9	
CR 164( 0.5C)																					
4307801	0.346	7.965	C	2016		0012	CRACKING	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.3	8.0	6.5
ANDERSON	COLUMBIA CO., INC	(2017)					SPRIDE	7.9	7.7	8.0	8.6	8.6	8.5	8.4	8.3	8.2	8.1	8.0	8.0	7.8	7.4
53060000	8.363	10.726	C	1	7	35	CRACKING	10.0	8.5	8.5	8.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	
77				2	7.6		2899 RIDE	8.3	8.2	8.0	7.5	7.4	7.1	7.3	7.1	6.8	6.6	6.4	7.9	7.7	
BROWN ST( 8.4R)																					
							FC125M														
							CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.0	7.0	5.5*	4.0*	4.0*	3.3*	10.0	8.5
							RIDE	7.7	7.6	7.8	7.7	7.6	7.4	7.5	7.4	7.3	7.1	7.1	7.0	8.1	7.7
(2026)																					
53060000	10.726	12.705	C	1	1	55	CRACKING	5.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.0*	
77				2	7.6		2899 RIDE	8.3	8.5	8.6	8.2	8.4	8.2	8.4	8.4	8.3	8.1	8.0	8.0	7.8	
JOHNS RD(11.0L)																					
4325531	10.726	12.705	C	2017		0226	CRACKING	6.0*	5.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.2	6.5
ANDERSON	COLUMBIA CO., INC	(2017)					SPRIDE	7.7	7.4	7.6	8.6	8.5	8.4	8.4	8.3	8.2	8.2	8.1	8.1	8.0	7.6
53070000	0.000	0.959	C	1	1	35	CRACKING	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
2				2	13.8		4700 RIDE	6.7	6.4	8.1	7.9	8.0	7.9	8.1	8.0	8.0	7.9	7.9	7.9	7.9	
MILL CREEK RD( 0.1L)																					
4436461	0.045	0.958	C	2022		0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2023)					SPRIDE	7.8	7.6	7.4	7.3	7.2	7.3	7.2	7.2	7.1	8.3	8.3	8.3	8.3	7.9
53070000	1.323	7.643	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.0	5.5*	5.0*	3.0*	3.0*	10.0	10.0	
2				2	15.0		2200 RIDE	8.9	8.7	8.6	8.2	8.2	8.1	8.2	8.0	7.8	7.3	7.5	8.6	8.5	
COTTON ST( 1.3C)																					
4230701	1.332	8.116	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.0	6.0*	5.5*	4.8*	4.6*	2.5*
JONES CONSTRUCTION OF NORT							SPRIDE	8.5	8.2	8.2	7.9	7.8	7.6	7.7	7.5	7.4	7.3	7.2	7.1	7.0	6.6
4508061	1.323	7.643	C	2026		0012															
53070000	8.231	13.000	C	1	1	55	CRACKING	10.0	8.0	8.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
2				2	25.1		1650 RIDE	8.6	8.4	8.3	8.1	7.9	7.8	8.6	8.6	8.6	8.5	8.5	8.5	8.2	
CAMPBELLTON CITY LIMITS( 8.2C)																					
4113971	8.152	12.946	C	2006		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.5	7.0	6.0*	5.5*	3.9*	3.5*	1.5*
ANDERSON	COLUMBIA CO., INC	(2007)					RIDE	8.3	8.2	8.1	8.0	7.9	7.7	7.9	7.7	7.7	7.9	7.7	7.6	7.5	7.1
4508061	8.237	13.075	C	2026		0012															
53070000	13.000	17.451	C	1	1	55	CRACKING	9.0	9.0	9.0	9.0	8.5	7.5	7.0	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
2				2	20.8		1650 RIDE	8.5	8.5	8.4	8.0	7.9	7.9	7.9	7.9	7.7	7.5	7.6	8.7	8.7	
ST PHILLIPS RD(13.1R)																					
4216421	14.929	17.177	C	2011		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	7.0	6.0*	5.3*	4.9*	3.0*
ANDERSON	COLUMBIA CO., INC	(2012)					SPRIDE	8.6	8.4	8.1	8.0	7.9	7.7	7.8	7.6	7.3	7.5	7.3	7.0	6.7	6.3*
4529431	13.094	17.445	C	2027		0012															
53070000	17.451	23.102	C	1	1	55	CRACKING	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
2				2	20.8		1650 RIDE	8.6	8.4	8.3	8.0	8.4	8.1	8.4	8.4	8.4	8.3	8.3	8.4	8.3	
CR 167(18.4C)																					
4307931	17.451	23.102	C	2016		0012	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.0	6.5
ANDERSON	COLUMBIA CO., INC	(2017)					SPRIDE	8.3	8.2	8.0	8.7	8.7	8.5	8.6	8.3	8.3	8.3	8.2	8.0	8.0	7.6
53070000	23.102	26.145	C	1	1	55	CRACKING	8.5	7.5	7.5	7.0	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	
2				2	24.1		1650 RIDE	8.2	7.8	7.5	7.1	6.9	8.1	8.3	8.2	8.1	8.0	8.1	7.9	7.8	
SR 71(23.1C)																					
4456321	23.115	26.139	C	2023		0012	CRACKING	8.5	7.5	7.5	7.5	7.0	7.0	5.5*	5.5*	4.0*	3.5*	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2024)					SPRIDE	7.7	7.6	7.6	7.5	7.3	7.3	7.4	7.3	7.2	7.2	8.5	8.4	8.3	7.9
53070000	26.145	32.614	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	7.0	
2				2	24.1		2417 RIDE	8.5	8.4	8.4	8.0	8.0	8.1	8.3	8.2	8.1	8.0	8.1	7.9	7.9	
GROVE RD(26.4L)																					
4325481	26.145	32.614	C	2016		0012	CRACKING	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.0*
ANDERSON	COLUMBIA CO., INC	(2017)					RIDE	7.8	7.6	7.6	8.4	8.4	8.2	8.3	8.1	7.9	8.0	7.9	7.7	7.6	7.2
53070001	0.000	0.506	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	10.0	10.0	
2				2	30.9		1600 RIDE	8.3	8.4	8.2	7.9	6.7	8.2	7.9	8.2	8.2	8.0	7.7	8.6	8.6	
CR-2A( 0.0R)																					
4230701	0.000	0.499	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.5	5.5*	3.5*	3.2*	3.0*	1.0*
							RIDE	8.4	8.2	8.1	8.0	7.8	7.7	7.8	7.5	7.2	7.3	7.0	6.7	6.7	6.3
4508061	0.000	0.484	C	2026		0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																												
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE					
													2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013		
INTERSECT AT (MP SIDE)	AT	MP	MP	MP	LN	LN	LN	LN	LN	LN	LN	LN	LN	LN	LN	LN												
ITMSEG-P	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2031					
CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR																
ITMSEG-F	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2031					
53090000	71		0.000		2.161	C	1	7	45		CRACKING	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5			
SR 10( 0.0C)															7.5	7.1		8.0	8.1	8.0	8.2	8.1	8.1	8.0	8.0	8.0	7.9	7.9
(2026)															8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.1*	10.0	8.5
FC95MR															7.9	7.7	7.4	7.4	7.3	7.1	7.2	7.1	6.9	7.0	6.9	6.8	8.3	7.9
53090000	71		2.161		2.901	R	1	7	55		CRACKING	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5			
ANDERSON COLUMBIA CO., INC(2026)															7.5	7.1		8.0	8.1	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.9	
(2026)															8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.1*	10.0	8.5
FC95MR															7.9	7.7	7.4	7.4	7.3	7.1	7.2	7.1	6.9	7.0	6.9	6.8	8.0	7.6
53090000	71		2.901		8.383	C	1	7	55		CRACKING	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5			
REDWOOD DR( 2.9L)															7.5	7.1		8.0	8.1	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.9	
(2026)															8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.1*	10.0	8.5
FC95MR															7.9	7.7	7.4	7.4	7.3	7.1	7.2	7.1	6.9	7.0	6.9	6.8	8.4	8.0
53090000	71		8.383		13.097	C	1	7	55		CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			
WILLIS RD( 9.1C)															7.5	7.1	7.4	8.1	8.2	8.2	8.4	8.4	8.2	8.2	8.2	8.2	8.1	
ANDERSON COLUMBIA CO., INC(2026)															9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	10.0	8.5
(2026)															8.1	7.9	7.7	7.7	7.6	7.5	7.5	7.5	7.4	7.3	7.4	7.3	8.4	8.0
FC125M																												
53090000	71		13.097		14.073	R	1	7	35		CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			
THIRTEENTH AVE(13.2C)															7.5	7.1	7.4	8.1	8.2	8.2	8.1	8.0	8.2	8.2	8.2	8.2	8.1	
ANDERSON COLUMBIA CO., INC(2026)															9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*	6.0*	3.5*	3.5*	10.0	8.5
(2026)															8.1	7.9	7.7	7.7	7.6	7.5	7.5	7.5	7.4	7.5	7.4	7.4	8.5	8.1
FC125M																												
53090000	71		14.073		17.840	C	1	1	55		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	5.5*			
FOURTH AVE(14.1L)															8.8	8.7	8.5	8.0	8.1	8.0	8.1	7.9	7.7	7.4	7.5	7.0	6.3*	
OXFORD CONSTRUCTION COMPAN(2016)															5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.8	7.1	5.5*
(2016)															6.1*	5.9*	8.6	8.4	8.4	8.2	8.2	8.1	8.0	7.9	7.8	7.6	7.4	7.0
FC95MR																												
53090000	71		13.097		14.073	L	1	7	35		CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			
THIRTEENTH AVE(13.2C)															7.5	7.1	7.4	8.1	8.2	8.2	8.1	7.9	7.9	8.2	8.2	8.2	8.1	
ANDERSON COLUMBIA CO., INC(2026)															9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*	6.0*	3.5*	3.0*	10.0	8.5
(2026)															8.1	7.9	7.7	7.7	7.6	7.5	7.5	7.5	7.4	7.1	7.2	7.1	8.4	8.0
FC125M																												
53110000	276		6.555		7.572	R	1	1	45		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0			
CR 167( 6.6R)															9.1	8.8	8.8	8.3	8.2	8.0	8.2	8.1	8.0	7.9	7.9	7.5	7.4	
ANDERSON COLUMBIA CO., INC(2021)															9.0	8.0	8.0	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.4	8.0
(2021)															7.8	7.4	7.5	7.4	7.3	6.9	6.9	8.2	8.2	8.1	8.1	8.0	7.9	7.5
FC95MR																												
53110000	276		7.572		9.950	C	1	1	45		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.0	8.0	8.0	8.0			
MASHBURN RD( 7.8C)															8.9	8.7	8.4	8.2	8.1	7.9	7.6	7.3	7.2	7.4	6.9	6.9	7.4	
(2021)															8.0	8.0	7.0	7.0	6.0*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.3	8.0
FC95MR															6.8	7.2	7.4	7.4	7.2	7.1	7.1	8.3	8.3	8.2	8.2	8.1	8.1	7.7
CRACKING RIDE																												
53110000	276		6.555		7.572	L	1	1	45		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5			
NEW HOPE RD( 6.7L)															8.8	8.7	8.6	8.2	8.1	7.8	8.2	8.1	7.9	8.1	8.0	7.9	7.9	
ANDERSON COLUMBIA CO., INC(2021)															9.5	8.0	8.0	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.6	8.0
(2021)															7.6	7.6	7.3	7.2	7.2	7.0	6.9	8.2	8.1	8.1	8.1	8.0	8.0	7.6
FC95MR																												
53120000	73		0.000		15.793	C	1	1	55		CRACKING	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0			
HASTY POND RD( 1.5L)															9.0	8.8	8.7	8.2	8.3	8.1	8.0	8.1	7.9	7.7	7.6	7.6	7.3	7.0
ANDERSON COLUMBIA CO., INC(2018)															7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.3	6.5
(2018)															6.8	6.5	7.1		8.4	8.3	8.2	7.8	7.7	7.6	7.2	6.9	6.8	6.4*
FC95MR																												

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JACKSON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT	(MP)	(SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
53120000	15.793	17.591	C	1	1	35	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	
166			2	3.3		8900	RIDE	7.7		8.3	7.9	7.9	7.8	7.8	7.9	7.5	7.4	7.3	7.3	7.1		
FRANKLIN ST(15.9C)							FC95MR															
			(2015)				CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	7.0	5.0*	
							RIDE	7.3	8.2	7.8	7.6	7.4	7.4	7.2	7.1	6.8	6.9	6.9	6.6	6.6	6.2	
53120000	17.591	21.173	C	1	1	55	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0		
166			2	7.7		4800	RIDE	7.7		8.3	7.9	7.9	7.8	7.8	8.0	7.5	7.4	7.3	7.3	7.1		
LODGE DR(17.9R)							FC95MR															
2193851	17.614	20.860	C	2001	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	4.3*	4.0*	1.5*	
ANDERSON COLUMBIA CO., INC(2003)							SPRIDE	7.3	7.4	7.2	7.1	7.0	6.9	7.0	6.9	6.9	6.9	6.8	6.8	6.7	6.3*	
4397381	17.470	21.173	C	2025	0012																	
53130000	0.000	3.373	C	1	1	55	CRACKING	10.0	9.0	9.0	8.5	7.0	7.0	7.0	5.5*	5.5*	3.5*		10.0	10.0		
69			2	17.6		2000	RIDE	8.6	8.3	8.2	7.8	7.5	7.5	7.4	7.3	7.2	6.9		8.6	8.5		
BONE YARD RD( 0.8R)							FC95MR															
4192941	0.000	3.373	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	7.8	6.0*	
ANDERSON COLUMBIA CO., INC(2012)							SPRIDE	8.5	8.3	8.3	8.2	8.2	8.1	8.0	7.9	7.7	7.7	7.6	7.4	7.3	6.9	
4546191	0.000	8.432	C	2028	0012																	
53130000	3.373	4.210	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	7.0	7.0		10.0	10.0		
69			1	17.6		2700	RIDE	8.8	8.6	8.3	7.9	7.8	7.7	7.5	7.4	7.5	7.2		8.6	8.5		
CHIPS DR( 4.0R)							FC95MR															
4192941	3.374	4.209	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.9	7.5	5.5*	
ANDERSON COLUMBIA CO., INC(2012)							SPRIDE	8.5	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.6	7.5	7.1	
4546191	0.000	8.432	C	2028	0012																	
53130000	4.210	8.555	C	1	1	55	CRACKING	10.0	9.0	9.0	8.5	7.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0		
69			2	17.6		2700	RIDE	8.7	8.4	8.0	7.8	7.6	7.6	7.7	7.6	7.3	7.1		8.2	8.3		
BRUSHEY POND RD( 5.3C)							FC95MR															
4192941	4.210	8.555	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.3	7.0	5.0*	
ANDERSON COLUMBIA CO., INC(2012)							SPRIDE	8.2	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.6	7.4	7.4	7.3	7.1	6.7	
4546191	0.000	8.432	C	2028	0012																	
53130000	8.555	24.069	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*		
69			2	9.4		2200	RIDE	8.8	8.7	8.6	8.3	8.3	8.2	7.7	8.3	8.2	8.0	8.0	8.0	7.9		
PARK ST( 8.6R)							FC95MR															
4230661	8.564	24.062	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.5	7.0	5.2*	3.5*	
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	8.9	8.8	8.6	8.5	8.3	8.2	8.0	7.8	7.6	7.5	7.3	7.1	7.0	6.6	
4566061	8.432	24.069	C	2029	0012																	
53130000	3.373	4.210	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5		10.0	10.0		
69			1	17.6		2700	RIDE	8.4	8.5	8.3	7.4	7.7	7.6	7.6	7.6	7.2	6.8		8.4	8.3		
							FC95MR															
4192941	3.374	4.209	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.5	5.1*	3.0*	
ANDERSON COLUMBIA CO., INC(2012)							SPRIDE	8.3	8.1	7.9	7.8	7.7	7.6	7.5	7.3	7.2	7.1	6.9	6.8	6.8	6.4	
4546191	0.000	8.432	C	2028	0012																	
53220000	0.000	10.709	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0		
273			2	16.7		3700	RIDE	8.6	8.4	8.4	8.2	8.1	8.1	8.2	8.2	8.0	8.0	8.0	8.0	7.9		
CR 164( 0.5C)							FC95MR															
4397241	0.000	10.687	C	2020	0012	CRACKING	8.0	8.0	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.5		
ANDERSON COLUMBIA CO., INC(2022)							SPRIDE	7.9	7.8	7.7	7.5	7.5	7.4	7.4	8.4	8.3	8.4	8.3	8.3	7.9		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).