

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JEFFERSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
54001000	0.000	5.000	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0
8 I10	215.8	220.8	2	28.3		32000	RIDE		8.9	8.5	8.1	7.9	7.8	7.8	7.1	7.5	8.0	7.9	7.8	7.7	
							FC5M														
4327391	2.244	5.000	C	2016		0012	CRACKING	8.0	8.0	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.1	7.0	5.0*
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	7.6	7.3	7.9		8.9	8.9	8.8	8.9	8.9	8.8	8.7	8.6	8.6	8.5
54001000	5.000	9.993	R	4	1	70	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
8 I10	220.8	225.8	2	28.3		32000	RIDE	8.6	9.1	9.0	8.6	8.5	8.4	8.5	7.8	8.3	8.4	8.3	8.2	8.2	
							FC5M														
4439731	5.677	9.272	C	2022		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	10.0	9.4	10.0	8.5
ANDERSON COLUMBIA CO., INC(2024)							SPRIDE	8.3	7.8	8.2	8.1	8.4	8.4	8.3	8.4	8.3	8.3	9.0	8.9	9.0	8.9
54001000	9.993	19.487	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	8.5	
8 I10	225.8	235.3	2	31.5		28500	RIDE		9.1	8.8	8.3	8.2	8.2	8.2	7.6	7.9	8.1	7.7	8.0	7.8	
							FC5M														
4325701	11.504	17.059	C	2016		0012	CRACKING	9.0	8.0	8.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.3	5.5*
PREFERRED MATERIALS, INC. (2018)							SPRIDE	7.9	7.6	7.9		8.7	8.6	8.6	8.7	8.6	8.6	8.6	8.5	8.5	8.4
54001000	9.993	19.487	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0
8 I10	225.8	235.3	2	31.5		28500	RIDE		9.0	8.7	8.4	8.3	8.1	8.2	8.0	8.0	8.1	8.0	7.8	7.7	
							FC5M														
4325701	11.504	17.059	C	2016		0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	8.0	6.0*
PREFERRED MATERIALS, INC. (2018)							SPRIDE	7.8	7.4	7.9		8.8	8.7	8.7	8.7	8.7	8.7	8.7	8.6	8.6	8.5
54001000	5.000	9.993	L	4	1	70	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
8 I10	220.8	225.8	2	28.3		32000	RIDE	8.6	9.1	9.0	8.6	8.5	8.0	8.4	8.3	8.2	8.3	8.2	8.2	8.2	8.2
							FC5M														
4439731	5.677	9.272	C	2022		0012	CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	8.5
ANDERSON COLUMBIA CO., INC(2024)							SPRIDE	8.2	7.8	8.3	8.2	8.4	8.4	8.4	8.4	8.4	8.3	9.0	8.9	8.9	8.8
54001000	0.000	5.000	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	
8 I10	215.8	220.8	2	28.3		32000	RIDE		9.0	8.5	8.1	7.7	7.8	7.7	7.5	7.3	7.8	7.7	7.4	7.4	
							FC5M														
4327391	2.244	5.000	C	2016		0012	CRACKING	9.0	8.0	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.4	7.5	5.5*
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	7.4	6.9	7.7		8.9	8.9	8.9	8.9	8.8	8.7	8.7	8.7	8.6	8.5
54010000	0.000	0.630	C	1	1	55	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	5.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0
10 90			2	6.6		5000	RIDE	8.4	8.3	8.0	7.7	7.5	7.7	7.4	7.4	8.7	8.8	8.7	8.7	8.7	8.6
							FC95MR														
LITTLE EGYPT PLANTATION(0.3R)																					
4325521	0.000	0.630	C	2017		0012	CRACKING	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.9	7.0
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	8.6	8.5	8.4	8.3	9.2	8.9	8.7	8.6	8.5	8.5	8.4	8.5	8.4	8.0
54010000	3.688	9.992	C	1	1	55	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	
10 90			2	9.2		4500	RIDE	8.8	8.8	8.6	8.4	8.3	8.3	8.2	8.2	8.2	8.1	7.7	7.9	7.8	
							FC95MR														
SIDE ROAD(5.0R)																					
							CRACKING	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.0
							RIDE	7.9	7.2	7.6	7.7	8.6	8.5	8.4	8.2	8.0	7.9	7.7	7.5	7.4	7.0
54010000	9.992	10.408	C	1	1	25	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
10 90			2	12.4		5400	RIDE	6.3*	6.4	8.3	7.3	7.3	7.0	7.4	7.1	6.7	7.1	6.4	6.6	6.8	
							FC95MR														
HICKORY ST N(10.2R)																					
4397291	10.086	10.326	C	2020		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	9.5	8.5	7.0
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	6.7	6.0	6.6	6.7	6.7	6.5	6.3	6.3	5.8	7.4	7.4	7.3	7.2	6.8
54010000	10.408	10.800	C	1	1	35	CRACKING	3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
10 90			2	12.4		7200	RIDE	6.3*	6.4	8.4	8.1	6.7	7.2	6.9	7.1	7.7	7.8	7.6	7.4	7.4	
							FC95MR														
US-19/SR-57(10.4R)																					
4397291	10.463	10.790	C	2020		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	8.5	7.9	6.5
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	7.5	6.4										7.5	6.7	6.9
54010000	10.800	11.600	R	1	1	35	CRACKING	9.5	6.5	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
10 90			1	12.4		7200	RIDE	8.1	8.3	8.5	7.9	8.4	8.3	7.9	7.8	8.1	8.0	7.5	7.5	7.5	
							FC95MR														
MLK AVE(10.8R)																					
4397291	10.790	11.447	C	2020		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	7.2	6.9	7.1	6.8	6.8	6.5	6.7	6.2	5.8	8.1	8.0	7.9	7.8	7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JEFFERSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
54010000	11.600	19.903	C	1	1	55	CRACKING	5.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
10 90				2	10.1		2700 RIDE	7.9	8.0	8.8	8.4	8.3	8.1	8.1	7.8	7.7	7.8	7.7	7.6	7.6	
BARNHART(12.0R)																					
4397291	15.709	19.903	C	2020			0012 CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	9.6	8.0
C. W. ROBERTS CONTRACTING,(2021) SPRIDE																					
54010000	10.800	11.600	L	1	1	35	CRACKING	9.5	6.5	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
10 90				1	12.4		7200 RIDE	8.1	8.3	8.5	7.9	8.4	8.3	7.9	7.8	8.1	8.0	8.0	7.5	7.5	7.5
M L KING AVE(10.8L)																					
4397291	10.790	11.447	C	2020			0012 CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING,(2023) SPRIDE																					
54020000	0.000	7.120	R	1	1	65	CRACKING	10.0	9.5	9.5	9.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5
20 27				2	15.6		5600 RIDE	8.7	9.1	8.7	8.3	8.2	8.0	8.0	8.1	8.2	8.2	8.1	8.2	8.1	8.1
CODY CHURCH(0.9R)																					
4415431	0.736	7.108	C	2021			0012 CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	10.0	10.0	10.0	9.6	10.0	8.0
ANDERSON COLUMBIA CO., INC(2022) SPRIDE																					
54020000	7.120	7.687	R	1	1	55	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*
20 27				2	15.6		5600 RIDE	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7	7.5	
ST AUGUSTINE RD(7.3R)																					
4230811	7.120	9.864	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.5	4.5*
PEAVY & SON CONSTRUCTION C(2014) SPRIDE																					
4529411	7.108	9.846	C	2027			0012	8.3	8.6	8.1	8.1	8.4	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.2	7.8
54020000	7.687	9.858	R	1	1	65	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*
20 27				2	13.7		6200 RIDE	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7	7.5	
KAPTAIN DR(7.8R)																					
4230811	7.120	9.864	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	4.5*	0.5*
PEAVY & SON CONSTRUCTION C(2014) SPRIDE																					
4529411	7.108	9.846	C	2027			0012	8.5	8.3	8.6	8.5	8.7	8.7	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.3
54020000	9.858	10.111	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*
20 27				2	13.7		6200 RIDE	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7	7.5	
FC95MR																					
4230812	9.864	10.029	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.0	6.3*	4.5*
PEAVY & SON CONSTRUCTION C(2014) SPRIDE																					
4529412	9.846	16.938	C	2029			0012	8.6	8.4	7.9	7.7	8.1	8.0	8.0	7.9	7.7	7.7	7.7	7.9	7.9	7.5
54020000	10.111	16.038	R	1	1	65	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*
20 19				2	13.5		6594 RIDE	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7	7.5	
FC5M																					
4230812	10.029	16.038	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	5.5*	1.5*
PEAVY & SON CONSTRUCTION C(2014) SPRIDE																					
4529412	9.846	16.938	C	2029			0012	8.5	8.2	8.6	8.6	8.9	8.8	8.8	8.8	8.7	8.8	8.8	8.7	8.7	8.5
54020000	16.038	17.036	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	
20 19				2	10.2		5800 RIDE	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	8.1	8.0	
FC5M																					
4216381	16.028	16.936	C	2011			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	5.1*	1.0*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4529412	9.846	16.938	C	2029			0012	8.1	7.8	8.1	8.1	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	8.1	7.9
54020000	16.038	17.036	L	1	1	45	CRACKING	9.5	9.5	9.5	9.0	7.5	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	
20 19				2	10.2		5800 RIDE	8.9	8.9	8.7	8.3	7.7	7.6	7.1	7.2	7.1	7.0	6.7	8.2	8.1	
FC5M																					
4216381	16.028	16.936	C	2011			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	2.5*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4529412	9.846	16.938	C	2029			0012	8.0	7.8	8.1	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.0	7.8
54020000	10.111	16.038	L	1	1	65	CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
20 19				2	13.5		6594 RIDE	8.9	8.9	8.7	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.0	7.9	
FC5M																					
4230812	10.029	16.038	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	3.5*
PEAVY & SON CONSTRUCTION C(2014) SPRIDE																					
4529412	9.846	16.938	C	2029			0012	8.6	8.4	8.7	8.7	9.0	9.0	8.9	8.9	8.9	8.9	8.9	8.8	8.7	8.5
54020000	9.858	10.111	L	1	1	45	CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
20 27				2	13.7		6200 RIDE	8.9	8.9	8.7	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.0	7.9	
FC95MR																					
4230812	9.864	10.029	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	6.3*	4.5*
PEAVY & SON CONSTRUCTION C(2014) SPRIDE																					
4529412	9.846	16.938	C	2029			0012	8.6	8.0	7.8	7.6	8.3	8.2	8.1	7.8	8.0	7.5	7.5	7.6	7.5	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JEFFERSON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
54020000	7.687	9.858	L	1	1	65	CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
20 27			2	13.7		6200	RIDE	8.9	8.9	8.7	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.0	7.9	
							FC5M														
4230811	7.120	9.864	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.4*	6.5	2.5*
PEAVY & SON CONSTRUCTION (2014)							SPRIDE	8.6	8.4	8.6	8.6	8.9	8.8	8.8	8.8	8.8	8.9	8.7	8.8	8.7	8.5
4529411	7.108	9.846	C	2027		0012															
54020000	7.120	7.687	L	1	1	55	CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
20 27			2	15.6		5600	RIDE	8.9	8.9	8.7	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.0	7.9	
							FC95MR														
4230811	7.120	9.864	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.0*	5.8*	3.5*	1.5*
PEAVY & SON CONSTRUCTION (2014)							SPRIDE	8.7	8.5	8.1	7.9	8.4	8.4	8.3	8.3	8.1	8.3	8.2	8.2	8.1	7.7
4529411	7.108	9.846	C	2027		0012															
54020000	0.000	7.120	L	1	1	65	CRACKING	8.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.5	8.5	
20 27			2	15.6		5600	RIDE	8.7	8.5	8.0	7.5	7.3	7.0	6.9	8.1	8.0	7.8	7.6	7.5	7.0	
							FC5M														
4415431	0.736	7.108	C	2021		0012	CRACKING	8.5	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0	9.7	10.0	8.5
ANDERSON COLUMBIA CO., INC (2023)							SPRIDE	7.5	7.2	7.8	7.8	7.9	7.8	7.8	7.7		8.5	8.4	8.5	8.4	8.2
54030000	0.000	8.811	R	1	1	65	CRACKING	8.0	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.5	
57 19			2	17.6		6000	RIDE	8.1	8.1	7.9	7.8	8.1	7.9	8.0	7.9	8.0	8.0	7.9	7.8	7.7	
							FC5M														
4377441	0.009	6.256	R	2019		0012	CRACKING	7.5	7.5	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.6	9.2	7.0
C. W. ROBERTS CONTRACTING, (2021)							SPRIDE	7.7	7.3	7.8	7.7	7.9	7.8		8.8	8.7	8.8	8.8	8.8	8.7	8.5
54030000	8.811	9.170	R	1	1	35	CRACKING	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
57 19			4	17.6		9800	RIDE	6.1*	5.8	5.4*	6.9	7.2	6.7	7.1	6.8	6.7	6.8	6.9	6.5	6.7	
							FC125														
2194481	4.944	10.883	C	2002		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.5	6.3*	4.0*
PEAVY & SON CONSTRUCTION (2004)							SPRIDE	6.8	6.1	6.4	6.3	6.6	6.3	6.4	6.7	7.0	6.8	7.2	6.6	6.7	6.3
4546431	8.811	9.714	C	2028		0012															
54030000	9.170	9.714	C	1	1	35	CRACKING	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
57 19			4	17.6		11300	RIDE	6.1*	5.8	5.4*	6.9	7.2	6.7	7.1	6.8	6.7	6.8	6.9	6.5	6.7	
							FC125														
2194481	4.944	10.883	C	2002		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.5	6.3*	4.0*
PEAVY & SON CONSTRUCTION (2004)							SPRIDE	6.8	6.1	6.4	6.3	6.6	6.3	6.4	6.7	7.0	6.8	7.2	6.6	6.9	6.5
4546431	8.811	9.714	C	2028		0012															
54030000	9.714	9.767	C	1	6	25	CRACKING							10.0	10.0	10.0					
57 19			2	17.6		6500	RIDE							7.1	6.8	6.7					
							FC125														
US-90/SR-10/WASHINGT(9.7R)							CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	10.0	9.5	8.0
(2025)							RIDE		5.0*												
54030000	9.767	10.080	C	1	1	25	CRACKING	9.0	7.5	7.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
57 19			2	17.6		6500	RIDE					6.9	7.0	7.2	6.6	7.2	6.8	6.6	6.5	6.4	
							FC125M														
4377571	9.850	10.096	C	2023		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	5.5*	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025)							RIDE	6.7	5.6	5.6	5.2*	5.5	5.4*	5.3*	5.2*	5.4*	4.8*	5.0*	7.6	7.2	6.8
54030000	10.080	10.874	C	1	1	35	CRACKING	7.5	4.5*	4.5*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
57 19			4	17.6		6500	RIDE	6.7	6.3	5.1*	7.8	7.4	6.7	7.1	6.9	6.5	6.8	6.4	6.1	6.2	
							FC125M														
4377571	10.096	10.893	C	2023		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025)							RIDE	6.0	5.8	6.6	6.3	6.6	6.3	6.4	6.3	6.2	6.4	6.3	8.2	8.1	7.7
54030000	10.874	18.076	R	1	1	65	CRACKING	7.0	7.0	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
57 19			2	17.6		4600	RIDE	8.4	8.3	8.0	7.0		8.4	8.5	8.3	8.4	8.4	8.4	8.3	8.3	
							FC5M														
CR-149/BOSTON HWY(10.9R)							CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	4.5*	4.5*		10.0	10.0	8.5
4377571	10.893	18.076	R	2023		0012	RIDE	8.4	8.2	8.4	8.3	8.5	8.5	8.5	8.4	8.4	8.4		9.0	8.9	8.7
C. W. ROBERTS CONTRACTING, (2025)																					
54030000	10.874	18.076	L	1	1	65	CRACKING	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
57 19			2	17.6		4600	RIDE	8.1	8.2	7.7	6.7		8.5	8.5	8.3	8.4	8.4	8.3	8.2	8.3	
							FC5M														
BOSTON HWY(10.9L)							CRACKING	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5	4.5*	4.5*		10.0	10.0	8.5
4377571	10.893	18.076	L	2023		0012	RIDE	8.3	8.0	8.4	8.3	8.5	8.4	8.4	8.3	8.3	8.3		9.1	8.9	8.7
C. W. ROBERTS CONTRACTING, (2025)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = JEFFERSON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE															
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
CONTRACTOR																						
ITMSEG-F																						
54030000	0.000	8.811	L	1	1	65	CRACKING	8.0	7.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0		
57 19				2	17.6		6000 RIDE	8.4	8.4	8.0	8.0	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.0	8.0		
SR 20(0.0C)							FC5M															
4377441	0.009	6.257	L	2019			0012 CRACKING	9.0	9.0	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.3	7.0	
C. W. ROBERTS CONTRACTING, (2021)							SPRIDE	7.9	7.7	7.9	7.8	8.1	8.0		9.0	8.9	9.0	9.0	9.0	8.9	8.9	8.7
54040000	0.000	6.002	C	1	1	60	CRACKING	9.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0		
55 221				2	28.3		750 RIDE	7.9	7.9	8.7	8.5	8.4	8.4	8.4	7.8	8.3	8.2	8.2	8.1	7.9		
BAILEY RD(0.9R)							FC95MR															
4415441	0.000	6.002	C	2021			0012 CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	8.5	
ANDERSON COLUMBIA CO., INC(2023)							SPRIDE	8.0	7.5	7.7	7.8	7.8	7.7	7.7	7.5	7.4	8.6	8.2	7.9	7.8	7.4	
54060000	0.000	3.877	C	1	1	55	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5	6.5		
59				2	22.6		1250 RIDE	8.5	8.5	8.0	8.0	7.9	7.8	7.8	7.3	7.5	7.4	7.4	7.1	7.0		
CR-259/WAUKEENAH HWY(0.0R)							FC95MR															
4307921	0.000	3.877	C	2016			0012 CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.4	5.5*	
C. W. ROBERTS CONTRACTING, (2017)							RIDE	7.3	6.7	6.9	8.2	8.6	8.2	8.1	7.7	7.7	7.7	7.6	7.6	7.3	6.9	
54060000	3.877	8.927	C	1	1	55	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5			
59				2	14.7		1504 RIDE	8.3	8.1	8.0	7.9	7.8	7.7	7.7	7.5	7.6	7.5	7.5	7.3			
BARRINGTON RD(5.7R)							FC95MR															
4246081	3.899	8.710	C	2012			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5	6.5	4.5*	
PREFERRED MATERIALS, INC. (2014)							SPRIDE	8.3	7.7	7.8	7.7	7.9	7.9	7.9	7.8	7.6	7.8	7.7	7.6	7.6	7.2	
4546241	3.877	12.034	C	2028			0012															
54060000	8.927	9.332	C	1	1	35	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5			
59				2	13.4		4200 RIDE	8.3	8.1	8.0	7.9	7.8	7.7	8.0	7.8	7.8	7.8	7.7	7.6			
BOND ST(9.0C)							FC95MR															
4246081	8.750	9.325	C	2012			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	5.0*	
PREFERRED MATERIALS, INC. (2014)							RIDE	8.6	8.5	7.9	7.9	8.3	8.1	8.2	8.1	7.9	7.9	8.0	8.0	7.7	7.3	
4546241	3.877	12.034	C	2028			0012															
54060000	9.332	9.964	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5			
59				1	13.4		4200 RIDE	8.3	8.2	7.9	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.5			
							FC95MR															
4246081	9.325	9.964	C	2012			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	6.0*	3.2*	1.5*	
PREFERRED MATERIALS, INC. (2014)							RIDE	8.8	8.6	8.0	7.9	8.0	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.2	
4546241	3.877	12.034	C	2028			0012															
54060000	9.964	12.034	C	1	1	55	CRACKING	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
59				2	14.7		1400 RIDE	5.4*	5.4*		8.4	8.4	8.3	8.4	8.1	8.3	8.1	8.3	8.1	8.1		
HERITAGE BLVD(10.1L)							FC125															
4039531	9.972	11.995	C	2003			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.0*	3.5*	
MITCHELL BROTHERS, INC. (2004)							SPRIDE	8.3	8.2	7.7	7.7	7.9	7.8	7.9	7.8	7.6	7.9	7.7	7.7	7.8	7.7	
4546241	3.877	12.034	C	2028			0012															
54060000	9.332	9.964	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.3*	4.5*
59				1	13.4		4200 RIDE	6.8	8.4	8.3	7.4	6.8	6.9	7.1	7.3	7.2	7.5	7.6	7.6	7.4		
JEFFERSON RD(9.9L)							FC95MR															
4246081	9.325	9.964	C	2012			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.3*	4.5*	
PREFERRED MATERIALS, INC. (2014)							RIDE	8.9	8.7											7.1	6.7	
4546241	3.877	12.034	C	2028			0012															
54090000	0.000	13.050	C	1	1	55	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0		
59				2	30.0		1050 RIDE		8.6	8.3	8.3	8.3	8.3	8.2	7.5	7.3	8.4	8.3	8.3	8.2		
SR 30(0.0C)							FC125															
2194431	0.000	13.769	C	2000			0012 CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	6.8	4.5*	
WHITE CONSTRUCTION CO INC (2002)							SPRIDE	8.3	8.0	7.9	7.9	8.0	8.0	7.9	7.9	7.8	7.9	7.9	7.9	7.9	7.5	
4531521	0.000	13.774	C	2027			0012															
54090000	13.050	13.774	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0			
59				2	30.0		1050 RIDE		8.3	7.8	7.8	8.0	7.8	8.0	7.8	7.7	7.9	7.9	7.8	7.9		
CR 59(13.1R)							FC125															
2194431	0.000	13.769	C	2000			0012 CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	4.5*	
WHITE CONSTRUCTION CO INC (2002)							SPRIDE	8.0	7.9	7.1	7.4	7.4	7.4	7.5	7.5	7.4	7.5	7.6	7.6	7.2	6.8	
4531521	0.000	13.774	C	2027			0012															
54110000	0.000	7.412	C	1	1	60	CRACKING	9.5	9.5	8.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		
30 98				2	36.8		2000 RIDE	8.8	8.5	8.3	7.9	7.8	7.7	7.4	6.8	7.1	7.2	8.6	8.6	8.1		
GAMBLE RD(1.6L)							FC125M															
4192951	0.000	7.409	C																			