

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = JEFFERSON																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====																		
ITMSEG-P	(AGE_ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)				
54001000	0.000	5.000	R	4	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
8 I10	215.8	220.8	2	34.8	1	27000	RIDE			8.9	8.5	8.1	7.9	7.8	7.8	7.1	7.5	8.0	7.9	7.8					
					FC5M																				
4327391	2.244	5.000	C	2016	0012		CRACKING	8.0	8.0	8.0	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.1	5.0*				
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	7.7	7.6	7.3	7.9		8.9	8.9	8.8	8.9	8.9	8.8	8.7	8.6	8.5				
54001000	5.000	9.993	R	4	1	70	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
8 I10	220.8	225.8	2	34.8	1	27000	RIDE	8.7	8.6	9.1	9.0	8.6	8.5	8.4	8.5	7.8	8.3	8.4	8.3	8.2					
					FC5M																				
4439731	5.677	9.272	C	2022	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	10.0	9.4	8.5				
ANDERSON COLUMBIA CO., INC(2024)							SPRIDE	8.2	8.3	7.8	8.2	8.1	8.4	8.4	8.3	8.4	8.3	8.3	9.0	8.9	8.8				
54001000	9.993	19.487	R	4	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5					
8 I10	225.8	235.3	2	12.0	1	34500	RIDE			9.1	8.8	8.3	8.2	8.2	8.2	7.6	7.9	8.1	7.7	8.0					
					FC5M																				
4325701	11.504	17.059	C	2016	0012		CRACKING	8.5	9.0	8.0	8.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	6.0*				
PREFERRED MATERIALS, INC. (2018)							SPRIDE	7.8	7.9	7.6	7.9		8.7	8.6	8.6	8.7	8.6	8.6	8.6	8.5	8.4				
54001000	9.993	19.487	L	4	1	70	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0					
8 I10	225.8	235.3	2	12.0	1	34500	RIDE			9.0	8.7	8.4	8.3	8.1	8.2	8.0	8.0	8.1	8.0	7.8					
					FC5M																				
4325701	11.504	17.059	C	2016	0012		CRACKING	7.0	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	6.5				
PREFERRED MATERIALS, INC. (2018)							SPRIDE	7.7	7.8	7.4	7.9		8.8	8.7	8.7	8.7	8.7	8.7	8.7	8.6	8.5				
54001000	5.000	9.993	L	4	1	70	CRACKING	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0					
8 I10	220.8	225.8	2	34.8	1	27000	RIDE	8.5	8.6	9.1	9.0	8.6	8.5	8.0	8.4	8.3	8.2	8.3	8.2	8.2					
					FC5M																				
4439731	5.677	9.272	C	2022	0012		CRACKING	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	9.0				
ANDERSON COLUMBIA CO., INC(2024)							SPRIDE	8.2	8.2	7.8	8.3	8.2	8.4	8.4	8.4	8.4	8.4	8.3	9.0	8.9	8.8				
54001000	0.000	5.000	L	4	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
8 I10	215.8	220.8	2	34.8	1	27000	RIDE			9.0	8.5	8.1	7.7	7.8	7.7	7.5	7.3	7.8	7.7	7.4					
					FC5M																				
4327391	2.244	5.000	C	2016	0012		CRACKING	9.0	9.0	8.0	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.4	5.5*				
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	7.4	7.4	6.9	7.7		8.9	8.9	8.9	8.9	8.8	8.7	8.7	8.7	8.6				
54010000	0.000	0.630	C	1	1	55	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	7.0	5.5*	4.0*	10.0	10.0	10.0	10.0					
10 90			2	9.2	1	4900	RIDE	8.4	8.4	8.3	8.0	7.7	7.5	7.7	7.4	7.4	8.7	8.8	8.7	8.7					
					FC95MR																				
LITTLE EGYPT PLANTATION(0.3R)							0012																		
4325521	0.000	0.630	C	2017	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.0				
C. W. ROBERTS CONTRACTING, (2018)							SPRIDE	8.6	8.6	8.5	8.4	8.3	9.2	8.9	8.7	8.6	8.5	8.5	8.4	8.5	8.1				
54010000	3.688	9.992	C	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0					
10 90			2	9.2	1	4300	RIDE	8.8	8.8	8.8	8.6	8.4	8.3	8.3	8.2	8.2	8.2	8.1	7.7	7.9					
					FC95MR																				
SIDE ROAD(5.0R)							CRACKING	7.0	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.0				
							RIDE	7.8	7.9	7.2	7.6	7.7	8.6	8.5	8.4	8.2	8.0	7.9	7.7	7.5	7.1				
54010000	9.992	10.408	C	1	1	25	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0					
10 90			2	9.9	1	5100	RIDE	6.7	6.3*	6.4	8.3	7.3	7.3	7.0	7.4	7.1	6.7	7.1	6.4	6.6					
					FC95MR																				
HICKORY ST N(10.2R)							0012																		
4397291	10.086	10.326	C	2020	0012		CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	9.5	8.0				
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	6.8	6.7	6.0	6.6	6.7	6.7	6.5	6.3	6.3	5.8	7.4	7.4	7.3	6.9				
54010000	10.408	10.800	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0					
10 90			2	9.9	1	7000	RIDE	6.7	6.3*	6.4	8.4	8.1	6.7	7.2	6.9	7.1	7.7	7.8	7.6	7.4					
					FC95MR																				
US-19/SR-57(10.4R)							0012																		
4397291	10.463	10.790	C	2020	0012		CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	8.5	7.0				
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	7.4	7.5	6.4															
54010000	10.800	11.600	R	1	1	35	CRACKING	9.5	9.5	6.5	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0					
10 90			1	9.9	1	7000	RIDE	7.2	8.1	8.3	8.5	7.9	8.4	8.3	7.9	7.8	8.1	8.0	7.5	7.5					
					FC95MR																				
MLK AVE(10.8R)							0012																		
4397291	10.790	11.447	C	2020	0012		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	8.5				
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	7.5	7.2	6.9	7.1	6.8	6.8	6.5	6.7	6.2	5.8	8.1	8.0	7.9	7.5				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = JEFFERSON																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKMX-P		=====																
ITMSEG-P	(AGE ONE YEAR)				ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)		
CONTRACTOR	ITMSEG-F	W BMP	W_EMP	RW	FY-F	WKMX-F																	
54010000	11.600	19.903	C	1	1 55	CRACKING		5.5*	5.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
10 90			2	10.1	2700	RIDE		8.0	7.9	8.0	8.8	8.4	8.3	8.1	8.1	7.8	7.7	7.8	7.7	7.6			
BARNHART(12.0R)					FC95MR																		
4397291	15.709	19.903	C	2020	0012	CRACKING		8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	8.5		
C. W. ROBERTS CONTRACTING,(2021)					SPRIDE			7.6	7.8	7.4	7.6	7.6	7.7	7.6	7.5	8.4	8.4	8.6	8.4	8.3	7.9		
54010000	10.800	11.600	L	1	1 35	CRACKING		9.5	9.5	6.5	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0			
10 90			1	9.9	7000	RIDE		7.2	8.1	8.3	8.5	7.9	8.4	8.3	7.9	7.8	8.1	8.0	7.5	7.5			
M L KING AVE(10.8L)					FC95MR																		
4397291	10.790	11.447	C	2020	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	8.5		
C. W. ROBERTS CONTRACTING,(2023)					SPRIDE			7.5	7.2	6.9	7.1	6.8	6.8	6.5	6.7	6.2	5.8	8.1	8.0	7.9	7.5		
54020000	0.000	7.120	R	1	1 65	CRACKING		10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0			
20 27			2	16.1	5400	RIDE		8.9	8.7	9.1	8.7	8.3	8.2	8.0	8.0	8.1	8.2	8.2	8.1	8.2			
CODY CHURCH(0.9R)					FC5M																		
4415431	0.736	7.108	C	2021	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	10.0	10.0	10.0	9.6	8.0		
ANDERSON COLUMBIA CO., INC(2022)					SPRIDE			8.1	8.2	8.1	8.4	8.4	8.6	8.5	8.5	8.5	8.9	8.9	8.9	8.8	8.6		
54020000	7.120	7.687	R	1	1 55	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*			
20 27			2	16.1	5400	RIDE		8.6	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7			
ST AUGUSTINE RD(7.3R)					FC95MR																		
4230811	7.120	9.864	C	2013	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	5.5*		
PEAVY & SON CONSTRUCTION C(2014)					SPRIDE			7.5	8.3	8.6	8.1	8.1	8.4	8.4	8.4	8.3	8.3	8.4	8.3	8.3	7.9		
4529411	7.108	9.846	C	2027	0012																		
54020000	7.687	9.858	R	1	1 65	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*			
20 27			2	13.4	6000	RIDE		8.6	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7			
KAPTAIN DR(7.8R)					FC5M																		
4230811	7.120	9.864	C	2013	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	2.0*		
PEAVY & SON CONSTRUCTION C(2014)					SPRIDE			7.5	8.5	8.3	8.6	8.5	8.7	8.7	8.6	8.6	8.6	8.6	8.5	8.5	8.3		
4529411	7.108	9.846	C	2027	0012																		
54020000	9.858	10.111	R	1	1 45	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*			
20 27			2	13.4	6000	RIDE		8.6	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7			
FC95MR																							
4230812	9.864	10.029	C	2013	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.0	5.0*		
PEAVY & SON CONSTRUCTION C(2014)					SPRIDE			7.5	8.6	8.4	7.9	7.7	8.1	8.0	8.0	7.9	7.7	7.7	7.7	7.9	7.5		
4529412	9.846	16.938	C	2029	0012																		
54020000	10.111	16.038	R	1	1 65	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*			
20 19			2	14.0	6469	RIDE		8.6	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7			
AVALON RD(10.3R)					FC5M																		
4230812	10.029	16.038	C	2013	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	3.0*		
PEAVY & SON CONSTRUCTION C(2014)					SPRIDE			7.5	8.5	8.2	8.6	8.6	8.9	8.8	8.8	8.8	8.7	8.8	8.8	8.7	8.5		
4529412	9.846	16.938	C	2029	0012																		
54020000	16.038	17.036	R	1	1 45	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0			
20 19			2	10.9	6100	RIDE		8.6	8.6	9.0	8.5	8.2	8.2	8.0	8.1	8.0	8.0	7.9	7.8	8.1			
CR 257A(16.4R)					FC5M																		
4216381	16.028	16.936	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	3.0*		
PEAVY & SON CONSTRUCTION C(2012)					SPRIDE			8.0	8.1	7.8	8.1	8.1	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	7.9		
4529412	9.846	16.938	C	2029	0012																		
54020000	16.038	17.036	L	1	1 45	CRACKING		9.5	9.5	9.5	9.5	9.0	7.5	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	10.0			
20 19			2	10.9	6100	RIDE		8.8	8.9	8.9	8.7	8.3	7.7	7.6	7.1	7.2	7.1	7.0	6.7	8.2			
J C LEE RD(16.1L)					FC5M																		
4216381	16.028	16.936	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	3.5*		
PEAVY & SON CONSTRUCTION C(2012)					SPRIDE			8.1	8.0	7.8	8.1	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.1	7.9		
4529412	9.846	16.938	C	2029	0012																		
54020000	10.111	16.038	L	1	1 65	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5			
20 19			2	14.0	6469	RIDE		8.8	8.9	8.9	8.7	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.0			
W P A RD(12.5L)					FC5M																		
4230812	10.029	16.038	C	2013	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	4.0*		
PEAVY & SON CONSTRUCTION C(2014)					SPRIDE			7.9	8.6	8.4	8.7	8.7	9.0	9.0	8.9	8.9	8.9	8.9	8.9	8.8	8.6		
4529412	9.846	16.938	C	2029	0012																		
54020000	9.858	10.111	L	1	1 45	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5			
20 27			2	13.4	6000	RIDE		8.8	8.9	8.9	8.7	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.1	8.0			
RAMP TO US 19(10.0L)					FC95MR																		
4230812	9.864	10.029	C	2013	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	5.0*		
PEAVY & SON CONSTRUCTION C(2014)					SPRIDE			7.9	8.6	8.0	7.8	7.6	8.3	8.2	8.1	7.8	8.0	7.5	7.5	7.6	7.2		
4529412	9.846	16.938	C	2029	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = JEFFERSON																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKM-X-F		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F																						
54020000 20 27	7.687	9.858	L 2	1 13.4	1 65 FC5M	6000	CRACKING RIDE	9.5 8.8	9.5 8.9	9.5 8.9	9.5 8.7	9.0 8.3	9.0 8.3	7.5 8.2	7.5 8.3	6.5 8.1	6.5 8.2	6.5 8.2	6.5 8.1	6.5 8.0		
4230811 PEAVY & SON 4529411	7.120 7.108	9.864 9.846	C 2013 C(2014) C 2027		0012		CRACKING SPRIDE	6.5 7.9	10.0 8.6	10.0 8.4	10.0 8.6	10.0 8.6	10.0 8.9	9.0 8.8	9.0 8.8	9.0 8.8	9.0 8.8	7.5 8.9	7.5 8.7	6.4* 8.8	3.0* 8.6	
54020000 20 27	7.120	7.687	L 2	1 16.1	1 55 FC95MR	5400	CRACKING RIDE	9.5 8.8	9.5 8.9	9.5 8.9	9.5 8.7	9.0 8.3	9.0 8.3	7.5 8.2	7.5 8.3	6.5 8.1	6.5 8.2	6.5 8.2	6.5 8.1	6.5 8.0		
4230811 PEAVY & SON 4529411	7.120 7.108	9.864 9.846	C 2013 C(2014) C 2027		0012		CRACKING SPRIDE	6.5 7.9	10.0 8.7	10.0 8.5	10.0 8.1	10.0 7.9	10.0 8.4	10.0 8.4	10.0 8.3	10.0 8.3	9.5 8.1	9.5 8.3	6.0* 8.2	5.8* 8.2	4.0* 7.8	
54020000 20 27	0.000	7.120	L 2	1 16.1	1 65 FC5M	5400	CRACKING RIDE	9.5 8.5	8.0 8.7	7.0 8.5	6.5 8.0	4.5* 7.5	4.5* 7.3	4.5* 7.0	3.5* 6.9	10.0 8.1	10.0 8.0	10.0 7.8	10.0 7.6	9.5 7.5		
4415431 ANDERSON COLUMBIA CO., INC	0.736	7.108	C 2021 C(2023)		0012		CRACKING SPRIDE	8.5 7.0	8.5 7.5	8.5 7.2	8.5 7.8	7.0 7.8	7.0 7.9	5.5* 7.8	5.5* 7.7			10.0 8.5	10.0 8.4	9.7 8.5	8.0 8.3	
54030000 57 19	0.000	8.811	R 2	1 20.4	1 65 FC5M	5800	CRACKING RIDE	8.0 8.1	8.0 8.1	7.5 8.1	6.5 7.9	10.0 7.8	10.0 8.1	10.0 7.9	10.0 8.0	10.0 7.9	10.0 8.0	9.5 8.0	9.0 7.9	9.0 7.8		
US-19/US-27/SR-20(0.0R) 4377441 C. W. ROBERTS CONTRACTING, (2021)	0.009 0.009	6.256 6.256	R 2019 (2021)		0012		CRACKING SPRIDE	7.5 7.7	7.5 7.7	7.5 7.3	7.5 7.8	6.5 7.7	4.5* 7.9	4.5* 7.8		10.0 8.8	10.0 8.7	10.0 8.8	10.0 8.8	9.6 8.8	7.5 8.6	
54030000 57 19	8.811	9.714	C 4	1 20.4	1 35 FC125	10100	CRACKING RIDE	9.0 6.0*	9.0 6.1*	7.5 5.8	7.5 5.4*	10.0 6.9	10.0 7.2	10.0 6.7	10.0 7.1	10.0 6.8	10.0 6.7	10.0 6.8	10.0 6.9	10.0 6.5		
2194481 PEAVY & SON 4546431	4.944 8.811	10.883 9.714	C 2002 C(2004) C 2028		0012		CRACKING SPRIDE	10.0 6.7	10.0 6.8	10.0 6.1	9.5 6.4	9.5 6.3	9.5 6.6	9.5 6.3	9.5 6.4	9.5 6.7	8.0 7.0	8.0 6.8	7.0 7.2	6.5 6.6	4.0* 6.2	
54030000 57 19	9.714	9.767	C 2	1 20.4	6 25 FC125	6100	CRACKING RIDE								10.0 7.1	10.0 6.8	10.0 6.7					
COURT HOUSE CIR(9.7L) (2025)							CRACKING RIDE			10.0 5.0*	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	10.0	9.0	
54030000 57 19	9.767	10.080	C 2	1 20.4	7 25 FC125M	6100	CRACKING RIDE	9.0 8.0	9.0 6.7	7.5 5.6	7.5 5.6	10.0 5.2*	10.0 5.5	10.0 8.0	10.0 5.4*	9.0 7.0	9.0 7.2	9.0 6.6	9.0 6.6	9.0 6.5		
E DOGWOOD ST(9.8R) 4377571 C. W. ROBERTS CONTRACTING, (2025)	9.850 9.850	10.096 10.096	C 2023 (2025)		0012		CRACKING RIDE	8.0 6.4	8.0 6.7	8.0 5.6	8.0 5.6	8.0 5.2*	8.0 5.5	8.0 5.4*	7.0 5.3*	7.0 5.2*	7.0 5.4*	6.0* 4.8*	5.5* 5.0*	10.0 7.6	9.0 7.2	
54030000 57 19	10.080	10.874	C 4	1 20.4	7 35 FC125M	6100	CRACKING RIDE	7.5 7.1	7.5 6.7	4.5* 6.3	4.5* 5.1*	10.0 7.8	10.0 7.4	9.5 6.7	9.5 7.1	9.5 6.9	9.5 6.5	9.5 6.8	9.5 6.4	9.5 6.1		
BISHOP DR(10.1R) 4377571 C. W. ROBERTS CONTRACTING, (2025)	10.096 10.096	10.893 10.893	C 2023 (2025)		0012		CRACKING RIDE	9.5 6.2	9.5 6.0	9.5 5.8	9.5 6.6	9.5 6.3	9.5 6.6	8.0 6.3	8.0 6.4	8.0 6.3	8.0 6.2	7.0 6.4	6.0* 6.3	10.0 8.2	9.0 7.8	
54030000 57 19	10.874	18.076	R 2	1 20.4	7 65 FC5M	4500	CRACKING RIDE	7.0 8.4	7.0 8.4	7.0 8.3	6.5 8.0	4.5* 7.0		10.0 8.4	10.0 8.5	10.0 8.3	10.0 8.4	10.0 8.4	10.0 8.4	10.0 8.3		
CR-149/BOSTON HWY(10.9R) 4377571 C. W. ROBERTS CONTRACTING, (2025)	10.893 10.893	18.076 18.076	R 2023 (2025)		0012		CRACKING RIDE	9.5 8.3	9.5 8.4	9.5 8.2	9.5 8.4	9.5 8.3	8.0 8.5	8.0 8.5	7.0 8.5	7.0 8.4	4.5* 8.4	4.5* 8.4		10.0 9.0	9.0 8.8	
54030000 57 19	10.874	18.076	L 2	1 20.4	7 65 FC5M	4500	CRACKING RIDE	5.5* 8.2	5.5* 8.1	5.5* 8.2	3.5* 7.7	3.5* 6.7		10.0 8.5	10.0 8.5	10.0 8.3	10.0 8.4	10.0 8.4	9.5 8.3	9.5 8.2		
BOSTON HWY(10.9L) 4377571 C. W. ROBERTS CONTRACTING, (2025)	10.893 10.893	18.076 18.076	L 2023 (2025)		0012		CRACKING RIDE	9.5 8.3	9.5 8.3	9.5 8.0	9.5 8.4	9.5 8.3	8.0 8.5	7.5 8.4	6.5 8.4	6.5 8.3	4.5* 8.3	4.5* 8.3		10.0 9.1	9.0 8.9	
54030000 57 19	0.000	8.811	L 2	1 20.4	1 65 FC5M	5800	CRACKING RIDE	9.5 8.4	8.0 8.4	7.5 8.4	5.5* 8.0	10.0 8.0	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.1	9.5 8.1	9.5 8.1	9.0 8.0		
US-27/SR-20(0.0L) 4377441 C. W. ROBERTS CONTRACTING, (2021)	0.009 0.009	6.257 6.257	L 2019 (2021)		0012		CRACKING SPRIDE	9.0 8.0	9.0 7.9	9.0 7.7	7.5 7.9	6.5 7.8	4.5* 8.1	4.5* 8.0		10.0 9.0	10.0 8.9	10.0 9.0	10.0 9.0	9.5 9.0	7.5 8.8	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = JEFFERSON																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P		=====																		
ITMSEG-P	(AGE ONE YEAR)	ASTYPE						2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)				
ITMSEG-F																									
54040000	0.000	6.002	C	1	1 60	CRACKING		9.0	9.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5					
55 221			2	31.3	800	RIDE		7.9	7.9	7.9	8.7	8.5	8.4	8.4	8.4	7.8	8.3	8.2	8.2	8.1					
BAILEY RD(0.9R)					FC95MR																				
4415441	0.000	6.002	C	2021	0012	CRACKING		8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	8.5			
ANDERSON COLUMBIA CO., INC(2023)					SPRIDE			7.9	8.0	7.5	7.7	7.8	7.8	7.7	7.7	7.5	7.4	8.6	8.2	7.9	7.5				
54060000	0.000	3.877	C	1	1 55	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5				
59			2	22.6	1250	RIDE		8.4	8.5	8.5	8.0	8.0	7.9	7.8	7.8	7.3	7.5	7.4	7.4	7.1					
CR-259/WAUKEENAH HWY(0.0R)					FC95MR																				
4307921	0.000	3.877	C	2016	0012	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5				
C. W. ROBERTS CONTRACTING,(2017)					RIDE			7.0	7.3	6.7	6.9	8.2	8.6	8.2	8.1	7.7	7.7	7.7	7.6	7.6	7.2				
54060000	3.877	8.927	C	1	1 55	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5				
59			2	16.4	1463	RIDE		8.3	8.3	8.1	8.0	7.9	7.8	7.7	7.7	7.5	7.6	7.5	7.5	7.3					
BARRINGTON RD(5.7R)					FC95MR																				
4246081	3.899	8.710	C	2012	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5	4.5*				
PREFERRED MATERIALS, INC. (2014)					SPRIDE			8.3	7.7	7.8	7.7	7.9	7.9	7.9	7.9	7.8	7.6	7.8	7.7	7.6	7.2				
4546241	3.877	12.034	C	2028	0012																				
54060000	8.927	9.332	C	1	1 35	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5					
59			2	13.4	4100	RIDE		8.3	8.3	8.1	8.0	7.9	7.8	7.7	8.0	7.8	7.8	7.8	7.7	7.6					
BOND ST(9.0C)					FC95MR																				
4246081	8.750	9.325	C	2012	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	6.8	5.0*				
PREFERRED MATERIALS, INC. (2014)					RIDE			8.6	8.5	7.9	7.9	8.3	8.1	8.2	8.1	7.9	7.9	7.9	8.0	8.0	7.6				
4546241	3.877	12.034	C	2028	0012																				
54060000	9.332	9.964	R	1	1 45	CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5					
59			1	13.4	4100	RIDE		7.3	8.3	8.2	7.9	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.5					
4246081	9.325	9.964	C	2012	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	6.0*	4.0*				
PREFERRED MATERIALS, INC. (2014)					RIDE			8.8	8.6	8.0	7.9	8.0	7.9	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.2				
4546241	3.877	12.034	C	2028	0012																				
54060000	9.964	12.034	C	1	1 55	CRACKING		1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
59			2	14.9	1400	RIDE		5.4*	5.4*	5.4*		8.4	8.4	8.3	8.4	8.1	8.3	8.1	8.3	8.1					
HERITAGE BLVD(10.1L)					FC125																				
4039531	9.972	11.995	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	6.5	4.0*				
MITCHELL BROTHERS, INC. (2004)					SPRIDE			8.1	8.3	8.2	7.7	7.7	7.9	7.8	7.9	7.8	7.6	7.9	7.7	7.8	7.4				
4546241	3.877	12.034	C	2028	0012																				
54060000	9.332	9.964	L	1	6 45	CRACKING		5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5					
59			1	13.4	4100	RIDE		6.0*	6.8	8.4	8.3	7.4	6.8	6.9	7.1	7.3	7.2	7.5	7.6	7.4					
JEFFERSON RD(9.9L)					FC95MR																				
4246081	9.325	9.964	C	2012	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	4.5*				
PREFERRED MATERIALS, INC. (2014)					RIDE			8.9	8.7																
4546241	3.877	12.034	C	2028	0012																				
54090000	0.000	13.050	C	1	1 55	CRACKING		2.0*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0					
59			2	30.0	1050	RIDE		6.1*		8.6	8.3	8.3	8.3	8.3	8.2	7.5	7.3	8.4	8.3	8.3					
SR 30(0.0C)					FC125																				
2194431	0.000	13.769	C	2000	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	4.0*				
WHITE CONSTRUCTION CO INC (2002)					SPRIDE			8.2	8.3	8.0	7.9	7.9	8.0	8.0	7.9	7.9	7.8	7.9	7.9	7.9	7.5				
4531521	0.000	13.774	C	2027	0012																				
54090000	13.050	13.774	C	1	1 45	CRACKING		4.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0					
59			2	30.0	1050	RIDE		6.2*		8.3	7.8	7.8	8.0	7.8	8.0	7.8	7.7	7.9	7.9	7.8					
CR 59(13.1R)					FC125																				
2194431	0.000	13.769	C	2000	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	4.5*				
WHITE CONSTRUCTION CO INC (2002)					SPRIDE			7.9	8.0	7.9	7.1	7.4	7.4	7.4	7.5	7.5	7.4	7.5	7.6	7.6	7.2				
4531521	0.000	13.774	C	2027	0012																				
54110000	0.000	7.412	C	1	1 60	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0					
30 98			2	35.5	2300	RIDE		8.5	8.8	8.5	8.3	7.9	7.8	7.7	7.4	6.8	7.1	7.2	8.6	8.6					
GAMBLE RD(1.6L)					FC125M																				
4192951	0.000	7.409	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.0	6.0*	6.0*	4.6*	2.5*				
C. W. ROBERTS CONTRACTING,(2011)					SPRIDE			8.1	7.5	7.1	7.0	7.3	7.2	6.7	6.8	6.4*	6.4*	6.1*	6.1*	6.1*	5.7*				
4508171	0.000	7.412	C	2026	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).