

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP)	(SIDE)	SURFTYPE		=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE																	
CONTRACTOR	(AGE_ONE YEAR)																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
55002000	0.000	1.330	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0		10.0	9.5	9.5	9.5	7.0	7.0		10.0			
263	319		4	5.9		20400	RIDE	8.3	8.9	9.0	8.4		8.5	8.7	8.6	8.5	8.5	8.3		8.4			
SR 363(0.0C)						FC125																
4157826	0.200	0.902	C	2010		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	6.0*	5.5*	4.1*	2.0*		
				(2013)			RIDE	8.4	8.1	8.1	8.1	7.9	7.9	7.9	7.7	7.8	7.6	7.4	7.6	7.6	7.2		
4530961	0.120	1.075	C	2027		0012																	
55002000	1.330	1.737	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
263			2	11.3		15700	RIDE	8.4	8.7	8.8	8.4		7.5	7.6	7.5	7.5	7.6	7.3	7.2	7.1			
ORCHID DR(1.4R)						DGFC																
				(2006)			CRACKING	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	3.5*	1.5*		
				(2018)			RIDE	6.9	6.9	6.5	6.3	6.7	6.2	5.9	6.2	5.9	5.7	5.4*	5.7	5.9	5.5		
2197492	1.183	3.524	C	2026		0213																	
55002000	1.737	3.250	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0			
263			2	11.3		15700	RIDE	8.4	8.7	8.8	8.4	8.5	8.4	8.5	8.5	8.4	8.3	8.2	8.2	7.7			
ISABELLE DR(1.9L)						FC95MR																
4287471	1.730	2.833	C	2016		0012	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.0	7.5		
CAPITAL ASPHALT INC				(2017)			SPRIDE	7.9	7.8	8.0	8.6	8.5	8.4	8.2	8.4	8.3	8.3	8.1	8.3	8.5	8.1		
2197492	1.183	3.524	C	2026		0213																	
55002000	3.250	4.748	R	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
263			1	8.3		17400	RIDE	8.4	8.7	8.8	8.4	8.4	8.3	8.5	8.3	8.3	8.2	8.1	8.0	8.0			
CR 2203(3.5C)						FC3																
2198231	0.011	8.019	C	1999		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0				
WHITE CONSTRUCTION CO INC				(2001)			SPRIDE	7.9	7.9	7.8	7.9	7.8	7.6	7.6	7.6	7.6	7.5	7.5					
4157829	3.430	6.670	C	2022		0213																	
55002000	4.748	5.657	R	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0		
263			1	8.9		17500	RIDE	8.4	8.7	8.8	8.6	8.5	8.4	8.5	8.5	8.3	8.8	8.7	8.6	8.7			
				(2010)			CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5				
				(2018)			RIDE	8.6	8.5	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.2				
4157829	3.430	6.670	C	2022		0213																	
55002000	5.657	6.670	C	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	7.0			
263			2	8.9		17500	RIDE	8.4	8.7	8.8	8.6	8.5	8.4	8.5	8.5	8.3	8.1	8.2	7.9	7.8			
				(2017)			FC95MR																
4287361	5.960	6.670	C	2016		0012	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
CAPITAL ASPHALT INC				(2017)			SPRIDE	7.7	7.5	7.8	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.1					
4157829	3.430	6.670	C	2022		0213																	
55002000	7.276	7.492	R	1	8	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*			
263			3	8.3		27000	RIDE	8.6	8.5	8.7	8.7	8.2	8.6	8.3	8.5	8.5	8.3	8.1	7.9	8.0			
				(2010)			DGFC																
				(2018)			CRACKING	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0				
				(2018)			RIDE	8.5	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.1	8.1	8.1				
55002000	7.492	9.715	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0		
263			3	5.6		29600	RIDE	8.1	8.4	8.3	7.9	7.7	7.7	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.0		
BALDWIN PARK DR(7.8R)						DGFC																
				(2018)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.5		
				(2018)			RIDE	8.5	8.4	8.4	8.4	8.3	8.2	8.2	8.2	8.1	8.1	8.1	8.0	8.0	7.6		
55002000	9.715	11.080	R	1	1	45	CRACKING	9.5	9.5	9.5	10.0	7.0	7.0		10.0	10.0	10.0	10.0	9.5	9.5			
263			3	17.1		35000	RIDE	7.5	7.6	7.6	7.4	7.3	7.4		8.6	8.4	8.4	8.2	8.2	8.1			
SR 10(9.8C)						FC95M																
2197221	9.227	11.218	C	2005		0213	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	4.8*	4.6*	2.5*		
M OF TALLAHASSEE, INC.				(2008)			SPRIDE	7.8	7.5	7.6	7.7	7.5	7.2	7.3	7.0	6.9	6.6	6.5	6.4	6.2	5.8		
2197225	9.579	11.849	C	2025		0012																	
55002000	11.080	11.849	R	1	1	45	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0			
263			2	10.6		19200	RIDE	8.1	8.3	8.0	7.9	7.7	7.4	7.7		8.6	8.4	8.3	8.2	8.2			
GEARHART RD(11.5R)							FC95M																
				(2009)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*		
				(2018)			RIDE	8.1	8.0	7.8	7.8	7.5	7.5	7.6	7.5	7.1	7.0	6.9	6.8	7.0	6.6		
2197225	9.579	11.849	C	2025		0012																	
55002000	11.849	13.615	C	1	1	45	CRACKING	10.0	10.0	9.5	9.5	7.0	7.0	6.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0		
263			2	7.7		13700	RIDE	8.2	8.1	8.2	7.9	7.9	7.7	7.8	7.8	7.8	7.6	7.7	8.1	8.1			
DON HUNTER RD(12.2L)							FC95MW																
4193071	11.849	15.045	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6	8.3	6.5		
PEAVY & SON CONSTRUCTION				(2012)			SPRIDE	8.1	8.4	8.0	8.1	7.9	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.0	7.6		
4565951	11.849	15.081	C	2029		0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
55002000	13.615	14.271	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
263				1	7.7	13700	RIDE	8.2	8.1	8.2	7.9	7.9	7.7	7.8	7.7	7.6	7.2	7.3	8.1	8.1	
CAPITAL CIR COMMERCE(14.0R)																					
4193071	11.849	15.045	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.4	8.0	6.0*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4565951	11.849	15.081	C	2029		0012		8.1	8.4	8.0	8.1	7.9	8.0	8.0	7.9	7.7	7.6	7.5	7.9	7.5	
55002000	14.271	14.535	C	1	1	45	CRACKING	10.0	10.0	9.5	9.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
263				2	7.7	13700	RIDE	8.2	8.1	8.2	7.9	7.9	7.7	7.8	7.7	7.6	7.2	7.3	8.1	8.1	
ONEIL LN(14.4R)																					
4193071	11.849	15.045	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.6	8.0	6.0*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4565951	11.849	15.081	C	2029		0012		8.1	8.4	8.0	8.1	7.9	8.0	8.0	7.6	7.5	7.5	7.2	7.4	7.7	7.3
55002000	14.535	15.081	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	10.0	10.0	
263				1	13.8	17000	RIDE	8.2	8.1	6.7	6.9	7.1	6.8	6.5	6.4	6.4	6.2	6.2	8.1	8.1	
CR 0361(14.6R)																					
4193071	11.849	15.045	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.4	8.0	6.0*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4565951	11.849	15.081	C	2029		0012		8.1	8.4	8.0	8.1	7.9	8.0	8.0	7.9	7.7	7.6	7.5	7.5	6.8	6.4
55002000	14.535	15.081	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	10.0	10.0	
263				1	13.8	17000	RIDE	8.2	8.1	6.7	6.9	7.1	6.8	6.5	6.4	6.4	6.2	6.2	8.1	8.1	
TOWER RD(14.8C)																					
4193071	11.849	15.045	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.6	6.5	4.5*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4565951	11.849	15.081	C	2029		0012		8.1	8.4	8.0	8.1	7.9	8.0	8.0	7.6	7.5	7.5	7.2	7.4	6.5	6.1
55002000	13.615	14.271	L	1	1	45	CRACKING	10.0	10.0	9.5	9.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
263				1	7.7	13700	RIDE	8.2	8.1	8.2	7.9	7.9	7.7	7.8	7.7	7.6	7.2	7.3	8.1	8.1	
STONELER RD(13.6L)																					
4193071	11.849	15.045	C	2011		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.6	7.0	5.0*
PEAVY & SON CONSTRUCTION C(2012) SPRIDE																					
4565951	11.849	15.081	C	2029		0012		8.1	8.4	8.0	8.1	7.9	8.0	8.0	7.6	7.5	7.5	7.2	7.4	7.9	7.5
55002000	11.080	11.849	L	1	1	45	CRACKING	8.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	
263				3	10.6	19200	RIDE	8.3	8.5	8.2	7.4	7.2	7.2	7.1		8.2	8.7	8.5	8.3	8.5	
TO I-10 WB(11.4L)																					
							CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.2*	6.0*	4.0*
							RIDE	8.4	8.2	8.2	8.1	8.2	8.0	7.9	7.9	7.8	7.8	8.0	7.8	7.7	7.3
2197225	9.579	11.849	C	2025		0012															
55002000	9.715	11.080	L	1	1	45	CRACKING	9.5	9.5	9.5	10.0	7.0	7.0		10.0	10.0	10.0	10.0	9.0	9.0	
263				3	17.1	35000	RIDE	7.5	7.6	7.6	7.4	7.3	7.4		8.5	8.4	8.4	8.3	8.1	8.0	
RAMP FROM US-90(9.8L)																					
2197221	9.227	11.218	C	2005		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	5.5*	5.5*	5.0*	3.5*	3.6*	1.5*
M OF TALLAHASSEE, INC. (2008) SPRIDE																					
2197225	9.579	11.849	C	2025		0012		7.8	7.6	7.7	7.5	7.4	7.2	7.2	6.9	6.8	6.7	6.8	6.7	6.5	6.1
55002000	7.851	9.715	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
263				3	5.6	29600	RIDE	8.1	8.4	8.3	7.9	7.7	7.7	8.2	8.2	8.1	8.1	8.1	8.1	8.0	
JACKSON BLUFF RD(8.0L)																					
							CRACKING					10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.0	7.5	6.0*
							RIDE					8.4	8.3	8.4	8.4	8.3	8.3	8.1	8.2	8.0	7.6
55002000	7.276	7.851	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	
263				2	8.3	27000	RIDE	8.6	8.5	8.7	8.7	8.2	8.6	8.3	8.5	8.5	8.3	8.8	8.7	8.6	8.7
CASCADE DR(7.5L)																					
4157828	7.276	7.875	C	2012		0213	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
							RIDE					8.4	8.3	8.3	8.3	8.3	8.2	8.2	8.2		
55002000	4.748	5.657	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	10.0	10.0	10.0	10.0	
263				1	8.9	17500	RIDE	8.4	8.7	8.8	8.6	8.5	8.4	8.5	8.5	8.3	8.8	8.7	8.6	8.7	
GENERAL AVIATION DR(5.3L)																					
							CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5		
							RIDE	8.6	8.5	8.4	8.4	8.4	8.3	8.3	8.1	8.1	8.1	8.1			
4157829	3.430	6.670	C	2022		0213															
55002000	3.250	4.748	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
263				1	8.3	17400	RIDE	8.4	8.7	8.8	8.4	8.4	8.3	8.5	8.3	8.3	8.2	8.1	8.0	8.0	
CR 2203(3.5C)																					
2198231	0.011	8.019	C	1999		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	5.5*	5.5*	5.0*	5.0*			
WHITE CONSTRUCTION CO INC (2001) SPRIDE																					
4157829	3.430	6.670	C	2022		0213		7.9	7.9	7.8	7.9	7.8	7.6	7.6	7.3	7.2	7.1	7.0			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE							
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_AADT	W_RATINGS	W_SURFTYPE																		
ITMSEG-P	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_AADT	W_RATINGS	W_SURFTYPE																		
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_AADT	W_RATINGS	W_SURFTYPE																		
ITMSEG-F	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_AADT	W_RATINGS	W_SURFTYPE																		
55003000	261	319	6.585	9.258	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5						
RAMP TO PARK AVE(6.6L)																													
4287392	261	319	5.508	6.561	L	2024	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*		10.0	8.5						
C. W. ROBERTS CONTRACTING, (2017)																													
55003000	261	319	5.516	6.585	L	1	7	45	CRACKING	10.0	10.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
APALACHEE PKWY(5.6C)																													
4287392	261	319	5.508	6.561	L	2024	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.0*		10.0	8.5						
C. W. ROBERTS CONTRACTING, (2026)																													
55003000	261	319	2.218	5.516	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0						
CR 259(2.2C)																													
4546251	261	319	2.193	5.510	C	2028	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	8.5	8.5	8.0	6.5					
PEAVY & SON CONSTRUCTION C(2026)																													
55003000	261	319	0.000	2.218	L	1	7	45	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5				10.0	10.0						
SR 363(0.0C)																													
2196894	261	319	0.000	2.193	L	2024	0012	CRACKING	10.0	8.5	8.5	7.5	7.5	7.0	6.5	4.5*	4.5*	4.0*	3.5*	3.2*	10.0	8.5	7.7						
PEAVY & SON CONSTRUCTION C(2026)																													
55003002	261	319	0.000	0.400	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
BULLNOSE AT SR-61 SB(0.0C)																													
4529461	261	319	0.000	0.508	C	2026	0012	CRACKING	10.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	7.5						
BRIDGE #76(0.5C)																													
55003002	261	319	0.400	0.508	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
BRIDGE #76(0.5C)																													
4529461	261	319	0.000	0.508	C	2026	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5						
CAPITAL ASPHALT INC																													
55005000	265	0.000	0.750	R	1	1	40	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0							
APALACHEE PKWY(0.0C)																													
4373651	265	0.132	0.640	R	2019	0012	CRACKING	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	8.8	10.0	8.5						
CAPITAL ASPHALT INC																													
55005000	265	0.750	1.203	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0							
MAHAN DR(0.8C)																													
4373651	265	0.773	1.196	R	2019	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.8	10.0	8.5						
CAPITAL ASPHALT INC																													
55005000	265	1.203	1.417	R	1	1	35	CRACKING	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
CLAUDE PICHARD DR(1.2C)																													
4373651	265	1.132	0.640	R	2019	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
CAPITAL ASPHALT INC																													
55005000	265	0.750	1.417	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0							
MAHAN DR(0.8C)																													
4373651	265	0.773	1.196	L	2019	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.9	10.0	8.5						
CAPITAL ASPHALT INC																													
55005000	265	0.000	0.750	L	1	1	40	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0							
APALACHEE PKWY(0.0C)																													
4373651	265	0.132	0.640	L	2019	0012	CRACKING	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	8.9	10.0	8.5						
CAPITAL ASPHALT INC																													

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
55010000	0.000	2.047	R	1	1	55	CRACKING	7.5	5.5*	5.5*	4.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
63 27				2	10.8		19000 RIDE	8.4	8.1	7.8	6.6	6.6		8.2	8.4	8.4	8.3	8.3	8.2	8.3	
BELKNAP RD(1.7R)																					
4397391	0.000	2.052	R	2021		0012	CRACKING	9.5	9.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5
PEAVY & SON CONSTRUCTION C(2023) SPRIDE																					
55010000	2.047	6.340	R	1	1	45	CRACKING	7.5	5.5*	5.5*	4.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
63 27				2	5.7		19700 RIDE	8.4	8.1	7.8	6.6	6.6		8.9	8.8	8.8	8.8	8.7	8.4	8.6	
TOWER RD(2.2R)																					
4063261	0.159	7.048	C	2005		0012	CRACKING	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.8*	5.5*	3.5*
WESTFIELD INSURANCE COMPAN(2007) SPRIDE																					
4529391	2.058	8.108	C	2027		0012		8.5	8.5	8.2	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.0	8.1	8.0	7.6
55010000 63 27 6.340 7.424 R 1 1 45 CRACKING 5.5* 3.5* 9.5 4.5* 1.0* 10.0 10.0 10.0 10.0																					
GRAVES RD(6.5R) 3 5.7 43500 RIDE 7.0 6.8 8.2 6.6 6.6 7.7 7.7 7.4 7.6																					
4529391 2.058 8.108 C 2027 (2010) 0012 CRACKING 10.0 10.0 9.5 9.5 9.5 9.5 9.5 7.0 7.0 7.0 7.0 6.5 4.5*																					
RIDE 7.6 7.5 7.1 7.4 7.2 7.2 7.0 7.1 7.2 7.1 7.1 6.8 6.4																					
55010000	7.424	8.108	R	1	1	45	CRACKING	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
63 27				2	5.7		40500 RIDE	7.0	6.8	8.7	8.2	8.0	8.1	8.2	8.3	8.2	8.2	8.2	7.5	7.9	
BALSAM TER(7.6R)																					
2198751	7.025	8.166	C	2002		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.8	4.5*
C. W. ROBERTS CONTRACTING, (2003) SPRIDE																					
4529391	2.058	8.108	C	2027		0012		7.9	7.8	7.6	7.5	7.8	7.8	7.4	7.9	7.9	7.7	7.7	7.7	7.3	6.9
55010000	8.108	9.830	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
63 27				2	3.0		24000 RIDE	8.2	7.8	8.2	7.4	7.5	7.1	7.2	7.3	7.1	7.1	6.8	6.9	6.7	
SHOPPING CTR(8.2R)																					
4325591	8.232	9.299	C	2018		0012	CRACKING	7.5	7.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.0
C. W. ROBERTS CONTRACTING, (2020) RIDE 6.7 6.5 7.3 7.1 7.4 6.4 7.8 7.7 7.4 7.4 7.6 7.2 7.3 6.9																					
55010000	8.108	9.830	L	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	
63 27				2	3.0		24000 RIDE	7.5	7.1	6.9	6.9	6.6	6.4	6.5	6.6	6.5	6.3	6.2	6.3	5.9	
SCOTTY LN(8.2L)																					
4325591	8.232	9.299	C	2018		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0
C. W. ROBERTS CONTRACTING, (2020) RIDE 6.0 5.9 6.9 6.8 6.8 4.6* 7.8 7.6 7.5 7.3 7.0 7.2 7.2 6.8																					
55010000	7.373	8.108	L	1	1	45	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	7.5	
63 27				3	5.7		40500 RIDE	6.5	5.8*	8.7	8.1	8.2	8.2	8.2	8.0	8.1	7.9	7.8	7.5	7.4	
SHARER RD(7.5L)																					
4104092	7.397	8.006	L	2016		0547	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.0	7.8	5.5*
PEAVY & SON CONSTRUCTION C(2017) RIDE 7.4 7.3 7.1 8.1 8.0 8.0 8.2 8.1 8.1 7.7 7.8 8.0 7.8 7.4																					
4529391	2.058	8.108	C	2027		0012															
55010000	6.340	7.373	L	1	1	45	CRACKING	10.0	9.0	9.0	3.5*	1.0*					10.0	10.0	8.5	8.5	
63 27				3	5.7		43500 RIDE	7.9	7.7	7.7	6.5	6.4*					8.0	8.0	7.9	7.9	
NORTHMONT DR(6.4L)																					
4529391	2.058	8.108	C	2027	(2010)	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.7*	3.5*
RIDE 7.8 7.9 7.6 7.6 7.7 7.5 7.3 7.6 7.6 7.5 7.3 7.5 7.3 7.5 7.4 7.0																					
55010000	2.132	6.340	L	1	1	45	CRACKING	5.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
63 27				2	5.7		19700 RIDE	8.5	8.2	8.0	6.5	6.4*		8.9	8.8	8.7	8.6	8.5	8.4	8.4	
RED AND SAMS LN(2.2L)																					
4063261	0.159	7.048	C	2005		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.2*	3.0*
WESTFIELD INSURANCE COMPAN(2007) SPRIDE																					
4529391	2.058	8.108	C	2027		0012		8.4	8.3	8.2	8.2	8.1	8.1	8.0	8.0	7.8	7.9	7.7	7.8	7.6	7.2
55010000	0.000	2.132	L	1	1	55	CRACKING	5.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	
63 27				2	10.8		19000 RIDE	8.5	8.2	8.0	6.5	6.4*		8.4	8.4	8.3	8.2	8.2	8.2	8.0	
CARTER TR(1.2L)																					
4397391	0.000	2.052	L	2021		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	3.5*	0.0*	0.0*	0.0*	10.0	10.0	9.4	10.0	8.5
PEAVY & SON CONSTRUCTION C(2023) SPRIDE 7.9 7.9 8.1 8.0 8.1 8.0 7.9 7.9 7.8 8.9 8.8 8.7 8.6 8.4																					
55020000	0.000	1.126	R	1	1	35	CRACKING	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10 90				2	2.7		27000 RIDE	6.8	6.7	6.0	5.5	5.1*		7.1	6.6	6.3	6.2	6.4	6.6	6.6	
MONROE(0.0C)																					
4039421	0.000	1.132	C	2005		0012	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	6.0*	4.0*
WESTFIELD INSURANCE COMPAN(2007) SPRIDE 6.5 6.3 6.2 6.0 6.0 5.8 6.0 6.1 6.1 5.6 5.5 5.3* 5.6 5.2*																					
4039423	0.000	1.126	C	2025		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
55020000 10 90	1.126	3.425	R	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
MAGNOLIA DR(1.1C)					27000	RIDE		8.0	7.9	8.1	8.0	8.0	7.9	7.7	7.7	7.4	7.4	7.2	7.0	7.1		
4269611 PEAVY & SON CONSTRUCTION	1.126	3.335	C	2015	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.7	8.1	6.5	
					(2016)	SPRIDE		7.0	6.7	7.9	8.1	8.1	8.0	8.0	8.1	7.9	7.9	7.9	8.0	7.7	7.3	
55020000 10 90	3.425	4.359	R	1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
POWELL RD(3.4R)					35500	RIDE			8.7	8.0	8.0	8.1	7.9	8.2	7.8	8.1	7.7	8.0	7.9	7.6		
4269612 CAPITAL ASPHALT INC	3.416	4.206	R	2024	0012	CRACKING		9.5	8.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	8.5	
					(2025)	RIDE		7.4	7.7	6.9	6.8	7.0	6.8	6.8	6.6	6.8	6.4	6.2	8.2	8.2	7.8	
55020000 10 90	4.359	7.620	R	1	1 45	CRACKING		9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5						
BUCKWOOD DR(4.7R)					23000	RIDE		8.3	8.5	8.4	8.0	7.9	7.9	8.1	8.0	7.9						
2198431 SANDCO, INC.	4.520	7.620	C	2009	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.0*	5.5*	5.5*	4.7*	4.3*	2.5*	
4529341	4.356	8.294	C	2027	0012	SPRIDE		8.1	7.9	7.7	7.8	7.7	7.6	7.5	7.7	7.6	7.5	7.4	7.1	6.9	6.5	
55020000 10 90	7.620	8.267	R	1	1 45	CRACKING		10.0	10.0	9.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
					14500	RIDE		8.0	8.4	8.3	7.7	7.7	7.6	7.7	7.5	7.4	7.3	7.0	7.0	7.0		
4529341	4.356	8.294	C	2027	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	5.5*	5.5*	4.5*	4.2*	2.5*	
					(2014)	RIDE		8.3	7.7	7.6	7.7	7.6	7.0	7.0	7.4	7.6	7.5	7.1	7.3	6.9	6.5	
55020000 10 90	8.267	15.293	C	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
APEX DR(8.3R)					5700	RIDE		8.1	8.5	8.5	8.2	8.1	8.1	8.2	8.1	8.1	8.0	7.8	7.7	7.4		
4287401 CAPITAL ASPHALT INC	10.686	15.295	C	2016	0012	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
					(2017)	SPRIDE		7.7	7.4	7.5	8.6	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3	8.2	7.8	
55020000 10 90	15.293	15.635	C	1	1 55	CRACKING		6.5	6.5	6.5	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
STILL CREEK RD(15.4R)					5000	RIDE		7.8	8.0	7.9	7.4	7.5	7.6	7.5	7.5	8.6	8.5	8.3	8.3	8.4		
					(2018)	CRACKING		9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.6	7.3	5.5*	
					(2018)	RIDE		7.9	7.4	7.6	7.5	8.4	8.0	7.8	7.9	8.0	7.9	7.7	7.8	7.7	7.3	
55020000 10 90	16.265	19.323	C	1	1 55	CRACKING		8.0	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
SAFARI RUN(16.4L)					5000	RIDE		8.1	8.3	8.1	7.5	7.4	6.9	6.7	6.7	8.8	8.7	8.6	8.5	8.3		
					(2018)	CRACKING		9.0	9.0	9.0	8.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	8.5	7.0	
					(2018)	RIDE		8.3	8.0	8.1	8.1	9.0	8.7	8.6	8.4	8.4	8.4	8.3	8.3	8.1	7.7	
55020000 10 90	7.620	8.267	L	1	1 45	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
					14500	RIDE		8.1	8.4	8.4	8.0	7.8	7.7	7.9	7.9	7.2	7.5	7.6	7.4	7.5		
4529341	4.356	8.294	C	2027	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.0*	3.3*	1.5*	
					(2014)	RIDE		8.6	8.2	8.1	8.0	8.0	7.8	7.9	7.9	7.8	7.8	7.7	7.7	7.5	7.1	
55020000 10 90	4.359	7.620	L	1	1 45	CRACKING		9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5						
CR 0353(4.5L)					23000	RIDE		8.3	8.5	8.4	8.0	7.9	7.9	8.1	8.0	7.9						
2198431 SANDCO, INC.	4.520	7.620	C	2009	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5	4.5*	4.5*	4.0*	3.8*	2.0*	
4529341	4.356	8.294	C	2027	0012	SPRIDE		8.0	7.9	7.8	7.9	7.8	7.5	7.7	7.7	7.5	7.2	7.2	7.0	6.8	6.4	
55020000 10 90	3.425	4.359	L	1	1 45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
CR 261(3.7C)					35500	RIDE				8.3	7.1	7.3	6.8	7.0	7.3	6.9	6.9	6.9	6.3	6.7		
4269612 CAPITAL ASPHALT INC	3.416	4.206	L	2024	0012	CRACKING		9.5	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	8.5	
					(2025)	SPRIDE		6.4	6.3	6.1	6.3	6.6	6.3	6.4	6.2	6.4	6.0	5.8	7.7	7.8	7.4	
55020000 10 90	1.126	3.425	L	1	1 45	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*		
MAGNOLIA DR(1.1C)					27000	RIDE		8.4	8.5	8.2	7.8	7.5	7.9	8.0	7.6	7.4	7.6	7.0	7.3	7.0		
4269611 PEAVY & SON CONSTRUCTION	1.126	3.335	C	2015	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	7.0	
					(2016)	SPRIDE		7.3	7.1	8.0	8.2	8.0	8.0	8.1	8.1	7.9	7.9	7.6	8.0	7.8	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														(PMRS)	
ITMSEG-P	ITMSEG-F																					
55020000	10 90	0.000	1.126	L	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
MONROE(0.0C)					2	2.7	27000 RIDE	7.5	6.9	7.0	6.5	5.8		7.5	7.4	7.3	7.2	7.1	7.1	7.2		
4039421		0.000	1.132	C	2005		0012 CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*
WESTFIELD INSURANCE COMPAN(2007)							SPRIDE	6.7	6.9	6.5	6.3	6.2	6.1	6.4	6.5	6.4	6.0	5.7	6.1	5.9	5.5	
4039423		0.000	1.126	C	2025		0012															
55040000	363	0.000	2.669	C	1	55	CRACKING	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
ROY WOODS CIR(0.1L)					2	8.7	9765 RIDE	7.5	7.5	7.3	6.6		8.6	8.7	8.7	8.7	8.7	8.6	8.6	8.7		
MITCHELL BROTHERS, INC.							0012 CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.3*	4.0*	
							SPRIDE	8.6	8.5	8.3	8.3	8.3	8.2	8.1	8.3	8.2	8.2	8.1	8.2	8.1	7.7	
55040000	363	2.669	3.890	R	1	35	CRACKING	7.5	7.5	5.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
CR-2192/NATURAL BRG(2.7R)					1	8.7	9765 RIDE	6.1*	5.1*	5.3*	4.2*		7.3	7.4	7.4	7.4	7.3	7.3	7.2	7.3		
2198841		0.000	7.300	C	2004		0012 CRACKING	9.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	7.0	6.5	6.5	4.5*	
MITCHELL BROTHERS, INC.							SPRIDE	7.1	7.1	6.9	6.9	7.0	6.8	6.8	6.9	6.8	6.6	6.6	6.7	6.3		
4546271		2.676	7.297	C	2028		0012															
55040000	363	3.890	6.965	C	1	55	CRACKING	6.0*	6.0*	6.0*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
RHODES CEMETERY RD(4.0R)					2	10.8	15500 RIDE	7.6	7.4	7.3	6.7		8.3	8.5	8.5	8.5	8.4	8.2	8.3	8.3		
MITCHELL BROTHERS, INC.							0012 CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.1	6.7	4.5*	
4546271		2.676	7.297	C	2028		0012	8.3	8.2	8.0	8.1	8.0	7.9	7.9	7.9	7.8	7.7	7.7	7.6	7.2		
55040000	363	6.965	7.297	R	1	45	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0		
DGFC					2	10.8	15500 RIDE	7.6	7.4		8.0	7.1	7.3	7.3	7.3	7.5			7.6	7.6		
4546271		2.676	7.297	C	2028		0012	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.0*	5.5*	5.5*	3.9*	2.0*	
							RIDE	7.3	7.3	6.6	6.7	6.7	6.6	6.0	6.1	6.0	5.9	5.5	5.6	5.6	5.2*	
55040000	363	7.297	7.500	R	1	7	45 CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0		
CAPITAL CIR(7.3C)					2	6.0	10800 RIDE	7.6	7.4		8.0	7.1	7.3	7.3	7.3	7.5			7.6	7.6		
PEAVY & SON CONSTRUCTION							0012 CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.0*	5.5*	5.5*	10.0	8.5	
4346701		7.297	7.554	R	2024		RIDE	7.3	7.3	6.6	6.7	6.7	6.6	6.0	6.1	6.0	5.9	5.5	5.6	7.2	6.8	
55040000	363	7.500	7.780	R	1	7	45 CRACKING	10.0	10.0	10.0	10.0		10.0	9.5	9.5	9.5	8.5	8.5	7.0	7.0		
BRANDAV ST(7.6R)					1	6.0	10800 RIDE	7.1	7.4	7.3	6.3*		6.0	5.6	6.5	6.1	6.1	6.3	6.1	6.3		
PEAVY & SON CONSTRUCTION							0012 CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	8.5
4346701		7.554	7.780	R	2024		RIDE	6.1	6.2	6.5	6.4	6.2	6.4	7.1	7.1	7.1	6.9	6.9	6.9	8.2	7.8	
55040000	363	7.780	8.725	C	1	7	45 CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5			
SAND RIDGE DR(7.8L)					2	6.0	10800 RIDE	8.2	8.2	8.2	7.5		8.1	8.5	8.2	8.4	8.3	8.1	7.9	8.0		
PEAVY & SON CONSTRUCTION							0012 CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	8.5
4346701		7.780	8.715	C	2024		RIDE	7.9	7.7	7.7	7.7	7.6	7.5	7.1	7.1	7.1	6.9	6.9	6.9	8.5	8.1	
55040000	363	8.725	9.485	R	1	35	CRACKING	10.0	10.0	9.5	8.0	6.0*	6.0*	5.5*	3.5*	1.0*	0.0*	10.0	10.0	10.0		
SUNDAY CT(8.8R)					2	9.8	13900 RIDE	7.8	7.7	7.8	6.7	5.9	5.3*	4.9*	4.9*	4.3*	4.0*	8.0	8.0	8.1		
PEAVY & SON CONSTRUCTION							0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	7.5	6.5	4.5*	
4192961		8.845	9.485	C	2010		RIDE	8.1	8.0	7.9	7.7	7.7	7.4	7.7	7.4	7.3	6.8	6.7	6.7	6.9	6.5	
55040000	61	9.485	10.603	R	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	6.5	6.5		
LAURA LEE AVE(9.7R)					2	9.8	19200 RIDE	7.8	7.9	7.7	6.7	6.9	6.8	6.6	6.7	6.2	6.0	6.5	6.8	7.0		
PEAVY & SON CONSTRUCTION							0012 CRACKING	6.5	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	8.5	
4415471		9.516	10.612	R	2021		RIDE	6.6	6.6	6.5	6.8	6.8	6.5	6.6	6.3	6.3	8.1	8.0	8.0	7.9	7.5	
55040000	61	10.603	11.844	R	1	35	CRACKING	9.5	9.5	9.5	8.0	7.5	4.5*	4.5*	4.5*	3.5*	1.0*	1.0*	10.0	10.0		
PERKINS ST(10.6C)					2	4.8	19500 RIDE	7.0	5.9	5.6	5.0*	4.6*	4.4*	4.2*	6.1	5.9	5.7	5.9	8.0	7.7		
4216351		10.617	11.276	C	2011		0012 CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	6.5	6.0*	6.0*	6.0*	5.6*	5.3*	3.5*	
CAPITAL ASPHALT INC							RIDE	7.5	7.3	7.1	7.2	7.3	6.8	6.4	6.5	6.4	6.2	5.9	5.3*	6.1	5.7	
4216354		10.603	11.844	C	2025		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
55040000	11.844	12.156	C	1	1	25	CRACKING	9.5	9.5	9.5	8.0	7.5	4.5*	4.5*	4.5*	3.5*	1.0*	1.0*	10.0	10.0	
61 27				4	9.8	30500	RIDE	7.0	7.0	5.6	5.0*	4.6*	4.4*	4.2*	4.8*	4.7*	4.4*	4.3*	7.6	6.7	
COLLEGE(11.9C)																					
4216351	11.456	12.156	C	2011	0012	FC125M	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.4	6.6	4.5*
CAPITAL ASPHALT INC (2012)																					
55040000	10.603	11.844	L	1	1	35	CRACKING	9.5	9.5	8.0	8.0	7.5	7.5	6.5	4.5*	3.5*	1.0*	1.0*	10.0	10.0	
61 27				2	4.8	19500	RIDE	7.2	7.0	6.4	5.9	5.8	5.4*	5.5	6.2	6.6	6.4	6.5	8.1	7.8	
PERKINS ST(10.6C)																					
4216351	10.617	11.276	C	2011	0012	FC125M	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.0*	5.5*	6.0*	5.5*	5.6*	3.5*
CAPITAL ASPHALT INC (2012)																					
4216354	10.603	11.844	C	2025	0012	FC125M	RIDE	7.9	7.7	7.3	7.4	7.2	6.7	6.4	5.2*	6.4	6.3	5.7	5.9	5.9	5.5
55040000	9.485	10.603	L	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	
61				2	9.8	19200	RIDE	7.7	7.7	7.9	7.3	7.1	7.1	7.1	7.2	6.9	6.9	7.0	6.6	6.5	
BASS ST(9.6L)																					
4415471	9.516	10.612	L	2021	0012	FC125M	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	8.2	7.0
PEAVY & SON CONSTRUCTION C(2023)																					
55040000	8.725	9.485	L	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	6.0*	4.5*	4.5*	3.5*	10.0	10.0	10.0	
363				2	9.8	13900	RIDE	7.6	7.4	7.6	7.1	6.2	6.0	6.0	5.7	5.2*	5.0*	8.5	8.3	8.5	
SR 61A(8.9L)																					
4192961	8.845	9.485	C	2010	0012	FC95MR	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	10.0	9.0	8.5	8.5	8.5	7.8	7.3	5.5*
PEAVY & SON CONSTRUCTION C(2011)																					
55040000	7.500	7.780	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0		10.0	9.5	9.5	9.5	8.5	8.5	7.0	7.0	
363				1	6.0	10800	RIDE	7.1	7.4	7.3	6.3*		6.0	5.6	6.5	6.1	6.1	6.3	6.1	6.3	
ROSS RD(7.7L)																					
4346701	7.554	7.780	L	2024	0012	FC125M	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	8.5
PEAVY & SON CONSTRUCTION C(2026)																					
55040000	7.297	7.500	L	1	7	45	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
363				2	6.0	10800	RIDE	7.6	7.4		7.9	7.7	7.5	7.6	7.7	7.6			7.3	7.4	
CAPITAL CIR(7.3C)																					
4346701	7.297	7.554	L	2024	0012	FC125M	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.0*	6.0*	5.0*	10.0	8.5
PEAVY & SON CONSTRUCTION C(2026)																					
55040000	6.965	7.297	L	1	1	45	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
363				2	10.8	15500	RIDE	7.6	7.4		7.9	7.7	7.5	7.6	7.7	7.6			7.3	7.4	
(2012) UNKW																					
4546271	2.676	7.297	C	2028	0012	FC125M	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.0*	6.0*	5.0*	5.6*	3.5*
PEAVY & SON CONSTRUCTION C(2028)																					
55040000	2.669	3.890	L	1	1	35	CRACKING	7.5	7.5	5.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
363				1	8.7	9765	RIDE	6.1*	5.1*	5.3*	4.2*		7.3	7.4	7.4	7.4	7.3	7.3	7.2	7.3	
CR 2192(2.7L)																					
2198841	0.000	7.300	C	2004	0012	FC125M	CRACKING	9.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*
MITCHELL BROTHERS, INC. (2006)																					
4546271	2.676	7.297	C	2028	0012	FC125M	SPRIDE	7.1	7.1	6.9	6.9	7.0	6.8	6.8	7.2	7.1	7.2	7.0	6.8	7.0	6.6
55050000	0.000	0.418	R	1	1	35	CRACKING	10.0	9.5	9.5	8.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
61 27				2	5.6	30000	RIDE	7.4	7.1	7.4	6.7	6.0	6.0	6.2	6.2	6.1	6.1	6.0	7.7	7.5	
US-90/SR-10(0.0R)																					
4216351	0.000	0.418	C	2011	0012	FC125M	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.0*	5.9*	5.6*	3.5*
CAPITAL ASPHALT INC (2012)																					
55050000	0.418	1.034	R	1	1	25	CRACKING	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	
61				2	2.7	15200	RIDE	4.3*	4.0*		6.1	6.2	5.8	6.0	6.0	5.9	5.8	5.6	5.4*	5.5	
CALHOUN ST(0.5R)																					
2198761	0.420	4.085	C	2002	0012	FC125M	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	5.5*	4.3*	2.0*
PEAVY & SON CONSTRUCTION C(2004)																					
2196682	0.386	1.152	C	2027	0012	FC125M	SPRIDE	5.3*	5.1*	5.1*	4.8*	5.1*	5.0*	4.8*	4.9*	4.8*	4.7*	4.6*	4.6*	4.5*	4.1*
55050000	1.034	1.213	R	1	6	35	CRACKING	9.5	9.5		10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	
61				2	5.6	29500	RIDE	7.9	8.6		7.4	6.5	6.8	6.8	7.3	6.7	7.2	7.2	7.0	6.5	
CR 1557(1.1R)																					
2198761	0.420	4.085	C	2002	0012	FC125M	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.1*	4.6*
PEAVY & SON CONSTRUCTION C(2004)																					
2196682	0.386	1.152	C	2027	0012	FC125M	SPRIDE	6.8	6.4	5.8	5.5	5.7	5.7	5.7	6.0	6.0	5.9	5.7	5.5		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	FT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X	P	*****														
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE																			
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X	F															
ITMSEG-F																					
55050000	1.213	1.845	R	1	1	45	CRACKING	10.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
61			3	5.6		29500	RIDE	8.1	8.0		7.5	7.4	7.3	7.5	7.5	7.5	7.1	7.4	7.4	7.6	
GRAPE ST(1.3R)																					
2198761	0.420	4.085	C	2002		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	5.5*	5.5*	5.0*	3.2*	1.0*
PEAVY & SON CONSTRUCTION C(2004)																					
4529381	1.152	5.143	C	2028		0012	SPRIDE	7.0	7.2	7.3	7.0	7.3	7.4	7.0	7.2	7.1	7.0	7.0	7.0	7.2	6.8
FC125																					
55050000	1.845	4.164	R	1	1	45	CRACKING	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
61			2	2.5		34000	RIDE	7.6	7.4		7.8	7.9	7.8	7.9	8.0	7.9	7.8	7.8	7.7	7.6	
POST RD(2.0R)																					
2198761	0.420	4.085	C	2002		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	6.5	6.5	6.5	6.3*	6.5	4.0*
PEAVY & SON CONSTRUCTION C(2004)																					
4529381	1.152	5.143	C	2028		0012	SPRIDE	7.7	7.1	7.6	7.7	7.7	7.6	7.6	7.6	7.6	7.4	7.4	7.5	7.4	7.0
FC125																					
55050000	4.164	4.627	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
61			4	5.6		55100	RIDE	8.0	8.1	8.1	7.7	7.5	7.6	7.8	7.4	6.8	8.2	8.1	8.0	8.1	
I 10(4.4R)																					
2225932	4.203	4.651	C	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.2	7.0	5.0*
ANDERSON COLUMBIA CO., INC(2010)																					
4529381	1.152	5.143	C	2028		0012	SPRIDE	8.1	8.1	7.0	7.4	7.4	7.3	7.3	7.3	7.1	7.3	7.3	7.3	7.2	6.8
FC125M																					
55050000	4.627	5.294	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
61			4	8.5		65500	RIDE	8.2	7.9	8.3	8.0	7.9	7.8	8.0	8.0	8.0	7.9	7.8	7.9	7.9	
RAMP TO CAPITAL CIR(4.7R)																					
4269311	4.616	5.273	C	2014		0012	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.0
C. W. ROBERTS CONTRACTING,(2016)																					
4529381	1.152	5.143	C	2028		0012	RIDE	7.9		8.3	8.1	8.2	8.1	8.1	8.0	8.1	7.7	7.5	7.6	7.6	7.2
FC125M																					
55050000	5.294	9.238	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
61			3	4.0		55500	RIDE	8.0	8.4	8.5	8.1	8.0	8.0	8.2	8.2	8.1	8.1	8.1	7.8	8.0	
TALLAHASSEE DR(5.4R)																					
4397281	5.278	9.268	R	2021		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	8.5
CAPITAL ASPHALT INC (2023)																					
4397281	5.278	9.268	R	2021		0012	RIDE	8.0	7.9	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.6	8.4	8.3	8.4	8.3
FC125M																					
55050000	9.238	9.787	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	9.5	
61			2	10.8		13004	RIDE	8.0	8.5	8.5	8.5	8.5	8.4	8.5	8.5	8.4	8.2	8.0	7.7	8.2	
MILLWOOD LN(9.6R)																					
4397281	9.268	9.765	R	2021		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	10.0	10.0	9.4	10.0	8.5
CAPITAL ASPHALT INC (2023)																					
4397281	9.268	9.765	R	2021		0012	RIDE	8.1	8.1	7.8	7.7	7.8	7.7	7.6	7.7	7.7	8.2	8.2	8.2	8.1	7.7
FC125M																					
55050000	9.787	18.318	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*		
61			2	10.8		13004	RIDE	8.7	8.9	8.9	8.5	8.5	8.4	8.5	8.5	8.4	8.2	8.0	7.7		
AMBER VALLEY DR(10.0R)																					
4246091	9.787	18.318	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	6.5	6.5	6.5	6.1*	5.5*
PEAVY & SON CONSTRUCTION C(2014)																					
4529401	9.797	18.318	C	2027		0012	SPRIDE	8.4	8.4	8.6	8.6	8.7	8.7	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.3
FC5M																					
55050000	9.787	18.318	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*		
61			2	10.8		13004	RIDE	8.8	8.9	9.0	8.5	8.5	8.4	8.4	8.4	8.4	8.3	8.0	7.5	7.2	
HORSESHOE PLANTATION(12.4L)																					
4246091	9.787	18.318	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	0.5*
PEAVY & SON CONSTRUCTION C(2014)																					
4529401	9.797	18.318	C	2027		0012	SPRIDE	8.4	8.3	8.5	8.5	8.6	8.6	8.5	8.5	8.6	8.5	8.5	8.5	8.4	8.2
FC5M																					
55050000	9.238	9.787	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	9.5
61			2	10.8		13004	RIDE	8.1	8.9	9.0	8.5	8.5	8.4	8.4	8.4	8.3	8.0	7.5	7.2	8.2	
KILLERN LAKES PLANTATION(9.3L)																					
4397281	9.268	9.765	L	2021		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.5	7.0	6.0*	10.0	10.0	10.0	10.0	8.5
CAPITAL ASPHALT INC (2023)																					
4397281	9.268	9.765	L	2021		0012	RIDE	8.2	8.1	7.5	7.4	7.4	7.3	7.4	7.4	7.4	7.4	8.2	8.1	8.2	8.1
FC125M																					
55050000	5.690	9.238	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	
61			3	4.0		55500	RIDE	8.0	8.6	8.6	8.2	8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.1	8.1	
PAPILLION WAY(5.9L)																					
4397281	5.669	9.268	L	2021		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	10.0	10.0	9.6	10.0	8.5
CAPITAL ASPHALT INC (2023)																					
4397281	5.669	9.268	L	2021		0012	RIDE	8.0	7.3	7.9	7.8	7.8	7.7	7.7	7.7	7.8	8.4	8.3	8.3	8.3	7.9
FC125M																					
55050000	5.294	5.690	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0
61			3	4.0		55500	RIDE	8.2	8.4	8.1	8.2	8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.1	8.1	
R L WILSON LN(5.6L)																					
4269311	5.406	5.663	L	2014		0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	8.5
C. W. ROBERTS CONTRACTING,(2016)																					
4269311	5.406	5.663	L	2014		0012	RIDE	8.0		8.2	8.2	8.3	8.1	8.0	7.9	8.1	8.0	7.8	7.9	7.7	7.3
FC125M																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****														
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR																					
ITMSEG-F																					
55050000	4.627	5.294	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
61 319				4	8.5	65500	RIDE	8.3	8.6	7.9	7.8	7.9	7.9	7.3	7.6	7.2	6.6	7.0	6.8	6.9	
MARKET ST(4.7L)																					
4269311	4.616	5.273	C	2014	0012		CRACKING	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.4	6.5
C. W. ROBERTS CONTRACTING, (2016)																					
4529381	1.152	5.143	C	2028	0012		RIDE	7.1		8.5	8.3	8.0	8.4	8.3	8.3	8.3	8.1	8.2	7.9	7.9	7.5
55050000	4.164	4.627	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	10.0	10.0	10.0	10.0	
61				3	5.6	55100	RIDE	8.2	8.4	8.4	7.9	7.7	7.6	8.0	7.7	7.0	8.3	8.2	8.1	8.1	
55320043 EB OFF(4.4L)																					
2225932	4.203	4.651	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.3	7.4	5.5*
ANDERSON COLUMBIA CO., INC(2010)																					
4529381	1.152	5.143	C	2028	0012		SPRIDE	8.1	8.1	7.5	7.8	7.6	7.6	7.6	7.6	7.6	7.6	7.5	7.5	7.4	7.0
55050000	1.845	4.164	L	1	1	45	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
61				2	2.5	34000	RIDE	7.4	6.9		8.2	8.0	8.1	8.0	8.0	7.9	7.9	7.7	7.4	7.4	
GREENBRIAR LN(2.2L)																					
2198761	0.420	4.085	C	2002	0012		CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.7	6.5	4.0*
PEAVY & SON CONSTRUCTION C(2004)																					
4529381	1.152	5.143	C	2028	0012		SPRIDE	7.5	7.3	7.7	7.8	7.7	7.7	7.7	7.6	7.4	7.3	7.5	7.4	7.4	7.0
55050000	1.213	1.845	L	1	1	45	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
61				3	5.6	29500	RIDE	7.7	7.9		7.5	7.4	7.4	7.7	7.6	7.6	7.6	7.5	7.3	7.4	
GLENVIEW RD(1.6L)																					
2198761	0.420	4.085	C	2002	0012		CRACKING	9.5	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	3.6*	1.5*
PEAVY & SON CONSTRUCTION C(2004)																					
4529381	1.152	5.143	C	2028	0012		SPRIDE	6.8	7.2	6.6	7.0	7.0	6.9	6.7	7.0	7.1	6.7	6.7	6.9	6.9	6.5
55050000	1.034	1.213	L	1	1	35	CRACKING	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
61				2	5.6	29500	RIDE	8.1	8.1		7.3	7.3	7.1	7.3	7.3	7.4	7.4	7.1	7.3	7.0	
2198761 0.420 4.085 C 2002 0012 CRACKING																					
PEAVY & SON CONSTRUCTION C(2004)																					
2196682	0.386	1.152	C	2027	0012		SPRIDE	7.3	7.2	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	5.4*	5.3*	3.0*
55050000	0.418	1.034	L	1	1	25	CRACKING	4.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	
61				1	2.7	15200	RIDE	4.3*	4.0*		6.1	6.2	5.8	6.0	6.0	5.9	5.8	5.6	5.4*	5.5	
THIRD AVE(0.6L)																					
2198761	0.420	4.085	C	2002	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	5.3*	5.2*	3.0*
PEAVY & SON CONSTRUCTION C(2004)																					
2196682	0.386	1.152	C	2027	0012		SPRIDE	5.3*	5.1*	5.1*	4.8*	5.1*	5.0*	4.8*	5.5	5.3*	5.1*	5.0*	4.8*	5.0*	4.6*
55050000	0.000	0.418	L	1	1	35	CRACKING	10.0	10.0	9.5	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
61 27				2	5.6	30000	RIDE	7.3	6.3	6.1	5.9	5.4*	5.5	5.5	5.1*	4.9*	4.3*	4.0*	7.6	7.5	
SR 10(0.0C)																					
4216351	0.000	0.418	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	5.6*	3.5*
CAPITAL ASPHALT INC (2012)																					
55050001	0.000	0.292	R	1	1	35	CRACKING								9.5		10.0	10.0	10.0	10.0	
162				3	8.5	14200	RIDE								5.3*		7.5	7.3	7.3	7.4	
SR 61(0.0C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	7.0	10.0	10.0	8.5
							RIDE	7.1	7.2	5.7	5.8	5.9	5.7	5.7	5.7	5.9	6.2	5.6	7.0	7.1	6.7
							(2025)														
55050001	0.000	0.292	L	1	1	35	CRACKING								9.5		10.0	10.0	9.5	9.5	
162				2	8.5	14200	RIDE								6.0		7.2	7.0	7.1	7.2	
SR 61(0.0C)																					
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.5	10.0	10.0	8.5
							RIDE	7.1	7.0	5.9	5.4*	5.5	5.5					5.6	4.6*	4.2*	
							(2025)														
55060000	0.000	2.200	R	1	1	55	CRACKING	7.5	7.5	7.5	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
10 90				2	10.8	18200	RIDE	8.4	8.5	8.6	8.1	7.9	7.9	8.5	8.6	8.5	8.4	8.3	8.2	8.1	
CR 1585(0.5R)																					
4362571	0.000	2.200	R	2018	0012		CRACKING	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.7	7.0
PEAVY & SON CONSTRUCTION C(2019)																					
							RIDE	8.0	7.9	8.1	8.2	8.2	8.9	8.8	8.8	8.7	8.6	8.4	8.7	8.6	8.4
55060000	2.200	6.150	R	1	8	45	CRACKING	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10 90				2	2.9	33500	RIDE	7.7	7.7	7.6	6.8	6.5		8.1	8.0	7.9	7.9	7.6	7.6	7.6	
AARON SMITH RD(2.3R)																					
4039422	3.532	6.301	C	2006	0774		CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	4.6*		
OGLESBY CONSTRUCTION INC. (2007)																					
4269373	2.200	6.151	C	2024	0012		RIDE	7.9	7.8	7.3	7.5	7.4	7.2	7.3	7.3	7.3	7.2	7.0	6.9		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE						
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013			
INTERSECT AT (MP SIDE)																												
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																												
CONTRACTOR (AGE_ONE YEAR) ASTYPE																												
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																												
55060000	10	90	6.150		8.455	R	1	1	35		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
RAMP TO OCALA RD(6.2R)																												
4269371	10	90	6.202		8.448	C	2014	0012			CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.6	4.5*	2.5*		
CAPITAL ASPHALT INC (2015)																												
55060000	10	90	6.150		8.455	L	1	1	35		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
OCALA RD(6.2C)																												
4269371	10	90	6.202		8.448	C	2014	0012			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	5.7*	4.0*		
CAPITAL ASPHALT INC (2015)																												
55060000	10	90	2.200		6.150	L	1	8	45		CRACKING	7.0	7.0	6.0*	5.5*	5.5*		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
W B ROGERS RD(2.3L)																												
4039422	10	90	3.532		6.301	C	2006	0774			CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.3*					
OGLESBY CONSTRUCTION INC. (2007)																												
4269373	10	90	2.200		6.151	C	2024	0012			CRACKING	8.0	7.9	7.8	7.7	7.7	7.3	7.4	7.5	7.6	7.5	7.4	7.2					
PEAVY & SON CONSTRUCTION (2019)																												
55060000	10	90	0.000		2.200	L	1	1	55		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	
SASSY TREE LN(0.5L)																												
4362571	10	90	0.000		2.200	L	2018	0012			CRACKING	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.9	10.0	10.0	7.5	8.6	
PEAVY & SON CONSTRUCTION (2019)																												
55070000	20	20	0.931		14.320	C	1	1	55		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
CR 375(1.5R)																												
4547501	20	20	0.931		19.087	C	2015	0012			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	6.3*	4.5*		
CR 375(1.5R) (2015)																												
55070000	20	20	14.320		15.144	R	1	1	55		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
WHISPERING PINES DR(14.4R)																												
4230671	20	20	14.292		15.096	C	2013	0012			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.5	8.0	7.0	7.0	7.0	6.5	4.5*	7.5		
WHISPERING PINES DR(14.4R) (2013)																												
4547501	20	20	0.931		19.087	C	2028	0012			CRACKING		8.8	8.5	8.4	8.4	8.4	8.3	8.4	8.3	8.1	8.0	8.1	7.9	7.5			
WHISPERING PINES DR(14.4R) (2015)																												
55070000	20	20	15.144		19.020	C	1	1	45		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
CAMPGROUND POND RD(15.3R)																												
4547501	20	20	0.931		19.087	C	2015	0012			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.5	7.0	7.0	7.0	7.0	6.5	4.5*	7.8		
CAMPGROUND POND RD(15.3R) (2015)																												
55070000	20	20	19.020		19.582	R	1	1	45		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
CAPITAL CIR NW(19.6C)																												
4547501	20	20	19.020		19.582	R	3	7.7	12600		CRACKING	8.5	8.9	8.9	8.6	8.5	8.5	8.6	8.5	8.5	8.5	8.3	8.3	8.2	8.2	8.2	8.2	
CAPITAL CIR NW(19.6C) (2018)																												
55070000	20	20	19.953		21.142	C	1	1	45		CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
BAYBERRY DR(20.4L)																												
4397261	20	20	20.189		21.001	C	2020	0012			CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0
PEAVY & SON CONSTRUCTION (2021)																												
55070000	20	20	19.020		19.582	L	1	1	45		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
SMITTY'S RD(19.1L)																												
4547501	20	20	19.020		19.582	L	3	7.7	12600		CRACKING	8.5	8.9	8.9	8.6	8.5	8.5	8.6	8.5	8.5	8.5	8.3	8.3	8.2	8.2	8.2	8.2	
SMITTY'S RD(19.1L) (2018)																												
55070000	20	20	14.320		15.144	L	1	1	55		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
SMITTY'S RD(19.1L)																												
4230671	20	20	14.292		15.096	C	2013	0012			CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	5.0*	7.7	
SMITTY'S RD(19.1L) (2013)																												
4547501	20	20	0.931		19.087	C	2028	0012			CRACKING		8.8	8.5	8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.4	8.3	8.4	8.1	7.7		
SMITTY'S RD(19.1L) (2015)																												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****														
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P	*****														
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****														
55070001	0.000	0.656	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0
20				2	15.4	4900	RIDE	8.7	9.0	9.0	8.5	8.2	8.5	8.3	7.9	8.4	8.2	8.3	8.1	8.1	
BRIDGE #111(0.0C)																					
4230671	0.099	0.656	C	2013	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.0*	4.5*	3.5*	1.5*
(2015) RIDE																					
4547501	0.000	0.656	C	2028	0012																

55070100	0.014	0.233	R	1	1	45	CRACKING						10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
20				3	9.0	17500	RIDE						6.5	7.0	6.3	6.8	6.9	6.6	6.6	6.5	
BLOUNTSTOWN HWY(0.2R)																					
							DGFC														
							(2018)						10.0	10.0	10.0	10.0	10.0	9.0	8.3	9.0	7.5
							CRACKING														6.3
							RIDE														5.9
55070100	0.233	0.410	C	1	1	45	CRACKING						10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
20				2	9.0	17500	RIDE						6.5	7.0	6.3	6.8	6.9	6.6	6.6	6.5	
FRIDAY ST(0.3L)																					
4397261	0.233	0.410	C	2020	0012		CRACKING					10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.0	10.0	8.5
(2021) RIDE																					
PEAVY & SON CONSTRUCTION																					

55070100	0.014	0.233	L	1	1	45	CRACKING						10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
20				3	9.0	17500	RIDE						6.5	7.0	6.3	6.8	6.9	6.6	6.6	6.5	
DGFC																					
							(2018)						10.0	10.0	10.0	10.0	10.0	9.0	8.3	8.3	6.5
							CRACKING														6.8
							RIDE														6.4

55080000	0.000	3.460	R	1	1	45	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	
20				2	2.4	33000	RIDE		8.3	8.2	7.7	7.6	7.5	7.6	7.6	7.6	7.4	7.3	7.1	7.2	
SR-61(0.0R)																					
4307841	0.281	3.460	C	2016	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.0	6.7	5.0*
(2018) RIDE																					
C. W. ROBERTS CONTRACTING,																					
55080000	3.460	5.430	R	1	1	45	CRACKING	6.5	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5	8.5	
20				2	2.4	33000	RIDE	8.6	8.3	8.2	7.4	7.2	7.2		8.7	8.6	8.4	8.2	8.2	8.1	
IDLEWILD DR(4.0C)																					
4397271	3.480	12.732	R	2020	0012		CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	5.5*	10.0	10.0	10.0	9.6	10.0	8.5
(2022) RIDE																					
C. W. ROBERTS CONTRACTING,																					
55080000	5.430	12.732	R	1	1	55	CRACKING	6.0*	5.5*	5.5*	4.0*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.5	
20				2	15.6	6100	RIDE	8.7	8.5	8.5	7.6	7.4	7.3		8.5	8.4	8.2	8.1	8.2	8.1	
TALLAHASSEE NAT CEM(5.7R)																					
4397271	3.480	12.732	R	2020	0012		CRACKING	9.5	7.0	7.0	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.0
(2022) RIDE																					
C. W. ROBERTS CONTRACTING,																					
55080000	5.430	12.732	L	1	1	55	CRACKING	8.0	7.0	7.0	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	
20				2	15.6	6100	RIDE	8.7	8.8	8.7	7.9	7.8	7.6		8.4	8.4	8.2	8.2	8.2	8.1	
MARCH RD(5.7L)																					
4397271	3.480	12.732	L	2020	0012		CRACKING	9.5	7.0	7.0	7.0	7.0	4.5*	4.5*		10.0	10.0	10.0	9.7	10.0	8.0
(2022) SPRIDE																					
C. W. ROBERTS CONTRACTING,																					
55080000	3.460	5.430	L	1	1	45	CRACKING	7.0	7.0	6.0*	4.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	8.5	8.5	
20				2	2.4	33000	RIDE	8.7	8.7	8.4	7.6	7.2	6.3		8.7	8.6	8.4	8.2	8.1	8.0	
CAY LN(3.7L)																					
4397271	3.480	12.732	L	2020	0012		CRACKING	8.5	7.0	7.0	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5
(2022) SPRIDE																					
C. W. ROBERTS CONTRACTING,																					
55080000	0.000	3.460	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
20				2	2.4	33000	RIDE		8.2	8.1	7.4	7.0	7.5	7.5	7.6	7.4	7.3	7.3	7.1	7.2	
MONROE(0.0C)																					
4307841	0.281	3.460	C	2016	0012		CRACKING	7.0	7.0	6.5	6.5	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	6.8	5.0*
(2018) RIDE																					
C. W. ROBERTS CONTRACTING,																					
55090000	0.156	0.329	C	1	1	45	CRACKING	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
366				2	10.3	13700	RIDE	7.4	6.7	6.5		6.7	6.7	7.2	7.4	7.0	7.2	6.9	6.8	7.0	
SR-20/BLOUNTSTOWN HW(0.2L)																					
							DGFC														
							(2018)						10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5
							CRACKING	8.5	8.5												7.6
							RIDE	7.1	6.6												7.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
55090000	0.329	0.741	C	1	1	45	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
366				2	10.3	13700	RIDE	7.4	7.8	7.9	7.2	6.7	6.7	7.2	7.4	7.0	7.2	6.9	6.8	7.0		
CENTURY PARK DR (0.6L)																						
							CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	4.6*	4.2*	2.0*	
2194852	0.383	2.794	C	2025		0012	RIDE	7.1	6.6	6.8	6.6	6.8	6.7	6.6	6.6	6.7	6.4	6.5	6.5	6.3	5.9	
(2005)																						
55090000	0.741	2.794	R	1	2	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
366				2	2.4	29500	RIDE	7.6	7.3	7.2	6.4	6.3	6.3	6.4	6.1	6.5	6.3	6.1	7.8			
APPLEYARD DR (0.9C)																						
4193081	0.808	2.644	C	2012		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.4*	4.5*	
PEAVY & SON CONSTRUCTION C(2013)																						
2194852	0.383	2.794	C	2025		0012	RIDE	7.5	7.4	7.5	7.4	7.5	7.2	7.3	7.1	7.1	6.4	6.5	6.7	6.7	6.3	
(2005)																						
55090000	2.251	2.794	L	1	8	40	CRACKING	9.0	8.0	8.0	8.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
366				2	2.4	29500	RIDE	7.5	7.4	7.3	6.7	6.2	6.4	6.8	6.5	6.5	6.6	6.3	6.4	8.0		
N LIPONA RD (2.3L)																						
4193081	0.808	2.644	C	2012		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5			
PEAVY & SON CONSTRUCTION C(2013)																						
2194852	0.383	2.794	C	2025		0012	RIDE	7.8	7.7	7.3	7.4	7.3	7.2	7.3	7.2	7.1	7.0	6.8	6.8			
(2005)																						
55090000	0.741	2.251	L	1	1	40	CRACKING	9.0	8.0	8.0	8.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
366				2	4.6	14900	RIDE	7.5	7.4	7.3	6.7	6.2	6.4	6.8	6.5	6.5	6.6	6.3	6.4	8.0		
APPLEYARD DR (0.9C)																						
4193081	0.808	2.644	C	2012		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
PEAVY & SON CONSTRUCTION C(2013)																						
2194852	0.383	2.794	C	2025		0012	RIDE	7.8	7.7	7.3	7.4	7.3	7.2	7.3	7.2	7.1	7.0	6.8	6.8	7.1	6.7	
(2005)																						
55090002	0.622	1.145	R	1	8	35	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
366				3	5.0	17200	RIDE				7.9	7.5	7.3	8.0	7.9	7.7	7.2	7.5	7.4	7.5		
PENSACOLA ST W (0.6R)																						
							CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	5.5*			
4491721	0.622	1.211	C	2025		0012	RIDE	7.3	7.4	6.4	6.4	6.4	5.6	5.9	6.2	5.9	5.1*	5.7	5.7			
(2004)																						
55090002	0.622	1.145	L	1	8	35	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
366				3	5.0	17200	RIDE				7.2	7.2	7.2	7.4	7.4	7.3	7.7	7.7	7.5	7.6		
FC125M																						
							CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*			
4491721	0.622	1.211	C	2025		0012	RIDE	6.9	6.8	6.3	6.6	6.5	6.1	6.2	6.2	6.0	6.0	5.9	5.6			
(2004)																						
55100000	0.430	1.022	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0	7.0	6.0*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0		
363				2	4.1	19200	RIDE	6.2*	6.4*	6.9	5.9*	5.4*	5.5	5.6	5.0*	4.9*	4.1*	8.6	8.4	8.4		
SR-61/SR-363 (0.4R)																						
4193501	0.430	0.761	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	6.7	7.0	5.0*	
PEAVY & SON CONSTRUCTION C(2011)																						
4508111	0.430	1.998	C	2026		0012	SPRIDE	8.5	7.8	8.2	8.2	8.0	7.9	7.3	7.2	7.3	7.1	7.1	7.0	6.8	6.4	
(2006)																						
55100000	1.022	1.470	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
363				2	4.6	15900	RIDE	7.8	8.0	7.7	7.4	7.5	7.3	7.4	7.2	7.3	6.9	7.0	6.8	6.4		
PUTNAM DR (1.2R)																						
2198381	0.632	1.470	C	1999		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.8*	5.6*	3.0*	
MITCHELL BROTHERS, INC. (2000)																						
4508111	0.430	1.998	C	2026		0012	SPRIDE	6.1	6.3	6.6	6.9	7.1	6.2	6.2	6.7	6.3	6.4	6.6	6.3	6.4	6.0	
(2006)																						
55100000	1.470	1.998	R	1	1	35	CRACKING	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
363				1	4.6	15900	RIDE	6.2*	5.7	5.2*	7.8	7.9	7.5	7.8	7.8	7.6	7.6	7.6	7.4	7.5		
KESTNER ST (1.6R)																						
2198851	1.466	2.349	C	2003		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.0*	4.6*	2.5*	
C. W. ROBERTS CONTRACTING, (2004)																						
4508111	0.430	1.998	C	2026		0012	SPRIDE	6.7	7.0	6.8	6.5	6.6	6.4	6.4	6.5	6.4	6.0	5.9	5.9	5.9	5.5	
(2006)																						
55100000	1.470	1.998	L	1	1	35	CRACKING	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
363				1	4.6	15900	RIDE	6.2*	5.7	5.2*	7.8	7.9	7.5	7.8	7.8	7.6	7.6	7.6	7.4	7.5		
LINCOLN ST (1.5L)																						
2198851	1.466	2.349	C	2003		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.1*	4.0*	
C. W. ROBERTS CONTRACTING, (2004)																						
4508111	0.430	1.998	C	2026		0012	SPRIDE	6.7	7.0	6.8	6.5	6.6	6.4	6.4	5.7	6.0	5.7	5.6	5.7	5.9	5.5	
(2006)																						
55100000	1.022	1.470	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
363				1	4.6	15900	RIDE	7.8	8.0	7.7	7.4	7.5	7.3	7.4	7.2	7.3	6.9	7.0	6.8	6.4		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RY	FY-F	WKM-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
55100000	0.430	1.022	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	
363			2	4.1		19200	RIDE	7.6	7.7	7.6	7.4	7.4	7.3	7.5	7.9	7.3	7.3	8.5	8.2	8.2	
E PAUL RUSSEL(0.4C)																					
4193501	0.430	0.761	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.3	6.9	5.0*
PEAVY & SON CONSTRUCTION (2011)																					
4508111	0.430	1.998	C	2026		0012	SPRIDE	8.3	8.2	8.1	8.4	8.3	7.7	7.3	7.0	6.7	6.6	6.9	6.7	6.6	6.2
FC95MR																					
55100001	0.000	0.506	C	2	1	30	CRACKING	5.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
363			2	1.8		6300	RIDE	6.2*	5.6	6.0	7.2	7.2	6.7	7.3	6.2	6.3	6.2	7.0	6.4	6.7	
SR-363/ADAMS ST NB(0.0R)																					
2198861	0.000	0.493	C	2003		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.0	8.0	7.5	7.5	7.5	6.5	4.0*
C. W. ROBERTS CONTRACTING, (2004)																					
4508111	0.000	0.497	C	2026		0012	SPRIDE	6.8	6.5	5.9	6.0	5.6	5.1*	5.2*	5.6	5.7	5.0*	5.5	5.3*	5.5	5.1*
FC125																					
55100002	0.000	0.320	C	1	1	35	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
363			2	2.3		7300	RIDE	6.5	6.6	4.5*				6.4	6.4	6.8	6.4	4.9*		9.5	
GAINES ST(0.0C)																					
4508111	0.009	0.320	C	(2004)		0012	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.7*	3.5*
RIDE																					
55110000	0.000	2.250	R	1	1	35	CRACKING	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	
155			1	2.7		13500	RIDE	6.7	6.6	7.8	6.9	6.9	6.8	7.0	6.8	6.7	6.5	6.3	6.4	6.3	
SEVENTH AVE(0.0C)																					
4456341	0.331	1.630	R	2023		0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	8.5
CAPITAL ASPHALT INC (2025)																					
55110000	2.250	2.574	R	1	1	35	CRACKING	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
155			2	2.7		13500	RIDE	7.1	6.8	8.1	7.6	7.7	7.6	7.0	7.3	7.7	7.2	7.4			
FC95MR																					
4456341	2.246	2.427	R	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	10.0	10.0	8.5
CAPITAL ASPHALT INC (2025)																					
55110000	2.250	2.574	L	1	1	35	CRACKING	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
155			2	2.7		13500	RIDE	7.1	6.8	8.3	7.6	7.1	7.4	7.3	7.3	7.3	7.1	7.0			
FC95MR																					
4456341	2.246	2.427	L	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	8.5
CAPITAL ASPHALT INC (2025)																					
55110000	0.000	2.250	L	1	1	35	CRACKING	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	
155			1	2.7		13500	RIDE	6.7	6.6	7.8	6.9	6.9	6.8	7.0	6.8	6.7	6.5	6.3	6.4	6.3	
SEVENTH AVE(0.0C)																					
4456341	0.331	1.630	L	2023		0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	8.5
CAPITAL ASPHALT INC (2025)																					
55120000	0.000	2.854	C	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
61			2	4.5		7800	RIDE	8.2	8.6	8.5	8.3	8.3	8.3	8.3	8.4	8.3	8.1	7.9	7.8	7.8	
LIMPKIN LN(0.2L)																					
4377511	0.000	1.376	C	2018		0012	CRACKING	7.0	7.0	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	10.0	8.5
PEAVY & SON CONSTRUCTION (2021)																					
55120000	2.854	3.282	C	1	1	45	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
61			1	5.4		13000	RIDE	8.2	8.6	8.5			8.1	7.8	7.8	7.8	8.1	7.7	7.6	7.3	
FROM SR-61(2.9L)																					
2197481	2.816	3.654	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	5.1*	4.6*	2.5*
C. W. ROBERTS CONTRACTING, (2006)																					
2194842	2.789	6.838	C	2026		0012	SPRIDE	6.9	6.8	6.7	6.9	7.1	6.7	6.5	6.6	6.5	6.3	6.2	6.3	6.1	5.7
FC125																					
55120000	3.282	3.713	C	1	1	45	CRACKING	10.0	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
61			2	5.4		13000	RIDE	7.7	8.6	8.5			7.9	8.0	8.0	7.8	7.4	7.3	7.5	7.6	
FROM SR-369(3.3L)																					
2194842	2.789	6.838	C	(2017)		0012	CRACKING	9.5	8.0	8.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*
RIDE																					
55120000	3.713	6.838	R	1	1	45	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
61 319			2	5.4		26000	RIDE	8.1	8.5	8.5			7.7	8.0	8.0	7.9	7.7	7.5	7.6	7.5	
FC125																					
2197481	5.382	6.825	C	2003		0213	CRACKING	9.5	8.0	8.0	8.0	8.0	7.0	7.0	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	2.0*
C. W. ROBERTS CONTRACTING, (2006)																					
2194842	2.789	6.838	C	2026		0012	SPRIDE	7.2	7.3	7.3	7.2	7.3	7.1	7.1	7.1	7.0	7.0	7.0	6.9	7.0	6.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
55120000	6.838	7.498	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	4.5*	10.0	10.0	10.0		
61				3	5.4	17100	RIDE	7.4	7.8	7.5	6.6	7.4	7.1	6.9	7.6	7.1	6.1	8.6	8.5	8.5		
SR-61A/GAILE AVE(6.9R)																						
4193501	6.853	7.483	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.5	7.5	6.9	5.0*	
PEAVY & SON CONSTRUCTION C(2011)																						
4508111	6.838	7.498	C	2026		0012																

55120000	6.838	7.498	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	3.5*	10.0	10.0	10.0		
61				2	5.4	17100	RIDE	7.7	7.1	7.7	6.6	5.9*	5.4*	6.0	5.1*	5.3*	4.5*	8.2	8.2	8.1		
ARDEN RD(6.8L)																						
4193501	6.853	7.483	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.7	7.7	5.5*	
PEAVY & SON CONSTRUCTION C(2011)																						
4508111	6.838	7.498	C	2026		0012	RIDE	8.3	8.2	8.1	8.1	7.9	7.9	7.7	7.7	7.5	7.6	7.1	7.3	7.4	7.0	

55120000	3.713	6.838	L	1	1	45	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
61	319			2	5.4	26000	RIDE	8.1	8.5	8.5			7.9	8.0	8.1	7.8	7.4	7.3	7.5	7.6		
CRAWFORDVILLE HWY(3.7L)																						
2197481	5.382	6.825	C	2003		0213	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	4.6*	2.5*	
C. W. ROBERTS CONTRACTING, (2006)																						
2194842	2.789	6.838	C	2026		0012	SPRIDE	7.5	7.4	7.4	7.3	7.2	7.1	7.1	7.1	7.0	7.0	6.9	6.9	6.9	6.5	

55120001	0.000	0.103	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0		
61A				2	5.4	17100	RIDE	5.3*	4.6*													
CRAWFORDVILLE HWY(0.0C)																						
4193501	0.000	0.103	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.1	7.8	6.0*	
PEAVY & SON CONSTRUCTION C(2011)																						
4508111	0.000	0.103	C	2026		0012	RIDE													4.8*	4.4*	

55120002	0.000	0.386	C	1	1	45	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0		
61				1	5.4	3800	RIDE							7.7	7.6	7.6	7.6	7.2	7.1	7.3		
US-319/SR-369 SB(0.0R)																						
2197481	0.000	0.386	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	6.5	4.5*	
C. W. ROBERTS CONTRACTING, (2008)																						
							SPRIDE	7.0	7.0	6.2	6.3	6.5	6.4	6.0	6.2	6.2	6.4	6.0	5.7	6.2	5.8	

55150000	0.000	0.111	C	1	6	35	CRACKING	6.0*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
59				2	14.7	1400	RIDE	4.2*	3.8*		8.1											
JEFFERSON CO LINE(0.0C)																						
4039532	0.000	0.111	C	2003		0012	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
MITCHELL BROTHERS, INC. (2004)																						
4546221	0.000	0.111	C	2028		0012	RIDE															

55160000	0.466	2.533	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0		
371				2	6.1	12800	RIDE	8.0	8.1	8.6	8.2	8.3	8.2	8.3	8.2	8.3	8.1	8.0	8.0	7.9		
GRAPHENE LN(0.6R)																						
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	
							RIDE	7.9	7.9	7.7	7.7	7.7	7.7	7.7	7.6	7.7	7.6		8.4	8.4	8.4	
																					8.5	
																					8.0	

55160000	3.250	4.383	R	1	1	35	CRACKING	6.5	4.5*	10.0	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0		
371				2	5.3	26000	RIDE	5.9*	5.2*	8.4	7.9	7.9	7.7	7.6	7.6	7.4	7.2	6.9	6.6	6.5		
KISSIMMEE ST(3.5R)																						
4397321	3.741	4.383	C	2022		0012	CRACKING	7.0	7.0	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	7.6	6.0*	
CAPITAL ASPHALT INC (2023)																						
							RIDE	5.9	6.7	7.0	6.9	7.1	6.7	6.6	6.6	6.5	7.9	7.6	7.8	7.6	7.2	

55160000	3.250	4.383	L	1	1	35	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0		
371				2	5.3	26000	RIDE	5.7*	5.9	7.8	7.4	7.1	7.1	7.4	7.3	7.3	7.3	7.0	6.8	6.4		
COLEMAN ST(3.3L)																						
4397321	3.741	4.383	C	2022		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5	
CAPITAL ASPHALT INC (2023)																						
							RIDE	6.5	6.4	6.6	6.6	6.6	5.8	6.6	6.3	6.3	7.6	7.4	7.3	7.2	6.8	

55160100	0.000	0.300	C	1	8	45	CRACKING							10.0	10.0	9.5	9.5	9.5	9.5	9.5		
371				2	6.1	12800	RIDE							6.9	6.7	7.8	7.7	7.6	7.5	7.4	7.4	
CAPITAL CIR SW(0.0C)																						
							CRACKING	9.5	9.5	9.5	9.0	9.0		6.5	3.5*	3.5*	3.5*	3.5*	8.5	8.4		
							RIDE	7.4	7.4	7.1	7.0	6.6		6.9	6.0	6.1	6.3	6.2	6.0	5.7		

55160100	0.300	0.501	C	1	1	45	CRACKING							10.0	10.0	9.5	9.5	9.5	9.5	9.5		
371				2	6.1	12800	RIDE							6.9	6.7	7.8	7.7	7.6	7.5	7.4	7.4	
RANKIN AVE(0.5C)																						
4397321	0.301	0.501	C	2022		0012	CRACKING	9.5	9.5	9.5	9.0	9.0		6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
CAPITAL ASPHALT INC (2024)																						
							RIDE	7.4	7.4	7.1	7.0	6.6		6.9	6.0	6.1	6.3	6.2	8.4	8.5	8.5	
																					8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
55160101	0.000	0.753	C	1	1	45	CRACKING						9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
371			2	5.8		3300	RIDE						6.1	6.3	6.6	6.1	6.6	6.4	6.2	6.5		
CYPRESS LAKE RD(0.0C) FC125M																						
4397321	0.081	0.539	C	2022		0012	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.5*		10.0	10.0	10.0	8.5	
CAPITAL ASPHALT INC (2024) RIDE 6.1 5.9 6.4 6.5 6.4 5.9 6.1 6.3 6.3																						
55170000	0.000	1.627	C	1	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	10.0	8.5	8.5	8.5	
369 319			2	6.3		14500	RIDE	8.4	8.7	8.7	8.2	8.3	8.3	8.4	8.4	8.2	8.0	8.5	8.5	8.5		
LEON SINKS GEO AREA(0.3L) FC95MR																						
4377581	0.000	1.627	C	2023		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	5.0*	5.0*	5.0*	3.0*	10.0	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2024) SPRIDE 8.4 8.3 8.3 8.4 8.4 8.3 8.2 8.3 8.3 8.3 8.3 8.9 8.9 8.8 8.4																						
55170000	1.627	3.296	C	1	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
369 319			2	6.3		14500	RIDE	8.4	8.7	8.7	8.2	8.3	8.3	8.4	8.4	8.2	8.0	7.4	7.7	7.6		
CR 2204(1.7R) FC95MR																						
4246161	2.528	3.291	C	2015		0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	6.3*	4.5*	
PEAVY & SON CONSTRUCTION C(2016) SPRIDE 7.6 9.0 8.8 8.6 8.6 8.4 8.5 8.4 8.4 8.4 8.3 8.3 8.3 8.3 8.9 8.9 8.8 8.4																						
2198814	1.984	3.620	C	2028		0213																
55170000	3.296	4.430	C	1	1	45	CRACKING	10.0	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
369 319			2	5.4		13000	RIDE	8.4	8.7	8.7	8.2		8.3	8.7	8.6	8.6	8.5	8.3	8.3	8.3		
US 319 NB NEW ALIGN(3.3R) DGFC																						
2197481	3.303	4.430	C	2003		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
C. W. ROBERTS CONTRACTING, (2006) SPRIDE 8.1 8.1 7.6 7.9 7.8 7.6 7.7 7.8 7.8 7.6 7.7 7.8 7.8 7.6 7.7 7.6 7.7 7.6 7.7 7.7 7.3																						
55170001	0.000	0.672	C	1	1	45	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0		
369 319			2	6.5		7200	RIDE							7.9	7.7	7.5	8.3	8.2	8.1	8.1		
US-319/SR-369 SB(0.0L) FC125																						
2197481	0.000	0.672	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	6.9	6.5	4.5*	
C. W. ROBERTS CONTRACTING, (2007) SPRIDE 8.1 7.9 7.8 7.6 7.7 7.6 7.5 7.6 7.4 7.4 6.9 6.9 7.3 6.9																						
55180000	0.000	0.184	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0		
61			2	5.0		6200	RIDE	5.5*	5.5*	4.5*	4.7*	4.3*										
SR-61/ADAMS ST(0.0R) DGFC																						
4193501	0.000	0.184	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.0	6.5	6.0*	4.0*	
PEAVY & SON CONSTRUCTION C(2011) RIDE																						
4508111	0.000	0.184	C	2026		0012														6.0	5.6	
55180000	0.000	0.184	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0		
61			2	5.0		6200	RIDE	7.7	7.0	6.4*	5.5*	4.8*										
SR-363/ADAMS ST(0.0L) DGFC																						
4193501	0.000	0.184	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	6.8	5.0*	
PEAVY & SON CONSTRUCTION C(2011) RIDE																						
4508111	0.000	0.184	C	2026		0012														4.5*	4.1*	
55190000	0.072	0.795	C	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0	7.0	
373			1	6.4		19100	RIDE		7.9	7.8	7.4	7.3	6.9	7.1	7.0	6.8	6.7	6.4	6.6	6.4		
LAKE BRADFORD RD(0.1L) FC125M																						
							CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.6	6.0*
(2016) RIDE 6.0 7.7 7.8 7.5 7.4 7.6 7.3 7.3 7.1 7.2 7.1 7.1 7.1 6.7																						
55190000	0.795	1.235	R	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	
373			1	6.4		19100	RIDE		7.9	7.8	7.4	7.3	6.9	7.1	7.0	6.8	6.7	6.4	6.6	6.4		
SCHOOL(0.9R) FC125M																						
4269651	0.912	1.233	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.5	7.5	6.0*	
C. W. ROBERTS CONTRACTING, (2016) RIDE 6.0 7.7 7.8 7.5 7.4 7.6 7.7 7.5 7.7 7.5 7.3 7.0 7.0 6.6																						
55190000	1.235	1.780	R	1	1	35	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	
373			2	6.1		25000	RIDE		8.1	7.8	7.0	6.8	6.5	6.7	6.3	6.6	6.1	5.6	5.9	6.1		
ADAMS ST S(1.6C) FC125M																						
4269651	1.415	1.680	C	2014		0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	5.5*	
C. W. ROBERTS CONTRACTING, (2016) RIDE 5.9 8.2 8.1 8.0 7.5 6.7 6.6 6.9 6.9 6.7 6.6 6.7 6.6 6.8 6.4																						
55190000	1.235	1.780	L	1	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
373			2	6.1		25000	RIDE		8.6	8.7	6.4	6.3	6.5	6.7	5.9	5.6	5.2*	5.1*	5.1*	4.8*		
ADAMS ST S(1.6C) FC125M																						
4269651	1.415	1.680	C	2014		0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.7	6.4*	4.5*	
C. W. ROBERTS CONTRACTING, (2016) RIDE 5.9 8.2 8.1 8.0 7.5 6.7 6.3 6.4 6.5 6.4 6.2 6.2 6.2 5.8																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
55190000	0.795	1.235	L	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0	7.0	
373				1	6.4	19100	RIDE		7.9	7.8	7.4	7.3	6.9	7.1	7.0	6.8	6.7	6.4	6.6	6.4		
HOLTON ST(0.9L)						FC125M																
4269651	0.912	1.233	C	2014	0012		CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5	5.0*
C. W. ROBERTS CONTRACTING,(2016)							RIDE	6.0		7.7	7.8	7.5	7.4	7.6	7.4	7.4	7.3	7.3	7.0	7.1	6.7	
55300000	0.000	14.159	C	1	1	60	CRACKING	6.0*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
267				2	18.1	1950	RIDE	8.4	8.7	8.7	8.0		8.5	8.7	8.4	8.7	8.5	8.7	8.6	8.7		
SR-20(0.0L)						FC95																
4090121	0.005	14.167	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	8.0	8.0	8.0	6.9	6.5	4.5*	
PEAVY & SON CONSTRUCTION C(2006)							RIDE	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.5	8.5	8.5	8.5	8.5	8.5	8.1	
55320000	0.000	1.074	R	4	1	70	CRACKING	4.8*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
8 I10	193.6	194.6		2	23.2	40000	RIDE	7.3		8.8	8.2	8.2	8.2	8.4	8.3	8.2	8.2	8.1	8.0	7.9		
BRIDGE #50						FC5M																
4327412	0.233	1.074	C	2016	0012		CRACKING	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.8	7.4	5.5*	
C. W. ROBERTS CONTRACTING,(2017)							SPRIDE	7.9	7.9	7.9	8.7	8.9	8.9	8.9	8.9	8.9	8.9	8.7	8.6	8.6	8.5	
4565601	0.229	4.580	C	2029	0012																	
55320000	1.074	4.580	R	4	1	70	CRACKING	5.2*		10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
8 I10	194.6	198.1		3	22.2	57500	RIDE	7.3		8.8	8.2	8.2	8.2	8.4		8.6	8.5	8.4	8.5	8.5		
						FC5M																
							CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	6.9	4.0*	
4565601	0.229	4.580	C	2029	0012		RIDE	8.4	8.5	8.7	8.7	8.9	8.9	9.0	9.0	8.9	8.8	8.8	8.7	8.9	8.8	
55320000	4.580	7.000	R	4	1	70	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	4.5*		10.0	10.0	10.0	10.0			
8 I10	198.1	200.6		3	12.5	71529	RIDE	8.7	8.6	8.6	7.9	7.8	7.8	8.0		8.3	8.4	8.3	8.3			
						FC5M																
2225892	4.580	5.936	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	3.8*	1.0*	
ARCHER WESTERN CONTRACTORS(2010)							SPRIDE	8.1	8.2	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.2	8.1	8.1	8.0	
2225896	4.580	10.137	C	2026	0012																	
55320000	7.000	10.137	R	4	1	70	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	4.5*		10.0	10.0	10.0	10.0			
8 I10	200.6	203.7		3	12.5	71529	RIDE	8.7	8.6	8.6	7.9	7.8	7.8	8.0		8.3	8.3	8.3	8.3			
						FC5M																
2225932	7.008	8.535	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	
ANDERSON COLUMBIA CO., INC(2010)							SPRIDE	8.3	8.3	8.4	8.4	8.5	8.5	8.5	8.5	8.5	8.4	8.3	8.4	8.4	8.3	
2225896	4.580	10.137	C	2026	0012																	
55320000	10.137	15.665	R	4	1	70	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0		
8 I10	203.7	209.2		2	22.8	38000	RIDE	8.7	8.6	8.6	7.9	7.8	7.8	7.7	7.7	8.5	8.4	8.5	8.4	8.3		
						FC5M																
4176431	10.096	13.787	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.0	6.5	6.5	4.5*	4.5*	4.4*	1.5*	
PEAVY & SON CONSTRUCTION C(2009)							SPRIDE	8.3	8.2	8.5	8.5	8.6	8.5	8.5	8.6	8.5	8.4	8.4	8.3	8.3	8.2	
4176432	10.137	15.628	C	2025	0012																	
55320000	15.665	22.200	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0		
8 I10	209.2	215.8		2	27.5	32500	RIDE		8.9	8.9	8.4	8.3	8.3	8.5	8.4	8.3	7.9	8.2	8.1	7.8		
						FC5M																
4289391	15.643	22.200	C	2014	0012		CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.3	6.0*	
PEAVY & SON CONSTRUCTION C(2015)							SPRIDE	7.8	8.6	9.0	9.0	9.1	9.2	9.2	9.2	9.1	9.1	9.1	9.1	9.1	9.0	
55320000	15.665	22.200	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
8 I10	209.2	215.8		2	27.5	32500	RIDE		9.0	8.9	8.2	8.0	8.1	8.0	8.3	8.0	7.8	6.4*	5.6*	6.6		
						FC5M																
4289391	15.643	22.200	C	2014	0012		CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.3	8.3	6.0*	
PEAVY & SON CONSTRUCTION C(2015)							SPRIDE	7.3	8.6	8.9	8.9	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.0	
55320000	10.137	15.665	L	4	1	70	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0		
8 I10	203.7	209.2		2	22.8	38000	RIDE	8.8	8.8	8.7	8.0	7.9	7.8	7.8	7.7	8.5	8.4	8.4	8.4	8.4		
						FC5M																
4176431	10.096	13.787	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.0*	3.7*	0.5*	
PEAVY & SON CONSTRUCTION C(2009)							SPRIDE	8.3	8.3	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.4	8.4	8.3	8.4	8.3	
4176432	10.137	15.628	C	2025	0012																	
55320000	7.000	10.137	L	4	1	70	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	4.5*		10.0	10.0	10.0	10.0			
8 I10	200.6	203.7		3	12.5	71529	RIDE	8.8	8.8	8.7	8.0	7.9	7.8	8.3		8.4	8.3	8.4	8.4			
						FC5M																
2225932	7.008	8.535	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	
ANDERSON COLUMBIA CO., INC(2010)							SPRIDE	8.3	8.3	8.5	8.5	8.7	8.6	8.7	8.7	8.6	8.5	8.4	8.5	8.4	8.4	
2225896	4.580	10.137	C	2026	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = LEON -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====															(PMRS)
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	ITMSEG-F	CONTRACTOR (AGE_ONE YEAR)	FY-F	WKM-X-F																	
55320000	4.573	7.000	L	4	1	70	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	4.5*			10.0	10.0	10.0	10.0		
8	I10	198.1	200.6	3	12.5	71529	RIDE	8.8	8.8	8.7	8.0	7.9	7.8	8.3			8.4	8.4	8.3	8.3		
							FC5M															
2225892	4.580	5.936	C	2006		0213	CRACKING	10.0	9.5	9.5	9.5	9.5	9.0	9.0	8.0	7.5	7.5	6.5	6.5	5.5*	2.5*	
							ARCHER WESTERN CONTRACTORS(2010)	8.2	8.2	8.4	8.4	8.5	8.5	8.5	8.5	8.5	8.4	8.3	8.2	8.3	8.2	
2225896	4.580	10.137	C	2026		0012	SPRIDE															
55320000	1.074	4.573	L	4	1	70	CRACKING	4.6*		10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
8	I10	194.6	198.1	3	22.2	57500	RIDE	7.4		8.9	8.2	8.2	8.2	8.3		8.6	8.5	8.5	8.5	8.5		
							FC5M															
							(2009)	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.3	7.0	4.0*
4565601	0.229	4.580	C	2029		0012	CRACKING	8.5	8.4	8.8	8.7	9.0	9.0	9.1	9.1	9.0	8.9	8.9	8.8	8.9	8.8	
							RIDE															
55320000	0.000	1.074	L	4	1	70	CRACKING	4.3*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
8	I10	193.6	194.6	2	23.2	40000	RIDE	7.4		8.9	8.2	8.2	8.2	8.3	8.4	8.2	8.1	8.1	8.1	8.1		
							FC5M															
BRIDGE #50	L(0.0C)																					
4327412	0.233	1.074	C	2016		0012	CRACKING	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.9	5.0*	
							C. W. ROBERTS CONTRACTING,(2017)	8.0	7.9	8.2	8.8	8.9	8.9	8.9	8.9	8.8	8.9	8.8	8.6	8.8	8.7	
4565601	0.229	4.580	C	2029		0012	SPRIDE															

55321000	0.000	0.114	R	1	1	35	CRACKING													9.5		
160			2	5.0	14900	RIDE																
							SR 61(0.0C)															
4269311	0.000	0.085	C	2014		0012	CRACKING	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	
							C. W. ROBERTS CONTRACTING,(2016)													5.5	5.1*	
4529461	0.030	0.114	C	2026		0012	RIDE															

55321000	0.000	0.114	L	1	1	35	CRACKING													9.5		
160			2	5.0	14900	RIDE																
							SR 61(0.0C)															
4269311	0.000	0.085	C	2014		0012	CRACKING	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	
							C. W. ROBERTS CONTRACTING,(2016)													3.4*	3.0*	
4529461	0.030	0.114	C	2026		0012	RIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).