

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE	ONE	YEAR)		ASTYP																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
57002000	0.000	3.112	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	
8	I10	42.5	45.6	2	24.4	35000	RIDE		8.7	8.6	8.5	8.3	8.0	8.3	8.3	8.2	8.0	7.7	7.4	7.3	
							FC5M														
4327371	0.000	2.602	C	2016	0012		CRACKING	7.0	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	9.0	7.0
ANDERSON	COLUMBIA	CO.,	INC	(2017)			RIDE	7.2	6.9	7.6	8.8	8.9	8.6	8.6	8.8	8.8	8.7	8.7	8.6	8.6	8.5
57002000	3.112	8.283	R	4	1	70	CRACKING	8.6		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
8	I10	45.6	50.7	2	24.4	31500	RIDE	6.0*		8.8	8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.0	7.9	7.7	
							FC5M														
4348371	3.112	8.283	C	2017	0012		CRACKING	9.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.0	7.0
ANDERSON	COLUMBIA	CO.,	INC	(2019)			SPRIDE	7.8	7.7	8.1	8.0		8.8	8.9	9.0	8.9	8.8	8.7	8.7	8.6	8.5
57002000	8.283	11.117	R	4	7	70	CRACKING	6.5		3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	
8	I10	50.7	53.6	2	24.4	31500	RIDE	8.5		7.7	6.6	5.8*		8.2	8.3	8.3	8.3	8.2	8.1	8.1	
							FC5M														
4458151	9.312	11.154	R	2023	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	9.0
ANDERSON	COLUMBIA	CO.,	INC	(2026)			RIDE	8.0	7.9	8.3	8.3	8.5	8.2	8.4	8.5	8.5	8.4	8.3	8.2	9.0	8.9
57002000	11.117	12.122	R	4	8	70	CRACKING	6.5		3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	
8	I10	53.6	54.6	2	24.4	31500	RIDE	8.5		7.7	6.6	5.8*		8.2	8.3	8.3	8.3	8.2	8.1	8.1	
							FC5														
4088781	8.201	16.949	C	2004	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*		
ANDERSON	COLUMBIA	CO.,	INC	(2007)			SPRIDE	8.0	7.9	8.3	8.3	8.5	8.2	8.4	8.5	8.5	8.4	8.3	8.2		
4458151	9.312	16.975	R	2023	0012																
57002000	12.122	16.975	R	4	7	70	CRACKING	6.5		3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	
8	I10	54.6	59.4	2	31.1	26500	RIDE	8.5		7.7	6.6	5.8*		8.2	8.3	8.3	8.3	8.2	8.1	8.1	
							FC5M														
4458151	13.863	16.499	R	2023	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	9.0
ANDERSON	COLUMBIA	CO.,	INC	(2026)			RIDE	8.0	7.9	8.3	8.3	8.5	8.2	8.4	8.5	8.5	8.4	8.3	8.2	8.9	8.8
57002000	16.975	24.554	R	4	1	70	CRACKING	7.7		10.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	10.0	10.0	
8	I10	59.4	67.0	2	31.1	26500	RIDE	6.1*		8.9	8.5	8.3	8.2	8.1	8.1	8.1		8.6	8.5	8.5	
							FC5M														
4192911	16.975	24.554	C	2009	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	5.6*	5.5*	2.5*
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.3	8.3	8.6	8.6	8.8	8.5	8.7	8.9	8.8	8.8	8.7	8.7	8.7	8.6
4192912	16.975	24.554	C	2025	0012																
57002000	16.975	24.554	L	4	1	70	CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	10.0	10.0	
8	I10	59.4	67.0	2	31.1	26500	RIDE	6.0*		8.9	8.5	8.2	8.1	8.1	8.1	8.0		8.6	8.5	8.5	
							FC5M														
4192911	16.975	24.554	C	2009	0012		CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	5.4*	5.4*	2.5*
OLDCASTLE	MATERIALS	SOUTHE	(2011)				SPRIDE	8.4	8.3	8.6	8.6	8.9	8.5	8.7	8.8	8.9	8.7	8.7	8.6	8.6	8.5
4192912	16.975	24.554	C	2025	0012																
57002000	12.115	16.975	L	4	7	70	CRACKING	6.5		3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
8	I10	54.6	59.4	2	31.1	26500	RIDE	8.1		7.1	6.1*	5.3*		8.1	8.3	8.3	8.3	8.3	8.2	8.3	
							FC5														
4458151	13.863	16.499	L	2023	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.0
ANDERSON	COLUMBIA	CO.,	INC	(2026)			RIDE	8.2	8.1	8.4	8.4	8.5	8.3	8.4	8.5	8.5	8.4	8.4	8.2	8.9	8.8
57002000	11.003	12.115	L	4	8	70	CRACKING	6.5		3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
8	I10	53.5	54.6	2	24.4	31500	RIDE	8.1		7.1	6.1*	5.3*		8.1	8.3	8.3	8.3	8.3	8.2	8.3	
							FC5														
4088781	8.201	16.949	C	2004	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*		
ANDERSON	COLUMBIA	CO.,	INC	(2007)			SPRIDE	8.2	8.1	8.4	8.4	8.5	8.3	8.4	8.5	8.5	8.4	8.4	8.2		
57002000	8.283	11.003	L	4	7	70	CRACKING	6.5		3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
8	I10	50.7	53.5	2	24.4	31500	RIDE	8.1		7.1	6.1*	5.3*		8.1	8.3	8.3	8.3	8.3	8.2	8.3	
							FC5M														
4458151	9.312	11.154	L	2023	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.0
ANDERSON	COLUMBIA	CO.,	INC	(2026)			RIDE	8.2	8.1	8.4	8.4	8.5	8.3	8.4	8.5	8.5	8.4	8.4	8.2	8.9	8.8
57002000	3.112	8.283	L	4	1	70	CRACKING	7.9		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
8	I10	45.6	50.7	2	24.4	31500	RIDE	6.1*		8.8	8.4	8.2	8.2	8.2	8.2	8.1	8.0	7.9	7.7	7.6	
							FC5M														
4348371	3.112	8.283	C	2017	0012		CRACKING	8.5	7.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
ANDERSON	COLUMBIA	CO.,	INC	(2019)			SPRIDE	7.5	7.5	8.0	8.0		8.6	8.8	8.9	8.9	8.7	8.7	8.6	8.6	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
57002000	0.000	3.112	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	
8 I10	42.5	45.6	2	24.4		35000	RIDE		9.1	8.9	8.6	8.4	8.4	8.3	8.2	8.0	8.0	7.7	7.2	7.3	
						FC5M															
4327371	0.000	2.602	C	2016		0012	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
ANDERSON	COLUMBIA	CO., INC	(2017)				RIDE	7.0	6.9	7.6	8.8	8.9	8.7	8.8	9.0	9.0	8.9	8.8	8.8	8.8	8.7
57003000	0.000	2.581	R	1	7	40	CRACKING	9.0	9.0	6.5	6.5	6.5		10.0	10.0	9.5	9.0	8.5	8.5	7.0	
188			2	2.9		28500	RIDE	7.3	7.3	6.9	6.3	6.0		7.3	7.7	7.7	7.6	7.5	7.3	7.0	
						FC125															
BEAL PKWY(0.0C)						0012	CRACKING	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	8.5
ANDERSON	COLUMBIA	CO., INC	(2026)				RIDE	7.0	6.9	7.1	6.8	7.0	6.8	6.9	6.8	6.7	6.7	6.5	6.3	8.0	7.6
57003000	0.000	2.581	L	1	7	40	CRACKING	9.0	9.0	6.5	6.5	6.5		10.0	10.0	10.0	8.5	8.5	8.5	7.0	
188			2	2.9		28500	RIDE	7.5	7.6	7.0	7.1	6.9		7.5	8.0	7.8	7.9	7.9	7.7	7.6	
						FC125															
BEAL PKWY(0.0C)						0012	CRACKING	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	8.5
ANDERSON	COLUMBIA	CO., INC	(2026)				RIDE	7.4	7.1	7.4	7.2	7.3	6.8	7.1	7.0	6.8	6.9	6.8	6.8	8.2	7.8
57010000	0.000	3.343	C	1	1	60	CRACKING	8.5	7.0	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
10 90			2	8.9		4400	RIDE	9.0	8.9	8.7	8.3	8.1	8.0	8.0	7.9	9.0	9.0	8.9	8.9	8.8	
						FC95															
GARNER LANDING RD(0.0C)						0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	7.0	6.7
4134451	0.000	3.361	C	2007			RIDE	8.7	8.6	8.5	8.5	8.4	8.3	8.1	8.2	8.1	8.1	8.1	8.1	7.8	4.5*
PREFERRED MATERIALS, INC. (2009)																					
4546391	0.000	3.343	C	2028		0012															
57010000	3.343	11.037	C	1	1	55	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	
10 90			2	14.0		6500	RIDE	8.8	8.8	8.7	8.6	8.5	8.4	8.5	8.5	8.4	8.4	8.4	8.4	8.4	8.2
						FC95MR															
BRODERICK RD(4.6R)							CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.6	7.0
							RIDE	8.1	8.1	8.0	8.9	8.7	8.6	8.5	8.4	8.4	8.2	8.1	8.2	7.9	7.5
57010000	11.344	11.587	R	1	1	55	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			2	11.2		19800	RIDE	8.7	8.6	8.2	7.5	7.1		8.2	8.2	8.2	8.1	8.1	8.1	8.1	
						FC95MR															
							CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5
							RIDE	8.0	7.8	7.9	8.0	8.1	7.7	7.9	7.6	7.1	8.5	8.5	8.5	7.6	7.2
57010000	11.587	13.121	R	1	1	55	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			2	8.9		17527	RIDE	8.7	8.6	8.2	7.5	7.1		8.2	8.2	8.2	8.1	8.1	8.1	8.1	
						FC5M															
ANTIPOCH RD(11.6R)						0012	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5
4415421	11.596	13.192	R	2021			SPRIDE	8.0	7.8	7.9	8.0	8.1	7.7	7.9	7.6	7.1	8.5	8.5	8.5	8.6	8.4
ANDERSON	COLUMBIA	CO., INC	(2024)																		
57010000	13.121	14.234	R	1	1	35	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	
10 90			2	8.9		21000	RIDE	8.6	8.5	8.2	7.6	7.2		8.0	8.3	8.3	8.3	8.3	8.2	8.2	
						FC125M															
ENZOR RD(13.2R)						0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	3.5*	3.5*	10.0	10.0	10.0	8.5
4457581	13.317	14.232	R	2023			SPRIDE	8.2	8.2	8.1	8.1	8.0	7.9	7.9	7.9	7.9	8.0	8.5	8.4	8.5	8.1
ANDERSON	COLUMBIA	COMPANY	(2024)																		
57010000	14.234	16.410	R	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	
10 90			2	7.1		13200	RIDE		8.9	8.7	8.5	8.4	8.1	8.3	8.2	8.1	8.1	8.1	7.9	7.9	
						FC95MR															
CR 85A(14.5R)						0012	CRACKING	6.0*	6.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.2	7.5
4346751	15.031	18.089	R	2018			RIDE	7.5	7.6	7.7	7.7	7.7	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	7.8
C. W. ROBERTS CONTRACTING, (2019)																					
57010000	16.410	18.223	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	
10 90			2	7.1		13200	RIDE		8.9	8.7	8.5	8.4	8.1	8.3	8.2	8.1	8.1	8.1	7.9	7.9	
						FC5M															
OKALOOSA LN(17.1R)						0012	CRACKING	6.0*	6.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	5.5*
4346751	15.031	18.089	R	2018			RIDE	7.5	7.6	7.7	7.7	7.7	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.0
C. W. ROBERTS CONTRACTING, (2019)																					
57010000	18.223	18.305	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	
10 90			2	10.8		10200	RIDE		8.9	8.7	8.5	8.4	8.1	8.3	8.2	8.1	8.1	8.1	7.9	7.9	
						FC125M															
4325411	18.223	22.729	C	2016		0012	CRACKING	6.0*	6.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
C. W. ROBERTS CONTRACTING, (2019)							SPRIDE	7.5	7.6	7.7	7.7	7.7	8.3	8.3	8.3	8.2	8.2	8.2	8.2	7.4	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE_YEAR)																				(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
57010000	18.583	25.706	C	1	1	55	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	6.5	6.0*	
10 90				2	10.8		10200 RIDE	9.0	8.9	8.8	8.4	8.2	8.1	8.2	8.1	8.0	7.9	8.0	7.8	7.7	
BOAT RAMP(18.7R) FC125M																					
4325411	18.223	22.729	C	2016		0012	CRACKING	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.2	8.3	6.5
C. W. ROBERTS CONTRACTING, (2017) SPRIDE 7.6 7.5 7.7 8.7 8.7 8.6																					
57010000	18.223	18.305	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	7.0	6.0*	6.0*	
10 90				2	10.8		10200 RIDE		8.8	8.6	8.5	8.3	8.1	8.2	8.2	8.1	8.0	7.9	7.5	7.6	
FC125M																					
4325411	18.223	22.729	C	2016		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.9	7.5
C. W. ROBERTS CONTRACTING, (2019) SPRIDE 7.4 7.2 7.4 7.4 7.4 8.1 8.2 8.2 8.2 8.2 8.2 8.1 8.1																					
57010000	16.410	18.223	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	7.0	6.0*	6.0*	
10 90				2	7.1		13200 RIDE		8.8	8.6	8.5	8.3	8.1	8.2	8.2	8.1	8.0	7.9	7.5	7.6	
HILLCREST RD(16.9L) FC5M																					
4346751	15.031	18.089	L	2018		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.4	5.5*
C. W. ROBERTS CONTRACTING, (2019) RIDE 7.4 7.2 7.4 7.4 7.4 8.1 8.2 8.2 8.2 8.2 8.2 8.1 8.1																					
57010000	14.234	16.410	L	1	1	35	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	7.0	6.0*	6.0*	
10 90				2	7.1		13200 RIDE		8.8	8.6	8.5	8.3	8.1	8.2	8.2	8.1	8.0	7.9	7.5	7.6	
COLEMAN ST(14.3L) FC95MR																					
4346751	15.031	18.089	L	2018		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.0
C. W. ROBERTS CONTRACTING, (2019) RIDE 7.4 7.2 7.4 7.4 7.4 8.1 8.2 8.2 8.2 8.2 8.2 8.1 8.1																					
57010000	13.121	14.234	L	1	1	35	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10 90				2	8.9		21000 RIDE	8.3	8.3	7.9	7.2	7.0		8.1	8.3	8.1	8.3	8.2	8.1	8.1	8.1
CR 188(13.2L) FC125M																					
4457581	13.317	14.232	L	2023		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	7.0	5.5*	5.5*	3.0*	3.0*	10.0	10.0	10.0	8.5
ANDERSON COLUMBIA COMPANY (2024) SPRIDE 7.9 8.0 7.8 7.8 7.8 7.6 7.7 7.5 7.6 7.6 8.6 8.5 8.5																					
57010000	11.587	13.121	L	1	1	55	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	
10 90				2	8.9		17527 RIDE	8.4	8.1	8.0	7.3	7.0		8.2	8.2	8.2	8.2	8.1	8.0	8.0	
GREENLEAF PL(11.6L) FC5M																					
4415421	11.596	13.192	L	2021		0012	CRACKING	8.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5
ANDERSON COLUMBIA CO., INC(2023) SPRIDE 8.0 8.0 7.8 8.2 8.1 8.0 8.1 8.1 8.0 8.5 8.6 8.6 8.6																					
57010000	11.344	11.587	L	1	1	55	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	
10 90				2	11.2		19800 RIDE	8.4	8.1	8.0	7.3	7.0		8.2	8.2	8.2	8.2	8.1	8.0	8.0	
FC95MR																					
							CRACKING	8.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5
(2023) RIDE 8.0 8.0 7.8 8.2 8.1 8.0 8.1 8.1 8.0 8.5 8.6 8.6 8.5																					
57030000	0.000	4.657	R	1	1	55	CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	
30 98				2	5.1		38879 RIDE	8.8	8.6	8.4	8.3	8.2	8.0	7.7	7.9	7.8	7.8	7.6	8.3	8.4	
FOREST SHORES DR(0.2R) FC5M																					
4193091	0.000	4.657	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.0	5.5*	5.5*	5.5*	5.5*	5.0*	4.5*	0.0*
PANHANDLE GRADING & PAVING(2012) SPRIDE 8.3 8.2 8.3 8.3 8.4 8.1 8.2 8.1 8.0 8.5 8.6 8.6																					
2200172	0.000	4.657	C	2025		0012															
57030000	4.657	6.180	R	1	7	45	CRACKING	3.5*	1.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	
30 98				2	5.4		46000 RIDE	7.3	7.2		8.0	8.0	7.8	7.7	7.8	7.8	7.7	7.7	7.5	7.4	
LA BRISA BEACH CIR(4.9R) FC95MR																					
4373661	4.657	5.834	R	2023		0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		10.0	8.5
C. W. ROBERTS CONTRACTING, (2026) RIDE 7.2 8.4 8.3 8.3 8.2 8.2 8.2 8.1 8.1 8.0																					
57030000	6.180	7.120	R	1	1	45	CRACKING	3.5*	1.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	
30 98				2	4.8		44500 RIDE	7.3	7.2		8.0	8.0	7.8	7.7	7.8	7.8	7.7	7.7	7.5	7.4	
SIDE ROAD(6.2C) FC95MR																					
4373661	5.870	11.426	R	2023		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*		10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025) RIDE 7.2 7.2 7.3 7.1 7.3 6.9 7.1 7.0 6.8 6.9																					
57030000	7.120	11.615	R	1	1	40	CRACKING	3.5*	1.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	
30 98				2	5.4		28000 RIDE	7.3	7.2		8.0	8.0	7.8	7.7	7.8	7.8	7.7	7.7	7.5	7.4	
BUSINESS ENT/EXIT(8.0R) FC95MR																					
4373661	5.870	11.426	R	2023		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025) RIDE 7.2 7.2 7.3 7.1 7.3 6.9 7.1 7.0 6.8 6.9																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
57030000	11.615	11.847	R	1	8	25	CRACKING	3.5*	3.5*		10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	
30 98				2	4.4	49000	RIDE	5.5*	5.2*		7.5	7.6	7.5	7.3	7.4	7.3	7.3	7.1	6.8	6.7	
PERRY AVE SE(11.7R)																					
							FC125														
2202451	4.657	11.837	C	2002		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*			
APAC-FLORIDA INC				(2004)			SPRIDE	6.6	6.0	5.7	5.6	5.9	5.5	5.7	5.7	5.5	5.5	5.0*			
57030000	12.097	12.470	R	1	8	35	CRACKING	10.0	10.0	8.5	8.5	10.0	10.0	8.5	8.5	7.5	7.0	7.0			10.0
30 98				2	4.4	49000	RIDE	8.0	7.9	8.4	8.2	7.6	7.5	7.3	7.4	7.3	7.3	7.1	6.8	6.7	
SANTA ROSA BLVD(12.2C)																					
							FC95MR														
4169461	12.095	12.475	C	2012		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5		
C. W. ROBERTS CONTRACTING, (2013)							SPRIDE	8.2	8.2	8.4	8.4	8.4	8.2	8.2	8.2	8.1	8.1	8.1	7.9		
57030000	12.470	16.841	R	1	1	55	CRACKING	8.5	8.5	8.5	8.5			7.0	7.0	7.0	6.5	6.5			10.0
30 98				2	3.9	39437	RIDE	8.8	8.7	8.4	8.2			7.9	7.9	7.7	7.7	7.7			8.2
EMERALD COAST CONVENTION(12.6R)																					
							FC5M														
4169461	12.475	16.842	C	2012		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.9	3.0*
C. W. ROBERTS CONTRACTING, (2013)							SPRIDE	8.2	8.2	8.4	8.4	8.4	8.2	8.2	8.1	8.1	8.1	8.1	7.9	7.9	7.7
57030000	17.444	20.515	R	1	1	35	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.5
30 98				2	4.4	46500	RIDE	6.6	8.5	8.1	7.9	7.8	7.6	7.4	7.7	7.8	7.7	7.7	7.5	7.5	
STAHLMAN AVE(17.6R)																					
							FC125M														
2202362	17.503	20.125	C	2019		0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	8.8	8.7	7.0
C. W. ROBERTS CONTRACTING, (2021)							SPRIDE	7.4	7.3	7.4	7.2	7.6	7.0	7.1	8.2	8.1	8.1	7.9	8.0	8.0	7.6
57030000	17.444	20.515	L	1	1	35	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0
30 98				2	4.4	46500	RIDE	6.2*	7.8	7.4	7.3	7.2	6.5	6.2	6.8	6.8	6.8	6.9	6.8	6.7	6.6
CALHOUN AVE(17.5L)																					
							FC125M														
2202362	17.503	20.125	C	2019		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	9.5	8.4	7.0
C. W. ROBERTS CONTRACTING, (2021)							SPRIDE	6.5	6.4	6.8	6.8	7.0	6.4	6.6	7.9	7.8	7.7	7.6	7.7	7.6	7.2
57030000	15.356	16.831	L	1	1	55	CRACKING	8.5	8.5	7.0	7.0			7.0	6.5	6.5	6.5	6.5			10.0
30 98				2	3.9	39437	RIDE	9.0	8.8	8.7	8.3			7.7	7.7	7.7	7.5	7.5			8.3
SIDE ROAD(15.6C)																					
							FC5M														
4169461	12.475	16.842	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.8	6.5	2.5*
C. W. ROBERTS CONTRACTING, (2013)							SPRIDE	8.4	8.3	8.5	8.5	8.6	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.5	8.3
57030000	12.483	15.356	L	1	1	55	CRACKING	10.0	10.0	7.0	7.0			7.0	6.5	6.5	6.5	6.5			10.0
30 98				2	3.9	39437	RIDE	8.9	8.8	8.7	8.3			7.7	7.7	7.7	7.5	7.5			8.3
ECCC ENT(12.6L)																					
							FC5M														
4169461	12.475	16.842	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.8	7.8	3.5*
C. W. ROBERTS CONTRACTING, (2013)							SPRIDE	8.4	8.3	8.5	8.5	8.6	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.5	8.3
57030000	12.097	12.483	L	1	8	35	CRACKING	10.0	10.0	8.5	8.5	10.0	10.0	8.5	7.0	6.5	6.5	6.5			10.0
30 98				2	4.4	49000	RIDE	8.4	8.4	8.3	7.8	7.6	7.5	6.5	6.7	6.5	6.5	6.4			8.3
SANTA ROSA BLVD(12.2C)																					
							FC95MR														
4169461	12.095	12.475	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.8		
C. W. ROBERTS CONTRACTING, (2013)							SPRIDE	8.4	8.3	8.5	8.5	8.6	8.4	8.5	8.5	8.5	8.5	8.4	8.4		
57030000	11.672	11.847	L	1	8	25	CRACKING	3.5*	3.5*		10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	7.0	7.0	
30 98				2	4.4	49000	RIDE	5.5*	5.2*		7.5	7.6	7.5	6.5	6.7	6.5	6.5	6.4	5.9	5.9	
SR-145/PERRY AVE SE(11.7L)																					
							FC125														
2202451	4.657	11.837	C	2002		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*			
APAC-FLORIDA INC				(2004)			SPRIDE	5.3*	5.2*	5.5	5.3*	5.4*	5.2*	5.2*	5.2*	5.0*	4.9*	4.6*			
57030000	11.584	11.672	L	1	1	25	CRACKING	3.5*	3.5*		10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	7.0	7.0	
30 98				2	4.4	35000	RIDE	5.5*	5.2*		7.5	7.6	7.5	6.5	6.7	6.5	6.5	6.4	5.9	5.9	
FLORIDA AVE(11.6L)																					
							FC125														
2202451	4.657	11.837	C	2002		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	6.5	4.0*	
APAC-FLORIDA INC				(2004)			SPRIDE	5.3*	5.2*	5.5	5.3*	5.4*	5.2*	5.2*	5.0*	4.9*	4.6*		5.3*	4.9*	
4373661	4.657	11.704	C	2023		0012															
57030000	6.146	11.584	L	1	7	40	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	4.8	44500	RIDE	7.9	7.5		8.1	8.0	7.8	7.8	7.9	7.9	7.8	7.7	7.6	7.6	
SIDE ROAD(6.2C)																					
							FC95MR														
4373661	5.870	11.426	L	2023		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*			10.0
C. W. ROBERTS CONTRACTING, (2026)							RIDE	7.3	7.3	7.2	7.2	7.4	7.0	7.1	6.9	6.9	6.9	6.6			8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
57030000	5.142	6.146	L	1	1	45	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				2	5.4	46000	RIDE	7.9	7.5		8.1	8.0	7.8	7.8	7.9	7.9	7.8	7.7	7.6	7.6	
							FC95MR														
4373661	4.657	5.834	L	2023		0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025)							SPRIDE	7.3		8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.0	8.5	8.5	8.5
57030000	4.657	5.142	L	1	7	45	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				2	5.4	46000	RIDE	7.9	7.5		8.1	8.0	7.8	7.8	7.9	7.9	7.8	7.7	7.6	7.6	
							FC95MR														
JOSIE RD(4.7L)							0012	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*			10.0	8.5
C. W. ROBERTS CONTRACTING, (2026)							SPRIDE	7.3	7.9	7.5	7.6	7.6	7.4	7.4	7.3	7.3	7.3			8.2	7.8
57030000	0.000	4.657	L	1	1	55	CRACKING	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		10.0
30 98				2	5.1	38879	RIDE	8.9	8.8	8.6	8.4	8.4	8.2	8.1	8.1	8.0	7.9	7.9			8.4
							FC5M														
ROSE WOOD RD(0.0L)							0012	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	5.5*	4.5*	0.5*
4193091	0.000	4.657	C	2011			SPRIDE	8.3	8.3	8.4	8.4	8.4	8.2	8.4	8.3	8.3	8.3	8.2	8.2	8.1	7.9
PANHANDLE GRADING & PAVING(2013)							0012														
2200172	0.000	4.657	C	2025																	
57030030	20.481	22.600	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				3	4.0	55000	RIDE	8.4	8.4	8.1	7.8	7.7	7.3	7.3	7.8	8.6	8.5	8.5	8.4	8.4	
							FC95MR														
CR 2378(20.6R)							0213	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5
4141323	20.947	22.231	R	2017			SPRIDE	8.3	8.3	7.8	8.1	8.2			7.9	7.7	7.8	7.7	7.6	7.7	7.3
GAC CONTRACTORS, INC (2021)																					
57030030	22.600	23.230	R	1	1	45	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				3	4.4	53500	RIDE	8.4	8.0	8.4	7.9	8.0	7.7	7.2	7.8	8.6	8.5	8.5	8.4	8.4	
							FC125M														
HUTCHINSON ST(22.8R)							CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	7.0	7.0	7.0	7.0	7.4	6.0*
							RIDE	8.3	8.3	7.8	8.1	8.2			7.8	7.7	7.4	7.7	7.7	7.5	7.1
							0012														
4535481	22.602	23.250	C	2025																	
57030030	23.230	24.529	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				3	4.4	53500	RIDE	8.6	8.5	8.3	7.9	8.1	7.8	7.7	8.0	8.6	8.5	8.5	8.4	8.4	
							FC95MR														
KEL WEN CIR(23.3R)							0213	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5
4141323	23.391	24.529	R	2017			SPRIDE	8.3	8.3	7.8	8.1	8.2			7.8	7.8	7.8	7.8	7.9	7.5	
GAC CONTRACTORS, INC (2022)																					
57030030	23.230	24.529	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				3	4.4	53500	RIDE	7.9	8.6	8.4	8.0	7.7	7.4	7.2	8.0	8.7	8.5	8.5	8.3	8.4	
							FC95MR														
LEGENDARY DR(23.4L)							0213	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5
4141323	23.391	24.529	L	2017			SPRIDE	7.9	8.4	8.2	8.2	8.3			7.4	7.3	7.3	7.3	7.4	7.4	7.0
GAC CONTRACTORS, INC (2022)																					
57030030	22.600	23.230	L	1	1	45	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				4	4.4	53500	RIDE	8.4	8.4	8.2	7.8	7.9	8.0	7.8	8.4	8.7	8.5	8.5	8.3	8.4	
							FC125M														
DANNY WUERFFEL(22.8L)							CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	8.5	7.5	7.5	7.5	7.5	6.0*
							RIDE	7.9	8.4	8.2	8.2	8.3			8.0	8.2	8.1	7.9	7.7	8.1	7.7
							0012														
4535481	22.602	23.250	C	2025																	
57030030	20.481	22.600	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30 98				3	4.0	55000	RIDE	8.1	8.1	7.6	7.4	7.3	7.0	6.9	8.1	8.7	8.5	8.5	8.3	8.4	
							FC95MR														
INDIAN BAYOU TR(20.9L)							0213	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.7	10.0	8.5
4141323	20.947	22.231	L	2017			SPRIDE	7.9	8.4	8.2	8.2	8.3			8.0	7.8	7.8	7.8	7.7	7.8	7.4
GAC CONTRACTORS, INC (2021)																					
57040000	0.030	3.384	R	1	1	40	CRACKING	10.0	10.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*
85				3	2.5	42000	RIDE	8.2	8.1	7.9	7.7	7.5	7.3	7.4	7.3	7.6	7.4	7.3	7.1		
							FC95MR														
FIRST ST SE(0.2R)							0012	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	5.6*	5.0*	3.0*
4193131	0.614	4.597	C	2012			RIDE	8.7	8.3	8.4	8.2	8.2	8.2	8.2	8.1	7.8	7.7	7.6	7.6	7.6	7.2
OLDCASTLE MATERIALS SOUTHE(2014)							0012														
4508131	0.030	4.640	C	2026																	
57040000	3.659	4.597	R	1	1	40	CRACKING	10.0	10.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*
85				3	3.9	46500	RIDE	8.2	8.1	7.9	7.7	7.5	7.3	7.4	7.3	7.6	7.4	7.3	7.1		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
57040000	4.597	7.500	R	1	1	45	CRACKING	5.5*	5.5*	3.5*	4.5*	3.5*		10.0	10.0	9.0	9.0	9.0	8.5	7.5	
85			2	5.5		40500	RIDE	8.8	8.8	8.6	8.2	8.1		8.1	8.2	8.1	8.2	8.0	8.0	7.8	
12TH AVE(4.6R)						FC5M															
4397331	6.004	7.416	R	2022		0012	CRACKING	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	4.0*	4.0*		10.0	10.0	8.5
				(2025)			RIDE	8.0	7.9	8.1	8.1	8.3	8.0	8.1	8.1	8.1	8.0		8.6	8.5	8.3
57040000	7.500	7.785	R	1	1	55	CRACKING	5.5*	5.5*	3.5*	4.5*	3.5*		10.0	10.0	9.0	9.0	9.0	8.5	10.0	
85			3	5.5		40500	RIDE	8.8	8.8	8.6	8.2	8.1		8.1	8.2	8.1	8.2	8.0	8.0	8.0	
						FC5M															
4397331	7.416	7.757	R	2022		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5		10.0	10.0	8.5
				(2025)			RIDE	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.2	8.1		8.6	8.8	8.6
57040000	7.785	8.645	R	1	1	55	CRACKING	5.5*	5.5*	3.5*	4.5*	3.5*		10.0	10.0	9.0	9.0	9.0		10.0	
85			3	3.9		54500	RIDE	8.8	8.8	8.6	8.2	8.1		8.1	8.2	8.1	8.2	8.0		8.0	
						FC5M															
2202311	7.829	9.070	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.3	4.0*
ANDERSON COLUMBIA CO., INC(2013)							SPRIDE	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.2	8.1	8.0	8.1	8.0	7.8
4397362	7.683	9.578	C	2029		0012															
57040000	8.645	9.575	R	1	1	55	CRACKING	5.5*	5.5*	3.5*	4.5*	3.5*		10.0	10.0	9.0	9.0	9.0		10.0	
85			2	6.2		25000	RIDE	8.8	8.8	8.6	8.2	8.1		8.1	8.2	8.1	8.2	8.0		8.0	
AIRPORT(8.8R)						FC5M															
2202311	7.829	9.070	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.3	4.0*
ANDERSON COLUMBIA CO., INC(2013)							SPRIDE	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.2	8.1	8.0	8.1	8.0	7.9
4397362	7.683	9.578	C	2029		0012															
57040000	9.575	11.623	R	1	1	55	CRACKING	5.5*	5.5*	3.5*	4.5*	3.5*		10.0	10.0	9.0	9.0	9.0	8.5	8.5	
85			2	6.2		25000	RIDE	8.8	8.8	8.6	8.2	8.1		8.1	8.2	8.1	8.2	8.0	8.2	8.2	
FROM SR-190(11.4R)						FC5M															
4397361	9.565	11.600	R	2022		0012	CRACKING	8.5	7.5	6.0*	6.0*	6.0*	6.0*	4.0*	4.0*	4.0*	4.0*		10.0	10.0	8.5
				(2025)			RIDE	8.1	8.0	8.2	8.1	8.2	7.9	8.1	8.1	8.1	8.1		8.6	8.6	8.4
57040000	11.623	12.250	R	1	1	35	CRACKING	10.0	10.0	10.0	8.5	7.5	7.5	7.5	10.0	8.5	7.5	7.0	7.0	7.0	
85			2	5.3		24000	RIDE	7.4	8.3	7.3	6.6	6.2	7.2	7.0	6.8	7.1	6.9	7.6	6.8	6.7	
EDGE AVE(11.8R)						FC95M															
4287411	11.623	12.168	C	2016		0012	CRACKING	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	9.3	7.5
ANDERSON COLUMBIA CO., INC(2017)							RIDE	6.4	6.6	7.2	8.2	8.1	8.1	7.7	8.0	7.9	8.0	7.8	7.8	7.6	7.2
4508191	11.600	13.338	C	2027		0012															
57040000	12.250	13.338	R	1	1	35	CRACKING	6.5	6.5	3.5*	8.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	
85			3	5.9		44500	RIDE	7.2	7.1	6.7	6.6	6.2	7.2	7.0		8.1	8.1	8.2	8.2	8.2	
JOHN SIMS PKWY(12.3R)						FC125M															
2201721	12.662	13.410	C	2005		0213	CRACKING	10.0	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.9	5.0*
PREFERRED MATERIALS, INC.(2009)							SPRIDE	8.1	7.4	7.2	7.3	7.1	7.1	7.3	6.9	6.9	6.8	6.8	6.8	6.8	6.4
4508191	11.600	13.338	C	2027		0012															
57040000	13.338	14.111	R	1	1	35	CRACKING	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	
20			2	5.9		38000	RIDE	7.2	7.1	6.7	7.8	8.0	7.9	7.8	7.9	7.9	7.9	7.7	7.7	7.4	7.5
EDGE AVE(13.4R)						FC125M															
4415891	13.372	13.861	R	2022		0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*	10.0	9.6	10.0	8.5
C. W. ROBERTS CONTRACTING,(2024)							RIDE	7.5	7.4	7.5	7.4	7.4	7.1	7.2	7.2	7.1	6.9	8.0	8.1	8.1	7.7
57040000	14.111	16.005	R	1	1	45	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	
20			2	5.9		38500	RIDE	7.0	7.1	6.7	7.8	8.0	7.9	7.8	7.9	7.9	7.7	7.7	7.4	7.5	
PALM BLVD(14.1C)						FC125M															
4415891	13.969	15.334	R	2022		0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*	10.0	9.6	10.0	8.5
				(2024)			RIDE	7.5	7.4	7.5	7.4	7.4	7.1	7.2	7.2	7.1	6.9	8.0	8.1	8.2	7.8
57040000	16.005	16.286	R	1	1	45	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20			2	5.9		38500	RIDE	7.0		8.3	8.0	8.1	7.9	7.8	8.0	7.9	7.9	7.8	7.8	7.7	
ROBERTS DR(16.0R)						FC125M															
4246231	15.990	16.255	C	2014		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.7	8.0
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE	7.8	8.6	8.4	8.4	8.5	8.3	8.4	8.4	8.3	8.2	8.1	8.2	8.4	8.0
4546261	16.034	20.246	C	2028		0012															
57040000	16.560	18.765	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20			2	5.9		40500	RIDE			8.3	8.0	8.1	7.9	7.8	8.0	7.9	7.9	7.8	7.8	7.7	
LANCASTER(17.0R)						FC125M															
4246231	16.561	18.765	C	2014		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	10.0	8.0
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE	7.8	8.8	8.6	8.6	8.5	8.4	8.5	8.5	8.4	8.4	8.3	8.5	8.5	8.1
4546261	16.034	20.246	C	2028		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP	SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE	ONE	YEAR)	ASTYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
57040000	18.765	19.997	R	1	1	45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	10.0	10.0
20			2	9.2		26000	RIDE	8.8		8.6	8.4	8.4	8.3	8.3	8.2	8.1	8.2	7.9	8.5	8.4	
WRIGHT DR(18.9R)																					
4227851	18.754	19.977	C	2009		0218	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	6.0*	6.0*	5.0*	4.5*	2.5*
				(2012)			RIDE	8.6	8.2	8.0	8.0	7.9	7.8	7.8	7.6	7.6	7.4	7.5	7.6	7.4	7.0
4546261 16.034 20.246 C 2028 0012																					
57040000	19.997	20.246	C	1	1	55	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	
20			2	7.4		14500	RIDE	8.8		8.6	8.4	8.4	8.3	8.3	8.2	8.1	8.2	7.9	7.4	8.0	
4246231 19.971 20.246 C 2014 0012 CRACKING 7.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.9 8.5 6.5																					
C. W. ROBERTS CONTRACTING, (2015) SPRIDE 7.2 8.6 8.4 8.3 8.4 8.3 8.2 8.2 8.2 8.2 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 7.6																					
4546261 16.034 20.246 C 2028 0012																					
57040000	18.765	19.997	L	1	1	45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	10.0	10.0	
20			2	9.2		26000	RIDE	8.8		8.6	8.4	8.4	8.3	8.3	8.2	8.1	8.2	7.9	8.7	8.6	
JIMMY WEATHERS DR(18.8L)																					
4227851	18.754	19.977	C	2009		0218	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	6.0*	3.5*	2.7*	2.4*	0.5*
				(2012)			RIDE	8.5	8.5	8.1	8.1	8.0	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.1
4546261 16.034 20.246 C 2028 0012																					
57040000	16.583	18.765	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20			2	5.9		40500	RIDE			8.4	8.2	8.2	8.0	8.0	8.2	8.1	8.1	8.1	7.8	8.0	
BLUE PINE RD(17.9L)																					
4246231	16.561	18.765	C	2014		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	9.0	7.0
				(2015)			SPRIDE	8.0	8.7	8.5	8.5	8.4	8.4	8.4	8.3	8.3	8.4	8.3	8.4	8.3	8.4
4546261 16.034 20.246 C 2028 0012																					
57040000	16.005	16.279	L	1	1	45	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20			2	5.9		38500	RIDE	7.0		8.4	8.2	8.2	8.0	8.0	8.2	8.1	8.1	8.1	7.8	8.0	
ROBERTS DR(16.0L)																					
4246231	15.990	16.255	C	2014		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	6.5
				(2015)			SPRIDE	8.0	8.6	8.1	8.1	8.1	8.1	8.0	8.0	8.2	8.0	7.8	7.9	8.2	7.8
4546261 16.034 20.246 C 2028 0012																					
57040000	13.338	16.005	L	1	1	45	CRACKING	4.5*	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	
20			2	5.9		38500	RIDE	7.0	7.6	6.9	7.9	7.7	7.8	7.6	7.7	7.3	7.7	7.4	7.5	7.4	
CR 285A(13.4L)																					
4415891	13.969	15.334	L	2022		0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	10.0	9.6	10.0	8.5
				(2024)			RIDE	7.2	7.2	7.0	6.9	7.0	6.8	6.7	6.6	6.6	6.3	7.9	8.0	8.0	7.6
57040000	12.250	13.338	L	1	1	35	CRACKING	6.5	6.5	6.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	
85			3	5.9		44500	RIDE	7.2	7.2	6.6	7.2	7.2	7.0	6.8		8.0	7.9	7.9	7.7	7.5	
KELLEY RD(12.3L)																					
2201721	12.662	13.410	C	2005		0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.4	7.0	5.0*
				(2009)			SPRIDE	7.5	7.3	7.1	7.1	7.1	6.8	7.0	6.6	6.7	6.3	6.0	6.0	6.3	5.9
4508191 11.600 13.338 C 2027 0012																					
57040000	11.574	12.250	L	1	1	35	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	8.0	7.0	7.0	7.0	
85			2	5.3		24000	RIDE	8.2	7.8	7.3	7.2	7.2	7.0	6.8	7.8	8.0	7.9	7.9	7.8	7.7	
WOLVERINE AVE(11.6L)																					
4287411	11.623	12.168	C	2016		0012	CRACKING	7.0	7.0	6.0*	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	8.3	8.2	6.5
				(2017)			RIDE	7.4	7.6	7.4	8.1	8.3	8.0	8.0	7.9	7.9	7.9	7.8	7.9	8.0	7.6
4508191 11.600 13.338 C 2027 0012																					
57040000	9.527	11.574	L	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	9.0	8.0	
85			2	6.2		25000	RIDE	8.7	8.7	8.4	7.7	7.6		8.1	8.2	8.1	8.1	8.1	8.4	8.4	
4397361 9.565 11.600 L 2022 0012 CRACKING 8.0 8.0 7.5 6.5 6.5 6.0* 6.0* 4.0* 4.0* 10.0 10.0 9.0 9.0 9.0 10.0 10.0 8.5																					
ANDERSON COLUMBIA CO., INC(2025) SPRIDE 8.3 8.1 8.3 8.3 8.4 8.1 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.9 8.7 8.5																					
57040000	7.730	9.527	L	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0			
85			2	6.2		25000	RIDE	8.7	8.7	8.4	7.7	7.6		8.1	8.2	8.1	8.1	8.1			
GEN ROBERT M BOND BL(7.8L)																					
2202311	7.829	9.070	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	3.0*
				(2014)			SPRIDE	8.1	8.1	8.1	8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.7
4397362 7.683 9.578 C 2029 0012																					
57040000	6.621	7.730	L	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	7.5	7.5	
85			2	5.5		40500	RIDE	8.7	8.7	8.4	7.7	7.6		8.1	8.2	8.1	8.1	8.1	7.7	7.6	
4397331 5.857 7.416 L 2022 0012 CRACKING 7.5 7.5 7.0 6.0* 6.0* 6.0* 6.0* 5.5* 4.0* 4.0* 10.0 10.0 8.5																					
(2025) RIDE 7.8 7.8 7.9 7.9 7.9 7.7 7.8 7.8 7.8 7.8 8.8 8.7 8.5																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE														
57040027	0.000	1.130	C	1	1	35	CRACKING	3.5*	10.0	8.5	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	8.5	8.5	8.5	
190			2	9.8		4200	RIDE	8.2	8.6	8.4	6.8	7.7	7.5	7.4	8.4	8.3	8.3	8.3	8.3	8.2	
GOVERNMENT ST(0.0C)																					
2202432	0.000	1.062	C	2024		0012	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2025) SPRIDE																					
57040027	1.302	2.059	R	1	1	35	CRACKING	8.5	7.5	5.5*	3.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	
397			2	4.0		22000	RIDE	8.1	8.2	7.8	6.4	7.2	5.9	5.3*	8.4	8.2	8.2	8.3	8.2	8.2	
EDGE AVE(1.4C)																					
4134461	0.000	1.846	C	2007		0012	CRACKING	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*
C. W. ROBERTS CONTRACTING, (2008) SPRIDE																					
4508191	1.302	2.059	C	2027		0012	RIDE	8.1	8.3	8.1	8.1	8.1	7.7	7.9	7.8	7.7	7.8	7.8	7.6	7.5	7.1
57040027	1.302	2.059	L	1	1	35	CRACKING	8.5	7.5	5.5*	3.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	
397			2	4.0		22000	RIDE	7.7	7.7	7.3	6.8	6.8	5.9	6.3	8.4	8.2	8.1	8.1	7.8	7.7	
EDGE AVE(1.4C)																					
4134461	0.000	1.846	C	2007		0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*
C. W. ROBERTS CONTRACTING, (2008) RIDE																					
4508191	1.302	2.059	C	2027		0012	RIDE	7.4	7.6	7.7	7.7	7.1	7.5	7.4	7.4	7.3	7.1	7.1	7.0	7.1	6.7
57040028	0.000	0.216	L	1	1	35	CRACKING									10.0	10.0	10.0	10.0		
397			4	7.9		19900	RIDE														
BEGIN LT TURN TAPER(0.0C)																					
(2010) CRACKING RIDE 10.0 10.0 10.0 10.0 10.0 10.0 9.5 7.5 7.5 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 5.0*																					
4508191	0.097	0.216	C	2027		0012	RIDE														7.2
57040029	0.000	0.023	C	1	1	20	CRACKING									10.0	10.0	10.0	10.0		
85			2	3.6		6400	RIDE														
MIRACLE STRIP PKWY(0.0C)																					
(2010) CRACKING RIDE 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.5 8.5 8.5 8.5 7.8 5.5*																					
4508131	0.000	0.023	C	2026		0012	RIDE														3.3*
57050000	0.000	1.156	R	1	1	35	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	
85			2	5.1		14300	RIDE	5.5*	6.3	8.3	7.9	7.9	8.0	7.8	7.4	8.0	7.8	8.0	7.9	7.6	
SR-20(0.0R)																					
4325661	0.208	0.887	R	2022		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	8.5
ANDERSON COLUMBIA CO., INC(2024) SPRIDE																					
57050000	1.156	1.892	R	1	1	55	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	
85			2	5.2		13300	RIDE	8.3	8.2	8.7	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1	7.9	7.9	
PARK(1.3R)																					
(2015) CRACKING RIDE 6.5 10.0 8.5 8.5 7.0 7.0 5.5* 5.5* 5.5* 5.5* 5.5* 5.4* 5.5* 5.4* 5.5* 2.0*																					
4415483	1.156	5.230	C	2029		0012	RIDE	7.9	8.0	8.4	8.3	8.4	8.2	8.3	8.2	8.1	8.1	8.1	8.0	8.0	7.8
57050000	1.892	3.844	R	1	1	65	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	
85			2	6.3		17375	RIDE	8.3	8.2	8.7	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1	7.9	7.9	
FC5M																					
4269321	1.892	3.416	C	2016		0012	CRACKING	6.5	6.0*	5.5*	5.5*	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	7.8	5.0*
ANDERSON COLUMBIA CO., INC(2018) SPRIDE																					
4415483	1.156	5.230	C	2029		0012	RIDE	7.9	7.7	7.8	8.1	8.8	8.6	8.6	8.6	8.5	8.4	8.4	8.4	8.4	8.2
57050000	3.844	5.240	R	1	1	65	CRACKING	7.0	4.5*	3.5*	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	
85			2	4.4		41000	RIDE	9.1	9.0	8.6	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1	7.9	7.9	
UNSIGNED(4.1R)																					
4111024	3.844	5.240	C	2014		0213	CRACKING	6.5	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.2	7.8	4.5*
C. W. ROBERTS CONTRACTING, (2017) SPRIDE																					
4415483	1.156	5.230	C	2029		0012	RIDE	7.9	7.7	7.8	8.1	8.3	8.1	8.2	8.2	8.2	8.3	8.2	8.2	8.1	7.9
57050000	5.240	13.363	R	1	7	65	CRACKING	7.0	4.5*	3.5*	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
85			2	4.4		41000	RIDE	9.1	9.0	8.6	7.6	6.9	6.7		8.4	8.4	8.5	8.5	8.4	8.4	
COLONEL GREG MALLOY(12.6R)																					
(2026) CRACKING RIDE 10.0 8.5 8.5 8.5 8.5 7.5 7.5 7.5 7.5 6.5 10.0 9.0 9.1 8.9																					
57050000	13.363	16.310	R	1	8	45	CRACKING	10.0	8.5	7.5	7.5	7.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
85			2	4.4		41000	RIDE	8.9	8.9	8.7	8.3	8.1	8.0		8.4	8.4	8.5	8.5	8.4	8.4	
LIVE OAK CHURCH RD(14.0R)																					
4090211	4.277	15.887	C	2006		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5					
ANDERSON COLUMBIA CO., INC(2008) SPRIDE																					
4415481	13.754	16.278	R	2021		0012	RIDE	8.4	8.3	8.5	8.5	8.6	8.4	8.5	8.6	8.5					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
57050000	16.310	18.391	R	1	7	35	CRACKING	9.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5
85				2	4.4	48000	RIDE	8.6	8.5	8.0	7.4	7.1	6.7	7.1	8.3	8.3	8.3	8.2	8.0	8.1	
REDSTONE AVE E R(16.5C) FC95MR																					
4457321	16.271	18.072	R	2023	0012		CRACKING	8.5	7.5	7.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2026)					RIDE	8.1	8.1	8.1	8.0	8.0	7.9	8.0	7.9	7.9	7.7	7.6	7.6	8.3	7.9
57050000	16.310	18.391	L	1	7	35	CRACKING	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0	8.5	8.5	8.5	8.5
85				2	4.4	48000	RIDE	8.5	8.3	7.9	6.8	6.1	6.3	5.9	8.8	8.5	8.2	8.2	8.1	8.2	
CRESTVIEW CORNERS(16.3L) FC95MR																					
4457321	16.271	18.072	L	2023	0012		CRACKING	8.5	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2026)					SPRIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.8	8.2	7.8
57050000	13.363	16.310	L	1	7	45	CRACKING	4.5*	4.5*	4.5*	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5
85				2	4.4	41000	RIDE	8.7	8.6	8.2	6.9	6.5	6.2		8.3	8.3	8.3	8.3	8.3	8.2	
ANTIOCH RD(14.0L) UNKW																					
							CRACKING	8.5	8.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*				10.0	8.5
							RIDE	8.0	7.9	8.3	8.3	8.4	8.0	8.3	8.3	8.2				8.0	7.6
57050000	5.240	13.363	L	1	7	65	CRACKING	4.5*	4.5*	4.5*	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5
85				2	4.4	41000	RIDE	8.7	8.6	8.2	6.9	6.5	6.2*		8.3	8.3	8.3	8.3	8.3	8.2	
CAMP JAMES RUDDER(12.6L) FC5M																					
							CRACKING	8.5	8.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*				10.0	9.0
							RIDE	8.0	7.9	8.3	8.3	8.4	8.0	8.3	8.3	8.2				9.0	8.8
57050000	3.844	5.240	L	1	1	65	CRACKING	4.5*	4.5*	4.5*	3.5*	1.0*	1.0*	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0
85				2	4.4	41000	RIDE	8.7	8.6	8.2	6.9	6.5	6.2*	8.2	8.3	8.2	8.2	8.1	8.0	8.0	7.9
AFB ENTRANCE(4.4L) FC5M																					
4111024	3.844	5.240	C	2014	0213		CRACKING	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.0*
C. W. ROBERTS CONTRACTING,(2017)							SPRIDE	8.0	7.8	8.1	8.6	8.7	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.4
4415483	1.156	5.230	C	2029	0012																
57050000	2.007	3.844	L	1	1	65	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0
85				2	6.3	17375	RIDE	8.2	8.1	8.7	8.4	8.3	8.3	8.2	8.3	8.2	8.2	8.1	8.0	7.9	
FC5M																					
4269321	1.892	3.416	C	2016	0012		CRACKING	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.4	8.2	5.5*
ANDERSON	COLUMBIA CO., INC	(2018)					SPRIDE	8.0	7.8	8.1	8.3	8.9	8.5	8.6	8.6	8.4	8.4	8.4	8.4	8.2	8.0
4415483	1.156	5.230	C	2029	0012																
57050000	1.156	2.007	L	1	1	55	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0
85				2	5.2	13300	RIDE	8.2	8.1	8.7	8.4	8.3	8.3	8.2	8.3	8.2	8.2	8.1	8.0	7.9	
OGFC																					
							CRACKING	6.5	10.0	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	6.1*	5.7*	2.0*
							RIDE	8.0	8.1	8.3	8.3	8.5	8.2	8.3	8.2	8.1	8.1	8.0	7.9	7.8	7.6
4415483	1.156	5.230	C	2029	0012																
57050000	0.000	1.156	L	1	1	35	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0
85				2	5.1	14300	RIDE	6.7	6.5	8.3	8.1	8.0	8.0	7.8	7.5	7.5	7.8	7.9	7.7	7.8	
SR-85(0.0L) FC125M																					
4325661	0.208	0.887	L	2022	0012		CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2024)					SPRIDE	7.2	7.5	7.5	7.3	7.3	7.2	7.2	7.0	7.0	6.9	8.1	8.0	8.2	7.8
57060000	0.000	2.197	R	1	1	35	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5
85				2	3.4	29500	RIDE	8.2	8.0	8.5	8.0	8.2	8.2	8.0	8.1	8.2	8.0	8.2	7.9	8.0	
CRESTVIEW CITY LIMITS(0.0C) FC125M																					
4436591	0.029	2.197	R	2022	0012		CRACKING	7.5	7.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.0*	10.0	9.2	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2024)					RIDE	7.7	7.7	7.9	7.9	7.9	7.7	7.9	7.8	7.7	7.8	8.0	8.0	8.1	7.7
57060000	2.197	5.329	R	1	1	55	CRACKING	7.0	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
85				2	8.6	13500	RIDE	8.3	8.2	8.0				8.4	8.4	8.4	8.3	8.4	8.3	8.3	
AIRPORT RD(2.4R) FC5M																					
4457331	2.197	4.958	R	2023	0012		CRACKING	10.0	8.5	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2025)					SPRIDE	8.2	8.2	8.2	8.2	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.5	8.5	8.3
57060000	5.329	6.978	C	1	1	55	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
85				2	8.6	13500	RIDE	8.6	8.6	8.3	7.8	7.6	7.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.2
COSSON CIR(5.3L) FC125M																					
4457331	5.336	6.275	C	2023	0012		CRACKING	9.0	8.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	3.0*	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2025)					SPRIDE	8.0	8.1	7.9	7.8	7.9	7.6	7.8	7.7	7.6	7.7	7.6	8.3	8.2	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(PMRS)
ITMSEG-P	ITMSEG-F																				
57060000	6.978	9.796	C	1	1	55	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*		
85				2	10.6		4141 RIDE	8.7	8.7	8.4	8.2	8.0	7.9	7.7	7.6	7.4	7.2	7.1	6.8		
BILL LUNDY RD(7.0L) FC95MR																					
4246101	6.978	20.960	C	2012			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	5.5*	3.5*
ANDERSON	COLUMBIA CO., INC	(2014)					SPRIDE	8.3	8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.2	8.4	8.3	8.3	8.0	7.6
4546301	6.978	20.960	C	2029			0012														
57060000	9.796	20.960	C	1	1	55	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*		
85				2	10.6		4141 RIDE	8.7	8.7	8.4	8.2	8.0	7.9	7.7	7.6	7.4	7.2	7.1	6.8		
SENERFIT RD(9.8L) FC95MR																					
4246101	6.978	20.960	C	2012			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	5.5*	4.5*
ANDERSON	COLUMBIA CO., INC	(2014)					SPRIDE	8.3	8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.2	8.4	8.3	8.3	8.1	7.7
4546301	6.978	20.960	C	2029			0012														
57060000	2.197	5.329	L	1	1	55	CRACKING	7.0	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	9.5	9.0	
85				2	8.6		13500 RIDE	8.3	8.2	8.0				8.2	8.2	8.2	8.2	8.1	8.1	8.1	
CR-188/OLD BETHEL RD(2.4L) FC5M																					
4457331	2.197	4.958	L	2023			0012 CRACKING	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2025)					SPRIDE	8.0	8.1	8.2	8.2	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.6	8.5	8.3
57060000	0.000	2.197	L	1	1	35	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	
85				2	3.4		29500 RIDE	8.3	8.0	8.5	8.2	8.0	8.0	7.9	8.0	7.9	8.1	7.8	7.9	7.7	
CRESTVIEW CITY LIMITS(0.0C) FC125M																					
4436591	0.029	2.197	L	2022			0012 CRACKING	7.5	7.5	7.0	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	3.0*	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2024)					RIDE	7.5	7.8	7.8	7.8	7.8	7.6	7.8	7.7	7.6	7.6	8.0	8.1	8.0	7.6
57070000	4.592	9.183	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
189				2	12.8		5300 RIDE	8.7	8.7	8.6	8.5	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.1	7.9	
GEORGIA AVE(4.6R) FC125M																					
4362731	4.703	9.183	C	2020			0012 CRACKING	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2023)					SPRIDE	8.0	7.9	7.8	7.7	7.9	7.7	7.7	7.6		8.6	8.6	8.6	8.5	8.1
57070000	9.183	17.470	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
189				2	11.2		5000 RIDE	8.7	8.7	8.6	8.5	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.1	7.9	
SHOCKLEY SPRINGS RD(9.9R) FC125M																					
4362731	9.199	17.490	C	2020			0012 CRACKING	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2023)					SPRIDE	8.0	7.9	7.8	7.7	7.9	7.7	7.7	7.6		8.5	8.5	8.5	8.4	8.0
57070000	17.470	18.997	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
189				2	11.8		4000 RIDE	8.7	8.7	8.6	8.5	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.1	7.9	
FC125M																					
4362731	17.512	18.997	C	2020			0012 CRACKING	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	8.5
ANDERSON	COLUMBIA CO., INC	(2023)					SPRIDE	8.0	7.9	7.8	7.7	7.9	7.7	7.7	7.6		8.6	8.6	8.6	8.5	8.1
57080000	0.000	3.558	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.5	
4				2	17.0		2000 RIDE	8.9	8.9	8.8	8.5	8.4	8.4	8.3	8.4	8.3	8.3	8.2	8.1	7.9	
MCVARY RD(0.3L) FC95MR																					
4362651	0.000	3.558	C	2018			0012 CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5
ANDERSON	COLUMBIA CO., INC	(2020)					SPRIDE	7.9	7.8	7.9	7.9	7.8		8.5	8.2	8.1	8.1	8.0	8.0	7.8	7.4
57080000	3.558	4.278	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.5	
4				2	17.0		2000 RIDE	8.9	8.9	8.8	8.5	8.4	8.4	8.3	8.4	8.3	8.3	8.2	8.1	7.9	
LIGHTNING RIDGE RD(4.1R) DGFC																					
				(2023)			CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5
							RIDE	7.9	7.8	7.9	7.9	7.8		7.4	7.2	7.0	7.5	7.8	7.8	7.8	7.4
57080000	4.278	8.176	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.5	
4				2	17.0		2000 RIDE	8.9	8.9	8.8	8.5	8.4	8.4	8.3	8.4	8.3	8.3	8.2	8.1	7.9	
CR 4A(5.1L) FC95MR																					
4362651	4.004	8.176	L	2018			0012 CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.2	7.5
ANDERSON	COLUMBIA CO., INC	(2020)					SPRIDE	7.9	7.8	7.9	7.9	7.8		8.5	8.3	8.1	8.0	8.0	8.1	7.7	7.3
57080000	8.176	12.709	C	1	1	55	CRACKING	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5		10.0	
4				2	8.6		11700 RIDE	9.0	8.9	8.7	8.4	8.3	8.2	8.1	8.1	8.0	8.0	7.8		8.1	
16TH ST(8.2L) FC125M																					
4153811	10.401	12.709	C	2011			0221 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.8	5.0*
ANDERSON	COLUMBIA CO., INC	(2013)					SPRIDE	8.0	8.2	8.1	8.0	8.1	8.0	8.0	7.9	8.0	8.0	7.8	7.8	7.7	7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE	YEAR)																			(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
ITMSEG-F																						
57090000	0.885	2.976	R	1	1	35	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5		
285				2	5.9	8500	RIDE	7.6	7.2	7.2	6.6	8.3	8.0	7.8	7.8	7.9	8.2	7.8	7.9	7.9		
ELM ST(0.9C)																						
4457341	0.885	2.799	R	2023	0012		CRACKING	7.5	7.5	7.5	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	3.0*	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2025)																						
57090000	2.976	3.422	R	1	7	55	CRACKING	10.0	10.0	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		8.5			
285				1	5.9	8900	RIDE	8.9	8.9	8.7	8.2	8.1	7.9	7.8	7.8	7.7	7.5		7.5			
FC125M																						
4457342	2.997	3.380	R	2024	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	10.0	8.5
ANDERSON COLUMBIA CO., INC(2026)																						
57090000	3.422	12.002	C	1	7	60	CRACKING	10.0	10.0	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0		
285				2	9.7	9700	RIDE	8.9	8.9	8.7	8.2	8.1	7.9	7.8	7.8	7.7	7.5		8.3	8.2		
USAF 406(4.0R)																						
4457342	3.380	12.002	C	2024	0012		CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.1*	10.0	8.5	
ANDERSON COLUMBIA CO., INC(2026)																						
57090000	2.976	3.422	L	1	7	55	CRACKING	10.0	10.0	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		8.5			
285				1	5.9	8900	RIDE	8.9	8.9	8.7	8.2	8.1	7.9	7.8	7.8	7.7	7.5		7.5			
FC125M																						
4457342	2.997	3.380	L	2024	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	10.0	8.5
ANDERSON COLUMBIA CO., INC(2026)																						
57090000	0.885	2.976	L	1	1	35	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.0	
285				2	5.9	8500	RIDE	7.8	7.8	7.4		8.1	8.0	8.0	7.6	7.6	8.1	7.9	7.7	7.9		
FROM ELM ST(0.9L)																						
4457341	0.885	2.674	L	2023	0012		CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	3.0*	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2025)																						
57110000	0.000	2.705	R	1	1	35	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.0*	5.0*	10.0	10.0	10.0	8.5	8.5	8.5		
189				2	4.6	26500	RIDE	8.0	8.0	7.6	7.1	7.2	6.9	6.8	8.3	8.3	8.2	8.2	8.1	8.1		
MIRACLE STRIP PKWY(0.0C)																						
4114031	0.010	2.865	C	2006	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	6.0*	6.0*	5.7*	5.3*	3.0*	
ANDERSON COLUMBIA CO., INC(2008)																						
4114032	0.000	2.705	C	2027	0012		SPRIDE	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.6	7.2	
57110000	2.705	4.318	R	1	1	45	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5		
189				2	3.2	51000	RIDE	7.4	7.4	8.2	7.8	7.9	7.7	7.8	7.6	7.6	7.7	7.5	7.5	7.5		
OAK ST(2.8R)																						
4362581	3.268	4.188	R	2018	0012		CRACKING	7.5	7.5	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	8.5	7.8	7.9	6.5	
C. W. ROBERTS CONTRACTING, (2019)																						
57110000	2.705	4.318	L	1	1	45	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5		
189				2	3.2	51000	RIDE	7.7	7.7	8.2	8.0	7.7	7.5	7.5	7.9	7.9	7.9	7.7	7.6	7.6		
LEG 028(2.8L)																						
4362581	3.218	4.188	L	2018	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.9	6.5	
C. W. ROBERTS CONTRACTING, (2019)																						
57110000	0.000	2.705	L	1	1	35	CRACKING	7.5	7.5	5.5*	5.5*	5.0*	3.0*	3.0*	10.0	10.0	10.0	9.0	8.5	8.5		
189				2	4.6	26500	RIDE	8.1	7.9	7.6	7.0	6.9	6.8	6.7	8.4	8.4	8.4	8.3	8.2	8.1		
MIRACLE STRIP PKWY(0.0C)																						
4114031	0.010	2.865	C	2006	0012		CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	6.0*	6.0*	5.5*	5.3*	3.0*	
ANDERSON COLUMBIA CO., INC(2008)																						
4114032	0.000	2.705	C	2027	0012		SPRIDE	8.2	8.1	7.9	7.9	7.8	7.8	7.7	7.8	7.7	7.6	7.7	7.6	7.6	7.2	
57110028	0.000	1.833	R	1	1	40	CRACKING	7.5	7.5	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	8.5		
393				2	3.4	25000	RIDE	7.6	8.2	7.7	7.5	7.1	7.0	6.8	8.5	8.4	8.5	8.5	8.4	8.1		
MIRACLE STRIP(0.0C)																						
4437442	0.000	1.833	R	2023	0012		CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2025)																						
57110028	0.000	1.833	L	1	1	40	CRACKING	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0		
393				2	3.4	25000	RIDE	8.2	8.1	7.8	7.0	6.8	6.2	6.4	8.6	8.5	8.5	8.3	8.3	8.3		
MIRACLE STRIP(0.0C)																						
4437442	0.000	1.833	L	2023	0012		CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	6.0*	5.5*	5.5*	5.5*	3.0*	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2025)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
							=====																
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
ITMSEG-P	ITMSEG-F																						
57130000	0.000	1.350	R	1	1	45	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.5	7.5		
189			2	5.9		31088	RIDE	8.0	8.1	8.2	7.9	7.9	7.8	7.5	8.0	7.9	7.9	7.9	7.8	7.5			
SR-188/RACETRACK RD(0.0R)							FC125M																
4269701	0.000	1.350	C	2015		0012	CRACKING	7.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	7.6	6.0*		
OLDCASTLE MATERIALS SOUTHE(2016)							RIDE	7.6	7.4	8.1	8.1	8.2	8.1	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.1	7.7	
57130000	1.350	6.205	R	1	1	55	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*				
189			2	5.9		36000	RIDE	8.8	8.9	8.7	8.3	8.2	8.1	8.0	8.1	7.8	7.6	7.7	7.3				
MOONEY RD(2.1R)							FC5M																
4193141	1.334	6.205	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.6	7.3	3.5*		
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	8.2	8.2	8.5	8.4	8.5	8.3	8.4	8.4	8.4	8.4	8.4	8.5	8.4	8.4	8.4	8.2
57130000	1.350	6.205	L	1	1	55	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*				
189			2	5.9		36000	RIDE	8.7	8.9	8.5	8.2	8.3	8.0	8.0	8.0	7.7	7.7	7.6	7.3				
MOONEY RD(2.1L)							FC5M																
4193141	1.334	6.205	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	7.0	7.0	6.7	3.0*		
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	8.3	8.2	8.5	8.4	8.6	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.1
57130000	0.000	1.350	L	1	1	45	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	5.5*	5.5*			
189			2	5.9		31088	RIDE	8.4	8.2	8.0	7.7	7.6	7.5	7.5	7.6	7.5	7.5	7.5	7.5	7.4			
HURLBURT FIELD RD(0.0L)							FC125M																
4269701	0.000	1.350	C	2015		0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.2	7.0	5.5*		
OLDCASTLE MATERIALS SOUTHE(2016)							RIDE	7.3	7.2	8.1	8.0	8.1	7.7	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.5
57150000	0.313	4.313	R	1	1	65	CRACKING	7.0	5.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
123			2	5.2		23000	RIDE	7.9	8.0		8.1	8.0	7.9	7.9	8.1	7.6	7.9	7.7	7.6				
							FC5M																
(2018)							CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	5.5*	
							RIDE					8.5	8.2	8.2	8.1	7.9	7.9	7.8	7.8	7.8	7.6		
57150000	0.313	4.313	L	1	1	65	CRACKING	7.0	5.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
123			2	5.2		23000	RIDE	7.9	8.0		8.1	8.0	7.9	7.9	8.1	7.6	7.9	7.7	7.6				
							FC5M																
(2018)							CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.2	5.5*	
							RIDE					8.5	8.2	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.0	
57150002	0.000	0.572	C	1	1	35	CRACKING																
123			2	5.7		10500	RIDE																
SR 85(0.0C)							FC5M																
(2014)							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.0*	5.5*	5.3*	1.5*		
							RIDE	7.9	7.7	7.8	7.6	7.7	7.4	7.6	7.5	7.2	7.1	7.0	6.9	6.8	6.6		
4397362	0.000	0.572	C	2029		0012																	
57150003	0.000	0.383	C	1	1	45	CRACKING																
123			2	5.7		10500	RIDE																
SR 123(0.0C)							FC5M																
(2014)							CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	6.6	5.8*	2.0*		
							RIDE	8.1	8.0	8.3	8.1	8.1	7.9	8.0	8.0	7.7	7.8	7.9	7.8	7.7	7.5		
4397362	0.000	0.383	C	2029		0012																	
57150004	0.000	1.426	C	1	1	65	CRACKING																
123			2	5.7		10000	RIDE																
SR 85(1.4C)							FC5M																
(2018)							CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.4	5.5*	
							RIDE					8.5	8.2	8.3	8.2	8.0	8.0	7.9	7.8	7.8	7.6		
4415483	0.000	1.426	C	2029		0012																	
57150005	0.000	0.685	C	1	1	65	CRACKING																
123			2	5.7		11000	RIDE																
SR 85(0.0C)							FC5M																
(2018)							CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.4	5.5*	
							RIDE					8.6	8.4	8.5	8.5	8.5	8.5	8.6	8.5	8.5	8.3		
4415483	0.000	0.685	C	2029		0012																	
57160000	0.000	0.986	R	3	1	45	CRACKING														10.0		
293			2	4.3		19200	RIDE														8.1		
END TOLL PLAZA CONC(0.0C)							DGFC																
(2013)							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.9*	7.0	5.0*		
							RIDE	8.2	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.7	7.3		
4508031	0.000	2.757	C	2026		0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																																
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE										
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	2026	2031					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_SURFTYPE	W_AADT	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2026	W_2031					
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_SURFTYPE	W_AADT	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2026	W_2031			
ITMSEG-F			W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_SURFTYPE	W_AADT	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2026	W_2031			
57160000	293		0.986	2.445	R	3	1	55	9400	CRACKING																			10.0			
						2	7.3			RIDE																			8.1			
										OGFC																						
										(2013)																						
4508031			0.000	2.757	C	2026		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.9*	3.1*	0.0*								
										RIDE	8.2	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.4								
57160000	293		2.445	2.757	R	3	1	55	12100	CRACKING																			10.0			
						2	6.0			RIDE																			8.1			
										OGFC																						
										(2013)																						
4508031			0.000	2.757	C	2026		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.9*	6.5	2.5*								
										RIDE	8.2	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.1	6.9								
57160000	293		2.757	4.005	C	3	1	55	12100	CRACKING																			10.0			
						2	6.0			RIDE																			8.1			
										OGFC																						
										(2015)																						
57160000	293		4.332	5.815	R	3	1	55	12100	CRACKING																			10.0			
						2	6.0			RIDE																			8.1			
										OGFC																						
										(2015)																						
57160000	293		5.815	7.254	C	3	1	55	12100	CRACKING																			10.0			
						2	6.0			RIDE																			8.1			
										OGFC																						
										(2015)																						
57160000	293		7.254	10.774	C	3	1	55	11000	CRACKING																			10.0			
						2	4.3			RIDE																			8.1			
										OGFC																						
										(2015)																						
57160000	293		4.332	5.815	L	3	1	55	12100	CRACKING																			10.0			
						2	6.0			RIDE																			8.2			
										OGFC																						
										(2015)																						
57160000	293		2.445	2.757	L	3	1	55	12100	CRACKING																			10.0			
						2	6.0			RIDE																			8.2			
										OGFC																						
										(2013)																						
4508031			0.000	2.757	C	2026		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	8.1	4.0*								
										RIDE	8.1	8.0	8.0	8.1	8.2	8.0	8.0	8.0	8.0	7.9	7.9	7.8	8.1	7.9								
57160000	293		0.986	2.445	L	3	1	55	9400	CRACKING																			10.0			
						2	7.3			RIDE																			8.2			
										OGFC																						
										(2013)																						
4508031			0.000	2.757	C	2026		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	0.5*								
										RIDE	8.1	8.0	8.0	8.1	8.2	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.7								
57160000	293		0.000	0.986	L	3	1	45	19200	CRACKING																			10.0			
						2	4.3			RIDE																			8.2			
										DGFC																						
										(2013)																						
4508031			0.000	2.757	C	2026		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	6.8	5.0*								
										RIDE	8.1	8.0	8.0	8.1	8.2	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.5								
57180000	210		0.000	0.269	C	1	1	3100		CRACKING																						
						2	10.6			RIDE																						
										OGFC																						
										(2014)																						
										RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	6.5								
										RIDE	7.6	7.3	6.8	6.9	6.5	6.6	6.0															

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = OKALOOSA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
57518000	0.000	0.982	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
293				2	4.3	24500	RIDE	7.7	7.8	8.3	8.4	8.2	7.9	8.1	7.8	8.3	8.2	7.9	7.7	7.7		
SR 30(0.0C)							FC3															
4103902	0.000	0.982	C	2002		0213	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	3.0*	
				(2003)			RIDE	7.7	7.5	7.7	7.7	7.7	7.5	7.5	7.6	7.5	7.4	7.4	7.4	7.4	7.0	
4103903	0.014	0.977	C	2025		0012																
57518000	4.631	4.763	C	3	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.5	9.5	9.5		10.0		
293				2	2.5	25000	RIDE	8.1	8.2	7.9	7.4	7.2	8.1	8.0	8.2	7.6	8.0	7.5				
							DGFC															
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	4.9*	3.0*	
							RIDE													5.7	5.3*	
4508031	4.631	4.763	C	2026		0012																
57518000	0.000	0.982	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
293				2	4.3	24500	RIDE	7.7	7.8	8.3	7.6	7.6	7.6	7.8	8.2	8.4	8.3	8.3	8.3	8.3	8.1	
SR 30(0.0C)							FC3															
4103902	0.000	0.982	C	2002		0213	CRACKING	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.0*	
				(2003)			RIDE	8.0	7.8	7.7	7.8	7.5	7.5	7.7	7.7	7.6	7.8	7.4	7.4	7.6	7.2	
4103903	0.014	0.977	C	2025		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).