

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

															DISTRICT = 3		COUNTY = SANTA ROSA																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE													
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031												
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	ASTYPE																										
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F																											
48010000	16.169	16.322	L	1	1	55	CRACKING														10.0	9.5	9.5										
10 90				2	4.2		45000 RIDE																										
OGFC																																	
4134501	16.171	16.322	L	2008			0012 CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	2.0*											
PANHANDLE GRADING & PAVING(2011)							SPRIDE																7.2										
2203602	16.171	16.322	L	2025			0012																7.0										
58001000	0.000	3.561	R	1	1	45	CRACKING	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
89				2	4.1		19300 RIDE	7.9			8.1	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1											
SR 10(0.0C)																																	
FC3																																	
2203871	0.000	3.651	C	2000			0213 CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.0*											
ANDERSON COLUMBIA CO., INC(2004)							SPRIDE	8.0	7.9	7.9	7.9	8.0	7.8	7.8	7.8	7.8	7.7	7.5	7.7	7.6	7.6	7.2											
4546381	0.000	3.561	C	2028			0012																										
58001000	0.000	3.561	L	1	1	45	CRACKING	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
89				2	4.1		19300 RIDE	7.9			8.5	8.4	8.5	8.0	8.6	8.5	8.4	8.4	8.4	8.4	8.5	8.5											
SR 10(0.0C)																																	
FC3																																	
2203871	0.000	3.651	C	2000			0213 CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	4.0*											
ANDERSON COLUMBIA CO., INC(2004)							SPRIDE	8.3	8.1	8.2	8.3	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.0	7.6											
4546381	0.000	3.561	C	2028			0012																										
58002000	2.807	6.193	R	4	1	70	CRACKING	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0												
8 I10	19.4	22.7	3	18.1			73000 RIDE	8.4	7.6	7.4		7.9	7.8	7.9	7.8	7.8	7.8	7.5	7.3	7.3	7.3												
EB ENT FROM REST AREA R(2.9R)																																	
FC5M																																	
4130623	2.878	6.169	R	2015			0213 CRACKING	8.0	6.5						10.0	10.0	9.0	9.0	8.0	8.1	6.5												
(2021)							RIDE	7.2	6.6						8.5	8.7	8.6	8.6	8.5	8.5	8.4												
58002000	6.193	10.603	R	4	1	70	CRACKING	8.8		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0													
8 I10	22.7	27.2	2	20.6			48500 RIDE	6.5		8.8	8.2	8.3	8.2	8.1	8.3	8.2	7.8	7.6	7.9	7.8													
FC5M																																	
4415881	6.193	9.378	R	2021			0012 CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING, (2024)							SPRIDE	7.7	7.6	8.3	8.3	8.1	8.4	8.5	8.4	8.3		8.9	8.9	8.9	8.8												
58002000	11.192	15.232	R	4	1	70	CRACKING	9.2		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
8 I10	27.7	31.8	2	21.8			41500 RIDE	6.5		8.8	8.2	8.3	8.1	8.0	8.2	8.1	7.9	7.8	7.7	7.6													
FC5M																																	
4415881	11.192	14.701	C	2021			0012 CRACKING	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING, (2024)							SPRIDE	7.5	7.4	8.0	7.9	7.8	8.1	8.1	8.1	7.9	7.7	8.9	8.7	8.8	8.7												
58002000	15.232	20.396	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5													
8 I10	31.8	37.0	2	24.4			35000 RIDE		9.1	9.0	8.5	8.6	8.3	8.2	8.4	8.0	7.9	7.8	7.6	7.4													
FC5M																																	
4327361	15.232	25.905	R	2016			0012 CRACKING	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	8.3	6.5												
ANDERSON COLUMBIA CO., INC(2018)							SPRIDE	7.3	6.9	7.9		8.7	8.7	8.6	8.5	8.4	8.3	8.3	8.7	8.6	8.6												
4541791	20.300	25.905	C	2027			0012															7.0											
58002000	22.500	25.905	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5													
8 I10	39.1	42.5	2	24.4			35000 RIDE		9.1	9.0	8.5	8.6	8.3	8.2	8.4	8.0	7.9	7.8	7.6	7.4													
FC5M																																	
(2026)																																	
CRACKING																																	
RIDE	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	9.0	8.0													
4541791	20.300	25.905	C	2027			0012	7.3	6.9	7.9		8.7	8.7	8.6	8.5	8.4	8.3	8.3	7.8	8.0	7.9												
58002000	15.232	25.905	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5												
8 I10	31.8	42.5	2	24.4			35000 RIDE		9.0	8.9	8.4	8.5	8.4	8.3	8.3	8.1	7.9	7.7	7.5	7.6													
FC5M																																	
4327361	15.232	25.905	L	2016			0012 CRACKING	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.4	8.7	6.5												
ANDERSON COLUMBIA CO., INC(2018)							SPRIDE	7.2	6.8	8.0		8.7	8.9	8.8	8.7	8.7	8.6	8.6	8.6	8.6	8.5	8.4											
4541791	20.300	25.905	C	2027			0012																										
58002000	11.192	15.232	L	4	1	70	CRACKING	8.8		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
8 I10	27.7	31.8	2	21.8			41500 RIDE	6.9		8.8	8.3	8.3	8.2	8.2	8.4	8.3	8.1	8.1	8.0	7.9													
FC5M																																	
4415881	11.192	14.701	C	2021			0012 CRACKING	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING, (2024)							SPRIDE	7.8	7.7	8.3	8.2	8.1	8.4	8.5	8.4	8.3	8.2	8.9	8.5	8.7	8.6												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
58002000	6.110	10.603	L	4	1	70	CRACKING	8.9		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
8 I10	22.7	27.2	2	20.6	48500	RIDE	6.5		8.8	8.2	8.4	8.3	8.1	8.3	8.2	8.1	8.0	7.8	7.8		
							FC5M														
4415881	6.193	9.378	L	2021	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*		10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2024)						SPRIDE	7.7	7.5	8.3	8.2	8.1	8.5	8.5	8.4	8.3			8.9	8.8	8.9	8.8
58002000	2.807	6.110	L	4	1	70	CRACKING	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
8 I10	19.4	22.7	3	18.1	73000	RIDE	8.0	7.8	7.0			7.8	7.6	7.9	7.8	7.7	7.5	7.4	7.2		
REST AREA(3.0L)							FC5M														
4130623	2.878	6.169	L	2015	0213	CRACKING	8.0	8.0						10.0	10.0	10.0	10.0	9.0	9.0	7.5	
(2021)						RIDE	7.0	6.6						8.9	8.8	8.8	8.7	8.7	8.7	8.6	
58002117	0.000	0.196	R	4	1	70	CRACKING												10.0	10.0	
8 I10	19.2	19.4	3	18.1	73000	RIDE													7.4	7.5	
E END ESC BAY BRIDGE(0.0C)							FC5M														
4130623	0.000	0.196	C	2015	0213	CRACKING	10.0	10.0						10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5
(2021)						RIDE	7.3	7.1						8.5	8.5	8.5	8.5	8.3	8.5	8.5	8.4
58002117	0.000	0.196	L	4	1	70	CRACKING												10.0	10.0	
8 I10	19.2	19.4	3	18.1	73000	RIDE													7.8	7.7	
E END ESC BAY BRIDGE(0.0C)							FC5M														
4130623	0.000	0.196	C	2015	0213	CRACKING	10.0	10.0						10.0	10.0	10.0	10.0	9.6	9.0	7.5	
(2021)						RIDE	7.6	7.5						8.5	8.9	8.9	8.7	8.7	8.9	8.8	
58005000	0.015	0.323	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*
281			2	6.5	30500	RIDE	9.0	8.5	8.0	7.4	7.4	7.6	7.9	8.0	8.2	8.2	8.1	7.8	7.9	7.7	
							FC125M														
4130623	0.000	0.298	C	2015	0213	CRACKING	6.0*							10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
(2021)						RIDE	7.5							8.1	8.1	8.1	7.9	7.9	7.8	7.4	
58005000	0.323	1.387	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.0	4.5*	4.5*	4.5*	4.5*	3.5*			
281			2	6.5	30500	RIDE	8.5	8.4	8.2	7.7	7.4	7.3	6.9	6.7	6.4	6.2	5.9				
PARK AND RIDE(0.4R)							FC95MR														
2204128	0.581	1.125	C	2011	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5	6.0*	
OLDCASTLE MATERIALS SOUTHE(2017)						SPRIDE			8.2	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.3	
4565861	0.281	4.993	C	2029	0012																
58005000	1.387	2.792	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.0	4.5*	4.5*	4.5*	4.5*	3.5*			
281			2	6.5	30500	RIDE	8.5	8.4	8.2	7.7	7.4	7.3	6.9	6.7	6.4	6.2	5.9				
<NO NAME>(2.1R)							FC125M														
2204127	1.567	2.606	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.8	7.0	5.0*
ROADS, INC. OF NWF						SPRIDE		8.6	8.4	8.4	8.3	8.3	8.2	8.2	8.1	8.1	8.0	8.0	8.0	7.9	7.5
4565861	0.281	4.993	C	2029	0012																
58005000	2.792	4.993	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*				
281			2	5.5	25500	RIDE	8.2	7.0	7.9	7.5	7.3	7.4	7.2	7.2	7.0	6.3					
PEBBLE RIDGE DR(2.8R)							FC125M														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.1	7.4	5.5*
						RIDE	8.2	8.1	7.6	7.6	7.3	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.0
							(2014)														
							C 2029														
							0012														
58005000	2.792	4.993	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*				
281			2	5.5	25500	RIDE	8.2	7.0	7.9	7.5	7.3	7.4	7.2	7.2	7.0	6.3					
CR 281B(2.8L)							FC125M														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.4	6.8	5.0*
						RIDE	8.3	8.1	7.6	7.5	7.2	7.4	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.2	6.8
							(2014)														
							C 2029														
							0012														
58005000	1.232	2.792	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.0	4.5*	4.5*	4.5*	4.5*	3.5*			
281			2	6.5	30500	RIDE	8.5	8.4	8.2	7.7	7.4	7.3	6.9	6.7	6.4	6.2	5.9				
							FC125M														
2204127	1.567	2.606	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	5.3*	4.3*	2.5*
ROADS, INC. OF NWF						SPRIDE		8.4	8.1	8.0	7.9	8.0	7.9	7.8	7.7	7.6	7.4	7.1	6.8	6.4	
4565861	0.281	4.993	C	2029	0012																
58005000	0.323	1.232	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.0	4.5*	4.5*	4.5*	4.5*	3.5*			
281			2	6.5	30500	RIDE	8.5	8.4	8.2	7.7	7.4	7.3	6.9	6.7	6.4	6.2	5.9				

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE YEAR)			FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
58005000	0.015	0.323	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	6.0*	6.0*	5.5*	5.5*	5.5*		
281			2	6.5		30500	RIDE	8.3	8.2	8.8	8.5	8.4	7.0	7.5	8.1	8.2	7.9	7.8	7.7	7.1		
						FC125M																
4130623	0.000	0.298	C	2015		0213	CRACKING	5.5*							10.0	10.0	10.0	10.0	9.2	9.5	8.0	
				(2021)			RIDE	6.9							7.3	6.9	6.9	7.1	6.8	6.6	6.2	
58005100	0.000	0.037	R	1	1	35	CRACKING							10.0	10.0	10.0	8.0	8.0				
281			1	5.5		25500	RIDE															
CR-191A/OLD BAGDAD(0.0R)																						
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	6.5	
							RIDE													5.2*	4.8*	
58005100	0.000	0.037	L	1	1	35	CRACKING							10.0	10.0	10.0	8.0					
281			2	5.5		25500	RIDE															
CR 191A(0.0C)																						
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.4	7.6	6.0*
							RIDE													3.8*	3.4*	
58010000	0.151	1.388	R	1	1	55	CRACKING	8.5	7.5	7.5	7.5	7.0	5.5*	4.0*			10.0	10.0	10.0	10.0		
10 90			2	4.2		45000	RIDE	8.6	7.9	8.4	7.8	7.4	7.3	6.7			8.3	8.3	8.1	8.2		
						FC5M																
4134501	0.151	1.800	C	2008		0012	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.9*	0.0*	
				(2010)			RIDE	8.3	8.2	8.4	8.3	8.1	8.3	8.3	8.3	8.1	8.1	8.1	8.0	7.8	7.6	
58010000	1.657	2.220	R	1	7	55	CRACKING	8.5	7.5	7.5	7.5	7.0	5.5*	4.0*			10.0	10.0	10.0	10.0		
10 90			2	4.2		45000	RIDE	8.6	7.9	8.4	7.8	7.4	7.3	6.7			8.3	8.3	8.1	8.2		
						FC95MR																
2203602	1.657	2.220	R	2025		0012	CRACKING			10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5		10.0	8.5		
PANHANDLE GRADING & PAVING(2026)							RIDE			7.6	7.4	7.4	7.3	7.4	7.4	7.3	5.5*		7.9	7.5		
58010000	2.220	3.084	R	1	1	55	CRACKING	8.5	7.5	7.5	7.5	7.0	5.5*	4.0*			10.0	10.0	10.0	10.0		
10 90			2	4.2		45000	RIDE	8.6	7.9	8.4	7.8	7.4	7.3	6.7			8.3	8.3	8.1	8.2		
						FC5M																
4134501	1.992	3.084	C	2008		0012	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.0*	
				(2010)			RIDE	7.6	8.0	8.3	8.1	8.2	8.1	8.0	8.1	8.1	8.1	7.9	7.8	7.5	7.3	
2203602	1.657	3.078	R	2025		0012																
58010000	3.084	9.132	R	1	1	55	CRACKING	9.5	9.5	9.5	8.0	7.0	6.5	5.5*	3.5*	3.5*		10.0	10.0	10.0		
10 90			2	4.2		33000	RIDE	8.7	8.5	8.4	7.8	7.8	7.7	7.2	7.4	7.1		8.7	8.6	8.6		
CR 191A R(3.2R)						FC95M																
4169371	4.600	9.261	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.0	6.0*	
ANDERSON COLUMBIA CO., INC							SPRIDE	8.6	8.5	8.4	8.5	8.5	8.3	8.4	8.3	8.3	8.3	8.3	8.2	8.2	7.8	
58010000	9.132	11.681	R	1	7	45	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
10 90			2	5.4		39500	RIDE	8.1	7.8	8.6	7.3	7.1	7.1	8.2	8.2	8.2	8.1	8.1	8.1	8.0		
SIDE ROAD(9.2C)						FC95MR																
4455911	9.137	11.681	R	2023		0012	CRACKING	9.5	8.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	8.5	
PANHANDLE GRADING & PAVING(2026)							RIDE	7.9	7.8	7.7	7.7	7.4	7.6	7.5	7.5	7.4	7.3	7.2	7.0	8.3	7.9	
58010000	11.681	12.117	C	1	1	25	CRACKING	10.0	8.5	8.5	8.5	8.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	10.0	9.5		
10 90			2	10.3		21000	RIDE	7.9	7.9	7.9	6.9	6.9	6.3	5.8	5.8	6.0	5.4*	5.8	7.1	7.1		
BRUNER ST(11.7C)						FC95M																
4216361	11.681	12.100	C	2011		0012	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	4.0*	
PANHANDLE GRADING & PAVING(2012)							SPRIDE	7.1	6.9	6.4	6.4	6.4	6.2	6.2	6.0	5.8	5.3*	5.4*	5.3*	5.0*	4.6*	
4546411	11.681	27.923	C	2028		0012																
58010000	12.117	12.824	C	1	1	35	CRACKING	7.5	7.5	8.5	8.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	10.0	10.0		
10 90			2	10.3		24500	RIDE	7.8	7.7	7.9	6.9	6.9	6.3	6.3	6.6	6.5	6.3	5.8	8.2	8.1		
OLD RIVER RD(12.4L)						FC95MR																
				(2017)			CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.9	6.6	5.0*	
							RIDE	8.1		7.4	7.3	7.1	6.8	7.2	7.1	7.1	7.0	6.9	6.9	6.5		
4546411	11.681	27.923	C	2028		0012																
58010000	12.824	13.394	C	1	1	35	CRACKING	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
10 90			2	10.3		24500	RIDE	7.8	7.7			8.0	7.6	7.4	8.0	7.8	7.4	7.8	7.6	7.6		
LUNDY LN(12.9R)						FC3																
				(2005)			CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.8	4.5*	
4546411	11.681	27.923	C	2028		0012	RIDE	7.6	7.7	6.6	6.4	6.0	6.4	6.7	6.8	6.7	6.6	6.6	6.3	6.6	6.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	W_KMX-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	FY-F	W_KMX-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
58010000	13.394	15.903	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	6.5	6.5	6.0*	6.0*	10.0		
10 90			2	6.8		19400	RIDE	8.7	8.5	8.6	8.3	8.2	8.0	7.3	8.1	8.1	7.9	7.7	7.7	8.8		
RED BRICK RD(13.5L)																						
4246111	13.394	14.584	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.1	5.0*
ROADS, INC. OF NWF				(2013)		SPRIDE		8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.4	8.2	8.4	8.3	8.3	7.9	
4546411	11.681	27.923	C	2028		0012																
58010000	15.903	16.532	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			1	13.0		9100	RIDE	8.7	8.5	8.6	8.3	8.2	8.0	7.6	8.0	8.1	8.0	8.0	8.0	8.0	8.8	
MILTON RD E(16.2R)																						
4246111	16.201	16.710	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.4	6.5
ROADS, INC. OF NWF				(2013)		SPRIDE		8.6	8.5	8.1	7.9	7.6	7.9	7.8	8.0	7.9	7.9	7.9	7.7	7.8	7.4	
4546411	11.681	27.923	C	2028		0012																
58010000	16.532	18.736	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	6.5	6.5	6.0*	5.5*	10.0		
10 90			2	13.0		9100	RIDE	8.7	8.5	8.6	8.3	8.2	8.0	7.6	8.1	8.0	7.9	7.8	7.5	8.8		
KIM DR(16.5R)																						
4246111	17.720	18.736	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	6.8	6.1*	4.0*
ROADS, INC. OF NWF				(2013)		SPRIDE		8.6	8.5	8.5	8.4	8.1	8.2	8.3	8.2	8.2	8.1	8.1	8.0	8.1	7.7	
4546411	11.681	27.923	C	2028		0012																
58010000	18.736	27.923	C	1	1	60	CRACKING	8.5	7.5	7.5	7.0	6.0*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			2	14.2		3256	RIDE	9.0	8.5	8.8	8.1	8.1	7.8	7.3	7.7	9.1	9.0	8.9	8.9	8.8		
LONGLEAF TRL(18.9L)																						
4134471	18.785	27.963	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.3	6.6	4.5*	
PREFERRED MATERIALS, INC.				(2009)		RIDE		8.8	8.8	8.6	8.6	8.5	8.4	8.4	8.3	8.2	8.2	8.2	8.1	8.0	7.6	
4546411	11.681	27.923	C	2028		0012																
58010000	15.903	16.532	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			1	13.0		9100	RIDE	8.7	8.5	8.6	8.3	8.2	8.0	7.6	7.9	8.1	8.0	8.0	8.1	8.8		
EAST MILTON RD(16.2L)																						
4246111	16.201	16.710	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	7.5
ROADS, INC. OF NWF				(2013)		SPRIDE		8.6	8.6	8.5	8.4	8.5	8.2	8.3	8.2	8.0	8.3	8.3	8.1	8.3	7.9	
4546411	11.681	27.923	C	2028		0012																
58010000	9.132	11.681	L	1	7	45	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			2	5.4		39500	RIDE	8.6	8.2	8.0	8.1	7.7	7.7	7.5	8.5	8.4	8.4	8.3	8.5	8.4		
SIDE ROAD(9.2C)																						
4455911	9.137	11.681	L	2023		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.1*	10.0	8.5	
PANHANDLE GRADING & PAVING				(2026)		SPRIDE		8.3	8.4	8.1	8.1	7.9	8.0	8.0	8.0	7.8	7.9	7.9	7.8	8.3	7.9	
58010000	3.084	9.132	L	1	1	55	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0		
10 90			2	4.2		33000	RIDE	8.7	8.5	8.4	7.8	7.8	7.7	7.5	7.5	7.4		8.8	8.7	8.7		
BORDER AVE(3.3L)																						
4169371	4.600	9.261	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	7.6	5.5*	
ANDERSON COLUMBIA CO., INC				(2011)		SPRIDE		8.7	8.6	8.5	8.5	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.1	8.2	7.8
58010000	2.225	3.084	L	1	1	55	CRACKING	9.0	8.0	8.0	7.5	7.0	6.5	3.5*			10.0	10.0	10.0	10.0		
10 90			2	4.2		45000	RIDE	8.8	8.5	8.5	7.8	7.8	7.5	7.0			8.2	8.2	8.2	8.2		
CR 197A(3.0L)																						
4134501	1.992	3.084	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	1.5*	
				(2010)		RIDE		8.3	8.3	8.4	8.4	7.8	8.3	8.4	8.3	8.4	8.4	8.3	8.4	8.2	8.0	
58010000	1.654	2.225	L	1	7	55	CRACKING	9.0	8.0	8.0	7.5	7.0	6.5	3.5*			10.0	10.0	10.0	10.0		
10 90			2	4.2		45000	RIDE	8.8	8.5	8.5	7.8	7.8	7.5	7.0			8.2	8.2	8.2	8.2		
FC95MR																						
				(2026)		CRACKING				10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	8.5	
						RIDE				7.6	7.6	7.6	7.7	7.7	7.6	6.7	7.2			8.2	7.8	
58010000	0.151	1.392	L	1	1	55	CRACKING	9.0	8.0	8.0	7.5	7.0	6.5	3.5*			10.0	10.0	10.0	10.0		
10 90			2	4.2		45000	RIDE	8.8	8.5	8.5	7.8	7.8	7.5	7.0			8.2	8.2	8.2	8.2		
FC5M																						
4134501	0.151	1.800	C	2008		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	0.0*	
				(2010)		RIDE		8.1	7.9	8.2	8.1	8.0	8.1	8.0	8.0	7.8	7.8	7.8	7.6	7.6	7.4	
58030000	0.000	0.373	R	1	1	35	CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*		
30 98			3	5.1		58000	RIDE	8.1	8.1	7.9	7.1	6.9	6.9	6.9	7.0	7.0	7.0	6.6*	6.6*	6.3		
BOAT RAMP(0.1R)																						
				(2024)		CRACKING		5.5*		10.0	10.0	10.0	10.0						10.0	10.0	10.0	8.5
						RIDE		6.4		8.9	8.8	8.5	8.4						8.5	8.4	8.4	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-M		ASTYPE										(PMRS)
		(AGE_ONE YEAR)																				
58030000	0.373	1.256	R	1	1	35	CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*		
30 98				3	5.1	53000	RIDE	8.1	8.1	7.9	7.1	6.9	6.9	6.9	7.0	7.0	6.6	6.7	6.6	6.3		
RAMP TO FAIRPOINT DR(0.7R)																						
4216441	0.300	1.160	C	2014		0012	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.6	7.4	5.5*	
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	6.4		8.9	8.8	8.5	8.4	8.9	8.9	8.5	8.6	8.6	8.5	8.5	8.1	
58030000	1.256	4.208	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		
30 98				2	5.1	43500	RIDE	8.9	8.8	8.7	8.3	8.3	8.2	8.2	8.3	8.2	8.0	8.1	8.0	7.9		
RAMP FROM DANIEL DR(1.3R)																						
4216441	1.597	12.777	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.3	6.5	
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	7.8		8.8	8.7	8.5	8.5	8.6	8.6	8.5	8.3	8.3	8.2	8.3	7.9	
58030000	4.208	8.326	R	1	8	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		
30 98				2	5.1	50000	RIDE	8.9	8.8	8.7	8.3	8.3	8.2	8.2	8.3	8.2	8.0	8.1	8.0	7.9		
GONDOLLIER BLVD(4.6R)																						
4216441	1.597	12.777	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0					
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	7.8		8.8	8.7	8.5	8.5	8.6	8.6	8.5	8.3					
58030000	8.326	9.155	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		
30 98				2	5.1	39000	RIDE	8.9	8.8	8.7	8.3	8.3	8.2	8.2	8.3	8.2	8.0	8.1	8.0	7.9		
TIGER LAKE DR(8.4R)																						
4216441	1.597	12.777	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	7.0	
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	7.8		8.8	8.7	8.5	8.5	8.6	8.6	8.5	8.3	8.3	8.3	8.2	7.8	
58030000	9.155	24.005	R	1	1	55	CRACKING	10.0	9.0	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
30 98				2	5.1	37500	RIDE	8.8	8.7	8.6	8.3	8.3	8.1	7.9	8.0	7.8	7.7	7.3	7.1	6.9		
CENTRAL PKWY(9.3R)																						
4216442	12.774	24.002	C	2013		0012	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.8	7.3	4.0*	
ANDERSON COLUMBIA CO., INC(2016)																						
							RIDE	6.6		8.8	8.7	8.5	8.5	8.6	8.6	8.5	8.5	8.5	8.4	8.3	8.1	
58030000	9.155	24.005	L	1	1	55	CRACKING	10.0	9.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.5	6.5	5.5*	3.5*		
30 98				2	5.1	37500	RIDE	9.0	8.9	8.7	8.4	8.4	8.3	8.0	8.4	8.3	8.0	8.0	7.8	7.6		
HICKORY SHORES RD(9.5L)																						
4216442	12.774	24.002	C	2013		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.3	7.3	4.0*	
ANDERSON COLUMBIA CO., INC(2016)																						
							RIDE			8.7	8.6	8.4	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.0	
58030000	8.326	9.155	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
30 98				2	5.1	39000	RIDE	8.7	8.4	8.3	7.9	7.8	7.6	7.5	7.5	7.5	7.2	7.1	6.9	7.0		
BAY WOODS RD(8.4L)																						
4216441	1.597	12.777	C	2014		0012	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.6	6.6	5.0*	
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	6.8		8.7	8.6	8.4	8.4	8.4	8.4	8.3	8.1	8.2	8.2	7.8	7.4	
58030000	3.982	8.326	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
30 98				2	5.1	50000	RIDE	8.7	8.4	8.3	7.9	7.8	7.6	7.5	7.5	7.2	7.1	6.9	7.0			
BAYSHORE RD(4.4L)																						
4216441	1.597	12.777	C	2014		0012	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5					
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	6.8		8.7	8.6	8.4	8.4	8.4	8.4	8.3	8.1					
58030000	1.256	3.982	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
30 98				2	5.1	43500	RIDE	8.7	8.4	8.3	7.9	7.8	7.6	7.5	7.5	7.2	7.1	6.9	7.0			
MCCLURE DR(1.7L)																						
4216441	1.597	12.777	C	2014		0012	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	7.0	7.0	5.5*	
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	6.8		8.7	8.6	8.4	8.4	8.4	8.4	8.3	8.1	8.3	8.2	8.2	7.8	
58030000	0.450	1.256	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.5*		
30 98				3	5.1	53000	RIDE	8.7	8.4	8.3	7.9	7.8	7.6	7.4	7.6	7.5	7.4	7.3	7.2	7.0		
PFEIFFER ST(0.6L)																						
4216441	0.300	1.160	C	2014		0012	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.6	8.6	8.2	6.5	
OLDCASTLE MATERIALS SOUTHE(2016)																						
							RIDE	6.9		9.0	8.9	8.3	8.0	8.6	8.6	8.7	8.6	8.6	8.6	8.6	8.2	
58030000	0.000	0.450	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.5*		
30 98				3	5.1	58000	RIDE	8.7	8.4	8.3	7.9	7.8	7.6	7.4	7.6	7.5	7.4	7.3	7.2	7.0		
DGFC																						
							CRACKING	5.5*		10.0	10.0	10.0	10.0					10.0	10.0	10.0	8.5	
							RIDE	6.9		9.0	8.9	8.3	8.0					8.3	8.3	8.3	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	WKM	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****															
58040000	0.219	3.577	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
87				2	5.7	23500	RIDE	8.9	8.8	8.7	8.2			8.1	8.2	7.9	7.9	7.7	7.9	8.1		
LAREDO ST(0.6C)																						
2204021	0.000	3.639	C	2002		0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	7.6	7.3	5.0*
ANDERSON	COLUMBIA	CO., INC	(2007)				SPRIDE	8.0	8.0	7.7	7.6	7.4	7.6	7.6	7.5	7.5	7.4	7.6	7.6	7.5	7.1	
4508201	0.219	1.980	C	2025		0012																
58040000	3.577	4.200	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	10.0	8.5	8.5	7.0	7.0	5.5*				
87				2	8.1	21000	RIDE	8.9	8.8	8.7	8.2	8.5	8.5	8.4	8.5	8.4	8.3	8.3				
FC125M																						
2204423	3.639	6.664	C	2010		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*	1.0*	1.0*	1.8*	1.1*	0.0*	
ANDERSON	COLUMBIA	CO., INC	(2014)				SPRIDE	8.4	8.1	7.9	7.8	7.6	7.5	7.4	7.1	6.9	6.5	6.4	6.2	4.9*	4.5*	
58040000	4.200	6.680	R	1	8	45	CRACKING	10.0	10.0	10.0	10.0	9.5	10.0	8.5	8.5	7.0	7.0	5.5*				
87				2	8.1	21000	RIDE	8.9	8.8	8.7	8.2	8.5	8.5	8.4	8.5	8.4	8.3	8.3				
FC125M																						
2204423	3.639	6.664	C	2010		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*	1.0*	1.0*	1.8*			
ANDERSON	COLUMBIA	CO., INC	(2014)				SPRIDE	8.4	8.1	7.9	7.8	7.6	7.5	7.4	7.1	6.9	6.5	6.4	6.2			
4362297	4.168	6.683	R	2025		0012																
58040000	6.680	11.595	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	9.5	10.0	8.5	8.5	7.0	7.0	5.5*	6.0*	6.0*		
87				2	8.1	15600	RIDE	8.9	8.8	8.7	8.2	8.5	8.5	8.4	8.5	8.4	8.3	8.3	8.3	8.3	8.3	
FC5M																						
2204424	6.832	12.110	C	2015		0213	CRACKING	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6	7.0	
ANDERSON	COLUMBIA	CO., INC	(2019)				SPRIDE	8.1	8.1	8.1			8.9	8.7	8.3	8.1	8.2	8.2	8.1	8.2	8.0	
58040000	11.595	14.352	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	9.5	10.0	8.5	8.5	7.0	7.0	5.5*	6.0*	6.0*		
87				2	8.1	15600	RIDE	8.9	8.8	8.7	8.2	8.5	8.5	8.4	8.5	8.4	8.3	8.3	8.3	8.3	8.3	
FC5M																						
2204427	12.110	16.266	C	2016		0213	CRACKING	6.0*	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	9.6	9.6	7.0	
GLF CONSTRUCTION	CORPORATI	(2020)					SPRIDE	8.1	8.1	8.1				8.7	8.6	8.4	8.4	8.3	8.2	8.2	8.0	
58040000	15.251	16.442	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5		
87				2	8.1	15600	RIDE	8.7	8.7	8.6	8.4	8.4	8.3	8.3	8.6	8.6	8.5	8.5	8.6	8.5		
FC5M																						
2204427	12.110	16.266	C	2016		0213	CRACKING	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.6	9.6	7.0	
GLF CONSTRUCTION	CORPORATI	(2020)					SPRIDE	8.5	8.2	8.4				8.6	8.4	8.3	8.3	8.3	8.2	8.2	8.0	
58040000	16.442	17.966	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0		
87				2	8.1	17900	RIDE	8.7	8.7	8.6	8.4	8.4	8.3	8.3	8.1	8.1	8.0	8.0	8.0	7.9		
FC5M																						
4475901	16.266	17.966	R	2024		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING,	(2025)						SPRIDE	7.9	7.8	8.1	8.1	7.5	8.0	8.1	8.1	7.9	8.0	8.1	8.8	8.7	8.5	
58040000	17.966	19.769	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0		
87				2	10.9	16300	RIDE	8.6	8.2	8.6	8.2	8.4			8.4	8.3	7.9	8.1	8.2	8.2		
FC125M																						
2204425	16.083	19.769	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	5.5*	3.5*	
ANDERSON	COLUMBIA	CO., INC	(2008)				SPRIDE	8.2	8.2	7.3	7.6	7.5	7.3	7.5	7.4	7.2	7.4	7.4	7.3	7.4	7.0	
4475902	17.835	19.769	C	2029		0012																
58040000	17.966	19.769	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0		
87				2	10.9	16300	RIDE	8.6	8.2	8.6	8.2	8.4			8.0	8.1	8.1	8.2	8.2	7.9		
FC125M																						
2204425	16.083	19.769	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	5.5*	3.5*	
ANDERSON	COLUMBIA	CO., INC	(2008)				SPRIDE	7.9	8.1	7.5	7.7	7.5	7.3	7.5	7.4	7.4	7.3	7.5	7.4	7.5	7.1	
4475902	17.835	19.769	C	2029		0012																
58040000	16.442	17.966	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0		
87				2	8.1	17900	RIDE	8.7	8.7	8.6	8.4	8.4	8.3	8.3	8.4	8.2	8.1	8.2	8.1	8.0		
FC5M																						
4475901	16.266	17.835	L	2024		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING,	(2025)						SPRIDE	7.9	7.9	8.2	8.1	8.1	8.1	8.0	7.9	7.9	8.0	7.8	8.9	8.8	8.6	
58040000	15.251	16.442	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5		
87				2	8.1	15600	RIDE	8.7	8.7	8.6	8.4	8.4	8.3	8.3	8.6	8.6	8.5	8.5	8.6	8.5		
FC5M																						
2204427	12.110	16.266	C	2016		0213	CRACKING	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	9.7	7.5	
GLF CONSTRUCTION	CORPORATI	(2020)					SPRIDE	8.5	8.2	8.4				8.5	8.4	8.2	8.0	8.1	8.1	8.1	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE					
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031				
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE													
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		2031 (PMRS)			
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031 (PMRS)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE																			
58050000	2.065	6.212	L	1	1	45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
87			2	7.8		16803	RIDE	7.9		8.7	8.5	8.5	8.3	8.1	8.2	8.4	8.2	8.3	8.3	8.3					
ROSASCO ST(2.2L)																									
2204051	2.071	6.597	C	2000		0213	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*				
APAC-FLORIDA, INC				(2003)		SPRIDE		8.2		8.2		8.3		8.2		8.2		8.3		8.2					
4529451	0.013	6.281	C	2028		0012																			
58050000	0.000	2.065	L	1	1	45	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0					
87			2	5.5		17600	RIDE	6.6	6.1*	6.2*	6.2*	6.1*	6.0	5.7	5.7	5.8	8.4	7.9	7.7	7.4					
CAROLINE ST(0.0C)																									
4117051	0.000	1.999	C	2009		0012	CRACKING	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	6.0*	5.8*	4.0*				
ANDERSON COLUMBIA CO., INC				(2010)		RIDE		7.3		7.2		7.4		7.3		7.1		7.1		7.0					
4529451	0.013	6.281	C	2028		0012																			
58060000	0.000	13.264	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
89			2	8.2		3700	RIDE	9.0	8.9	8.8	8.4	8.4	8.3	8.4	8.4	8.3	8.2	8.3	8.3	8.3	8.2				
SR 87(0.0C)																									
4455901	0.151	13.084	C	2023		0012	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	4.0*	10.0	10.0	8.5				
PANHANDLE GRADING & PAVING				(2025)		SPRIDE		8.1		8.1		8.3		8.3		8.2		8.1		8.1					
58060000	13.264	20.714	C	1	1	55	CRACKING	10.0	10.0	10.0	9.5	8.5	8.5	8.0	7.0	6.5	6.5	5.5*	5.5*						
89			2	9.6		1958	RIDE	8.8	8.6	8.5	8.0	7.9	7.9	7.9	8.1	8.0	7.8	7.8	7.6						
WELLS POND RD(14.3R)																									
4246121	13.220	20.670	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	6.0*	5.5*	4.6*	4.2*	2.5*				
OLDCASTLE MATERIALS SOUTHE				(2014)		SPRIDE		8.8		8.5		8.3		8.2		7.9		7.5		7.4					
4529441	13.225	21.790	C	2027		0012																			
58060000	20.714	21.790	C	1	1	45	CRACKING	8.5	7.5	7.5	6.5	6.0*	5.5*	5.5*	5.0*	10.0	10.0	10.0	10.0	10.0					
89			2	12.0		3000	RIDE	8.4	8.6	8.5	7.8	7.7	7.2	7.1	7.2	8.3	8.1	8.0	8.0	8.0	7.8				
ESCAMBIA AVE(20.8C)																									
4153721	20.676	21.802	C	2008		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	4.5*				
PANHANDLE GRADING & PAVING				(2009)		RIDE		7.7		7.5		8.0		7.8		7.8		7.7		7.5					
4529441	13.225	21.790	C	2027		0012																			
58060000	21.977	26.002	C	1	1	55	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0					
89			2	9.0		2200	RIDE	8.3	7.9		8.4	8.3	8.2	8.3	8.4	8.2	8.1	8.2	8.1	8.0					
ARTHUR AVE(22.1L)																									
2204411	21.990	26.002	C	2002		0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.0	6.5	5.5*	4.3*	4.1*	2.0*				
ANDERSON COLUMBIA CO., INC				(2004)		SPRIDE		7.9		8.0		8.0		7.8		7.8		7.7		7.7					
4529351	21.977	26.002	C	2027		0012																			
58080000	0.746	9.567	C	1	1	55	CRACKING	5.5*	3.5*	3.0*	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.0*					
4			2	11.0		5500	RIDE	8.5	8.3	8.1	8.0	8.0	8.0	7.5	8.1	8.0	8.0	8.0	7.9	7.9					
MORRISTOWN RD(1.5R)																									
4325541	1.307	9.567	C	2020		0012	CRACKING	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	4.0*	10.0	10.0	10.0	10.0	10.0	9.6	8.0				
PANHANDLE GRADING & PAVING				(2021)		RIDE		7.8		7.8		7.6		7.5		7.4		7.4		8.5					
58080000	9.567	29.102	C	1	1	60	CRACKING	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	5.5*						
4			2	21.5		1843	RIDE	8.6	8.5	8.4	8.2	8.2	8.1	7.8	8.1	7.9	7.7	7.5	7.4						
ALABAMA ST(9.6L)																									
4269711	9.567	29.102	C	2015		0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.4	8.1	6.5					
PANHANDLE GRADING & PAVING				(2016)		SPRIDE		7.1		7.0		8.7		8.6		8.6		8.5		8.4					
58140000	0.291	0.610	R	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0					
399			2	2.9		9200	RIDE					8.2	7.9	7.9	7.6	7.6	7.5	7.5	7.2						
GULF BREEZE PKWY WB(0.6C)																									
							CRACKING	7.0	7.0	7.0	7.0		7.0	7.0	7.0	7.0	7.0	7.0	7.3	7.2	3.5*				
							RIDE	7.2	7.0	6.9	6.7								7.7	7.7	7.3				
(1976)																									
58140000	0.291	0.610	L	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0					
399			1	2.9		9200	RIDE					8.3	7.0	6.9	6.9	6.6	6.5	6.4	6.4						
GULF BREEZE PKWY WB(0.6C)																									
							CRACKING	7.0	7.0	7.0	7.0		7.0	7.0	7.0	7.0	6.0*	6.0*	5.9*	5.6*	2.0*				
							RIDE	6.2	6.0	5.8	5.7								7.0	7.0	6.6				
(1976)																									
58170000	5.528	10.611	C	1	1	55	CRACKING			10.0	10.0	10.0	10.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5					
281			2	5.5		10500	RIDE			8.7	8.3	8.3	8.2	8.3	8.4	8.2	8.0	8.0	7.8	7.4					
GARCON POINT RD S(5.5L)																									
4269721	5.367	9.646	C	2015		0226	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.1	7.7	6.0*				
PANHANDLE GRADING & PAVING				(2016)		SPRIDE		7.3		6.7		8.6		8.5		8.5		8.4		8.3					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = SANTA ROSA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKMX-F	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F	ASTYPE															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	ASTYPE															
58170000	10.611	10.956	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
281				2	5.5	10500	RIDE			8.7	8.3	8.3	8.2	7.8	7.9	8.1	8.0	8.1	8.0	7.9	
ROMANO ST(10.6R)																					
						FC125M															
4130623	10.747	10.941	R	2015		0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0		9.0	9.0	9.0	7.5	7.5	7.5	6.0*
						(2021)	RIDE	7.6	7.5	7.5	7.4	7.3	6.7		7.4	7.1	5.9	5.9	6.0	5.9	5.5

58170000	10.611	10.956	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
281				2	5.5	10500	RIDE			8.7	8.3	8.3	8.2	8.0	8.0	7.7	7.7	7.7	7.7	7.8	7.6
SAN GABRIEL ST(10.7C)																					
						FC125M															
4130623	10.747	10.941	L	2015		0213	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5		9.0	9.0	9.0	7.5	6.6	6.6	5.0*
						(2021)	RIDE	7.6	7.3	7.4	7.1	7.2	6.8		7.3	6.7	6.3	6.3	6.3	6.2	5.8

58470000	0.000	0.547	C	5	8	45	CRACKING														
281				2	7.8	7300	RIDE														
						DGFC															
							CRACKING														4.3*
							RIDE														7.1

58470000	0.547	0.887	C	5	1	55	CRACKING														
281				2	7.8	7300	RIDE														
						DGFC															
							CRACKING														4.3*
							RIDE														3.8*

58470000	4.373	5.528	C	5	1	55	CRACKING														
281				2	7.8	7300	RIDE														
						FC95MR															
							CRACKING														7.7
							RIDE														7.4
																					7.6
																					7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).