FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WAKULLA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
59010000	0.000	9.337	C	1	1	55	1	2	3000	CRACKING	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5													
30 98								11.6		RIDE	7.4	7.2	7.1	8.4	8.4	8.3	8.2	8.2	8.1	8.1	8.0	7.8	7.8													
CR 372(0.1R)									FC95MR																											
4362611	0.152	7.226	C	2018					0012	CRACKING	7.0	6.5	5.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.0												
PEAVY & SON CONSTRUCTION			C(2020)							RIDE	7.6	7.5	7.5	7.3	7.3	7.1	8.8	8.7	8.7	8.7	8.6	8.6	8.5	8.1												
59010000	9.791	14.553	C	1	1	55				CRACKING	5.5*	5.5*	3.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5													
61 319							2	7.8	13800	RIDE	7.9	7.6	7.4	8.5	8.4	8.3	8.3	8.3	8.1	8.2	8.1	7.9	7.8												
ELIE CARTER LN(10.0L)									FC95MR																											
4362612	9.824	13.321	C	2018					0012	CRACKING	7.0	6.0*	5.5*	5.5*	5.5*	3.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.3	7.5												
PEAVY & SON CONSTRUCTION			C(2020)						SPRIDE	RIDE	7.7	7.4	7.5	7.3	7.4	7.2	8.9	8.8	8.6	8.6	8.6	8.5	8.5	8.1												
59010001	0.000	0.371	R	1	1	45				CRACKING																										
61 319							2	7.8	13800	RIDE																												
US-98/SR-30(0.0R)									FC95MR																											
										CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.5	8.0												
				(2018)						RIDE														7.4	7.0												
59020000	0.000	1.150	R	1	1	45				CRACKING	10.0	10.0	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5													
369 319							1	4.0	21000	RIDE	8.8	8.6	8.6	8.2	8.5	8.2	8.4	7.9	8.1	7.9	7.7	7.7	8.1												
CR 61(0.0R)									FC1																											
										CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	4.3*	3.7*	1.5*												
				(2005)						RIDE	8.0	7.9	7.7	7.6	7.7	7.6	7.5	7.5	7.3	7.4	7.2	7.3	7.2	6.8												
4193152	0.000	3.181	C	2025					0012																											
59020000	1.150	3.019	R	1	1	45				CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	10.0	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							1	4.0	21000	RIDE	8.8	8.6	8.6	8.2	8.3	8.2	8.1	7.8	8.1	8.0	7.9	7.8	8.8												
WAKULLA ARRAN RD(1.3C)									FC95MR																											
										CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	7.0				4.5*	2.5*												
				(2013)						RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	7.9				7.8	7.4												
4193152	0.000	3.181	C	2025					0012																											
59020000	3.019	3.358	R	1	7	45				CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	10.0	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							2	4.8	16000	RIDE	8.8	8.6	8.6	8.2	8.3	8.2	8.1	7.8	8.1	8.0	7.9	7.8	8.8												
EAST IVAN RD(3.4R)									FC95MR																											
2204957	3.181	3.563	R	2020					0213	CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	7.0				10.0	8.5												
ANDERSON COLUMBIA CO., INC			(2026)						SPRIDE	RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	7.9				8.2	7.8												
59020000	3.358	6.852	R	1	7	55				CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							2	4.8	16000	RIDE	8.8	8.6	8.6	8.2	8.3	8.2	8.1	8.4	8.1	8.0	7.9	7.8	8.8												
STEVE MOORE RD(3.6R)									FC5M																											
										CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	7.0				10.0	9.0												
				(2026)						RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	7.9				8.7	8.5												
59020000	6.852	9.028	R	1	1	55				CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							2	4.8	15300	RIDE	8.7	8.7	8.6	8.3	8.2	8.2	8.1	8.2	8.1	8.0	7.9	7.8	8.8												
LONNIE RAKER LN(7.3R)									FC5M																											
										CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	8.0												
				(2022)						RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	8.6	8.5	8.5	8.4	8.4	8.2												
59020000	7.386	9.028	L	1	1	55				CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							2	4.8	15300	RIDE	8.7	8.7	8.6	8.3	8.2	8.2	8.1	8.2	8.1	8.0	7.9	7.8	8.8												
SAN MARCOS DR(7.6L)									FC5M																											
2204958	7.981	8.788	C	2018					0213	CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	8.0												
ANDERSON COLUMBIA CO., INC			(2022)						SPRIDE	RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	8.6	8.4	8.4	8.4	8.4	8.2												
59020000	3.336	7.386	L	1	7	55				CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							2	4.8	16000	RIDE	8.8	8.6	8.6	8.2	8.3	8.2	8.1	8.4	8.1	8.0	7.9	7.8	8.8												
WHIDDON LAKE RD(3.5L)									FC5M																											
										CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	7.0				10.0	9.0												
				(2026)						RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	7.9				8.6	8.4												
59020000	3.007	3.336	L	1	7	45				CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	10.0	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							1	4.8	16000	RIDE	8.8	8.6	8.6	8.2	8.3	8.2	8.1	7.8	8.1	8.0	7.9	7.8	8.8												
									FC95MR																											
4193152	0.000	3.181	L	2025					0012	CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	7.0				10.0	8.5												
PEAVY & SON CONSTRUCTION			C(2026)							RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	7.9				8.2	7.8												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WAKULLA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	AADT / WKMX-P / WKMX-F	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
59020000	1.150	3.007	L	1	1	45	1		CRACKING	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	10.0	6.0*	6.0*	6.0*	6.0*	10.0													
369 319							2	4.0	RIDE	8.8	8.6	8.6	8.2	8.3	8.2	8.1	7.8	8.1	8.0	7.9	7.8	8.8													
WAKULLA ARRAN RD(1.3L)								UNKW																											
									CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.0	7.0	7.0				4.3*	2.5*											
							(2013)		RIDE	8.6	8.5	8.4	8.4	8.3	8.3	8.0	7.7	7.9				8.1	7.7											
4193152	0.000	3.181	C	2025		0012																													
59020000	0.000	1.150	L	1	1	45			CRACKING	10.0	10.0	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5													
369 319							2	4.0	RIDE	8.8	8.6	8.6	8.2	8.5	8.2	8.4	8.6	8.1	7.9	7.7	7.7	8.1													
RAMP TO CR 61(0.0C)								FC1																											
									CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	4.3*	4.0*	2.0*											
							(2005)		RIDE	8.0	7.9	7.7	7.6	7.7	7.6	7.5	7.5	7.3	7.4	7.2	7.3	7.7	7.3											
4193152	0.000	3.181	C	2025		0012																													
59030000	0.000	3.828	C	1	1	55			CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	4.0*	4.0*	10.0	10.0													
377 319							2	12.7	RIDE	8.8	8.8	8.8	8.2	8.0	7.4	7.8	7.5	7.5	7.3	7.2	8.6	8.6													
SANDERS RD(0.0L)								FC95MR																											
4193111	0.409	2.273	C	2011		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.8	7.5	5.5*											
PEAVY & SON CONSTRUCTION			C				(2012)		SPRIDE	8.5	8.6	8.4	8.4	8.3	8.3	8.1	8.1	7.9	7.8	7.7	7.7	7.5	7.1											
4546211	0.000	3.838	C	2028		0012																													
59030000	3.828	11.543	C	1	1	55			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5											
375 319							2	12.1	RIDE		8.6	8.7	8.1	8.2	7.9	8.1	8.1	8.1	8.1	8.0	8.0	8.0											
DOT RD(4.1L)								FC125M																											
4397301	3.828	7.475	C	2020		0012			CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5											
C. W. ROBERTS CONTRACTING,							(2022)		SPRIDE	7.8	7.8	7.6	7.6	7.5	7.4	7.3	7.3	8.2	8.3	8.1	8.1	7.9	7.5											
59040000	0.000	2.580	C	1	1	45			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5													
363							2	12.0	RIDE	8.8	8.7	8.9	8.2	8.3	8.3	8.1	8.4	8.0	8.5	8.5	8.5	8.5													
RIVERSIDE DR(0.0C)								FC3																											
2205191	0.010	2.582	C	1997		0012			CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	8.0	8.7	8.4	6.0*											
WHITE CONSTRUCTION CO							(1998)		S RIDE	8.3	8.2	8.4	8.4	8.2	8.3	8.2	8.3	8.1	8.2	8.1	8.1	8.1	7.7											
59040000	2.580	5.663	C	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0													
363							2	10.6	RIDE	8.8	8.7	8.7	8.3	8.2	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.7													
SR 30(2.6C)								FC125M																											
4325381	2.589	5.500	C	2016		0012			CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5											
PEAVY & SON CONSTRUCTION			C				(2017)		SPRIDE	7.6	7.5	7.7	8.7	8.6	8.5	8.5	8.5	8.4	8.4	8.4	8.3	8.3	7.9											
59040000	5.663	8.503	C	1	1	55			CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	7.0	7.0											
363							2	9.0	RIDE				8.2	8.3	8.1	8.1	8.1	8.6	8.0	7.9	7.8	7.8											
JD TURNER LN(5.7L)								FC125M																											
4325381	5.663	8.046	C	2016		0012			CRACKING	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.0											
PEAVY & SON CONSTRUCTION			C				(2017)		SPRIDE	7.8	7.7	7.6	8.7	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	8.5	8.1											
59100000	0.000	4.100	C	1	1	55			CRACKING	5.0*	5.0*	5.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
267							2	10.8	RIDE	8.4	8.4	8.4	7.7	7.6	8.3	8.4	8.4	8.3	8.3	8.3	8.2	8.0													
APALACHICOLA FOREST(1.6L)								FC125M																											
4325502	0.000	3.808	C	2024		0012			CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	8.5											
C. W. ROBERTS CONTRACTING,							(2025)		SPRIDE	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	8.0	8.0	7.9	8.6	8.6	8.2											
59100000	4.100	4.700	C	1	7	45			CRACKING	5.0*	5.0*	5.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
267							2	10.8	RIDE	8.4	8.4	8.4	7.7	7.6	8.3	8.4	8.4	8.3	8.3	8.3	8.2	8.0													
SR 369(4.4C)								FC95MR																											
2204957	4.227	4.624	L	2020		0213			CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	8.5											
ANDERSON COLUMBIA CO., INC							(2026)		SPRIDE	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	8.0	8.0	7.9		7.8	7.4											
59100000	4.700	12.546	C	1	1	55			CRACKING	5.0*	5.0*	5.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
267							2	14.8	RIDE	8.4	8.4	8.4	7.7	7.6	8.3	8.4	8.4	8.3	8.3	8.3	8.2	8.0													
LONNIE RAKER LN(5.0C)								FC125M																											
									CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	8.5											
							(2025)		RIDE	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	8.0	8.0	7.9	8.6	8.6	8.2											
59100000	12.546	16.631	C	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0													
267							2	32.1	RIDE	8.9	8.6	8.7	8.2	8.2	7.9	8.0	7.8	7.9	7.8	7.8	7.6	7.0													
BIKE PATH(12.7C)								FC95MR																											
4325501	12.742	16.596	C	2017		0012			CRACKING	6.0*	6.0*	6.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	10.0	8.5											
CAPITAL ASPHALT INC							(2018)		RIDE	7.4	7.4	7.6	7.7	8.7	8.6	8.4	8.3	8.1	7.9	7.8	7.7	7.7	7.3											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = WAKULLA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
59110000	0.000	0.300	C	1	1	45					CRACKING	8.5	8.5	7.0		10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0													
30	98		2	14.7		6100					RIDE	8.6	8.3	8.3		8.2	8.0	8.1	7.4	7.3	7.5	7.6	7.3	7.1													
OLD CRAWFORDVILLE HW(0.0L)						DGFC																															
											CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	5.5*											
		(2018)									RIDE	7.1	7.1	6.8	6.5									7.5	7.1												
59110000	0.300	9.612	C	1	1	60					CRACKING	5.5*	5.5*	3.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
30	98		2	14.7		6100					RIDE	8.5	8.4	8.4		8.2	8.0	8.1	8.1	8.1	8.0	8.0	7.8	7.7													
EVALINDA ST(0.9L)						FC95MR																															
4377561	1.931	9.612	C	2022		0012					CRACKING	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	8.5													
PEAVY & SON CONSTRUCTION			C	(2023)		SPRIDE					RIDE	7.7	7.7	7.7	7.6	7.7	7.7	7.6	7.5	7.5	9.1	9.0	8.9	8.8	8.4													
59110000	9.612	14.614	C	1	1	55					CRACKING	5.5*	5.5*	3.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
30	98		2	14.7		4400					RIDE	8.0	7.5	7.5		8.2	8.0	8.1	8.1	8.1	8.0	8.0	7.8	7.4													
LOWER BRIDGE RD(9.9L)						FC95MR																															
4377562	10.117	14.264	C	2024		0012					CRACKING	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	8.5													
M OF TALLAHASSEE, INC.				(2025)		SPRIDE					RIDE	7.3	7.3	7.0	7.0	7.1	7.0	7.1	6.9	6.9	6.8	6.8	8.5	8.5	8.1													
59110000	14.614	20.725	C	1	1	60					CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0													
30	98		2	31.4		3000					RIDE	7.8		8.5	8.0	8.1	8.0	8.0	8.1	8.0	8.0	7.9	7.8	7.6													
CR 59(14.8R)						FC125H																															
4377481	14.604	20.725	C	2019		0012					CRACKING	8.5	8.5	8.5	6.0*	6.0*	5.0*	5.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5													
C. W. ROBERTS CONTRACTING,				(2021)		SPRIDE					RIDE	7.5	7.4	7.4	7.3	7.4	7.3	7.3	8.8	8.7	8.7	8.7	8.6	8.6	8.2													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).