FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WALTON ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
60002000	0.000	18.225	R	4	1	70	CRACKING	8.1		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0														
8 I10	67.0	85.2	2	13.9			RIDE	6.4*		8.7	8.3	8.4	8.2	8.3	8.3	8.2	8.0	7.9	7.7	7.6														
							FC5M																												
4309082	0.000	11.225	C	2015		0012	CRACKING	7.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	7.8	5.5*														
OLDCASTLE MATERIALS SOUTHE(2017)							SPRIDE	6.9	6.6		8.7	8.7	8.3	8.9	9.0	8.9	8.9	8.8	8.7	8.8	8.7														
60002000	18.225	24.024	R	4	1	70	CRACKING	8.5	8.5	8.0	7.0	6.5	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0														
8 I10	85.2	91.0	2	25.5			RIDE	8.4	8.3	8.3	7.6	7.4	7.2	7.4	7.2	8.3	8.3	8.4	8.4	8.3														
							FC5M																												
4436391	18.146	24.062	C	2022		0012	CRACKING	10.0	9.0	7.0	7.0	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5														
C. W. ROBERTS CONTRACTING,(2024)							SPRIDE	8.3	8.2	8.5	8.4	8.4	8.5	8.5	8.6	8.5	8.4	9.0	9.0	9.0	8.9														
60002000	24.024	27.454	R	4	1	70	CRACKING	6.7		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0																
8 I10	91.0	94.5	2	25.5			RIDE	6.5		8.8	8.4	8.5	8.2	8.3	8.2	8.1	7.8	7.9	7.7																
							FC5M																												
4252771	24.024	27.454	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	5.5*	3.7*	1.0*														
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	8.1	8.1	8.4	8.4	8.4	8.5	8.5	8.6	8.5	8.4	8.4	8.3	8.3	8.2														
4531211	24.024	27.454	C	2027		0012																													
60002000	24.024	27.454	L	4	1	70	CRACKING	8.1		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5																
8 I10	91.0	94.5	2	25.5			RIDE	6.9		8.8	8.5	8.2	8.2	8.1	8.2	8.1	8.0	7.8	7.6																
							FC5M																												
4252771	24.024	27.454	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	4.5*	3.3*	2.6*	0.0*														
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	8.1	8.2	8.4	8.5	8.4	8.5	8.6	8.5	8.5	8.4	8.4	8.4	8.3	8.2														
4531211	24.024	27.454	C	2027		0012																													
60002000	18.225	24.024	L	4	1	70	CRACKING	8.5	8.5	8.0	7.0	6.5	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0														
8 I10	85.2	91.0	2	25.5			RIDE	8.6	8.4	8.3	7.5	7.5	7.2	7.0	7.2	8.4	8.4	8.3	8.3	8.2														
							FC5M																												
4436391	18.146	24.062	C	2022		0012	CRACKING	10.0	9.0	7.0	7.0	7.0	7.0	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5														
C. W. ROBERTS CONTRACTING,(2024)							SPRIDE	8.2	8.2	8.5	8.5	8.4	8.5	8.5	8.5	8.4	8.3	9.1	9.1	9.1	9.0														
60002000	0.000	18.225	L	4	1	70	CRACKING	8.1		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5															
8 I10	67.0	85.2	2	13.9			RIDE	6.6		8.7	8.3	8.4	8.3	8.1	8.3	8.1	8.0	7.8	7.6	7.5															
							FC5M																												
4309082	0.000	11.225	C	2015		0012	CRACKING	6.5	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	8.3	6.0*														
OLDCASTLE MATERIALS SOUTHE(2017)							SPRIDE	7.3	6.8		8.8	8.7	8.6	9.0	9.0	9.0	8.9	8.9	8.9	8.8	8.7														
60010000	0.000	14.520	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5																
10 90			2	10.6		10500	RIDE	8.8	8.5	8.7	8.4	8.4	8.3	8.4	8.5	8.4	8.2	8.3	8.1																
RAINBOW DR(0.3L)							FC95M																												
4246131	2.754	13.605	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.1	5.5*													
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE		8.7	8.6	8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.2	8.2	7.8													
60010000	14.520	15.360	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.0																
10 90			2	10.8		16200	RIDE	8.8	8.7	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.0	8.0																
AIRPORT ENT(14.8R)							FC95MR																												
4246131	14.884	15.374	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.8	6.0*	4.0*													
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE		8.7	8.6	8.4	8.5	8.3	8.3	8.4	8.3	8.3	8.3	8.2	8.1	7.7													
60010000	15.360	17.375	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.0*																
10 90			2	10.8		17400	RIDE	8.2	7.8	7.4	7.4	7.3	7.8	7.7	7.0	7.4	7.2	6.7	7.0																
COUNTRY CLUB DR(15.4R)							FC95MR																												
4230681	15.487	16.768	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.0	6.1*	5.7*	4.0*														
C. W. ROBERTS CONTRACTING,(2014)							SPRIDE	8.6	8.3	8.4	8.3	8.3	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0	7.6														
4546291	15.305	21.905	C	2028		0012																													
60010000	17.375	17.829	C	1	1	45	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*																
10 90			4	9.2		6400	RIDE	6.9	7.0	6.5	7.0	6.5	6.6	7.3	7.1	6.0	5.8	5.9	5.8																
S 4TH ST(17.4R)							FC95MR																												
4230681	17.401	17.847	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.0	6.6	4.9*	3.0*														
C. W. ROBERTS CONTRACTING,(2014)							SPRIDE	8.6	8.3	8.4	8.3	8.3	8.2	8.2	8.1	8.0	8.1	8.1	7.9	7.5	7.1														
4546291	15.305	21.905	C	2028		0012																													
60010000	17.829	21.905	C	1	1	55	CRACKING	10.0	10.0	9.0	8.5	6.5	5.5*	5.5*	5.5*	6.0*	6.0*	6.0*	6.0*																
10 90			1	9.2		6400	RIDE	8.9	8.7	8.7	8.2	8.2	8.2	8.1	8.1	8.0	7.8	7.7	7.5																
GRAHAM AVE(18.0L)							FC95MR																												
							CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.6	4.5*	2.5*														
		(2014)					RIDE	8.6	8.6	8.5	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.8	7.4														
4546291	15.305	21.905	C	2028		0012																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WALTON ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	DISTRESS RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
60010000	15.360	17.375	L	1	1	45	1			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	6.0*														
10	90		2	10.8		17400				RIDE	8.6	7.9	8.2	7.9	7.9	7.7	7.6	7.6	7.4	7.2	6.7	7.0														
SHOEMAKER DR(15.4L)										FC95MR																											
4230681	15.487	16.768	L	2012		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.0	6.1*	6.5	4.5*												
C. W. ROBERTS CONTRACTING,(2014)										SPRIDE	8.6	8.3	8.4	8.3	8.3	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.3	7.9												
4546291	15.305	21.905	C	2028		0012																															
60010000	14.520	15.360	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5														
10	90		2	10.8		16200				RIDE	8.7	8.6	8.6	8.1	8.2	8.2	8.2	8.4	8.3	8.1	8.0	8.0														
SR 187(14.8L)										FC95MR																											
4246131	14.884	15.374	C	2012		0012				CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.9	7.5	5.5*												
C. W. ROBERTS CONTRACTING,(2015)										SPRIDE		8.7	8.6	8.6	8.4	8.4	8.3	8.3	8.2	8.3	8.2	8.2	8.1	7.7												
60020000	3.025	3.463	R	1	1	45				CRACKING	9.0	9.0	8.0	8.0	5.0*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0														
30	98		3	4.4		53500				RIDE	8.4	8.2	8.2	7.3	7.7	7.3	7.8	6.9	6.9	6.2	8.5	8.5	8.4														
SANDTRAP RD(3.1R)										FC95MR																											
4141324	3.205	3.480	C	2017		0213				CRACKING	10.0	10.0	10.0	10.0	10.0					10.0	10.0	9.4	10.0	8.5													
PRINCE CONTRACTING, LLC				(2023)						SPRIDE	8.4	8.4	8.2	8.1	8.2					7.8	7.7	7.7	7.7	7.3													
60020000	3.463	4.528	R	1	1	45				CRACKING	9.0	9.0	8.0	8.0	5.0*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0														
30	98		3	4.4		53500				RIDE	8.4	8.2	8.2	7.3	7.7	7.3	7.8	6.9	6.9	6.2	8.5	8.5	8.4														
HIDDEN DUNES(3.5R)										FC95M																											
4192981	3.397	4.656	C	2010		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.0	7.6	5.5*												
C. W. ROBERTS CONTRACTING,(2011)										SPRIDE	8.4	8.4	8.2	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.6												
60020000	4.528	5.530	R	1	1	45				CRACKING	9.0	9.0		8.0	5.0*	4.5*	10.0	10.0	10.0	9.5	8.0	7.5	7.5														
30	98		3	4.4		47500				RIDE	8.4	8.2		7.3	7.7	7.3	8.3	8.5	8.5	8.2	8.3	8.2	8.0														
						FC95MR																																	
4436501	4.528	5.569	R	2022		0012				CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	8.5														
				(2024)						RIDE	8.1	7.4	8.2	8.2	8.2	8.2	8.1	8.2	8.1	7.8	8.4	8.4	8.3	7.9														
60020000	5.530	7.400	R	1	1	45				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
30	98		3	4.8		49500				RIDE	7.8	7.2			8.2	8.2	8.4	8.4	8.3	8.2	8.1	8.1	8.0														
TOP SAIL RD(5.9R)						FC95MR																															
4141326	5.907	7.502	R	2021		0213				CRACKING	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	8.5														
C. W. ROBERTS CONTRACTING,(2025)										SPRIDE	8.0	7.8	8.1	8.1	8.0	8.0	7.9	8.0	7.8	7.8		8.4	8.4	8.0														
60020000	7.400	7.638	R	1	1	55				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
30	98		2	6.3		41500				RIDE	7.8	7.2			8.2	8.2	8.4	8.4	8.3	8.2	8.1	8.1	8.0														
						FC95MR																																	
4436501	7.502	13.450	C	2022		0012				CRACKING	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	8.5														
				(2025)						RIDE	8.0	7.8	8.1	8.1	8.0	8.0	7.9	8.0	7.8	7.8		8.4	7.9	7.5														
60020000	7.638	13.214	R	1	2	45				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
30	98		2	6.3		40500				RIDE	7.8	7.2			8.2	8.2	8.4	8.4	8.3	8.2	8.1	8.1	8.0														
SUGAR DR(8.6R)						FC5M																															
4436501	7.502	13.450	C	2022		0012				CRACKING	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	8.5														
				(2024)						RIDE	8.0	7.8	8.1	8.1	8.0	8.0	7.9	8.0	7.8	7.8	8.7	8.7	8.6	8.4														
60020000	13.214	17.765	R	1	2	55				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
30	98		2	8.6		28000				RIDE	7.8	7.2			8.4	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.1														
BAY DR(14.6R)						FC5M																															
4436502	13.221	17.765	R	2023		0012				CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	8.5														
C. W. ROBERTS CONTRACTING,(2025)										SPRIDE	8.1	8.0	8.1	8.0	7.9	8.0	8.1	8.0	8.0	8.0		8.8	8.8	8.6														
60020000	17.765	25.619	R	1	1	65				CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
30	98		2	8.6		28000				RIDE	8.9	8.7			8.3	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.4														
MILL POND RD(18.0R)						FC5																															
2206441	17.763	26.633	C	2002		0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	7.3	1.5*												
ANDERSON COLUMBIA CO., INC(2005)										SPRIDE	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.1												
60020000	25.619	25.849	R	1	1	45				CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
30	98		2	5.3		28000				RIDE	8.9	8.7			8.3	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.4														
CR 30A(25.7R)						DGFC																															
										CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	10.0	8.5												
				(2026)						RIDE	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.3	5.6	5.2*												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WALTON ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	DISTRESS / RATINGS / SURFTYPE / RW FY-P / ASTYPE / RW FY-F / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
60020000	25.849	26.636	R	1	1	45				CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			2	5.3	28000					RIDE	8.9	8.7			8.3	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.4													
WALTON ROSE LN(26.0R)										FC5																											
2206441	17.763	26.633	C	2002				0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	8.6	2.5*												
ANDERSON COLUMBIA CO., INC			(2005)							SPRIDE	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.0												
60020000	25.849	26.636	L	1	1	45				CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			2	5.3	28000					RIDE	8.9	8.7			8.5	8.4	8.7	8.6	8.7	8.6	8.5	8.6	8.5													
N ORANGE ST(26.1L)										FC5																											
2206441	17.763	26.633	C	2002				0213		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	8.0	2.0*												
ANDERSON COLUMBIA CO., INC			(2005)							SPRIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.4	8.3	8.1												
60020000	25.619	25.849	L	1	1	45				CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			2	5.3	28000					RIDE	8.9	8.7			8.5	8.4	8.7	8.6	8.7	8.6	8.5	8.6	8.5													
SHOPPING CENTER(25.7L)										DGFC																											
										CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	10.0	8.5												
			(2026)							RIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.4	6.8	6.4												
60020000	17.765	25.619	L	1	1	65				CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			2	8.6	28000					RIDE	8.9	8.7			8.5	8.4	8.7	8.6	8.7	8.6	8.5	8.6	8.5													
OLD FERRY RD(17.8L)										FC5																											
2206441	17.763	26.633	C	2002				0213		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	7.4	1.5*												
ANDERSON COLUMBIA CO., INC			(2005)							SPRIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.4	8.4	8.2												
60020000	13.228	17.765	L	1	2	55				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0													
30 98			2	8.6	28000					RIDE	7.8	7.2			8.3	8.2	8.3	8.2	8.2	8.1	8.0	8.0	8.0													
DOODLES FOREST RD(13.7L)										FC5M																											
4436502	13.221	17.765	L	2023				0012		CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,			(2025)							SPRIDE	7.8	7.8	7.9	7.7	7.6	7.7	7.7	7.7	7.6	7.5		8.7	8.6	8.4												
60020000	7.638	13.228	L	1	1	45				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			2	6.3	40500					RIDE	7.8	7.2			8.4	8.3	8.5	8.4	8.4	8.3	8.2	8.3	8.1													
DON BISHOP RD(8.1L)										FC5M																											
4436501	7.502	13.450	C	2022				0012		CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	8.5												
			(2024)							RIDE	8.0	7.9	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.9	8.6	8.6	8.6	8.4												
60020000	5.530	7.638	L	1	1	55				CRACKING	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			3	4.8	49500					RIDE	7.8	7.2			8.4	8.3	8.5	8.4	8.4	8.3	8.2	8.3	8.1													
CR 457(5.6L)										FC95MR																											
4141326	5.907	7.502	L	2021				0213		CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,			(2025)							SPRIDE	8.0	7.9	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.9		8.5	8.4	8.0												
60020000	4.528	5.530	L	1	1	45				CRACKING	10.0	10.0		8.0	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
30 98			3	4.4	47500					RIDE	8.3	8.3		8.0	8.2	7.8	8.1	8.3	8.2	8.3	8.2	8.2	8.1													
BAYTOWNE LN(4.6L)										FC95MR																											
4436501	4.528	5.569	L	2022				0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	10.0	9.6	10.0	8.5												
C. W. ROBERTS CONTRACTING,			(2024)							SPRIDE	8.1	8.1	8.2	8.3	8.0	8.2	8.1	8.2	8.1	8.1	8.1	8.1	8.2	7.8												
60020000	3.463	4.528	L	1	1	45				CRACKING	10.0	10.0	10.0	8.0	8.5	8.5	8.5	7.5	7.5	7.0	10.0	10.0	10.0													
30 98			3	4.4	53500					RIDE	8.3	8.3	8.0	8.0	8.2	7.8	8.0	8.1	8.1	8.0	8.4	8.3	8.3													
REEVES RD(3.6L)										FC95M																											
4192981	3.397	4.656	C	2010				0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	6.5												
C. W. ROBERTS CONTRACTING,			(2011)							SPRIDE	8.3	8.3	8.3	8.1	8.1	8.0	8.0	8.1	8.0	8.0	8.0	8.0	8.1	7.7												
60020000	3.025	3.463	L	1	1	45				CRACKING	10.0	10.0	10.0	8.0	8.5	8.5	8.5	7.5	7.5	7.0	10.0	10.0	10.0													
30 98			3	4.4	53500					RIDE	8.3	8.3	8.0	8.0	8.2	7.8	8.0	8.1	8.1	8.0	8.4	8.3	8.3													
										FC95MR																											
4141324	3.205	3.480	C	2017				0213		CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	9.6	10.0	8.5												
PRINCE CONTRACTING, LLC			(2023)							SPRIDE	8.3	8.3	8.3	8.1	8.1						8.2	8.2	8.3	8.2	7.8												
60020001	0.000	3.145	R	1	1	55				CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0													
30 98			3	4.4	53500					RIDE	8.4	7.9	7.8	7.5	7.3	7.1	7.2		8.3	8.2	8.2	8.3	8.3													
SANDY CAY DR(0.1R)										FC95MR																											
4141324	0.000	3.028	C	2017				0213		CRACKING	10.0	10.0	9.0	9.0							10.0	10.0	9.5	10.0	8.5												
PRINCE CONTRACTING, LLC			(2023)							SPRIDE	8.3	8.3	8.5	8.3							7.4	7.4	7.4	7.4	7.0												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WALTON ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / SURFTYPE / FY-P / ASTYPE / FY-F	AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
60020001	0.000	3.145	L	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0														
30 98		4.4	3				4	53500	RIDE	8.4	7.9	7.8	6.9	7.1	7.0	7.2		8.2	8.2	8.1	8.2	8.2														
GERONIMO ST N(1.0C)								FC95MR																												
4141324	0.000	3.028	C	2017			0	213	CRACKING	10.0	10.0	9.0	9.0						10.0	10.0	9.5	10.0	8.5													
PRINCE CONTRACTING, LLC				(2023)				SPRIDE	RIDE	8.2	8.2	8.5	8.5						7.8	7.8	7.7	7.7	7.3													
60030000	0.000	16.890	C	1	1	60			CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*															
20		8.0	2				2	11400	RIDE	8.8	8.9	8.8	8.4	8.4	8.2	8.4	8.3	8.3	8.1	8.0	7.9	7.8														
HOMESTEAD RD(0.3R)								FC95MR																												
									CRACKING	5.5*		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.1	7.8	6.0*													
				(2016)					RIDE	7.8		8.7	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.2	7.8													
60030000	16.890	17.540	C	1	1	35			CRACKING	7.5	7.0	7.0	7.0	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
20		6.7	2				2	19600	RIDE	7.9	7.3	7.1	6.4	5.5	5.7	8.4	8.4	8.4	8.3	8.3	8.2	8.2														
JACKSON ST S(17.2R)								FC95																												
4114001	16.585	17.545	C	2006			0	012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.6	7.0	5.0*													
C. W. ROBERTS CONTRACTING,				(2007)					RIDE	8.2	8.3	8.1	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.4													
4531501	16.687	27.251	C	2027			0	012																												
60030000	17.540	18.007	R	1	1	45			CRACKING	7.5	7.0	7.0	7.0	4.0*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5														
20		11.8	1				1	11600	RIDE	7.9	7.3	7.1	6.4*	5.5*	5.7	7.4		7.2	7.1	6.9	6.9	6.8														
SR 83(17.7C)								FC95M																												
2206631	17.391	17.983	C	2005			0	002	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	5.5*	4.0*	3.0*	1.0*													
C. W. ROBERTS CONTRACTING,				(2009)				SPRIDE	RIDE	6.7	6.6	6.1	6.2									5.0*	4.6*													
4531501	16.687	27.251	C	2027			0	012																												
60030000	18.007	21.661	C	1	1	55			CRACKING	9.0	7.5	7.5	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0														
20		11.8	2				1	11600	RIDE	8.7	8.7	8.6	7.6	7.7	7.4	7.4	7.1	8.8	8.7	8.6	8.6	8.5														
SIMMONS DR(18.1R)								FC95M																												
4134521	17.983	27.249	C	2008			0	012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	6.6	6.1*	4.0*													
C. W. ROBERTS CONTRACTING,				(2009)					RIDE	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.8	7.6	7.4	7.4	7.2	7.4	7.0													
4531501	16.687	27.251	C	2027			0	012																												
60030000	21.661	21.936	C	1	1	60			CRACKING	9.0	7.5	7.5	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0														
20		11.8	2				1	11600	RIDE	8.7	8.7	8.6	7.6	7.7	7.4	7.4	7.1	8.8	8.7	8.6	8.6	8.5														
SIDE ROAD(21.7R)								DGFC																												
4134521	17.983	27.249	C	2008			0	012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	6.6	1.5*	0.0*													
C. W. ROBERTS CONTRACTING,				(2009)					RIDE	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.8	7.6	7.4	7.4	7.2	5.4*	5.0*													
4531501	16.687	27.251	C	2027			0	012																												
60030000	21.936	22.418	R	1	7	60			CRACKING	9.0	7.5	7.5	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0														
20		11.8	1				1	11600	RIDE	8.7	8.7	8.6	7.6	7.7	7.4	7.4	7.1	8.8	8.7	8.6	8.6	8.5														
								FC95M																													
									CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	6.6	10.0	8.5													
				(2026)					RIDE	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.8	7.6	7.4	7.4	7.2	7.7	7.3													
4531501	16.687	27.251	C	2027			0	012																												
60030000	22.418	27.332	C	1	1	60			CRACKING	9.0	7.5	7.5	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0														
20		11.8	2				1	11600	RIDE	8.7	8.7	8.6	7.6	7.7	7.4	7.4	7.1	8.8	8.7	8.6	8.6	8.5														
BURNHAM RD(22.7R)								FC95M																												
4134521	17.983	27.249	C	2008			0	012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	6.6	6.7	4.5*													
C. W. ROBERTS CONTRACTING,				(2009)					RIDE	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.8	7.6	7.4	7.4	7.2	6.9	6.5													
4531501	16.687	27.251	C	2027			0	012																												
60030000	27.332	31.988	C	1	1	60			CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
20		15.4	2				1	11800	RIDE	7.6	7.3	8.8	8.4	8.3	8.2	8.3	8.2	8.2	8.1	8.1	8.0	7.8														
SR 81(27.4L)								FC95MR																												
4377541	27.249	31.376	C	2019			0	012	CRACKING	9.5	7.0	7.0	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.2	7.5													
C. W. ROBERTS CONTRACTING,				(2021)				SPRIDE	RIDE	7.7	7.6	7.6	7.6	7.3	7.3		8.7	8.6	8.5	8.4	8.4	8.2	7.8													
60030000	17.540	18.007	L	1	1	45			CRACKING	7.5	7.0	7.0	7.0	4.0*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5														
20		11.8	1				1	11600	RIDE	7.9	7.3	7.1	6.4*	5.5*	5.7	7.4		7.2	7.1	6.9	6.9	6.8														
SR 83(17.7C)								FC95M																												
2206631	17.391	17.983	C	2005			0	002	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	5.5*	4.0*	7.0	5.0*													
C. W. ROBERTS CONTRACTING,				(2009)				SPRIDE	RIDE	6.7	6.6	6.1	6.2									5.6	5.2*													
4531501	16.687	27.251	C	2027			0	012																												
60040000	0.000	1.667	R	1	1	45			CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5		10.0	10.0	10.0														
83 331		7.7	2				2	27000	RIDE		8.8	8.9	8.2	8.2	8.1	7.9	8.1	7.8		8.3	8.4	8.2														
SR 30(0.0C)								FC95M																												
2206641	0.000	1.638	C	2008			0	213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.6	8.5	6.5													
C. W. ROBERTS CONTRACTING,				(2011)				SPRIDE	RIDE	8.5	8.4	8.0	8.0	8.0	7.9	7.8	7.7	7.8	7.5	7.6	7.5	7.4	7.0													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = WALTON

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	AADT	%T	LN	SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
60040000	1.667	2.110	R	1	1	45			1		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0													
83	331		2	7.7	2	70	27000			DGFC	RIDE		8.8	8.9	8.2	8.2	8.1	8.4	8.3	7.8		8.5	8.5	8.5													
FISHING PIER RD(2.1R)																																					
											CRACKING	10.0																										
											RIDE	8.3																										
											(2019)						7.5	7.5	7.5	7.5	7.4	7.4	7.3	7.2	6.8
60040000	4.382	5.018	R	1	1	55			1		CRACKING		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5													
83	331		2	7.7	2	70	27000			OGFC	RIDE		8.9	8.8	8.5	8.4	8.2	8.4	8.3	8.3	8.2	8.1	8.0	8.1													
											CRACKING	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	9.2	6.5
											RIDE	7.8				8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	7.9
											(2018)														
60040000	5.018	9.456	R	1	1	55			1		CRACKING		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5													
83	331		2	7.7	3	00	30000			FC5M	RIDE		8.9	8.8	8.5	8.4	8.2	8.2	8.2	8.1	8.1	7.9	7.9	7.8													
JOLLEY BAY RD(5.2R)																																					
2206791	4.734	9.431	C	2012			0213				CRACKING	7.5				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.5	5.5*
ANDERSON COLUMBIA CO., INC											SPRIDE	7.7				8.6	8.5	8.5	8.5	8.4	8.3	8.3	8.3	8.2	8.3	8.1
											(2017)														
60040000	9.456	9.692	R	1	1	45			1		CRACKING		10.0	10.0	10.0	9.0	8.5	8.5		10.0	10.0	10.0	10.0	10.0													
83	331		2	7.7	3	00	30000			FC95MR	RIDE		8.9	8.8	8.5	8.4	8.2	8.2		8.7	8.6	8.6	8.6	8.5													
JOE CAMPBELL RD(9.5R)																																					
											CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.2	6.5
											RIDE	8.5				8.6	8.5	8.5	8.5	8.4	8.3	8.3	8.3	8.2	6.7	6.3
											(2017)														
60040000	9.692	14.695	R	1	1	65			1		CRACKING										10.0	10.0	10.0	10.0	10.0													
83	331		2	7.7	2	05	20500			FC5M	RIDE										8.7	8.6	8.6	8.6	8.5													
MP 4.891 60050000(14.7C)																																					
											CRACKING	10.0																										
											RIDE	8.5																										
											(2019)																										
60040000	9.692	14.695	L	1	1	65			1		CRACKING										10.0	10.0	10.0	10.0	10.0													
83	331		2	7.7	2	05	20500			FC5M	RIDE										8.7	8.6	8.6	8.6	8.5													
CR 883(14.0L)																																					
											CRACKING	10.0																										
											RIDE	8.5																										
											(2019)																										
60040000	9.456	9.692	L	1	1	45			1		CRACKING		10.0	10.0	10.0	9.0	8.5	8.5		10.0	10.0	10.0	10.0	10.0													
83	331		2	7.7	3	00	30000			FC95MR	RIDE		8.9	8.8	8.5	8.4	8.2	8.2		8.7	8.6	8.6	8.6	8.5													
SR 20(9.7C)																																					
											CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.3	6.5
											RIDE	8.5				8.5	8.3	8.2	8.1	7.8	7.7	7.7	7.6	7.6	7.6	7.2
											(2017)														
60040000	5.018	9.456	L	1	1	55			1		CRACKING		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5													
83	331		2	7.7	3	00	30000			FC5M	RIDE		8.9	8.8	8.5	8.4	8.2	8.2	8.2	8.1	8.1	7.9	7.9	7.8													
SHORT AVE(5.2L)																																					
2206791	4.734	9.431	C	2012			0213				CRACKING	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	7.9	5.0*
ANDERSON COLUMBIA CO., INC											SPRIDE	7.7				8.5	8.3	8.2	8.1	7.8	7.7	7.7	7.6	7.6	7.4	7.2
											(2017)														
60040000	3.537	5.018	L	1	1	55			1		CRACKING		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5													
83	331		2	7.7	2	70	27000			OGFC	RIDE		8.9	8.8	8.5	8.4	8.2	8.4	8.3	8.3	8.2	8.1	8.0	8.1													
BAY GROVE RD S(5.0L)																																					
											CRACKING	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	6.0*
											RIDE	7.8				8.4	8.5	8.5	8.4	8.4	8.3	8.2	8.3	8.2	8.0
											(2018)														
60040000	1.667	2.108	L	1	1	45			1		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0													
83	331		2	7.7	2	70	27000			DGFC	RIDE		8.8	8.9	8.2	8.2	8.1	8.4	8.3	7.8		8.5	8.5	8.5													
											CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
											RIDE	8.3					8.3	8.1	8.1	8.0	8.0	7.9	7.7	7.5	7.4	7.0
											(2018)														
60040000	0.000	1.667	L	1	1	45			1		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5		10.0	10.0	10.0													
83	331		2	7.7	2	70	27000			FC95M	RIDE		8.8	8.9	8.2	8.2	8.1	7.2	7.0	7.8		8.4	8.2	8.3													
SR 30(0.0C)																																					
2206641	0.000	1.638	C	2008			0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.8	7.5	5.5*
C. W. ROBERTS CONTRACTING,											SPRIDE	8.3	8.2	8.0	7.5	7.7	7.5	7.5	7.4	7.1	7.3	7.1	7.0	7.0	6.6
											(2011)														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 3 COUNTY = WALTON ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
60050000	4.891	6.685	R	1	1	65	1	23808	CRACKING	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*															
83 331							2 10.7		RIDE	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8	7.7															
GENERAL BILL BROWN W(5.7R)								FC5M																												
									CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.0	8.4	6.0*													
							(2020)		RIDE	8.1	8.3	8.3				8.3	8.2	8.0	7.9	7.9	7.9	7.8	7.6													
4569801	4.891	8.886	C	2029		0012																														
60050000	6.685	13.864	R	1	1	65			CRACKING	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*														
83 331							2 10.7	23808	RIDE	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8	7.7	7.5													
CR 282(7.4R)								FC5M																												
2206637	7.585	11.572	C	2013		0213			CRACKING	4.0*					10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.9	6.0*													
							(2019)		RIDE	7.4					8.6	8.6	8.5	8.3	8.4	8.3	8.3	8.3	8.1													
60050000	13.864	16.104	R	1	8	45			CRACKING	10.0	10.0	9.0	9.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	10.0														
83 331							2 8.1	22500	RIDE	8.8	8.6	8.6	8.1	8.0	8.0	7.9	7.8	7.7	7.5	8.0	7.8	7.6													
SB TO 002008(14.0R)								FC3																												
									CRACKING	10.0		8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5														
							(2016)		RIDE	7.9		8.0	7.9	7.5	7.9	7.8	7.9	7.8	7.6	7.4	7.6														
60050000	13.864	16.104	L	1	8	45			CRACKING	9.0	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0														
83 331							2 8.1	22500	RIDE	8.4	8.3	8.0	8.0	7.7	7.5	7.8	7.7	7.7	7.5	8.1	8.0	7.9													
SHOPPING CENTER ENT(14.9L)								FC3																												
									CRACKING	10.0		8.5	8.5	8.5	7.5	7.0	7.0	7.0	6.0*	5.5*	4.5*														
							(2016)		RIDE	8.0		7.6	7.5	7.6	7.6	7.5	7.5	7.3	7.1	7.1	6.9														
4436732	13.864	16.032	L	2024		0012																														
60050000	6.685	13.864	L	1	1	65			CRACKING	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*														
83 331							2 10.7	23808	RIDE	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8	7.7	7.5													
EGLIN AFB(6.9L)								FC5M																												
2206637	7.585	11.572	C	2013		0213			CRACKING	4.0*					10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.9	6.0*													
							(2019)		RIDE	7.4					8.7	8.6	8.6	8.4	8.4	8.4	8.4	8.3	8.1													
60050000	4.891	6.685	L	1	1	65			CRACKING	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*															
83 331							2 10.7	23808	RIDE	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8	7.7														
								FC5M																												
									CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.4	8.9	6.5													
							(2020)		RIDE	8.3	8.3	8.6				8.5	8.5	8.4	8.4	8.4	8.3	8.2	8.0													
4569801	4.891	8.886	C	2029		0012																														
60060000	0.000	21.565	C	1	1	55			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	6.5	5.5*														
187 331							2 10.3	4100	RIDE	8.8	8.7	8.6	8.3	8.3	8.1	8.4	8.3	8.2	8.1	8.0	7.8	7.6													
US-90/US-331/SR-10(0.0R)								FC95MR																												
									CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.3	8.1	6.5													
							(2016)		RIDE	7.5	7.5	8.9	8.8	8.7	8.5	8.6	8.5	8.5	8.3	8.2	8.3	8.1	7.7													
60070000	0.000	1.701	C	1	1	45			CRACKING	9.0	7.5	7.5	7.0	6.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
83							2 9.7	9600	RIDE	8.2	7.9	7.8	7.5	7.4	7.2	8.5	8.4	8.4	8.1	8.3	8.3	8.2													
DEFUNIAK SPRINGS CITY LI(0.0C)								FC125M																												
4436612	0.326	1.304	C	2024		0012			CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	6.5	9.2	8.0													
C. W. ROBERTS CONTRACTING,(2026)									RIDE	8.1	8.0	8.0	8.0	7.9	7.7	7.8	7.6	7.6	7.5	7.4	7.4	8.0	7.6													
60070000	1.701	19.116	C	1	7	55			CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5														
83							2 9.7	3400	RIDE	7.8		8.8	8.5	8.4	8.4	8.6	8.6	8.5	8.4	8.4	8.4	8.3														
CORA LEE LN(1.7L)								FC125M																												
4436611	7.890	18.971	C	2024		0012			CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	3.5*		10.0	8.5													
C. W. ROBERTS CONTRACTING,(2026)								SPR	RIDE	8.2	8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9		8.6	8.2													
60080000	0.000	4.240	C	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	6.0*	5.5*														
85							2 12.4	3300	RIDE	8.7	8.6	8.4	8.2	8.1	8.1	8.1	7.9	7.7	7.4	7.2	6.7	6.2*													
COUNTY LINE RD(0.0C)								FC95MR																												
4270891	0.000	4.240	C	2014		0012			CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.5	7.0	6.8	5.0*													
C. W. ROBERTS CONTRACTING,(2015)									RIDE	5.9*	8.7	8.5	8.5	8.4	8.2	8.3	8.2	8.0	8.1	8.0	7.9	7.7	7.3													
4565851	0.000	4.240	C	2029		0012																														
60090000	0.000	6.075	C	1	1	60			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.0	8.0	7.0	6.0*														
285							2 9.7	9700	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.7	7.7	7.5	7.2	7.0	6.8	6.5													
BOB SIKES HWY(0.6C)								FC125M																												
4325331	0.000	6.075	C	2016		0012			CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.2	7.0	5.5*													
C. W. ROBERTS CONTRACTING,(2017)									RIDE	6.4*	6.1*	6.6	8.7	8.6	8.6	8.5	8.5	8.4	8.4	8.3	8.2	8.1	7.7													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = WALTON

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
60090000	6.075	6.747	R	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	7.0														
285				2	10.8	13500				RIDE	8.4	7.8	8.1	7.8	7.7	7.8	7.9	7.3	7.5	7.3	7.0	6.6														
MOSSY HEAD PLAZA DR(6.6R)										FC95MR																											
4193181	6.294	6.729	C	2012		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.4	7.2	5.5*												
C. W. ROBERTS CONTRACTING,(2014)										SPRIDE	8.2	8.0	7.9	7.6	7.7	7.3	7.7	7.5	7.6	7.6	7.6	7.4	7.2	6.8												
60090000	6.075	6.747	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	6.0*														
285				2	10.8	13500				RIDE	8.1	7.6	7.6	7.7	7.7	7.4	7.1	7.3	6.8	6.6	6.8	6.3														
GREEN ACRES DR(6.2L)										FC95MR																											
4193181	6.294	6.729	C	2012		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.9	6.5	4.5*												
C. W. ROBERTS CONTRACTING,(2014)										SPRIDE	7.9	7.8	7.7	7.7	7.8	7.5	7.2	7.6	7.8	7.7	7.8	7.6	7.6	7.2												
60100000	0.000	12.877	C	1	1	55				CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5													
81				2	10.8	2900				RIDE	8.3		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.4	8.4	8.4	8.4													
SR 20(0.0C)										FC95HP																											
4377531	0.000	17.890	C	2019		0012				CRACKING	8.5	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,(2021)										SPRIDE	8.3	8.3	8.1	8.0	8.0	7.9		8.7	8.7	8.6	8.5	8.5	8.3	7.9												
60100000	12.877	13.232	C	1	1	55				CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5													
81				2	10.2	2400				RIDE	8.3		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.4	8.4	8.4	8.4													
MISSING DESCRIPTION I(13.1R)										DGFC																											
4377531	0.000	17.890	C	2019		0012				CRACKING	8.5	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,(2021)										SPRIDE	8.3	8.3	8.1	8.0	8.0	7.9		8.7	8.7	8.6	8.5	8.5	7.9	7.5												
60100000	13.232	14.696	C	1	1	55				CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5													
81				2	13.0	2700				RIDE	8.3		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.4	8.4	8.4	8.4													
SANDY CRK LANDING RD(13.4R)										FC95HP																											
4377531	0.000	17.890	C	2019		0012				CRACKING	8.5	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,(2021)										SPRIDE	8.3	8.3	8.1	8.0	8.0	7.9		8.7	8.7	8.6	8.5	8.5	8.9	8.5												
60100000	14.696	14.990	C	1	1	55				CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5													
81				2	13.0	2700				RIDE	8.3		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.4	8.4	8.4	8.4													
CR 181(14.9R)										DGFC																											
4377531	0.000	17.890	C	2019		0012				CRACKING	8.5	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,(2021)										SPRIDE	8.3	8.3	8.1	8.0	8.0	7.9		8.7	8.7	8.6	8.5	8.5	8.0	7.6												
60100000	14.990	17.890	C	1	1	55				CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5													
81				2	13.0	2700				RIDE	8.3		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.4	8.4	8.4	8.4													
SPENCE DR(16.9R)										FC95HP																											
4377531	0.000	17.890	C	2019		0012				CRACKING	8.5	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5												
C. W. ROBERTS CONTRACTING,(2021)										SPRIDE	8.3	8.3	8.1	8.0	8.0	7.9		8.7	8.7	8.6	8.5	8.5	8.5	8.1												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).