

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = WALTON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
60002000	0.000	18.225	R	4	1	70	CRACKING	8.8	8.1	8.1		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
8 I10				2	27.3	27677	RIDE	6.5	6.2*	6.4*		8.7	8.3	8.4	8.2	8.3	8.3	8.2	8.0	7.9	
							FC5M														
4309082	0.000	11.225	C	2015	0012		CRACKING	9.0	9.0	7.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9
OLDCASTLE MATERIALS SOUTHE(2017)							SPRIDE	7.7	7.6	6.9	6.6		8.7	8.7	8.3	8.9	9.0	8.9	8.9	8.8	8.8
60002000	18.225	24.024	R	4	7	70	CRACKING	10.0	10.0	8.5	8.5	8.0	7.0	6.5	5.5*	3.5*	3.5*	10.0	10.0	10.0	
8 I10				2	21.4	24720	RIDE	8.7	8.6	8.4	8.3	8.3	7.6	7.4	7.2	7.4	7.2	8.3	8.3	8.4	
							FC5M														
4436391	18.146	24.062	C	2022	0012		CRACKING	10.0	10.0	10.0	9.0	7.0	7.0	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	10.0	
C. W. ROBERTS CONTRACTING,(2024)							SPRIDE	8.4	8.3	8.3	8.2	8.5	8.4	8.4	8.5	8.5	8.6	8.5	8.4	9.0	
60002000	24.024	27.454	R	4	1	70	CRACKING	7.3	6.7	6.7		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
8 I10				2	21.4	24720	RIDE	6.9	6.8	6.5		8.8	8.4	8.5	8.2	8.3	8.2	8.1	7.8	7.9	
							FC5M														
4252771	24.024	27.454	C	2012	0012		CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.1
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	7.7		8.1	8.1	8.4	8.4	8.4	8.5	8.5	8.6	8.5	8.4	8.4	8.4
4531211	24.024	27.454	C	2027	0012																
60002000	24.024	27.454	L	4	1	70	CRACKING	8.1	8.1	8.1		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0
8 I10				2	21.4	24720	RIDE	7.3	6.8	6.9		8.8	8.5	8.2	8.2	8.1	8.2	8.1	8.0	7.8	
							FC5M														
4252771	24.024	27.454	C	2012	0012		CRACKING	7.5		10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	3.6
ANDERSON COLUMBIA CO., INC(2014)							SPRIDE	7.6		8.1	8.2	8.4	8.5	8.4	8.5	8.6	8.5	8.5	8.4	8.4	8.4
4531211	24.024	27.454	C	2027	0012																
60002000	18.225	24.024	L	4	7	70	CRACKING	10.0	10.0	8.5	8.5	8.0	7.0	6.5	5.5*	3.5*	3.5*	10.0	10.0	10.0	
8 I10				2	21.4	24720	RIDE	8.4	8.6	8.6	8.4	8.3	7.5	7.5	7.2	7.0	7.2	8.4	8.4	8.3	
							FC5M														
4436391	18.146	24.062	C	2022	0012		CRACKING	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	6.5	3.5*	3.5*	3.5*	10.0	
C. W. ROBERTS CONTRACTING,(2024)							SPRIDE	8.3	8.2	8.2	8.2	8.5	8.5	8.4	8.5	8.5	8.5	8.4	8.3	9.1	
60002000	0.000	18.225	L	4	1	70	CRACKING	8.1	8.1	8.1		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
8 I10				2	27.3	27677	RIDE	6.6	6.4*	6.6		8.7	8.3	8.4	8.3	8.1	8.3	8.1	8.0	7.8	
							FC5M														
4309082	0.000	11.225	C	2015	0012		CRACKING	7.5	6.5	6.5	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9
OLDCASTLE MATERIALS SOUTHE(2017)							SPRIDE	7.6	7.5	7.3	6.8		8.8	8.7	8.6	9.0	9.0	9.0	8.9	8.9	8.9
60010000	0.000	14.520	C	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	
10 90				2	7.2	10400	RIDE		8.8	8.8	8.5	8.7	8.4	8.4	8.3	8.4	8.5	8.4	8.2	8.3	
							FC95M														
RAINBOW DR(0.3L)																					
4246131	2.754	13.605	C	2012	0012		CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	5.6
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE	8.1		8.7	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.2
60010000	14.520	15.360	R	1	1	45	CRACKING	5.0*	5.0*	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.0	
10 90				2	7.2	15600	RIDE	7.6	8.1	8.8	8.7	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.0	
							FC95MR														
AIRPORT ENT(14.8R)																					
4246131	14.884	15.374	C	2012	0012		CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE	8.0		8.7	8.6	8.4	8.5	8.3	8.3	8.3	8.4	8.3	8.3	8.3	8.0
60010000	15.360	17.906	C	1	1	45	CRACKING	8.0	7.0	10.0	10.0	10.0	10.0	8.5	7.5	8.5	7.0	7.0	7.0	7.0	
10 90				4	7.2	17700	RIDE	6.8	7.1	8.6	7.9	7.4	7.9	7.3	7.8	7.6	7.0	7.4	7.2	6.7	
							FC95MR														
SHOEMAKER DR(15.4L)																					
4230681	15.487	16.768	L	2012	0012		CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.5	7.0	6.5
C. W. ROBERTS CONTRACTING,(2014)							SPRIDE	7.0		8.6	8.3	8.4	8.3	8.3	8.2	8.1	8.0	8.1	8.1	8.1	7.8
60010000	17.906	21.905	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	6.5	5.5*	5.5*	5.5*	6.0*	6.0*	6.0*	
10 90				2	9.7	6500	RIDE	8.8	8.9	8.9	8.7	8.7	8.2	8.2	8.1	8.1	8.0	7.8	7.7		
							FC95MR														
GRAHAM AVE(18.0L)																					
							CRACKING	6.0*		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	5.5
(2014)							RIDE	7.5		8.6	8.6	8.5	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.7
60010000	14.520	15.360	L	1	1	45	CRACKING	5.0*	5.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.5	
10 90				2	7.2	15600	RIDE	8.3	8.4	8.7	8.6	8.6	8.1	8.2	8.2	8.2	8.4	8.3	8.1	8.0	
							FC95MR														
SR 187(14.8L)																					
4246131	14.884	15.374	C	2012	0012		CRACKING	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
C. W. ROBERTS CONTRACTING,(2015)							SPRIDE	8.0		8.7	8.6	8.6	8.4	8.4	8.3	8.3	8.2	8.3	8.2	8.2	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = WALTON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-P																					
ITMSEG-F																					
60020000	3.025	3.463	R	1	1 45	CRACKING		10.0	10.0	9.0	9.0	8.0	8.0	5.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0
30 98				3	4.3	45500 RIDE		8.4	8.4	8.4	8.2	8.2	7.3	7.7	7.3	7.8	6.9	6.9	6.2	8.5	
SANDTRAP RD(3.1R)																					
4141324	3.205	3.480	C	2017	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
PRINCE CONTRACTING, LLC (2023) SPRIDE 8.5 8.4 8.4 8.4 8.2 8.1 8.2																					
60020000	3.463	4.528	R	1	1 45	CRACKING		10.0	10.0	9.0	9.0	8.0	8.0	5.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0
30 98				3	4.3	45500 RIDE		8.4	8.4	8.4	8.2	8.2	7.3	7.7	7.3	7.8	6.9	6.9	6.2	8.5	
HIDDEN DUNES(3.5R)																					
4192981	3.397	4.656	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.8
C. W. ROBERTS CONTRACTING, (2011) SPRIDE 8.5 8.4 8.4 8.4 8.2 8.1 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 7.8																					
60020000	4.528	5.530	R	1	7 45	CRACKING		10.0	10.0	9.0	9.0		8.0	5.0*	4.5*	10.0	10.0	10.0	9.5	8.0	
30 98				3	4.3	41500 RIDE		8.4	8.4	8.4	8.2		7.3	7.7	7.3	8.3	8.5	8.5	8.2	8.3	
SANDTRAP RD(3.1R)																					
4436501	4.528	5.569	R	2022	0012	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	
(2024) RIDE 8.2 8.0 8.1 7.4 8.2 8.2 8.2 8.2 8.2 8.2 8.1 8.2 8.1 8.2 8.1 8.2 8.1 7.8 8.4																					
60020000	5.530	7.638	R	1	8 55	CRACKING		6.0*	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	4.3	43000 RIDE		8.1	7.9	7.8	7.2			8.2	8.2	8.4	8.4	8.3	8.2	8.1	
TOP SAIL RD(5.9R)																					
2206371	5.001	7.643	C	2000	0213	CRACKING		10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*		
WHITE CONSTRUCTION CO INC (2005) SPRIDE 8.1 8.0 8.0 7.8 8.1 8.1 8.0 8.0 8.1 8.0 8.0 7.9 8.0 7.8 7.8																					
4141326	5.569	7.502	C	2021	0213																
60020000	7.638	13.228	R	1	7 45	CRACKING		6.0*	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	7.7	37000 RIDE		8.1	7.9	7.8	7.2			8.2	8.2	8.4	8.4	8.3	8.2	8.1	
SUGAR DR(8.6R)																					
4436501	7.502	13.450	C	2022	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	
(2024) RIDE 8.1 8.0 8.0 7.8 8.1 8.1 8.0 8.0 8.1 8.0 8.0 7.9 8.0 7.8 7.8 8.7																					
60020000	13.228	17.765	R	1	8 55	CRACKING		6.0*	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	7.6	23500 RIDE		8.1	7.9	7.8	7.2			8.4	8.3	8.3	8.3	8.3	8.2	8.1	
BAY DR(14.6R)																					
2206431	13.877	17.763	C	2002	0213	CRACKING		10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		
C. W. ROBERTS CONTRACTING, (2005) SPRIDE 8.1 8.1 8.1 8.0 8.1 8.0 8.0 7.9 8.0 8.1 8.0 8.0 8.0 8.0																					
4436502	13.221	17.765	C	2023	0012																
60020000	17.765	26.636	R	1	1 65	CRACKING		10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	7.6	23500 RIDE		9.0	8.9	8.9	8.7			8.3	8.3	8.5	8.5	8.5	8.5	8.4	
MILL POND RD(18.0R)																					
2206441	17.763	26.633	C	2002	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9
ANDERSON COLUMBIA CO., INC(2005) SPRIDE 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.3 8.3 8.3 8.3 8.3																					
60020000	17.765	26.636	L	1	1 65	CRACKING		10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	7.6	23500 RIDE		9.0	8.9	8.9	8.7			8.5	8.4	8.7	8.6	8.7	8.6	8.5	
OLD FERRY RD(17.8L)																					
2206441	17.763	26.633	C	2002	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5
ANDERSON COLUMBIA CO., INC(2005) SPRIDE 8.6 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.4 8.4 8.4 8.4 8.4																					
60020000	13.228	17.765	L	1	8 55	CRACKING		6.0*	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	
30 98				2	7.6	23500 RIDE		8.1	7.9	7.8	7.2			8.3	8.2	8.3	8.2	8.2	8.1	8.0	
DOODLES FOREST RD(13.7L)																					
2206431	13.877	17.763	C	2002	0213	CRACKING		9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		
C. W. ROBERTS CONTRACTING, (2005) SPRIDE 8.0 8.0 7.8 7.8 7.9 7.7 7.6 7.7 7.7 7.7 7.6 7.5																					
4436502	13.221	17.765	C	2023	0012																
60020000	7.638	13.228	L	1	7 45	CRACKING		6.0*	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	7.7	37000 RIDE		8.1	7.9	7.8	7.2			8.4	8.3	8.5	8.4	8.4	8.3	8.2	
DON BISHOP RD(8.1L)																					
4436501	7.502	13.450	C	2022	0012	CRACKING		10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	
(2024) RIDE 8.3 8.1 8.0 7.9 8.2 8.1 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 7.9 7.9 7.9 8.6																					
60020000	5.530	7.638	L	1	8 55	CRACKING		6.0*	6.0*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
30 98				2	4.3	43000 RIDE		8.1	7.9	7.8	7.2			8.4	8.3	8.5	8.4	8.4	8.3	8.2	
CR 457(5.6L)																					
2206371	5.001	7.643	C	2000	0213	CRACKING		10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		
WHITE CONSTRUCTION CO INC (2005) SPRIDE 8.3 8.1 8.0 7.9 8.2 8.1 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 7.9 7.9																					
4141326	5.569	7.502	C	2021	0213																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = WALTON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
60020000	4.528	5.530	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0		8.0	8.5	8.5	10.0	10.0	10.0	10.0	10.0	
30 98				3	4.3		41500 RIDE	8.3	8.6	8.3	8.3		8.0	8.2	7.8	8.1	8.3	8.2	8.3	8.2	
BAYTOWNE LN(4.6L)																					
4436501	4.528	5.569	L	2022			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	10.0	
C. W. ROBERTS CONTRACTING, (2024) SPRIDE																					
60020000	3.463	4.528	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.5	8.5	8.5	7.5	7.5	7.0	10.0	
30 98				3	4.3		45500 RIDE	8.3	8.6	8.3	8.3	8.0	8.0	8.2	7.8	8.0	8.1	8.1	8.0	8.4	
REEVES RD(3.6L)																					
4192981	3.397	4.656	C	2010			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4
C. W. ROBERTS CONTRACTING, (2011) SPRIDE																					
60020000	3.025	3.463	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.5	8.5	8.5	7.5	7.5	7.0	10.0	
30 98				3	4.3		45500 RIDE	8.3	8.6	8.3	8.3	8.0	8.0	8.2	7.8	8.0	8.1	8.1	8.0	8.4	
FC95MR																					
4141324	3.205	3.480	C	2017			0213 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
PRINCE CONTRACTING, LLC (2023) SPRIDE																					
60020001	0.000	3.145	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0	10.0	
30 98				2	4.3		51000 RIDE	8.7	8.5	8.4	7.9	7.8	7.5	7.3	7.1	7.2		8.3	8.2	8.2	
SANDY CAY DR(0.1R)																					
4141324	0.000	3.028	C	2017			0213 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0						10.0	10.0	
PRINCE CONTRACTING, LLC (2023) SPRIDE																					
60020001	0.000	3.145	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0	10.0	
30 98				2	4.3		51000 RIDE	8.7	8.4	8.4	7.9	7.8	6.9	7.1	7.0	7.2		8.2	8.2	8.1	
GERONIMO ST N(1.0C)																					
4141324	0.000	3.028	C	2017			0213 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0						10.0	10.0	
PRINCE CONTRACTING, LLC (2023) SPRIDE																					
60030000	0.000	16.890	C	1	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.0	7.0	7.0	6.0*	6.0*	
20				2	8.2		10500 RIDE		9.0	8.8	8.9	8.8	8.4	8.4	8.2	8.4	8.3	8.3	8.1	8.0	
HOMESTEAD RD(0.3R)																					
							FC95MR														
							CRACKING	6.0*	6.0*	5.5*		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.8
							RIDE	7.9	7.8	7.8		8.7	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.2
60030000	16.890	17.540	C	1	1	35	CRACKING	8.5	7.5	7.5	7.0	7.0	7.0	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	
20				2	8.5		21000 RIDE	8.0	7.9	7.9	7.3	7.1	6.4	5.5	5.7	8.4	8.4	8.4	8.3	8.3	
JACKSON ST S(17.2R)																					
4114001	16.585	17.545	C	2006			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0
C. W. ROBERTS CONTRACTING, (2007) RIDE																					
4531501	16.595	27.251	C	2027			0012	8.2	8.2	8.2	8.3	8.1	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.9	7.7
60030000	17.540	18.007	C	1	6	45	CRACKING	8.5	7.5	7.5	7.0	7.0	7.0	4.0*	3.5*	3.5*		10.0	10.0	10.0	
20				2	12.5		11300 RIDE	8.0	7.9	7.9	7.3	7.1	6.4*	5.5*	5.7	7.4		7.2	7.1	6.9	
SR 83(17.7C)																					
2206631	17.391	17.983	C	2005			0002 CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	5.5*	5.5
C. W. ROBERTS CONTRACTING, (2009) SPRIDE																					
4531501	16.595	27.251	C	2027			0012	6.9	6.8	6.7	6.6	6.1	6.2								
60030000	18.007	27.332	C	1	1	60	CRACKING	10.0	10.0	9.0	7.5	7.5	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
20				2	12.5		11300 RIDE	9.0	8.9	8.7	8.7	8.6	7.6	7.7	7.4	7.4	7.1	8.8	8.7	8.6	
SIMMONS DR(18.1R)																					
4134521	17.983	27.249	C	2008			0012 CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	5.2
C. W. ROBERTS CONTRACTING, (2009) RIDE																					
4531501	16.595	27.251	C	2027			0012	8.6	8.5	8.4	8.3	8.2	8.2	8.0	8.0	7.9	7.8	7.6	7.4	7.4	7.0
60030000	27.332	31.988	C	1	1	60	CRACKING	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
20				2	18.5		9000 RIDE	7.5	7.5	7.6	7.3	8.8	8.4	8.3	8.2	8.3	8.2	8.2	8.1	8.1	
SR 81(27.4L)																					
4377541	27.249	31.376	C	2019			0012 CRACKING	9.5	9.5	9.5	7.0	7.0	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING, (2021) SPRIDE																					
60040000	0.000	1.667	R	1	1	45	CRACKING	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5		10.0	
83 331				2	10.6		27500 RIDE	7.2	7.3		8.8	8.9	8.2	8.2	8.1	7.9	8.1	7.8		8.3	
SR 30(0.0C)																					
2206641	0.000	1.638	C	2008			0213 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4
C. W. ROBERTS CONTRACTING, (2011) SPRIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = WALTON -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001											
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	W_KMX-F																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																
60040000	1.667	2.110	R	1	1	45	CRACKING	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	
83 331				2	10.6	27500	RIDE	7.2	7.3		8.8	8.9	8.2	8.2	8.1	8.4	8.3	7.8		8.5	
FISHING PIER RD(2.1R)							DGFC														
				(2019)			CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.5	8.5	8.3					7.5	7.5	7.5	7.5	7.4	7.4	7.3
60040000	4.382	5.018	R	1	1	55	CRACKING	5.5*	3.5*		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	
83 331				2	10.6	27500	RIDE	7.9	7.7		8.9	8.8	8.5	8.4	8.2	8.4	8.3	8.3	8.2	8.1	
							OGFC														
				(2018)			CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	8.1	7.8			8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.0
60040000	5.018	9.692	R	1	1	55	CRACKING	5.5*	3.5*		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	
83 331				2	10.6	29000	RIDE	7.9	7.7		8.9	8.8	8.5	8.4	8.2	8.2	8.2	8.1	8.1	7.9	
JOLLEY BAY RD(5.2R)							FC5M														
2206791	4.734	9.431	C	2012		0213	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1
ANDERSON COLUMBIA CO., INC(2017)							SPRIDE	7.9	7.8	7.7			8.6	8.5	8.5	8.5	8.4	8.3	8.3	8.3	8.0
60040000	9.692	14.695	R	1	1	65	CRACKING											10.0	10.0	10.0	
83 331				2	10.6	22500	RIDE											8.7	8.6	8.6	
MP 4.891 60050000(14.7C)							FC5M														
				(2019)			CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.6	8.5	8.5					8.5	8.4	8.3	8.0	8.1	8.0	7.4
60040000	9.692	14.695	L	1	1	65	CRACKING											10.0	10.0	10.0	
83 331				2	10.6	22500	RIDE											8.7	8.6	8.6	
CR 883(14.0L)							FC5M														
				(2019)			CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.6	8.5	8.5				8.5	8.5	8.5	8.4	8.4	8.3	8.1	
60040000	5.018	9.692	L	1	1	55	CRACKING	5.5*	3.5*		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	
83 331				2	10.6	29000	RIDE	7.9	7.7		8.9	8.8	8.5	8.4	8.2	8.2	8.2	8.1	8.1	7.9	
SHORT AVE(5.2L)							FC5M														
2206791	4.734	9.431	C	2012		0213	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON COLUMBIA CO., INC(2017)							SPRIDE	7.9	7.8	7.7			8.5	8.3	8.2	8.1	7.8	7.7	7.7	7.6	6.9
60040000	3.537	5.018	L	1	1	55	CRACKING	5.5*	3.5*		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	
83 331				2	10.6	27500	RIDE	7.9	7.7		8.9	8.8	8.5	8.4	8.2	8.4	8.3	8.3	8.2	8.1	
BAY GROVE RD S(5.0L)							OGFC														
				(2018)			CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	8.1	7.8			8.4	8.5	8.5	8.4	8.4	8.4	8.3	8.2	8.1
60040000	1.667	2.108	L	1	1	45	CRACKING	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	
83 331				2	10.6	27500	RIDE	7.2	7.3		8.8	8.9	8.2	8.2	8.1	8.4	8.3	7.8		8.5	
							DGFC														
				(2018)			CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.5	8.5	8.3				8.3	8.1	8.1	8.0	8.0	7.9	7.7	7.4
60040000	0.000	1.667	L	1	1	45	CRACKING	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5		10.0	
83 331				2	10.6	27500	RIDE	7.2	7.3		8.8	8.9	8.2	8.2	8.1	7.2	7.0	7.8		8.4	
SR 30(0.0C)							FC95M														
2206641	0.000	1.638	C	2008		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4
C. W. ROBERTS CONTRACTING,(2011)							SPRIDE	8.2	8.3	8.3	8.2	8.0	7.5	7.7	7.5	7.5	7.4	7.1	7.3	7.1	6.5
60050000	4.891	6.685	R	1	1	65	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	
83 331				2	10.5	22438	RIDE	9.0	8.8	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8	
GENERAL BILL BROWN W(5.7R)							FC5M														
				(2020)			CRACKING	4.0*		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.7		8.1	8.3	8.3				8.3	8.2	8.0	7.9	7.9	7.3
60050000	6.685	13.864	R	1	1	65	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	
83 331				2	10.5	22438	RIDE	9.0	8.8	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8	
CR 282(7.4R)							FC5M														
2206637	7.585	11.572	C	2013		0213	CRACKING	4.0*	4.0*	4.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2019)			RIDE	7.7	7.5	7.4				8.6	8.6	8.5	8.3	8.4	8.3	8.3	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = WALTON -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																										
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	FC3																										(REG)			
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F																															
CONTRACTOR																																				
ITMSEG-F																																				
60050000	13.864	16.104	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	10.0																
83 331				2	8.3	23500	RIDE	8.4	8.7	8.8	8.6	8.6	8.1	8.0	8.0	7.9	7.8	7.7	7.5	8.0																
SB TO 002008(14.0R)							FC3																													
							CRACKING	10.0	10.0	10.0		8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	
							RIDE	7.8	7.6	7.9		8.0	7.9	7.6	7.6	7.6	7.5	7.5	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.4	
60050000	13.864	16.104	L	1	1	45	CRACKING	10.0	9.0	9.0	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0																
83 331				2	8.3	23500	RIDE	8.4	8.7	8.4	8.3	8.0	8.0	7.7	7.5	7.8	7.7	7.7	7.5	8.1																
SHOPPING CENTER ENT(14.9L)							FC3																													
							CRACKING	10.0	10.0	10.0		8.5	8.5	8.5	7.5	7.0	7.0	7.0	6.0*	5.5*	3.8															
							RIDE	8.0	7.9	8.0		7.6	7.5	7.6	7.6	7.5	7.5	7.3	7.1	7.1	6.8															
4436732	13.864	16.032	L	2024		0012																														
60050000	6.685	13.864	L	1	1	65	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*																
83 331				2	10.5	22438	RIDE	9.0	8.8	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8																
EGLIN AFB(6.9L)							FC5M																													
2206637	7.585	11.572	C	2013		0213	CRACKING	4.0*	4.0*	4.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.7	7.5	7.4					8.7	8.6	8.6	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.0	
60050000	4.891	6.685	L	1	1	65	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*																
83 331				2	10.5	22438	RIDE	9.0	8.8	8.9	8.6	8.6	8.2	8.2	8.0	8.2	8.0	8.1	7.8	7.8																
							FC5M																													
							CRACKING	4.0*		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.7		8.3	8.3	8.6				8.5	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.2	
60060000	0.000	21.565	C	1	1	55	CRACKING	3.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0																
187 331				2	12.2	3700	RIDE	5.8*		8.8	8.7	8.6	8.3	8.3	8.1	8.4	8.3	8.2	8.1	8.0																
SR 10(0.0C)							FC95MR																													
							CRACKING	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
							RIDE	7.8	7.6	7.5	7.5	8.9	8.8	8.7	8.5	8.6	8.5	8.5	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9	
60070000	0.000	7.808	C	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	6.0*	3.5*	10.0	10.0	10.0	10.0	10.0																
83				2	8.2	9700	RIDE	8.2	8.2	8.2	7.9	7.8	7.5	7.4	7.2	8.5	8.4	8.4	8.1	8.3																
DEFUNIAK SPRINGS CITY LI(0.0C)							FC95M																													
4114041	0.065	7.880	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	6.5															
PREFERRED MATERIALS, INC.(2007)							RIDE	8.3	8.2	8.1	8.0	8.0	8.0	7.9	7.7	7.8	7.6	7.6	7.5	7.4	7.2															
4436612	0.000	7.890	C	2024		0012																														
60070000	7.808	19.116	C	1	1	55	CRACKING	6.5	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5																
83				2	8.9	3600	RIDE	8.0	7.9	7.8		8.8	8.5	8.4	8.4	8.6	8.6	8.5	8.4	8.4																
CR 185(7.9R)							FC125																													
2206741	7.845	18.988	C	2001		0221	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	3.5*	3.5															
ANDERSON COLUMBIA CO., INC(2003)							SPRIDE	8.4	8.3	8.2	8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	
4436611	7.890	19.116	C	2024		0012																														
60080000	0.000	4.240	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0																	
85				2	12.6	2800	RIDE	8.8	8.7	8.7	8.6	8.4	8.2	8.1	8.1	8.1	8.1	7.9	7.7	7.4	7.2															
COUNTY LINE RD(0.0C)							FC95MR																													
4270891	0.000	4.240	C	2014		0012	CRACKING	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.5	5.7															

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 3 COUNTY = WALTON -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE						
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011					
INTERSECT AT (MP SIDE)	SURFTYPE =====																								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																			
CONTRACTOR (AGE_ONE YEAR)	ASTYPE											2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																	(REG)		
60100000	0.000	17.890	C	1	1	55	CRACKING	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5					
81				2	10.9		2400 RIDE	8.3	8.1	8.3		8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.4	8.4					
SR 20(0.0C)							FC95HP																		
4377531	0.000	17.890	C	2019	0012		CRACKING	8.5	8.5	8.5	7.0	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		10.0		
C. W. ROBERTS CONTRACTING, (2021)							SPRIDE	8.4	8.4	8.3	8.3	8.1	8.0	8.0	7.9		8.7	8.7	8.6	8.5	8.5		8.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).