

FLORIDA DEPARTMENT OF TRANSPORTATION
ALL SYSTEM PAVEMENT CONDITION FORECAST
PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024
SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

Table with columns: RDWYID, SR, US, G\_BMP, EMP LN, RW, SYS TYP SPD, DISTRESS RATINGS, SURVEYED YEAR (1999-2029), FUTURE (2029). Includes project details like INTERSECT AT (MP), ACCESS RD, HALIFAX PAVING, INC., CRACKING, RIDE, etc.

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE			
SR US	G_BMP	G_EMP	LN	%T	ADT		RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	ASTYPE	*****															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P																					(REG)	
ITMSEG-F																						
70011000	2.372	2.856	C	1	1	40	CRACKING	8.0	8.0	8.0	8.5	8.5	8.5		10.0	10.0	9.5	8.0	8.0	9.5		
501					3	3.4	RIDE	5.9*	6.0*	6.3*	5.8	5.6	5.4*		6.0	6.8	6.7	6.7	6.6	6.4		
LA MARCHE RD( 2.5L)																						
							CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0	
							RIDE	6.4	6.3	6.4	6.3	5.2*	5.2*	5.4*	5.1*	5.0*	5.1*	5.1*	4.9*	5.1*	4.1	
4470851	0.000	3.313	C	2023			FC125M															
70011000	2.856	3.358	C	1	6	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	9.5	9.5	9.5		
501					2	3.4	RIDE	8.6	8.7	8.4	8.1	8.2	7.7		7.5	7.8	7.4	7.7	7.3	6.7		
SIDE ROAD( 3.1C)																						
2375671	2.372	3.158	C	2006			CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.0	
PREFERRED MATERIALS, INC. (2006)																						
4470851	0.000	3.313	C	2023			RIDE	7.4	7.3	7.3	7.1	6.4	6.4	6.8	6.2	5.7						
70011000	1.123	2.372	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0		
501					2	5.0	RIDE	6.9	6.8	7.0	6.4*	6.4*	5.9*	6.0*	5.8	6.1	7.6	7.6	7.2	6.9		
CR 503( 1.2C)																						
2375671	0.011	2.372	C	2006			CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.9	
PREFERRED MATERIALS, INC. (2008)																						
4470851	0.000	3.313	C	2023			RIDE	6.9	6.8	6.6	6.7	6.3	6.1	6.4	5.9	5.9	6.9	7.0	6.9	6.9	6.1	
70011000	0.000	1.123	L	1	1	45	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
501					2	4.0	RIDE	7.7	8.9	8.8	8.7	8.6	8.0	7.9	7.6	7.8	7.7	7.5	7.3	7.3		
COCOA WEST CITY LIMITS( 0.0C)																						
							CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.1	
							RIDE	7.4	6.6	7.1	7.3	6.8	6.9	6.8	6.7	6.6	6.6	6.5	6.8	6.8	5.8	
4470851	0.000	3.313	C	2023			FC125M															
70012000	0.000	2.275	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0		
507					2	8.5	RIDE	8.6	8.5	8.3	8.2	8.4	7.7	7.6	7.3	7.9	7.8	7.8		7.9		
MALABAR RD( 0.0C)																						
4219911	0.021	2.270	C	2009			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.2	
PREFERRED MATERIALS, INC. (2011)																						
							RIDE	7.8	7.7	8.0	7.8	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	7.3	6.9	
70012000	2.275	2.900	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			10.0		
507					3	2.4	RIDE	6.4*	6.4*	6.2*	5.7*	5.3*	5.2*	5.1*	5.6	5.8	5.5			7.6		
CR 516( 2.5C)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1
							RIDE	7.6	7.5	7.5	7.5	6.9	7.0	7.0	6.9	6.9	6.7	6.8	6.8	6.6	6.2	
70012000	2.900	4.936	R	1	1	45	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5		
507					2	4.8	RIDE	8.0	8.5	7.8	8.3	8.1	7.6	7.6	7.5	7.7	7.6	7.7	7.6	7.4		
SUN LAKE RD( 3.0R)																						
2376201	2.625	5.520	C	1995			CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	4.9	
RANGER CONSTRUCTION INDUST(1997)																						
4528641	2.900	5.528	C	2027			S RIDE	7.6	7.4	7.5	7.3	7.4	7.5	7.4	7.4	7.3	7.1	7.3	7.1	7.2	6.8	
70012000	4.936	5.528	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0		
507					2	4.8	RIDE	8.6	8.3	8.1	8.1	8.0	7.5	7.7	7.5	7.6	7.4	6.9	7.3	7.1		
DEVONSHIRE DR( 5.3C)																						
2376201	2.625	5.520	C	1995			CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.8	
RANGER CONSTRUCTION INDUST(1997)																						
4528641	2.900	5.528	C	2027			S RIDE	6.3	6.8	6.8	7.0	7.0	7.1	7.0	6.8	6.5	6.6	6.4	6.3	6.4	5.8	
70012000	4.936	5.528	L	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
507					2	4.8	RIDE	7.8	7.7	7.3	7.3	7.2	6.8	6.6	6.0	6.5	6.4	6.5	6.3	6.6		
VIDA AVE L( 4.9L)																						
2376201	2.625	5.520	C	1995			CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.4	
RANGER CONSTRUCTION INDUST(1997)																						
4528641	2.900	5.528	C	2027			S RIDE	6.6	6.4	6.2	6.6	6.4	6.4	6.5	6.0	6.0	5.9	6.1	5.6	5.6	5.2	
70012000	2.900	4.936	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
507					2	4.8	RIDE	8.7	8.6	8.2	8.3	8.4	7.7	7.7	7.7	7.9	7.8	7.8	7.2	7.5		
LAKE IN THE WOODS DR( 3.0L)																						
2376201	2.625	5.520	C	1995			CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	
RANGER CONSTRUCTION INDUST(1997)																						
4528641	2.900	5.528	C	2027			S RIDE	7.6	7.5	7.5	7.4	7.3	7.2	7.3	7.0	7.1	7.1	7.2	7.0	6.9	6.5	
70012000	2.275	2.900	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5		10.0		
507					3	2.4	RIDE	7.3	7.4	7.3	7.1	6.8	6.3*	6.3*	6.3	6.5	6.4			7.5		
PALM BAY CNTR( 2.3L)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1
							RIDE	7.5	7.5	7.5	7.4	6.9	6.8	6.8	6.8	6.8	6.7	6.6	6.7	6.7	6.5	6.0

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

-----															DISTRICT = 5 COUNTY = BREVARD					-----				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE			
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****														(REG)			
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
ITMSEG-F																								
70020000	18.380	21.351	R	1	1	45	CRACKING	5.0*	5.0*	5.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5	1				3	4.8	29000	RIDE	8.1	8.0	7.8	7.6	8.4	7.9	7.9	7.7	7.9	7.8	7.8					
PARK AVE(18.4R)																								
2375762	18.382	20.546	C	2008			0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.1			
POSEN CONSTRUCTION (2012) SPRIDE 8.6 8.4 8.3 8.3 8.2 8.2 8.2 8.0 8.3 8.1 8.2 7.6 7.6 7.6																								
70020000	21.351	25.193	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*			
5	1				3	5.3	33000	RIDE	8.6	8.5	8.3	8.1	8.2	7.7	7.7	7.5	7.9	7.7	7.7	7.7	7.6			
BRUNSON AVE(21.4R)																								
2375922	21.351	25.193	C	2013			0213	CRACKING	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASTALDI CONSTRUCTION CORP.(2018) SPRIDE 7.5 7.4 7.7 7.6 7.5 7.5 7.5 7.5 7.5 7.5 7.3 7.1 7.1																								
70020000	25.193	27.763	R	1	1	55	CRACKING	7.0	7.0		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	5.5*			
5	1				2	12.3	31500	RIDE	8.6	8.6		8.4	8.4	7.8	7.8	8.0	7.9	7.9	7.8	7.6				
SILVER HILL LN(25.8R)																								
4288761	25.290	32.504	C	2014			0012	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
V. A. PAVING, INC. (2016) RIDE 7.5 7.4 7.3 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.4 8.5 8.3 8.3																								
70020000	27.763	32.497	R	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	5.5*			
5	1				2	4.8	25000	RIDE	8.6	8.6		8.4	8.4	7.8	7.8	8.0	7.9	7.9	7.8	7.6				
INDIAN RIVER DR(27.8R)																								
4288761	25.290	32.504	C	2014			0012	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	4.0			
V. A. PAVING, INC. (2016) RIDE 7.5 7.4 7.3 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.4 8.4 8.4																								
70020000	32.497	35.496	R	1	1	55	CRACKING	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0				
5	1				2	4.8	26500	RIDE	8.1	8.0	7.8	8.5	8.5	7.9	8.0	8.1	8.0	8.1	7.8	7.7				
HORIZON DR(32.9R)																								
4324371	32.504	35.496	C	2017			0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
RANGER CONSTRUCTION INDUST(2018) SPRIDE 7.8 7.7 7.4 7.2 7.8 7.9 8.6 8.5 8.6 8.6 8.6 8.6 8.5 8.5 8.5																								
70020000	35.496	35.699	R	1	6	45	CRACKING	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5	1				2	4.8	26500	RIDE	8.1	8.0	7.8	8.0	7.9	7.6	7.1	7.3	7.9	7.8	8.2	7.7	8.1			
CHENEY HWY(35.7C)																								
4116671	35.496	35.699	C	2005			0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.8			
V. A. PAVING, INC. (2007) SPRIDE 7.9 7.7 7.6 7.7 7.5 7.3 7.4 7.4 7.2 7.4																								
70020000	35.496	35.699	L	1	6	45	CRACKING	3.5*	3.5*	3.0*	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0			
5	1				2	4.8	26500	RIDE	7.9	8.0	7.7	8.6	8.6	8.0	6.7	6.9	7.8	7.7	7.2	7.2	7.6			
SR-50(35.7L)																								
4116671	35.496	35.699	C	2005			0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.8			
V. A. PAVING, INC. (2007) SPRIDE 7.5 7.6 7.6 7.5 9.0 9.0 9.0 9.0 9.0 9.0 8.5 8.5 8.5 8.5 7.8																								
70020000	32.497	35.496	L	1	1	55	CRACKING	3.5*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
5	1				2	4.8	26500	RIDE	7.9	8.0	7.7	8.6	8.5	7.7	7.8	7.7	7.9	7.9	7.6	7.6	7.7			
4324371 32.504 35.496 C 2017 0012 CRACKING 7.0 7.0 7.0 6.5 5.5* 5.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0																								
RANGER CONSTRUCTION INDUST(2018) SPRIDE 7.7 7.7 7.6 7.5 7.8 7.8 8.6 8.6 8.7 8.7 8.7 8.7 8.7 8.7 8.6 8.6																								
70020000	25.193	32.497	L	1	1	55	CRACKING	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	6.5				
5	1				2	12.3	31500	RIDE	8.4	8.3	8.2	8.6	8.5	8.0	8.1	8.0	8.2	8.2	7.7	7.7	7.9			
CROSS RD(25.4L)																								
4288761	25.290	32.504	C	2014			0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.2			
V. A. PAVING, INC. (2016) RIDE 7.8 7.8 7.8 8.4 8.4 8.5 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.3 8.3																								
70020000	21.351	25.193	L	1	1	45	CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*				
5	1				3	5.3	33000	RIDE	8.5	8.5	8.0	8.0	7.6	7.5	7.3	7.6	7.4	7.2	7.0	7.3				
BELLEFONTE AVE(21.5L)																								
2375922	21.351	25.193	C	2013			0213	CRACKING	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASTALDI CONSTRUCTION CORP.(2018) SPRIDE 7.3 7.2 7.7 7.6 7.5 7.5 7.5 7.5 7.5 7.4 7.2 6.9																								
70020000	18.277	21.351	L	1	1	45	CRACKING	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
5	1				3	4.8	29000	RIDE	8.3	8.1	7.9	7.6	8.2	7.8	7.8	7.8	8.0	8.0	7.4					
EYSTER BLVD(18.6L)																								
2375762	18.382	20.546	C	2008			0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5			
POSEN CONSTRUCTION (2012) SPRIDE 8.5 8.4 8.3 8.3 8.1 7.9 8.2 8.0 7.9 8.0 8.1 8.1 7.8 7.7																								

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)	
70020000	16.311	18.277	L	1	1	55	CRACKING	4.0*	4.0*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	
5	1		2	6.1		28500	RIDE	8.2	8.2	8.0	7.6	8.2	7.8	7.8	7.8	8.0	8.0	7.4	7.4	7.7		
GUS HIPPL BLVD(17.1L) FC5M																						
4347421	16.311	18.277	C	2017		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	
MASCII GENERAL CONTRACTORS (2020) SPRIDE																						
70020000	14.185	16.311	L	1	1	55	CRACKING	3.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5		
5	1		2	6.9		38500	RIDE	8.1	8.0	7.8	7.6	7.5	8.1	8.1	8.0	8.3	8.3	7.8	7.8	8.0		
ANSIN DR(14.8L) FC5A																						
4248871	14.185	16.076	C	2014		0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9	
RANGER CONSTRUCTION INDUST(2016) RIDE																						
70020000	9.924	14.185	L	1	1	55	CRACKING	4.0*	3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5		
5	1		2	6.9		38500	RIDE	8.4	8.3	8.0	7.7	7.4	8.1	8.1	8.0	8.3	8.3	7.8	7.8	8.0		
OTTER CREEK LN( 9.9L) FC5M																						
4347411	9.924	14.185	L	2016		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.9	
PREFERRED MATERIALS, INC. (2018) RIDE																						
70020000	9.514	9.924	L	1	2	50	CRACKING	8.0	8.0	8.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	
5	1		2	6.9		38500	RIDE	7.7	7.8	7.3	7.5	7.5	6.7	6.5	6.4*	6.5	6.7	6.0*	5.8*	5.7*		
TO 70004011 RAMP( 9.8L) FC5																						
4233511	9.515	9.924	C	2011		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	5.9	
COMMUNITY ASPHALT CORP. (2013) SPRIDE																						
70020000	7.249	9.514	L	1	1	50	CRACKING	10.0	10.0	9.5	8.5	8.5			10.0	10.0	10.0	10.0	9.0	9.0		
5	1		3	4.8		35000	RIDE	8.7	8.7	8.6	8.6	8.5			7.2	7.5	7.5	7.0	7.1	7.2		
POST RD( 7.2C) FC5																						
2375501	7.300	9.924	C	2002		0213	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	2.5	
RKT CONSTRUCTORS, INC. (2006) SPRIDE																						
4452151	7.278	8.920	C	2023		0012		7.1	7.1	6.9	6.9	7.0	7.2	7.2	7.0	7.1	7.1	7.1	7.1	7.0	6.9	
70020000	4.408	7.249	L	1	1	45	CRACKING	5.0*	4.0*	4.0*				10.0	10.0	10.0	10.0	9.5	9.5	7.0		
5	1		3	4.7		41500	RIDE	8.2	8.1	7.8				7.8	7.7	7.8	7.8	7.3	6.9	7.8		
AURORA RD( 4.5C) FC125M																						
4306571	4.408	7.249	C	2017		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
PREFERRED MATERIALS, INC. (2018) RIDE																						
70020000	0.000	4.408	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5		
5	1		3	5.2		29500	RIDE	8.7	8.6	8.4	8.4	8.5	7.8	7.8	7.6	7.9	8.0	7.2	7.2	7.4		
MELBOURNE CITY LIMITS( 0.0C) FC125R																						
4248861	0.000	4.408	C	2012		0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	
RANGER CONSTRUCTION INDUST(2015) SPRIDE																						
70022000	38.636	40.000	R	1	1	35	CRACKING	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5		
508			2	5.1		17900	RIDE	6.0*	5.8*	5.8*	7.5	7.4	7.0	7.0	6.7	7.1	6.9	6.8	6.7	6.0		
REVOLUTION TECH WY(38.8R) FC125M																						
4306581	38.987	39.971	C	2015		0012	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2018) SPRIDE																						
70022000	38.636	40.000	L	1	1	35	CRACKING	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5		
508			2	5.1		17900	RIDE	5.1*	4.6*	4.8*	7.3	7.1	6.7	6.8	6.4	6.6	6.5	6.2	6.2	5.9		
REVOLUTION TECH WAY(38.8L) FC125M																						
4306581	38.987	39.971	C	2015		0012	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2018) SPRIDE																						
70030000	0.000	3.065	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0		
5	1		2	4.8		25500	RIDE	8.4	8.5	8.1	7.6	7.4	6.1*	5.8*	5.8	8.3	8.2	8.2	8.2	8.0		
CHENEY HWY( 0.0C) FC95																						
4116671	0.000	3.078	C	2005		0012	CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	
V. A. PAVING, INC. (2007) SPRIDE																						
70030000	3.065	4.117	C	1	1	30	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*			
5	1		2	4.8		6250	RIDE	7.0	7.1	7.0	6.9	6.7	6.3	6.3	6.0	6.3	6.4	6.2	6.1			
GRACE ST( 3.1C) FC125																						
4186471	3.087	4.084	C	2009		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	6.5	
HALIFAX PAVING, INC. (2012) SPRIDE																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)																					
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																					
CONTRACTOR (AGE_ONE YEAR) ASSTYPE																					
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F															(REG)						
-----																					
70030000	0.000	3.065	L	1	1	45	CRACKING	7.5	7.0	6.0*	6.0*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
5	1			2	4.8	25500	RIDE	8.4	8.3	8.0	8.1	8.1	7.1	6.7	6.4	8.2	8.1	8.1	8.0	8.0	
SR-50( 0.0L)																					
4116671	0.000	3.078	C	2005	0012	FC95	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.7
V. A. PAVING, INC. (2007) SPRIDE 7.9 7.8 7.9 7.6 7.7 7.7 7.6 7.5 7.5 7.5 7.6 7.5 7.5 7.3 7.1																					
-----																					
70030101	0.000	1.397	C	1	1	40	CRACKING	6.0*	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	3.5*	3.5*	3.5*	3.5*		
5	1			2	7.9	10500	RIDE	6.9	6.7	6.8	6.6	6.4	5.5	5.3*	5.0*	5.7	5.5	5.6	5.5		
SR-5( 0.0L)																					
4186471	0.385	1.389	C	2009	0012	FC125	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	5.7
HALIFAX PAVING, INC. (2012) SPRIDE 7.6 7.4 7.2 7.2 6.7 6.5 6.4 6.3 6.2 6.2 6.1 6.1 5.9 5.1																					
4488001	0.000	1.397	C	2025	0012																
-----																					
70050000	0.000	9.650	R	1	7	65	CRACKING	10.0	10.0	9.5	8.0	7.0			10.0	10.0	9.5	10.0	10.0	10.0	
500	192			2	18.2	10300	RIDE	8.9	8.9	8.8	8.7	8.7			7.9	8.1	8.1	8.1	7.9	7.8	
OCEAN PRAIRIE LN( 3.4R)																					
4428821	0.000	9.676	C	2022	0012	FC5M	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	
OHLA USA, INC. (2024) SPRIDE 7.9 7.8 7.7 7.7 7.8 7.8 7.8 7.8 7.7 7.8 8.1 8.1 8.1 8.1 8.7																					
-----																					
70050000	9.650	9.956	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	
500	192			2	18.2	10300	RIDE	8.3	8.3	8.8	8.7	8.6	7.4	8.0	7.0	7.2	7.4	8.1	7.9	7.8	
BRANDYWINE RD( 9.7R)																					
							CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	2.4
(2006) RIDE 7.9 7.8 7.7 7.7 7.8 7.8 7.8 7.8 7.7 7.8 7.7 7.8 7.7 7.7 7.7 7.7 7.7 7.7 7.7 5.4*																					
4470941	9.667	14.969	C	2024	0012																
-----																					
70050000	9.956	14.993	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
500	192			2	4.8	37500	RIDE	8.9	8.9	8.8	8.7	8.6	7.4	8.0	7.9	8.2	8.1	8.0	8.0	8.0	9.0
COASTAL LN(10.0C)																					
2376071	9.679	18.478	C	1996	0012	FC3	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.2
RANGER CONSTRUCTION INDUST(1998) S RIDE 7.9 7.8 7.7 7.6 7.6 7.5 7.5 7.4 7.4 7.4 7.4 7.4 7.4 7.3 6.9																					
4470941	9.667	14.969	C	2024	0012																
-----																					
70050000	14.993	16.637	R	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	
500	192			2	4.8	17100	RIDE	7.3	7.3	7.2	7.2	7.0	6.4	6.2	6.2	6.3	6.1	6.0	6.0	6.1	
BRYAN ST(15.1R)																					
4306661	14.993	16.637	C	2016	0012	DGFC	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	6.9
COMMUNITY ASPHALT CORP. (2017) RIDE 5.7 6.0 6.3 6.2 6.2 5.4* 6.0 6.0 5.9 5.4* 5.5 6.0 5.5 6.0 5.5 5.5 5.5 5.5 5.2																					
-----																					
70050000	17.126	17.900	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
500	192			2	7.8	31500	RIDE	9.1	9.2	9.1	9.0	9.0	8.5	8.6	8.5	8.6	8.6	8.6	8.5	8.5	
S RIVERSIDE PL(17.9R)																					
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
(2013) RIDE 7.9 7.7 7.6 7.5 7.6 7.5 7.6 7.5 7.3 7.3 7.3 7.3 7.3 7.1 7.2 7.2 6.8																					
-----																					
70050000	17.900	18.478	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	
500	192			2	2.6	19300	RIDE	7.6	7.6	7.8	7.7	7.5	7.1	7.0	6.8	7.2	7.1	6.6	7.1	6.6	
S RIVERSIDE PL(17.9R)																					
2376071	9.679	18.478	C	1996	0012	FC3	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.6
RANGER CONSTRUCTION INDUST(1998) S RIDE 6.9 6.5 6.5 6.6 6.6 6.6 6.5 6.3 6.4 5.8 6.1 5.9 5.7 5.5																					
4428831	17.840	18.478	C	2022	0012																
-----																					
70050000	17.900	18.478	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	7.0	
500	192			2	2.6	19300	RIDE	8.1	8.4	7.7	7.5	6.9	7.0	6.5	6.6	7.3	7.0	7.2	7.1	7.1	
N RIVERSIDE PL(17.9L)																					
2376071	9.679	18.478	C	1996	0012	FC3	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.6
RANGER CONSTRUCTION INDUST(1998) S RIDE 7.2 7.1 7.3 6.9 6.5 6.5 6.4 6.0 6.2 6.1 6.6 6.3 5.7 5.7																					
4428831	17.840	18.478	C	2022	0012																
-----																					
70050000	17.126	17.900	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
500	192			2	7.8	31500	RIDE	9.1	8.9	9.1	8.6	8.6	8.2	8.2	8.5	8.6	8.5	8.6	8.5	8.6	8.5
N RIVERSIDE PL(17.9L)																					
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5
(2013) RIDE 7.9 7.9 7.8 7.6 7.6 7.5 7.4 7.3 7.4 7.3 7.4 7.3 7.4 7.3 7.4 7.3 7.3 7.3 7.4 6.9																					
-----																					
70050000	14.993	16.637	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	
500	192			2	4.8	17100	RIDE	7.4	7.3	7.4	7.1	7.0	6.5	6.6	6.3	6.5	6.6	6.1	6.2	6.4	
BRYAN ST(15.0L)																					
4306661	14.993	16.637	C	2016	0012	DGFC	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	7.9
COMMUNITY ASPHALT CORP. (2017) RIDE 6.1 6.3 6.3 6.1 5.3* 7.1 6.9 6.7 6.5 6.4 6.4 5.8 6.2 5.2																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

Table with columns: RDWYID, SR, US, G\_BMP, W\_BMP, EMP LN, RW, SYS, TYP, SPD, ADT, DISTRESS RATINGS, SURVEYED YEAR (2019-2024), and FUTURE (2029). Rows include project details like 'INTERSECT AT (MP|SIDE)', 'COCOAS ISLES BLVD(34.2C)', 'ORANGE AVE(30.2L)', 'N ATLANTIC AVE( 0.0L)', and 'FRIDAY RD( 1.5C)' with associated pavement condition ratings and forecast years.

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
70100000	4.700	7.740	R	1	1	55	CRACKING	3.5*	3.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0
520				2	8.9	23500	RIDE	7.7	7.5	7.3	8.7	8.6	8.0	8.0	7.8	8.0	8.0	7.9	7.8	7.6	
TUCKER LN( 4.7R)																					
4324431	4.700	7.740	C	2017	0012	FC5M	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2020)																					
70100000	7.740	8.831	R	1	1	40	CRACKING	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5
520				2	11.0	27000	RIDE	6.3*	6.4*	6.0*	7.7	7.6	7.2	6.5	6.7	6.9	6.7	6.2	6.1	6.2	
VARR AVE( 8.0C)																					
4034281	7.809	8.655	C	2001	0008	FC125	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	4.2
APAC-FLORIDA, INC (2002) SPRIDE 6.3 6.2 5.6 6.0 5.8 5.9 6.1 5.8 5.5 5.7 5.6 5.4* 5.0* 4.7																					
70100000	8.831	9.390	C	1	1	35	CRACKING	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	
520				3	16.8	16000	RIDE	7.1	6.8	6.9	6.9	6.2	4.7*	4.9*	4.6*	4.3*	4.3*	6.7	6.6	6.5	
SR 520 WB( 8.8L)																					
4135761	8.844	9.390	C	2008	0012	FC125	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	4.8
COMMUNITY ASPHALT CORP. (2009) RIDE 6.4 6.2 6.2 6.1 5.6 5.2* 5.7 5.5 5.4* 5.3* 4.8* 4.8* 4.9* 4.1																					
4428851	7.700	9.390	L	2023	0012																
70100000	9.830	9.955	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
520				3	16.8	16000	RIDE	8.0	8.0	7.7	7.9	8.1	7.7	7.7	7.5	7.8	7.8	7.3	7.8	7.7	
KING ST(10.0L)																					
							CRACKING	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2
(2015) RIDE 7.3 7.5 7.5 8.1 7.6 7.6 7.6 7.4 7.5 7.2 7.4 7.1 7.2 6.7																					
70100000	9.955	10.836	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0
520				3	5.0	31000	RIDE	8.7	8.5	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8	7.7	7.8	7.6	
SIDE ROAD(10.1C)																					
							CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2
(2015) RIDE 7.2 7.3 7.0 8.1 7.9 7.5 7.9 7.7 7.5 7.7 7.6 7.4 6.8 6.7																					
70100000	10.836	13.116	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0
520				3	0.5	23500	RIDE	8.8	8.7	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8	7.7	7.8	7.6	
GOODWIN DR(10.9R)																					
4311391	10.836	13.116	C	2014	0012	FC125A	CRACKING	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9
COMMUNITY ASPHALT CORP. (2017) RIDE 7.2 7.3 7.0 7.0 7.3 8.0 7.9 8.0 7.9 8.0 7.9 8.0 7.8 7.7																					
70100000	13.116	15.684	R	1	7	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
520				2	4.1	23000	RIDE	6.9	6.9	6.8	8.0	8.0	7.5	7.3	7.3	7.4	7.2	7.4	7.4	7.2	
4428731 13.161 15.685 C 2022 0012 CRACKING 9.5 9.5 8.5 7.0 7.0 7.0 7.0 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 10.0																					
OHLA USA, INC. (2024) SPRIDE 7.3 7.1 7.2 6.9 7.2 7.1 7.3 7.2 7.2 7.2 7.2 7.1 7.1 8.2																					
70100000	15.684	16.316	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	
520				2	4.1	23000	RIDE	7.6	7.2	7.1	7.4	7.4	6.7	6.7	6.6	7.0	6.8	6.8	6.8	6.3	
WEST END DR(16.0R)																					
4344172	15.685	16.316	C	2017	0012	FC125M	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2019) RIDE 6.5 6.4 6.4 6.6 6.2 6.3 6.7 7.7 7.1 7.4 7.4 7.3 7.3 7.1																					
70100000	15.684	16.316	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	
520				2	4.1	23000	RIDE	7.6	7.8	7.3	7.7	7.4	7.2	6.7	6.6	7.2	7.1	7.2	7.1	6.9	
BANANA RIVER BLVD N(16.2L)																					
4344172	15.685	16.316	C	2017	0012	FC125M	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2019) RIDE 7.0 6.9 6.8 6.7 5.9 5.8 5.4* 6.5 6.7 6.7 6.9 7.0 6.8 6.8																					
70100000	13.116	15.684	L	1	7	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5
520				2	4.1	23000	RIDE	7.8	7.7	7.5	8.6	8.6	8.0	7.3	7.3	7.4	7.5	7.5	7.5	7.6	
SIDE ROAD L(13.5L)																					
4428731	13.161	15.685	C	2022	0012	FC5M	CRACKING	9.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	
OHLA USA, INC. (2024) SPRIDE 7.3 6.8 6.9 6.6 7.4 7.5 7.6 7.4 7.5 7.4 7.4 7.4 7.3 7.4 8.3																					
70100000	10.836	13.116	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0
520				3	0.5	23500	RIDE	8.5	8.5	8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5	7.3	7.2	7.1	
SHOPPING PLZ(11.1C)																					
4311391	10.836	13.116	C	2014	0012	FC125A	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2017) RIDE 6.9 6.8 6.8 6.9 7.4 8.3 7.8 8.2 8.1 8.1 8.1 8.0 7.9 7.9																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

Table with columns: DISTRICT = 5 COUNTY = BREVARD, RDWYID, SR US, BMP, G\_BMP, EMP LN, RW, SYS TYP, SPD, AADT, RATINGS, SURVEYED YEAR, 2002-2029, FUTURE. Rows include project details like 'SIDE ROAD(10.1C)', 'LAKE AVE( 8.0L)', 'TOWNSEND AVE L( 5.0L)', etc.

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
70120003	0.000	0.049	C	1	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0
5054				1	19.0		RIDE	4.7*													
EAU GALLIE BLVD( 0.0C)																					
4272751	0.000	0.049	C	2013	0012		CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
MASCI GENERAL CONTRACTORS (2014)																					
70120004	0.000	3.087	R	1	50		CRACKING	7.0	5.0*	4.0*	4.0*	4.0*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
518				2	6.5		RIDE	7.4	7.2	7.0	6.9	6.6	5.8*	8.2	8.0	8.3	8.2	8.1	8.0	7.9	7.9
CR 511( 0.0C)																					
4116721	0.100	3.038	C	2003	0012		CRACKING	9.5	9.5	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.3
PREFERRED MATERIALS, INC. (2005)																					
4452131	0.418	3.329	C	2026	0226		RIDE	7.9	7.7	7.6	7.3	7.7	7.5	7.6	7.4	7.3	7.4	7.3	7.3	7.1	6.9
FC125																					
70120004	3.087	3.755	C	1	45		CRACKING	9.0	9.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	9.5	7.0	7.0	7.0	
518				4	15.4		RIDE	7.1	7.0	6.1*	6.0*	6.1*	5.6*	7.3	7.0	7.3	7.0	6.6	6.6	6.1	
ISABELLA DR( 3.3L)																					
4323421	3.087	4.452	C	2016	0012		CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5
MASCI GENERAL CONTRACTORS (2017)																					
70120004	3.755	4.452	C	1	35		CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	9.5	7.0	7.0	7.0	
518				4	15.4		RIDE	5.7*	5.7*	6.1*	6.0	6.1	5.6	7.3	7.0	7.3	7.0	6.6	6.6	6.1	
MOSSWOOD DR( 3.8L)																					
4323421	3.087	4.452	C	2016	0012		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.8
MASCI GENERAL CONTRACTORS (2019)																					
70120004	0.000	3.087	L	1	50		CRACKING	6.5	6.0*	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
518				2	6.5		RIDE	7.7	7.4	7.4	7.1	6.8	5.9*	8.3	8.2	8.3	8.2	8.1	7.9	7.8	
CR 511( 0.0C)																					
4116721	0.100	3.038	C	2003	0012		CRACKING	9.5	9.5	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.3
PREFERRED MATERIALS, INC. (2005)																					
4452131	0.418	3.329	C	2026	0226		RIDE	7.8	7.5	7.4	7.3	7.3	7.3	7.0	7.1	6.9	7.2	7.1	7.1	6.7	6.3
FC125																					
70140000	0.000	1.010	R	1	35		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
3				2	7.3		RIDE	7.2	7.3	7.2	6.9	6.9	6.1	6.2	5.8	6.1	6.2	6.0	6.3	5.8	
MERRITT ISLAND CSWY( 0.0C)																					
4306681	0.010	0.999	C	2015	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2017)																					
70140000	1.010	3.368	R	1	45		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
3				2	3.0		RIDE	8.3	8.3	8.0	8.0	7.9	7.6	7.5	7.5	7.7	7.7	7.7	7.7	7.5	
CATALINA ISLES( 1.1R)																					
4233521	0.902	3.387	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
P & S PAVING, INC. (2012)																					
70140000	3.368	3.858	R	1	45		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
3				2	6.4		RIDE	8.1	8.0	7.8	7.8	7.8	6.8	6.8	6.5	7.4	7.4	7.5	7.4	7.0	
FC125M																					
4410131	3.385	9.653	C	2021	0012		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	10.0	10.0	
V. A. PAVING, INC. (2023)																					
70140000	3.858	9.755	R	1	50		CRACKING	10.0	9.0	8.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	
3				2	4.8		RIDE	8.6	8.7	8.4	8.4	8.1	7.4	7.1	7.1	7.1	6.7	7.9	7.9	7.8	
SMITH RD( 3.9R)																					
4410131	3.385	9.653	C	2021	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0	10.0	10.0	
V. A. PAVING, INC. (2023)																					
70140000	3.858	9.755	L	1	7		CRACKING	3.5*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
3				2	4.8		RIDE	8.0	7.9	7.8		8.5	7.8	7.8	7.7	7.9	7.9	7.8	7.7	7.6	
GRANT RD( 3.9L)																					
4410131	3.385	9.653	C	2021	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*	2.5*	2.5*		10.0	
V. A. PAVING, INC. (2024)																					
70140000	3.368	3.858	L	1	6		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
3				2	6.4		RIDE	8.1	8.2	7.9	7.8	7.8	7.5	7.6	7.2	7.6	7.5	7.6	7.6	7.5	
TINGEY DR( 3.4L)																					
4410131	3.385	9.653	C	2021	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	5.5*	10.0	10.0	
V. A. PAVING, INC. (2023)																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT	(MP)	(SIDE)					SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE)	(ONE)	YEAR					2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
70140000	1.010	3.368	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0
3					2	3.0	30500 RIDE	8.1	8.1	7.8	7.7	7.7	7.4	7.4	7.2	7.5	7.5	7.5	7.4	7.3	
NEVINS CT( 1.1L)																					
4233521	0.902	3.387	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.7
P & S PAVING, INC. (2012)																					
70140000	0.000	1.010	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0
3					2	7.3	27000 RIDE	7.4	7.5	7.2	7.1	7.0	6.6	6.4	6.1	6.8	6.7	6.4	6.4	5.8	
MERRITT ISLAND CSWY( 0.0C)																					
4306681	0.010	0.999	C	2015	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2017)																					
70150000	0.000	5.702	C	1	1	55	CRACKING	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0
46					2	5.0	4800 RIDE	7.3	7.3	6.9	6.5	6.2*	8.2	8.2	8.2	8.4	8.3	8.3	8.1	8.0	
PIT BULL LN( 0.8L)																					
4356581	0.000	4.995	C	2018	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0
HALIFAX PAVING, INC. (2021)																					
70150000	5.702	6.230	C	1	1	45	CRACKING	7.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
46					2	7.1	9500 RIDE	8.9	8.8	8.6	8.6	8.3	7.9	7.9	7.6	8.2	8.4	8.3	8.2	8.1	
AUSTRALIAN WAY( 6.0L)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		8.5	8.5	8.5	8.5	8.5
							RIDE	7.9	8.0	7.8	7.8	7.6	7.4	7.0	6.8	6.9		7.2	7.3	7.1	6.8
70150000	6.230	7.392	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
46					2	7.1	9500 RIDE	8.6	8.7	8.0	8.2	8.1	7.8	7.7	7.7	7.8	7.1	7.2	7.5	7.1	
PALM AVE( 6.3L)																					
4323981	6.230	7.392	C	2018	0012		CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0
HALIFAX PAVING, INC. (2021)																					
70160000	0.000	0.425	C	1	1	55	CRACKING	10.0	6.0*	10.0	5.5*	10.0	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0
405					4	2.7	17400 RIDE	6.4*	7.3	6.6	7.2	6.2*	6.0*	5.6*	5.4*	5.4*	5.3*	7.8	7.6	7.6	
BREVARD SERVICE COMP( 0.0C)																					
4155181	0.000	0.247	C	2007	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.1
V. A. PAVING, INC. (2009)																					
70160000	0.425	1.537	C	1	1	55	CRACKING	10.0	10.0	8.5	7.0	6.0*	4.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0
405					2	2.7	17400 RIDE	8.0	8.0	7.8	7.5	7.4	6.2*	6.3*	5.9*	6.0*	5.9*	8.2	8.1	8.0	
LILLIAN BLVD( 0.6R)																					
4155181	0.247	4.359	C	2007	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5	6.5
V. A. PAVING, INC. (2009)																					
70160000	1.537	2.937	C	1	1	55	CRACKING	6.0*	6.0*	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0
405					2	2.0	12100 RIDE	7.6	7.6	7.7	7.4	7.4	7.0	6.6	6.6	6.6	6.6	8.0	7.8	7.8	
BOBBI LN N( 1.7L)																					
4155181	0.247	4.359	C	2007	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.6
V. A. PAVING, INC. (2009)																					
4431691	1.540	2.950	C	2024	0012		SPRIDE	7.6	7.7	7.6	7.6	7.1	7.1	7.1	7.0	7.1	7.1	7.1	7.1	7.1	6.6
70160000	2.937	4.359	C	1	1	55	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0
405					2	6.6	5500 RIDE	7.9	7.9	7.8	7.6	7.6	7.3	7.3	7.1	7.3	7.2	8.2	8.1	8.0	
SINGLETON AVE( 3.4L)																					
4155181	0.247	4.359	C	2007	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0
V. A. PAVING, INC. (2009)																					
70160000	4.359	5.422	R	1	1	35	CRACKING	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0
405					2	6.6	6300 RIDE	5.6*	5.0*	6.4*	5.8	5.7	5.1*	4.8*	4.8*	4.9*	5.0*	7.8	7.3	7.6	
LANE AVE( 4.5R)																					
4155181	4.359	5.422	C	2007	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.7
V. A. PAVING, INC. (2009)																					
70160000	4.359	5.422	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0
405					2	6.6	6300 RIDE	7.3	7.2	7.1	6.7	7.1	6.2	6.0	5.2*	5.8	5.9	7.7	7.3	7.5	
COLLINS AVE( 4.4L)																					
4155181	4.359	5.422	C	2007	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.5	8.5	8.3
V. A. PAVING, INC. (2009)																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
							=====														(REG)	
INTERSECT	AT	(MP	SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)		FY-F	WKM-F																	
ITMSEG-F	W_BMP	W_EMP	RW																			
70220000	22.498	34.615	R	4	1	70	CRACKING															
9	I95			3	7.0	88000	RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5				
							FC5M	9.0	8.8	8.8	8.7	8.1	8.0	8.0	8.0	8.2	8.0					
4055068	16.588	34.669	C	2008		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.4	
				(2013)			RIDE	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.3	8.4	8.5	8.4	8.4	8.3	8.3	
4489771	12.500	36.585	R	2025		0012																
70220000	34.615	36.618	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0		10.0	10.0	
9	I95			3	11.6	94085	RIDE	9.0	9.0	8.9	8.9	8.9	8.4	8.3	8.2	8.4	7.7			8.4	8.3	
							FC5M															
4055065	34.669	41.503	C	2007		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.2
				(2010)			RIDE	8.3	8.3	8.3	8.2	8.1	8.0	8.0	7.8	8.0	8.0	8.0	8.0	8.0	7.9	7.7
4489771	12.500	36.585	R	2025		0012																
70220000	36.618	41.517	R	4	4	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0		9.5	9.5	
9	I95			3	11.6	94085	RIDE	9.0	9.0	8.9	8.9	8.9	8.4	8.3	8.2	8.4	7.7			8.2	8.6	
							CONC															
BRIDGE #127	R(41.5C)																					
4055065	34.669	41.503	C	2007		0218	CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.4	9.4	9.4	9.4
				(2010)			RIDE	8.7	8.7	8.7	8.7	8.9	8.9	8.9	8.9	8.8	8.9	8.7	8.9	8.7	8.7	8.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
70470000	1.670	5.982	L	5	1	70	CRACKING														
528				2	10.4	44000	RIDE														
							FC5M														
4394791	1.670	9.956	C	2018	0012		CRACKING					6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC. (2022)							RIDE					7.8	7.7	7.9	7.5			8.5	8.5	8.5	8.5
70470000	0.000	0.815	L	5	1	70	CRACKING														
528				2	10.4	54000	RIDE														
BRIDGE #84 L( 0.0C)							FC5M														
4394791	0.000	0.815	C	2018	0012		CRACKING					6.5	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC. (2022)							SPRIDE					8.0	7.8	7.7	7.7			8.5	8.6	8.6	8.6
70470100	0.000	0.908	C	5	7	70	CRACKING														
528				2	10.4	42800	RIDE														
70470000 MP 1.670( 0.0C)							FC5M														
							CRACKING					6.5	5.5*	5.5*	3.5*						10.0
							RIDE					7.4	7.2	7.0	7.1						8.7
70471000	0.000	0.895	C	5	1	55	CRACKING														
407				1	10.4	4950	RIDE														
SR 528 EB( 0.0C)							FC5M														
							CRACKING					10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0
							RIDE					8.1	8.1	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.0
70471000	0.895	6.788	C	5	1	55	CRACKING														
407				2	10.6	9250	RIDE														
SHEPARD DR( 5.5R)							FC5M														
							CRACKING					10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.2
							RIDE					8.5	8.5	8.4	8.4	8.5	8.5	8.4	8.3	8.1	8.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).