

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																2030 (PMRS)	
70001000	0.000	4.406	R	1	1 55	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	10.0		
405			2	7.2	17500	RIDE		8.6	8.5	8.3	8.3	7.9	7.8	7.6	8.0	7.9	7.9	7.7	7.7	8.1		
ACCESS RD(0.0C)					FC5																	
4233501	0.068	4.461	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	3.0*	
HALIFAX PAVING, INC.				(2012)	SPRIDE			8.0	8.0	7.9	8.2	8.1	8.0	7.9	8.0	8.0	7.9	7.8	7.8	7.7	7.5	
4487911	0.020	4.658	C	2025	0226																	
70001000	0.000	4.406	L	1	1 55	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	10.0		
405			2	7.2	17500	RIDE		8.6	8.4	8.4	8.4	7.8	7.7	7.7	7.9	7.6	7.5	7.4	7.3	7.9		
ACCESS RD(0.0C)					FC5																	
4233501	0.068	4.461	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	3.0*	
HALIFAX PAVING, INC.				(2012)	SPRIDE			7.8	7.8	7.8	8.0	8.0	7.8	7.8	7.9	7.9	7.9	7.8	7.7	7.7	7.5	
4487911	0.020	4.658	C	2025	0226																	
70002000	0.000	2.005	R	1	1 40	CRACKING		7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
406			2	2.7	16300	RIDE		7.7	7.6	7.5	7.5	6.6	7.8	7.5	7.9	7.7	7.8	7.6	7.5	7.5		
CR 406(0.0C)					FC125																	
2376321	0.000	2.949	C	2004	0012	CRACKING		9.5	9.5	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.0*	
P & S PAVING				(2005)	SPRIDE			7.4	7.0	6.9	7.3	7.2	7.1	6.9	6.7	6.9	6.9	6.9	6.7	6.7	6.4	
4506261	0.000	2.022	C	2029	0226																	
70002000	2.005	2.949	R	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0		
406			2	4.4	6100	RIDE		5.3*	6.8	6.3	6.3	6.2	6.1	5.5	6.2	5.7	5.4*	5.1*	5.5	5.6		
S DIXIE AVE(2.2R)					FC125M																	
4323991	2.005	2.949	C	2019	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.8	7.5	
MASCI GENERAL CONTRACTORS				(2021)	RIDE			5.5	5.4*	5.1*	5.0*	4.8*	4.6*	4.6*	4.4*	6.2	6.3	5.9	6.2	5.8	5.5	
70002000	2.005	2.949	L	1	1 40	CRACKING		9.5	10.0	10.0	9.5	9.5	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0		
406			2	4.4	6100	RIDE		5.7*	6.6	6.3	6.5	6.2	6.8	6.7	6.8	6.7	6.6	6.4	6.3	6.0		
PETTY CIR(2.1L)					FC125M																	
4233991	2.005	2.949	C	2019	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	8.6	7.5	
MASCI GENERAL CONTRACTORS				(2021)	RIDE			6.1	5.8	5.8	4.8*	4.9*	4.9*	5.0*	4.5*	5.8	5.9	6.2	5.8	5.8	5.5	
70002000	0.000	2.005	L	1	1 40	CRACKING		7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
406			2	2.7	16300	RIDE		8.0	7.9	7.7	7.7	7.0	8.0	7.8	7.7	8.0	8.1	7.5	7.8	7.5		
CR 406(0.0C)					FC125																	
2376321	0.000	2.949	C	2004	0012	CRACKING		9.5	9.5	8.5	8.5	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	4.0*	
P & S PAVING				(2005)	SPRIDE			7.3	7.4	7.4	7.6	7.4	7.3	7.2	7.0	6.9	7.0	6.9	6.6	6.7	6.4	
4506261	0.000	2.022	C	2029	0226																	
70004000	0.451	1.139	R	1	1 50	CRACKING		6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
404			2	4.6	47500	RIDE		7.6	7.5	7.2	7.4	6.5	6.6	7.9	8.1	7.9	8.0	8.1	8.1	8.0		
					OGFC																	
				(2024)		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	10.0	9.6	8.5	
4487851	0.581	4.590	C	2025	0012	RIDE		8.0	7.9	7.9	8.0	8.0	8.0	9.0	9.0	8.2	8.3	8.1	8.0	8.1	7.9	
70004000	1.571	2.173	R	1	1 55	CRACKING		8.0	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
404			2	4.6	47500	RIDE		8.2	8.2	7.9	7.9	6.9	6.9	7.8	8.0	8.0	8.0	8.0	8.0	7.8		
					OGFC																	
				(2024)		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	10.0	10.0	9.0	
4487851	0.581	4.590	C	2025	0012	RIDE		7.8	7.7	7.7	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.6	8.5	8.5	8.3	
70004000	2.173	4.590	R	1	1 55	CRACKING		8.0	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
404			2	2.6	42500	RIDE		8.2	8.2	7.9	7.9	6.9	6.9	7.8	8.0	8.0	8.0	8.0	8.0	7.8		
SIDE ROAD(4.1C)					OGFC																	
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	0.0*	
PREFERRED MATERIALS, INC.				(2006)	RIDE			7.8	7.7	7.7	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.6	8.1	8.1	7.9	
4487851	0.581	4.590	C	2025	0012																	
70004000	1.571	4.590	L	1	1 55	CRACKING		6.0*	8.0	8.0	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
404			2	2.6	42500	RIDE		7.7	8.2	7.9	8.0	6.7		7.7	8.0	8.0	8.1	8.0	7.9	7.9		
SIDE ROAD(4.1C)					FC5																	
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	0.0*	
PREFERRED MATERIALS, INC.				(2006)	RIDE			7.9	7.8	7.8	8.0	7.9	7.9	7.8	8.0	8.0	7.9	7.8	7.8	7.8	7.6	
4487851	0.581	4.590	C	2025	0012																	
70004000	0.451	1.139	L	1	1 50	CRACKING		8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
404			2	4.6	47500	RIDE		7.8	7.9	7.8	7.5	7.0		7.8	8.1	8.0	8.0	8.0	7.9	7.8		
					FC5																	
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	0.0*	
PREFERRED MATERIALS, INC.				(2006)	RIDE			7.9	7.8	7.7	7.9	7.9	7.8	7.8	7.7	7.9	7.7	7.7	7.8	7.7	7.5	
4487851	0.581	4.590	C	2025	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE																
CONTRACTOR (AGE ONE YEAR)																						
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-F																	
																					(PMRS)	
70008000	0.000	0.886	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
513			2	3.5	23000	RIDE		8.3	8.1	8.1	7.6	7.3	7.4	6.9	7.3	6.9	7.3	7.5	7.3	7.0		
EAU GALLIE BLVD(0.0C)					FC4																	
2374471	0.000	1.221	C	1993	0213	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*	
D.A.B. CONSTRUCTORS, INC (1995)					S	RIDE		7.0	7.2	7.1	6.8	6.5	6.7	6.5	6.5	6.6	6.7	6.8	6.4	6.4	6.1	
4487921	0.000	5.235	C	2025	0012																	
70008000	0.886	1.908	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0		
513			1	1.4	24000	RIDE		8.5	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5	7.4	7.8	7.8	7.6		
MISSING DESCRIPTION I(0.9R)					FC3																	
2374531	0.786	1.988	C	1998	0213	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	3.5*	
GOLDEN EAGLE ENGINEERING (1999)					S	RIDE		7.4	7.4	7.4	7.3	7.2	7.1	6.8	6.9	6.9	6.9	6.7	6.6	6.3	6.0	
4487921	0.000	5.235	C	2025	0012																	
70008000	1.908	4.985	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		10.0	10.0		
513			1	4.9	17500	RIDE		8.2	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5	7.4		8.0	7.9		
DESOTO PKWY(1.9R)					FC125																	
2375651	1.913	5.069	C	2009	0218	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.2	6.0*	
RANGER CONSTRUCTION INDUST(2011)					SPRIDE			7.8	7.6	7.6	7.3	7.1	7.1	7.0	6.7	6.8	6.7	6.5	6.3	6.2	5.9	
4487921	0.000	5.235	C	2025	0012																	
70008000	4.985	5.253	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
513			2	10.6	17100	RIDE		8.5	7.7		8.0	7.3	7.3	7.6	6.8	7.4	7.5	7.5	7.1	6.8		
IBIS LN(5.1R)					FC125																	
2376921	4.369	5.253	C	1999	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	
RANGER CONSTRUCTION INDUST(2000)					SPRIDE			6.3	6.1	6.3	6.6	6.7	6.3	6.3	6.0	6.0	6.0	6.5	5.7	5.2*	5.1*	
4487921	0.000	5.235	C	2025	0012																	
70008000	4.985	5.253	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0		
513			2	10.6	17100	RIDE		8.2	7.9		8.0	6.4*	6.6	7.3	7.4	7.8	7.7	7.3	7.6	7.4		
IBIS LN(5.1L)					FC125																	
2376921	4.369	5.253	C	1999	0012	CRACKING		8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	2.5*	
RANGER CONSTRUCTION INDUST(2000)					SPRIDE			7.3	7.1	7.0	6.7	7.0	7.0	7.1	6.9	6.8	7.1	7.1	6.8	6.8	6.5	
4487921	0.000	5.235	C	2025	0012																	
70008000	1.908	4.985	L	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		10.0	10.0		
513			1	4.9	17500	RIDE		8.2	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5	7.4		8.0	7.9		
LANSING ISLAND DR(1.9L)					FC125																	
2375651	1.913	5.069	C	2009	0218	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	7.5	5.5*	
RANGER CONSTRUCTION INDUST(2011)					SPRIDE			7.8	7.6	7.6	7.3	7.1	7.1	7.0	6.7	6.8	6.7	6.2	6.0	5.9	5.6	
4487921	0.000	5.235	C	2025	0012																	
70008000	0.886	1.908	L	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0		
513			1	1.4	24000	RIDE		8.5	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5	7.4	7.8	7.8	7.6		
CR 3(0.9L)					FC3																	
2374531	0.786	1.988	C	1998	0213	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	3.5*	
GOLDEN EAGLE ENGINEERING (1999)					S	RIDE		7.4	7.4	7.4	7.3	7.2	7.1	6.8	6.9	6.9	6.9	6.4	6.4	6.2	5.9	
4487921	0.000	5.235	C	2025	0012																	
70008000	0.000	0.886	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0		
513			2	3.5	23000	RIDE		8.0	7.7	7.8	7.6	7.0	7.1	6.3	5.7	5.7	6.1	6.2	6.2	6.1		
EAU GALLIE BLVD(0.0C)					FC4																	
2374471	0.000	1.221	C	1993	0213	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.0*	
D.A.B. CONSTRUCTORS, INC (1995)					S	RIDE		6.1	6.3	6.2	5.7	5.9	5.8	5.3*	5.3*	5.2*	5.5	5.3*	5.4*	5.5	5.2*	
4487921	0.000	5.235	C	2025	0012																	
70010000	0.000	8.835	R	1	7 55	CRACKING		6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
5			2	6.6	17543	RIDE		8.5	8.4	8.3	8.1	7.1	6.9	7.9	8.1	8.1	8.0	8.0	7.8	7.8		
BEG OF BRIDGE 700224(0.0C)					FC5M																	
4356571	0.186	8.821	R	2022	0012	CRACKING		8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	9.0	
PREFERRED MATERIALS, INC. (2025)					SPRIDE			7.7	7.7	7.6	7.9	7.8	7.8	7.7	7.8	7.7	7.8	7.7		8.4	8.2	
70010000	8.835	11.241	R	1	7 50	CRACKING		6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5			2	6.6	17543	RIDE		8.5	8.4	8.3	8.2	7.0	7.1	7.6	7.8	7.5	7.6	7.8	7.7	7.7		
HUGGINS DR(9.7R)					FC5																	
4470921	9.858	11.244	R	2024	0012	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	5.5*	
V. A. PAVING, INC. (2025)					SPRIDE			7.6	7.5	7.5	7.7	7.6	7.7	7.5	7.5	7.5	7.6	7.6	7.5	8.4	8.2	
70010000	11.241	15.071	R	1	1 45	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	10.0	10.0	10.0	10.0	9.5		
5			2	6.0	24500	RIDE		8.9	8.6	8.6	8.6	7.9	7.9	7.9	7.6	7.8	7.8	8.0	7.9	7.9		
GRAN AVE(12.3R)					FC5																	
4135891	11.390	15.010	C	2006	0012	CRACKING		9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	1.5*	
PREFERRED MATERIALS, INC. (2008)					SPRIDE			7.8	7.8	7.8	7.9	7.9	7.9	7.8	7.9	7.9	7.9	7.9	7.8	7.9	7.7	
4438141	11.244	15.020	C	2025	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	(PMRS)
CONTRACTOR (AGE ONE YEAR)																						
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-F																	
70010000	15.071	16.256	R	1	1 50	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
5 1			3	6.4	32500	RIDE			8.7	9.0	9.1	8.4	8.4	8.3	8.4	7.6	7.3	7.9	7.7	7.6		
RIVERVIEW DR(15.8R)					FC3																	
2374801	15.071	16.177	C	1998	0213	CRACKING		9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	4.0*	
RANGER CONSTRUCTION INDUST(2001)					S	RIDE		7.6	7.4	7.3	7.8	7.9	7.8	7.7	7.8	7.9	7.8	7.8	7.7	7.4	7.1	
4487931	15.020	17.054	C	2025	0012																	
70010000	16.256	17.198	R	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5		
5 1			3	7.7	35000	RIDE		8.6	8.1	8.4	8.3	7.5	7.6	7.2	7.5	6.9	6.6	6.5	6.8	6.9		
ROOSEVELT AVE(16.3R)					FC125R																	
4272251	16.256	17.054	C	2012	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	6.5	
RANGER CONSTRUCTION INDUST(2015)					S	SPRIDE		6.9		8.6	8.2	8.4	8.3	7.7	8.2	8.2	8.1	8.0	7.8	7.9	7.6	
4487931	15.020	17.054	C	2025	0012																	
70010000	16.256	17.198	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5		
5 1			3	7.7	35000	RIDE		8.6	8.3	8.3	8.2	7.5	7.0	6.7	7.0	6.7	6.3	6.8	6.9	6.7		
POWELL AVE(16.3C)					FC125R																	
4272251	16.256	17.054	C	2012	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	6.5	
RANGER CONSTRUCTION INDUST(2015)					S	SPRIDE		6.9		8.2	8.3	8.2	8.1	8.1	8.2	8.0	7.8	7.7	7.6	7.6	7.3	
4487931	15.020	17.054	C	2025	0012																	
70010000	15.472	16.256	L	1	1 50	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5 1			4	6.4	32500	RIDE			8.8	9.1	9.0	8.5	8.7	8.0	8.8	8.7	8.7	8.5	8.4	8.3		
SHENANDOAH RD(15.5L)					FC3																	
2374801	15.071	16.177	C	1998	0213	CRACKING		9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	2.5*	
RANGER CONSTRUCTION INDUST(2001)					S	RIDE		7.9	8.0	7.5	7.8	7.8	7.5	7.6	7.4	7.4	7.2	7.2	7.0	6.9	6.6	
4487931	15.020	17.054	C	2025	0012																	
70010000	14.991	15.472	L	1	1 50	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5 1			3	6.2	22000	RIDE			8.5	8.7	8.7	8.2	8.3	8.2	8.1	8.1	7.9	7.8	7.7	7.6		
APOLLO BLVD(15.2L)					FC3																	
2374801	15.071	16.177	C	1998	0213	CRACKING		9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	6.9	4.0*	
RANGER CONSTRUCTION INDUST(2001)					S	RIDE		7.6	7.5	7.3	7.6	7.6	7.4	7.3	7.3	7.2	6.7	6.9	6.4*	6.4*	6.1*	
4487931	15.020	17.054	C	2025	0012																	
70010000	11.365	14.991	L	1	1 45	CRACKING		6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0		
5 1			2	6.0	24500	RIDE		8.9	8.7	8.6	8.6	7.9	7.7	7.5	7.7	7.7	7.4	7.8	7.7	7.7		
MALABAR RD(11.4L)					FC5																	
4135891	11.390	15.010	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	0.5*	
PREFERRED MATERIALS, INC. (2008)					S	SPRIDE		7.6	7.7	7.6	7.8	7.8	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.9	7.7	
4438141	11.244	15.020	C	2025	0012																	
70010000	8.835	11.365	L	1	1 50	CRACKING		6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	3.5*	1.0*	10.0	10.0	10.0		
5 1			2	6.6	17543	RIDE		8.9	8.7	8.6	8.6	7.9	7.7	7.5	7.7	7.4	6.9	8.2	8.2	8.2		
JORDON BLVD(9.8L)					FC5																	
4219901	8.809	11.390	L	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	6.5	6.5	6.5	6.5	6.0*	2.0*	
PREFERRED MATERIALS, INC. (2010)					S	RIDE		7.9	8.1	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.7	7.8	7.7	7.7	7.5	
4528831	8.804	11.365	L	2028	0226																	
70010000	0.000	8.835	L	1	7 55	CRACKING		7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
5 1			2	6.6	17543	RIDE		8.8	8.6	8.5	8.4	7.7	7.7	7.3	7.6	7.5	8.1	8.0	8.0	8.0		
BEG OF BRIDGE 700224(0.0C)					FC5M																	
4356571	0.186	5.710	L	2022	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	7.5	6.5	6.5		10.0	9.0	
PREFERRED MATERIALS, INC. (2025)					S	SPRIDE		7.9	7.9	7.9	8.1	8.1	8.0	8.0	8.1	8.1	8.2	8.1		8.6	8.4	
70011000	0.000	1.123	R	1	8 45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
501			2	4.0	17000	RIDE		7.3	7.6	6.9	6.5	6.2*	5.9*	5.5	5.5	7.8	7.7	7.5	7.3	7.4		
COCOA WEST CITY LIMITS(0.0C)					FC125M																	
						CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*			
4470851	0.000	3.313	C	2023	0012	RIDE		6.6	7.1	7.3	6.8	6.9	6.8	6.7	6.7	6.6	6.5	6.5	6.3			
70011000	1.123	2.372	R	1	8 45	CRACKING		7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0		
501			2	15.9	18300	RIDE		5.9*	5.8*	5.1*	5.4*	4.8*	4.8*	4.5*	5.0*	7.4	7.3	6.9	6.9	6.9		
CR 503(1.2C)					FC125M																	
2375671	0.011	2.372	C	2006	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0		
PREFERRED MATERIALS, INC. (2008)					S	RIDE		6.8	6.6	6.7	6.3	6.1	6.4	5.9	5.9	5.7	6.0	6.0	5.8			
4470851	0.000	3.313	C	2023	0012																	
70011000	2.372	2.856	C	1	1 40	CRACKING		8.0	8.0	8.5	8.5	8.5		10.0	10.0	9.5	9.5	8.0	9.5	8.0		
501			3	4.6	19100	RIDE		6.0*	6.3*	5.8	5.6	5.4*		6.1	6.8	6.7	6.5	6.6	6.4	6.4		
LA MARCHE RD(2.5L)					FC125M																	
4470851	2.598	2.872	L	2023	0012	CRACKING		8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.0	8.0	
MASCI GENERAL CONTRACTORS (2025)					S	SPRIDE		6.3	6.4	6.3	5.2*	5.2*	5.4*	5.1*	5.0*	5.1*	5.1*	4.9*	5.1*	5.1*	4.8*	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE																
CONTRACTOR (AGE ONE YEAR)								2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-F																(PMRS)	
70011000	2.856	3.358	C	1	6 45	CRACKING		10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	9.5	9.5	9.5	9.5		
501			2	4.6	19100	RIDE		8.7	8.4	8.1	8.2	7.7		7.5	7.8	7.4	7.7	7.3	6.7	7.4		
SIDE ROAD(	3.1C)				FC125M																	
2375671	2.372	3.158	C	2006	0012	CRACKING		9.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.8*	2.0*	
PREFERRED MATERIALS, INC. (2006)						RIDE		7.3	7.3	7.1	6.4	6.4	6.8	6.2	5.7							
4470851	0.000	3.313	C	2023	0012																	
70011000	1.123	2.372	L	1	8 45	CRACKING		7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0		
501			2	15.9	18300	RIDE		6.8	7.0	6.4*	6.4*	5.9*	6.0*	5.8	6.1	7.6	7.6	7.2	6.9	6.9		
CR 503(	1.2C)				FC125M																	
2375671	0.011	2.372	C	2006	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5	8.5			
PREFERRED MATERIALS, INC. (2008)						RIDE		6.8	6.6	6.7	6.3	6.1	6.4	5.9	5.9	6.9	7.0	6.9	6.9			
4470851	0.000	3.313	C	2023	0012																	
70011000	0.000	1.123	L	1	8 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0		
501			2	4.0	17000	RIDE		8.9	8.8	8.7	8.6	8.0	7.9	7.6	7.8	7.7	7.5	7.3	7.3	7.4		
COCOA WEST CITY LIMITS(	0.0C)				FC125M																	
						CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*			
						RIDE		6.6	7.1	7.3	6.8	6.9	6.8	6.7	6.7	6.6	6.6	6.5	6.8			
4470851	0.000	3.313	C	2023	0012																	
70012000	0.000	2.275	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	10.0		
507			2	8.5	35000	RIDE		8.5	8.3	8.2	8.4	7.7	7.6	7.3	7.9	7.8	7.8		7.9	7.8		
MALABAR RD(	0.0C)				FC125																	
4219911	0.021	2.270	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	5.6*	3.5*	
PREFERRED MATERIALS, INC. (2011)						RIDE		7.7	8.0	7.8	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.0	7.0	
70012000	2.275	2.900	R	1	1 45	CRACKING		7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0		
507			3	2.5	30591	RIDE		6.4*	6.2*	5.7*	5.3*	5.2*	5.1*	5.6	5.8	5.5			7.6	7.6		
CR 516(	2.5C)				FC125M																	
						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	6.5	
						RIDE		7.5	7.5	7.5	6.9	7.0	7.0	6.9	6.9	6.7	6.8	6.8	6.6	6.4	6.1	
70012000	2.900	4.936	R	1	1 45	CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5		
507			2	1.8	34500	RIDE		8.5	7.8	8.3	8.1	7.6	7.6	7.5	7.7	7.6	7.7	7.6	7.4	7.6		
SUN LAKE RD(	3.0R)				FC3																	
2376201	2.625	5.520	C	1995	0012	CRACKING		7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	6.5	3.0*	
RANGER CONSTRUCTION INDUST(1997)						S RIDE		7.4	7.5	7.3	7.4	7.5	7.4	7.4	7.3	7.1	7.3	7.1	7.2	7.1	6.8	
4528641	3.553	5.347	R	2027	0012																	
70012000	4.936	5.528	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0		
507			2	1.8	34500	RIDE		8.3	8.1	8.1	8.0	7.5	7.7	7.5	7.6	7.4	6.9	7.3	7.1	6.3		
DEVONSHIRE DR(	5.3C)				FC3																	
2376201	2.625	5.520	C	1995	0012	CRACKING		8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*	
RANGER CONSTRUCTION INDUST(1997)						S RIDE		6.8	6.8	7.0	7.0	7.1	7.0	6.8	6.5	6.6	6.4	6.3	6.4	6.4	6.1	
4528641	3.553	5.347	R	2027	0012																	
70012000	4.936	5.528	L	1	1 35	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0		
507			2	1.8	34500	RIDE		7.7	7.3	7.3	7.2	6.8	6.6	6.0	6.5	6.4	6.5	6.3	6.6	6.6		
VIDA AVE	L(	4.9L)			FC3																	
2376201	2.625	5.520	C	1995	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	3.0*	
RANGER CONSTRUCTION INDUST(1997)						S RIDE		6.4	6.2	6.6	6.4	6.4	6.5	6.0	6.0	5.9	6.1	5.6	5.6	5.6	5.3*	
4528641	2.773	5.347	L	2027	0012																	
70012000	2.900	4.936	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
507			2	1.8	34500	RIDE		8.6	8.2	8.3	8.4	7.7	7.7	7.7	7.9	7.8	7.8	7.2	7.5	7.6		
LAKE IN THE WOODS DR(	3.0L)				FC3																	
2376201	2.625	5.520	C	1995	0012	CRACKING		9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	3.5*	
RANGER CONSTRUCTION INDUST(1997)						S RIDE		7.5	7.5	7.4	7.3	7.2	7.3	7.0	7.1	7.1	7.2	7.0	6.9	6.7	6.4	
4528641	2.773	5.347	L	2027	0012																	
70012000	2.275	2.900	L	1	1 45	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5			10.0	10.0		
507			3	2.5	30591	RIDE		7.4	7.3	7.1	6.8	6.3*	6.3*	6.3	6.5	6.4			7.5	7.5		
PALM BAY CNTR(	2.3L)				FC125M																	
						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	6.5	
						RIDE		7.5	7.5	7.4	6.9	6.8	6.8	6.8	6.7	6.6	6.7	6.7	6.5	6.5	6.2	
70012000	0.000	2.275	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0		
507			2	8.5	35000	RIDE		8.2	8.0	7.7	7.7	7.2	7.1	7.0	7.1	7.1	7.1		7.8	7.5		
MALABAR RD(	0.0C)				FC125																	
4219911	0.021	2.270	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	5.6*	3.5*	
PREFERRED MATERIALS, INC. (2011)						RIDE		7.7	7.8	7.8	7.4	7.5	7.5	7.4	7.3	7.3	7.2	7.1	6.9	6.9	6.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====														
ITMSEG-P	W BMP	W EMP	RW	FY-F	WKMX-F	ASTYPE	=====														
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F	ASTYPE	=====														
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F	ASTYPE	=====														
70014000	0.000	0.500	R	1	7 45	CRACKING		5.5*	5.5*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	10.0	10.0	10.0	
519			2	8.7	26500	RIDE		7.2	7.1	6.5	6.7	6.0*	5.8*	7.0	7.3	7.2	7.2	8.0	7.9	7.7	
70220065	SB ON(0.0R)				FC125M																
4410201	0.116	4.545	C	2021	0012	CRACKING		10.0	10.0	10.0	10.0	4.0*	4.0*	4.0*	4.0*	4.0*				10.0	9.0
MASCI GENERAL CONTRACTORS				(2025)	SPRIDE			7.8	7.8	7.7	6.9	6.0	6.0	5.9	5.9	5.8				5.8	5.5
70014000	0.500	4.604	R	1	1 45	CRACKING		7.0	7.0	6.0*	6.0*	5.5*	4.0*	10.0	10.0	10.0	9.5	9.5	8.0	8.0	
519			2	8.5	23000	RIDE		7.0	6.9	6.6	6.5	5.9*	5.8*	7.0	7.3	7.2	7.2	7.0	6.8	6.9	
CASA DOLCE CASA CIR(0.7R)					FC125M																
4410201	0.116	4.545	C	2021	0012	CRACKING		8.0	8.0	7.0	4.0*	4.0*	4.0*	4.0*	4.0*	4.0*			10.0	10.0	9.0
MASCI GENERAL CONTRACTORS				(2024)	SPRIDE			6.6	6.7	6.5	6.1	6.0	6.0	5.9	5.9	5.8			7.1	7.2	6.9
70014000	0.550	4.604	L	1	1 45	CRACKING		7.0	7.0	7.0	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
519			2	8.5	23000	RIDE		7.0	7.0	6.4*	6.4*	5.8*	5.8*	7.3	7.4	7.5	7.4	7.3	7.2	7.1	
TUCKAWAY DR(0.7L)					FC125M																
4410201	0.116	4.545	C	2021	0012	CRACKING		8.0	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	9.0
MASCI GENERAL CONTRACTORS				(2024)	SPRIDE			7.0	7.0	7.0	6.5	6.6	6.4	6.2	6.2	6.2			7.1	7.1	6.8
70014000	0.000	0.550	L	1	7 45	CRACKING		6.0*	6.0*	6.0*	5.5*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
519			2	8.7	26500	RIDE		7.9	7.7	7.7	7.5	6.7	6.7	7.3	7.4	7.5	7.4	7.3	7.2	7.1	
I 95(0.0C)					FC125M																
4410201	0.116	4.545	C	2021	0012	CRACKING		8.0	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	9.0	
MASCI GENERAL CONTRACTORS				(2025)	SPRIDE			7.0	7.0	7.0	6.5	6.6	6.4	6.2	6.2	6.2			7.3	7.0	
70020000	0.000	4.408	R	1	1 45	CRACKING		9.5	9.5	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
5 1			3	5.2	30500	RIDE		8.7	8.3	8.3	8.6	8.0	8.0	8.0	8.1	8.0	8.0	7.8	7.7	7.6	
MELBOURNE CITY LIMITS(0.0C)					FC125R																
4248861	0.000	4.408	C	2012	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.6	6.0*
RANGER CONSTRUCTION INDUST				(2015)	SPRIDE			7.6		8.6	8.4	8.5	8.5	8.2	8.3	8.2	8.3	8.3	8.1	8.1	7.8
70020000	4.408	7.249	R	1	1 45	CRACKING		4.0*	3.5*				10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	
5 1			3	4.7	42500	RIDE		8.2	7.9				8.1	7.9	8.1	8.1	8.1	7.9	7.8	7.8	
AURORA RD(4.5C)					FC125M																
4306571	4.408	7.249	C	2017	0012	CRACKING		8.0	8.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0
PREFERRED MATERIALS, INC.				(2018)	RIDE			7.7	7.7	7.6	7.4	7.4	8.3	8.3	8.2	8.2	8.2	8.1	8.2	8.0	7.7
70020000	7.249	9.511	R	1	8 50	CRACKING		10.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	
5 1			3	3.0	42500	RIDE		8.9	8.6	8.7	8.7			7.4	7.6	7.5	7.6	7.6	7.4	7.3	
POST RD(7.2C)					FC5																
2375501	7.300	9.924	C	2002	0213	CRACKING		9.0	9.0	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
RKT CONSTRUCTORS, INC.				(2006)	SPRIDE			7.2	7.2	7.2	7.2	7.1	7.1	7.0	7.1	7.1	7.1	7.1	7.0	6.9	
4452151	7.278	8.920	C	2023	0012																
70020000	9.511	14.188	R	1	1 55	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	
5 1			2	6.9	39500	RIDE		8.9	8.7	8.6	8.5	8.0	7.9	7.9	8.0	7.9	7.8	7.7	7.4	7.3	
PINEDA AVE(11.5C)					FC5																
4233511	9.924	14.188	R	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.6	5.5*
COMMUNITY ASPHALT CORP.				(2013)	SPRIDE			8.1	8.0	8.0	7.9	7.9	8.0	7.8	7.8	7.8	7.9	7.8	7.7	7.7	7.5
70020000	14.188	16.311	R	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	6.5	6.5	
5 1			2	6.9	39500	RIDE		9.0	8.9	8.9	8.8	8.5	8.4	8.4	8.6	8.4	8.5	8.4	8.2	8.2	
ROBLES LN(14.3R)					FC5A																
4248871	14.185	16.076	C	2014	0012	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.9	4.5*
RANGER CONSTRUCTION INDUST				(2016)	RIDE			8.2	7.9	7.9	8.1	8.0	8.0	8.0	8.0	8.1	8.0	8.0	7.8	7.9	7.7
70020000	16.311	18.380	R	1	1 55	CRACKING		6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
5 1			2	6.1	29500	RIDE		7.8	7.6	7.3	8.4	7.9	7.9	7.7	7.9	7.8	7.8	7.5	7.3	7.1	
FLORIDELPHIA AV(17.7R)					FC5M																
4347421	16.311	18.277	C	2017	0012	CRACKING		7.0	7.0	6.5	5.5*	5.5*	5.5*		10.0	9.0	9.0	9.0	9.0	8.9	7.0
MASCI GENERAL CONTRACTORS				(2020)	SPRIDE			7.0	7.2	7.0	7.1	7.0	6.9		8.2	8.1	8.1	8.0	8.0	7.9	7.7
70020000	18.380	21.351	R	1	1 45	CRACKING		5.0*	5.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	
5 1			3	4.4	30000	RIDE		8.0	7.8	7.6	8.4	7.9	7.9	7.7	7.9	7.8	7.8			8.6	
PARK AVE(18.4R)					FC125																
2375762	18.382	20.546	C	2008	0221	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	5.6*	3.5*
POSEN CONSTRUCTION				(2012)	SPRIDE			8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.0	8.3	8.1	8.2	7.6	7.9	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

										DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE									
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012											
INTERSECT AT (MP SIDE)							=====																								
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKMX-P																										
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)										
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																										
70020000	21.351	25.193	R	1	1 45	CRACKING		10.0	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*											
5 1			3	5.3	34000	RIDE		8.5	8.3	8.1	8.2	7.7	7.7	7.5	7.9	7.7	7.7	7.7	7.6	7.5											
BRUNSON AVE(21.4R)					FC125A																										
2375922	21.351	25.193	C	2013	0213	CRACKING		5.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.0										
ASTALDI CONSTRUCTION CORP.(2018)					SPRIDE			7.4					7.7	7.6	7.5	7.5	7.5	7.5	7.3	7.4	7.1										
70020000	25.193	27.763	R	1	1 55	CRACKING		7.0		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	5.5*	3.5*											
5 1			2	12.3	32500	RIDE		8.6		8.4	8.4	7.8	7.8	7.7	8.0	7.9	7.9	7.8	7.6	7.5											
SILVER HILL LN(25.8R)					FC5M																										
4288761	25.290	32.504	C	2014	0012	CRACKING		3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	6.0*										
V. A. PAVING, INC. (2016)					RIDE			7.4	7.3		8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.5	8.3	8.3	8.1										
70020000	27.763	32.497	R	1	1 55	CRACKING		3.5*		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	5.5*	3.5*											
5 1			2	4.5	24500	RIDE		8.6		8.4	8.4	7.8	7.8	7.7	8.0	7.9	7.9	7.8	7.6	7.5											
INDIAN RIVER DR(27.8R)					FC5M																										
4288761	25.290	32.504	C	2014	0012	CRACKING		3.5*	3.5*		10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	6.8	4.0*										
V. A. PAVING, INC. (2016)					RIDE			7.4	7.3		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.2										
70020000	32.497	35.496	R	1	1 55	CRACKING		6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0											
5 1			2	4.4	27500	RIDE		8.0	7.8	8.5	8.5	7.9	8.0	7.9	8.1	8.0	8.1	7.8	7.7	7.8											
HORIZON DR(32.9R)					FC5M																										
4324371	32.504	35.496	C	2017	0012	CRACKING		7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0										
RANGER CONSTRUCTION INDUST(2018)					SPRIDE			7.7	7.4	7.2	7.8	7.9	8.6	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.3										
70020000	35.496	35.699	R	1	6 45	CRACKING		6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
5 1			2	4.4	27500	RIDE		8.0	7.8	8.0	7.9	7.6	7.1	7.3	7.9	7.8	8.2	7.7	8.1	7.9											
CHENEY HWY(35.7C)					FC95M																										
4116671	35.496	35.699	C	2005	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	5.5*										
V. A. PAVING, INC. (2007)					SPRIDE			7.7	7.6	7.7	7.5	7.3	7.4	7.4	7.2	7.4															
70020000	35.496	35.699	L	1	6 45	CRACKING		3.5*	3.0*	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0											
5 1			2	4.4	27500	RIDE		8.0	7.7	8.6	8.6	8.0	6.7	6.9	7.8	7.7	7.2	7.2	7.6	7.5											
SR-50(35.7L)					FC95M																										
4116671	35.496	35.699	C	2005	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	5.0*										
V. A. PAVING, INC. (2007)					SPRIDE			7.6	7.6	7.5																					
70020000	32.497	35.496	L	1	1 55	CRACKING		3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0											
5 1			2	4.4	27500	RIDE		8.0	7.7	8.6	8.5	7.7	7.8	7.7	7.9	7.9	7.6	7.6	7.7	7.7											
R324371	32.504	35.496	C	2017	0012	CRACKING		7.0	7.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0										
RANGER CONSTRUCTION INDUST(2018)					SPRIDE			7.7	7.6	7.5	7.8	7.8	8.6	8.6	8.7	8.7	8.7	8.7	8.6	8.6	8.4										
70020000	25.193	32.497	L	1	1 55	CRACKING		4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	6.5	6.5											
5 1			2	12.3	32500	RIDE		8.3	8.2	8.6	8.5	8.0	8.1	8.0	8.2	8.2	7.7	7.7	7.9	7.8											
CROSS RD(25.4L)					FC5M																										
4288761	25.290	32.504	C	2014	0012	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.8	6.0*										
V. A. PAVING, INC. (2016)					RIDE			7.8	7.8		8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.1										
70020000	21.351	25.193	L	1	1 45	CRACKING		9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*											
5 1			3	5.3	34000	RIDE		8.5	8.0	8.0	8.0	7.6	7.5	7.3	7.6	7.4	7.2	7.0	7.3	7.3											
BELLEFONTE AVE(21.5L)					FC125A																										
2375922	21.351	25.193	C	2013	0213	CRACKING		3.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.0										
ASTALDI CONSTRUCTION CORP.(2018)					SPRIDE			7.2					7.7	7.6	7.5	7.5	7.5	7.4	7.2	7.2	6.9										
70020000	18.277	21.351	L	1	1 45	CRACKING		5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0											
5 1			3	4.4	30000	RIDE		8.1	7.9	7.6	8.2	7.8	7.8	7.8	8.0	8.0	7.4			8.5											
EYSTER BLVD(18.6L)					FC125																										
2375762	18.382	20.546	C	2008	0221	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	6.0*	4.0*										
POSEN CONSTRUCTION (2012)					SPRIDE			8.4	8.3	8.3	8.1	7.9	8.2	8.0	7.9	8.0	8.1	8.1	7.8	7.9	7.6										
70020000	16.311	18.277	L	1	1 55	CRACKING		4.0*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5											
5 1			2	6.1	29500	RIDE		8.2	8.0	7.6	8.2	7.8	7.8	7.8	8.0	8.0	7.4	7.4	7.7	7.6											
GUS HIPP BLVD(17.1L)					FC5M																										
4347421	16.311	18.277	C	2017	0012	CRACKING		6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.6	6.5										
MASCI GENERAL CONTRACTORS (2020)					SPRIDE			7.4	7.6	7.5	7.4	7.4	7.4		8.4	8.3	8.3	8.3	8.3	8.2	8.0										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE																
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																2030 (PMRS)
70020000	14.185	16.311	L	1	1 55	CRACKING		3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	
5 1			2	6.9	39500	RIDE		8.0	7.8	7.6	7.5	8.1	8.1	8.0	8.3	8.3	7.8	7.8	8.0	7.9	
ANSIN DR(14.8L)					FC5A																
4248871	14.185	16.076	C	2014	0012	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1	5.5*
RANGER CONSTRUCTION INDUST(2016)						RIDE		7.9	7.8	7.7	8.3	8.1	8.0	8.0	7.8	7.8	7.5	7.4	7.1	7.1	6.9
70020000	9.924	14.185	L	1	1 55	CRACKING		3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	
5 1			2	6.9	39500	RIDE		8.3	8.0	7.7	7.4	8.1	8.1	8.0	8.3	8.3	7.8	7.8	8.0	7.9	
OTTER CREEK LN(9.9L)					FC5M																
4347411	9.924	14.185	L	2016	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	7.5
PREFERRED MATERIALS, INC. (2018)						RIDE		7.9	7.8	7.7	8.1	8.0	8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.1
70020000	9.514	9.924	L	1	2 50	CRACKING		8.0	8.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	
5 1			2	6.9	39500	RIDE		7.8	7.3	7.5	7.5	6.7	6.5	6.4*	6.5	6.7	6.0*	5.8*	5.7*	5.6*	
TO 70004011 RAMP(9.8L)					FC5																
4233511	9.515	9.924	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	7.9	4.5*
COMMUNITY ASPHALT CORP. (2013)						SPRIDE		7.8	7.8	7.8	7.6	7.8	7.8	7.7	7.7	7.6	7.7	7.4	6.4*	7.4	7.2
70020000	7.249	9.514	L	1	8 50	CRACKING		10.0	9.5	8.5	8.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	
5 1			3	3.0	42500	RIDE		8.7	8.6	8.6	8.5			7.2	7.5	7.5	7.0	7.1	7.2	7.1	
POST RD(7.2C)					FC5																
2375501	7.300	9.924	C	2002	0213	CRACKING		9.0	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
RKT CONSTRUCTORS, INC. (2006)						SPRIDE		7.1	6.9	6.9	7.0	7.2	7.2	7.0	7.1	7.1	7.1	7.1	7.0		
4452151	7.278	8.920	C	2023	0012																
70020000	4.408	7.249	L	1	1 45	CRACKING		4.0*	4.0*				10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	
5 1			3	4.7	42500	RIDE		8.1	7.8				7.8	7.7	7.8	7.8	7.3	6.9	7.8	7.7	
AURORA RD(4.5C)					FC125M																
4306571	4.408	7.249	C	2017	0012	CRACKING		7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	7.5
PREFERRED MATERIALS, INC. (2018)						RIDE		7.6	7.6	7.6	7.4	7.3	8.4	8.2	8.2	8.2	8.1	8.2	8.1	8.0	7.7
70020000	0.000	4.408	L	1	1 45	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	
5 1			3	5.2	30500	RIDE		8.6	8.4	8.4	8.5	7.8	7.8	7.6	7.9	8.0	7.2	7.2	7.4	7.4	
MELBOURNE CITY LIMITS(0.0C)					FC125R																
4248861	0.000	4.408	C	2012	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.6	6.0*
RANGER CONSTRUCTION INDUST(2015)						SPRIDE		7.5		8.5	8.4	8.3	8.4	8.2	8.3	8.2	8.3	8.2	8.0	8.0	7.7
70022000	38.636	40.000	R	1	1 35	CRACKING		5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	
508			2	5.1	18300	RIDE		5.8*	5.8*	7.5	7.4	7.0	7.0	6.7	7.1	6.9	6.8	6.7	6.0	6.0	
REVOLUTION TECH WY(38.8R)					FC125M																
4306581	38.987	39.971	C	2015	0012	CRACKING		6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	7.0
RANGER CONSTRUCTION INDUST(2018)						SPRIDE		6.0	6.0	5.6	5.1*		7.3	7.0	6.8	7.0	7.0	6.8	6.5	6.5	6.2
70022000	38.636	40.000	L	1	1 35	CRACKING		5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5	
508			2	5.1	18300	RIDE		4.6*	4.8*	7.3	7.1	6.7	6.8	6.4	6.6	6.5	6.2	6.2	5.9	5.8	
REVOLUTION TECH WAY(38.8L)					FC125M																
4306581	38.987	39.971	C	2015	0012	CRACKING		6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0
RANGER CONSTRUCTION INDUST(2018)						SPRIDE		5.5	5.5	4.9*	4.5*		7.3	7.0	7.0	6.9	7.0	6.6	6.8	6.6	6.3
70030000	0.000	3.065	R	1	1 45	CRACKING		6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	4.8	26500	RIDE		8.5	8.1	7.6	7.4	6.1*	5.8*	5.8	8.3	8.2	8.2	8.2	8.0	7.9	
CHENEY HWY(0.0C)					FC95																
4116671	0.000	3.078	C	2005	0012	CRACKING		10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.1	4.5*
V. A. PAVING, INC. (2007)						SPRIDE		8.0	8.0	7.9	7.6	7.6	7.6	7.4	7.3	7.3	7.3	7.1	7.0	6.7	
70030000	3.065	4.117	C	1	1 30	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	
5 1			2	8.6	6000	RIDE		7.1	7.0	6.9	6.7	6.3	6.3	6.0	6.3	6.4	6.2	6.1		7.1	
SR 5(3.1L)					FC125																
4186471	3.087	4.084	C	2009	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	7.1	5.0*
HALIFAX PAVING, INC. (2012)						SPRIDE		7.0	7.2	7.0	6.3	6.2	6.2	5.9	5.7	5.8	5.8	5.6	5.5	5.4*	5.1*
70030000	4.117	4.472	C	1	4 35	CRACKING		5.5*	5.5*	5.5*	5.6*	6.1*	6.4*	6.3*	5.6*	5.1*	4.8*	5.3*		7.2	
5 1			2	8.9	9200	RIDE		7.3	7.0	6.7	5.9	4.9*	4.7*	4.4*	5.0*	5.4*	5.4*	5.0*		6.7	
FROM CR-402(4.1R)					LGD																
(2022)						CRACKING		6.1*	6.1*	6.1*	4.9*	4.2*	4.8*	4.5*	4.7*	4.3*	8.5	8.3	7.2	8.5	8.0
						RIDE		7.4	7.4	7.4	7.1	7.2	6.9	7.2	6.9	6.8	7.0	6.8	6.7	7.1	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

										DISTRICT = 5 COUNTY = BREVARD																			
RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE								
INTERSECT AT (MP SIDE)							%T	AADT		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR (AGE_ONE YEAR)											2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																								
70030000		4.472	6.947	R	1	1	55	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5						
5				2	3.0	22500		RIDE	8.7	8.4	8.5	8.4	8.0	8.0	8.0	7.8	8.0	7.9	8.0	7.7	7.9	7.7							
BUFFALO RD(5.3C)								FC5																					
4248891	4.652	6.947	R	2013	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	6.0*						
HALIFAX PAVING, INC.				(2014)		RIDE	7.7	8.1	8.2	8.3	8.3	8.2	8.2	8.2	8.1			8.1	8.2	8.1	8.0	8.0	7.8						
70030000		6.947	8.210	R	1	1	55	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0						
5				2	8.4	17800		RIDE	7.0	6.6	8.8	8.8	8.2	8.3	8.1	8.4			8.4	8.3	8.3	8.2	8.1						
E PARRISH RD(7.5C)								FC5M																					
4344041	6.310	8.816	C	2018	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5			10.0	10.0	10.0	10.0	10.0	8.5						
HALIFAX PAVING, INC.				(2021)		RIDE	8.1	8.1	8.0	8.2	8.2	8.2	8.2	8.1			8.1	8.6	8.6	8.6	8.5	8.5	8.5	8.3					
70030000		8.210	8.816	R	1	1	45	CRACKING	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0						
5				2	8.4	17800		RIDE	7.4	7.3	7.6	7.5	7.2	7.1	7.1	7.4	7.5	7.2	7.2	7.2	7.0								
CARVER ST(8.3R)								FC125M																					
4344041	6.310	8.816	C	2018	0012	CRACKING	9.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0						
HALIFAX PAVING, INC.				(2021)		RIDE	7.1	7.1	6.8	7.1	6.9	6.8	6.7	6.7	6.7	7.6	7.5	7.6	7.3	7.5	7.5	7.2	7.2						
70030000		8.816	17.528	R	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0							
5				2	5.5	3800		RIDE	9.1	9.0	8.9	8.7	8.2	8.0	8.0	7.8	7.9	7.7	7.6	8.3	8.4	8.3							
VERNON AV(8.9R)								FC5																					
4195921	8.828	17.528	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.3	4.5*					
HALIFAX PAVING, INC.				(2010)		SPRIDE	8.2	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.7						
4487941	8.827	17.528	C	2025	0012																								
70030000		8.816	17.528	L	1	1	60	CRACKING	10.0	10.0	9.5	9.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0							
5				2	5.5	3800		RIDE	8.9	8.8	8.7	8.7	8.1	8.0	8.0	7.7	7.9	7.8	7.5	8.1	8.1	8.1							
MINNIE LN(8.9L)								FC5																					
4195921	8.828	17.528	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	0.5*						
HALIFAX PAVING, INC.				(2010)		SPRIDE	8.0	8.0	7.8	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.6						
4487941	8.827	17.528	C	2025	0012																								
70030000		8.210	8.816	L	1	1	45	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0						
5				2	8.4	17800		RIDE	7.5	7.3	7.9	8.0	7.7	7.6	7.5	7.8	7.7	7.6	7.5	7.6	7.4								
DAVIS ST(8.3L)								FC125M																					
4344041	6.310	8.816	C	2018	0012	CRACKING	9.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.1	8.0						
HALIFAX PAVING, INC.				(2021)		RIDE	7.5	7.5	7.3	7.0	7.1	7.2	6.6	6.8	7.7	7.6	7.7	7.6	7.7	7.2	7.4	7.4	7.1						
70030000		6.310	8.210	L	1	1	55	CRACKING	1.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0						
5				2	3.0	22500		RIDE	6.1*	7.9	8.7	8.7	8.1	8.1	8.1	8.3	8.3	8.3	8.3	8.2	8.1	8.0							
DAIRY RD(6.6L)								FC5M																					
4344041	6.310	8.816	C	2018	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.8	8.0						
HALIFAX PAVING, INC.				(2021)		RIDE	7.9	7.9	7.9	8.1	8.0	8.1	8.0	8.1	8.0	8.0	8.0	8.5	8.4	8.4	8.2	8.4	8.2						
70030000		5.211	6.310	L	1	1	55	CRACKING	7.0	6.0*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0						
5				2	3.0	22500		RIDE	7.4	7.3	7.0	7.3	6.4*	6.4*	5.7*	6.2*	6.1*	5.9*	5.4*				8.4						
BUFFALO RD(5.3C)								FC5																					
4116661	4.644	6.310	L	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	5.0*					
HALIFAX PAVING, INC.				(2012)		SPRIDE	8.3	8.3	8.3	8.3	8.1	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.9					
70030000		4.798	5.211	L	1	4	45	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*		6.9						
5				2	3.0	22500		RIDE	6.2*	5.9*	5.9*	5.8*	5.1*	5.1*	4.8*	5.5	5.7	5.4*	5.4*				7.0						
NORWOOD AVE(5.1L)								LGD																					
4116661	4.644	6.310	L	2009	0012	CRACKING	8.7	8.7	8.7	8.6	7.3	7.2	7.4	7.1	7.1	7.2	7.8	7.7	8.6	8.0	8.0	8.0	8.0	7.5					
HALIFAX PAVING, INC.				(2013)		RIDE	7.3	7.3	7.3	7.1	7.4	7.1	7.1	7.1	7.2	7.1	7.2	7.1	7.0	6.9	6.6	6.6	7.2	7.0					
70030000		4.472	4.798	L	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.0*	3.5*	3.5*	3.5*		10.0						
5				2	3.0	22500		RIDE	7.3	7.0	6.7	6.9	5.9*	6.3*	6.2	6.6	6.3	6.5	6.6				8.5						
ELAINE DR(4.7L)								FC125R																					
4116661	4.472	4.644	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0					
HALIFAX PAVING, INC.				(2012)		SPRIDE	8.5	8.5	8.3	8.0	8.0	8.0	8.0	7.9	7.9	7.7	7.9	7.7	7.7	7.7	7.5	7.6	7.3	7.3					
70030000		0.000	3.065	L	1	1	45	CRACKING	7.0	6.0*	6.0*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0							
5				2	4.8	26500		RIDE	8.3	8.0	8.1	8.1	7.1	6.7	6.4	8.2	8.1	8.1	8.0	8.0	8.0	7.9							
SR-50(0.0L)								FC95																					
4116671	0.000	3.078	C	2005	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.0	5.5*						
V. A. PAVING, INC.				(2007)		SPRIDE	7.8	7.9	7.6	7.7	7.7	7.6	7.7	7.6	7.5	7.5	7.5	7.5	7.6	7.5	7.3	7.4	7.1						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKM-X-P																				
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)				
70030101	0.000	1.397	C	1	1 40	CRACKING		6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	3.5*	3.5*	3.5*	3.5*			10.0				
5			2	7.9	11000	RIDE		6.7	6.8	6.6	6.4	5.5	5.3*	5.0*	5.7	5.5	5.6	5.5			7.6				
SR-5(0.0L)					FC125																				
4186471	0.385	1.389	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	5.0*			
HALIFAX PAVING, INC.				(2012)	SPRIDE			7.4	7.2	7.2	6.7	6.5	6.4	6.3	6.2	6.2	6.1	6.1	5.9	6.0	6.0	5.7			
4488001	0.000	1.387	C	2025	0012																				
70050000	0.000	9.650	R	1	1 65	CRACKING		10.0	9.5	8.0	7.0			10.0	10.0	9.5	10.0	10.0	10.0	10.0	9.5				
500 192			2	12.1	9900	RIDE		8.9	8.8	8.7	8.7			7.9	8.1	8.1	8.1	7.9	7.8	7.9	7.9				
OCEAN PRAIRIE LN(3.4R)					FC5M																				
4428821	0.000	9.676	C	2022	0012	CRACKING		9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.3	8.0				
OHLA USA, INC.				(2024)	SPRIDE			7.8	7.7	7.7	7.8	7.8	7.8	7.7	7.8	8.1	8.1	8.1	8.7	8.6	8.4				
70050000	9.650	9.956	R	1	1 45	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5				
500 192			2	12.1	9900	RIDE		8.3	8.8	8.7	8.6	7.4	8.0	7.0	7.2	7.4	8.1	7.9	7.8	7.9	7.9				
BRANDYWINE RD(9.7R)					FC3																				
				(2006)		CRACKING		9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*				
4470941	9.675	14.969	C	2024	0012	RIDE		7.8	7.7	7.7	7.8	7.8	7.8	7.7	7.8	7.7	7.7	7.7	5.4*	5.3*	5.0*				
70050000	9.956	14.993	R	1	1 45	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5					
500 192			2	4.4	38500	RIDE		8.9	8.8	8.7	8.6	7.4	8.0	7.9	8.2	8.1	8.0	8.0	7.9	7.9	7.9				
COASTAL LN(10.0C)					FC3																				
2376071	9.679	18.478	C	1996	0012	CRACKING		8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	2.5*				
RANGER CONSTRUCTION INDUST(1998)				(1998)	S	RIDE		7.8	7.7	7.6	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.3	7.1	6.8				
4470941	9.675	14.969	C	2024	0012																				
70050000	14.993	16.637	R	1	1 35	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0					
500 192			2	4.4	17500	RIDE		7.3	7.2	7.2	7.0	6.4	6.2	6.2	6.3	6.1	6.0	6.0	6.1	6.1	5.7				
BRYAN ST(15.1R)					DGFC																				
4306661	14.993	16.637	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	7.8	6.0*				
COMMUNITY ASPHALT CORP.				(2017)	RIDE			6.0	6.3	6.2	5.4*	6.0	6.0	5.9	5.4*	5.5	6.0	5.5	5.5	5.5	5.2*				
70050000	17.126	17.900	R	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5					
500 192			2	4.5	36500	RIDE		9.2	9.1	9.0	9.0	8.5	8.6	8.5	8.6	8.6	8.6	8.5	8.5						
S RIVERSIDE PL(17.9R)					FC125M																				
				(2013)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.4	7.5			
						RIDE		7.9	7.7	7.6	7.5	7.6	7.5	7.3	7.3	7.3	7.3	7.1	7.2	7.3	7.0				
70050000	17.900	18.478	R	1	7 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0					
500 192			2	2.7	20500	RIDE		7.6	7.8	7.7	7.5	7.1	7.0	6.8	7.2	7.1	6.6	7.1	6.6	6.9					
S RIVERSIDE PL(17.9R)					FC3																				
4428831	17.840	18.478	C	2022	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	9.0				
CHINCHOR ELECTRIC INC.				(2025)	SPRIDE			6.5	6.5	6.6	6.6	6.6	6.5	6.3	6.4	5.8	6.1	5.9	5.7	6.6	6.3				
70050000	17.900	18.478	L	1	7 35	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	7.0	7.0					
500 192			2	2.7	20500	RIDE		8.4	7.7	7.5	6.9	7.0	6.5	6.6	7.3	7.0	7.2	7.1	7.1	7.2					
N RIVERSIDE PL(17.9L)					FC3																				
4428831	17.840	18.478	C	2022	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.0				
CHINCHOR ELECTRIC INC.				(2025)	SPRIDE			7.1	7.3	6.9	6.5	6.5	6.4	6.0	6.2	6.1	6.6	6.3	5.7	6.5	6.2				
70050000	17.126	17.900	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5						
500 192			2	4.5	36500	RIDE		8.9	9.1	8.6	8.6	8.2	8.2	8.2	8.5	8.6	8.5	8.6	8.5						
N RIVERSIDE PL(17.9L)					FC125M																				
				(2013)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	7.5				
						RIDE		7.9	7.9	7.8	7.6	7.6	7.5	7.4	7.3	7.4	7.3	7.3	7.4	7.5	7.2				
70050000	14.993	16.637	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0					
500 192			2	4.4	17500	RIDE		7.3	7.4	7.1	7.0	6.5	6.6	6.3	6.5	6.6	6.1	6.2	6.4	6.1					
BRYAN ST(15.0L)					DGFC																				
4306661	14.993	16.637	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	8.2	6.5				
COMMUNITY ASPHALT CORP.				(2017)	RIDE			6.3	6.3	6.1	5.3*	7.1	6.9	6.7	6.5	6.4	6.4	5.8	6.2	6.1	5.8				
70050000	9.650	14.993	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5					
500 192			2	4.4	38500	RIDE		8.7	8.6	8.4	8.3	7.9	7.9	7.6	8.0	8.0	8.0	7.4	7.7	7.7					
COLUMBIA LN(9.7L)					FC3																				
2376071	9.679	18.478	C	1996	0012	CRACKING		8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	2.5*				
RANGER CONSTRUCTION INDUST(1998)				(1998)	S	RIDE		7.6	7.7	7.4	7.4	7.3	7.4	7.2	7.2	7.1	7.3	7.1	6.9	6.9	6.6				
4470941	9.675	14.969	C	2024	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE																
ITMSEG-P	(AGE ONE YEAR)						2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
70050000	0.000	9.650	L 2	1 12.1	1 65 9900	CRACKING RIDE	10.0 8.9	9.5 8.8	8.0 8.7	7.0 8.7			10.0 7.9	10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.7	10.0 7.9	10.0 7.9			
500 192					FC5M																	
CARACARA LN(1.6L)																						
4428821	0.000	9.676	C 2022	0012	CRACKING	9.5 7.9	8.5 7.8	7.0 7.7	7.0 7.7	7.0 7.7	7.0 7.8	6.5 7.7	6.5 7.6	5.5* 7.7	5.5* 7.7	5.5* 7.7	10.0 8.7	9.3 8.6	8.0 8.4			
OHIA USA, INC.			(2024)		SPRIDE																	
70050001	0.000	0.228	C 2	1 5.2	6 30 9900	CRACKING RIDE	4.5* 6.4*	3.5* 7.0	3.5* 6.3	3.5* 5.8	3.5* 4.8*	3.5* 5.3*		3.5* 5.3*	1.0* 5.2*	1.0* 5.3*	1.0* 5.4*	1.0* 4.6*	1.0* 4.1*			
500					FC125R																	
HARBOR CITY(0.0C)																						
4272251	0.000	0.228	C 2012	0012	CRACKING	1.0* 3.9*		10.0 6.7	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	6.8	5.0*		
RANGER CONSTRUCTION INDUST			(2015)		SPRIDE																	
70060000	0.000	14.360	C 2	1 4.6	1 45 6300	CRACKING RIDE	7.0 9.0	7.0 8.9	7.0 8.6	7.0 8.5	6.5 7.8	6.5 7.6	6.5 7.4	4.5* 7.8	4.5* 7.7	4.5* 7.4	10.0 8.7	10.0 8.6	10.0 8.5			
A1A					FC95																	
PARK ENT(0.2L)																						
4171881	0.100	14.345	C 2009	0012	CRACKING	10.0 8.5	9.0 8.4	9.0 8.3	9.0 8.1	8.5 8.0	8.5 8.0	8.5 7.8	8.5 7.6	8.0 7.7	8.0 7.7	8.0 7.5	8.0 7.2	8.3 7.1	6.0* 6.8			
RANGER CONSTRUCTION INDUST			(2010)		SPRIDE																	
70060000	14.360	15.882	C 2	1 4.6	1 35 13000	CRACKING RIDE	3.5* 7.9	3.5* 7.7	3.5* 7.4	10.0 8.1	10.0 7.8	10.0 7.8	10.0 7.8	10.0 7.9	10.0 7.7	10.0 7.8	9.0 7.5	8.5 7.7	8.5 7.7			
A1A					FC125																	
CHERRY DR(15.0L)																						
2377151	14.287	17.537	C 2001	0012	CRACKING	8.5 7.7	8.5 7.3	8.5 7.5	8.5 7.3	8.5 7.6	8.5 7.4	8.5 7.1	8.0 7.0	7.0 7.1	7.0 6.9	7.0 6.8	7.0 6.7	6.1* 6.7	3.0* 6.4			
APAC-FLORIDA INC			(2003)		SPRIDE																	
4506271	14.354	17.577	C 2026	0226																		
70060000	15.882	17.552	C 2	1 4.9	1 35 19500	CRACKING RIDE	3.5* 7.9	3.5* 7.6	1.0* 7.2	10.0 8.0	10.0 7.7	10.0 7.5	10.0 7.6	10.0 7.9	10.0 7.8	10.0 7.8	10.0 7.7	8.5 7.7	8.5 7.5			
A1A					FC125																	
INDIALANTIC CITY LIMITS(15.9L)																						
2377151	14.287	17.537	C 2001	0012	CRACKING	8.5 7.2	8.5 7.5	8.5 7.5	8.5 7.3	8.5 7.1	8.5 7.4	8.5 7.2	8.5 7.2	7.0 7.1	7.0 7.2	7.0 7.1	7.0 7.1	7.0 7.1	4.0* 6.8			
APAC-FLORIDA INC			(2003)		SPRIDE																	
4506271	14.354	17.577	C 2026	0226																		
70060000	17.552	20.738	R 2	1 3.6	1 35 22000	CRACKING RIDE	10.0 8.8	10.0 8.7	10.0 8.6	10.0 8.6	9.0 8.3	9.0 8.2	9.0 8.2	9.0 8.4	9.0 8.4	7.0 8.2	7.0 8.1	7.0 8.1	7.0 8.0			
A1A					FC125M																	
WATSON AVE(17.8C)																						
4287531	17.552	26.226	C 2016	0012	CRACKING	7.0 8.0	7.0 7.9	7.0 7.8	6.5 8.0	6.5 8.0		10.0 8.0	10.0 7.9	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.5	8.9 7.5	7.5 7.2			
MASCI GENERAL CONTRACTORS			(2019)		RIDE																	
70060000	20.738	26.099	R 2	1 2.6	1 35 21500	CRACKING RIDE	10.0 8.8	10.0 8.7	10.0 8.6	10.0 8.6	9.0 8.3	9.0 8.2	9.0 8.2	9.0 8.4	9.0 8.4	7.0 8.2	7.0 8.1	7.0 8.1	7.0 8.0			
A1A					FC125M																	
EAU GALLIE BLVD(20.9C)																						
4287531	17.552	26.226	C 2016	0012	CRACKING	7.0 8.0	7.0 7.9	7.0 7.8	6.5 8.0	6.5 8.0	6.5 8.1	6.5 8.0	6.5 8.0	10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.8	10.0 7.7	8.7 7.5	7.5 7.2		
MASCI GENERAL CONTRACTORS			(2020)		RIDE																	
70060000	26.099	27.892	R 2	1 2.3	8 55 19600	CRACKING RIDE	10.0 8.8	10.0 8.7	10.0	10.0 8.7	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.4	10.0 8.4	9.5 8.1	9.5 7.9	9.5 8.0	8.5 7.9			
A1A					FC2																	
			(2003)			CRACKING	8.0 7.9	8.0 7.8	8.0 7.5	8.0 7.7	8.0 7.6	8.0 7.8	8.0 7.7	7.0 7.6	6.5 7.7	6.5 7.7	6.5 7.7	6.5 7.6				
4452141	26.162	30.162	C 2024	0012																		
70060000	27.892	30.153	R 2	1 2.3	8 55 19600	CRACKING RIDE	10.0 8.9	10.0 8.5	10.0	10.0 8.7	10.0 8.3	10.0 8.3	10.0 8.2	9.5 8.4	8.5 8.4	8.5 8.3	8.5 8.2	8.5 8.1	8.5 8.0			
A1A					DGFC																	
FIRST ST(29.2R)																						
2374821	27.065	30.162	C 1991	0012	CRACKING	8.5 8.0	8.5 8.0	8.5 8.0	8.0 7.9	8.0 7.9	8.0 7.8	6.5 7.7	6.5 7.6	6.5 7.6	6.5 7.7	6.5 7.6	6.5 7.5					
APAC-FLORIDA INC			(1993)		S	RIDE																
4452141	26.162	30.162	C 2024	0012																		
70060000	30.153	31.032	R 2	1 2.3	1 45 19600	CRACKING RIDE	10.0 8.8	10.0 8.4	10.0 8.5	10.0 8.6	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.4	10.0 8.4	10.0 8.2	10.0 8.1	10.0 8.2	7.0 8.0			
A1A					UNKW																	
35TH ST(30.3C)			(2018)			CRACKING	7.0 8.0	7.0 7.8	7.0 7.8	7.0 7.8	7.0 7.8	10.0 8.3	10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.8	9.5 7.8	8.0 7.5		
						RIDE																
70060000	31.032	33.999	C 2	1 3.1	1 35 8200	CRACKING RIDE	10.0 8.9	10.0 8.5	10.0 8.5	10.0 8.5	10.0 8.0	10.0 7.8	10.0 7.7	9.5 8.0	9.5 7.9	9.5 7.7	9.5 7.7	7.0 7.7	7.0 7.6			
A1A					UNKW																	
FERN ST(31.1R)																						
4306671	31.032	33.999	C 2016	0012	CRACKING	7.0 7.5	7.0 7.4	7.0 7.2	5.5* 7.2	5.5* 7.2	10.0 8.0	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.7	10.0 7.6	10.0 7.2	8.6 7.4	7.0 7.1			
MASCI GENERAL CONTRACTORS			(2018)		RIDE																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																(PMRS)	
70060000	33.999	36.148	R	1	1 35	CRACKING		9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*			
A1A			2	2.5	33000	RIDE		8.3	8.1	8.0	8.0	7.5	7.4	7.5	7.7	7.7	7.5	7.3	7.5			
COCOA ISLES BLVD(34.2C)					FC125R																	
4236301	33.999	36.148	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	6.5	
PREFERRED MATERIALS, INC. (2013)					SPRIDE			7.8	7.7	7.7	7.8	7.8	7.8	7.3	7.5	7.5	7.6	7.4	7.4	7.4	7.1	
4435442	34.199	35.837	C	2022	9924																	
70060000	33.999	36.148	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5			
A1A			2	2.5	33000	RIDE		7.5	7.2	6.7	6.7	6.4	6.1	5.9	6.5	6.5	6.2	6.1	6.5	5.8		
COCOA ISLES BLVD(34.2C)					FC125R																	
4236301	33.999	36.148	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	6.5	
PREFERRED MATERIALS, INC. (2013)					SPRIDE			7.2	7.2	7.1	7.3	7.2	7.1	7.1	6.9	6.9	7.1	6.9	6.9	6.9	6.6	
4435442	34.199	35.837	C	2022	9924																	
70060000	30.153	31.032	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0		
A1A			2	2.3	19600	RIDE		8.1	8.1	8.0	7.8	7.8	7.7	7.7	7.8	8.0	7.8	7.6	7.6	7.6		
ORANGE AVE(30.2L)					FC125A																	
4306671	30.153	31.032	L	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
MASCI GENERAL CONTRACTORS (2018)					RIDE			7.4	7.3	7.2	7.3	7.3	8.3	7.6	7.6	7.5	7.5	7.3	7.2	7.3	7.0	
70060000	27.380	30.153	L	1	8 55	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0		
A1A			2	2.3	19600	RIDE		8.5	8.2		8.2	7.9	7.8	7.7	7.9	7.9	7.7	7.7	7.6	7.6		
FOURTH ST(28.9L)					DGFC																	
2374821	27.065	30.162	C	1991	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0			
APAC-FLORIDA INC (1993)					S	RIDE		7.4	7.4	7.4	7.5	7.4	7.4	7.3	7.3	7.2	7.3	7.2	7.1			
4452141	26.162	30.162	C	2024	0012																	
70060000	26.099	27.380	L	1	8 55	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0		
A1A			2	2.3	19600	RIDE		8.6	8.5		8.0	7.5	7.2	7.1	7.3	7.5	7.4	7.2	7.2	7.1		
					FC2																	
2375001	17.545	27.064	C	1995	0012	CRACKING		7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*			
APAC-FLORIDA INC (1997)					S	RIDE		7.0	7.0	6.8	7.2	7.1	7.2	7.2	7.1	7.1	7.2	7.0	6.7			
4452141	26.162	30.162	C	2024	0012																	
70060000	20.700	26.099	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0		
A1A			2	2.6	21500	RIDE		8.6	8.5	8.4	8.5	8.1	8.0	8.0	8.2	8.1	7.9	7.9	7.9	7.9		
EAU GALLIE BLVD(20.9C)					FC125M																	
4287531	17.552	26.226	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	8.8	7.5	
MASCI GENERAL CONTRACTORS (2020)					RIDE			7.8	7.8	7.7	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.6	7.6	7.3	
70060000	17.552	20.700	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0		
A1A			2	3.6	22000	RIDE		8.6	8.5	8.4	8.5	8.1	8.0	8.0	8.2	8.1	7.9	7.9	7.9	7.9		
FOURTH AVE(17.6L)					FC125M																	
4287531	17.552	26.226	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.1	7.5	
MASCI GENERAL CONTRACTORS (2019)					RIDE			7.8	7.8	7.7	7.8	7.8		8.0	7.9	7.8	7.8	7.8	7.7	7.8	7.5	
70060001	0.000	2.975	C	1	1 35	CRACKING		10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0		
A1A			2	10.1	12250	RIDE		8.8	8.7	8.1	8.1	7.6	7.8	7.7	7.9	7.8	7.8	7.7	7.6	7.6		
N ATLANTIC AVE(0.0L)					FC125A																	
4306672	0.000	2.971	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0	
MASCI GENERAL CONTRACTORS (2019)					RIDE			7.5	7.4	7.4	7.5	7.5		7.7	7.7	7.6	7.7	7.6	7.5	7.6	7.3	
70070000	0.000	1.439	C	1	1 55	CRACKING		10.0	7.0	6.0*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0		
524			2	9.1	7600	RIDE		8.6	8.7	8.4	8.3	6.7	6.4*	5.8*	8.1	8.4	8.3	8.1	8.1	8.1		
SR 520(0.0C)					FC95M																	
4135861	0.181	5.200	C	2006	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	5.8*	3.5*	
V. A. PAVING, INC. (2007)					SPRIDE			8.1	8.2	8.0	7.8	7.8	7.8	7.7	7.7	7.6	7.8	7.6	7.6	7.4	7.1	
4542181	0.005	4.739	C	2029	0226																	
70070000	1.439	1.977	R	1	1 45	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0		
524			1	15.9	14200	RIDE		8.5	8.0	7.3	7.7	7.6	7.6	7.3	8.7	8.7	8.6	8.5	8.4	8.4		
FRIDAY RD(1.5C)					FC95M																	
4135861	0.181	5.200	C	2006	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	6.0*	6.1*	3.5*	
V. A. PAVING, INC. (2007)					SPRIDE			8.3	8.4	8.2	8.1	8.1	8.1	7.8	7.6	7.9	7.8	7.6	7.6	7.5	7.2	
4542181	0.005	4.739	C	2029	0226																	
70070000	1.977	4.762	C	1	1 55	CRACKING		6.0*	6.0*	5.0*	4.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0		
524			2	15.9	14200	RIDE		8.0	7.9	8.6	8.2	7.0	6.7	6.2*	8.6	8.6	8.5	8.4	8.3	8.3		
THIEN THAI LN(2.3L)					FC95M																	
4135861	0.181	5.200	C	2006	0012	CRACKING		10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	3.5*	
V. A. PAVING, INC. (2007)					SPRIDE			8.2	8.2	8.2	8.0	8.1	8.0	8.0	7.8	7.9	7.8	7.8	7.6	7.5	7.2	
4542181	0.005	4.739	C	2029	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

											DISTRICT = 5 COUNTY = BREVARD																				
RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE							
INTERSECT	AT	(MP)	(SIDE)							=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE																									
CONTRACTOR	(AGE)	ONE	YEAR								2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030							
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																			(PMRS)							
70070000	5.212	5.580	R	1	55	CRACKING	8.0	8.0	7.0	7.0							10.0	10.0	10.0	10.0	10.0	10.0	10.0								
528	45.7	46.1	2	5.8	42000	RIDE	8.8	8.6	8.6	8.4	7.6						7.3	7.1	7.4	7.3	7.0	7.2	7.3								
					FC5																										
			(2024)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0			10.0	10.0	9.0						
						RIDE	6.9	7.3	7.1	6.8	6.7	7.0	7.0	7.0	7.0	7.0	6.7	6.7	7.8	8.1			8.3	8.4	8.2						
70070000	5.580	6.160	R	1	7 55	CRACKING	8.0	8.0	7.0	7.0	7.0						6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*								
528	46.1	46.7	2	6.8	56398	RIDE	8.8	8.6	8.6	8.4	7.6						7.3	7.4	7.2	7.1	7.2	7.0	6.5								
					FC5																										
4410161	5.877	6.312	R	2023	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0			6.5	10.0	9.0							
MASCI GENERAL CONTRACTORS			(2025)		SPRIDE		6.5	7.6	7.5	7.8	7.8	6.5	7.6	7.5	7.8	7.8	7.9	8.0	7.8	8.1			8.1	8.4	8.2						
70070000	6.880	8.685	R	1	7 60	CRACKING	9.5	8.0	8.0	7.0	7.0						6.0*	6.0*	4.5*	4.5*	3.5*	10.0	10.0	10.0							
528	47.4	49.2	2	6.8	56398	RIDE	8.6	8.5	8.6	8.3	7.7						7.6	7.4	7.6	7.5	7.4	8.4	8.3	8.3							
					FC5																										
4410161	6.747	8.292	R	2023	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	8.4	8.4	8.4	9.0	9.0	9.0	6.5	6.5	6.5	10.0	9.0						
MASCI GENERAL CONTRACTORS			(2025)		SPRIDE		8.4	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.5	8.3						
70070000	8.685	12.985	R	1	1 60	CRACKING	9.5	8.0	8.0	7.0	7.0						6.0*	6.0*	4.5*	4.5*	3.5*	10.0	10.0	10.0							
528	49.2	53.5	2	7.4	39500	RIDE	8.6	8.5	8.6	8.3	7.7						7.6	7.4	7.6	7.5	7.4	8.4	8.3	8.3							
					FC5																										
4195631	7.175	12.968	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	8.4	8.4	8.4	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	0.5*						
RANGER CONSTRUCTION INDUST(2010)					SPRIDE		8.4	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.1							
4526851	8.670	12.985	C	2027	0226																										
70070000	8.685	12.985	L	1	1 60	CRACKING	4.0*	3.5*	3.5*	10.0	10.0						10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0							
528	49.2	53.5	2	7.4	39500	RIDE	8.0	7.8	7.3	8.4	7.9						7.9	7.9	8.0	8.1	8.0	8.0	7.8	7.7							
					FC5																										
RAMP 70080120(12.6L)					0012	CRACKING	7.0	7.0	7.0	7.0	6.5	7.0	7.0	7.0	7.7	7.7	7.6	6.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	0.0*						
2376971	5.200	12.950	L	2001	0012	CRACKING	7.8	7.8	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.5	7.5	7.6	7.5	7.4	7.4	7.3	7.3	7.1						
RANGER CONSTRUCTION INDUST(2003)					SPRIDE																										
4526851	8.670	12.985	C	2027	0226																										
70070000	6.747	8.685	L	1	7 60	CRACKING	4.0*	3.5*	3.5*	10.0	10.0						10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0							
528	47.3	49.2	2	6.8	56398	RIDE	8.0	7.8	7.3	8.4	7.9						7.9	7.9	8.0	8.1	8.0	8.0	7.8	7.7							
					FC5																										
4410161	6.747	8.292	L	2023	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	7.0	7.0	7.0	7.7	7.7	7.6	6.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	9.0					
MASCI GENERAL CONTRACTORS			(2025)		SPRIDE		7.8	7.8	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.4	7.4	7.3	8.5	8.3						
70070000	5.580	6.312	L	1	7 55	CRACKING	3.5*	3.5*	3.0*	10.0	10.0						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0							
528	46.1	46.8	2	6.8	56398	RIDE	7.6	7.3	6.4*	8.1	7.5						7.5	7.8	7.5	7.7	7.7	7.2	7.4								
					FC5																										
4410161	5.877	6.312	L	2023	0012	CRACKING	9.5	8.0	8.0	6.5	6.5	7.4	7.4	7.4	7.2	7.2	7.1	6.5	7.4	3.5*	3.5*	3.5*		3.5*	10.0	9.0					
MASCI GENERAL CONTRACTORS			(2025)		SPRIDE		7.4	7.4	7.3	7.4	7.2	7.4	7.4	7.3	7.4	7.2	7.1	7.1	7.4	7.7	7.8		7.3	8.5	8.3						
70070000	5.212	5.580	L	1	1 55	CRACKING	3.5*	3.5*	3.0*	10.0	10.0						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0							
528	45.7	46.1	2	5.8	42000	RIDE	7.6	7.3	6.4*	8.1	7.5						6.8	8.0	8.0	7.4	7.8	7.3	7.5	7.5							
					FC5																										
SR 524(5.2L)						CRACKING	9.5	8.0	8.0	8.0	8.0						3.5*	3.5*	3.5*			10.0	10.0	9.0							
						RIDE	7.4	7.4	7.5	7.3	7.6	7.5	7.5	7.5	7.6	7.5	7.4	7.7	7.8			8.0	8.1	7.9							
			(2024)																												
70070000	1.439	1.977	L	1	1 45	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*						4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0							
524			1 15.9		14200	RIDE	8.1	8.0	7.6	7.6	7.3						6.7	7.1	8.9	8.0	7.8	8.1	7.9	7.7							
					FC95M																										
FRIDAY RD(1.5C)					0012	CRACKING	10.0	10.0	9.0	9.0	9.0						9.0	9.0	9.0	8.5	8.5	8.5	8.5	6.1*	3.5*						
4135861	0.181	5.200	C	2006	SPRIDE		7.6	7.7	7.6	7.4	7.5	7.6	7.7	7.6	7.4	7.5	7.3	7.0	7.1	7.0	6.9	6.7	6.8	6.0	5.7						
V. A. PAVING, INC.					(2007)																										
4542181	0.005	4.739	C	2029	0226																										
70070002	0.000	0.381	R	1	1 45	CRACKING	10.0	10.0	10.0	9.0	8.0						8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*								
524			2 17.6		18800	RIDE	6.5	6.7	6.4*	6.5	5.8*						5.5	5.8	5.8	5.8	5.8	5.6	5.4*								
					DGFC																										
			(2023)			CRACKING	4.5*		10.0	10.0	10.0											9.0	9.0	9.1	8.0						
						RIDE	5.4*		8.1	7.4	7.4											7.4	7.1	7.1	6.8						
70070002	0.000	0.381	L	1	1 45	CRACKING	7.0	7.0	7.0	7.0	6.5						6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5							
524			2 17.6		18800	RIDE	7.1	7.4	7.2	6.6	6.6						6.6	6.7	6.6	6.5	6.5	6.5	6.5	6.7							
					DGFC																										
			(2023)			CRACKING	6.5		10.0	10.0	10.0											9.0	9.0	9.4	8.5						
						RIDE	6.7		8.0	7.0	7.0											7.3	7.1	6.9	6.6						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE	=====															
ITMSEG-P	CONTRACTOR (AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
70080000	0.000	3.149	R	1	1 40	CRACKING		7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
A1A			2	4.2	34500	RIDE		8.0	7.8	7.5	7.6	7.1	7.0	6.9	7.1	7.6	7.5	7.4	7.3	7.3		
COCOA BCH CSWY/520(0.0C)					FC125M																	
4171591	0.000	3.200	C	2006	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*	
COMMUNITY ASPHALT CORP. (2008)						RIDE		7.4	7.4	7.3	7.0	6.8	6.9	6.8	6.8	6.6	6.8	6.6	6.6	6.6	6.3	
4526881	0.028	3.137	C	2027	0226																	
70080000	3.149	3.645	R	1	1 45	CRACKING		10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0		
A1A			2	16.1	35000	RIDE		8.6			8.4	8.1	7.9	7.9	8.0	7.9	7.9	7.9	8.0	7.8		
CR 401(3.5R)					OGFC																	
4344171	3.140	4.114	C	2017	0012	CRACKING		7.0	7.0	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.8	8.0	
MASCI GENERAL CONTRACTORS (2020)						RIDE		7.8	7.8	7.6	7.5	7.3	7.4		8.0	8.0	8.0	8.1	8.1	8.0	7.8	
70080000	3.645	4.114	R	1	1 55	CRACKING		7.0	6.0*	6.0*	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5		
A1A			3	6.0	32500	RIDE		8.0	8.0	7.7	8.1	7.4	6.9	7.4	7.1	7.1	7.3	8.0	7.6	7.1		
					OGFC																	
4344171	3.140	4.114	C	2017	0012	CRACKING		7.5	7.5	7.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.4	6.5	
MASCI GENERAL CONTRACTORS (2020)						RIDE		7.1	7.1	7.1	7.7	7.7	7.4		8.1	8.0	7.9	8.0	8.1	8.1	7.9	
70080000	4.114	4.368	C	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
401			2	9.0	2300	RIDE		9.0	8.5	8.8	8.6	8.0	8.0	7.8	7.8	8.0	7.7	7.6		7.4		
SR 528(4.1L)					OGFC																	
(1995)						CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.4	5.0*	
						RIDE		7.5	7.6	7.5	7.1	6.9	6.9	6.9	7.1	6.9	7.1	7.3	6.9	6.9	6.6	
70080000	4.368	6.314	R	1	1 50	CRACKING		6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
401			2	15.9	13500	RIDE		7.6	7.6	7.2	6.9	6.3*	6.5	5.8*	7.8	7.8	7.8	7.8	7.7	7.6		
CHARLES ROWLAND DR(5.4R)					FC5																	
4135871	4.511	6.314	C	2006	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	2.0*	
RANGER CONSTRUCTION INDUST(2007)						RIDE		7.6	7.6	7.5	7.6	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.1	
4487871	4.484	6.314	C	2025	0012																	
70080000	4.368	6.314	L	1	1 50	CRACKING		6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
401			2	15.9	13500	RIDE		7.8	7.6	7.1	6.8	6.0*	6.0*	5.7*	7.8	7.8	7.8	7.8	7.7	7.6		
BEACHLINE EXP EXIT(4.6L)					FC5																	
4135871	4.511	6.314	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	4.5*	5.0*	0.5*	
RANGER CONSTRUCTION INDUST(2007)						RIDE		7.7	7.7	7.7	7.5	7.4	7.5	7.1	7.2	7.1	7.0	6.9	6.8	6.7	6.5	
4487871	4.484	6.314	C	2025	0012																	
70080000	3.149	4.114	L	1	1 45	CRACKING		8.0			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
A1A			2	6.0	32500	RIDE		8.2			8.6	8.3	7.8	7.2	7.8	8.0	7.6	8.0	7.9	7.9		
RAMP 004(4.0L)					OGFC																	
4344171	3.140	4.114	C	2017	0012	CRACKING		8.0	8.0	8.0	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	6.5	
MASCI GENERAL CONTRACTORS (2020)						RIDE		8.2	7.9	8.1	7.9	7.8	7.8		8.2	8.2	7.9	8.1	8.2	8.1	7.9	
70080000	0.000	3.149	L	1	1 40	CRACKING		9.5	7.0	7.0	7.0	6.0*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
A1A			2	4.2	34500	RIDE		7.8	7.7	7.6	7.5	7.0	6.7	6.5	6.8	7.9	7.6	7.3	7.6	7.5		
COCOA BCH CSWY/520(0.0C)					FC125M																	
4171591	0.000	3.200	C	2006	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	7.5	8.0	5.5*	
COMMUNITY ASPHALT CORP. (2008)						RIDE		7.5	7.6	7.5	7.2	7.1	7.2	7.0	7.1	7.0	7.2	7.0	7.0	6.9	6.6	
4526881	0.028	3.137	C	2027	0226																	
70100000	0.000	2.799	R	1	1 65	CRACKING		10.0	8.0	9.5	9.5	9.5				10.0	10.0	10.0	10.0	10.0		
520			2	14.0	16600	RIDE		8.9	8.8	8.7	8.6	8.2				8.1	8.1	8.1	8.0	7.9		
					FC5M																	
4439571	0.038	2.748	C	2022	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.0	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	8.5	
V. A. PAVING, INC. (2023)					SPRIDE			7.9	7.8	7.7	7.8	7.8	7.8	7.5	7.6	7.4	7.5	8.5	8.4	8.3	8.1	
70100000	2.799	4.187	R	1	1 55	CRACKING		10.0	9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0		
520			2	8.8	22500	RIDE		9.0	8.8	8.8	8.7	8.3			7.7	7.7	7.7	7.6	7.5	7.3		
HUNTER HILLS FARM(3.8R)					OGFC																	
2374741	3.070	4.169	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	0.0*	
WESTWIND CONTRACTING, INC.(2007)					SPRIDE			7.4	7.4	7.2	7.3	7.3	7.4	7.1	7.2	7.1	7.2	7.1	7.6	7.5	7.3	
4528851	2.778	4.728	C	2027	0226																	
70100000	4.187	4.700	R	1	1 50	CRACKING		10.0	9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0		
520			2	8.8	22500	RIDE		9.0	8.8	8.8	8.7	8.3			7.7	7.7	7.7	7.6	7.5	7.3		
CR 520(4.3R)					FC125																	
2375321	4.169	4.624	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	8.0	7.6	5.0*	
WESTWIND CONTRACTING, INC.(2007)					SPRIDE			7.4	7.4	7.2	7.3	7.3	7.4	7.1	7.2	7.1	7.2	7.1	6.0*	5.9*	5.6*	
4528851	2.778	4.728	C	2027	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030		
ITMSEG-P	(AGE ONE YEAR)			FY-F	WKMX-F															(PMRS)		
ITMSEG-F																						
70100000	4.700	7.740	R 1	1 55	CRACKING	3.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0		
520			2 8.8	22500	RIDE	7.5	7.3	8.7	8.6	8.0	8.0	8.0	7.8	8.0	8.0	7.9	7.8	7.6	7.6			
TUCKER LN(4.7R)				FC5M																		
4324431	4.700	7.740	C 2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	9.7	8.0		
P & S PAVING, INC.			(2020)		RIDE	7.5	7.5	7.2	7.7	7.8				8.3	8.3	8.2	8.2	8.1	8.3	8.1		
70100000	7.740	8.831	R 1	1 40	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5			
520			2 11.0	28000	RIDE	6.4*	6.0*	7.7	7.6	7.2	6.5	6.7	6.9	6.7	6.2	6.2	6.1	6.2	6.3			
VARR AVE(8.0C)				FC125																		
4034281	7.809	8.655	C 2001	0008	CRACKING	8.5	8.5	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	6.1*	3.0*		
APAC-FLORIDA, INC			(2002)		SPRIDE	6.2	5.6	6.0	5.8	5.9	6.1	5.8	5.5	5.7	5.6	5.4*	5.0*	5.4*	5.1*			
70100000	8.831	9.390	C 1	8 35	CRACKING	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0			
520			3 16.8	14000	RIDE	6.8	6.9	6.9	6.2	4.7*	4.9*	4.6*	4.3*	4.3*	6.7	6.6	6.5	6.4				
SR 520 WB(8.8L)				FC125																		
4135761	8.844	9.390	C 2008	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5				
COMMUNITY ASPHALT CORP.			(2009)		RIDE	6.2	6.2	6.1	5.6	5.2*	5.7	5.5	5.4*	5.3*	4.8*	4.8*	4.8*	4.9*				
4428851	7.700	9.390	L 2023	0012																		
70100000	9.830	9.955	C 1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5			
520			3 16.8	14000	RIDE	8.0	7.7	7.9	8.1	7.7	7.7	7.5	7.8	7.8	7.3	7.8	7.7	7.7	7.3			
KING ST(10.0L)				FC125R																		
			(2015)		CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	6.5		
					RIDE	7.5	7.5	8.1	7.6	7.6	7.6	7.4	7.5	7.2	7.4	7.1	7.2	7.0	7.0	6.7		
70100000	9.955	10.836	R 1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0			
520			3 15.9	32000	RIDE	8.5	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.8	7.6	7.2			
SIDE ROAD(10.1C)				FC125R																		
			(2015)		CRACKING	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	7.0		
					RIDE	7.3	7.0	8.1	7.9	7.5	7.9	7.7	7.5	7.7	7.6	7.4	6.8	7.1	6.8			
70100000	10.836	13.116	R 1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0			
520			3 0.5	24500	RIDE	8.7	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8	7.7	7.8	7.6	7.2				
GOODWIN DR(10.9R)				FC125A																		
4311391	10.836	13.116	C 2014	0012	CRACKING	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	7.0			
COMMUNITY ASPHALT CORP.			(2017)		RIDE	7.3	7.0	7.0	7.3	8.0	7.9	8.0	7.9	8.0	7.9	7.8	7.8	7.8	7.5			
70100000	13.116	15.684	R 1	1 55	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5			
520			2 4.0	24000	RIDE	6.9	6.8	8.0	8.0	7.5	7.3	7.3	7.4	7.4	7.2	7.4	7.2	7.2	7.3			
4428731	13.161	15.685	C 2022	0012	CRACKING	9.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0			
OHLA USA, INC.			(2024)		SPRIDE	7.1	7.2	6.9	7.2	7.1	7.3	7.2	7.2	7.2	7.2	7.1	7.1	8.2	8.1	7.9		
70100000	15.684	16.316	R 1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0			
520			2 4.0	24000	RIDE	7.2	7.1	7.4	7.4	6.7	6.7	6.6	6.6	6.8	6.8	6.8	6.8	6.3	6.5			
WEST END DR(16.0R)				FC125M																		
4344172	15.685	16.316	C 2017	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5		
MASCI GENERAL CONTRACTORS			(2019)		RIDE	6.4	6.4	6.6	6.2	6.3	6.7	7.7	7.1	7.4	7.4	7.3	7.3	7.3	7.0			
70100000	15.684	16.316	L 1	1 35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0			
520			2 4.0	24000	RIDE	7.8	7.3	7.7	7.4	7.2	6.7	6.6	7.2	7.1	7.2	7.1	6.9	7.0				
BANANA RIVER BLVD N(16.2L)				FC125M																		
4344172	15.685	16.316	C 2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	5.4*	10.0	10.0	10.0	10.0	10.0	9.5	8.0			
MASCI GENERAL CONTRACTORS			(2019)		RIDE	6.9	6.8	6.7	5.9	5.8	5.4*	6.5	6.7	6.7	6.9	7.0	6.8	6.8	6.5			
70100000	13.116	15.684	L 1	1 55	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5			
520			2 4.0	24000	RIDE	7.7	7.5	8.6	8.6	8.0	7.3	7.3	7.4	7.5	7.5	7.5	7.6	7.3				
SIDE ROAD L(13.5L)				FC5M																		
4428731	13.161	15.685	C 2022	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.2	8.0			
OHLA USA, INC.			(2024)		SPRIDE	6.8	6.9	6.6	7.4	7.5	7.6	7.4	7.4	7.4	7.3	7.4	8.3	8.3	8.1			
70100000	10.836	13.116	L 1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0			
520			3 0.5	24500	RIDE	8.5	8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5	7.3	7.2	7.1	6.9				
SHOPPING PLZ(11.1C)				FC125A																		
4311391	10.836	13.116	C 2014	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.0		
COMMUNITY ASPHALT CORP.			(2017)		RIDE	6.8	6.8	6.9	7.4	8.3	7.8	8.2	8.1	8.1	8.1	8.0	7.9	7.7	7.4			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

										DISTRICT = 5			COUNTY = BREVARD														
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE					
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012							
INTERSECT AT (MP SIDE)		(MP SIDE)			SURFTYPE		=====																				
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P	ASTYPE		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030						
CONTRACTOR (AGE ONE YEAR)																					(PMRS)						
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																						
70100000	9.955	10.836	L 1	1 45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0							
520			3 15.9	32000	RIDE	8.4		8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5	7.3	7.2	7.1	6.9								
SIDE ROAD(10.1C)				FC125R																							
			(2015)		CRACKING	7.0		7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.0						
					RIDE	6.8		6.8	8.0	7.6	7.5	7.7	7.8	7.6	7.7	7.6	7.6	7.4	7.6	7.3							
70100000	7.740	8.831	L 1	1 40	CRACKING	9.5		9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5							
520			2 11.0	28000	RIDE	6.8		6.9	7.3	6.8	6.7	6.6	6.2	6.7	6.5	6.4	6.4	5.9	6.3								
VARR AVE(8.0C)				FC125																							
4034281	7.809	8.655	C 2001	0008	CRACKING	8.5		8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.8	4.0*						
APAC-FLORIDA, INC			(2002)	SPRIDE		6.2		6.0	5.7	5.6	5.7	5.6	5.3*	5.3*	5.3*	5.2*	5.1*	5.0*	4.9*	4.6*							
4428851	7.700	9.390	L 2023	0012																							
70100000	4.700	7.740	L 1	1 55	CRACKING	3.5*		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0							
520			2 8.8	22500	RIDE	7.8		7.6	8.6	8.5	8.0	7.9	7.6	8.1	8.0	7.8	7.8	7.5	7.5								
TOWNSEND AVE L(5.0L)				FC5M																							
4324431	4.700	7.740	C 2017	0012	CRACKING	7.0		6.5	6.5	6.5	5.5*			10.0	10.0	10.0	10.0	10.0	9.6	7.5							
P & S PAVING, INC.			(2020)	RIDE		7.5		7.2	7.2	7.1	7.1			8.2	8.3	8.2	8.2	8.0	7.8	7.6							
70100000	2.799	4.700	L 1	1 55	CRACKING	10.0		9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0							
520			2 8.8	22500	RIDE	9.0		8.8	8.8	8.7	8.3			7.9	8.1	8.1	8.1	7.8	8.0								
SR 524(2.9L)				OGFC																							
2374741	3.070	4.169	C 2004	0213	CRACKING	10.0		10.0	9.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.2*	2.0*							
WESTWIND CONTRACTING, INC.(2007)			(2007)	SPRIDE		7.8		7.8	7.9	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.3	7.1							
4528851	2.778	4.728	C 2027	0226																							
70100000	0.000	2.799	L 1	1 65	CRACKING	10.0		8.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0							
520			2 14.0	16600	RIDE	8.9		8.8	8.7	8.6	8.2			8.0	8.0	8.0	8.0	7.9	7.9								
CANAVERAL GROVE BLVD(1.7L)				FC5M																							
4439571	0.038	2.748	C 2022	0012	CRACKING	10.0		9.5	8.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	8.5							
V. A. PAVING, INC.			(2023)	SPRIDE		7.9		7.8	7.8	7.9	7.9	7.9	7.9	8.0	8.0	8.0	8.6	8.5	8.5	8.3							
70100001	0.000	0.134	C 1	1 40	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5							
520			2 16.8	14000	RIDE	7.9		7.9	8.0	8.1	7.3	7.4	7.3	7.5	7.4	7.6	7.4	7.2	7.4								
SR-520 EAST BOUND(0.0L)				FC125R																							
			(2015)		CRACKING	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	7.0						
					RIDE	7.1			8.5	8.1	8.0	8.0	8.0	7.9	7.9	7.5	7.6	7.8	7.8	7.5							
70100001	0.582	1.142	C 1	2 35	CRACKING	8.0		7.0	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0							
520			3 16.8	14000	RIDE	6.3*		6.2*	5.9	5.8	5.1*	5.2*	5.1*	4.4*	4.4*	7.3	7.0	6.7	6.3								
RIVEREDGE DR(0.7L)				FC125																							
4135761	0.639	1.193	C 2008	0012	CRACKING	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.5*	3.0*							
COMMUNITY ASPHALT CORP.			(2009)	RIDE		6.3		6.2	5.9	4.7*	4.7*	4.7*	4.3*	4.1*	4.1*	4.1*	3.7*	3.7*	3.2*	2.9*							
4428851	0.578	1.142	C 2023	0012																							
70110000	0.000	5.061	R 1	1 65	CRACKING	9.5		8.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5							
50			2 8.9	16200	RIDE	8.8		8.7	8.6	8.5			7.9	7.9	8.2	8.0	7.7	7.9	7.9	7.6							
GREAT OUTDOORS RESORT(4.5R)				FC5M																							
4373451	0.040	5.101	C 2019	0012	CRACKING	9.5		8.0	8.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.9	8.0							
RANGER CONSTRUCTION INDUST(2021)			(2021)	RIDE		7.6		7.4	7.3	7.8	7.7	7.6	7.6	7.9	8.7	8.6	8.6	8.6	8.6	8.4							
70110000	5.061	5.561	R 1	1 45	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	6.5	6.5							
50			2 8.0	28500	RIDE	7.6		8.6	8.5	8.5	7.0	7.5	7.0	7.6	7.5	6.5	7.1	7.0	7.0								
WINDOVER WAY(5.3R)				FC5																							
4248901	5.235	8.462	C 2012	0012	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	3.5*	0.5*						
P & S PAVING, INC.			(2014)	RIDE		6.6		8.2	8.0	7.8	7.9	7.7	7.7	7.6	7.6	7.5	7.5	7.3	6.5	6.3							
70110000	5.561	8.540	R 1	1 50	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0							
50			2 5.9	15500	RIDE	7.9		7.7	7.5	7.7	7.2	7.1	7.0	7.0	7.0	7.2	6.2*	6.9	7.0	6.8							
CATHEDRAL WAY(5.9R)				FC125R																							
4248901	5.235	8.462	C 2012	0012	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.9	7.0						
P & S PAVING, INC.			(2014)	RIDE		6.9		8.2	8.0	7.8	7.9	7.7	7.7	7.6	7.6	7.5	7.5	7.3	7.3	7.0							
70110000	5.561	8.540	L 1	1 50	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5							
50			2 5.9	15500	RIDE	7.5		7.4	7.1	7.1	6.6	6.2*	6.2*	7.0	6.9	6.9	6.8	6.7	6.6								
CAMELOT DR(5.9L)				FC125R																							
4248901	5.235	8.462	C 2012	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	7.0						
P & S PAVING, INC.			(2014)	RIDE		6.6		8.0	7.8	7.7	7.7	7.6	7.5	7.5	7.5	7.3	7.4	7.4	7.0	7.2	6.9						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
70110000	5.061	5.561	L 2	1 8.0	45 28500	CRACKING RIDE		3.0* 6.4*	10.0 8.3	10.0 7.9	10.0 8.0	10.0 7.5	10.0 7.3	10.0 7.2	10.0 7.5	8.0 7.3	7.0 6.6	6.5 7.2	6.5 7.1	6.5 6.8		
50					FC5																	
SERPENTINE RD(5.4L)																						
4248901	5.235	8.462	C 2012	0012		CRACKING RIDE		5.5* 6.7	10.0 8.0	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.6	10.0 7.5	10.0 7.5	8.5 7.3	8.5 7.4	8.5 7.4	8.5 7.0	3.5* 6.9	0.5* 6.7	
P & S PAVING, INC.			(2014)																			
70110000	0.000	5.061	L 2	1 8.9	65 16200	CRACKING RIDE		5.0* 8.1	4.0* 7.6	4.0* 7.9	3.5* 7.6		10.0 8.0	10.0 7.9	10.0 8.2	10.0 8.2	10.0 7.8	10.0 8.0	10.0 7.9	9.5 7.7		
50					FC5M																	
HACIENDA DR(2.8L)																						
4373451	0.040	5.101	C 2019	0012		CRACKING RIDE		8.0 7.7	7.0 7.4	7.0 7.2	7.0 7.7	6.5 7.7	6.5 7.4	5.5* 7.6	3.5* 7.6	10.0 8.6	10.0 8.6	10.0 8.6	10.0 8.6	9.8 8.4	8.0 8.2	
RANGER CONSTRUCTION INDUST(2021)			(2021)																			
70120000	0.000	0.506	R 3	1 11.8	45 27500	CRACKING RIDE		3.5* 6.8	10.0 7.4	10.0 7.1	9.5 6.4*	9.5 5.7*	9.5 6.3*	9.5 5.9	8.0 6.4	6.5 5.9	6.5 7.8	6.5 7.2	6.5 7.7	9.5 7.9		
518					DGFC																	
JONES RD(0.0C)																						
			(2024)			CRACKING RIDE		9.5 7.8	9.5 7.8	9.5 7.9	9.5 7.1	9.5 6.5	9.5 7.0	9.0 7.1	8.0 6.9	7.0 7.1	7.0 6.9		10.0 7.0	10.0 6.7	9.0 6.4	
70120000	0.923	2.258	C 2	1 14.7	45 13100	CRACKING RIDE		10.0 8.5	9.5 7.8	10.0 8.2	10.0 8.0	10.0 7.7	10.0 7.6	10.0 7.1	9.5 7.6	7.0 7.4	6.0* 6.9	6.0* 7.2	6.0* 7.1	6.0* 7.0		
5054					FC125M																	
PEPSI COLA DR(1.1R)			(2014)			CRACKING RIDE		6.0* 6.6	10.0 7.8	10.0 7.7	10.0 7.5	10.0 7.4	10.0 7.3	9.0 7.1	9.0 7.0	8.0 7.0	8.0 6.8	6.5 6.6	6.5 7.2	6.5 7.1	4.5* 6.8	
4542191	0.923	2.268	C 2029	0226																		
70120000	5.257	5.715	C 2	1 2.2	30 17500	CRACKING RIDE		3.5* 5.8*	3.0* 5.2*	3.0* 5.1*	3.0* 5.2*	10.0 4.9*	10.0 6.9	10.0 6.4	10.0 7.0	10.0 6.9	10.0 6.9	10.0 6.8	8.5 6.8	8.5 6.7		
518					DGFC																	
SR 5(5.3L)																						
4428811	5.274	5.590	C 2022	0012		CRACKING RIDE		8.5 6.4	8.5 6.4	8.5 6.5	7.0 6.0	6.5 5.9	5.5* 6.0	3.5* 6.4	3.5* 5.9	1.0* 5.8	1.0* 5.9	1.0* 5.7	10.0 6.6	10.0 6.8	9.0 6.5	
OHLA USA, INC.			(2024)		SPRIDE																	
70120000	5.715	5.836	R 2	1 2.2	45 35000	CRACKING RIDE		8.0 8.7	7.0 8.6	7.0 8.4	7.0 8.4	7.0 7.7	6.5 7.2	6.5 7.2	6.5 6.7	6.5 7.1	6.5 7.0	10.0 7.9	10.0 7.9	10.0 7.9		
518					OGFC																	
4119971	5.592	8.390	C 2009	0012		CRACKING RIDE		10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	8.5 8.5	4.5* 4.5*	
PREFERRED MATERIALS, INC. (2010)			(2010)																			
70120000	6.385	7.032	R 2	1 2.2	45 35000	CRACKING RIDE		8.0 8.3	7.0 8.2	7.0 8.1	6.0* 8.0	6.0* 6.6	4.5* 7.2	4.5* 6.1	4.5* 6.3	3.5* 6.1	3.5* 5.9	10.0 8.4	10.0 8.1	10.0 8.2		
518					DGFC																	
4119971	5.592	8.390	C 2009	0012		CRACKING RIDE		10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.1	10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.7	8.5 7.8	8.5 7.6	8.5 7.7	8.5 7.6	7.5 7.7	5.5* 7.4	
PREFERRED MATERIALS, INC. (2010)			(2010)																			
70120000	7.032	8.398	R 2	1 15.9	45 20300	CRACKING RIDE		8.0 8.3	8.0 8.4	8.0 8.1	7.0 8.0	7.0 7.2	4.5* 7.2	4.5* 6.9	4.5* 7.0	3.5* 7.1	3.5* 6.8	10.0 7.8	10.0 7.8	10.0 7.6		
518					DGFC																	
SR-513(7.3R)																						
4119971	5.592	8.390	C 2009	0012		CRACKING RIDE		10.0 7.7	10.0 7.5	10.0 7.4	10.0 7.5	10.0 7.6	10.0 7.4	10.0 7.2	10.0 7.3	9.5 7.2	9.5 7.1	8.5 7.1	8.5 6.9	7.2 7.0	5.0* 6.7	
PREFERRED MATERIALS, INC. (2010)			(2010)																			
70120000	7.032	8.398	L 2	1 15.9	45 20300	CRACKING RIDE		9.0 8.5	7.5 7.9	7.5 7.9	7.5 7.4	7.5 7.0	4.5* 7.1	4.5* 6.4	4.5* 7.1	3.5* 6.5	3.5* 6.4	10.0 8.0	10.0 8.0	10.0 7.9		
518					DGFC																	
CR 3(7.3L)																						
4119971	5.592	8.390	C 2009	0012		CRACKING RIDE		10.0 7.4	10.0 7.0	10.0 7.1	10.0 7.0	10.0 6.4	10.0 6.8	10.0 6.7	10.0 6.7	8.5 7.0	8.5 6.9	7.5 6.8	7.5 6.7	7.6 6.5	5.5* 6.2	
PREFERRED MATERIALS, INC. (2010)			(2010)																			
70120000	6.385	7.032	L 2	1 2.2	45 35000	CRACKING RIDE		8.5 8.6	8.5 8.5	7.0 8.3	6.5 8.3	6.5 7.3	4.5* 7.4	4.5* 6.9	4.5* 7.1	3.5* 6.5	3.5* 6.4	10.0 8.8	10.0 8.6	10.0 8.7		
518					DGFC																	
4119971	5.592	8.390	C 2009	0012		CRACKING RIDE		10.0 8.6	10.0 8.5	10.0 8.4	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.3	10.0 8.2	8.5 8.2	8.5 8.2	8.5 8.2	8.5 8.1	8.6 8.2	6.5 7.9	
PREFERRED MATERIALS, INC. (2010)			(2010)																			
70120000	5.715	5.836	L 2	1 2.2	45 35000	CRACKING RIDE		10.0 8.5	10.0 8.3	10.0 8.4	10.0 8.2	10.0 7.7	9.5 7.8	9.5 7.2	9.5 7.7	8.0 7.0	7.0 7.7	10.0 8.6	10.0 8.6	10.0 8.5		
518					OGFC																	
EAU GALLE(5.7L)																						
4119971	5.592	8.390	C 2009	0012		CRACKING RIDE		10.0 8.3	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	8.4 8.2	4.5* 4.5*	
PREFERRED MATERIALS, INC. (2010)			(2010)																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
ITMSEG-P	(AGE ONE YEAR)																				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																
ITMSEG-F																					
70120000	0.000	0.506	L 1	1	45	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
518			2 11.8	27500		RIDE	7.6	7.6	7.7	7.8	7.4	7.0	7.8	8.4	8.1	8.1	8.1	8.1	8.1	8.0	
JONES RD(0.0C)						DGFC															
			(2024)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0		10.0	10.0	9.0
						RIDE	7.9	7.3	7.8	6.9	7.4	7.8	7.7	7.7	7.5	7.4			7.7	7.7	7.4
70120001	0.000	0.445	C 1	6	30	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	4.5*	
518			2 2.2	17500		RIDE	5.2*	5.3*	4.9*	4.7*	4.9*	4.9*	4.5*	4.7*	4.7*	4.2*	4.2*	4.4*	3.8*	4.1*	
MONTREAL AVE(0.0C)						FC125M															
4323421	0.085	0.343	C 2016	0012		CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.9	6.5
MASCI GENERAL CONTRACTORS (2019)						RIDE	4.1*	4.0*	4.2*	3.0*	3.1*	2.9*									
70120003	0.000	0.049	C 1	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	
5054			1 14.7	13100		RIDE															
EAU GALLIE BLVD(0.0C)																					
4272751	0.000	0.049	C 2013	0012		CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.0*
MASCI GENERAL CONTRACTORS (2014)						RIDE															
4542191	0.013	0.049	C 2029	0226																	
70120004	0.000	3.087	R 1	1	50	CRACKING	5.0*	4.0*	4.0*	4.0*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
518			2 5.8	19500		RIDE	7.2	7.0	6.9	6.6	5.8*	8.2	8.0	8.3	8.2	8.1	8.0	7.9	7.9	7.9	
CR 511(0.0C)						FC125															
4116721	0.100	3.038	C 2003	0012		CRACKING	9.5	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*	
PREFERRED MATERIALS, INC. (2005)						RIDE	7.7	7.6	7.3	7.7	7.5	7.6	7.4	7.3	7.4	7.3	7.3	7.1	7.0	6.7	
4452131	0.409	3.426	C 2026	0226																	
70120004	3.087	3.755	C 1	1	45	CRACKING	9.0	9.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0		
518			4 4.9	18500		RIDE	7.0	6.5	6.0*	6.1*	5.6*	7.3	7.0	7.3	7.0	6.6	6.6	6.6	6.1	6.4	
ISABELLA DR(3.3L)						FC95MR															
4323421	3.087	4.452	C 2016	0012		CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6	7.0
MASCI GENERAL CONTRACTORS (2017)						RIDE	6.1	5.9	5.9		6.9	7.1	6.8	6.6	6.6	6.7	6.2	6.1	6.1	5.8	
4452131	0.409	3.426	C 2026	0226																	
70120004	3.755	4.452	C 1	1	35	CRACKING	9.5	9.5	9.0	8.0	9.5	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0		
518			4 4.9	18500		RIDE	5.7*	6.1*	6.3	6.2	5.6	7.3	7.0	7.3	7.0	6.6	6.6	6.1	6.4		
MOSSWOOD DR(3.8L)						FC125M															
4323421	3.087	4.452	C 2016	0012		CRACKING	7.0	7.0	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.3	7.0	
MASCI GENERAL CONTRACTORS (2019)						RIDE	6.1	5.9	5.9	5.3*	5.2*	4.9*	5.9	5.2*	5.5	5.4*	5.1*	4.7*	4.7*	4.4*	
70120004	0.000	3.087	L 1	1	50	CRACKING	6.0*	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
518			2 5.8	19500		RIDE	7.4	7.4	7.1	6.8	5.9*	8.3	8.2	8.3	8.2	8.1	7.9	7.8	7.8		
CR 511(0.0C)						FC125															
4116721	0.100	3.038	C 2003	0012		CRACKING	9.5	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.1*	3.5*	
PREFERRED MATERIALS, INC. (2005)						RIDE	7.5	7.4	7.3	7.3	7.3	7.0	7.1	6.9	7.2	7.1	7.1	6.7	6.7	6.4*	
4452131	0.409	3.426	C 2026	0226																	
70140000	0.000	1.010	R 1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0		
3			2 7.3	28000		RIDE	7.3	7.2	6.9	6.9	6.1	6.2	5.8	6.1	6.2	6.0	6.3	5.8	5.7		
MERRITT ISLAND CSWY(0.0C)						FC125A															
4306681	0.010	0.999	C 2015	0012		CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	6.5	
MASCI GENERAL CONTRACTORS (2017)						RIDE	5.2*	5.7	5.5	5.7	6.6	6.6	6.5	6.4	6.1	6.3	6.3	5.9	5.7	5.4*	
70140000	1.010	3.368	R 1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	10.0		
3			2 2.2	34000		RIDE	8.3	8.0	8.0	7.9	7.6	7.5	7.5	7.7	7.7	7.7	7.7	7.5	7.6		
CATALINA ISLES(1.1R)						FC125															
4233521	0.902	3.387	C 2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	5.0*	
P & S PAVING, INC. (2012)						RIDE	7.5	7.5	7.5	7.2	7.1	6.9	7.0	6.9	6.8	7.0	6.9	6.6	6.6	6.3	
70140000	3.368	3.858	R 1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0		
3			2 6.4	16000		RIDE	8.0	7.8	7.8	7.8	6.8	6.8	6.5	7.4	7.4	7.5	7.4	7.0	6.5		
FC125M																					
4410131	3.385	9.653	C 2021	0012		CRACKING	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	10.0	10.0	10.0	9.0	
V. A. PAVING, INC. (2023)						SPRIDE	7.1	6.6	6.0	6.9	6.6	6.6	6.6	6.1	6.2	6.7	7.3	7.2	7.3	7.0	
70140000	3.858	9.755	R 1	1	50	CRACKING	9.0	8.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0		
3			2 4.4	14500		RIDE	8.7	8.4	8.4	8.1	7.4	7.1	7.1	7.1	6.7	7.9	7.9	7.8	7.8		
SMITH RD(3.9R)						FC5M															
4410131	3.385	9.653	C 2021	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0	10.0	9.5	8.0	
V. A. PAVING, INC. (2023)						SPRIDE	7.7	7.6	7.6	7.9	7.8	7.8	7.7	7.6	7.7	7.5	8.4	8.3	8.2	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE ONE YEAR)								2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-M	F															(PMRS)
70140000	3.858	9.755	L 1	1	50	CRACKING	4.0*	4.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	
3			2	4.4	14500	RIDE	7.9	7.8			8.5	7.8	7.8	7.7	7.9	7.9	7.8	7.7	7.6	7.5	
GRANT RD(3.9L)					FC5M																
4410131	3.385	9.653	C 2021	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*	2.5*	2.5*				10.0	9.7	8.5
V. A. PAVING, INC.			(2024)		SPRIDE	7.4	7.1	7.2	7.4	7.3	7.2	7.2	7.2	7.3	7.1				8.4	8.5	8.3
70140000	3.368	3.858	L 1	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
3			2	6.4	16000	RIDE	8.2	7.9	7.8	7.8	7.5	7.6	7.6	7.2	7.6	7.5	7.6	7.6	7.5	7.2	
TINGEY DR(3.4L)					FC125M																
4410131	3.385	9.653	C 2021	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	5.5*	10.0	10.0	10.0	10.0	9.0	
V. A. PAVING, INC.			(2023)		SPRIDE	7.5	7.2	7.1	6.6	6.8	6.5	6.4	6.2	5.3*	6.1	7.6					
70140000	1.010	3.368	L 1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	10.0	
3			2	2.2	34000	RIDE	8.1	7.8	7.7	7.7	7.4	7.4	7.4	7.2	7.5	7.5	7.5	7.4	7.3	7.5	
NEVINS CT(1.1L)					FC125																
4233521	0.902	3.387	C 2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.8	5.0*	
P & S PAVING, INC.			(2012)		RIDE	7.5	7.4	7.5	7.3	7.3	7.3	7.1	6.9	7.1	7.1	7.0	7.0	6.9	6.8	6.5	
70140000	0.000	1.010	L 1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	
3			2	7.3	28000	RIDE	7.5	7.2	7.1	7.0	6.6	6.4	6.1	6.8	6.7	6.4	6.4	5.8	5.7		
MERRITT ISLAND CSWY(0.0C)					FC125A																
4306681	0.010	0.999	C 2015	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5
MASCI GENERAL CONTRACTORS			(2017)		RIDE	6.0	6.1	6.2	5.7	7.1	7.2	6.9	6.6	6.6	6.6	7.0	6.9	6.3	6.8	6.5	
70150000	0.000	5.702	C 1	1	55	CRACKING	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	
46			2	6.6	10600	RIDE	7.3	6.9	6.5	6.2*	8.2	8.2	8.2	8.4	8.3	8.3	8.1	8.0	8.0	7.8	
PIT BULL LN(0.8L)					FC125M																
4356581	0.000	4.995	C 2018	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	
HALIFAX PAVING, INC.			(2021)		RIDE	7.6	7.3	7.2	7.4	7.0	6.8	6.9		8.2	8.0	7.9	7.8	7.8	7.8	7.5	
70150000	5.702	6.230	C 1	1	45	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
46			2	6.2	12100	RIDE	8.6	8.5	8.6	8.3	7.9	7.9	7.6	8.2	8.1	8.2	8.1	7.9	7.9		
AUSTRALIAN WAY(6.0L)					FC95																
			(2021)		CRACKING	10.0	9.0	9.0	10.0	10.0	9.0	9.0		8.5	8.5	8.5	8.5	6.8	5.5*		
					RIDE	8.0	7.8	7.7	7.6	7.4	7.3	7.0		7.2	7.3	7.1	6.8	6.3	6.0		
70150000	6.230	7.392	C 1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5		
46			2	6.2	12100	RIDE	8.7	8.0	8.2	8.1	7.8	7.7	7.7	7.8	7.1	7.2	7.5	7.1	7.0		
PALM AVE(6.3L)					FC125M																
4323981	6.230	7.392	C 2018	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	9.6	8.5		
HALIFAX PAVING, INC.			(2021)		RIDE	7.1	6.9	6.6	7.2	7.1	7.0	6.5		8.0	8.1	7.9	7.8	7.6	7.3		
70160000	0.000	0.425	C 1	1	55	CRACKING	6.0*	10.0	10.0	5.5*	9.0	9.0	9.0	9.0	3.5*	3.5*	10.0	10.0	10.0	10.0	
405			4	10.9	14800	RIDE	7.3	6.6	6.9	6.8	6.8	6.3*	5.6*	5.6*	5.4*	5.3*	7.8	7.6	7.9	7.6	
BREVARD SERVICE COMP(0.0C)					FC125M																
4155181	0.000	0.247	C 2007	0012	CRACKING	10.0	10.0	10.0	9.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	5.5*	
V. A. PAVING, INC.			(2009)		SPRIDE	7.5	7.9	7.3	6.8	7.5	6.7	6.6	6.5	6.5	6.5	6.8	6.6	6.4*	6.4*	6.1*	
70160000	0.425	1.537	C 1	1	55	CRACKING	10.0	8.5	7.0	6.0*	4.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	
405			2	10.9	14800	RIDE	8.0	7.8	7.5	7.4	6.2*	6.3*	5.9*	6.0*	5.9*	5.9*	8.2	8.1	8.0	7.9	
LILLIAN BLVD(0.6R)					FC125M																
4155181	0.247	4.359	C 2007	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5	7.0	4.5*	
V. A. PAVING, INC.			(2009)		SPRIDE	7.9	7.9	7.7	7.3	7.3	7.2	7.1	7.1	7.1	7.1	7.1	7.0	7.0	7.0	6.7	
70160000	1.537	2.937	C 1	1	55	CRACKING	6.0*	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0		
405			2	3.6	12600	RIDE	7.6	7.7	7.4	7.4	7.0	6.6	6.6	6.6	6.6	8.0	7.8	7.8	7.6		
BOBBI LN N(1.7L)					FC125M																
4155181	0.247	4.359	C 2007	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*	
V. A. PAVING, INC.			(2009)		SPRIDE	7.7	7.6	7.6	7.1	7.1	7.1	7.0	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.8	
4431691	1.540	2.950	C 2024	0012																	
70160000	2.937	4.359	C 1	1	55	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	
405			2	3.6	12600	RIDE	7.9	7.8	7.6	7.6	7.3	7.3	7.3	7.1	7.3	7.2	8.2	8.1	8.0	7.9	
SINGLETON AVE(3.4L)					FC125M																
4155181	0.247	4.359	C 2007	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	8.7	6.5	
V. A. PAVING, INC.			(2009)		SPRIDE	8.0	7.9	7.8	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.3	7.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																		
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)		
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																		
70160000	4.359	5.422	R 2	1 5.9	1 35 6500	CRACKING RIDE		6.5 5.0*	9.0 6.4*	9.0 5.8	9.0 5.7	9.0 5.1*	9.0 4.8*	9.0 4.8*	7.5 4.9*	7.5 5.0*	10.0 7.8	10.0 7.3	10.0 7.6	10.0 7.4			
405					FC125M																		
LANE AVE(4.5R)																							
4155181	4.359	5.422	C 2007	0012	CRACKING RIDE			10.0 7.1	10.0 7.0	9.5 6.8	9.5 6.7	9.5 6.7	9.5 6.3	9.5 6.4	9.5 6.4	9.5 6.7	9.0 6.6	9.0 6.7	9.0 6.0	7.6 6.3	5.5* 6.0		
V. A. PAVING, INC.			(2009)		SPRIDE																		
70160000	4.359	5.422	L 2	1 5.9	1 35 6500	CRACKING RIDE		9.5 7.2	9.5 7.1	9.5 6.7	9.5 7.1	9.5 6.2	9.5 6.0	9.5 5.2*	9.0 5.8	9.0 5.9	10.0 7.7	10.0 7.3	10.0 7.5	10.0 7.1			
405					FC125M																		
COLLINS AVE(4.4L)																							
4155181	4.359	5.422	C 2007	0012	CRACKING RIDE			10.0 7.1	10.0 7.0	9.5 6.7	9.5 6.1	9.5 6.2	9.5 6.0	9.5 5.9	9.5 6.4	9.0 5.9	9.0 6.0	8.5 5.9	8.5 5.7	8.2 5.7	6.0* 5.4*		
V. A. PAVING, INC.			(2009)		SPRIDE																		
70160001	0.000	0.332	R 2	1 6.2	1 30 5700	CRACKING RIDE																	
406					DGFC																		
SR 5(0.0C)																							
			(2020)			CRACKING RIDE									9.5 5.3*	8.5 5.2*	8.5 6.8	8.5 6.6	8.5 5.2*	7.7 5.1*	6.5 4.8*		
70160001	1.114	1.732	C 2	1 6.2	1 40 5700	CRACKING RIDE									3.5* 6.4	3.5* 6.2	1.0* 6.2			4.5* 5.6			
406					DGFC																		
GATOR CREEK RD(1.5R)						CRACKING RIDE		4.5* 6.2	4.5* 6.1	4.5* 6.3	3.5* 6.6	3.5* 6.6	3.5* 6.4	0.0* 6.6	0.0* 6.4	0.0* 6.8	0.0* 7.0	0.0* 6.6	3.5* 6.4	3.5* 6.4			
70160001	0.000	0.332	L 2	1 6.2	6 30 5700	CRACKING RIDE																	
406						CRACKING RIDE									10.0 5.1*	9.5 5.0*	9.5 4.7*	9.5	9.5	7.0	5.5*		
SR 5(0.0C)			(2020)																				
70160002	0.609	0.784	C 2	1 22.5	6 30 4400	CRACKING RIDE																	
406					DGFC																		
			(2013)			CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*		
70180000	2.480	3.218	R 3	1 7.2	1 45 4200	CRACKING RIDE		10.0 8.9	10.0 8.3	10.0 8.6	10.0 8.6	10.0 8.1	10.0 7.7	10.0 8.1	9.5 8.4	9.5 8.4	9.5 8.2	9.5 7.9	9.5 8.2				
514					FC3																		
FRONTAGE RD NW(2.7R)																							
2375911	2.612	3.060	C 1997	0213	CRACKING RIDE			9.5 7.9	9.5 8.0	9.5 7.8	9.5 7.8	9.5 7.8	9.5 7.6	9.5 7.6	9.0 7.6	8.0 7.6	8.0 7.4	7.0 7.4	7.0 7.1	7.4 7.4	4.0* 7.1		
RANGER CONSTRUCTION INDUST(2000)			(2000)	S																			
4507291	2.469	3.347	C 2026	0226																			
70180000	3.218	6.742	C 2	1 4.4	1 50 19800	CRACKING RIDE		10.0 8.8	10.0 8.5	10.0 8.8	10.0 8.6	9.5 8.3	9.5 8.2	9.5 8.1	9.5 7.5	8.0 8.1	8.0 7.9	8.0 7.7	8.0 7.8				
514					FC3																		
ENTERPRISE AVE(3.3R)																							
2376721	3.218	6.698	C 1998	0012	CRACKING RIDE			7.0 7.6	7.0 7.5	7.0 7.5	7.0 7.7	7.0 7.7	7.0 7.7	7.0 7.7	6.0* 7.6	6.0* 7.7	6.0* 7.4	6.0* 7.2	6.0* 7.3	6.0* 7.0	2.5* 7.0		
RANGER CONSTRUCTION INDUST(1999)			(1999)	S																			
4344141	3.218	6.742	C 2028	0226																			
70180000	2.480	3.218	L 3	1 7.2	1 45 4200	CRACKING RIDE		10.0 8.8	10.0 8.2	10.0 8.6	10.0 8.2	10.0 7.7	10.0 7.9	10.0 8.2	9.5 8.2	9.5 8.1	9.5 8.1	9.5 7.9	9.5 8.0				
514					FC3																		
MISSING DESCRIPTION I(2.7L)																							
2375911	2.612	3.060	C 1997	0213	CRACKING RIDE			8.0 7.7	8.0 7.8	8.0 7.9	7.0 7.8	7.0 7.9	7.0 7.9	7.0 7.7	6.0* 7.6	6.0* 7.1	6.0* 7.4	6.0* 7.0	6.0* 7.3	6.0* 7.0	3.0* 7.0		
RANGER CONSTRUCTION INDUST(2000)			(2000)	S																			
4507291	2.469	3.347	C 2026	0226																			
70220000	0.000	12.500	R 3	4 14.7	1 70 56580	CRACKING RIDE		10.0 8.9	10.0 8.8	10.0 8.7	9.5 8.6	9.5 8.0	7.5 7.8	6.5 7.7	6.5 7.9	6.5 7.8	6.5 7.8	10.0 8.2	10.0 8.3	10.0 8.3			
9 195	159.8	172.3			FC5M																		
4130721	0.000	12.442	C 2012	0218	CRACKING RIDE					10.0 8.6	10.0 8.6	10.0 8.6	10.0 8.4	10.0 8.7	9.0 8.6	7.5 8.6	6.5 8.5	6.5 8.5	6.5 8.4	4.5* 8.3			
(2016)			(2016)																				
4505951	0.000	12.543	C 2026	0012																			
70220000	12.500	16.485	R 3	4 16.0	1 70 67500	CRACKING RIDE		10.0 9.0	10.0 8.8	10.0 8.7	9.5 8.6	9.5 8.0	7.5 7.8	6.5 7.7	6.5 7.9	6.5 7.8	6.5 7.8	6.5 7.5		10.0 8.1			
9 195	172.3	176.3			FC5M																		
4055063	12.415	16.588	C 2010	0218	CRACKING RIDE			10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.4	10.0 8.4	9.5 8.3	9.0 8.6	7.5 8.6	6.5 8.5	6.5 8.5	6.5 8.4	6.5 8.4	4.0* 8.3			
(2012)			(2012)																				
4489771	12.500	36.585	C 2025	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																									
RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
INTERSECT	AT	(MP)	(SIDE)			LN	%T		AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P					=====															
CONTRACTOR	(AGE ONE YEAR)			FY-F	ASTYPE						2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW		WKMX-F																				
70220000	16.485	21.360	R	4	1 70	CRACKING	10.0	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	6.5									
9 I95	176.3	181.2	3	16.2	70500	RIDE	9.0	8.8	8.7	8.6	8.0	7.8	7.7	7.9	7.8										
					FC5M																				
4055068	16.588	34.669	C	2008	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	4.0*	
				(2013)		RIDE	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.4	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.1	
4489771	12.500	36.585	C	2025	0012																				
70220000	21.360	22.498	R	4	1 70	CRACKING	10.0	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	6.5									
9 I95	181.2	182.3	3	11.5	98500	RIDE	9.0	8.8	8.7	8.6	8.0	7.8	7.7	7.9	7.8										
					FC5M																				
				(2021)																					
4489771	12.500	36.585	C	2025	0012																				
70220000	22.498	34.615	R	4	1 70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5										
9 I95	182.3	194.4	3	7.2	95500	RIDE	9.0	8.8	8.8	8.7	8.1	8.0	8.0	8.2	8.0										
					FC5M																				
4055068	16.588	34.669	C	2008	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.8	4.5*	
				(2013)		RIDE	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.4	8.5	8.4	8.5	8.4	8.5	8.4	8.4	8.3	8.4	8.3	
4489771	12.500	36.585	C	2025	0012																				
70220000	34.615	36.618	R	4	1 70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0						10.0	10.0	10.0		
9 I95	194.4	196.4	3	11.3	98506	RIDE	9.0	8.9	8.9	8.9	8.4	8.3	8.2	8.4	7.7						8.4	8.3	8.3		
					FC5M																				
4055065	34.669	41.503	C	2007	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	3.5*	
				(2010)		RIDE	8.3	8.3	8.2	8.1	8.0	8.0	7.8	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.8	
4489771	12.500	36.585	C	2025	0012																				
70220000	36.618	41.517	R	4	4 70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0							9.5	9.5	9.4		
9 I95	196.4	201.3	3	11.3	98506	RIDE	9.0	8.9	8.9	8.9	8.4	8.3	8.2	8.4	7.7						8.2	8.6	8.7		
					LGD																				
BRIDGE #127	R(41.5C)																								
4055065	34.669	41.503	C	2007	0218	CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.4	9.4	9.4	8.5	
				(2010)		RIDE	8.7	8.7	8.7	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.8	8.9	8.7	8.9	8.7	8.9	8.7	
70220000	36.618	41.517	L	4	4 70	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5						9.5	9.5	9.4		
9 I95	196.4	201.3	3	11.3	98506	RIDE	9.0	9.0	8.8	8.8	8.3	8.2	8.1	8.2	8.1						8.1	8.5	8.4		
					LGD																				
BRIDGE #127	R(41.5C)																								
4055065	34.669	41.503	C	2007	0218	CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.4	9.4	9.4	8.5	
				(2010)		RIDE	8.4	8.6	8.8	9.0	9.0	9.0	9.1	9.1	9.1	9.1	9.1	9.1	9.1	8.9	9.1	9.1	9.1	8.9	
70220000	34.615	36.618	L	4	1 70	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5						10.0	10.0	10.0		
9 I95	194.4	196.4	3	11.3	98506	RIDE	9.0	9.0	8.8	8.8	8.3	8.2	8.1	8.2	8.1						8.2	8.2	8.2		
					FC5M																				
4055065	34.669	41.503	C	2007	0218	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.9*	
				(2010)		RIDE	8.2	8.2	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.8	2.0*	
4489771	12.500	36.585	C	2025	0012																			7.7	
70220000	22.623	34.615	L	4	1 70	CRACKING	8.0	7.0	6.0*	5.5*	5.5*	5.5*	4.0*	4.0*	3.5*										
9 I95	182.4	194.4	3	7.2	95500	RIDE	9.1	8.9	8.7	8.6	7.8	7.6	7.3	7.3	7.3										
					FC5M																				
4055068	16.588	34.669	C	2008	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	
				(2013)		RIDE	8.1	8.1	8.0	8.2	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.1	
4489771	12.500	36.585	C	2025	0012																				
70220000	21.134	22.623	L	4	1 70	CRACKING	9.5	7.0	6.0*	5.5*	5.5*	5.5*	4.0*	4.0*	3.5*										
9 I95	181.0	182.4	3	11.5	98500	RIDE	9.0	8.9	8.7	8.6	7.8	7.6	7.3	7.3	7.3										
					FC5M																				
				(2021)																					
4489771	12.500	36.585	C	2025	0012																				
70220000	16.485	21.134	L	4	1 70	CRACKING	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0										
9 I95	176.3	181.0	3	16.2	70500	RIDE	8.8	8.4	8.1	7.9	7.8	7.9	7.8	8.0	7.9										
					FC5M																				
4055068	16.588	34.669	C	2008	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	2.0*	
				(2013)		RIDE	8.1	8.1	8.0	8.2	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.0	
4489771	12.500	36.585	C	2025	0012																				
70220000	12.473	16.485	L	4	1 70	CRACKING	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0										
9 I95	172.3	176.3	3	16.0	67500	RIDE	8.8	8.4	8.1	7.9	7.8	7.9	7.8	8.0	7.9										
					FC5M																				
4055063	12.415	16.588	C	2010	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.0*	
				(2012)		RIDE	8.0	8.0	8.0	8.4	8.3	8.3	8.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.3	8.4	8.3	
4489771	12.500	36.																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																								
RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE	
INTERSECT	AT	(MP)	(SIDE)	LN	%T	AADT	TYPE		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2030	(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025		
CONTRACTOR	(AGE)	ONE	YEAR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																			
70220000	0.000	12.473	L	4	1	70	CRACKING		9.5	9.5	8.0	7.0	7.0	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0			
9 I95	159.8	172.3	3	14.7	56580	RIDE			9.0	8.7	8.6	8.6	7.8	7.6	7.4	7.5	7.4	8.3	8.2	8.2	8.1			
4130721	0.000	12.442	C	2012	0218	CRACKING							10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	5.2*	3.0*	
4505951	0.000	12.543	C	2026	0012	RIDE							8.6	8.6	8.5	8.5	8.6	8.6	8.6	8.5	8.4	8.5	8.4	
70225000	0.000	3.060	R	4	4	70	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5				9.5	9.5	9.4		
9 I95	201.3	204.4	3	11.7	83500	RIDE			9.0	9.0	8.8	8.8	8.4	8.2	8.3	8.4				8.0	8.3	8.4		
KING ST(	0.000	3.298	C	2007	0218	CRACKING			9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	8.9	9.4	9.4	9.4	9.4	9.4	8.5	
4055065	0.000	3.298	C	2010	0218	RIDE			8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.5	
70225000	3.060	18.075	R	4	1	70	CRACKING		4.5*	3.5*	10.0	10.0	9.5	9.5	9.5	8.0	6.5	4.5*	4.5*	4.5*				
9 I95	204.4	219.4	3	11.7	48500	RIDE			8.2	7.7	8.3	8.3	7.7	7.6	7.5	7.7	7.5	7.4	7.1	6.7				
4055062	3.396	18.408	C	2011	0218	CRACKING						10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	5.9*	3.5*	
4515941	4.762	12.498	C	2027	0012	RIDE					8.4	8.5	8.5	8.4	8.4	8.4	8.6	8.6	8.6	8.5	8.4	8.4	8.3	
70225000	18.075	22.215	R	4	1	70	CRACKING		8.0	7.0	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
9 I95	219.4	223.6	3	19.3	45000	RIDE			9.1	9.0	8.8	8.5	7.9	7.9	7.9	7.9	8.2	8.2	8.2	8.1	8.0	8.0		
4068698	18.309	31.190	C	2012	0218	CRACKING			9.5				10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	3.9*	2.0*		
4507711	12.498	22.215	C	2026	0012	RIDE			7.9				8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.2	8.0	7.9	7.8	
70225000	22.215	31.190	R	4	1	70	CRACKING		10.0	10.0	9.5	9.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0			
9 I95	223.6	232.5	3	20.2	39864	RIDE			9.1	9.0	8.8	8.8	8.2	8.1	8.0	8.1	7.9	7.9	7.9	7.7	7.3	8.4		
4068698	18.309	31.190	C	2012	0218	CRACKING			10.0				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.1	5.0*	
4544731	25.215	31.190	C	2028	0012	RIDE			8.2				8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.2	
70225000	17.900	31.190	L	4	1	70	CRACKING		7.0	6.0*	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	219.2	232.5	3	20.2	39864	RIDE			8.9	8.8	8.5	8.4	7.5	8.0	7.9	8.2	8.2	8.2	8.2	8.1	8.0	8.5		
4068698	18.309	31.190	C	2012	0218	CRACKING			10.0				10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.1*	4.0*		
				(2017)		RIDE			8.4				8.4	8.4	8.3	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.1	
70225000	3.060	17.900	L	4	1	70	CRACKING		4.5*	3.5*	10.0	10.0	9.5	9.5	9.5	7.0	6.0*	5.5*	5.5*	3.5*				
9 I95	204.4	219.2	3	11.7	48500	RIDE			8.6	8.0	8.6	8.7	7.9	7.9	7.7	7.7	7.5	7.2	6.8	7.3				
4055062	3.396	18.408	C	2011	0218	CRACKING						10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	2.5*	
4515941	4.762	12.498	C	2027	0012	RIDE					8.4	8.5	8.4	8.4	8.4	8.4	8.5	8.4	8.5	8.5	8.2	8.2	8.1	
70225000	0.000	3.060	L	4	4	70	CRACKING		10.0	10.0	10.0	9.5	8.0	8.0	8.0	6.5				9.5	9.5	9.4		
9 I95	201.3	204.4	3	11.7	83500	RIDE			8.9	8.8	8.7	8.7	8.2	8.1	7.9	8.0				7.7	8.1	8.2		
KING ST(	0.000	3.298	C	2007	0218	CRACKING			9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.5	9.4	9.4	9.4	8.5	
4055065	0.000	3.298	C	2010	0218	RIDE			8.1	8.3	8.4	8.6	8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.5	
70470000	0.000	0.815	R	5	1	70	CRACKING																	
528	35.8	36.6	2	15.5	56000	RIDE																		
BRIDGE #84	L(	0.000			FC5M																			
4394791	0.000	0.815	C	2018	0012	CRACKING						6.5	5.5*	5.5*	5.5*				10.0	10.0	10.0	8.9	7.5	
PREFERRED MATERIALS, INC. (2022)					SPRIDE							7.4	7.3	7.2	6.9				8.6	8.4	8.4	8.3	8.2	
70470000	0.815	1.670	C	5	1	70	CRACKING																	
528	36.6	37.4	2	15.5	23000	RIDE																		
SR 407 NB(	1.2L)				FC5																			
4394791	0.815	1.670	C	2018	0012	CRACKING						6.5	5.5*	5.5*	3.5*				10.0	10.0	10.0	10.0	8.5	
PREFERRED MATERIALS, INC. (2022)					RIDE							7.8	7.8	7.8	7.7				8.5	8.6	8.6	8.6	8.5	
70470000	1.670	5.928	R	5	1	70	CRACKING																	
528	37.4	41.7	2	15.5	46000	RIDE																		
4394791	1.670	9.956	C	2018	0012	CRACKING						6.5	6.5	6.5	4.5*				10.0	10.0	10.0	10.0	8.5	
PREFERRED MATERIALS, INC. (2022)					RIDE							7.9	7.9	8.0	7.7				8.6	8.6	8.6	8.6	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5										COUNTY = BREVARD																	
RD	WY	ID	SR	US	BMP	G	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE			
INTERSECT	AT	(MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE						2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
ITMSEG-P	CONTRACTOR	(AGE ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
70470000			5.928	9.956	R	5	1	70	CRACKING																		
528			41.7	45.7	2	15.5	36900	FC5M	RIDE								6.5	6.5	6.5	6.5				10.0	9.7	8.5	
						(2024)			CRACKING								8.0	8.0	8.0	8.0				8.6	8.6	8.5	
70470000			5.982	9.956	L	5	1	70	CRACKING																		
528			41.7	45.7	2	15.5	36900	FC5M	RIDE								6.5	6.5	6.5	4.5*				10.0	9.8	8.5	
						(2024)			CRACKING								8.1	8.0	8.1	7.9				8.6	8.6	8.5	
70470000			1.670	5.982	L	5	1	70	CRACKING																		
528			37.4	41.7	2	15.5	46000	FC5M	RIDE																		
4394791			1.670	9.956	C	2018	0012	CRACKING									6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	9.8	8.5
PREFERRED	MATERIALS, INC.				(2022)			RIDE									7.8	7.7	7.9	7.5			8.5	8.5	8.5	8.5	8.4
70470000			0.000	0.815	L	5	1	70	CRACKING																		
528			35.8	36.6	2	15.5	56000	FC5M	RIDE																		
BRIDGE #84			L(0.0C)																								
4394791			0.000	0.815	C	2018	0012	CRACKING									6.5	5.5*	5.5*	5.5*			10.0	10.0	10.0	9.8	8.5
PREFERRED	MATERIALS, INC.				(2022)			SPRIDE									8.0	7.8	7.7	7.7			8.5	8.6	8.6	8.6	8.5
70470100			0.000	0.908	C	5	1	70	CRACKING																		
528					2	15.5	46200	FC5M	RIDE																		
70470000	MP		1.670(0.0C)						CRACKING								6.5	5.5*	5.5*	3.5*				10.0	9.5	8.5	
						(2024)			RIDE								7.4	7.2	7.0	7.1				8.7	8.6	8.5	
70471000			0.000	0.895	C	5	1	55	CRACKING																		
407			0.0	0.9	1	15.5	5050	FC5M	RIDE																		
70470000	EB(0.0R)					(2016)			CRACKING								10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.2	6.0*
									RIDE								8.1	8.1	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.0	7.9
4535401			0.000	4.317	C	2027	0012																				
70471000			0.895	6.788	C	5	1	55	CRACKING																		
407			0.9	6.8	2	9.7	9546	FC5M	RIDE																		
SHEPARD DR(5.5R)						(2016)			CRACKING								10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.4	5.5*
									RIDE								8.5	8.5	8.4	8.4	8.5	8.5	8.4	8.3	8.1	8.1	8.0
4535401			0.000	4.317@	C	2027	0012																				

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 "*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).