

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====													(PMRS)	
ITMSEG-P	(AGE_ONE YEAR)	YEAR						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
70001000	0.000	0.585	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	10.0	10.0	
405			2	7.2		17700	RIDE	8.5	8.3	8.3	7.9	7.8	7.6	8.0	7.9	7.9	7.7	7.7	8.1	8.0	
ACCESS RD(0.0C)																					
4233501	0.068	4.461	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	3.5*
4487911	0.020	4.658	C	2025	(2012)	0226	SPRIDE	8.0	7.9	8.2	8.1	8.0	7.9	8.0	8.0	7.9	7.8	7.8	7.7	6.6	6.4
FC5																					
70001000	0.585	4.406	R	1	7	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	10.0	10.0	
405			2	16.5		16100	RIDE	8.5	8.3	8.3	7.9	7.8	7.6	8.0	7.9	7.9	7.7	7.7	8.1	8.0	
UNSGIGNED(1.1R)																					
4487911	0.020	2.723	R	2025		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	10.0	9.0
P & S PAVING, INC.				(2026)			SPRIDE	8.0	7.9	8.2	8.1	8.0	7.9	8.0	8.0	7.9	7.8	7.8	7.7	8.6	8.4
FC5M																					
70001000	7.875	10.093	R	1	1	55	CRACKING														
405			2	4.2		17500	RIDE														
SPACE COMMERCE WY(10.1R)																					
							CRACKING														6.5
							RIDE														7.4
4564791	6.506	10.076	C	2029		0226															

70001000	7.875	10.093	L	1	1	55	CRACKING														
405			2	4.2		17500	RIDE														
NASA GATE(10.1C)																					
							CRACKING														6.5
							RIDE														6.9
4564791	6.506	10.076	C	2029		0226															

70001000	0.592	4.406	L	1	7	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	10.0	10.0	
405			2	16.5		16100	RIDE	8.4	8.4	8.4	7.8	7.7	7.7	7.9	7.6	7.5	7.4	7.3	7.9	7.8	
KIRKWOOD TR L(1.1L)																					
4487911	0.020	4.406	L	2025		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	10.0	9.0
P & S PAVING, INC.				(2026)			SPRIDE	7.8	7.8	8.0	8.0	7.8	7.8	7.9	7.9	7.9	7.8	7.7	7.7	8.4	8.2
FC5M																					
70001000	0.000	0.592	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	10.0	10.0	
405			2	7.2		17700	RIDE	8.4	8.4	8.4	7.8	7.7	7.7	7.9	7.6	7.5	7.4	7.3	7.9	7.8	
ACCESS RD(0.0C)																					
4233501	0.068	4.461	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	5.5*	2.5*
4487911	0.020	4.658	C	2025	(2012)	0226	SPRIDE	7.8	7.8	8.0	8.0	7.8	7.8	7.9	7.9	7.9	7.8	7.7	7.7	7.1	6.9
FC5																					
70002000	0.000	2.005	R	1	1	40	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
406			2	2.7		16500	RIDE	7.6	7.5	7.5	6.6	7.8	7.5	7.9	7.7	7.8	7.6	7.5	7.5	7.4	
CR 406(0.0C)																					
2376321	0.000	2.949	C	2004		0012	CRACKING	9.5	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.0*
P & S PAVING				(2005)			SPRIDE	7.0	6.9	7.3	7.2	7.1	6.9	6.7	6.9	6.9	6.9	6.9	6.7	6.7	6.6
4506261	0.000	2.022	C	2029		0226															6.3
FC125																					
70002000	2.005	2.949	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	
406			2	2.4		12800	RIDE	6.8	6.3	6.3	6.2	6.1	5.5	6.2	5.7	5.4*	5.1*	5.5	5.6	5.5	
S DIXIE AVE(2.2R)																					
4323991	2.005	2.949	C	2019		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.8	8.2	7.0
MASCI GENERAL CONTRACTORS				(2021)			RIDE	5.4*	5.1*	5.0*	4.8*	4.6*	4.6*	4.4*	6.2	6.3	5.9	6.2	5.8	5.7	5.4*
FC125M																					
70002000	2.005	2.949	L	1	1	40	CRACKING	10.0	10.0	9.5	9.5	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	
406			2	2.4		12800	RIDE	6.6	6.3	6.5	6.2	6.8	6.7	6.8	6.7	6.6	6.4	6.3	6.0	6.1	
PETTY CIR(2.1L)																					
4323991	2.005	2.949	C	2019		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	8.6	8.4	7.0
MASCI GENERAL CONTRACTORS				(2021)			RIDE	5.8	5.8	4.8*	4.9*	4.9*	5.0*	4.5*	5.8	5.9	6.2	5.8	5.8	6.0	5.7
FC125M																					
70002000	0.000	2.005	L	1	1	40	CRACKING	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
406			2	2.7		16500	RIDE	7.9	7.7	7.7	7.0	8.0	7.8	7.7	8.0	8.1	7.5	7.8	7.5	7.3	
CR 406(0.0C)																					
2376321	0.000	2.949	C	2004		0012	CRACKING	9.5	8.5	8.5	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.0*
P & S PAVING				(2005)			SPRIDE	7.4	7.4	7.6	7.4	7.3	7.2	7.0	6.9	7.0	6.9	6.6	6.7	6.7	6.4
4506261	0.000	2.022	C	2029		0226															
FC125																					
70004000	0.451	1.139	R	1	1	50	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
404	0.0	0.7	2	5.4		47500	RIDE	7.5	7.2	7.4	6.5	6.6	7.9	8.1	7.9	8.0	8.1	8.1	8.0	8.0	
OGFC																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	10.0	9.6	10.0	8.5
							RIDE	7.9	7.9	8.0	8.0	8.0	7.9	8.2	8.3	8.1	8.0	8.1	8.1	8.1	7.9
4487851	0.581	4.590	C	2025	(2024)	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	
INTERSECT AT (MP)	AT	(MP)	(SIDE)	W_BMP	W_EMP	W_RW	W_LN	RY-P	WKM-X	WKM-X	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE)	(ONE)	(YEAR)	W_BMP	W_EMP	W_RW	W_LN	FY-F	WKM-X	WKM-X															(PMRS)	
ITMSEG-P																										
ITMSEG-F																										
70004000				1.571	2.173	R	1	1	55	CRACKING	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
404				1.1	1.7	2	5.4	47500		RIDE	8.2	7.9	7.9	6.9	6.9	7.8	8.0	8.0	8.0	8.0	8.0	8.0	7.8	7.8		
										OGFC																
								(2024)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	8.5	
4487851				0.581	4.590	C	2025	0012		RIDE	7.7	7.7	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.6	8.5	8.5	8.4	8.2	
70004000				2.173	4.590	R	1	1	55	CRACKING	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
404				1.7	4.1	2	4.7	41500		RIDE	8.2	7.9	7.9	6.9	6.9	7.8	8.0	8.0	8.0	8.0	8.0	8.0	7.8	7.8		
										OGFC																
								(2024)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
4091651				0.451	4.590	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
										RIDE	7.7	7.7	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.6	8.1	8.1	8.0	7.8	
4487851				0.581	4.590	C	2025	0012																		
70004000				1.571	4.590	L	1	1	55	CRACKING	8.0	8.0	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
404				1.1	4.1	2	4.7	41500		RIDE	8.2	7.9	8.0	6.7		7.7	8.0	8.0	8.0	8.1	8.0	7.9	7.9	7.9		
										FC5																
								(2024)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
4091651				0.451	4.590	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
										RIDE	7.8	7.8	8.0	7.9	7.9	7.8	8.0	8.0	8.0	7.9	7.8	7.8	7.8	7.7	7.5	
4487851				0.581	4.590	C	2025	0012																		
70004000				0.451	1.139	L	1	1	50	CRACKING	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
404				0.0	0.7	2	5.4	47500		RIDE	7.9	7.8	7.5	7.0		7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.8	7.9		
										FC5																
								(2024)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
4091651				0.451	4.590	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
										RIDE	7.8	7.7	7.9	7.9	7.8	7.8	7.7	7.9	7.7	7.7	7.8	7.7	7.7	7.7	7.5	
4487851				0.581	4.590	C	2025	0012																		
70008000				0.000	0.886	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
513						2	3.5	23000		RIDE	8.1	8.1	7.6	7.3	7.4	6.9	7.3	6.9	7.3	7.5	7.5	7.3	7.0	7.0		
										FC4																
								(2024)		CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*	
2374471				0.000	1.221	C	1993	0213		CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*	
										S RIDE	7.2	7.1	6.8	6.5	6.7	6.5	6.5	6.6	6.7	6.8	6.4	6.4	6.4	6.4	6.1	
4487921				0.000	5.235	C	2025	0012																		
70008000				0.886	1.908	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	
513						1	0.8	27000		RIDE	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5	7.4	7.8	7.8	7.6	7.4			
										FC3																
								(2024)		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*	
2374531				0.786	1.988	C	1998	0213		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*	
										S RIDE	7.4	7.4	7.3	7.2	7.1	6.8	6.9	6.9	6.9	6.7	6.6	6.3	6.6	6.6	6.3	
4487921				0.000	5.235	C	2025	0012																		
70008000				1.908	4.985	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		10.0	10.0	10.0		
513						1	4.9	17700		RIDE	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5	7.4		8.0	7.9	7.8			
										FC125																
								(2024)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.2	7.9	5.5*	
2375651				1.913	5.069	C	2009	0218		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.3	6.2	6.4	6.1	
										SPRIDE	7.6	7.6	7.3	7.1	7.1	7.0	6.7	6.8	6.7	6.5	6.3	6.2	6.4	6.4	6.1	
4487921				0.000	5.235	C	2025	0012																		
70008000				4.985	5.253	R	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
513						2	10.6	17300		RIDE	7.7		8.0	7.3	7.3	7.6	6.8	7.4	7.5	7.5	7.5	7.1	6.8	6.3		
										FC125																
								(2024)		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	
2376921				4.369	5.253	C	1999	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	
										SPRIDE	6.1	6.3	6.6	6.7	6.3	6.3	6.0	6.0	6.0	5.7	5.2*	5.4*	5.9	5.6		
4487921				0.000	5.235	C	2025	0012																		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
70008000	0.000	0.886	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
513			2	3.5		23000	RIDE	7.7	7.8	7.6	7.0	7.1	6.3	5.7	5.7	6.1	6.2	6.2	6.1	6.1	
EAU GALLIE BLVD(0.0C)																					
2374471	0.000	1.221	C	1993		0213	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.0*
D.A.B. CONSTRUCTORS, INC (1995) S RIDE																					
4487921	0.000	5.235	C	2025		0012		6.3	6.2	5.7	5.9	5.8	5.3*	5.3*	5.2*	5.5	5.3*	5.4*	5.5	5.3*	5.0*

70010000	0.000	8.835	R	1	1	55	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	
5	1		2	6.0		18532	RIDE	8.4	8.3	8.1	7.1	6.9	7.9	8.1	8.1	8.0	8.0	7.8	7.8	7.7	
BEG OF BRIDGE 700224(0.0C)																					
4356571	0.186	8.821	R	2022		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	9.2	8.0
PREFERRED MATERIALS, INC. (2025) SPRIDE																					
70010000	8.835	10.233	R	1	1	55	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
5	1		2	6.0		18532	RIDE	8.4	8.3	8.2	7.0	7.1	7.6	7.8	7.5	7.6	7.8	7.7	7.7	7.6	
HUGGINS DR(9.7R)																					
4470921	8.811	9.810	R	2024		0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	10.0	9.0
V. A. PAVING, INC. (2026) SPRIDE																					
70010000	10.233	11.241	R	1	1	50	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
5	1		2	6.0		18532	RIDE	8.4	8.3	8.2	7.0	7.1	7.6	7.8	7.5	7.6	7.8	7.7	7.7	7.6	

4470921	9.858	11.244	R	2024		0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	10.0	9.0
V. A. PAVING, INC. (2026) SPRIDE																					
70010000	11.241	11.580	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	10.0	10.0	9.5	9.5	9.5	9.5	
5	1		2	6.0		24500	RIDE	8.6	8.6	8.6	7.9	7.9	7.6	7.6	7.8	7.5	7.6	7.8	7.7	7.7	7.6

4438141	11.244	15.020	R	2025		0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	5.5*	8.9
V. A. PAVING, INC. (2026) SPRIDE																					
70010000	11.580	15.071	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	
5	1		2	6.0		24500	RIDE	8.6	8.6	8.6	7.9	7.9	7.6	7.8	7.8	7.8	8.0	7.9	7.9	7.8	

4135891	11.390	15.010	C	2006		0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.4*	1.5*
PREFERRED MATERIALS, INC. (2008) SPRIDE																					
4438141	11.244	15.020	C	2025		0012		7.8	7.8	7.9	7.9	7.9	7.8	7.9	7.9	7.9	7.9	7.8	7.9	7.8	7.6
70010000	15.071	16.256	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
5	1		3	5.1		30000	RIDE	8.7	9.0	9.1	8.4	8.4	8.3	8.4	7.6	7.3	7.9	7.7	7.6	7.6	

2374801	15.071	16.177	C	1998		0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	4.0*
RANGER CONSTRUCTION INDUST(2001) S RIDE																					
4487931	15.020	17.054	C	2025		0012		7.4	7.3	7.8	7.9	7.8	7.7	7.8	7.9	7.8	7.8	7.7	7.4	7.7	7.4
70010000	16.256	17.198	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	
5	1		3	6.1		37500	RIDE	8.1	8.4	8.3	7.5	7.6	7.2	7.5	6.9	6.6	7.0	6.8	6.9	6.9	

4272251	16.256	17.054	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	8.1	6.5
RANGER CONSTRUCTION INDUST(2015) SPRIDE																					
4487931	15.020	17.054	C	2025		0012		8.6	8.2	8.4	8.3	7.7	8.2	8.2	8.1	8.0	7.8	7.9	7.8	7.8	7.5
70010000	16.256	17.198	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	
5	1		3	6.1		37500	RIDE	8.3	8.3	8.2	7.5	7.0	6.7	7.0	6.7	6.3	6.8	6.9	6.7	6.9	

4272251	16.256	17.054	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	7.8	6.0*
RANGER CONSTRUCTION INDUST(2015) SPRIDE																					
4487931	15.020	17.054	C	2025		0012		8.2	8.3	8.2	8.1	8.1	8.2	8.0	7.8	7.7	7.6	7.6	7.6	7.6	7.3
70010000	15.472	16.256	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
5	1		4	5.1		30000	RIDE	8.8	9.1	9.0	8.5	8.7	8.0	8.8	8.7	8.7	8.5	8.4	8.3	7.9	

2374801	15.071	16.177	C	1998		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	2.5*
RANGER CONSTRUCTION INDUST(2001) S RIDE																					
4487931	15.020	17.054	C	2025		0012		8.0	7.5	7.8	7.8	7.5	7.6	7.4	7.4	7.2	7.2	7.0	6.9	7.1	6.8
70010000	14.991	15.472	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
5	1		3	6.2		22000	RIDE	8.5	8.7	8.7	8.2	8.3	8.2	8.1	8.1	7.9	7.8	7.7	7.6	7.6	

2374801	15.071	16.177	C	1998		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	6.9	6.5	3.5*
RANGER CONSTRUCTION INDUST(2001) S RIDE																					
4487931	15.020	17.054	C	2025		0012		7.5	7.3	7.6	7.6	7.4	7.3	7.3	7.2	6.7	6.9	6.4*	6.4*	6.6	6.3*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														(PMRS)
70010000	11.365	14.991	L	1	1	45	CRACKING	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	6.0		24500	RIDE	8.7	8.6	8.6	7.9	7.7	7.5	7.7	7.7	7.4	7.8	7.7	7.7	7.6	
MALABAR RD(11.4L)																					
4135891	11.390	15.010	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*
PREFERRED MATERIALS, INC. (2008)																					
4438141	11.244	15.020	C	2025		0012		7.7	7.6	7.8	7.8	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.9	7.7	7.5
FC5																					
70010000	8.835	11.365	L	1	1	50	CRACKING	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	
5	1		2	6.0		18532	RIDE	8.7	8.6	8.6	7.9	7.7	7.5	7.7	7.4	6.9	8.2	8.2	8.2	7.9	
JORDON BLVD(9.8L)																					
4219901	8.809	11.390	L	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	2.5*
PREFERRED MATERIALS, INC. (2010)																					
4528831	8.804	11.365	L	2028		0226	RIDE	8.1	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.7	7.8	7.7	7.7	7.7	7.5
FC5A																					
70010000	5.700	8.835	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
5	1		2	6.0		18532	RIDE	8.6	8.5	8.5	8.0	8.1	7.8	8.1	7.9	7.2	7.7	7.6	7.7	7.5	
VALKARIA RD(8.3L)																					
							CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	9.0	8.0
							RIDE	7.5	7.2	8.4	8.3	8.3	8.2	8.4	8.4	8.3	8.3	8.2	8.6	8.2	8.0
(2025)																					
70010000	0.000	5.700	L	1	1	55	CRACKING	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
5	1		2	6.0		18532	RIDE	8.6	8.5	8.4	7.7	7.7	7.3	7.6	7.5	8.1	8.0	8.0	8.0	7.9	
BEG OF BRIDGE 700224(0.0C)																					
4356571	0.186	5.710	L	2022		0012	CRACKING	10.0	9.5	9.5	9.5	9.0	9.0	9.0	7.5	6.5	6.5		10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2025)																					
							RIDE	7.9	7.9	8.1	8.1	8.0	8.0	8.1	8.1	8.2	8.1		8.6	8.6	8.4
FC5M																					
70011000	0.000	2.230	R	1	8	45	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
501			2	4.8		16900	RIDE	5.8*	5.1*	5.4*	4.8*	4.8*	4.5*	5.0*	7.4	7.3	6.9	6.9	6.9	6.8	
COCOA WEST CITY LIMITS(0.0C)																					
2375671	0.011	2.372	C	2006		0012	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*				
PREFERRED MATERIALS, INC. (2008)																					
4470851	0.000	3.313	C	2023		0012	RIDE	6.6	6.7	6.8	6.9	6.8	6.7	6.7	6.6	6.5	6.5	6.3			
FC125M																					
70011000	2.230	2.856	R	1	1	40	CRACKING	8.0	8.5	8.5	8.5		10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
501			2	4.6		19200	RIDE	6.3*	5.8	5.6	5.4*		6.1	6.6	6.6	6.5	6.4	6.4	6.4	6.3	
CR 5023(2.2C)																					
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.0	8.5	7.5
							RIDE	6.4	6.3	5.2*	5.2*	5.4*	5.1*	5.0*	5.1*	5.1*	4.9*	5.1*	5.1*	4.6*	4.3*
(2025)																					
70011000	2.856	3.358	C	1	1	45	CRACKING	10.0	10.0	9.5	9.5		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
501			2	4.6		19200	RIDE	8.4	8.1	8.2	7.7		7.5	7.8	7.4	7.7	7.3	6.7	7.4	7.3	
SIDE ROAD(3.1C)																					
2375671	2.372	3.158	C	2006		0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.8*	4.4*	2.0*
PREFERRED MATERIALS, INC. (2006)																					
4470851	0.000	3.313	C	2023		0012	RIDE	7.3	7.1	6.4	6.4	6.8	6.2	5.7						6.3	6.0
FC125M																					
70011000	2.230	2.856	L	1	1	40	CRACKING	8.0	8.5	8.5	8.5		10.0	10.0	9.5	8.0	8.0	9.5	8.0	8.0	
501			1	4.6		19200	RIDE	6.3*	5.8	5.6	5.4*		6.0	6.8	6.7	6.6	6.4	6.4	6.4	6.3	
CR 5023(2.2C)																					
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.0	5.5*	4.5*
							RIDE	6.4	6.3	5.2*	5.2*	5.4*	5.1*	5.0*	5.1*	5.1*	4.9*	5.1*	5.1*	4.5*	4.2*
(2025)																					
70011000	0.000	2.230	L	1	8	45	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
501			2	4.8		16900	RIDE	7.0	6.4*	6.4*	5.9*	6.0*	5.8	6.1	7.6	7.6	7.2	6.9	6.9	6.8	
COCOA WEST CITY LIMITS(0.0C)																					
2375671	0.011	2.372	C	2006		0012	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*			
PREFERRED MATERIALS, INC. (2008)																					
4470851	0.000	3.313	C	2023		0012	RIDE	6.6	6.7	6.8	6.9	6.8	6.7	6.7	6.6	6.6	6.5	6.8			
FC125M																					
70012000	0.000	2.275	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			10.0	10.0	10.0
507			2	4.8		38000	RIDE	8.3	8.2	8.4	7.7	7.6	7.3	7.9	7.8	7.8			7.9	7.8	7.7
MALABAR RD(0.0C)																					
4219911	0.021	2.270	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	5.6*	5.0*	3.0*
PREFERRED MATERIALS, INC. (2011)																					
							RIDE	8.0	7.8	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.1	6.8
FC125																					
70012000	2.275	2.900	R	1	1	45	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5				10.0	10.0	10.0
507			3	2.4		30570	RIDE	6.2*	5.7*	5.3*	5.2*	5.1*	5.6	5.8	5.5				7.6	7.6	7.5
CR 516(2.5C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	8.7
							RIDE	7.5	7.5	6.9	7.0	7.0	6.9	6.9	6.7	6.8	6.8	6.6	6.4	6.4	6.1
(2011)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
70012000	2.900	4.936	R	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
507				2	1.8	31500	RIDE	7.8	8.3	8.1	7.6	7.6	7.5	7.7	7.6	7.7	7.6	7.4	7.6	7.4	
SUN LAKE RD(3.0R)																					
							FC3														
2376201	2.625	5.520	C	1995		0012	CRACKING	7.5	7.5	7.5	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	6.5	6.2*	3.0*
RANGER CONSTRUCTION INDUST(1997)																					
							S RIDE	7.5	7.3	7.4	7.5	7.4	7.4	7.3	7.1	7.3	7.1	7.2	7.1	7.0	6.7
4528641	3.553	5.347	R	2027		0012															
70012000	4.936	5.528	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0
507				2	1.8	31500	RIDE	8.1	8.1	8.0	7.5	7.7	7.5	7.6	7.4	6.9	7.3	7.1	6.3	6.8	
DEVONSHIRE DR(5.3C)																					
							FC3														
2376201	2.625	5.520	C	1995		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*
RANGER CONSTRUCTION INDUST(1997)																					
							S RIDE	6.8	7.0	7.0	7.1	7.0	6.8	6.5	6.6	6.4	6.3	6.4	6.4	6.2	5.9
4528641	3.553	5.347	R	2027		0012															
70012000	4.936	5.528	L	1	1	35	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
507				2	1.8	31500	RIDE	7.3	7.3	7.2	6.8	6.6	6.0	6.5	6.4	6.5	6.3	6.6	6.6	6.4	
VIDA AVE L(4.9L)																					
							FC3														
2376201	2.625	5.520	C	1995		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	3.0*
RANGER CONSTRUCTION INDUST(1997)																					
							S RIDE	6.2	6.6	6.4	6.4	6.5	6.0	6.0	5.9	6.1	5.6	5.6	5.6	5.5	5.2*
4528641	2.773	5.347	L	2027		0012															
70012000	2.900	4.936	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
507				2	1.8	31500	RIDE	8.2	8.3	8.4	7.7	7.7	7.7	7.9	7.8	7.8	7.2	7.5	7.6	7.5	
LAKE IN THE WOODS DR(3.0L)																					
							FC3														
2376201	2.625	5.520	C	1995		0012	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*
RANGER CONSTRUCTION INDUST(1997)																					
							S RIDE	7.5	7.4	7.3	7.2	7.3	7.0	7.1	7.1	7.2	7.0	6.9	6.7	6.8	6.5
4528641	2.773	5.347	L	2027		0012															
70012000	2.275	2.900	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5			10.0	10.0	10.0	
507				3	2.4	30570	RIDE	7.3	7.1	6.8	6.3*	6.3*	6.3	6.5	6.4			7.5	7.5	7.5	
PALM BAY CNTR(2.3L)																					
							FC125M														
							(2011)														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	8.7	6.5
							RIDE	7.5	7.4	6.9	6.8	6.8	6.8	6.7	6.6	6.7	6.6	6.5	6.5	6.4	6.1
70012000	0.000	2.275	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	
507				2	4.8	38000	RIDE	8.0	7.7	7.7	7.2	7.1	7.0	7.1	7.1	7.1		7.8	7.5	7.7	
MALABAR RD(0.0C)																					
							FC125														
4219911	0.021	2.270	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	5.6*	5.0*	3.0*
PREFERRED MATERIALS, INC. (2011)																					
							RIDE	7.8	7.8	7.4	7.5	7.5	7.4	7.3	7.3	7.2	7.1	6.9	6.9	6.9	6.6
70014000	0.000	0.500	R	1	1	45	CRACKING	5.5*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	
519				2	8.7	26500	RIDE	7.1	6.5	6.7	6.0*	5.8*	7.0	7.3	7.2	7.2	8.0	7.9	7.7	7.8	
70220065 SB ON(0.0R)																					
							FC125M														
4410201	0.116	4.545	C	2021		0012	CRACKING	10.0	10.0	10.0	4.0*	4.0*	4.0*	4.0*	4.0*				10.0	8.6	7.5
MASCI GENERAL CONTRACTORS (2025)																					
							SPRIDE	7.8	7.7	6.9	6.0	6.0	5.9	5.9	5.8				5.8	6.2	5.9
70014000	0.500	4.604	R	1	1	45	CRACKING	7.0	6.0*	6.0*	5.5*	4.0*	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	
519				2	5.7	27500	RIDE	6.9	6.6	6.5	5.9*	5.8*	7.0	7.3	7.2	7.2	7.0	6.8	6.9	6.6	
CASA DOLCE CASA CIR(0.7R)																					
							FC125M														
4410201	0.116	4.545	C	2021		0012	CRACKING	8.0	7.0	4.0*	4.0*	4.0*	4.0*	4.0*	4.0*			10.0	10.0	10.0	9.0
MASCI GENERAL CONTRACTORS (2024)																					
							SPRIDE	6.7	6.5	6.1	6.0	6.0	5.9	5.9	5.8			7.1	7.2	7.0	6.7
70014000	0.550	4.604	L	1	1	45	CRACKING	7.0	7.0	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	
519				2	5.7	27500	RIDE	7.0	6.4*	6.4*	5.8*	5.8*	7.3	7.4	7.5	7.4	7.3	7.2	7.1	7.0	
TUCKAWAY DR(0.7L)																					
							FC125M														
4410201	0.116	4.545	C	2021		0012	CRACKING	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	9.0
MASCI GENERAL CONTRACTORS (2024)																					
							SPRIDE	7.0	7.0	6.5	6.6	6.4	6.2	6.2	6.2			7.1	7.1	7.1	6.8
70014000	0.000	0.550	L	1	1	45	CRACKING	6.0*	6.0*	5.5*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	
519				2	8.7	26500	RIDE	7.7	7.7	7.5	6.7	6.7	7.3	7.4	7.5	7.4	7.3	7.2	7.1	7.0	
I 95(0.0C)																					
							FC125M														
4410201	0.116	4.545	C	2021		0012	CRACKING	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	9.3	8.5	
MASCI GENERAL CONTRACTORS (2025)																					
							SPRIDE	7.0	7.0	6.5	6.6	6.4	6.2	6.2	6.2			7.3	7.3	7.3	7.0
70020000	0.000	4.408	R	1	1	45	CRACKING	9.5	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
5				3	5.2	31000	RIDE	8.3	8.3	8.6	8.0	8.0	7.8	8.1	8.0	8.0	7.8	7.7	7.6	7.6	
MELBOURNE CITY LIMITS(0.0C)																					
							FC125R														
4248861	0.000	4.408	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.6	7.1	5.5*
RANGER CONSTRUCTION INDUST(2015)																					
							SPRIDE		8.6	8.4	8.5	8.5	8.2	8.3	8.2	8.3					

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE																
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT	AT	(MP	SIDE)				*****																													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P																														
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F																											(PMRS)			
70020000	4.408	7.249	R	1	1	45	CRACKING	3.5*				10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0																
5	1			3	4.7	43000	RIDE	7.9				8.1	7.9	8.1	8.1	8.1	7.9	7.8	7.8	7.7																
AURORA RD(4.5C) FC125M																																				
4306571	4.408	7.249	C	2017	0012		CRACKING	8.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0										8.0		
PREFERRED MATERIALS, INC. (2018) RIDE																																				
70020000	7.249	9.511	R	1	8	50	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0															
5	1			3	3.0	42500	RIDE	8.6	8.7	8.7			7.4	7.6	7.5	7.6	7.6	7.4	7.3	7.2																
POST RD(7.2C) FC5																																				
2375501	7.300	9.924	C	2002	0213		CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*																	
RKT CONSTRUCTORS, INC. (2006) SPRIDE																																				
4452151	7.278	8.920	C	2023	0012			7.2	7.2	7.2	7.1	7.1	7.0	7.1	7.1	7.1	7.1	7.0	6.9																	
70020000	9.511	11.338	R	1	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0																
5	1			2	6.1	42000	RIDE	8.7	8.6	8.5	8.0	7.9	7.9	8.0	7.9	7.8	7.7	7.4	7.3	8.1																
FC5																																				
4233511	9.924	14.188	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.6	7.8	4.5*													4.5*	
COMMUNITY ASPHALT CORP. (2013) SPRIDE																																				
70020000	11.338	12.331	R	1	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0																
5	1			2	6.1	42000	RIDE	8.7	8.6	8.5	8.0	7.9	7.9	8.0	7.9	7.8	7.7	7.4	7.3	8.1																
PINEDA AVE(11.5C) FC5																																				
4233511	9.924	14.188	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.6	9.0	6.0*															
COMMUNITY ASPHALT CORP. (2013) SPRIDE																																				
70020000	12.331	14.188	R	1	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0																
5	1			2	6.1	42000	RIDE	8.7	8.6	8.5	8.0	7.9	7.9	8.0	7.9	7.8	7.7	7.4	7.3	8.1																
HELMSMAN PL(12.5R) FC5																																				
4233511	9.924	14.188	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.6	8.3	5.0*															
COMMUNITY ASPHALT CORP. (2013) SPRIDE																																				
70020000	14.188	16.311	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	6.5	6.5	6.5																
5	1			2	6.1	42000	RIDE	8.9	8.9	8.8	8.5	8.4	8.4	8.6	8.4	8.5	8.4	8.2	8.2	8.2																
ROBLES LN(14.3R) FC5A																																				
4248871	14.185	16.076	C	2014	0012		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.9	6.6	4.0*															
RANGER CONSTRUCTION INDUST (2016) RIDE																																				
70020000	16.311	18.380	R	1	1	55	CRACKING	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0																
5	1			2	6.1	30000	RIDE	7.6	7.3	8.4	7.9	7.9	7.7	7.9	7.8	7.8	7.5	7.3	7.1	7.0																
FLORIDELPHIA AV(17.7R) FC5M																																				
4347421	16.311	18.277	C	2017	0012		CRACKING	7.0	6.5	5.5*	5.5*	5.5*		10.0	9.0	9.0	9.0	9.0	8.9	8.1	6.0*															
MAGCI GENERAL CONTRACTORS (2020) SPRIDE																																				
70020000	18.380	21.351	R	1	1	45	CRACKING	5.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
5	1			3	2.4	30000	RIDE	7.8	7.6	8.4	7.9	7.9	7.7	7.9	7.8	7.8																				
PARK AVE(18.4R) FC125																																				
2375762	18.382	20.546	C	2008	0221		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	5.6*	5.3*	3.0*															
POSEN CONSTRUCTION (2012) SPRIDE																																				
70020000	21.351	25.193	R	1	1	45	CRACKING	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*															
5	1			3	5.3	34000	RIDE	8.3	8.1	8.2	7.7	7.7	7.5	7.9	7.7	7.7	7.7	7.6	7.5	7.4																
BRUNSON AVE(21.4R) FC125A																																				
2375922	21.351	25.193	C	2013	0213		CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.7	8.0														
ASTALDI CONSTRUCTION CORP. (2018) SPRIDE																																				
70020000	25.193	27.763	R	1	1	55	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*															
5	1			2	12.3	26000	RIDE		8.4	8.4	7.8	7.8	7.7	8.0	7.9	7.9	7.8	7.6	7.5	7.4																
SILVER HILL LN(25.8R) FC5M																																				
4288761	25.290	32.504	C	2014	0012		CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	6.0*														
V. A. PAVING, INC. (2016) RIDE																																				
70020000	27.763	32.497	R	1	1	55	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*															
5	1			2	4.5	24500	RIDE		8.4	8.4	7.8	7.8	7.7	8.0	7.9	7.9	7.8	7.6	7.5	7.4																
INDIAN RIVER DR(27.8R) FC5M																																				
4288761	25.290	32.504	C	2014	0012		CRACKING	3.5*		10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	6.8	6.5	4.0*														
V. A. PAVING, INC. (2016) RIDE																																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)																			(PMRS)	
ITMSEG-F	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)																				
70020000	32.497	35.496	R	1	1	55	CRACKING	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	
5	1		2	2.4		25500	RIDE	7.8	8.5	8.5	7.9	8.0	7.9	8.1	8.0	8.1	7.8	7.7	7.8	7.7		
HORIZON DR(32.9R)																						
4324371	32.504	35.496	C	2017		0012	CRACKING	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	7.0
RANGER CONSTRUCTION INDUST(2018) SPRIDE																						
70020000	35.496	35.699	R	1	6	45	CRACKING	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	2.4		25500	RIDE	7.8	8.0	7.9	7.6	7.1	7.3	7.9	7.8	8.2	7.7	8.1	7.9	7.9	7.7	
CHENEY HWY(35.7C)																						
4116671	35.496	35.699	C	2005		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	7.4	5.0*	
V. A. PAVING, INC. (2007) SPRIDE																						
70020000	35.496	35.699	L	1	6	45	CRACKING	3.0*	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	2.4		25500	RIDE	7.7	8.6	8.6	8.0	6.7	6.9	7.8	7.7	7.2	7.2	7.6	7.5	7.6		
SR-50(35.7L)																						
4116671	35.496	35.699	C	2005		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.6	5.0*	
V. A. PAVING, INC. (2007) SPRIDE																						
70020000	32.497	35.496	L	1	1	55	CRACKING	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
5	1		2	2.4		25500	RIDE	7.7	8.6	8.5	7.7	7.8	7.7	7.9	7.9	7.6	7.6	7.7	7.7	7.7	7.7	
FC5M																						
4324371	32.504	35.496	C	2017		0012	CRACKING	7.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.8	6.5
RANGER CONSTRUCTION INDUST(2018) SPRIDE																						
70020000	25.193	32.497	L	1	1	55	CRACKING	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	
5	1		2	12.3		26000	RIDE	8.2	8.6	8.5	8.0	8.1	8.0	8.2	8.2	7.7	7.7	7.9	7.8	7.8	7.8	
CROSS RD(25.4L)																						
4288761	25.290	32.504	C	2014		0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.8	8.5	6.0*	
V. A. PAVING, INC. (2016) RIDE																						
70020000	21.351	25.193	L	1	1	45	CRACKING	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
5	1		3	5.3		34000	RIDE	8.0	8.0	8.0	7.6	7.5	7.3	7.6	7.4	7.2	7.0	7.3	7.3	7.2	7.2	
BELLEFONTE AVE(21.5L)																						
2375922	21.351	25.193	C	2013		0213	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.0	
ASTALDI CONSTRUCTION CORP. (2018) SPRIDE																						
70020000	18.277	21.351	L	1	1	45	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	
5	1		3	2.4		3000	RIDE	7.9	7.6	8.2	7.8	7.8	7.8	8.0	8.0	7.4				8.5	8.4	
EYSTER BLVD(18.6L)																						
2375762	18.382	20.546	C	2008		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	6.0*	5.6*	3.5*	
POSEN CONSTRUCTION SPRIDE																						
70020000	16.311	18.277	L	1	1	55	CRACKING	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	6.5	
5	1		2	6.1		30000	RIDE	8.0	7.6	8.2	7.8	7.8	7.8	8.0	8.0	7.4	7.4	7.7	7.6	7.4	7.4	
GUS HIPP BLVD(17.1L)																						
4347421	16.311	18.277	C	2017		0012	CRACKING	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.6	8.9	7.0	
MASCI GENERAL CONTRACTORS (2020) SPRIDE																						
70020000	14.185	16.311	L	1	1	55	CRACKING	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	
5	1		2	6.1		42000	RIDE	7.8	7.6	7.5	8.1	8.1	8.0	8.3	8.3	7.8	7.8	8.0	7.9	7.9	7.9	
ANSIN DR(14.8L)																						
4248871	14.185	16.076	C	2014		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1	7.7	5.0*	
RANGER CONSTRUCTION INDUST(2016) RIDE																						
70020000	9.924	14.185	L	1	1	55	CRACKING	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	
5	1		2	6.1		42000	RIDE	8.0	7.7	7.4	8.1	8.1	8.0	8.3	8.3	7.8	7.8	8.0	7.9	7.9	7.9	
OTTER CREEK LN(9.9L)																						
4347411	9.924	14.185	L	2016		0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	9.7	7.5	
PREFERRED MATERIALS, INC. (2018) RIDE																						
70020000	9.514	9.924	L	1	1	50	CRACKING	8.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	
5	1		3	6.1		42000	RIDE	7.3	7.5	7.5	6.7	6.5	6.4*	6.5	6.7	6.0*	5.8*	5.7*	5.6*	5.6*	7.8	
TO 70004011 RAMP(9.8L)																						
4233511	9.515	9.924	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	7.9	7.4	4.5*	
COMMUNITY ASPHALT CORP. (2013) SPRIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
70020000	7.249	9.514	L	1	8 50	CRACKING		9.5	8.5	8.5				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
5 1				3	3.0	42500	RIDE	8.6	8.6	8.5				7.2	7.5	7.5	7.0	7.1	7.2	7.1	7.1	
POST RD(7.2C)																						
2375501	7.300	9.924	C	2002	0213	CRACKING		9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*				
CONTRACTOR (2006) SPRIDE																						
4452151	7.278	8.920	C	2023	0012			6.9	6.9	7.0	7.2	7.2	7.0	7.1	7.1	7.1	7.1	7.1	7.0			
FC5																						
70020000	4.408	7.249	L	1	1 45	CRACKING		4.0*					10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	
5 1				3	4.7	43000	RIDE	7.8					7.8	7.7	7.8	7.8	7.3	6.9	7.8	7.7	7.6	
AURORA RD(4.5C)																						
4306571	4.408	7.249	C	2017	0012	CRACKING		7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.2	7.5
CONTRACTOR (2018) SPRIDE																						
70020000	0.000	4.408	L	1	1 45	CRACKING		9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
5 1				3	5.2	31000	RIDE	8.4	8.4	8.5	7.8	7.8	7.6	7.9	8.0	7.2	7.2	7.4	7.4	7.5		
MELBOURNE CITY LIMITS(0.0C)																						
4248861	0.000	4.408	C	2012	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.6	7.0	5.0*	
CONTRACTOR (2015) SPRIDE																						
70022000	38.636	40.000	R	1	1 35	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
508				2	3.6	18600	RIDE	5.8*	7.5	7.4	7.0	7.0	6.7	7.1	6.9	6.8	6.7	6.0	6.0	6.0		
REVOLUTION TECH WY(38.8R)																						
4306581	38.987	39.971	C	2015	0012	CRACKING		6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.8	7.5
CONTRACTOR (2018) SPRIDE																						
70022000	38.636	40.000	L	1	1 35	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
508				2	3.6	18600	RIDE	4.8*	7.3	7.1	6.7	6.8	6.4	6.6	6.5	6.2	6.2	5.9	5.8	5.5		
REVOLUTION TECH WAY(38.8L)																						
4306581	38.987	39.971	C	2015	0012	CRACKING		6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	
CONTRACTOR (2018) SPRIDE																						
70030000	0.000	3.065	R	1	1 45	CRACKING		6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	3.7	25000	RIDE	8.1	7.6	7.4	6.1*	5.8*	5.8	8.3	8.2	8.2	8.2	8.0	7.9	8.0		
CHENEY HWY(0.0C)																						
4116671	0.000	3.078	C	2005	0012	CRACKING		9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.1	6.8	4.5*	
CONTRACTOR (2007) SPRIDE																						
4542171	0.000	4.090	C	2029	0012			8.0	7.9	7.6	7.6	7.6	7.4	7.4	7.3	7.3	7.3	7.1	7.0	7.2	6.9	
FC95																						
70030000	3.065	4.117	C	1	1 30	CRACKING		6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0		
5 1				2	8.6	9100	RIDE	7.0	6.9	6.7	6.3	6.3	6.0	6.3	6.4	6.2	6.1		7.1	7.0		
GRACE ST(3.1C)																						
4186471	3.087	4.084	C	2009	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	7.1	7.0	5.0*	
CONTRACTOR (2012) SPRIDE																						
4542171	0.000	4.090	C	2029	0012			7.2	7.0	6.3	6.2	6.2	5.9	5.7	5.8	5.8	5.6	5.5	5.4*	5.4*	5.1*	
FC125																						
70030000	4.117	4.472	C	1	4 35	CRACKING		5.5*	5.5*	5.6*	6.1*	6.4*	6.3*	5.6*	5.1*	4.8*	5.3*		7.2	6.1*		
5 1				2	5.6	8900	RIDE	7.0	6.7	5.9	4.9*	4.7*	4.4*	5.0*	5.4*	5.0*			6.7	7.4		
FROM CR-402(4.1R)																						
(2022) LDG																						
CRACKING																						
RIDE																						
70030000	4.472	6.947	R	1	1 55	CRACKING		9.5	9.5	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5 1				2	3.0	22500	RIDE	8.4	8.5	8.4	8.0	8.0	7.8	8.0	7.9	8.0	7.7	7.9	7.7	7.7		
BUFFALO RD(5.3C)																						
4248891	4.652	6.947	R	2013	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	9.0	6.0*	
CONTRACTOR (2014) RIDE																						
70030000	6.947	8.210	R	1	1 55	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0		
5 1				2	2.7	29000	RIDE	6.6	8.8	8.8	8.2	8.3	8.1	8.4	8.4	8.3	8.2	8.1	8.1			
E PARRISH RD(7.5C)																						
4344041	6.310	8.816	C	2018	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	9.6	8.0		
CONTRACTOR (2021) RIDE																						
70030000	8.210	8.816	R	1	1 45	CRACKING		2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
5 1				2	2.7	29000	RIDE	7.3	7.6	7.5	7.2	7.1	7.1	7.4	7.5	7.2	7.2	7.2	7.0	7.1		
CARVER ST(8.3R)																						
4344041	6.310	8.816	C	2018	0012	CRACKING		8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.2	8.0	
CONTRACTOR (2021) RIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
70030000	8.816	17.528	R	1	1	60	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	
5 1							4600 RIDE	9.0	8.9	8.7	8.2	8.0	7.8	7.9	7.7	7.6	8.3	8.4	8.3	8.2	
VERNON AV(8.9R)																					
4195921	8.828	17.528	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.3	7.5	4.0*
4195921							SPRIDE	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.7
HALIFAX PAVING, INC. (2010)																					
4487941	8.827	17.528	C	2025		0012															

70030000	8.816	17.528	L	1	1	60	CRACKING	10.0	9.5	9.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
5 1							4600 RIDE	8.8	8.7	8.7	8.1	8.0	7.7	7.9	7.8	7.5	8.1	8.1	8.1	8.0	
MINNIE LN(8.9L)																					
4195921	8.828	17.528	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*
4195921							SPRIDE	8.0	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.5
HALIFAX PAVING, INC. (2010)																					
4487941	8.827	17.528	C	2025		0012															

70030000	8.210	8.816	L	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
5 1							29000 RIDE	7.3	7.9	8.0	7.7	7.6	7.5	7.8	7.7	7.6	7.5	7.6	7.4	7.5	
DAVIS ST(8.3L)																					
4344041	6.310	8.816	C	2018		0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.1	10.0	8.5
4344041							RIDE	7.5	7.3	7.0	7.1	7.2	6.6	6.8	7.7	7.6	7.7	7.2	7.4	7.4	7.1
HALIFAX PAVING, INC. (2021)																					

70030000	6.310	8.210	L	1	1	55	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0	
5 1							22500 RIDE	7.9	8.7	8.7	8.1	8.1	8.1	8.3	8.3	8.3	8.2	8.1	8.0	7.9	
DAIRY RD(6.6L)																					
4344041	6.310	8.816	C	2018		0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.8	9.1	7.5
4344041							RIDE	7.9	7.9	8.1	8.0	8.1	8.0		8.5	8.4	8.4	8.2	8.4	8.3	8.1
HALIFAX PAVING, INC. (2021)																					

70030000	5.211	6.310	L	1	1	55	CRACKING	6.0*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	
5 1							22500 RIDE	7.3	7.0	7.3	6.4*	6.4*	5.7*	6.2*	6.1*	5.9*	5.4*		8.4	8.3	
BUFFALO RD(5.3C)																					
4116661	4.644	6.310	L	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	7.9	4.5*
4116661							SPRIDE	8.3	8.3	8.3	8.1	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	7.9
HALIFAX PAVING, INC. (2012)																					

70030000	4.798	5.211	L	1	4	45	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*		6.9	8.7	
5 1							22500 RIDE	5.9*	5.9*	5.8*	5.1*	5.1*	4.8*	5.5	5.7	5.4*	5.4*		7.0	7.3	
NORWOOD AVE(5.1L)																					
4116661	4.644	6.310	L	2009		0012	CRACKING	8.7	8.7	8.6	7.3	7.2	7.4	7.8	7.7	8.6	8.0	8.0	8.0	7.3	6.5
4116661							RIDE	7.3	7.3	7.1	7.4	7.1	7.1	7.2	7.1	7.0	6.9	6.6	7.2	7.1	7.0
HALIFAX PAVING, INC. (2013)																					

70030000	4.472	4.798	L	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.0*	3.5*	3.5*	3.5*		10.0	10.0	
5 1							22500 RIDE	7.0	6.7	6.9	5.9*	6.3*	6.2	6.6	6.3	6.5	6.6		8.5	8.5	
ELAINE DR(4.7L)																					
4116661	4.472	4.644	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.0
4116661							SPRIDE	8.5	8.3	8.0	8.0	7.9	7.9	7.7	7.9	7.7	7.7	7.5	7.6	7.6	7.3
HALIFAX PAVING, INC. (2012)																					

70030000	0.000	3.065	L	1	1	45	CRACKING	6.0*	6.0*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1							25000 RIDE	8.0	8.1	8.1	7.1	6.7	6.4	8.2	8.1	8.1	8.0	8.0	7.9	7.8	
SR-50(0.0L)																					
4116671	0.000	3.078	C	2005		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.7	5.0*
4116671							SPRIDE	7.9	7.6	7.7	7.7	7.6	7.5	7.5	7.5	7.6	7.5	7.3	7.4	7.3	7.0
V. A. PAVING, INC. (2007)																					
4542171	0.000	4.090	C	2029		0012															

70030101	0.000	1.397	C	1	1	30	CRACKING	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	
5 1							11000 RIDE	6.8	6.6	6.4	5.5	5.3*	5.0*	5.7	5.5	5.6	5.5		7.6	7.4	
SR-5(0.0L)																					
4186471	0.385	1.389	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	5.0*
4186471							SPRIDE	7.2	7.2	6.7	6.5	6.4	6.3	6.2	6.2	6.1	6.1	5.9	6.0	5.9	5.6
HALIFAX PAVING, INC. (2012)																					
4488001	0.000	1.387	C	2025		0012															

70050000	0.000	9.650	R	1	1	65	CRACKING	9.5	8.0	7.0			10.0	10.0	9.5	10.0	10.0	10.0	9.5	9.5	
500 192							9900 RIDE	8.8	8.7	8.7			7.9	8.1	8.1	8.1	7.9	7.8	7.9	7.8	
OCEAN PRAIRIE LN(3.4R)																					
4428821	0.000	9.676	C	2022		0012	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.3	9.4	8.0
4428821							SPRIDE	7.7	7.7	7.8	7.8	7.8	7.7	7.8	8.1	8.1	8.1	8.7	8.6	8.6	8.4
OHIA USA, INC. (2024)																					

70050000	9.650	9.956	R	1	8	45	CRACKING	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
500 192							9900 RIDE	8.8	8.7	8.6	7.4	8.0	7.0	7.2	7.4	8.1	7.9	7.8	7.9	7.8	
BRANDYWINE RD(9.7R)																					
4470941	9.675	14.969	C	2024		0012															
4470941							CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*		
4470941							RIDE	7.7	7.7	7.8	7.8	7.8	7.7	7.8	7.7	7.7	7.7	5.4*	5.3*		
(2006)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			FUTURE																									
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	ASTYPE	*****																													
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	ASTYPE	*****																													
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	ASTYPE	*****																													
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	ASTYPE	*****																													
70060000	14.360	15.882	C	1	1	35	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5															
ALA				2	5.4	13100	RIDE	7.7	7.4	8.1	7.8	7.8	7.8	8.0	7.9	7.7	7.8	7.5	7.7	7.7																
CHERRY DR(15.0L)																																				
2377151	14.287	17.537	C	2001		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	7.0	7.0	7.0	6.1*	5.9*	3.0*															
APAC-FLORIDA INC (2003)																																				
4506271	14.354	17.577	C	2026		0226																														
70060000	15.882	17.552	C	1	1	35	CRACKING	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5															
ALA				2	10.7	16100	RIDE	7.6	7.2	8.0	7.7	7.5	7.6	7.9	7.8	7.8	7.7	7.7	7.5	7.7																
INDIALANTIC CITY LIMITS(15.9L)																																				
2377151	14.287	17.537	C	2001		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*			
APAC-FLORIDA INC (2003)																																				
4506271	14.354	17.577	C	2026		0226																														
70060000	17.552	20.738	R	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0			
ALA				2	4.9	18900	RIDE	8.7	8.6	8.6	8.3	8.2	8.2	8.4	8.4	8.2	8.1	8.1	8.0	8.0																
WATSON AVE(17.8C)																																				
4287531	17.552	26.226	C	2016		0012	CRACKING	7.0	7.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.1	7.5													7.5		
MASCI GENERAL CONTRACTORS (2019)																																				
70060000	20.738	26.099	R	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0			
ALA				2	4.3	20500	RIDE	8.7	8.6	8.6	8.3	8.2	8.2	8.4	8.4	8.2	8.1	8.1	8.0	8.0																
EAU GALLIE BLVD(20.9C)																																				
4287531	17.552	26.226	C	2016		0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.7	9.1	7.5													7.5		
MASCI GENERAL CONTRACTORS (2020)																																				
70060000	26.099	30.153	R	1	8	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5				
ALA				2	2.3	18200	RIDE	8.5		8.7	8.3	8.3	8.2	8.4	8.4	8.3	8.2	8.1	8.0	8.0																
FIRST ST(29.2R)																																				
2374821	27.065	30.162	C	1991		0012	CRACKING	8.5	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
APAC-FLORIDA INC (1993)																																				
4452141	26.162	30.162	C	2024		0012	S RIDE	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.6	7.6	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
70060000	30.153	31.032	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0															
ALA				2	2.3	18200	RIDE	8.4	8.5	8.6	8.3	8.3	8.2	8.4	8.4	8.2	8.1	8.2	8.0	8.0																
35TH ST(30.3C)																																				
							UNKNW																													
							CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0													8.0	
							RIDE	7.8	7.8	7.8	7.8	8.3	8.2	8.1	8.1	8.1	8.0	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.5	
70060000	31.032	33.999	C	1	2	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0																
ALA				2	2.3	8900	RIDE	8.5	8.5	8.5	8.0	7.8	7.7	8.0	8.0	7.9	7.7	7.7	7.6	7.6																
FERN ST(31.1R)																																				
4306671	31.032	33.999	C	2016		0012	CRACKING	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.2	6.5														7.0	
MASCI GENERAL CONTRACTORS (2018)																																				
70060000	33.999	36.148	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*																10.0		
ALA				2	2.5	33000	RIDE	8.1	8.0	8.0	7.5	7.4	7.5	7.7	7.7	7.5	7.3	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.8		
COCOA ISLES BLVD(34.2C)																																				
4236301	33.999	36.148	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.4	7.9	6.0*														
PREFERRED MATERIALS, INC. (2013)																																				
4435442	34.199	35.837	C	2022		9924	SPRIDE	7.7	7.7	7.8	7.8	7.8	7.3	7.5	7.5	7.6	7.4	7.4	7.4	7.4	7.4	7.3	7.0													
70060000	33.999	36.148	L	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5																10.0		
ALA				2	2.5	33000	RIDE	7.2	6.7	6.7	6.4	6.1	5.9	6.5	6.5	6.2	6.1	5.8																7.2		
COCOA ISLES BLVD(34.2C)																																				
4236301	33.999	36.148	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.4	8.3	6.5													6.5	
PREFERRED MATERIALS, INC. (2013)																																				
4435442	34.199	35.837	C	2022		9924	SPRIDE	7.2	7.1	7.3	7.2	7.1	7.1	6.9	6.9	7.1	6.9	6.9	6.9	6.9	6.8	6.5													6.5	
70060000	30.153	31.032	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0															
ALA				2	2.3	18200	RIDE	8.1	8.0	7.8	7.8	7.7	7.7	7.8	8.0	7.8	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.4	
ORANGE AVE(30.2L)																																				
4306671	30.153	31.032	L	2016		0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.7	8.0														
MASCI GENERAL CONTRACTORS (2018)																																				
70060000	26.220	30.153	L	1	8	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
ALA				2	2.3	18200	RIDE	8.2																												

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)																					(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
70060000	20.700	26.220	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0
ALA			2	4.3		20500	RIDE	8.5	8.4	8.5	8.1	8.0	8.0	8.2	8.1	7.9	7.9	7.9	7.9	7.9	7.8
EAU GALLIE BLVD(20.9C)																					
							FC125M														
4287531	17.552	26.226	C	2016		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7
MASCI GENERAL CONTRACTORS							RIDE	7.8	7.7	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.6	7.6	7.5	7.2

70060000	17.552	20.700	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0
ALA			2	4.9		18900	RIDE	8.5	8.4	8.5	8.1	8.0	8.0	8.2	8.1	7.9	7.9	7.9	7.9	7.9	7.8
FOURTH AVE(17.6L)																					
							FC125M														
4287531	17.552	26.226	C	2016		0012	CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.5
MASCI GENERAL CONTRACTORS							RIDE	7.8	7.7	7.8	7.8		8.0	7.9	7.8	7.8	7.8	7.7	7.8	7.7	7.4

70060001	0.000	2.975	C	1	1	35	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
ALA			2	5.2		13000	RIDE	8.7	8.1	8.1	7.6	7.8	7.7	7.9	7.8	7.8	7.7	7.6	7.6	7.5	
N ATLANTIC AVE(0.0L)																					
							FC125A														
4306672	0.000	2.971	C	2016		0012	CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	8.5
MASCI GENERAL CONTRACTORS							RIDE	7.4	7.4	7.5	7.5		7.7	7.7	7.6	7.7	7.6	7.5	7.6	7.3	7.0

70070000	0.000	1.439	C	1	1	55	CRACKING	7.0	6.0*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
524			2	9.1		8600	RIDE	8.7	8.4	8.3	6.7	6.4*	5.8*	8.1	8.4	8.3	8.1	8.1	8.1	8.1	8.1
SR 520(0.0C)																					
							FC95M														
4135861	0.181	5.200	C	2006		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	5.8*	5.4*	3.0*
V. A. PAVING, INC.							SPRIDE	8.2	8.0	7.8	7.8	7.8	7.7	7.7	7.6	7.8	7.6	7.6	7.4	7.5	7.2
4542181	0.005	4.739	C	2029		0226															

70070000	1.439	1.977	R	1	1	45	CRACKING	10.0	9.5	9.5	9.5	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
524			1	6.3		14000	RIDE	8.0	7.3	7.7	7.6	7.6	7.3	8.7	8.7	8.6	8.5	8.4	8.4	8.4	8.3
FRIDAY RD(1.5C)																					
							FC95M														
4135861	0.181	5.200	C	2006		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	6.0*	6.1*	5.9*	3.5*
V. A. PAVING, INC.							SPRIDE	8.4	8.2	8.1	8.1	8.1	7.8	7.6	7.9	7.8	7.6	7.6	7.5	7.0	6.7
4542181	0.005	4.739	C	2029		0226															

70070000	1.977	4.762	C	1	1	55	CRACKING	6.0*	5.0*	4.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
524			2	6.3		14000	RIDE	7.9	8.6	8.2	7.0	6.7	6.2*	8.6	8.6	8.5	8.4	8.3	8.3	8.3	8.2
THIEN THAI LN(2.3L)																					
							FC95M														
4135861	0.181	5.200	C	2006		0012	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	4.5*	2.0*
V. A. PAVING, INC.							SPRIDE	8.2	8.2	8.0	8.1	8.0	8.0	7.8	7.9	7.8	7.8	7.6	7.5	7.4	7.1
4542181	0.005	4.739	C	2029		0226															

70070000	5.212	5.580	R	1	1	55	CRACKING	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
528			2	6.7		47500	RIDE	8.6	8.6	8.4	7.6		7.3	7.1	7.4	7.3	7.0	7.2	7.3	6.9	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0			10.0	10.0	9.5	8.0
							RIDE	7.3	7.1	6.8	6.7	7.0	6.7	7.8	8.1			8.3	8.4	8.3	8.1
(2024)																					

70070000	5.580	6.160	R	1	1	55	CRACKING	8.0	7.0	7.0	7.0		6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
528			2	8.0		54615	RIDE	8.6	8.6	8.4	7.6		7.3	7.4	7.2	7.1	7.2	7.0	6.5	6.5	
FC5MW																					
4410161	5.877	6.312	R	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0			6.5	10.0	9.0	8.0
MASCI GENERAL CONTRACTORS							SPRIDE	7.6	7.5	7.8	7.8	7.9	8.0	7.8	8.1			8.1	8.4	8.4	8.2
(2025)																					

70070000	6.880	8.685	R	1	1	60	CRACKING	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0
528			2	8.0		54615	RIDE	8.5	8.6	8.3	7.7	7.6	7.4	7.6	7.5	7.4	8.4	8.3	8.3	8.3	8.4
FC5MW																					
4410161	6.747	8.292	R	2023		0012	CRACKING	10.0	10.0	10.0	8.5	7.5	9.0	9.0	9.0	6.5	6.5	6.5	10.0	9.0	8.0
MASCI GENERAL CONTRACTORS							SPRIDE	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.5	8.5	8.3
(2025)																					

70070000	8.685	12.985	R	1	1	60	CRACKING	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0
528			2	7.4		39500	RIDE	8.5	8.6	8.3	7.7	7.6	7.4	7.6	7.5	7.4	8.4	8.3	8.3	8.3	8.4
FC5																					
4195631	7.175	12.968	C	2009		0012	CRACKING	10.0	10.0	10.0	8.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*
RANGER CONSTRUCTION INDUST							SPRIDE	8.3	8.3	8.4	8.4	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.3
4526851	8.670	12.985	C	2027		0226															

70070000	8.685	12.985	L	1	1	60	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	7.0
528			2	7.4		39500	RIDE	7.8	7.3	8.4	7.9	7.9	7.9	8.0	8.1	8.0	8.0	8.0	7.8	7.7	7.8
FC5																					
2376971	5.200	12.950	L	2001		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	0.0*
RANGER CONSTRUCTION INDUST							SPRIDE	7.8	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.4	7.4	7.3	7.3	7.2	7.0
4526851	8.670	12.985	C	2027		0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
70070000	6.747	8.685	L	1	1	60	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0		
528	47.3	49.2	2	8.0		54615	RIDE	7.8	7.3	8.4	7.9	7.9	7.9	8.0	8.1	8.0	8.0	7.8	7.7	7.8		
						FC5MW																
4410161	6.747	8.292	L	2023		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	9.1	8.0	
MASCI GENERAL CONTRACTORS				(2025)			SPRIDE	7.8	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.4	7.4	7.3	8.5	8.4	8.2	
70070000	5.580	6.312	L	1	1	55	CRACKING	3.5*	3.0*	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
528	46.1	46.8	2	8.0		54615	RIDE	7.3	6.4*	8.1	7.5		7.5	7.8	7.5	7.7	7.7	7.2	7.4	7.4		
						FC5MW																
4410161	5.877	6.312	L	2023		0012	CRACKING	8.0	8.0	6.5	6.5	6.5	3.5*	3.5*	3.5*			3.5*	10.0	9.3	8.0	
MASCI GENERAL CONTRACTORS				(2025)			SPRIDE	7.4	7.3	7.4	7.2	7.1	7.4	7.7	7.8			7.3	8.5	8.4	8.2	
70070000	5.212	5.580	L	1	1	55	CRACKING	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
528	45.7	46.1	2	6.7		47500	RIDE	7.3	6.4*	8.1	7.5	6.8	8.0	8.0	7.4	7.8	7.3	7.5	7.5	7.4		
SR 524(5.2L)						FC5M																
				(2024)			CRACKING	8.0	8.0	8.0	8.0	8.0	3.5*	3.5*	3.5*			10.0	10.0	9.3	8.0	
							RIDE	7.4	7.5	7.3	7.6	7.5	7.4	7.7	7.8			8.0	8.1	8.1	7.9	
70070000	1.439	1.977	L	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
524			1	6.3		14000	RIDE	8.0	7.6	7.6	7.3	6.7	7.1	8.9	8.0	7.8	8.1	7.9	7.7	7.6		
FRIDAY RD(1.5C)						FC95M																
4135861	0.181	5.200	C	2006		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	6.1*	6.3*	4.0*	
V. A. PAVING, INC.				(2007)			SPRIDE	7.7	7.6	7.4	7.5	7.3	7.0	7.1	7.0	6.9	6.7	6.8	6.0	6.1	5.8	
4542181	0.005	4.739	C	2029		0226																
70070002	0.000	0.381	R	1	1	45	CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
524			2	4.8		20000	RIDE	6.7	6.4*	6.5	5.8*	5.8*	5.5	5.8	5.8	5.8	4.5*	4.5*	4.5*	4.5*	4.5*	
						DGFC																
				(2023)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0				9.0	9.0	9.1	9.0	8.0
							RIDE		8.1	7.4							7.4	7.1	7.1	7.1	6.8	
70070002	0.000	0.381	L	1	1	45	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
524			2	4.8		20000	RIDE	7.4	7.2	6.6	6.6	6.7	6.6	7.0	7.0	7.0	7.0	6.8	6.7	6.7		
						DGFC																
				(2023)			CRACKING		10.0	10.0	10.0	10.0	10.0	9.0				9.0	9.0	9.4	9.2	8.0
							RIDE		8.0	7.0							7.3	7.1	6.9	6.9	6.6	
70080000	0.000	3.149	R	1	1	40	CRACKING	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
A1A			2	4.0		30000	RIDE	7.8	7.5	7.6	7.1	7.0	6.9	7.1	7.6	7.5	7.4	7.3	7.3	7.4		
COCOA BCH CSWY/520(0.0C)						FC125M																
4171591	0.000	3.200	C	2006		0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*	
COMMUNITY ASPHALT CORP.				(2008)			RIDE	7.4	7.3	7.0	6.8	6.9	6.8	6.8	6.6	6.8	6.6	6.6	6.6	6.4	6.1	
4526881	0.028	3.137	C	2027		0226																
70080000	3.149	3.645	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0			
A1A			2	4.9		35000	RIDE			8.4	8.1	7.9	7.9	8.0	7.9	7.9	8.0	7.8	7.8			
CR 401(3.5R)						OGFC																
4344171	3.140	4.114	C	2017		0012	CRACKING	7.0	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.8	9.8	8.0	
MASCI GENERAL CONTRACTORS				(2020)			RIDE	7.8	7.6	7.5	7.3	7.4		8.0	8.0	8.0	8.1	8.1	8.0	8.0	7.8	
70080000	3.645	4.114	R	1	1	55	CRACKING	6.0*	6.0*	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
A1A	0.5	0.9	3	6.0		32500	RIDE	8.0	7.7	8.1	7.4	6.9	7.4	7.1	7.1	7.3	8.0	7.6	7.1	7.1		
						OGFC																
4344171	3.140	4.114	C	2017		0012	CRACKING	7.5	7.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.4	7.7	6.0*	
MASCI GENERAL CONTRACTORS				(2020)			RIDE	7.1	7.1	7.7	7.7	7.4		8.1	8.0	7.9	8.0	8.1	8.1	8.1	7.9	
70080000	4.114	4.368	C	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
401	0.9	1.2	2	9.0		2300	RIDE	8.5	8.8	8.6	8.0	8.0	7.8	7.8	8.0	7.7	7.6					
SR 528(4.1L)						DGFC																
				(1995)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.4	8.7	5.0*
							RIDE	7.6	7.5	7.1	6.9	6.9	6.9	7.1	6.9	7.1	7.3	6.9	6.9	6.8	6.5	
70080000	4.368	6.314	R	1	1	50	CRACKING	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
401	1.2	3.1	2	15.9		13700	RIDE	7.6	7.2	6.9	6.3*	6.5	5.8*	7.8	7.8	7.8	7.8	7.7	7.6	7.6		
CHARLES ROWLAND DR(5.4R)						FC5																
4135871	4.511	6.314	C	2006		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	2.5*	
RANGER CONSTRUCTION INDUST(2007)							RIDE	7.6	7.5	7.6	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.1	
4487871	4.484	6.314	C	2025		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
70080000	4.368	6.314	L	1	1	50	CRACKING	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
401	1.2	3.1	2	15.9		13700	RIDE	7.6	7.1	6.8	6.0*	6.0*	5.7*	7.8	7.8	7.8	7.8	7.7	7.6	7.7	
BEACHLINE EXP EXIT(4.6L)																					
FC5																					
4135871	4.511	6.314	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	4.5*	5.0*	4.3*	0.5*
RANGER CONSTRUCTION INDUST(2007)																					
4487871	4.484	6.314	C	2025		0012	RIDE	7.7	7.7	7.5	7.4	7.5	7.1	7.2	7.1	7.0	6.9	6.8	6.7	6.7	6.5
MASC GENERAL CONTRACTORS (2020)																					
70080000	3.149	4.114	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0
ALA			2	6.0		32500	RIDE			8.6	8.3	7.8	7.2	7.8	8.0	7.6	8.0	7.9	7.9	8.2	
RAMP 004(4.0L)																					
OGFC																					
4344171	3.140	4.114	C	2017		0012	CRACKING	8.0	8.0	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.4	6.5
MASC GENERAL CONTRACTORS (2020)																					
70080000	0.000	3.149	L	1	1	40	CRACKING	7.0	7.0	7.0	6.0*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2	4.0		30000	RIDE	7.7	7.6	7.5	7.0	6.7	6.5	6.8	7.9	7.6	7.3	7.6	7.5	7.5	
COCOA BCH CSWY/520(0.0C)																					
FC125M																					
4171591	0.000	3.200	C	2006		0012	CRACKING	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	7.5	8.0	7.8	5.5*
COMMUNITY ASPHALT CORP. (2008)																					
4526881	0.028	3.137	C	2027		0226	RIDE	7.6	7.5	7.2	7.1	7.2	7.0	7.1	7.0	7.2	7.0	7.0	6.9	6.8	6.5
V. A. PAVING, INC. (2023)																					
70100000	0.000	2.799	R	1	1	65	CRACKING	8.0	9.5	9.5	9.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0
520			2	9.2		19000	RIDE	8.8	8.7	8.6	8.2				8.1	8.1	8.1	8.0	7.9	7.9	
HUNTER HILLS FARM(3.8R)																					
FC5M																					
4439571	0.038	2.748	C	2022		0012	CRACKING	10.0	9.5	9.5	9.5	9.0	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	7.5
V. A. PAVING, INC. (2023)																					
70100000	2.799	4.187	R	1	1	55	CRACKING	9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
520			2	8.8		22500	RIDE	8.8	8.8	8.7	8.3			7.7	7.7	7.7	7.6	7.5	7.3	7.4	
HUNTER HILLS FARM(3.8R)																					
OGFC																					
2374741	3.070	4.169	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	0.5*
WESTWIND CONTRACTING, INC. (2007)																					
4528851	2.778	4.728	C	2027		0226	SPRIDE	7.4	7.2	7.3	7.3	7.4	7.1	7.2	7.1	7.2	7.1	7.6	7.5	7.4	7.2
V. A. PAVING, INC. (2023)																					
70100000	4.187	4.700	R	1	1	50	CRACKING	9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
520			2	8.8		22500	RIDE	8.8	8.8	8.7	8.3			7.7	7.7	7.7	7.6	7.5	7.3	7.4	
CR 520(4.3R)																					
FC125																					
2375321	4.169	4.624	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	8.0	7.6	7.2	4.5*
WESTWIND CONTRACTING, INC. (2007)																					
4528851	2.778	4.728	C	2027		0226	SPRIDE	7.4	7.2	7.3	7.3	7.4	7.1	7.2	7.1	7.2	7.1	6.0*	5.9*	5.4*	5.1*
V. A. PAVING, INC. (2023)																					
70100000	4.700	7.740	R	1	1	55	CRACKING	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5	
520			2	8.8		22500	RIDE	7.3	8.7	8.6	8.0	8.0	7.8	8.0	8.0	7.9	7.8	7.6	7.6	7.5	
TUCKER LN(4.7R)																					
FC5M																					
4324431	4.700	7.740	C	2017		0012	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	9.7	9.3	7.5
P & S PAVING, INC. (2020)																					
70100000	7.740	8.831	R	1	7	40	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	
520			2	6.7		25000	RIDE	6.0*	7.7	7.6	7.2	6.5	6.7	6.9	6.7	6.2	6.1	6.2	6.3	6.2	
VARR AVE(8.0C)																					
FC125M																					
4428851	7.700	8.727	R	2023		0012	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	6.1*	10.0	9.0
P & S PAVING, INC. (2026)																					
70100000	8.831	9.390	C	1	7	35	CRACKING	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0
520			2	16.8		14000	RIDE	6.9	6.9	6.2	4.7*	4.9*	4.6*	4.3*	4.3*	6.7	6.6	6.5	6.4	6.2	
SR 520 WB(8.8L)																					
FC125M																					
4428851	8.770	9.390	R	2023		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
P & S PAVING, INC. (2026)																					
70100000	9.830	9.955	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
520			3	16.8		14000	RIDE	7.7	7.9	8.1	7.7	7.7	7.5	7.8	7.8	7.3	7.8	7.7	7.3	7.5	
KING ST(10.0L)																					
FC125R																					
							CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1	8.0	6.0*
							RIDE	7.5	8.1	7.6	7.6	7.6	7.4	7.5	7.2	7.4	7.1	7.2	7.0	7.1	6.8
(2015)																					
70100000	9.955	10.836	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0
520			3	6.3		29000	RIDE	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8	7.7	7.8	7.6	7.2	7.3	
SIDE ROAD(10.1C)																					
FC125R																					
							CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	8.6	7.0
							RIDE	7.0	8.1	7.9	7.5	7.9	7.7	7.5	7.7	7.6	7.4	6.8	7.1	7.4	7.1
(2015)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
70100000	10.836	13.116	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	7.0	
520			3	5.2		24000	RIDE	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8	7.7	7.8	7.6	7.2	7.3	
GOODWIN DR(10.9R)																					
4311391	10.836	13.116	C	2014		0012	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	9.5	8.0
COMMUNITY ASPHALT CORP.				(2017)			RIDE	7.0	7.0	7.3	8.0	7.9	8.0	7.9	8.0	7.9	7.8	7.8	7.8	7.7	7.4
70100000	13.116	15.684	R	1	1	55	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
520			2	4.5		18800	RIDE	6.8	8.0	8.0	7.5	7.3	7.3	7.4	7.2	7.4	7.4	7.4	7.3	7.1	
FC5M																					
4428731	13.161	15.685	C	2022		0012	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	8.5
OHLA USA, INC.				(2024)			SPRIDE	7.2	6.9	7.2	7.1	7.3	7.2	7.2	7.2	7.1	7.1	8.2	8.1	8.1	7.9
70100000	15.684	16.316	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	
520			2	4.5		18800	RIDE	7.1	7.4	7.4	6.7	6.7	6.6	7.0	6.8	6.8	6.8	6.3	6.5	6.4	
FC125M																					
4344172	15.685	16.316	C	2017		0012	CRACKING	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.5
MASCI GENERAL CONTRACTORS				(2019)			RIDE	6.4	6.6	6.2	6.3	6.7	7.7	7.1	7.4	7.4	7.3	7.3	7.3	7.2	6.9
70100000	15.684	16.316	L	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
520			2	4.5		18800	RIDE	7.3	7.7	7.4	7.2	6.7	6.6	7.2	7.1	7.2	7.1	6.9	7.0	6.9	
BANANA RIVER BLVD N(16.2L)																					
4344172	15.685	16.316	C	2017		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
MASCI GENERAL CONTRACTORS				(2019)			RIDE	6.8	6.7	5.9	5.8	5.4*	6.5	6.7	6.7	6.9	7.0	6.8	6.8	6.5	6.5
70100000	13.116	15.684	L	1	1	55	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
520			2	4.5		18800	RIDE	7.5	8.6	8.6	8.0	7.3	7.3	7.4	7.5	7.5	7.5	7.6	7.3	6.8	
FC5M																					
4428731	13.161	15.685	C	2022		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.2	10.0	8.5
OHLA USA, INC.				(2024)			SPRIDE	6.9	6.6	7.4	7.5	7.6	7.4	7.4	7.4	7.3	7.4	8.3	8.3	8.3	8.1
70100000	10.836	13.116	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	
520			3	5.2		24000	RIDE	8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5	7.3	7.2	7.1	6.9	6.8	
FC125A																					
4311391	10.836	13.116	C	2014		0012	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.6	8.0
COMMUNITY ASPHALT CORP.				(2017)			RIDE	6.8	6.9	7.4	8.3	7.8	8.2	8.1	8.1	8.1	8.0	7.9	7.7	7.8	7.5
70100000	9.955	10.836	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	
520			3	6.3		29000	RIDE	8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5	7.3	7.2	7.1	6.9	6.8	
FC125R																					
70100000				(2015)			CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0
SIDE ROAD(10.1C)							RIDE	6.8	8.0	7.6	7.5	7.7	7.8	7.6	7.7	7.6	7.6	7.4	7.6	7.6	7.3
70100000	7.740	8.831	L	1	7	40	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	
520			2	6.7		25000	RIDE	6.9	7.3	6.8	6.7	6.6	6.2	6.7	6.5	6.4	6.4	5.9	6.3	6.2	
FC125M																					
4428851	7.700	8.711	L	2023		0012	CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.8	10.0	9.0
P & S PAVING, INC.				(2026)			SPRIDE	6.0	5.7	5.6	5.7	5.6	5.3*	5.3*	5.3*	5.2*	5.1*	5.0*	4.9*	6.8	6.5
70100000	4.700	7.740	L	1	1	55	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
520			2	8.8		22500	RIDE	7.6	8.6	8.5	8.0	7.9	7.6	8.1	8.0	7.8	7.8	7.5	7.5	7.5	
FC5M																					
4324431	4.700	7.740	C	2017		0012	CRACKING	6.5	6.5	6.5	5.5*			10.0	10.0	10.0	10.0	10.0	9.6	9.3	7.5
P & S PAVING, INC.				(2020)			RIDE	7.2	7.2	7.1	7.1			8.2	8.3	8.2	8.2	8.0	7.8	7.9	7.7
70100000	4.169	4.700	L	1	1	50	CRACKING	9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
520			2	8.8		22500	RIDE	8.8	8.8	8.7	8.3			7.9	8.1	8.1	8.1	7.8	8.0	7.8	
FC125																					
2375321	4.169	4.624	C	2004		0213	CRACKING	10.0	9.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.2*	7.5	5.0*
WESTWIND CONTRACTING, INC.				(2007)			SPRIDE	7.8	7.9	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.3	6.6	6.3*
4528851	2.778	4.728	C	2027		0226															
70100000	2.799	4.169	L	1	1	55	CRACKING	9.5	9.5	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
520			2	8.8		22500	RIDE	8.8	8.8	8.7	8.3			7.9	8.1	8.1	8.1	7.8	8.0	7.8	
OGFC																					
2374741	3.070	4.169	C	2004		0213	CRACKING	10.0	9.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.2*	5.9*	2.0*
WESTWIND CONTRACTING, INC.				(2007)			SPRIDE	7.8	7.9	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.3	7.2	7.0
4528851	2.778	4.728	C	2027		0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT	(MP)	(SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
70100000	0.000	2.799	L	1	1	65	CRACKING	8.0	9.5	9.5	9.5					10.0	10.0	10.0	10.0	10.0	10.0	
520			2	9.2	19000		RIDE	8.8	8.7	8.6	8.2					8.0	8.0	8.0	7.9	7.9	7.9	
CANAVERAL GROVE BLVD(1.7L)																						
					FC5M																	
4439571	0.038	2.748	C	2022	0012		CRACKING	9.5	8.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	9.5	8.0	
V. A. PAVING, INC.				(2023)	SPRIDE		RIDE	7.8	7.8	7.9	7.9	7.9	7.9	8.0	8.0	8.0	8.6	8.5	8.5	8.5	8.5	
70100001	0.000	0.134	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
520			2	16.8	14000		RIDE	7.9	8.0	8.1	7.3	7.4	7.3	7.5	7.4	7.6	7.4	7.2	7.4	7.1	7.1	
SR-520 EAST BOUND(0.0L)																						
					FC125R																	
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	9.2	7.5	
							RIDE		8.5	8.1	8.0	8.0	7.9	7.9	7.9	7.5	7.6	7.8	7.8	7.7	7.4	
70100001	0.582	1.142	C	1	7	35	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
520			3	16.8	14000		RIDE	6.2*	5.9	5.8	5.1*	5.2*	5.1*	4.4*	4.4*	7.3	7.0	6.7	6.3	6.3	6.3	
RIVEREDGE DR(0.7L)																						
					FC125M																	
4428851	0.856	1.142	C	2023	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	5.5*	10.0	9.0	
				(2026)	RIDE		RIDE	6.2	5.9	4.7*	4.7*	4.7*	4.3*	4.1*	4.1*	4.1*	3.7*	3.7*	3.2*	5.8	5.5	
70110000	0.000	5.061	R	1	1	65	CRACKING	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
50			2	8.9	16400		RIDE	8.7	8.6	8.5		7.9	7.9	8.2	8.0	7.7	7.9	7.9	7.6	7.6	7.6	
GREAT OUTDOORS RESORT(4.5R)																						
					FC5M																	
4373451	0.040	5.101	C	2019	0012		CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.9	9.8	8.0	
RANGER CONSTRUCTION INDUST(2021)					RIDE		RIDE	7.4	7.3	7.8	7.7	7.6	7.6	7.9	8.7	8.6	8.6	8.6	8.6	8.6	8.4	
70110000	5.061	5.561	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	
50			2	8.0	28500		RIDE	8.6	8.5	8.5	7.0	7.5	7.0	7.6	7.5	6.5	6.5	7.1	7.0	7.0	6.6	
WINDOVER WAY(5.3R)																						
					FC5																	
4248901	5.235	8.462	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	3.5*	3.5*	0.5*	
P & S PAVING, INC.				(2014)	RIDE		RIDE	8.2	8.0	7.8	7.9	7.7	7.7	7.6	7.6	7.5	7.5	7.3	6.5	6.2	6.0	
70110000	5.561	8.540	R	1	1	50	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
50			2	4.2	15700		RIDE	7.7	7.5	7.7	7.2	7.1	7.0	7.0	7.2	6.2*	6.9	7.0	6.8	6.9	6.9	
CATHEDRAL WAY(5.9R)																						
					FC125R																	
4248901	5.235	8.462	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.9	8.7	7.0	
P & S PAVING, INC.				(2014)	RIDE		RIDE	8.2	8.0	7.8	7.9	7.7	7.7	7.6	7.6	7.5	7.5	7.3	7.3	7.4	7.1	
70110000	5.561	8.540	L	1	1	50	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
50			2	4.2	15700		RIDE	7.4	7.1	7.1	6.6	6.2*	6.2*	7.0	6.9	5.5*	6.8	6.7	6.6	6.6	6.6	
CAMELOT DR(5.9L)																						
					FC125R																	
4248901	5.235	8.462	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.6	6.5	
P & S PAVING, INC.				(2014)	RIDE		RIDE	8.0	7.8	7.7	7.7	7.6	7.5	7.5	7.3	7.4	7.4	7.0	7.0	7.2	6.8	
70110000	5.061	5.561	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	5.5*	5.5*	
50			2	8.0	28500		RIDE	8.3	7.9	8.0	7.5	7.3	7.2	7.5	7.3	6.6	7.2	7.1	6.8	6.7	6.7	
SERPENTINE RD(5.4L)																						
					FC5																	
4248901	5.235	8.462	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	3.5*	3.5*	0.5*	
P & S PAVING, INC.				(2014)	RIDE		RIDE	8.0	7.8	7.7	7.7	7.6	7.5	7.5	7.3	7.4	7.4	7.0	6.9	6.8	6.6	
70110000	0.000	5.061	L	1	1	65	CRACKING	4.0*	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	
50			2	8.9	16400		RIDE	7.6	7.9	7.6		8.0	7.9	8.2	8.2	7.8	8.0	7.9	7.7	7.7	7.7	
HACIENDA DR(2.8L)																						
					FC5M																	
4373451	0.040	5.101	C	2019	0012		CRACKING	7.0	7.0	7.0	6.5	6.5	5.5*	3.5*	10.0	10.0	10.0	10.0	9.8	10.0	8.0	
RANGER CONSTRUCTION INDUST(2021)					RIDE		RIDE	7.4	7.2	7.7	7.7	7.4	7.6	7.6	8.6	8.6	8.6	8.6	8.4	8.6	8.4	
70120000	0.000	0.506	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	9.5	9.5	
518			3	11.8	27500		RIDE	7.4	7.1	6.4*	5.7*	6.3*	5.9	6.4	5.9	7.8	7.2	7.7	7.9	7.8	7.8	
JONES RD(0.0C)																						
					DGFC																	
				(2024)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	8.0	7.0	7.0			10.0	10.0	9.0	
							RIDE	7.8	7.9	7.1	6.5	7.0	7.1	6.9	7.1	6.9			7.0	6.7	6.4	
70120000	0.923	2.258	C	1	1	45	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	
5054			2	14.7	13200		RIDE	7.8	8.2	8.0	7.7	7.6	7.1	7.6	7.4	6.9	7.2	7.1	7.0	6.6	6.6	
PEPSI COLA DR(1.1R)																						
					FC125M																	
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	
4542191	0.923	2.268	C	2029	0226		RIDE	7.8	7.7	7.5	7.4	7.3	7.1	7.0	7.0	6.8	6.6	7.2	7.1	6.9	6.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT	AT	(MP)	(SIDE)				*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																(PMRS)	
70120000	5.257	5.715	C	1	1	30	CRACKING	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
518				2	2.2	17500	RIDE	5.2*	5.1*	5.2*	4.9*	6.9	6.4	7.0	6.9	6.9	6.8	6.8	6.7	6.4			
SR 5(5.3L)							DGFC																
4428811	5.274	5.590	C	2022		0012	CRACKING	8.5	8.5	7.0	6.5	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	9.0	
OHLA USA, INC.				(2024)			SPRIDE	6.4	6.5	6.0	5.9	6.0	6.4	5.9	5.8	5.9	5.7	6.6	6.8	6.6	6.6	6.3	
70120000	5.715	5.836	R	1	6	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
518				2	2.2	35000	RIDE	8.6	8.4	8.4	7.7	7.2	7.2	6.7	7.1	7.0	7.9						
							DGFC																
4119971	5.592	8.390	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	5.0*
PREFERRED MATERIALS, INC.				(2010)			RIDE																
70120000	6.385	7.032	R	1	1	45	CRACKING	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
518				2	2.2	35000	RIDE	8.2	8.1	8.0	6.6	7.2	6.1	6.3	6.1	5.9	8.4	8.1	8.2	8.1			
							DGFC																
4119971	5.592	8.390	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.3	5.0*		
PREFERRED MATERIALS, INC.				(2010)			RIDE	8.1	8.0	8.1	8.0	7.9	7.9	7.7	7.8	7.6	7.7	7.6	7.7	7.6	7.6	7.3	
70120000	7.032	8.398	R	1	1	45	CRACKING	8.0	8.0	7.0	7.0	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
518				2	4.5	20100	RIDE	8.4	8.1	8.0	7.2	7.2	6.9	7.0	7.1	6.8	7.8	7.8	7.8	7.6	7.7		
SR-513(7.3R)							DGFC																
4119971	5.592	8.390	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.2	7.1	5.0*		
PREFERRED MATERIALS, INC.				(2010)			RIDE	7.5	7.4	7.5	7.6	7.4	7.2	7.3	7.2	7.1	7.1	6.9	7.0	7.0	7.0	6.7	
70120000	7.032	8.398	L	1	1	45	CRACKING	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
518				2	4.5	20100	RIDE	7.9	7.9	7.4	7.0	7.1	6.4	7.1	6.5	6.4	8.0	8.0	8.0	7.9	7.4		
CR 3(7.3L)							DGFC																
4119971	5.592	8.390	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.6	7.6	7.6	5.5*	
PREFERRED MATERIALS, INC.				(2010)			RIDE	7.0	7.1	7.0	6.4	6.8	6.7	6.7	7.0	6.9	6.8	6.7	6.5	6.8	6.5	6.5	
70120000	6.385	7.032	L	1	1	45	CRACKING	8.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
518				2	2.2	35000	RIDE	8.5	8.3	8.3	7.3	7.4	6.9	7.1	6.5	6.4	8.8	8.6	8.7	8.6			
							DGFC																
4119971	5.592	8.390	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.2	6.0*		
PREFERRED MATERIALS, INC.				(2010)			RIDE	8.5	8.4	8.3	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.1	8.2	8.1	8.2	7.8	
70120000	5.715	5.836	L	1	6	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	
518				2	2.2	35000	RIDE	8.3	8.4	8.2	7.7	7.8	7.2	7.7	7.0	7.7	8.6	8.6	8.5	8.3			
EAU GALLE(5.7L)							DGFC																
4119971	5.592	8.390	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.0	6.0*	
PREFERRED MATERIALS, INC.				(2010)			RIDE	8.2	8.2														
70120000	0.000	0.506	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
518				2	11.8	27500	RIDE	7.6	7.7	7.8	7.4	7.0	7.8	8.4	8.1	8.1	8.1	8.1	8.0	7.9			
JONES RD(0.0C)							DGFC																
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0		10.0	10.0	10.0	9.0		
							RIDE	7.3	7.8	6.9	7.4	7.8	7.7	7.7	7.5	7.4		7.7	7.7	7.7	7.4		
70120001	0.000	0.445	C	1	6	30	CRACKING	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	4.5*	4.5*			
518				2	2.2	17500	RIDE	5.3*	4.9*	4.7*	4.9*	4.9*	4.5*	4.7*	4.7*	4.2*	4.4*	3.8*	4.1*	4.1*			
MONTREAL AVE(0.0C)							FC125M																
4323421	0.085	0.343	C	2016		0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.9	7.9	6.5		
MASCI GENERAL CONTRACTORS				(2019)			RIDE	4.0*	4.2*	3.0*	3.1*	2.9*											
70120003	0.000	0.049	C	1	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0			
5054				1	14.7	13200	RIDE																
EAU GALLIE BLVD(0.0C)																							
4272751	0.000	0.049	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.6	5.5*		
MASCI GENERAL CONTRACTORS				(2014)			RIDE																
4542191	0.013	0.049	C	2029		0226																	
70120004	0.000	3.087	R	1	1	50	CRACKING	4.0*	4.0*	4.0*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
518				2	5.8	19600	RIDE	7.0	6.9	6.6	5.8*	8.2	8.0	8.3	8.2	8.1	8.0	7.9	7.9	7.9	7.7		
CR 511(0.0C)							FC125																
4116721	0.100	3.038	C	2003		0012	CRACKING	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*	
PREFERRED MATERIALS, INC.				(2005)			RIDE	7.6	7.3	7.7	7.5	7.6	7.4	7.3	7.4	7.3	7.3	7.1	7.0	7.1	7.1	6.8	
4452131	0.409	3.426	C	2026		0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														
70120004	3.087	3.755	C	1	1 45	CRACKING		9.0	9.5	8.0	9.5	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0
518			4	4.9	18700	RIDE		6.5	6.0*	6.2*	5.6*	7.3	7.1	7.2	7.0	6.6	6.6	6.1	6.4	6.1	
ISABELLA DR(3.3L)																					
4323421	3.087	4.452	C	2016	0012	CRACKING		7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6	8.3	6.5
MASCI GENERAL CONTRACTORS (2017)																					
4452131	0.409	3.426	C	2026	0226			5.9	5.9		6.9	7.1	6.8	6.6	6.6	6.7	6.2	6.1	6.1	5.9	5.6
70120004	3.755	4.452	C	1	1 35	CRACKING		9.0	9.0	8.0	8.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0
518			4	4.9	18700	RIDE		6.5	6.3	6.2	5.7	7.3	7.1	7.2	7.0	6.6	6.6	6.1	6.4	6.1	
MOSSWOOD DR(3.8L)																					
4323421	3.087	4.452	C	2016	0012	CRACKING		7.0	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.3	7.9	6.5
MASCI GENERAL CONTRACTORS (2019)																					
4452131	0.409	3.426	C	2026	0226			5.9	5.9	5.3*	5.2*	4.9*	5.9	5.2*	5.5	5.4*	5.1*	4.7*	4.7*	4.6*	4.3*
70120004	0.000	3.087	L	1	1 50	CRACKING		4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
518			2	5.8	19600	RIDE		7.4	7.1	6.8	5.9*	8.3	8.2	8.3	8.2	8.1	7.9	7.8	7.8	7.5	
CR 511(0.0C)																					
4116721	0.100	3.038	C	2003	0012	CRACKING		9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.1*	6.0*	3.5*
PREFERRED MATERIALS, INC. (2005)																					
4452131	0.409	3.426	C	2026	0226			7.4	7.3	7.3	7.3	7.0	7.1	6.9	7.2	7.1	7.1	6.7	6.7	6.8	6.5
70140000	0.000	1.010	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0
3			2	4.6	27500	RIDE		7.2	6.9	6.9	6.1	6.2	5.8	6.1	6.2	6.0	6.3	5.8	5.7	5.2*	
MERRITT ISLAND CSWY(0.0C)																					
4306681	0.010	0.999	C	2015	0012	CRACKING		7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.3	6.5
MASCI GENERAL CONTRACTORS (2017)																					
4430681	0.010	0.999	C	2015	0012	RIDE		5.7	5.5	5.7	6.6	6.6	6.5	6.4	6.1	6.3	6.3	5.9	5.7	5.8	5.5
70140000	1.010	3.368	R	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0
3			2	2.2	34000	RIDE		8.0	8.0	7.9	7.6	7.5	7.5	7.7	7.7	7.7	7.7	7.5	7.6	7.5	
CATALINA ISLES(1.1R)																					
4233521	0.902	3.387	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	4.5*
P & S PAVING, INC. (2012)																					
44233521	0.902	3.387	C	2010	0012	RIDE		7.5	7.5	7.2	7.1	6.9	7.0	6.9	6.8	7.0	6.9	6.6	6.6	6.6	6.3
70140000	3.368	3.858	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0
3			2	3.3	30500	RIDE		7.8	7.8	7.8	6.8	6.8	6.5	7.4	7.4	7.5	7.4	7.0	6.5	7.1	
TINGEY DR(3.4L)																					
4410131	3.385	9.653	C	2021	0012	CRACKING		7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	10.0	10.0	10.0	10.0	9.0
V. A. PAVING, INC. (2023)																					
4410131	3.385	9.653	C	2021	0012	SPRIDE		6.6	6.0	6.9	6.6	6.6	6.6	6.1	6.2	6.7	7.3	7.2	7.3	7.2	6.9
70140000	3.858	9.755	R	1	1 50	CRACKING		8.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
3			2	2.4	14700	RIDE		8.4	8.4	8.1	7.4	7.1	7.1	7.1	6.7	7.9	7.9	7.8	7.8	7.7	
SMITH RD(3.9R)																					
4410131	3.385	9.653	C	2021	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0	10.0	9.5	9.5	8.0
V. A. PAVING, INC. (2023)																					
4410131	3.385	9.653	C	2021	0012	SPRIDE		7.6	7.6	7.9	7.8	7.8	7.7	7.6	7.7	7.5	8.4	8.3	8.2	8.2	8.0
70140000	3.858	9.755	L	1	1 50	CRACKING		4.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0
3			2	2.4	14700	RIDE		7.8		8.5	7.8	7.8	7.7	7.9	7.9	7.8	7.7	7.6	7.5	7.4	
GRANT RD(3.9L)																					
4410131	3.385	9.653	C	2021	0012	CRACKING		7.0	7.0	7.0	6.5	6.5	3.5*	3.5*	2.5*	2.5*		10.0	9.7	9.4	8.0
V. A. PAVING, INC. (2024)																					
4410131	3.385	9.653	C	2021	0012	SPRIDE		7.1	7.2	7.4	7.3	7.2	7.2	7.2	7.3	7.1		8.4	8.5	8.5	8.3
70140000	3.368	3.858	L	1	6 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
3			2	3.3	30500	RIDE		7.9	7.8	7.8	7.5	7.6	7.2	7.6	7.5	7.6	7.6	7.5	7.2	7.5	
TINGEY DR(3.4L)																					
4410131	3.385	9.653	C	2021	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	5.5*	10.0	10.0	10.0	10.0	9.0
V. A. PAVING, INC. (2023)																					
4410131	3.385	9.653	C	2021	0012	SPRIDE		7.2	7.1	6.6	6.8	6.5	6.4	6.2	5.3*	6.1	7.6				
70140000	1.010	3.368	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0
3			2	2.2	34000	RIDE		7.8	7.7	7.7	7.4	7.4	7.2	7.5	7.5	7.4	7.3	7.5	7.5		
NEVINS CT(1.1L)																					
4233521	0.902	3.387	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.8	6.5	4.5*
P & S PAVING, INC. (2012)																					
4233521	0.902	3.387	C	2010	0012	RIDE		7.4	7.5	7.3	7.3	7.3	7.1	6.9	7.1	7.1	7.0	6.9	6.8	6.7	6.4
70140000	0.000	1.010	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
3			2	4.6	27500	RIDE		7.2	7.1	7.0	6.6	6.4	6.1	6.8	6.7	6.4	6.4	5.8	5.7	6.0	
MERRITT ISLAND CSWY(0.0C)																					
4306681	0.010	0.999	C	2015	0012	CRACKING		7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
MASCI GENERAL CONTRACTORS (2017)																					
4306681	0.010	0.999	C	2015	0012	RIDE		6.1	6.2	5.7	7.1	7.2	6.9	6.6	6.6	7.0	6.9	6.3	6.8	6.8	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
70150000	0.000	5.702	C	1	1	55	CRACKING	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	
46			2	6.6		6300	RIDE	6.9	6.5	6.2*	8.2	8.2	8.2	8.4	8.3	8.3	8.1	8.0	7.8	7.6	
PIT BULL LN(0.8L)																					
4356581	0.000	4.995	C	2018		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	8.0
HALIFAX PAVING, INC. (2021)																					
70150000	5.702	6.230	C	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
46			2	6.2		11300	RIDE	8.6	8.6	8.3	7.9	7.9	7.6	8.5	8.4	8.2	8.1	8.1	7.9	7.9	
HAMMOCK TRL(6.0R)																					
						FC95	CRACKING	9.0	10.0	10.0	9.0	10.0	9.0		8.5	8.5	8.5	8.5	6.8	6.8	5.5*
							RIDE	7.8	7.8	7.6	7.4	7.3	7.0		7.2	7.3	7.1	6.8	6.3	6.9	6.6
70150000	6.230	7.392	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
46			2	6.2		11300	RIDE	8.0	8.2	8.1	7.8	7.7	7.7	7.8	7.1	7.2	7.5	7.1	7.0	7.1	
PALM AVE(6.3L)																					
4323981	6.230	7.392	C	2018		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	9.6	9.1	8.0
HALIFAX PAVING, INC. (2021)																					
70160000	0.000	0.425	C	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	9.0	7.5	3.5*	10.0	10.0	10.0	10.0	10.0	
405			4	10.9		16700	RIDE	7.2	7.2	6.8	6.0*	5.6*	5.6*	6.8	5.3*	8.3	7.6	7.6	7.3	7.6	
BREVARD SERVICE COMP(0.0C)																					
4155181	0.000	0.247	C	2007		0012	CRACKING	10.0	9.0	10.0	10.0	9.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	7.8	5.5*
V. A. PAVING, INC. (2009)																					
4542201	0.018	1.540	C	2029		0226	SPRIDE	7.3	7.2	7.6	7.5	6.7	7.6	6.5	6.5	6.8	6.6	6.4*	6.4*	6.3*	6.0*
70160000	0.425	1.537	C	1	1	55	CRACKING	8.5	7.0	6.0*	4.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	
405			2	10.9		16700	RIDE	7.8	7.5	7.4	6.2*	6.3*	5.9*	6.0*	5.9*	8.2	8.1	8.0	7.9	7.9	
LILLIAN BLVD(0.6R)																					
4155181	0.247	4.359	C	2007		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5	7.0	7.0	4.5*
V. A. PAVING, INC. (2009)																					
4542201	0.018	1.540	C	2029		0226	SPRIDE	7.9	7.7	7.3	7.3	7.2	7.1	7.1	7.1	7.1	7.0	7.0	7.0	6.8	6.5
70160000	1.537	2.937	C	1	7	55	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
405			2	3.6		10700	RIDE	7.7	7.4	7.4	7.0	6.6	6.6	6.6	6.6	8.0	7.8	7.8	7.6	7.7	
BOBBI LN N(1.7L)																					
4431691	2.052	2.914	L	2024		0012	CRACKING	10.0	9.5	9.5	9.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0
(2026)																					
70160000	2.937	4.359	C	1	1	55	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
405			2	3.6		10700	RIDE	7.8	7.6	7.6	7.3	7.3	7.1	7.3	7.2	8.2	8.1	8.0	7.9	8.0	
SINGLETON AVE(3.4L)																					
4155181	0.247	4.359	C	2007		0012	CRACKING	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5	8.7	8.5	6.0*
V. A. PAVING, INC. (2009)																					
4542211	2.950	4.362	C	2029		0226	SPRIDE	7.9	7.8	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.3	7.3	7.0
70160000	4.359	5.422	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	
405			2	4.2		5300	RIDE	6.4*	5.8	5.7	5.1*	4.8*	4.8*	4.9*	5.0*	7.8	7.3	7.6	7.4	7.1	
LANE AVE(4.5R)																					
4155181	4.359	5.422	C	2007		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	7.6	7.7	5.5*
V. A. PAVING, INC. (2009)																					
70160000	4.359	5.422	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
405			2	4.2		5300	RIDE	7.1	6.7	7.1	6.2	6.0	5.2*	5.8	5.9	7.7	7.3	7.5	7.1	7.1	
COLLINS AVE(4.4L)																					
4155181	4.359	5.422	C	2007		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.5	8.5	8.2	7.9	5.5*
V. A. PAVING, INC. (2009)																					
70160001	0.000	0.332	R	1	1	30	CRACKING								9.5	8.5	8.5	8.5	8.5	7.7	7.3
406			1	6.2		5700	RIDE								5.3*	5.2*	6.8	6.6	5.2*	5.1*	5.7
SR 5(0.0C)																					
						DGFC	CRACKING														6.0*
							RIDE														5.4*
70160001	1.114	1.732	C	1	1	40	CRACKING							3.5*	3.5*	1.0*			4.5*	4.5*	
406			2	6.2		5700	RIDE							6.4	6.2	6.2			5.6	6.2	
GATOR CREEK RD(1.5R)																					
						DGFC	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	3.5*	3.5*	3.5*
							RIDE	6.1	6.3	6.6	6.6	6.4	6.6	6.4	6.8	7.0	6.6	6.4	6.4	6.4	6.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
70160001	0.000	0.332	L	1	1	30	CRACKING															
406				1	6.2	5700	RIDE															
SR 5(0.0C)																						
				(2020)			CRACKING							10.0	9.5	9.5	9.5	9.5	7.0	7.0	5.5*	5.5*
							RIDE							5.1*	5.0*	4.7*				4.8*	4.5*	
70160002	0.609	0.784	C	1	6	30	CRACKING														10.0	
406				2	22.5	4400	RIDE															
							DGFC															
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	5.5*	
							RIDE															
70180000	2.480	3.218	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
514				3	7.2	42000	RIDE	8.3	8.6	8.6	8.1	7.7	8.1	7.6	8.4	8.4	8.2	7.9	8.2	7.9		
FRONTAGE RD NW(2.7R)							FC3															
2375911	2.612	3.060	C	1997		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.0	8.0	7.0	7.0	7.4	6.9	4.0*	
RANGER CONSTRUCTION INDUST(2000)							S RIDE	8.0	7.8	7.8	7.8	7.6	7.6	7.6	7.6	7.4	7.4	7.1	7.4	7.4	7.1	
4507291	2.469	3.347	C	2026		0226																
70180000	3.218	6.742	C	1	1	50	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	
514				2	2.4	15300	RIDE	8.5	8.8	8.6	8.3	8.2	8.1	7.5	8.1	7.9	7.9	7.7	7.8	7.6		
ENTERPRISE AVE(3.3R)							FC3															
2376721	3.218	6.698	C	1998		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.0*
RANGER CONSTRUCTION INDUST(1999)							S RIDE	7.5	7.5	7.7	7.7	7.7	7.7	7.7	7.6	7.7	7.4	7.2	7.3	7.3	7.0	
4344141	3.218	6.742	C	2028		0226																
70180000	2.480	3.218	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	
514				3	7.2	42000	RIDE	8.2	8.6	8.2	7.7	7.9	8.2	8.3	8.2	8.1	8.1	7.9	8.0	8.0	7.7	
MISSING DESCRIPTION I(2.7L)							FC3															
2375911	2.612	3.060	C	1997		0213	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.0*
RANGER CONSTRUCTION INDUST(2000)							S RIDE	7.8	7.9	7.8	7.9	7.9	7.7	7.6	7.6	7.1	7.4	7.0	7.3	7.2	7.2	6.9
4507291	2.469	3.347	C	2026		0226																
70220000	0.000	12.500	R	4	1	70	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0			
9 I95	159.8	172.3		3	14.7	57584	RIDE	8.8	8.7	8.6	8.0	7.8	7.7	7.9	7.8	7.8	8.2	8.3	8.3			
							FC5M															
4130721	0.000	12.442	C	2012		0218	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	5.5*	3.5*	
(2016)							RIDE			8.6	8.6	8.6	8.4	8.7	8.6	8.6	8.5	8.5	8.4	8.3	8.2	
4505951	0.000	12.543	C	2026		0012																
70220000	12.500	16.485	R	4	1	70	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	
9 I95	172.3	176.3		3	8.9	64500	RIDE	8.8	8.7	8.6	8.0	7.8	7.7	7.9	7.8	7.8	7.5			8.1	8.0	
							FC5M															
4055063	12.415	16.588	C	2010		0218	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.0*	
(2012)							RIDE	8.0	8.0	8.4	8.4	8.3	8.3	8.6	8.6	8.5	8.5	8.4	8.4	8.4	8.3	
4489771	12.500	36.585	C	2025		0012																
70220000	16.485	21.360	R	4	1	70	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5						10.0	
9 I95	176.3	181.2		3	16.2	72500	RIDE	8.8	8.7	8.6	8.0	7.8	7.7	7.9	7.8						8.2	
							FC5M															
4055068	16.588	34.669	C	2008		0218	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.0*	
(2013)							RIDE	8.2	8.1	8.3	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.0
4489771	12.500	36.585	C	2025		0012																
70220000	21.360	22.498	R	4	1	70	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5						10.0	
9 I95	181.2	182.3		3	11.5	101500	RIDE	8.8	8.7	8.6	8.0	7.8	7.7	7.9	7.8						8.2	
							FC5M															
				(2021)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.0
4489771	12.500	36.585	C	2025		0012	RIDE	8.2	8.1	8.3	8.3	8.3	8.3	8.4	9.1	9.0	8.9	8.9	8.8	8.8	8.8	8.7
70220000	22.498	34.615	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5						10.0	
9 I95	182.3	194.4		3	8.9	102000	RIDE	8.8	8.8	8.7	8.1	8.0	8.0	8.2	8.0						8.2	
							FC5M															
4055068	16.588	34.669	C	2008		0218	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.8	6.6	4.0*
(2013)							RIDE	8.2	8.1	8.3	8.3	8.3	8.3	8.4	8.5	8.4	8.4	8.3	8.4	8.4	8.3	8.2
4489771	12.500	36.585	C	2025		0012																
70220000	34.615	36.618	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0			10.0	10.0	10.0	10.0	
9 I95	194.4	196.4		3	11.7	99308	RIDE	8.9	8.9	8.9	8.4	8.3	8.2	8.4	7.7			8.4	8.3	8.3	8.3	
							FC5M															
4055065	34.669	41.503	C	2007		0218	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*
(2010)							RIDE	8.3	8.2	8.1	8.0	8.0	7.8	8.0	8.0	8.0	8.0	7.9	7.9	7.7	7.6	
4489771	12.500	36.585	C	2025		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE	ONE	YEAR)		AST	TYPE															(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
70220000	36.618	41.517	R	4	4	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0		9.5	9.5	9.4	9.4	
9 I95	196.4	201.3	3	11.7	99308		RIDE	8.9	8.9	8.9	8.4	8.3	8.2	8.4	7.7		8.2	8.6	8.7	8.7		
BRIDGE #127	R(41.5C)				LDG																	
4055065	34.669	41.503	C	2007	0218		CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.4	9.4	9.4	9.4	9.3	8.5
				(2010)			RIDE	8.7	8.7	8.9	8.9	8.9	8.9	8.8	8.9	8.7	8.9	8.7	8.9	8.9	8.8	8.7
70220000	36.618	41.517	L	4	4	70	CRACKING	10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5		9.5	9.5	9.4	9.4		
9 I95	196.4	201.3	3	11.7	99308		RIDE	9.0	8.8	8.8	8.3	8.2	8.1	8.2	8.1		8.1	8.5	8.4	8.4		
BRIDGE #127	R(41.5C)				LDG																	
4055065	34.669	41.503	C	2007	0218		CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	8.6	9.5	9.4	9.4	9.4	9.4	9.4	8.5
				(2010)			RIDE	8.6	8.8	9.0	9.0	9.0	9.1	9.1	9.1	8.9	9.1	9.1	9.1	9.1	9.1	9.0
70220000	34.615	36.618	L	4	1	70	CRACKING	10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0		
9 I95	194.4	196.4	3	11.7	99308		RIDE	9.0	8.8	8.8	8.3	8.2	8.1	8.2	8.1		8.2	8.2	8.2	8.2		
					FC5M																	
4055065	34.669	41.503	C	2007	0218		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.9*	4.5*	1.5*	
				(2010)			RIDE	8.2	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	8.0	7.9	7.8	7.6	7.5	
4489771	12.500	36.585	C	2025	0012																	
70220000	22.623	34.615	L	4	1	70	CRACKING	7.0	6.0*	5.5*	5.5*	5.5*	4.0*	4.0*	3.5*					10.0		
9 I95	182.4	194.4	3	8.9	102000		RIDE	8.9	8.7	8.6	7.8	7.6	7.3	7.3	7.3					8.1		
					FC5M																	
4055068	16.588	34.669	C	2008	0218		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	2.0*	
				(2013)			RIDE	8.1	8.0	8.2	8.2	8.2	8.1	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.0	
4489771	12.500	36.585	C	2025	0012																	
70220000	21.134	22.623	L	4	1	70	CRACKING	7.0	6.0*	5.5*	5.5*	5.5*	4.0*	4.0*	3.5*					10.0		
9 I95	181.0	182.4	3	11.5	101500		RIDE	8.9	8.7	8.6	7.8	7.6	7.3	7.3	7.3					8.1		
					FC5M																	
4489771	12.500	36.585	C	2025	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	10.0	10.0	10.0	10.0	9.5	9.2	7.5	
							RIDE	8.1	8.0	8.2	8.2	8.2	8.1	8.3	8.9	8.9	8.8	8.8	8.7	8.7	8.6	
70220000	16.485	21.134	L	4	1	70	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0					10.0		
9 I95	176.3	181.0	3	16.2	725000		RIDE	8.4	8.1	7.9	7.8	7.9	7.8	8.0	7.9					8.1		
					FC5M																	
4055068	16.588	34.669	C	2008	0218		CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	2.0*	
				(2013)			RIDE	8.1	8.0	8.2	8.2	8.2	8.1	8.3	8.3	8.3	8.2	8.1	8.1	8.0	7.9	
4489771	12.500	36.585	C	2025	0012																	
70220000	12.473	16.485	L	4	1	70	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	7.0	6.5		10.0	10.0		
9 I95	172.3	176.3	3	8.9	645000		RIDE	8.4	8.1	7.9	7.8	7.9	7.8	8.0	7.9	7.8	7.6		8.1	8.0		
					FC5M																	
4055063	12.415	16.588	C	2010	0218		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.0*	
				(2012)			RIDE	8.0	8.0	8.4	8.3	8.3	8.3	8.5	8.5	8.5	8.4	8.3	8.4	8.3	8.2	
4489771	12.500	36.585	C	2025	0012																	
70220000	0.000	12.473	L	4	1	70	CRACKING	9.5	8.0	7.0	7.0	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0			
9 I95	159.8	172.3	3	14.7	57584		RIDE	8.7	8.6	8.6	7.8	7.6	7.4	7.5	7.4	8.3	8.2	8.2	8.1			
					FC5M																	
4130721	0.000	12.442	C	2012	0218		CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	5.2*	4.3*	2.0*	
				(2016)			RIDE			8.6	8.6	8.5	8.5	8.6	8.6	8.6	8.5	8.4	8.5	8.1	8.0	
4505951	0.000	12.543	C	2026	0012																	
70225000	0.000	3.060	R	4	4	70	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5			9.5	9.5	9.4	9.4		
9 I95	201.3	204.4	3	15.8	865000		RIDE	9.0	8.8	8.8	8.4	8.2	8.3	8.4			8.0	8.3	8.4	8.5		
					LDG																	
4055065	0.000	3.298	C	2007	0218		CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	8.9	9.4	9.4	9.4	9.4	9.4	8.5	
				(2010)			RIDE	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.6	
70225000	3.060	18.075	R	4	1	70	CRACKING	3.5*	10.0	10.0	9.5	9.5	9.5	8.0	6.5	4.5*	4.5*	4.5*				
9 I95	204.4	219.4	3	15.8	560000		RIDE	7.7	8.3	8.3	7.7	7.6	7.5	7.7	7.5	7.4	7.1	6.7				
					FC5M																	
4055062	3.396	18.408	C	2011	0218		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	5.9*	5.4*	3.0*	
				(2015)			RIDE		8.4	8.5	8.5	8.4	8.4	8.6	8.6	8.6	8.5	8.4	8.4	8.3	8.2	
4515941	4.762	12.498@	C	2027	0012																	
70225000	18.075	22.215	R	4	1	70	CRACKING	7.0	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
9 I95	219.4	223.6	3	19.3	500000		RIDE	9.0	8.8	8.5	7.9	7.9	7.9	8.2	8.2	8.2	8.1	8.0	8.0	7.9		
					FC5M																	
4068698	18.309	31.190	C	2012	0218		CRACKING				10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	3.9*	4.4*	2.5*	
				(2017)			RIDE				8.4	8.4	8.4	8.4	8.4	8.4	8.2	8.0	7.9	7.4	7.3	
4507711	12.498	22.215	C	2026	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)
70225000	22.215	31.190	R	4	1	70	CRACKING	10.0	9.5	9.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	
9 I95	223.6	232.5	3	19.8		40643	RIDE	9.0	8.8	8.8	8.2	8.1	8.0	8.1	7.9	7.9	7.7	7.3	8.4	8.2	
							FC5M														
4068698	18.309	31.190	C	2012		0218	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.1	6.5	4.5*
				(2017)			RIDE				8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.1
4544731	25.215	31.190@	C	2028		0012															
70225000	17.900	31.190	L	4	1	70	CRACKING	6.0*	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9 I95	219.2	232.5	3	19.8		40643	RIDE	8.8	8.5	8.4	7.5	8.0	7.9	8.2	8.2	8.2	8.1	8.0	8.5	8.4	
							FC5M														
4068698	18.309	31.190	C	2012		0218	CRACKING				10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.1*	5.2*	3.0*
				(2017)			RIDE				8.4	8.4	8.3	8.4	8.4	8.3	8.3	8.2	8.2	8.1	8.0
70225000	3.060	17.900	L	4	1	70	CRACKING	3.5*	10.0	10.0	9.5	9.5	9.5	7.0	6.0*	5.5*	5.5*	3.5*			
9 I95	204.4	219.2	3	15.8		56000	RIDE	8.0	8.6	8.7	7.9	7.9	7.7	7.7	7.5	7.2	6.8	7.3			
							FC5M														
4055062	3.396	18.408	C	2011		0218	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	2.0*
				(2015)			RIDE		8.4	8.5	8.4	8.4	8.4	8.5	8.4	8.5	8.5	8.2	8.2	8.1	8.0
4515941	4.762	12.498@	C	2027		0012															
70225000	0.000	3.060	L	4	4	70	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	6.5			9.5	9.5	9.4	9.4	
9 I95	201.3	204.4	3	15.8		86500	RIDE	8.8	8.7	8.7	8.2	8.1	7.9	8.0			7.7	8.1	8.2	8.1	
							LDG														
KING ST(0.000	3.298	C	2007		0218	CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.5	9.4	9.4	9.4	9.4	8.5
4055065	0.000			(2010)			RIDE	8.3	8.4	8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.6
70470000	0.000	0.815	R	5	1	70	CRACKING														
528	35.8	36.6	2	16.0		63000	RIDE														
							FC5M														
BRIDGE #84	L(0.00C)																			
4394791	0.000	0.815	C	2018		0012	CRACKING			6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	8.9	8.5	7.0	
				(2022)			SPRIDE			7.4	7.3	7.2	6.9		8.6	8.4	8.4	8.3	8.4	8.3	
70470000	0.815	1.670	C	5	1	70	CRACKING														
528	36.6	37.4	2	16.0		26000	RIDE														
							FC5M														
SR 407 NB(1.2L)																				
4394791	0.815	1.670	C	2018		0012	CRACKING			6.5	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0	9.7	8.0	
				(2022)			RIDE			7.8	7.8	7.8	7.7		8.5	8.6	8.6	8.6	8.6	8.6	8.5
70470000	1.670	5.928	R	5	1	70	CRACKING														
528	37.4	41.7	2	16.0		52000	RIDE														
							FC5M														
4394791	1.670	9.956	C	2018		0012	CRACKING			6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.8	8.5	
				(2022)			RIDE			7.9	7.9	8.0	7.7		8.6	8.6	8.6	8.6	8.6	8.6	8.5
70470000	5.928	9.956	R	5	1	70	CRACKING														
528	41.7	45.7	2	16.0		40600	RIDE														
							FC5M														
				(2024)			CRACKING			6.5	6.5	6.5	6.5					10.0	9.7	9.8	8.5
							RIDE			8.0	8.0	8.0	8.0					8.6	8.6	8.6	8.5
70470000	5.982	9.956	L	5	1	70	CRACKING														
528	41.7	45.7	2	16.0		40600	RIDE														
							FC5M														
				(2024)			CRACKING			6.5	6.5	6.5	4.5*					10.0	9.8	9.8	8.5
							RIDE			8.1	8.0	8.1	7.9					8.6	8.6	8.6	8.5
70470000	1.670	5.982	L	5	1	70	CRACKING														
528	37.4	41.7	2	16.0		52000	RIDE														
							FC5M														
4394791	1.670	9.956	C	2018		0012	CRACKING			6.5	5.5*	5.5*	3.5*		10.0	10.0	10.0	9.8	9.8	8.5	
				(2022)			RIDE			7.8	7.7	7.9	7.5		8.5	8.5	8.5	8.5	8.5	8.5	8.4
70470000	0.000	0.815	L	5	1	70	CRACKING														
528	35.8	36.6	2	16.0		63000	RIDE														
							FC5M														
BRIDGE #84	L(0.00C)																			
4394791	0.000	0.815	C	2018		0012	CRACKING			6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.8	9.2	7.5	
				(2022)			SPRIDE			8.0	7.8	7.7	7.7		8.5	8.6	8.6	8.6	8.6	8.6	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
70470100	0.000	0.908	C	5	1	70	CRACKING															
528			2	16.0	51200		RIDE															
70470000	MP	1.670(0.0C)				FC5M															
				(2024)			CRACKING			6.5	5.5*	5.5*	3.5*					10.0	9.5	9.0	7.5	
							RIDE			7.4	7.2	7.0	7.1					8.7	8.6	8.7	8.6	

70471000	0.000	0.895	C	5	1	55	CRACKING															
407		0.0	0.9	1	16.0	5200	RIDE															
70470000	EB(0.0R)					FC5M															
				(2016)			CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.2	8.8	6.5	
							RIDE			8.1	8.1	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.0	8.0	7.9	
4535401	0.000	4.317	C	2027	0012																	
70471000	0.895	6.788	C	5	1	55	CRACKING															
407		0.9	6.8	2	9.8	9953	RIDE															
SHEPARD	DR(5.5R)					FC5M															
				(2016)			CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.4	7.0	5.0*	
							RIDE			8.5	8.5	8.4	8.4	8.5	8.5	8.4	8.3	8.1	8.1	8.0	7.9	
4535401	0.000	4.317@	C	2027	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).