

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = CLAY -----																																		
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE														
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FW	FY-P	WKM-X-P	*****																											
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	RW	FY-F	WKM-X-F	*****																											
ITMSEG-P	ITMSEG-F																																	
71020000	11.676	12.480	L	1	1	45	CRACKING	6.5	6.0*	6.0*	5.5*	5.5*	3.5*	1.0*	1.0*	0.0*	0.0*																	
15 17				3	6.4	54000	RIDE	8.5	8.4	8.2	8.1	7.9	6.9	6.6	6.9	6.8	6.7																	
HOLLY PT W(11.8L)																																		
2082071	11.682	12.192	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.6	
ARCHER WESTERN CONTRACTORS(2012)																																		
2082283	11.321	13.806	C	2026		0012																												
71020000	8.241	11.321	L	1	1	50	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.5	6.5	6.5	3.5*	3.5*	10.0	10.0														
15 17				3	6.4	58000	RIDE	8.8	9.1	8.9	8.8	8.7	8.1	7.7	7.8	7.7	7.6	7.5	8.4	8.5														
BALD EAGLE RD(8.3L)																																		
2082073	8.261	10.899	L	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	4.5*	4.5*	3.5*	2.8												
HUBBARD CONSTRUCTION COMPA(2010)																																		
4471801	8.594	11.321	C	2023		0012																												
71020000	6.563	8.241	L	1	1	55	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5														
15 17				3	6.4	43067	RIDE	9.1		8.2	8.5	8.5	8.3	8.0	8.3	8.4	8.3	8.4	8.3	8.1														
VILLAGE SQUARE PKWY(6.7L)																																		
4233991	6.563	8.241	L	2013		0012	CRACKING	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.7													
HUBBARD CONSTRUCTION COMPA(2014)																																		
4433021	6.598	8.630	C	2024		0012																												
71020000	4.735	6.563	L	1	1	55	CRACKING	10.0	10.0	9.5	8.0	8.0	7.5		10.0	10.0	10.0	10.0	9.5	9.5														
15 17				3	6.4	34500	RIDE	9.1	8.9	8.5	8.5	8.4	7.7		8.3	8.3	8.4	8.2	8.2	8.1														
TOWN CENTER BLVD(5.0L)																																		
4393461	4.956	6.603	L	2019		0012	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
HUBBARD CONSTRUCTION COMPA(2021)																																		
71020000	4.198	4.735	L	1	1	55	CRACKING	10.0	10.0	9.5	8.0	8.0	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0														
15 17				2	6.4	34500	RIDE	9.1	8.9	8.5	8.5	8.4	7.7	7.1	6.8	6.6		8.3	8.2	8.2														
BLACK CREEK TL(4.5L)																																		
4393461	4.198	4.725	L	2019		0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
HUBBARD CONSTRUCTION COMPA(2021)																																		
71020000	1.783	3.921	L	1	1	55	CRACKING	10.0	10.0	9.5	9.5	8.0	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0														
15 17				2	6.4	27500	RIDE	9.1	9.1	9.0	8.9	8.7	7.7	7.1	6.8	6.6		8.3	8.2	8.2														
SHEDD RD(2.3L)																																		
2080853	1.239	6.563	C	2007		0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	6.5	5.5*	5.5*	4.5*	3.5*	3.5*	1.7													
HUBBARD CONSTRUCTION COMPA(2009)																																		
2082025	0.000	3.921	C	2025		0012																												
71020000	1.239	1.783	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0														
15 17				2	6.4	27500	RIDE	8.8	8.8	8.5	8.6	8.6	8.3	8.1	8.1	8.4		8.1	7.9	7.5														
HARBOR RD(1.6L)																																		
2080853	1.239	6.563	C	2007		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	6.0*	4.5*	4.5*	4.5*	3.1													
HUBBARD CONSTRUCTION COMPA(2009)																																		
2082025	0.000	3.921	C	2025		0012																												
71020000	0.000	1.239	L	1	1	35	CRACKING	10.0	9.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0														
15 17				2	6.4	22500	RIDE	7.3	7.7	6.7	6.3	6.6	6.2	6.0	5.7	7.2	7.1	7.0	6.8	6.6														
FERRIS ST/SR-16(0.0L)																																		
2080852	0.000	1.239	C	2006		0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	5.5*	5.5*	4.5													
J.B. COXWELL CONTRACTING,I(2007)																																		
2082025	0.000	3.921	C	2025		0012																												
71030000	0.000	0.564	R	1	1	65	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0														
200 301				2	29.7	21000	RIDE	8.2		9.0	9.0	8.9	8.4	8.3	8.3	8.5	8.5	8.5	8.3	8.3														
RICHARD MOSLEY RD(0.2R)																																		
4303522	0.000	5.523	C	2015		0012	CRACKING	8.0	8.0	7.0	7.0	10.0	10.0		10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6												
ANDERSON COLUMBIA CO., INC(2019)																																		
71030000	0.564	3.033	R	1	5	65	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0														
200 301				2	29.7	21000	RIDE	8.2		9.0	9.0	8.9	8.4	8.3	8.3	8.5	8.5	8.5	8.3	8.3														
CONC																																		
							CRACKING	8.0	8.0	7.0	7.0	10.0	10.0		10.0	10.0	9.0	9.0	9.0	9.0	9.4													
							RIDE	8.2	7.9	8.0	7.8	8.8	8.9		8.9	9.0	9.0	8.8	8.7	8.9														
							(2024)																											
71030000	3.033	5.540	R	1	1	65	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0														
200 301				2	31.9	24500	RIDE	8.2		9.0	9.0	8.9	8.4	8.3	8.3	8.5	8.5	8.5	8.3	8.3														
CR 218(3.1R)																																		
4303522	0.000	5.523	C	2015		0012	CRACKING	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1												
ANDERSON COLUMBIA CO., INC(2016)																																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = CLAY -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
71030000	0.000	5.540	L	1	8	65	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	
200 301				2	29.7	21000	RIDE	7.0		8.9	8.9	8.9	8.3	8.2	8.3	8.4	8.4	8.4	8.2	8.2	
UNSIGNED(3.1L)																					
4303522	0.000	5.523	C	2015	0012		CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	8.5	9.0	9.0		
ANDERSON COLUMBIA CO., INC(2016)																					
4303524	0.116	3.510@	C	2019	9924																

71040000	0.000	2.882	R	1	1	50	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	
100				1	6.3	12800	RIDE	8.6	8.6	8.0	8.2	8.2	7.3	7.5	7.3	7.7	7.4	7.4	7.2	6.9	
SE 1 AVE(0.0R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.7
							RIDE	8.5	8.3	8.3	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.6

71040000	2.882	5.304	C	1	1	60	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	
100				2	13.0	6800	RIDE	8.7	8.7	8.3	8.6	8.5	8.1	8.0	8.0	8.2	8.0	7.9	7.6	7.3	
3RD ST(3.0R)																					
2081872	2.882	5.304	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.5	6.9
PREFERRED MATERIALS, INC. (2012)																					
							SPRIDE	8.5	8.3	8.3	8.3	8.1	8.1	8.1	8.0	8.0	8.0	8.1	8.1	8.0	7.8

71040000	0.000	2.882	L	1	1	50	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	
100				1	6.3	12800	RIDE	8.6	8.6	8.0	8.2	8.2	7.3	7.5	7.3	7.7	7.4	7.4	7.2	6.9	
KINGS ST(0.3L)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.7
							RIDE	8.5	8.3	8.3	8.3	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.6

71050000	0.000	2.148	C	1	1	60	CRACKING	9.5	9.5	9.5	8.5	7.0	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	
16				2	9.5	6300	RIDE	8.5	8.5	8.0	8.3	8.2	7.9	7.6	7.6	7.7	8.6	8.7	8.6	8.4	
LIGHTNING STRIKE RD(0.8C)																					
2082032	0.000	1.939	C	2007	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5
PREFERRED MATERIALS, INC. (2008)																					
							RIDE	8.4	8.2	8.1	8.0	8.1	8.2	8.0	8.1	8.1	8.0	8.0	8.0	7.9	7.6

71050000	2.148	4.357	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
16				2	7.9	7400	RIDE	8.9	8.9	8.4	8.8	8.7	8.4	8.3	8.1	8.5	8.4	8.3	8.2	8.0	
MARY DOT LN(2.5R)																					
4343191	2.148	4.357	C	2017	0012		CRACKING	9.5	8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON COLUMBIA CO., INC(2019)																					
							SPRIDE	8.0	7.9	7.7	7.6	7.9	8.0		8.6	8.6	8.5	8.5	8.5	8.5	8.4

71050000	4.357	10.175	R	1	1	65	CRACKING	6.0*	5.5*	3.5*	3.0*	3.0*	3.0*		10.0	10.0	10.0	9.5	9.0	7.5	
16				2	7.9	4600	RIDE	7.2	7.0	6.8	6.5	6.4*	5.4*		8.1	8.2	8.1	8.2	8.0	7.8	
CR 16A(4.4R)																					
4343191	4.357	10.175	R	2017	0012		CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON COLUMBIA CO., INC(2019)																					
							SPRIDE	7.5	7.3	6.7	6.2*	6.2*	6.7		9.0	8.9	8.8	8.8	8.9	8.8	8.7

71050000	10.175	10.528	R	1	1	45	CRACKING	6.0*	5.5*	3.5*	3.0*	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	
16				2	12.8	7600	RIDE	7.2	7.0	6.8	6.5	6.4*	5.4*		7.9	7.7	7.8	7.8	7.7	7.6	
SR 16(10.3C)																					
4411291	10.130	10.489	R	2021	0012		CRACKING	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*			10.0	10.0	
DUVAL ASPHALT PRODUCTS, IN(2023)																					
2082005	10.175	23.614	C	2026	0012			7.7	7.6	7.5	7.5	6.7	6.9	6.8	6.6	6.8	6.7		7.9	7.8	

71050000	10.528	18.140	C	1	1	60	CRACKING	7.0	7.0	7.0	6.5	7.0	6.5	5.5*		10.0	10.0	10.0	10.0	9.5	
16				2	12.8	7600	RIDE	8.4	8.4	7.9	7.9	7.8	7.1	6.9		8.1	8.0	8.1	8.1	8.0	
SEAMARK RANCH RD(12.7L)																					
2082002	10.520	19.433	C	2005	0012		CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	4.1	
PREFERRED MATERIALS, INC. (2007)																					
2082005	10.175	23.614	C	2026	0012			7.9	7.9	7.8	7.8	7.6	7.6	7.5	7.5	7.4	7.4	7.3	7.2	7.0	

71050000	18.140	19.538	C	1	8	55	CRACKING	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0	9.5	
16				2	12.8	11500	RIDE	8.1	7.9	7.6	7.6	7.5	6.2*	5.9*		8.1	8.0	8.1	8.1	8.0	
GARY RD(18.4R)																					
2082002	10.520	19.433	C	2005	0012		CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0						
PREFERRED MATERIALS, INC. (2007)																					
2082005	10.175	23.614	C	2026	0012			7.9	7.9	7.8	7.8	7.6	7.6	7.5	7.5	7.5					

71050000	19.538	20.185	C	1	1	55	CRACKING	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
16				2	12.8	11500	RIDE	8.1	7.9	7.6	7.6	7.5	6.2*	5.9*	8.2	8.2	8.0	7.9	8.0	7.8	
CR 315(19.9R)																					
2082002	19.433	20.047	C	2005	0012		CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	5.5*	5.5*	4.4
PREFERRED MATERIALS, INC. (2006)																					
2082005	10.175	23.614	C	2026	0012			7.7	7.7	7.7	7.7	7.5	7.7	7.6	7.5	7.3	7.3	7.4	7.2	7.1	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = CLAY -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
71070000	5.677	7.314	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	7.5	
21			3	5.9		43500	RIDE	8.5	8.3	8.1	8.6	8.6	8.1	7.5	8.1	8.3	8.3	8.3	8.1	8.0	
BAXLEY RD(5.8R) FC125M																					
2082117	5.677	7.124	R	2015		0213	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.7	7.8	7.5	7.5			8.1	7.7	7.7	7.6	7.8	7.6	7.6	7.3
71070000	7.314	8.175	R	1	1	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5		
21			3	5.9		43500	RIDE	8.5	8.3	8.1	8.6	8.6	8.1	7.5	8.1	8.3	8.3	8.3	8.1		
KINGFISHER BLVD(7.7R) FC125M																					
2082112	7.137	8.071	R	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
RUSSELL ENGINEERING, INC (2012)							SPRIDE	8.5	8.4	8.3	8.2	8.4	8.4	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.8
71070000	8.175	12.726	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
21			3	5.9		61000	RIDE	8.5	8.6	8.2	8.2	8.3	8.0	7.6	7.9	8.0	8.0	7.9	7.9	7.8	
RAMP TO CR 220B(8.3R) FC125M																					
4286981	8.175	12.726	C	2014		0012	CRACKING	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0
HUBBARD CONSTRUCTION COMPA(2016)							SPRIDE	7.8	7.8	7.7		8.2	8.2	8.2	7.9	8.1	8.1	8.1	8.0	7.8	7.7
71070000	12.726	14.498	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	7.0	6.5	6.5	6.5	10.0	
21			3	5.9		62000	RIDE	8.7	8.6	8.3	8.3	8.3	7.6	7.2	7.4	7.7	7.6	7.7	7.3	8.5	
BLAIRMORE BLVD(13.1C) FC125M																					
2082301	12.260	14.498	R	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.9
HUBBARD CONSTRUCTION COMPA(2011)							SPRIDE	8.5	8.5	8.3	8.2	8.3	8.4	8.5	8.3	8.2	8.4	8.1	8.2	8.2	8.1
71070000	12.726	14.498	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	10.0	
21			3	5.9		62000	RIDE	8.7	8.6	8.3	8.4	8.4	7.7	7.6	7.7	7.7	7.8	7.7	7.4	8.6	
SPENCER RD(12.7L) FC125M																					
2082301	12.260	14.498	L	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.9
HUBBARD CONSTRUCTION COMPA(2011)							SPRIDE	8.5	8.5	8.3	8.3	8.3	8.5	8.4	8.4	8.4	8.5	8.3	8.3	8.3	8.3
71070000	8.175	12.726	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	
21			3	5.9		61000	RIDE	8.7	8.7	8.4	8.5	8.5	8.2	7.8	7.9	8.1	8.0	8.1	8.0	7.9	
OAK LN(8.3L) FC125M																					
4286981	8.175	12.726	C	2014		0012	CRACKING	8.0	8.0	7.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.8
HUBBARD CONSTRUCTION COMPA(2016)							SPRIDE	7.9	7.9	7.9		8.1	8.2	8.2	8.0	8.1	8.1	8.0	8.0	7.8	7.7
71070000	7.314	8.175	L	1	1	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
21			3	5.9		43500	RIDE	8.5	8.4	8.2	8.6	8.6	8.1	7.6	8.1	8.2	8.2	8.2	8.0		
BEAR RUN BLVD(8.0L) FC125M																					
2082112	7.137	8.071	L	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	5.5	
RUSSELL ENGINEERING, INC (2012)							SPRIDE	8.6	8.5	8.4	8.3	8.4	8.4	8.3	8.2	8.3	8.2	8.2	8.1	8.1	7.9
71070000	5.677	7.314	L	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	6.5	
21			3	5.9		43500	RIDE	8.5	8.4	8.2	8.6	8.6	8.1	7.6	8.1	8.2	8.2	8.2	8.0	8.0	
BRANAN FIELD RD(5.8L) FC125M																					
2082117	5.677	7.124	L	2015		0213	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.9	7.8	7.5	7.0			8.1	7.9	7.7	7.9	7.7	7.8	7.7	7.4
71070000	4.870	5.677	L	1	1	45	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	6.5	
21			3	5.9		43500	RIDE	8.5	8.4	8.2	8.6	8.6	8.1	7.6	8.1	8.2	8.2	8.2	8.0	8.0	
ALLIE MURRAY RD(5.0L) FC125M																					
2082119	4.824	5.677	C	2014		0213	CRACKING	6.5	6.5	6.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0
(2019)							RIDE	7.9	7.8	7.5	7.0					8.3	8.3	8.3	8.3	8.3	8.2
71070000	1.886	4.870	L	1	7	45	CRACKING	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
21			3	5.9		36500	RIDE	8.6	8.6	8.1	8.6	8.6	8.1	7.6	8.1	8.3	8.2	8.0	8.0	7.9	
CARLSEE LN(2.2L) FC125M																					
2082118	3.038	4.817	C	2019		0213	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.5					10.0	
REVES CONSTRUCTION COMPAN(2024)							SPRIDE	7.9	7.9	7.9	7.9	7.6	7.6	7.6	7.4					8.1	
71070000	1.570	1.886	L	1	1	45	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	
21			2	8.5		17948	RIDE	8.7	8.6	8.3	8.0	7.7	6.3*	5.7*		8.4	8.2	8.0	8.0	7.9	
SHOPPING CENTER(1.6L) FC125																					
2081112	0.000	4.721	C	2005		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	3.5*	3.5
ANDERSON COLUMBIA CO., INC(2007)							RIDE	7.9	7.9	7.9	7.9	7.6	7.6	7.6	7.4	7.4	7.0	6.9	6.8	6.3	6.3
4471761	0.000	1.772	C	2023		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = CLAY -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	W_KMX-P	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P	(AGE_ONE YEAR)																				(REG)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	W_KMX-F																	
ITMSEG-F																						
71070000	0.000	1.570	L	1	1	55	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0		
21				2	8.5	17948	RIDE	8.7	8.6	8.3	8.0	7.7	6.3*	5.7*		8.4	8.3	8.3	8.1	8.1		
END OF 71110000(0.0C)																						
2081112	0.000	4.721	C	2005	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	9.0	7.5	4.5*	4.5*	4.5*	1.0*	1.0*	0.9	
ANDERSON COLUMBIA CO., INC(2007)																						
4471761	0.000	1.772	C	2023	0012		RIDE	8.1	8.0	7.9	7.8	8.0	8.1	7.9	8.0	7.8	7.4	6.9	6.6	6.6		

71080000	0.000	2.238	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0		
230				2	6.2	2100	RIDE	8.9	8.8	8.3	8.7	8.5	8.0	8.0	7.9	8.0	7.8	7.9	7.8	7.4		
LIGHTENING STRIKE RD(0.7C)																						
2081901	0.000	2.238	C	1994	0225		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	4.9	
ANDERSON COLUMBIA CO., INC(1995)																						
2082033	0.000	3.518	C	2027	0012		RIDE	7.2	7.4	7.3	7.2	7.5	7.6	7.4	7.4	7.5	7.5	7.4	7.3	7.2	6.6	

71080000	2.238	3.518	C	1	1	55	CRACKING															
230				2	6.2	2100	RIDE															
SCOTT AVE(2.8R)																						
							CRACKING							7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*		
							RIDE							7.6	7.5	7.4	7.5	7.4	7.3	7.4		
2082033	0.000	3.518	C	2027	0012																	

71100000	0.000	0.809	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			
16				2	9.5	20200	RIDE	7.6	8.5	8.1	8.0	8.1	7.7	7.5	6.8	7.5	7.8	7.9	7.8			
US-17 N/SR-15/SR-16(0.0L)																						
2081833	0.039	0.761	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.5	6.5	5.5*	5.2
PREFERRED MATERIALS, INC. (2012)																						

71100000	0.809	1.740	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5			
16				2	9.5	20200	RIDE	8.8	8.8	8.3	8.5	8.5	7.9	7.7	7.5	7.4	7.1	7.0	6.8			
MAIN GATE ENT(1.2C)																						
2081833	0.910	1.586	R	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	4.5*	4.0*	4.0*	2.5	
PREFERRED MATERIALS, INC. (2012)																						

71100000	1.740	3.001	C	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0			
16				2	9.5	20200	RIDE	8.4	8.4	8.1	8.2	8.2	8.0	7.8	7.9	8.0	7.9	7.9	7.8			
KELSEY RD(2.0L)																						
2081833	1.706	3.001	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.5	5.8		
PREFERRED MATERIALS, INC. (2012)																						

71100000	0.809	1.740	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
16				2	9.5	20200	RIDE	8.7	8.5	8.1	8.3	8.4	7.9	7.8	7.9	8.1	8.1	8.0	7.9			
MAIN GATE ENT(1.2C)																						
2081833	0.910	1.706	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.0*	6.0	
PREFERRED MATERIALS, INC. (2012)																						

71110000	0.000	0.833	C	1	1	55	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	9.5	9.5	9.5	9.5		
21				2	7.3	9500	RIDE	7.7	7.2	6.9	6.7	6.8	6.1*	6.1*		8.5	8.5	8.4	8.3	8.2		
LAKEVIEW DR(0.2L)																						
							CRACKING	7.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	
							RIDE	8.2	7.8	7.8	7.9	7.9	7.9	7.7	7.7	7.8	7.8	8.4	8.4	8.3	8.1	
(2022)																						

71110000	4.393	6.440	C	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.5	9.5		
21				2	10.9	6500	RIDE	7.9	7.9	7.5	7.4	7.5	6.9	6.6		7.3	7.2	7.4	7.3	7.2		
ORCHID AVE(4.6L)																						
							CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	
							RIDE	7.4	7.4	7.4	7.4	7.2	7.1	7.2	7.1	7.1	7.1	8.0	7.9	8.0	8.0	
(2022)																						

71110000	6.440	20.070	C	1	7	60	CRACKING	3.5*	3.5*	3.5*	2.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.5	9.5		
21				2	10.9	9200	RIDE	7.6	7.6	7.2	6.7	6.4*	4.8*		8.0	8.6	8.6	8.5	8.4	8.3		
WOODLAND DR(6.6L)																						
4433051	6.434	15.072	C	2022	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*		10.0		
ANDERSON COLUMBIA CO., INC(2024)																						
							SPRIDE	8.3	8.3	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.8	7.8		8.7		

71110000	20.070	20.794	C	1	1	60	CRACKING	3.5*	2.5*	2.5*	2.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.5	9.5		
21				2	10.9	9200	RIDE	7.6	7.1	6.8	6.5	6.2*	5.1*		8.0	8.6	8.6	8.5	8.4	8.3		
FC125M																						
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	8.3	8.3	8.2	8.1	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.3	7.4	7.2	
(2020)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

