

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013	2031	
INTERSECT	AT (MP	SIDE)																					(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																		
72001000	0.733	1.390	R	4	4	65	CRACKING	6.5	6.5						9.5	9.5	9.5	9.3	9.3	9.4	9.4		
9A I295				4	13.6	151000	RIDE	8.7	8.3						8.3	8.3	8.4	8.0	7.9	8.3	8.4		
						LDG																	
2133457	1.077	1.942	R	2014	0213		CRACKING	9.4	9.3						9.3	9.1	9.2	9.2	9.2	9.0	9.0	8.5	
				(2020)			RIDE	8.3	8.2						8.5	8.6	8.6	8.6	8.3	8.6	8.6	8.5	
72001000	1.390	2.230	R	4	1	65	CRACKING	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9A I295	1.2	2.1	5	13.6	151000		RIDE	8.7	8.3	8.2	7.1	7.6			7.9	7.7	7.6	7.8	7.8	7.7	7.5		
					FC5M																		
2133457	1.077	1.942	R	2014	0213		CRACKING	10.0	10.0						10.0	10.0	10.0	10.0	10.0	9.1	8.6	7.0	
				(2020)			RIDE	7.3	7.2						8.5	8.4	8.2	8.1	8.4	8.3	8.3	8.2	
72001000	2.230	5.698	R	4	1	65	CRACKING	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9A I295	2.1	5.5	3	13.6	139500		RIDE	8.7	8.3	8.2	7.1	7.6			7.9	7.7	7.6	7.8	7.8	7.7	7.5		
					FC5M																		
2133457	2.863	5.092	R	2014	0213		CRACKING	10.0	10.0						10.0	10.0	10.0	10.0	10.0	8.6	9.1	7.5	
				(2020)			RIDE	7.3	7.2						8.1	8.2	8.2	8.1	8.1	8.2	8.2	8.1	
72001000	8.786	9.900	R	4	7	65	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9A I295	8.6	9.7	3	13.6	155500		RIDE	8.9	8.7	8.7	7.9	7.6	7.2		8.3	8.3	8.4	8.4	8.4	8.3	8.2		
					FC5M																		
4460441	8.828	9.900	R	2022	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	10.0	9.0	
SUPERIOR	CONSTRUCTION	COMP	(2026)		SPRIDE			8.1	8.1	8.1	8.1	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.0	7.9	8.7	8.6	
72001000	9.900	13.200	R	4	1	65	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0			
9A I295	9.7	13.0	3	19.6	70500		RIDE	8.9	8.7	8.7	7.9	7.6	7.2		8.3	8.3	8.4	8.4	8.4	8.3			
					FC5M																		
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.2	7.8	5.5*	
2132515	9.900	14.200	C	2028	0012		RIDE	8.1	8.2	8.2	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	8.0	
72001000	13.200	14.136	R	4	1	65	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0					
9A I295	13.0	14.0	3	13.6	56500		RIDE	8.9	8.7	8.7	7.9	7.6	7.2		8.3	8.3	8.4	8.4					
					FC5M																		
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.3	8.2	6.0*	
2132515	9.900	14.200	C	2028	0012		RIDE	8.1	8.3	8.4	8.5	8.5	8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.3	
72001000	14.136	19.592	R	4	7	65	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
9A I295	14.0	19.4	3	13.6	138500		RIDE	8.9	8.7	8.7	7.9	7.6	7.2	6.8		8.3	8.3	8.3	8.3	8.2	8.1		
					FC5M																		
4456431	14.200	19.250	R	2023	0012		CRACKING	10.0	10.0	9.5	9.5	9.0	7.5	7.5	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.0	
HUBBARD	CONSTRUCTION	COMPA	(2026)		SPRIDE			8.0	7.7	8.2	8.1	8.4	8.4	8.3	8.4	8.3	8.0	7.9			8.9	8.8	
72001000	19.592	20.078	R	4	7	65	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
9A I295	19.4	19.9	4	13.6	131500		RIDE	8.9	8.7	8.7	7.9	7.6	7.2	6.8		8.3	8.3	8.3	8.3	8.2	8.1		
					FC5M																		
4456431	19.250	20.259	R	2023	0012		CRACKING	10.0	10.0	9.5	9.5	9.0	7.5	7.5	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.0	
HUBBARD	CONSTRUCTION	COMPA	(2026)		SPRIDE			8.0	7.7	8.2	8.1	8.4	8.4	8.3	8.4	8.3	8.0	7.9			8.6	8.5	
72001000	20.078	21.065	R	4	7	65	CRACKING	9.5	9.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
9A I295	19.9	20.9	3	13.6	94500		RIDE	8.7	8.7	8.3	7.4	7.5	7.4	7.0		8.3	8.3	8.3	8.3	8.2	8.1		
					FC5M																		
				(2026)			CRACKING	10.0	10.0	9.5	9.5	9.0	7.5	7.5	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.0	
							RIDE	8.0	7.7	8.2	8.1	8.4	8.4	8.3	8.4	8.3	8.0	7.9			8.8	8.7	
72001000	21.065	22.890	R	4	1	65	CRACKING	5.5*	5.5*	4.5*		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5		
9A I295	20.9	22.7	3	13.6	94500		RIDE	8.3	8.3	7.4		8.3	8.2	8.2	7.8	7.8	7.7	7.4	7.0	6.4*			
					FC5M																		
2132591	21.329	22.866	R	2014	0213		CRACKING	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	6.5	
SUPERIOR	CONSTRUCTION	COMP	(2018)		SPRIDE			6.2*	5.4*			8.8	8.7	8.6	8.7	8.7	8.6	8.5	8.6	8.6	8.6	8.5	
72001000	22.890	28.572	R	4	1	65	CRACKING	2.0*	2.0*	2.0*		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5		
9A I295	22.7	28.4	2	13.6	82000		RIDE	7.9	7.8	7.8		8.3	8.2	8.2	7.8	7.8	7.7	7.4	7.0	6.4*			
					FC5M																		
4269831	22.500	28.654	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	8.4	8.3	6.0*	
DUVAL	ASPHALT	PRODUCTS,	IN	(2014)	SPRIDE			8.5	8.3	8.5	8.4	8.7	8.7	8.6	8.7	8.7	8.6	8.6	8.6	8.6	8.6	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)	SURFTYPE	=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
72001000	28.572	33.780	R	4	1	65	CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9A	I295	28.4	33.6	2	13.6	81500	RIDE	8.6	8.6	8.2	7.4	7.3	8.1	8.0	7.7	8.0	8.1	8.1	8.0	7.9		
						FC5M																
4288071	28.782	33.842	C	2018	0012		CRACKING	10.0	10.0	9.5	9.5	8.0	6.5		10.0	10.0	10.0	10.0	9.5	8.7	7.0	
	DUVAL ASPHALT PRODUCTS, IN(2021)						SPRIDE	7.9	7.7	7.9	7.8	8.1	8.0		9.1	9.1	8.9	8.9	9.0	9.0	8.9	
72001000	33.780	34.517	R	4	8	65	CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9A	I295	33.6	34.3	2	13.6	68500	RIDE	8.8	8.4	8.6	7.9	7.8	8.1	8.0	7.7	8.0	8.1	8.1	8.0	7.9		
						FC5																
2132622	28.817	34.508	C	2004	0012		CRACKING	10.0	10.0	9.5	9.5											
	HUBBARD CONSTRUCTION COMPA(2006)						RIDE	7.9	7.7	7.9	7.8											
72001000	34.517	35.511	R	4	8	65	CRACKING	9.0	9.0	9.1	9.0	9.0	9.0	8.9	8.9	9.0	9.2	9.0	7.9	7.8		
9A	I295	34.3	35.3	2	13.6	70500	RIDE	7.5	7.1	6.7	6.7	6.3*	6.4*	6.7	6.5	6.9	6.6	6.7	6.5	6.4*		
	72290460 NB ON(35.5R)					OGFC																
						(1977)	CRACKING	7.8	7.8	7.5	7.7											
							RIDE	6.4*	6.3*	6.2*	6.4*											
72001000	34.517	35.511	L	4	8	65	CRACKING	8.7	8.7	9.1	9.0	9.1	9.0	9.0	9.0	8.8	8.7	8.3	8.0	8.2		
9A	I295	34.3	35.3	2	13.6	70500	RIDE	7.6	7.2	6.9	6.2*	6.5	5.9*	6.3*	6.4*	6.3*	6.4*	6.2*	6.3*	6.1*		
	BYND SR 9(35.5C)					OGFC																
						(1977)	CRACKING	7.9	7.7	7.6	8.0											
							RIDE	6.2*	6.0*	6.4*	6.5											
72001000	33.780	34.517	L	4	8	65	CRACKING	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9A	I295	33.6	34.3	2	13.6	68500	RIDE	7.9	7.4	6.6	6.1*	6.7	8.1	8.2	8.1	8.1	8.2	8.1	8.1	8.0		
						FC5																
2132622	28.817	34.508	C	2004	0012		CRACKING	10.0	10.0	10.0	9.0											
	HUBBARD CONSTRUCTION COMPA(2006)						RIDE	7.9	7.8	7.8	7.8											
72001000	28.572	33.780	L	4	1	65	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9A	I295	28.4	33.6	2	13.6	81500	RIDE	8.5	8.4	8.3	7.4	7.4	8.1	8.2	8.1	8.1	8.2	8.1	8.1	8.0		
						FC5M																
4288071	28.782	33.842	C	2018	0012		CRACKING	10.0	10.0	10.0	9.0	8.0	8.0		10.0	10.0	10.0	10.0	9.5	8.5	7.0	
	DUVAL ASPHALT PRODUCTS, IN(2021)						SPRIDE	7.9	7.8	7.8	7.8	8.1	8.0		8.9	8.9	8.8	8.8	8.8	8.8	8.7	
72001000	22.884	28.572	L	4	1	65	CRACKING	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
9A	I295	22.7	28.4	2	13.6	82000	RIDE	8.0	7.9	7.7		8.4	8.3	8.3	8.2	8.2	8.0	8.1	7.9	7.9		
						FC5M																
4269831	22.500	28.654	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	8.5	6.0*	
	DUVAL ASPHALT PRODUCTS, IN(2014)						SPRIDE	8.4	8.4	8.4	8.6	8.7	8.7	8.6	8.7	8.7	8.6	8.5	8.6	8.6	8.5	
72001000	21.043	22.884	L	4	1	65	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
9A	I295	20.9	22.7	3	13.6	94500	RIDE	8.3	7.7	7.2		8.4	8.3	8.3	8.2	8.2	8.0	8.1	7.9	7.9		
						FC5M																
2132591	21.329	22.866	L	2014	0213		CRACKING	9.0	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	7.0	
	SUPERIOR CONSTRUCTION COMP(2018)						SPRIDE	6.8	7.2			8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.6	8.7	8.6	
72001000	20.200	21.043	L	4	7	65	CRACKING	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
9A	I295	20.0	20.9	3	13.6	94500	RIDE	8.9	8.8	8.7	7.8	7.6	7.2	6.9		8.3	8.4	8.4	8.3	8.2		
						FC5M																
4456431	20.631	21.057	L	2023	0012		CRACKING	10.0	10.0	9.5	9.5	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.3*	10.0	9.0	
	HUBBARD CONSTRUCTION COMPA(2026)						SPRIDE	8.1	7.8	8.3	8.3	8.5	8.4	8.5	8.4	8.4	8.1	8.0	7.9	8.9	8.8	
72001000	19.716	20.200	L	4	7	65	CRACKING	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
9A	I295	19.5	20.0	5	13.6	131500	RIDE	8.9	8.8	8.7	7.8	7.6	7.2	6.9		8.3	8.4	8.4	8.3	8.2		
						FC5M																
4456431	19.250	20.259	L	2023	0012		CRACKING	10.0	10.0	9.5	9.5	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.3*	10.0	9.0	
	HUBBARD CONSTRUCTION COMPA(2026)						SPRIDE	8.1	7.8	8.3	8.3	8.5	8.4	8.5	8.4	8.4	8.1	8.0	7.9	8.6	8.5	
72001000	19.400	19.716	L	4	7	65	CRACKING	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
9A	I295	19.2	19.5	4	13.6	131500	RIDE	8.9	8.8	8.7	7.8	7.6	7.2	6.9		8.3	8.4	8.4	8.3	8.2		
						FC5M																
4456431	19.250	20.259	L	2023	0012		CRACKING	10.0	10.0	9.5	9.5	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.3*	10.0	9.0	
	HUBBARD CONSTRUCTION COMPA(2026)						SPRIDE	8.1	7.8	8.3	8.3	8.5	8.4	8.5	8.4	8.4	8.1	8.0	7.9	8.8	8.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR		FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW																		
72001901 9A	1.260	4.359	C	4	1		CRACKING RIDE														
				2	12.4	15000															
							CRACKING RIDE								10.0	10.0	10.0	10.0	9.0	10.0	8.5
															8.0	8.0	7.9	7.9	7.9	7.7	7.6
							(2021)														
72001902 9A	0.000	2.969	C	4	1		CRACKING RIDE														
				2	12.4	15000															
							CRACKING RIDE								10.0	10.0	10.0	10.0	8.7	9.2	7.5
															8.0	8.0	7.8	7.8	7.8	7.8	7.7
							(2021)														
72002000 9A I295	0.000	0.683	R	4	8	65	CRACKING RIDE	9.5	9.5	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0	
				2	13.6	70500		8.7	8.3	8.7	8.2	8.1	7.8	7.7	7.2	6.8		8.4	8.4	8.3	
							FC5M														
							BEG OF SECTION(0.0C)														
							2133463	9.0	9.0	6.5	6.5	4.5*	4.5*								
								8.0	8.0	8.3	8.0	7.9	7.7								
							(2011)														
72002000 9A I295	0.683	1.955	R	4	8	65	CRACKING RIDE	9.5	9.5	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0	
				2	14.0	87500		8.7	8.3	8.7	8.2	8.1	7.8	7.7	7.2	6.8		8.4	8.4	8.3	
							FC5M														
							2133463	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
								8.0	8.0	8.6	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
							(2011)														
72002000 9A I295	1.955	3.593	R	4	7	65	CRACKING RIDE	9.5	9.5	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0	
				2	13.6	69500		8.7	8.3	8.7	8.2	8.1	7.8	7.7	7.2	6.8		8.4	8.4	8.3	
							FC5M														
							4460461	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
								8.0	8.0	8.6	8.5	8.8	8.7	8.8	8.9	8.8	8.7	8.4	8.6	9.1	9.0
							(2026)														
72002000 9A I295	3.905	5.410	R	4	7	65	CRACKING RIDE	9.5	9.5	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.5	
				2	13.6	73000		8.7	8.3	8.7	8.2	8.1	7.8	7.7	7.2	6.8		8.4	8.4	8.2	
							FC5M														
							4460461	9.5	9.5	9.5	9.5	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	5.2*	10.0	9.0
								7.9	8.0	8.4	8.4	8.6	8.4	8.5	8.6	8.5	8.3	8.2	8.2	9.0	8.9
							(2026)														
72002000 9A I295	5.410	6.654	R	4	1	65	CRACKING RIDE	5.0*	5.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	5.5*	
				2	13.6	73000		8.6	8.5	8.3	8.3	8.3	8.4	8.4	8.3	7.8	7.8	8.2	8.2	8.1	
							FC5M														
							4434201	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	10.0	10.0	9.0	
								7.6	8.2	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.9	8.8	8.7	
							(2025)														
72002000 9A I295	6.654	7.346	R	4	1	65	CRACKING RIDE	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	5.5*	
				3	9.0	78500		8.0	8.2	7.9	8.3	8.3	8.4	8.4	8.3	7.8	7.8	8.2	8.2	8.1	
							FC5M														
							4434201	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	3.5*	10.0	10.0	9.0	
								7.6	7.7	7.9	8.1	8.0	8.0	8.0	7.9	7.8	7.4	8.9	8.9	8.8	
							(2025)														
72002000 9A I295	9.320	11.407	R	4	1	65	CRACKING RIDE	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	
				2	16.1	78500		8.2	8.2	7.8	8.3	8.4	8.4	8.5	8.3	8.3	8.1	8.2	8.2	8.2	
							FC5M														
							4460791	9.0	9.0	8.0	8.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0
								8.1	7.7	8.1	8.0	8.1	8.1	8.0	8.0	7.9	7.6	7.6	8.7	8.7	8.6
							(2025)														
72002000 9A I295	11.407	13.435	R	4	1	65	CRACKING RIDE	10.0	10.0	9.5	8.0	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
				2	16.1	80000		8.7	8.6	8.8	8.3	8.2	8.0	8.0	7.6	7.5	7.5	7.0	7.2	8.4	
							FC5M														
							4246301	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.8	6.3*	3.5*
								8.5	8.2	8.6	8.6	8.8	8.7	8.7	8.8	8.8	8.7	8.5	8.6	8.6	8.5
							(2013)														
							2096587	11.407	13.349	C	2028	0012									
72002000 9A I295	13.435	15.245	R	4	1	65	CRACKING RIDE						10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
				2	16.1	91500							8.2	8.3	8.0	7.6	8.1	8.1	7.7	8.0	
							FC5M														
							4460471	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5	4.5*	4.5*	10.0	9.0	
								8.0	7.8	8.1	8.0	8.1	8.1	8.1	8.3	8.2	7.9	7.8	8.7	8.6	
							(2026)														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)		SURFTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)	
72002000	15.245	15.784	R	4	7	65	CRACKING								10.0	10.0	10.0	10.0	9.5	9.5		
9A	I295	50.6	51.1	3	16.1	99000	RIDE								8.0	7.6	8.1	8.1	7.7	8.0		
						FC5																
2093018	15.454	17.178	R	2023	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5	4.5*	4.5*		10.0	9.0	
HUBBARD	CONSTRUCTION	COMPA	(2026)		SPRIDE			8.0	7.8	8.1	8.0	8.1	8.1	8.1	8.3	8.2	7.9	7.8		7.7	7.6	
72002000	16.177	17.120	R	4	7	65	CRACKING								10.0	10.0	10.0	10.0	10.0	9.5		
9A	I295	51.5	52.5	3	16.1	99000	RIDE								7.7	7.9	7.9	7.9	7.9	7.9		
						FC5M																
2093018	15.454	17.178	R	2023	0213	CRACKING		9.5	9.5	9.5	9.5	9.5			6.5	6.5	6.5			10.0	9.0	
HUBBARD	CONSTRUCTION	COMPA	(2026)		SPRIDE			7.9	7.7	7.6	7.4	7.7			7.7	7.6	7.6			8.6	8.5	
72002000	17.120	17.891	R	4	1	65	CRACKING										10.0	10.0	10.0	10.0		
9A	I295	52.5	53.2	3	16.1	117500	RIDE										7.9	7.9	7.8	7.9		
						FC5M																
				(2024)		CRACKING		10.0	10.0	10.0	10.0	10.0							10.0	10.0	10.0	8.5
						RIDE		7.8	7.5	7.8	7.7	8.0							8.0	8.0	8.0	7.9
72002000	17.891	18.985	R	4	4	65	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.4	9.2	9.3		
9A	I295	53.2	54.3	5	16.1	150500	RIDE	7.4	8.1	8.0	7.5	7.3	7.5	7.5	7.6	7.5	8.0	7.9	7.9	7.8		
						LDG																
				(2023)		CRACKING		9.2	9.2	9.1							8.5	8.1	8.0	7.4	7.0	
						RIDE		7.5	7.8	7.6							8.2	8.4	8.3	8.3	8.2	
72002000	18.985	20.076	R	4	4	65	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.4	9.2	9.3		
9A	I295	54.3	55.4	4	16.1	129000	RIDE	7.4	8.1	8.0	7.5	7.3	7.5	7.5	7.6	7.5	8.0	7.9	7.9	7.8		
						LDG																
				(2023)		CRACKING		9.2	9.2	9.1							9.3	9.0	9.1	9.1	8.5	
						RIDE		7.5	7.8	7.6							8.1	8.0	7.5	7.8	7.7	
72002000	20.076	22.610	R	4	4	65	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.4	9.2	9.3		
9A	I295	55.4	57.9	3	16.1	131500	RIDE		8.4	8.5	8.1	8.2	8.2	8.2	8.2	7.5	8.0	7.9	7.9	7.8		
						LDG																
				(2023)		CRACKING		9.2	9.2	9.1							9.4	9.2	9.2	9.2	8.5	
						RIDE		7.5	7.8	7.6							8.4	8.4	8.0	8.0	7.9	
72002000	22.610	23.700	R	4	4	65	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.4	9.2	9.3		
9A	I295	57.9	59.0	2	16.1	131500	RIDE		8.4	8.5	8.1	8.2	8.2	8.2	8.2	7.5	8.0	7.9	7.9	7.8		
						LDG																
				(2022)		CRACKING		9.2	9.2	9.1							9.4	9.3	9.3	9.4	9.2	
						RIDE		7.5	7.8	7.6							8.2	8.1	8.2	8.0	8.2	
72002000	23.700	25.532	R	4	4	65	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	9.4		
9A	I295	59.0	60.9	3	16.1	63000	RIDE		8.4	8.5	8.1	8.2	8.2	8.2	8.2	8.3	8.5	8.4	8.3	8.3		
BR# 720636	72001200(25.5C)					LDG																
				(2021)		CRACKING		9.3	9.3	9.3							9.3	9.3	9.3	9.3	9.4	
						RIDE		8.3	8.1	7.7							8.3	8.4	8.3	8.3	8.4	
72002000	23.900	25.532	L	4	4	65	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	9.4		
9A	I295	59.2	60.9	3	16.1	63000	RIDE		8.3	8.3	8.0	8.0	8.0	8.1	8.0	7.9	8.1	8.0	8.0	8.1		
BR# 720636	72001200(25.5C)					LDG																
				(2022)		CRACKING		9.3	9.3	9.3							9.3	9.3	9.3	9.3	9.3	
						RIDE		8.2	8.2	8.0							8.5	8.3	8.4	8.4	8.4	
72002000	22.745	23.900	L	4	4	65	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	9.4		
9A	I295	58.1	59.2	2	16.1	131500	RIDE		8.3	8.3	8.0	8.0	8.0	8.1	8.0	7.9	8.1	8.0	8.0	8.1		
						LDG																
				(2022)		CRACKING		9.3	9.3	9.3							9.3	9.4	9.4	9.4	9.3	
						RIDE		8.2	8.2	8.0							8.1	7.9	7.9	7.9	7.8	
72002000	22.200	22.745	L	4	4	65	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	9.4		
9A	I295	57.5	58.1	4	16.1	131500	RIDE		8.3	8.3	8.0	8.0	8.0	8.1	8.0	7.9	8.1	8.0	8.0	8.1		
						LDG																
				(2022)		CRACKING		9.3	9.3	9.3							9.4	9.4	9.4	9.4	9.4	
						RIDE		8.2	8.2	8.0							8.1	8.4	8.3	8.3	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)								=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE																
CONTRACTOR (AGE_ONE YEAR)								2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F	ASTYPE																
HUBBARD CONSTRUCTION COMPA(2011)																							
72002000	0.000	1.955	L	4	8	65	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.0*	6.0*		10.0	10.0	9.0			
9A	I295	35.3	37.3	2	14.0		87500 RIDE	8.8	8.7	8.9	8.5	8.2	8.0	8.0	7.7	7.3		8.5	8.5	8.4			
BEG OF SECTION(0.0C)																							
FC5M																							
2133463	0.000	5.410	L	2010		0012	CRACKING	9.0	9.0	9.0	9.0												
HUBBARD CONSTRUCTION COMPA(2011)																							
SPRIDE																							

72002027	0.000	2.300	R	1	4	65	CRACKING																
9B			3	3.4		73000	RIDE																
GORE OF 72002127(0.0C)																							
LDG																							
2092949	0.000	2.791	R	2013		0002	CRACKING	9.4	9.4		9.4	9.4	9.4	9.4	9.5	9.5	9.4	9.4	9.4	9.5	9.0		
(2017)								8.4	8.4		8.7	9.1	9.1	9.0	9.1	9.0	9.1	9.1	9.1	9.1	9.1	9.1	9.0

72002027	2.300	4.168	R	1	4	65	CRACKING																
9B			3	3.4		68500	RIDE																
LDG																							
(2017)																							
CRACKING								9.4	9.4	9.4	9.4	9.5	9.5	9.4	9.4	9.5	9.5	9.0					
RIDE								8.3	8.8	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.6	8.5					

72002027	4.168	4.881	R	1	4	70	CRACKING																
9B			3	3.4		68500	RIDE																
LDG																							
I 795(4.9C)																							
(2020)																							
CRACKING								9.4	10.0	9.5	9.5	9.4	9.5	9.0									
RIDE								8.7	8.8	8.7	8.7	8.8	8.9	8.7	8.6								

72002027	4.168	4.881	L	1	4	70	CRACKING																
9B			3	3.4		68500	RIDE																
LDG																							
I 795(4.9C)																							
(2020)																							
CRACKING								9.4	10.0	9.5	9.5	9.4	9.4	9.5	9.0								
RIDE								8.5	8.7	8.6	8.5	8.6	8.6	8.5	8.4								

72002027	2.300	4.168	L	1	4	65	CRACKING																
9B			3	3.4		68500	RIDE																
LDG																							
72002234 NB OFF(4.0L)																							
(2017)																							
CRACKING								9.4	9.4	9.4	9.4	9.5	9.5	9.5	9.5	9.4	9.4	9.0					
RIDE								8.2	9.1	8.7	8.9	9.0	8.9	8.9	8.9	8.9	8.8	8.7					

72002027	0.000	2.300	L	1	4	65	CRACKING																
9B			2	3.4		73000	RIDE																
LDG																							
GORE OF 72002127(0.0C)																							
2092949								9.4	9.4		9.4	9.4	9.4	9.4	9.5	9.5	9.5	9.5	9.4	9.4	9.0		
(2017)								8.2	8.1		8.6	9.1	8.9	8.9	9.1	9.0	9.0	8.9	8.9	8.9	8.8		

72002901	0.000	1.140	C	4	7		CRACKING																
			1	4.0		4000	RIDE																
(2026)																							
CRACKING																	10.0	10.0	9.0	10.0	9.0		
RIDE																8.0	7.9	8.0	8.1	8.0			

72002901	1.140	2.240	C	4	4		CRACKING																
			1	4.0		4000	RIDE																
CONC																							
(2023)																							
CRACKING																	9.5	9.5	9.5	9.5	9.0		
RIDE																8.6	8.6	8.6	8.6	8.5			

72002901	2.240	5.780	C	4	4		CRACKING																
			2	4.0		4000	RIDE																
CONC																							
(2023)																							
CRACKING																	9.5	9.5	9.4	9.4	9.0		
RIDE																8.8	8.8	8.9	8.8	8.7			

72002901	5.780	6.421	C	4	4		CRACKING																
			1	4.0		4000	RIDE																
CONC																							
(2023)																							
CRACKING																	9.5	9.5	9.5	9.5	9.0		
RIDE																8.2	8.5	8.5	8.6	8.5			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****															(PMRS)
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
72003064	0.000	1.181	C	1	1	35	CRACKING															
102F			2	13.6	2200		RIDE															
							DGFC															
							CRACKING															
							RIDE										9.0	9.0	8.7	8.7	7.5	
							(2023)										7.1	7.4	7.5	7.4	7.0	
72003065	0.000	1.099	C	1	1	35	CRACKING															
102F			2	13.6	2200		RIDE															
							DGFC															
							CRACKING															
							RIDE										8.5	8.5	9.4	8.6	7.5	
							(2023)										7.8	7.9	7.9	7.9	7.5	
72004000	0.000	0.692	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	1.0*	10.0	10.0	10.0	10.0		
A1A			2	2.6	41500		RIDE	7.8	7.7	7.4	6.4	6.1	5.6	7.4	5.1*	4.9*	8.2	8.1	8.0	7.9		
41ST AVE	S (0.3C)						FC125M															
2093613	0.000	0.692	R	2008	0012		CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	5.8*	2.5*	
CALLAWAY CONTRACTING, INC.				(2010)			RIDE	7.8	7.8	7.5	7.9	7.7	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.2	6.8	
72004000	0.000	0.692	L	1	1	35	CRACKING	6.5	6.5	3.5*	3.5*	1.0*	1.0*	1.0*	0.0*	0.0*	10.0	10.0	10.0	10.0		
A1A			2	2.6	41500		RIDE	7.5	7.3	7.4	6.4	5.7	5.7	6.5	5.4*	5.1*	8.4	8.1	7.9	7.9		
MARSH LANDING PKWY(0.0L)							FC125M															
							CRACKING	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	4.5*
							RIDE	7.6	7.3	7.7	6.9	7.7	7.8	7.6	7.6	7.6	7.3	7.6	7.6	7.6	7.2	
							(2010)															
72005000	0.000	0.584	R	1	1	30	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5		
114			2	5.1	18900		RIDE	6.9	7.4	6.6	6.6	6.5	6.1	5.6	5.8	6.3	5.2*	5.6	5.8	5.5		
FRANCIS ST(0.0C)							FC125R															
							CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.6	7.2	5.0*	
							RIDE	5.9	8.0											6.5	6.1	
							(2015)															
72005000	0.000	0.584	L	1	1	30	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5		
114			2	5.1	18900		RIDE	6.8	7.4	7.3	6.3	6.2	5.9	5.5	5.4*	5.9	5.6	5.3*	5.2*	5.3*		
FRANCIS ST(0.0C)							FC125R															
							CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.4	7.0	4.5*	
							RIDE	5.8	8.0											6.3	5.9	
							(2015)															
72010000	0.000	1.237	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0		
10 90			2	11.2	3900		RIDE	8.8	8.8	8.8	8.3	8.3	8.3	8.1	8.3	8.2	8.3	8.3	8.2	8.0		
BRANDY BRANCH(0.4R)							FC125M															
4432591	0.000	1.321	C	2022	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	10.0	9.7	10.0	9.0	
PREFERRED MATERIALS, INC.				(2024)			SPRIDE	8.2	7.8	8.2	8.1	8.1	8.0	8.0	8.0	7.9	7.8	8.6	8.5	8.6	8.2	
72010000	1.237	1.922	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0		
10 90			2	11.2	3900		RIDE	8.8	8.8	8.8	8.3	8.3	8.3	8.1	8.3	8.2	8.3	8.3	8.2	8.0		
OSCAR RD(1.4L)							FC125M															
							CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0		10.0	10.0	10.0	10.0	8.8	7.5	
							RIDE	8.2	7.8	8.2	8.1	8.1	8.0	8.0		7.3	7.1	7.3	7.1	7.3	6.9	
							(2022)															
72010000	1.922	2.718	R	1	1	45	CRACKING	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
10 90			2	11.2	5300		RIDE	7.4	7.3	6.9	6.7	7.3	7.1	7.0	7.1	7.1	6.8	6.7	6.6	6.6		
BALDWIN MAXVILLE RD(1.9R)							FC125M															
4432591	1.931	2.470	R	2022	0012		CRACKING	9.5	9.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	9.0	
				(2025)			RIDE	6.6	6.3	6.5	6.2	6.2	5.9	5.7	5.5	4.5*			7.8	7.7	7.3	
72010000	2.718	3.977	C	1	1	60	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
10 90			2	11.2	5900		RIDE	8.6	8.6	8.6	8.1	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.7	7.7		
DELMONTE ST(2.7L)							FC125M															
4322671	2.718	3.977	C	2016	0012		CRACKING	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.0	7.0	
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.7	7.0	7.8		8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	7.9	
72010000	3.977	4.600	R	1	1	60	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5		
10 90			1	11.2	5900		RIDE	8.6	8.6	8.6	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.4	6.9	5.8*		
							FC125M															
4322671	3.977	4.443	R	2016	0012		CRACKING	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.5	7.5	
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	5.8*	5.3*	5.8*		7.7	7.6	7.6	7.7	7.6	7.7	7.7	7.7	7.6	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
72010000	4.600	7.677	C	1	1	60	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
10 90				2	11.2		5900 RIDE	8.6	8.6	8.6	8.1	8.0	8.0	8.0	7.9	7.9	8.1	8.0	7.9	7.8	
POPE DUVAL RD(7.2R)																					
4322671	6.059	7.677	C	2016			0012 CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0
HUBBARD	CONSTRUCTION	COMPA	(2018)				SPRIDE	7.8	7.1	7.0		8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.0
72010000	7.677	8.518	C	1	1	60	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
10 90				2	11.2		9100 RIDE	8.6	8.6	8.6	8.1	8.0	8.0	8.0	7.9	7.9	8.1	8.0	7.9	7.8	
CECIL COMMERCE PKWY(8.0L)																					
							FC3														
							(2020)	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8
							RIDE	7.8	7.1	7.0				8.4	8.4	8.3	8.4	8.2	8.2	8.2	7.8
72010000	8.518	12.418	C	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
10 90				2	11.2		8200 RIDE	7.7	7.8	7.7	6.7	8.0	8.0	7.9	7.9	7.9	8.0	7.9	7.8	7.6	
HALSEMA RD S(8.8R)																					
4322671	9.749	11.697	C	2016			0012 CRACKING	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	7.8	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2018)				SPRIDE	7.6	7.2	7.1	6.5	8.1	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.5
72010000	12.418	14.100	C	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
10 90				2	11.2		10500 RIDE	7.5	7.6	7.6	6.9		7.8	7.9	7.2	7.7	7.8	7.6	7.5	7.3	
CR 117(12.6L)																					
4287001	12.440	14.100	C	2013			0012 CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	6.5	4.0*
DUVAL	ASPHALT	PRODUCTS,	IN(2015)				SPRIDE		8.0	7.9	6.8	7.7	7.6	7.7	7.6	7.6	7.7	7.6	7.6	6.4	6.0
72010000	14.100	17.061	C	1	7	45	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
10 90				2	11.2		9200 RIDE	7.5	7.6	7.6	6.9		7.8	7.9	7.2	7.7	7.8	7.6	7.5	7.3	
MCCARGO ST(14.1R)																					
4453541	14.095	15.769	C	2024			0012 CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.8*	10.0	9.0
PREFERRED	MATERIALS,	INC.	(2026)				SPRIDE	7.5	7.1	7.2	6.4	7.2	7.1	6.9	6.9	7.1	7.1	7.1	7.1	7.1	8.4
72010000	17.061	18.685	R	1	1	40	CRACKING	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
10 90				2	11.2		15200 RIDE	6.0*	5.7	5.7	8.2	8.0	7.9	7.6	7.2	7.8	7.8	7.6	7.4	7.7	
EDGEWOOD AVE(17.2C)																					
4373191	17.066	18.683	C	2021			0012 CRACKING	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.0		10.0	10.0	10.0	10.0	8.5
PREFERRED	MATERIALS,	INC.	(2023)				SPRIDE	7.8	7.0	7.5	7.4	7.6	7.3	7.4	7.3		8.3	8.4	8.4	8.4	8.0
72010000	18.685	19.565	C	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	10.0	7.0	7.0	7.0	7.0	7.0
10 90				4	11.2		17800 RIDE	4.2*	4.2*	3.7*	3.7*	3.0*	3.4*	3.1*	3.0*	5.6	4.2*	4.8*	4.7*	4.0*	
MCDUFF AVE(18.7C)																					
4287011	18.685	19.565	C	2015			0005 CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.2	7.7	5.5*
J.B.	COXWELL	CONTRACTING,	I(2018)				SPRIDE	4.1*	4.0*	4.6*										5.4*	5.0*
72010000	19.565	20.160	R	1	1	30	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	9.0	10.0	9.0	9.0	9.0	9.0	9.0
10 90				2	11.2		21000 RIDE	4.2*	4.2*		7.7	7.5	6.7	6.5	7.0	5.2*	6.8	6.9	6.9	6.5	
FARMERS MARKET(19.7C)																					
4323081	19.590	20.196	R	2017			0012 CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.3	6.5
PREFERRED	MATERIALS,	INC.	(2019)				SPRIDE	6.5	6.0	5.3*	5.6								5.7	5.3*	
72010000	20.160	20.715	C	1	1	30	CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5
10 90				4	11.2		18600 RIDE	4.5*	4.2*	4.7*	3.6*		5.8	5.6	5.6	5.2*	5.7	5.5	4.4*	4.4*	
TYLER ST(20.2L)																					
4412981	20.220	20.662	C	2019			0012 CRACKING	6.5	6.5	6.5	6.5		6.5	4.5*	3.5*	10.0	10.0	10.0	9.0	7.1	5.5*
MAER	HOMES,	LLC	(2022)				SPRIDE	4.7*	4.4*	4.8*	4.2*		4.3*	3.8*		6.3	6.1	5.8	5.8	5.8	5.4*
72010000	20.715	21.802	C	1	1	30	CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0
10 90				4	11.2		4500 RIDE	4.5*	4.2*	4.7*	3.6*		5.8	5.6	5.6	5.2*	4.9*	4.8*	5.0*	4.3*	
CLEVELAND ST(20.7C)																					
4323081	20.968	21.780	C	2017			0012 CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.0*
PREFERRED	MATERIALS,	INC.	(2019)				SPRIDE	4.7*	4.4*	4.8*	4.2*									5.6	5.2*
72010000	19.565	20.160	L	1	1	30	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10 90				2	11.2		21000 RIDE	4.2*	4.2*		7.7	7.5	6.8	6.1	5.9	5.2*	6.9	7.0	6.9	6.7	
BAKER AVE(19.6L)																					
4323081	19.590	20.196	L	2017			0012 CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	6.5
PREFERRED	MATERIALS,	INC.	(2019)				SPRIDE	6.9	6.5	5.8	5.6								6.8	6.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	WKM	*****														
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	ASTYPE	WKM	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)	RW	FY-F	WKM	WKM	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****														

72010000	17.061	18.685	L	1	1	40	CRACKING	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0
10	90			2	11.2	15200	RIDE	6.0*	5.7	5.7	8.2	8.0	8.0	7.1	6.9	7.2	7.6	7.9	7.7	7.1	
EDGEWOOD AVE(17.2C)																					
4373191	17.066	18.683	C	2021		0012	CRACKING	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5
PREFERRED MATERIALS, INC. (2023)																					
SPRIDE																					
72010000	3.977	4.600	L	1	1	60	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	
10	90			1	11.2	5900	RIDE	8.6	8.6	8.6	8.1	8.0	8.0	8.0	7.9	7.9	7.6	7.4	7.5	6.9	
WINN DIXIE PKWY(4.3L)																					
4322671	3.977	4.443	L	2016		0012	CRACKING	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	7.5
HUBBARD CONSTRUCTION COMPA(2018)																					
SPRIDE																					
72010000	1.922	2.718	L	1	1	45	CRACKING	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
10	90			2	11.2	5300	RIDE	7.4	7.3	6.9	6.7	7.3	7.1	7.0	7.1	7.1	6.8	6.7	6.6	6.6	
LIMA ST N(2.0L)																					
4432591	1.931	2.470	L	2022		0012	CRACKING	9.5	9.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.0
(2024)																					
RIDE																					
72012000	0.000	2.581	R	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0
103				2	1.9	15600	RIDE		8.6	8.5	8.1	7.9	7.9	7.8	7.1	7.5	7.5	7.2	7.2	7.0	
WILSON BLVD(0.0R)																					
4393581	0.000	2.580	R	2021		0012	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	3.5*		10.0	9.6	10.0	9.0
ANDERSON COLUMBIA CO., INC(2024)																					
SPRIDE																					
72012000	2.581	3.814	R	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
103				2	1.9	16500	RIDE		7.6	7.6	6.9	6.6	6.5	6.5	5.9	6.6	6.6	6.1	6.1	6.1	
GRACE LN(2.8C)																					
4342991	2.581	3.783	C	2017		0012	CRACKING	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	8.5
DUVAL ASPHALT PRODUCTS, IN(2018)																					
SPRIDE																					
72012000	2.581	3.814	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	
103				2	1.9	16500	RIDE	8.1	7.6	7.5	7.7	6.8	6.6	6.5	6.4	6.3	6.9	6.5	6.4	6.4	
GRACE LN(2.8C)																					
4342991	2.581	3.783	C	2017		0012	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	6.5
DUVAL ASPHALT PRODUCTS, IN(2018)																					
SPRIDE																					
72012000	0.000	2.581	L	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	
103				2	1.9	15600	RIDE		8.6	8.5	7.8	7.9	7.7	7.7	7.6	7.5	7.8	7.4	7.5	7.4	
SR-208/WILSON BLVD(0.0L)																					
4393581	0.000	2.580	L	2021		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.0*	5.5*		10.0	9.6	10.0	9.0
ANDERSON COLUMBIA CO., INC(2024)																					
SPRIDE																					
72014000	0.000	1.445	R	1	7	40	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
109				2	3.2	9100	RIDE	5.5*	6.2	6.0	4.8*		7.3	6.9	6.9	7.0	7.0	6.4	7.0	7.0	
SAN JOSE BLVD(0.0C)																					
4471251	0.000	1.736	R	2024		0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	10.0	9.0
PREFERRED MATERIALS, INC. (2026)																					
SPRIDE																					
72014000	1.715	2.000	R	1	7	40	CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
109				3	3.2	47500	RIDE	4.8*	5.4*	5.1*	4.3*		6.0	6.1	5.6	6.4	6.8	6.7	7.1	7.2	
PHILIPS HWY(1.7C)																					
4471251	1.736	1.993	R	2024		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	10.0	9.0
PREFERRED MATERIALS, INC. (2026)																					
SPRIDE																					
72014000	2.000	2.132	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
109				2	3.2	47500	RIDE	4.8*	5.4*	5.1*	4.3*		6.0	6.1	5.6	6.4	6.8	6.7	7.1	7.2	
CAGLE RD(2.1R)																					
2096833	0.044	2.119	C	2004		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	2.8*	0.0*
PREFERRED MATERIALS, INC. (2006)																					
4471251	0.000	2.127	C	2024		0012	RIDE	7.4	6.6	6.3	5.8	6.7	6.3	6.4	6.4	6.2	6.3	6.1	5.9	6.8	6.4
SPRIDE																					
72014000	2.132	3.883	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
109				2	3.2	32000	RIDE	6.8	7.4	7.3	7.0	7.4	7.0	6.6	6.8	6.8	6.5	6.8	6.6	6.4	
SPRING PARK RD(2.3C)																					
4287021	2.253	3.883	R	2014		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.3	7.0	4.5*
PREFERRED MATERIALS, INC. (2015)																					
RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)	AT	(MP SIDE)			WT	ADT	*****															(PMRS)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																	
72014000	3.883	4.140	R	1	1	40	CRACKING	5.5*	5.5*	4.5*	4.5*	4.5*	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5			
109				2	3.2	33500	RIDE	6.6	6.8	7.0	6.1	6.1	7.0	6.6	6.8	6.8	6.9	6.8	6.6	6.4			
BEACH BLVD(4.0C)							DGFC																
					(2015)		CRACKING	6.5	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.3*	8.4	6.0*		
4454271	3.883	5.991	C	2024		0012	RIDE	6.6	6.8	7.0	6.6	7.2	7.1	6.9	6.7	6.9	6.8	6.8	5.9	4.8*	4.4*		
72014000	4.140	5.293	R	1	7	40	CRACKING	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
109				2	3.2	27500	RIDE	6.6	6.8	7.0	6.1	6.1	7.9	7.8	7.8	7.7	7.6	7.8	7.6	7.6			
COMMANDORE POINT EXP(4.2R)							FC125																
4454271	3.883	5.991	C	2024		0012	CRACKING	10.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.0		
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.4	6.8	7.0	6.6	7.2	7.1	6.9	6.7	6.9	6.8	6.8	6.8		7.9	7.5	
72014000	5.293	5.605	R	1	1	35	CRACKING	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
109				2	3.2	27500	RIDE	6.6	6.8	7.0	6.1	6.1	7.9	7.8	7.8	7.7	7.6	7.8	7.6	7.6			
ATLANTIC BLVD(5.5C)							DGFC																
4454271	3.883	5.991	C	2024		0012	CRACKING	10.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.4*	9.6	8.5		
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.4	6.8	7.0	6.6	7.2	7.1	6.9	6.7	6.9	6.8	6.8	6.8	7.0	6.9	6.5	
72014000	5.605	5.990	R	1	7	35	CRACKING	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
109				2	3.2	31000	RIDE	6.6	6.8	7.0	6.1	6.1	7.9	7.8	7.8	7.7	7.6	7.8	7.6	7.6			
ROBBINS CIR N(5.8R)							DGFC																
4454271	3.883	5.991	C	2024		0012	CRACKING	10.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.4*	10.0	9.0		
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.4	6.8	7.0	6.6	7.2	7.1	6.9	6.7	6.9	6.8	6.8	6.8	7.0	7.7	7.3	
72014000	5.990	6.441	R	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
109				4	3.2	21100	RIDE	6.5	7.0	7.1	7.0	6.6	7.2	6.9	6.9	7.2	7.4	7.5	7.5	7.4			
EGRET POINT LN(6.3R)							FC125																
2096834	4.426	6.395	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	3.0*		
PREFERRED MATERIALS, INC. (2006)							RIDE	7.7	7.0	7.3	6.5										7.4	7.0	
72014000	5.990	6.441	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
109				2	3.2	21100	RIDE	6.5	7.0	7.1	7.0	6.6	7.2	6.9	6.9	7.2	7.4	7.5	7.5	7.4			
ARLINGTON SERVICE RD EB(6.4C)							FC125																
2096834	4.426	6.395	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	3.0*		
PREFERRED MATERIALS, INC. (2006)							RIDE	7.7	7.0	7.3	6.5									6.4	6.6	6.2	
72014000	5.605	5.990	L	1	7	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5			
109				2	3.2	31000	RIDE	6.6	6.5	6.7	6.2	5.9	7.7	7.6	7.5	7.6	7.8	7.6	7.6	7.5			
ALLEN PL(5.7L)							FC125																
4454271	3.883	5.991	C	2024		0012	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.6*	10.0	9.0		
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.4	7.0	7.1	6.5	7.2	7.0	6.9	6.7	6.8	6.7	6.9	6.9	6.7	7.5	7.1	
72014000	5.293	5.605	L	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5			
109				2	3.2	27500	RIDE	6.6	6.5	6.7	6.2	5.9	7.7	7.6	7.5	7.6	7.8	7.6	7.6	7.5			
ATLANTIC UNIV CR(5.4L)							DGFC																
4454271	3.883	5.991	C	2024		0012	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.6*	9.6	8.5		
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.4	7.0	7.1	6.5	7.2	7.0	6.9	6.7	6.8	6.7	6.9	6.7	6.4	6.0		
72014000	4.140	5.293	L	1	7	40	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5			
109				2	3.2	27500	RIDE	6.6	6.5	6.7	6.2	5.9	7.7	7.6	7.5	7.6	7.8	7.6	7.6	7.5			
CORONET LN(4.1L)							FC125																
4454271	3.883	5.991	C	2024		0012	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*		10.0	9.0		
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.4	7.0	7.1	6.5	7.2	7.0	6.9	6.7	6.8	6.7	6.9	6.9	7.6	7.2		
72014000	3.883	4.140	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			
109				2	3.2	33500	RIDE	6.6	6.5	6.7	6.2	5.9	6.6	6.7	6.4	6.4	6.4	6.4	6.5	6.5	6.6		
CRUZ RD(3.9L)							DGFC																
					(2015)		CRACKING	7.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	8.0	8.7	6.5		
4454271	3.883	5.991	C	2024		0012	RIDE	6.2	7.0	7.1	6.5	7.2	7.0	6.9	6.7	6.8	6.7	6.9	6.6	6.3	5.9		
72014000	2.132	3.883	L	1	1	40	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			
109				2	3.2	32000	RIDE	7.4	7.6	7.8	6.7	6.8	6.6	6.7	6.4	6.4	6.4	6.4	6.5	6.5	6.6		
SPRING PARK RD(2.3C)							FC125M																
4287021	2.253	3.883	L	2014		0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.8	7.2	5.0*		
PREFERRED MATERIALS, INC. (2015)							RIDE	6.2	8.3	7.9	8.0	8.0	7.9	8.0	7.9	7.8	7.7	7.8	7.6	7.6	7.6	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)		RW	FY-F	WKMX-F																(PMRS)
ITMSEG-F																					
72016000 23	9.490	10.028	L	1	1	40	CRACKING														
FROM US-90/SR-10(10.0L)				2	3.0	30500	RIDE														
							DGFC														
							CRACKING							10.0	10.0	10.0	10.0	10.0	9.0	8.6	7.0
							RIDE							8.2	8.0	7.3	7.4	7.6	7.2	7.2	6.8
							(2020)														
72016000 23	8.875	9.490	L	1	1	40	CRACKING										10.0	10.0	10.0	10.0	
				1	3.0	30500	RIDE										8.2	8.2	8.1	8.1	
							FC5M														
							CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5
							RIDE	8.1	7.8	8.0				8.2	8.1	7.8	7.8	7.6	7.5	7.4	7.2
							(2020)														
72016000 23	8.385	8.875	L	1	1	50	CRACKING										10.0	10.0	10.0	10.0	
I 10 ENT(8.4L)				2	3.0	30500	RIDE										8.2	8.2	8.1	8.1	
							FC5M														
							CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5
							RIDE	8.1	7.8	8.0				8.2	8.1	7.8	7.8	7.6	7.5	7.8	7.6
							(2020)														
72017000 128	0.000	1.494	R	1	1	40	CRACKING	7.5	7.5	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0
LANE AVE(0.0C)				2	1.9	12400	RIDE	6.6	6.8	7.5	6.9	6.7	6.5	6.4	6.5	6.5	6.6	6.2	8.7	8.3	
							FC95MR														
2091383	0.059	0.810	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.8	7.5	7.5	4.5*
HUBBARD CONSTRUCTION COMPA(2012)						SPRIDE	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.6	7.7	7.6	7.5	7.3	7.2	6.8	
2091384	0.000	2.096	R	2028	0012																
72017000 128	1.494	2.096	R	1	1	40	CRACKING	7.5	7.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
STIMSON ST(1.6C)				2	1.9	16100	RIDE	6.6	6.8		5.9	5.9	6.2	5.9	5.6	5.8	5.9	5.9	5.9	5.7	6.1
							FC125														
4041711	1.494	2.490	C	2002	0012	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	3.7*	3.3*	0.0*
UNDERGROUND UTILITY CONTRA(2004)						SPRIDE	5.9	5.8	5.6	5.5	5.5	5.5	4.8*	4.6*	4.8*	4.9*	4.9*	4.6*	4.4*	4.0*	
2091384	0.000	2.096	R	2028	0012																
72017000 128	2.096	2.500	R	1	1	35	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
FAIR ST(2.2C)				1	1.9	6100	RIDE	5.2*	5.2*		5.5	5.3*	5.2*	5.0*	4.7*	5.0*	4.5*	4.7*	4.6*	4.6*	
							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.0*	6.0*	10.0	10.0	9.0
							RIDE	4.4*	4.7*	4.7*	4.5*	4.5*	4.5*	4.5*					5.5	5.7	5.3*
							(2025)														
72017000 128	2.096	2.500	L	1	1	35	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
FAIR ST(2.2C)				1	1.9	6100	RIDE	5.2*	5.2*		5.5	5.3*	5.2*	5.0*	4.7*	5.0*	4.5*	4.7*	4.6*	4.6*	
							FC125														
							CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.0*	6.0*		10.0	9.0
							RIDE	4.4*	4.7*	4.7*	4.5*	4.5*	4.5*	4.5*						6.5	6.1
							(2026)														
2091384	1.494	2.500	L	2028	0012																
72017000 128	1.494	2.096	L	1	1	40	CRACKING	9.0	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
STIMSON ST(1.6C)				2	1.9	16100	RIDE	7.3	7.2		6.3	6.2	6.1	6.4	5.7	6.1	6.1	6.3	6.3	6.1	
							FC125														
4041711	1.494	2.490	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	3.5*	3.1*	0.0*
UNDERGROUND UTILITY CONTRA(2004)						SPRIDE	6.2	5.8	5.1*	5.1*	5.2*	5.0*	4.8*	5.1*	5.2*	5.1*	4.7*	4.8*	4.7*	4.3*	
2091384	1.494	2.500	L	2028	0012																
72017000 128	0.000	1.494	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0
LANE AVE(0.0C)				2	1.9	12400	RIDE	7.3	7.2	7.9	7.4	6.9	6.9	6.7	6.1	6.7	6.5	6.4	8.6	8.0	
							FC95MR														
2091383	0.059	0.810	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	7.5	8.3	7.8	5.0*
HUBBARD CONSTRUCTION COMPA(2012)						SPRIDE	8.2	7.8	7.5	7.4	7.8	7.9	7.8	7.8	7.9	7.8	7.7	7.7	7.5	7.5	7.1
72018000 104	0.000	1.946	C	1	1	55	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	
NEW KINGS RD(0.0C)				2	5.1	20200	RIDE	8.2	8.0	7.8	7.4	7.3	7.2	7.2	7.1	7.5	7.1	7.3	7.1		
							FC95R														
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	6.0*	5.5*	5.5*	5.5*	3.0*
							RIDE	8.6	7.9	8.0	7.6	8.1	7.7	7.7	7.6	7.6	7.4	7.3	7.3	7.3	6.9
							(2014)														
2091423	0.000	2.142	C	2028	0012																
72018000 104	1.946	2.142	R	1	1	55	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	9.0	9.0	9.0	9.0	9.0	9.0	3.5*	3.5*	
KER DEL RD(2.0R)				2	5.1	20200	RIDE	7.9	8.0	7.7	6.4*	6.3*	7.3	7.3	7.2	7.0	7.5	7.3	5.6*	5.5*	
							FC95R														
4269661	1.987	2.154	R	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.0*	3.5*
HUBBARD CONSTRUCTION COMPA(2014)						SPRIDE	8.5	8.0	8.2	7.7	8.2	7.9	8.0	7.9	7.6	7.8	7.9	7.6	7.8	7.8	7.4
2091423	0.000	2.142	C	2028	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	W_KMX-P	ASTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F																	
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F																	
72018000	2.142	2.587	R	1	1	50	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
104				2	5.1	21500	RIDE	7.9	8.0	7.7	6.4*	6.3*	7.3	7.3	7.2	7.0	7.5	7.3	7.4	6.9		
CREATIVE DR(2.1R)							FC5M															
					(2015)		CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	7.1	7.4	3.5*	
							RIDE	7.5	7.8	8.0	7.7	8.0	7.8	7.7	7.8	7.6	7.7	7.8	7.6	7.4	7.2	
72018000	2.587	5.943	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.0*		
104				2	2.2	21000	RIDE	8.3	8.2	8.0	7.9	7.6	7.4	7.2	7.3	7.2	7.1	7.0	6.9	6.8		
KEY HAVEN BLVD(2.8R)							FC125M															
4343031	2.587	5.943	R	2017	0012	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.0	
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	6.6	6.5	7.0	6.8	7.3		8.3	8.2	8.1	8.1	8.2	8.1	8.0	7.6	
72018000	5.943	6.825	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0		
104				3	5.1	37000	RIDE	8.2	7.9	8.3	7.6	7.6	7.4	7.6	7.2	7.0	7.4	6.8	7.3	6.9		
LEONID RD(6.0R)							FC125M															
4269631	5.964	6.687	C	2014	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.2	5.0*	
HUBBARD CONSTRUCTION COMPA(2016)							SPRIDE	6.8	6.8	8.1	8.0	7.9	8.0	7.9	7.8	7.9	7.8	7.9	7.9	7.7	7.3	
72018000	6.825	7.567	R	1	1	35	CRACKING	10.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
104				2	7.9	20400	RIDE	8.1	7.8	7.8	7.2	7.3	7.0	6.6	6.8	6.7	6.8	6.5	6.5	6.5		
WAFFLE HOUSE RD(7.0R)							FC125M															
4269631	6.825	7.548	R	2014	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	5.0*	
HUBBARD CONSTRUCTION COMPA(2016)							SPRIDE	6.6	6.1	7.6	7.9	7.6	7.6	7.5	7.6	7.7	7.9	7.8	7.6	7.7	7.3	
72018000	6.825	7.567	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0		
104				2	7.9	20400	RIDE	7.7	8.3	7.9	6.5	6.8	6.9	6.8	7.0	7.0	7.1	6.8	6.6	6.6		
BUSCH PLANT ENT(7.2L)							FC125M															
4269631	6.825	7.548	L	2014	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.8	7.5	5.0*	
HUBBARD CONSTRUCTION COMPA(2016)							SPRIDE	6.7		7.8	7.5	7.5	7.2	7.3	7.4	7.3	7.3	7.3	7.5	7.0	6.6	
72018000	5.943	6.825	L	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
104				3	5.1	37000	RIDE	7.7	7.9	8.0	7.3	7.2	7.7	6.9	6.6	7.1	7.8	6.6	6.4	6.3		
BISCAYNE BLVD(6.0C)							FC125M															
4287031	5.964	6.687	C	2014	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.7	5.5*	
HUBBARD CONSTRUCTION COMPA(2016)							SPRIDE	6.6	6.6	8.3	8.0	7.8	7.8	7.9	8.0	7.8	7.7	8.0	7.9	7.7	7.3	
72018000	2.587	5.943	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5		
104				2	2.2	21000	RIDE	8.6	8.6	8.6	8.0	8.0	7.7	7.6	7.6	7.7	7.7	7.6	7.5	7.4		
BAPTIST HEALTH DR(2.7L)							FC125M															
4343031	2.587	5.943	L	2017	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.0	
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	7.4	7.1	7.0	7.4	7.5		8.3	8.4	8.3	8.3	8.3	8.2	8.2	7.8	
72018000	2.142	2.587	L	1	1	50	CRACKING	7.5	7.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
104				2	5.1	21500	RIDE	8.1	8.1	8.1	7.1	7.0	7.4	7.4	7.4	7.2	7.4	7.0	7.1	6.8		
							FC5M															
					(2015)		CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.6	2.5*
							RIDE	7.0	7.9	7.9	7.9	7.3	7.8	8.0	7.9	7.8	7.8	7.7	7.8	7.5	7.3	
72018000	1.946	2.142	L	1	1	55	CRACKING	7.5	7.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	3.5*	3.5*		
104				2	5.1	20200	RIDE	8.1	8.1	8.1	7.1	7.0	7.4	7.4	7.4	7.2	7.4	7.0	5.1*	4.6*		
ROBERT MASTERS BLVD(2.1L)							FC95R															
					(2014)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.5	4.5*	2.0*	
							RIDE	8.5	7.8	7.8	7.8	7.8	7.6	7.6	7.5	7.3	7.3	7.4	7.1	7.2	6.8	
2091423	0.000	2.142	C	2028	0012																	
72020000	0.000	0.964	R	4	4	55	CRACKING				9.0	8.7	8.7	8.7	8.6	8.5	8.6	8.7	8.1	7.9		
9 195	348.6	349.6	3	19.6	182000	RIDE					6.8	7.3	6.5	6.4*	6.8	6.6	6.4*	7.1	6.7	6.1*		
END 280 NB/BEG 020 NB(0.0C)							LDG															
					(2020)		CRACKING															
							RIDE															
								9.4	9.5	9.5	9.3	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.0	
								8.2	8.2	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	
72020000	2.420	3.030	R	4	4	55	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			9.4	9.4	9.4		
9 195	351.0	351.7	2	19.6	167500	RIDE												7.2	7.8	7.5		
							LDG															
					(2011)		CRACKING	9.4	9.3	9.3	9.3	9.3	9.3	9.2	8.8	8.5	8.6	8.8	9.2	8.6	8.0	
							RIDE	7.7	7.3	6.6	6.8	6.9	6.8	6.7	6.7	6.6	6.6	6.8	6.6	6.4*	6.3*	
4460481	2.420	3.030	C	2025	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
72020000	3.350	6.774	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	
9 I95	352.0	355.4	4	19.6	126000		RIDE	8.6	8.9	8.9	8.4	8.4	8.2	8.1	8.0	7.7	7.9	7.9	7.9	7.9	7.6	
							FC5															
4288081	5.145	6.716	R	2015	0012		CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.4	6.0*
				(2016)			RIDE	7.5	7.2	8.5	8.7	8.7	8.7	8.7	8.7	8.7	8.6	8.4	8.6	8.6	8.6	8.5
72020000	6.774	7.950	R	4	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.5		
9 I95	355.4	356.6	3	9.2	107000		RIDE	8.6	8.9	8.9	8.4	8.4				8.0	8.2	8.1	8.1	7.9		
							FC5M															
4398001	6.774	7.881	R	2020	0012		CRACKING	9.0	7.5	6.5	5.5*	5.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	8.9	7.9	6.5	
DUVAL ASPHALT PRODUCTS, INC				(2022)			SPRIDE	7.7	7.3	7.6	7.6	7.8	7.6	7.4	7.0	8.9	8.9	8.5	8.7	8.7	8.6	
72020000	7.950	8.274	R	4	4	60	CRACKING		10.0	10.0	10.0	10.0				9.5	9.4	9.5	9.4	9.4		
9 I95	356.6	356.9	3	19.6	117500		RIDE		8.0	7.8	7.9	8.3				7.7	7.8	8.0	8.2	8.4		
							LDG															
2132451	6.886	9.603	C	2005	0218		CRACKING	9.4	9.4	9.4	9.4	9.3	9.3	9.3	9.4	9.4	9.4	9.3	9.3	9.3	8.5	
HAL JONES CONTRACTOR, INC				(2009)			RIDE	8.5	8.0	7.7	7.6	8.0	8.2	8.1	8.2	8.2	8.0	8.1	8.1	7.9	7.8	
72020000	8.725	9.600	R	4	4	60	CRACKING		10.0	10.0	10.0	10.0				9.5	9.5	9.5	9.4	9.4		
9 I95	357.3	358.2	3	19.6	117500		RIDE		8.3	8.4	8.0	7.5				7.4	7.8	8.4	8.4	8.2		
							LDG															
HECKSCHER DR(9.0R)																						
2132451	6.886	9.603	C	2005	0218		CRACKING	9.4	9.4	9.4	9.4	9.3	9.3	9.3	9.4	9.4	9.4	9.4	9.4	9.4	8.5	
HAL JONES CONTRACTOR, INC				(2009)			RIDE	8.3	8.2	7.8	7.8	8.2	8.3	8.3	8.3	8.2	8.2	8.1	8.1	8.2	8.1	
72020000	9.600	10.567	R	4	4	70	CRACKING		9.0	8.8	8.8	8.5	7.1	7.1			9.3	9.2	8.9	9.0		
9 I95	358.2	359.2	3	19.6	97000		RIDE		8.6	7.6	7.8	7.2	6.3*	6.8			7.7	7.8	7.8	7.6		
							LDG															
DUNN AVE(10.6C)																						
2132731	9.500	10.593	C	2006	0218		CRACKING	8.9	8.9	8.7	8.7	8.7	8.7	8.3	8.5	8.7	8.7	8.3	9.4	8.2	7.5	
ARCHER WESTERN CONTRACTORS(2010)							RIDE	7.7	7.6	7.1	7.3	7.8	7.6	7.6	7.6	7.7	7.6	7.6	7.6	7.3	7.2	
2132738	9.600	10.567	C	2027	0012																	
72020000	9.600	10.567	L	4	4	70	CRACKING		9.2	8.6	8.6	8.8	7.9	7.9			9.2	9.1	9.0	9.0		
9 I95	358.2	359.2	3	19.6	97000		RIDE		8.2	8.4	7.2	7.2	5.6*	6.4*			8.0	7.7	7.5	7.4		
							LDG															
DUNN AVE(10.6C)																						
2132731	9.500	10.593	C	2006	0218		CRACKING	9.0	8.8	8.4	8.6	8.2	8.2	8.1	8.2	8.3	8.4	8.2	7.6	7.4	6.5	
ARCHER WESTERN CONTRACTORS(2010)							RIDE	7.3	6.3*	7.0	7.6	7.6	7.4	7.4	7.4	7.5	7.4	7.4	7.3	7.3	7.2	
2132738	9.600	10.567	C	2027	0012																	
72020000	8.725	9.600	L	4	4	60	CRACKING		10.0	10.0	10.0	10.0				9.5	9.4	9.4	9.4	9.4		
9 I95	357.3	358.2	3	19.6	117500		RIDE		8.1	8.5	7.2	7.2				8.0	7.9	8.4	8.4	8.4		
							LDG															
HAL JONES CONTRACTOR, INC				(2009)			RIDE	9.4	9.4	9.4	9.4	9.3	9.3	9.4	9.4	9.4	9.5	9.4	9.4	9.4	8.5	
							RIDE	8.5	8.4	8.0	8.2	8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.0	7.9	7.8	
72020000	7.950	8.274	L	4	4	60	CRACKING		10.0	10.0	10.0	10.0				9.5	9.5	9.4	9.4	9.4		
9 I95	356.6	356.9	3	19.6	117500		RIDE		8.7	8.2	8.4	8.1				7.3	8.1	8.4	8.1	8.3		
							LDG															
HAL JONES CONTRACTOR, INC				(2009)			RIDE	9.4	9.4	9.4	9.4	9.4	9.3	9.3	9.4	9.4	9.5	9.4	9.4	9.4	8.5	
							RIDE	8.5	8.5	8.2	8.5	8.5	8.5	8.5	8.5	8.6	8.4	8.6	8.5	8.5	8.4	
72020000	6.774	7.950	L	4	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	9.0	9.0	9.0		
9 I95	355.4	356.6	3	9.2	107000		RIDE	8.8	8.8	8.9	8.5	8.4				7.9	8.1	8.1	8.0	7.6		
							FC5M															
4398001	6.774	7.881	L	2020	0012		CRACKING	8.0	8.0	7.0	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	7.5	
DUVAL ASPHALT PRODUCTS, INC				(2022)			SPRIDE	7.8	7.7	7.6	7.6	7.4	7.3	7.3		8.9	8.6	8.5	8.7	8.6	8.5	
72020000	3.350	6.774	L	4	2	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5		
9 I95	352.0	355.4	3	19.6	126000		RIDE	8.8	8.8	8.9	8.5	8.4	8.3	7.8	7.5	8.0	7.6	7.9	7.9	7.5		
							FC5															
				(2016)			RIDE	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.0	
							RIDE	7.6	7.4	8.6	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.5	8.3	8.5	8.3	
72020000	2.420	3.030	L	4	4	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*			9.4	9.4	9.3		
9 I95	351.0	351.7	2	19.6	167500		RIDE	6.8	6.1*	6.9	6.5	5.8*	6.1*	5.8*	5.6*			7.6	7.8	7.6		
							LDG															
EXIT 351A(2.7L)				(2011)			RIDE	9.3	9.1	9.2	9.1	9.2	9.1	9.0	8.7	8.8	8.9	8.7	8.1	7.7	7.0	
4460481	2.420	3.030	C	2025	0012			7.6	7.2	6.9	6.9	7.0	6.7	6.8	6.8	6.7	6.4*	6.3*	6.3*	6.0*	5.9*	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	WKM-F	WKM-P	ASTYPE	=====													
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR																					(PMRS)
ITMSEG-F																					
72020000	0.000	0.964	L	4	4	55	CRACKING				8.8	8.5	8.5	8.5	8.5	8.2	7.1	7.1	4.7*	4.7*	
9 I95	348.6	349.6		3	19.6	182000	RIDE				6.0*	5.3*	5.1*	5.7*	5.7*	5.2*	5.2*	5.4*	5.8*	5.4*	
END 280 NB/BEG 020 NB(0.0C)						LDG															
						(2020)	CRACKING							9.4	9.4	9.4	9.5	9.5	9.4	9.4	9.0
							RIDE							7.9	8.1	8.0	7.9	7.8	8.0	7.7	7.6
72027000	0.000	0.728	C	1	8	30	CRACKING	5.5*	5.5*	5.5*	4.0*	4.0*	4.0*	1.5*	1.5*			10.0	10.0	10.0	
129				2	3.3	7900	RIDE	6.2*	5.1*	5.0*	4.8*	4.5*	4.1*	3.9*				6.8	6.8	6.4	
ALT US 17(0.0C)						DGFC															
						(2011)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.7		
							RIDE	6.2	5.8	5.4*	5.4*	5.1*	4.9*	4.7*	5.0*	4.8*	4.5*	4.5*	4.2*		
72028000	0.000	2.111	R	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	10.0	9.5	9.5	7.0	7.0	
152				2	1.4	19600	RIDE	7.9	7.8	7.5	6.7	7.0	6.8	7.0	6.4	7.7	7.2	7.0	7.0	7.0	
SAN JOSE BLVD(0.0C)						FC125M															
4287041	0.000	2.090	C	2014	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.1	6.0*
DUVAL ASPHALT PRODUCTS, IN(2016)						SPRIDE	7.1		7.6	7.6	7.6	7.6	7.7	7.6	7.1	7.4	7.2	7.3	7.3	7.4	7.0
72028000	2.111	2.438	R	1	7	45	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*	10.0	10.0	10.0	
152				2	1.4	30000	RIDE	6.0*	6.2*	6.4*	5.7*	5.4*	4.7*	4.7*	4.8*	6.6	4.0*	7.9	7.8	7.4	
4471231	2.105	2.386	R	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE	7.7	7.0	6.9	7.1	7.6	7.7	7.6	7.1	7.4	7.2	7.3	7.3	7.3	8.2	7.8
72028000	2.438	2.740	R	1	1	45	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	10.0	10.0	9.5	9.5	
152				3	1.4	46500	RIDE	6.0*	6.2*	6.4*	5.7*	5.4*	4.7*	4.7*	4.8*	6.6	7.8	7.7	7.6	7.8	
BAYMEADOWS WAY(2.5C)						DGFC															
						(2025)	CRACKING	9.5	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	8.5	8.5	7.5
							RIDE	7.4	6.9	7.4	7.4	7.0	6.9	6.9	6.9	6.8	6.5	6.7	7.3	7.0	6.6
72028000	2.740	3.260	R	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	
152				3	1.4	46000	RIDE	5.9*	5.9*	5.7*	5.0*	4.7*		7.9	6.8	8.1	7.8	7.7	7.6	7.8	
SIDE ROAD(3.0R)						DGFC															
2091663	2.526	3.862	C	2005	0012	CRACKING	9.5	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	1.0*
DOUGLAS ASPHALT COMPANY (2007)						SPRIDE	7.4	6.9	7.4	7.4	7.0	6.9	6.9	6.9	6.8	6.5	6.7	6.0	6.4	6.0	
4471231	2.105	3.938	R	2024	0012																
72028000	3.260	3.950	R	1	7	45	CRACKING	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	
152				2	1.4	25000	RIDE	5.9*	5.9*	5.7*	5.0*	4.7*		7.9	6.8	8.1	7.8	7.7	7.6	7.8	
PRINCETON SQUARE BLV(3.4R)						FC125M															
4471231	3.249	3.938	R	2024	0012	CRACKING	9.5	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE	7.4	6.9	7.4	7.4	7.0	6.9	6.9	6.9	6.8	6.5	6.5	6.7	6.0	7.6	7.2
72028000	3.950	6.075	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
152				2	1.4	25000	RIDE	8.4	8.7	8.4	7.8	7.7	7.4	7.4	6.6	6.9	7.8	7.7	7.6	7.7	
SOUTHSIDE BLVD(4.0C)						DGFC															
						(1999)	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.7	8.4	4.0*
							RIDE	7.6	7.2	7.4	7.4	7.5	7.3	7.4	7.6	7.4	7.6	7.6	7.5	7.1	6.7
72028000	6.075	6.417	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
152				2	1.4	25000	RIDE	8.4	8.7	8.4	7.8	7.7	7.4	7.4	6.6	6.9	7.8	7.7	7.6	7.7	
END OF PAVEMENT(6.4C)						DGFC															
						(1999)	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.7	10.0	5.5*
							RIDE	7.6	7.2	7.4	7.4	7.5	7.3	7.4	7.6	7.4	7.6	7.6	7.5	8.1	7.7
72028000	6.075	6.417	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	
152				2	1.4	25000	RIDE	8.4	8.6	8.5	7.8	7.7	7.4	7.4	6.7	6.6	7.7	7.7	7.6	7.5	
POINT MEADOWS WAY(6.1L)						DGFC															
						(1999)	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	9.0	10.0	5.5*
							RIDE	7.6	6.9	7.2	6.6	7.5	7.3	7.4	7.4	7.4	7.4	7.4	7.4	7.5	7.1
72028000	3.950	6.075	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	
152				2	1.4	25000	RIDE	8.4	8.6	8.5	7.8	7.7	7.4	7.4	6.7	6.6	7.7	7.7	7.6	7.5	
SOUTHSIDE BLVD(4.0C)						DGFC															
						(1999)	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	9.0	8.7	4.0*
							RIDE	7.6	6.9	7.2	6.6	7.5	7.3	7.4	7.4	7.4	7.4	7.4	7.4	7.0	6.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-F		ASTYPE												(PMRS)
		(AGE_ONE YEAR)		RW		FY-F		WKM-F														
72028000	3.260	3.950	L	1	7	45	CRACKING	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
152			2	1.4	25000		RIDE	6.2*	6.2*	6.5	5.7*	5.5*		8.0	7.0	8.0	7.9	7.6	7.6	7.7		
OLD BAY MEADOWS RD(3.5L)																						
4471231	3.249	3.938	L	2024	0012		CRACKING	9.0	9.0	8.0	8.0	7.0	6.5	6.5	5.5*	5.5*	3.5*	4.5*	4.5*	10.0	9.0	
DUVAL ASPHALT PRODUCTS, IN(2026) SPRIDE																						
72028000	2.438	3.260	L	1	45		CRACKING	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
152			3	1.4	46000		RIDE	6.2*	6.2*	6.5	5.7*	5.5*		8.0	7.0	8.0	7.9	7.6	7.6	7.7		
BAYMEADOWS WAY(2.5C)																						
2091663	2.526	3.862	C	2005	0012		CRACKING	9.0	9.0	8.0	8.0	7.0	6.5	6.5	5.5*	5.5*	3.5*	4.5*	4.5*	5.7*	2.0*	
DOUGLAS ASPHALT COMPANY (2007) SPRIDE																						
4471232	2.428	3.249	C	2029	0012			7.6	7.2	7.3	7.1	7.0	6.8	6.8	6.7	6.6	6.3	6.1	5.9	7.1	6.7	
DUVAL ASPHALT PRODUCTS, IN(2026) SPRIDE																						
72028000	2.080	2.438	L	1	7	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	4.5*	10.0	10.0	10.0		
152			2	1.4	30000		RIDE	6.7	6.7	7.1	6.5	6.1*	4.8*	6.5	6.1	7.7	5.8	8.1	8.1	8.0		
DUVAL ASPHALT PRODUCTS, IN(2026) SPRIDE																						
4471231	2.105	2.386	L	2024	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	10.0	9.0	
DUVAL ASPHALT PRODUCTS, IN(2026) SPRIDE																						
72028000	0.000	2.080	L	1	35		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0		
152			2	1.4	19600		RIDE	7.6	7.5	7.7	7.2	7.0	6.6	6.9	6.4	7.4	6.4	6.5	6.3	6.5		
SAN JOSE BLVD(0.0C)																						
4287041	0.000	2.090	C	2014	0012		CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.3	6.0*	
DUVAL ASPHALT PRODUCTS, IN(2016) SPRIDE																						
72030000	0.000	0.464	R	1	7	45	CRACKING	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15 17			3	1.9	42000		RIDE	7.1	7.1	7.0		8.0	7.5	7.5	7.5	7.4	7.5	7.3	7.2	7.3		
CLAY CO LINE(0.0C)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.1	10.0	9.0	
							RIDE	7.5	7.5	7.4	7.1	7.4	7.2	7.3	7.2	7.2	7.2	7.1	7.1	7.8	7.4	
72030000	0.464	2.390	R	1	55		CRACKING	2.0*	2.0*	1.5*	1.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15 17			3	1.9	42000		RIDE	7.9	7.6	7.5	6.3*	8.0	7.5	7.5	7.5	7.4	7.5	7.3	7.2	7.3		
BIRMINGHAM AVE(2.2R)																						
2096892	0.000	2.266	C	2003	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.1	8.5	4.5*	
HUBBARD CONSTRUCTION COMPA(2005) RIDE																						
72030000	2.390	4.134	R	1	50		CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0		
15 17			3	1.9	38000		RIDE	8.3	8.2	8.3	7.9	7.9	7.7	7.7	7.6	7.5	7.7	7.5	7.5	8.0		
NAVAL AIR STATION ENT(2.6C)																						
4234051	2.575	4.107	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.6	8.5	6.0*	
DUVAL ASPHALT PRODUCTS, IN(2011) SPRIDE																						
72030000	4.134	6.223	R	1	50		CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5		
15 17			3	1.9	35000		RIDE	8.3	8.2	8.3	7.9	7.9	7.7	7.7	7.6	7.5	7.7	7.5	7.5	7.4		
CR 211(4.2R)																						
4287051	4.134	7.460	C	2014	0012		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.6	8.4	6.0*	
DUVAL ASPHALT PRODUCTS, IN(2016) SPRIDE																						
72030000	6.505	7.458	R	1	45		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0		
15 17			3	1.9	39500		RIDE	8.4	8.5	8.6	7.7	7.8	7.5	7.5	7.6	7.3	7.5	7.1	7.1	6.8		
WABASH AVE(6.6R)																						
4287051	4.134	7.460	C	2014	0012		CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.5	6.0*	
DUVAL ASPHALT PRODUCTS, IN(2016) SPRIDE																						
72030000	7.458	8.710	R	1	4	45	CRACKING	8.9	8.4	8.4	8.4	8.3	8.3	8.3	8.6	8.6	8.7	8.6	8.9	8.9		
15 17			3	1.9	39500		RIDE	6.8	7.6	7.4	6.8	6.6	6.6	6.8	6.6	6.6	6.5	6.5	7.5	7.7		
MERRIMAC AVE(7.5R)																						
							CRACKING	8.9	8.7	8.5	9.2	9.3	8.4	8.4	8.4	8.7	8.9	9.1	8.9	9.0	8.0	
							RIDE	8.0	7.9	8.1	7.7	8.2	8.2	8.2	8.3	8.3	8.2	8.3	8.1	8.3	8.2	
72030000	8.710	9.434	R	1	4	45	CRACKING	8.9	8.2	8.2	8.2	8.2	8.0	8.0	8.0	7.9	7.9	7.8	9.1	8.9		
15 17			2	1.9	55500		RIDE	6.8	6.2*	6.3*	5.6*	5.6*	5.5	5.4*	4.9*	5.3*	5.1*	4.8*	6.9	7.8		
BELVEDERE AVE(9.1R)																						
							CRACKING	8.8	8.8	8.6	8.8	8.9	8.6	8.5	8.7	9.0	8.7	8.8	9.0	8.4	7.0	
							RIDE	7.8	7.7	8.1	7.8	8.1	8.0	7.9	8.1	8.0	8.1	8.2	8.2	8.1	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	P	ASTYPE														2031			
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	ASTYPE														(PMRS)			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	ASTYPE														(PMRS)			
72030000	9.434	10.276	R	1	4	50	CRACKING	8.9	7.5	7.4	7.3	7.3	8.0	8.0	7.9	7.7	7.7	7.6	9.0	8.8				
15 17				2	1.7	59500	RIDE	6.8	7.3	7.3	6.4*	6.3*	5.8*	6.5	6.0*	5.9*	6.2*	5.9*	7.3	7.9				
COLLIER AVE(9.4R)							LDG																	
				(1977)			CRACKING	8.8	8.6	8.6	8.6	8.7	8.6	8.5	8.4	8.4	8.2	8.2	7.5	7.5	6.5			
							RIDE	8.0	7.8	8.2	7.9	8.2	8.1	8.0	7.8	7.8	8.1	8.1	7.7	8.0	7.9			
72030000	9.434	10.276	L	1	4	50	CRACKING	9.0	8.1	8.1	8.1	8.1	7.9	7.9	7.9	7.9	8.0	7.8	9.0	9.0				
15 17				2	1.7	59500	RIDE	7.2	7.3	7.3	6.6	6.5	6.4*	6.3*	6.2*	6.4*	6.3*	6.3*	7.3	7.5				
MCDUFF AVE(9.4C)							LDG																	
				(1986)			CRACKING	9.0	8.9	8.8	8.9	8.9	8.7	8.7	8.7	8.7	8.9	8.9	8.7	8.5	7.5			
							RIDE	7.9	7.4	8.0	7.8	7.8	7.8	8.0	8.2	8.0	7.9	7.7	7.6	7.4	7.3			
72030000	8.710	9.434	L	1	4	45	CRACKING	9.0	9.1	9.1	9.0	8.9	8.9	8.9	8.8	8.7	8.4	8.3	9.1	9.0				
15 17				2	1.9	55500	RIDE	7.2	6.0*	6.4*	5.6*	5.3*	5.2*	5.2*	5.1*	5.2*	5.1*	4.6*	6.8	7.0				
RANDALL ST(9.3L)							LDG																	
				(1986)			CRACKING	9.0	8.8	8.8	8.8	9.0	8.8	8.8	8.6	9.1	8.8	8.8	8.7	8.6	7.5			
							RIDE	7.5	7.5	8.0	7.5	8.0	8.0	8.0	8.0	8.0	8.1	8.2	8.1	8.1	8.0			
72030000	7.458	8.710	L	1	4	45	CRACKING	9.0	9.0	8.9	8.9	8.9	8.9	8.9	8.8	9.0	9.0	9.0	8.6	8.7				
15 17				3	1.9	39500	RIDE	7.2	7.7	7.7	7.0	7.0	6.6	7.0	6.5	6.9	7.0	6.7	7.4	7.8				
PARK ST S(7.6L)							LDG																	
				(1977)			CRACKING	8.6	8.3	8.1	8.2	9.2	8.3	8.1	8.2	8.5	8.8	8.9	8.6	8.9	7.5			
							RIDE	7.9	7.9	8.4	7.7	8.5	8.4	8.4	8.6	8.5	8.6	8.6	8.6	8.6	8.5			
72030000	6.505	7.458	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	6.5	6.5	6.5				
15 17				3	1.9	39500	RIDE	8.6	8.5	8.4	7.9	7.5	7.3	6.9	7.2	6.5	6.6	6.7	6.4	6.4				
BIRKENHEAD RD(6.6L)							FC125M																	
4287051	4.134	7.460	C	2014	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.3	8.8	6.5			
DUVAL ASPHALT PRODUCTS, IN(2016)							SPRIDE	6.5	6.6	8.2	8.2	8.1	8.0	7.9	8.0	7.7	7.7	7.7	7.7	7.6	7.5	7.1		
72030000	4.134	6.223	L	1	1	50	CRACKING	10.0	9.5	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*				
15 17				3	1.9	35000	RIDE	8.9	8.8	8.7	8.0	8.2	8.1	8.2	8.2	8.1	8.1	7.9	8.1	8.0				
LONG BOW RD L(4.5L)							FC125M																	
4287051	4.134	7.460	C	2014	0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.6	8.3	6.0*			
DUVAL ASPHALT PRODUCTS, IN(2016)							SPRIDE	7.8	8.0	8.2	8.2	8.1	8.0	8.1	8.0	8.1	8.0	8.1	8.0	8.1	8.1	7.9	8.0	7.6
72030000	2.390	4.134	L	1	1	50	CRACKING	10.0	9.5	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0				
15 17				3	1.9	38000	RIDE	8.9	8.8	8.7	8.0	8.2	8.1	8.2	8.2	8.1	8.1	7.9	8.1	8.4				
NAVAL AIR STATION ENT(2.6C)							FC125M																	
4234051	2.575	4.107	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.9	8.0	5.5*			
DUVAL ASPHALT PRODUCTS, IN(2013)							SPRIDE	8.2	8.3	7.6	7.9	8.4	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.1	7.7	
72030000	0.464	2.390	L	1	1	55	CRACKING	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
15 17				3	1.9	42000	RIDE	7.9	7.7	7.6	6.4*	8.0	7.9	8.0	7.9	8.0	8.0	7.9	7.9	7.8				
AVENT DR(1.8L)							FC125																	
2096892	0.000	2.266	C	2003	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.1	7.6	4.0*				
HUBBARD CONSTRUCTION COMPA(2005)							RIDE	7.9	8.0	7.1	7.3	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.7	7.5	7.6	7.2		
72030000	0.000	0.464	L	1	7	45	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
15 17				3	1.9	42000	RIDE	7.3	7.4	7.5		8.0	7.9	8.0	7.9	8.0	8.0	7.9	7.9	7.8				
CLAY CO LINE(0.0C)							FC125																	
				(2026)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.1	10.0	9.0			
							RIDE	7.9	8.0	7.1	7.3	7.7	7.7	7.7	7.7	7.6	7.6	7.7	7.5	8.3	7.9			
72030115	0.000	0.299	C	1	4		CRACKING																	
15F				1	13.6	2000	RIDE																	
						LDG																		
							CRACKING														7.8			
							RIDE														7.6			
																					8.0			
																					7.6			
																					7.3			
																					7.6			
																					7.8			
72030116	0.000	0.315	C	1	4		CRACKING																	
15F				2	13.6	2400	RIDE																	
						LDG																		
							CRACKING														9.2			
							RIDE														7.0			
																					9.5			
																					7.7			
																					9.2			
																					7.8			
																					9.2			
																					7.8			
																					8.5			
																					7.7			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
72030117 15F	0.000	0.161	C	1	4		CRACKING RIDE														
			2	12.2	2700		CONC														7.8
							CRACKING RIDE														8.2
72031000 113	0.000	2.337	R	1	55		CRACKING RIDE	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0
			2	2.9	30500		FC5M	7.8	7.7	7.5	6.4*	6.3*		7.9	4.0*	7.7	7.7	7.7	7.7	7.5	7.4
SR-115 GORE(0.0R)																					
4376111	1.009	2.337	R	2020	0012		CRACKING SPRIDE	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	9.2	10.0	8.5
DUVAL ASPHALT PRODUCTS, IN(2023)								7.6	7.2	7.4	7.3	7.5	7.3	7.2	7.2		8.5	8.5	7.6	8.5	8.3
72031000 113	2.337	2.770	C	1	55		CRACKING RIDE	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.0	9.0	
			2	2.9	18500		UNKW	7.8	7.7	7.5				7.9	7.7	7.8	7.7	7.7	7.6	7.4	
I 295(2.8C)																					
4376111	2.337	2.770	C	2020	0012		CRACKING SPRIDE	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.2	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2024)								7.5	7.3	7.4	7.0	7.1	6.7	6.7	7.0		8.6	7.3	8.5	8.1	8.1
72031000 113	0.000	2.337	L	1	55		CRACKING RIDE	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	
			2	2.9	30500		FC5M	7.0	6.6	6.8	5.5*	5.7*		7.8	7.7	7.8	7.6	7.7	7.6	7.4	
ALT US 90(0.0C)																					
4376111	0.089	2.337	L	2020	0012		CRACKING SPRIDE	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	9.6	10.0	8.5
DUVAL ASPHALT PRODUCTS, IN(2023)								7.5	7.3	7.4	7.4	7.5	7.3	7.3	7.5		8.7	8.7	7.9	8.6	8.4
72031100 113F	0.000	0.335	C	1	1		CRACKING RIDE														
			1	2.0	1500																10.0
							(2026)														7.4
							CRACKING RIDE														9.0
72031100 113F	0.335	1.410	C	1	1		CRACKING RIDE														
			2	2.0	1500																10.0
							(2026)														8.2
							CRACKING RIDE														7.8
72031200 113F	0.000	1.538	C	1	1		CRACKING RIDE														
			2	2.0	4600																10.0
							(2026)														8.3
							CRACKING RIDE														9.0
72031500 113	0.000	0.688	C	1	55		CRACKING RIDE								10.0	10.0	10.0	10.0	9.5	9.0	
			2	2.9	8300		OGFC								7.7	7.7	7.8	8.1	8.0	7.9	
I 295(0.0C)																					
							(2023)														10.0
							CRACKING RIDE	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.4	10.0	8.5
								8.2	7.7	7.8	7.9	7.7	7.8	7.6	7.8		8.6	8.5	7.9	8.5	8.3
72040000 115	0.000	1.760	R	1	8	45	CRACKING RIDE	9.5	8.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
			2	2.9	28000		FC5M	7.7	7.8	7.8	6.8	7.0	6.8	6.9	8.0	7.7	7.4	7.2	7.2	7.2	
PHILIPS HWY(0.0C)																					
2096473	0.000	1.829	C	2007	0012		CRACKING RIDE	10.0	10.0	9.5	9.5	7.5	5.5*	5.5*	2.0*	2.0*	1.0*	1.0*			
PREFERRED MATERIALS, INC. (2008)								7.0	6.8	7.2	7.2	7.2	7.2	6.9	6.7	6.5	6.1	5.4*			
4453401	0.000	4.038	C	2023	0012																
72040000 115	1.760	4.668	R	1	8	45	CRACKING RIDE	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	
			3	2.9	46500		FC3	8.4		8.4	8.2	8.0	8.0	8.0	8.0	8.0	8.0	7.7	7.8	7.8	
BELLE RIVE BLVD(2.2C)																					
2095571	1.628	4.744	C	2000	0213		CRACKING RIDE	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
HUBBARD CONSTRUCTION COMPA(2003)								7.8	7.4	7.5	7.8	7.8	7.8	7.7	7.6	7.6	7.6	7.5			
4453401	0.000	4.038	C	2023	0012																
72040000 115	4.668	5.196	R	1	45		CRACKING RIDE	9.5	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
			2	2.9	50500		FC125	7.9	8.0	8.0	7.3	7.1		8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9
2096643	4.668	7.245	C	2005	0012		CRACKING SPRIDE	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	5.5*
HUBBARD CONSTRUCTION COMPA(2007)								8.0	7.8	7.4	7.6	7.6	7.6	7.6	7.5	7.6	7.8	7.7	7.7	7.8	2.0*
2096644	4.668	7.472	C	2028	0012																7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-P	(AGE_ONE	YEAR)	RY	FY-F	WKM-F																(PMRS)		
CONTRACTOR																							
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																		
72040000	5.196	5.831	R	1	1	45	CRACKING	10.0	9.5	9.5	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
115				3	2.9	50500	RIDE	8.2	8.2	8.0	7.3	7.1		8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9		
DRIVEWAY(5.7C)							FC4																
							CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0			10.0	10.0	9.0		
							RIDE	8.0	7.8	7.4	7.6	7.6	7.6	7.5	7.6	7.6			8.1	8.1	7.7		
2096644	4.668	7.472	C	2028		0012																	
(2025)																							
72040000	5.831	7.120	R	1	1	45	CRACKING	10.0	9.5	9.5	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
115				2	2.9	50500	RIDE	8.2	8.2	8.0	7.3	7.1		8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9		
RAMP TO TOUCHTON RD(6.3R)							FC125																
2096643	4.668	7.245	C	2005		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	5.3*	2.0*	
HUBBARD CONSTRUCTION COMPA(2007)							SPRIDE	8.0	7.8	7.4	7.6	7.6	7.6	7.5	7.6	7.6	7.4	7.4	7.4	7.4	7.3	6.9	
2096644	4.668	7.472	C	2028		0012																	
72040000	7.120	9.863	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0			
115	A90			2	2.9	42500	RIDE	8.8	8.8	8.6	8.1	8.0	7.9	7.9	6.9	7.2	6.8	6.5	6.2	8.2			
BUNCOME RD(7.3R)							FC125M																
4234071	7.120	9.640	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.2	8.2	5.5*		
PREFERRED MATERIALS, INC. (2013)							SPRIDE	8.2	7.8	7.7	7.9	7.9	7.9	7.9	7.9	7.7	7.8	7.9	7.9	7.8	7.7	7.3	
72040000	9.863	10.225	C	1	7	45	CRACKING	8.5	8.5	8.5	8.5	8.5				10.0	10.0	10.0	10.0	10.0			
10A				1	2.9	3500	RIDE	7.1	7.3	6.9	6.2*	6.1*				7.7	6.4	6.5	6.2	6.3			
SR 113(9.9L)							FC5																
							CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	6.5	6.5	5.5*	3.5*	1.0*		10.0	9.0		
							RIDE	6.1	5.7	5.8	5.1*	5.5	5.7	5.4*	5.1*	5.3*	5.1*	5.2*		7.0	6.8		
72040000	10.225	13.177	R	1	7	50	CRACKING	9.0	7.5	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0			
10A				2	2.9	65000	RIDE	8.5	8.6	8.5	8.3	8.1	8.2	8.0	8.2	7.9	7.8	8.2	8.1	8.0			
BERT ST/EXIT(11.6R)							FC5M																
4433101	10.225	13.177	R	2023		0012	CRACKING		6.5	6.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	9.0		
SUPERIOR CONSTRUCTION COMP(2026)							RIDE		7.8	8.0	7.9	8.0	8.0	8.0	8.0	7.6	7.3				8.7	8.5	
72040000	14.575	15.550	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0			
10A				2	2.9	51000	RIDE	7.7	7.8	7.6	7.2	7.2	7.2	7.3	7.2	6.9	6.9	6.6	6.5	6.8			
ALBERT ST EXIT(15.2R)							FC125M																
4324521	14.575	15.553	R	2015		0012	CRACKING		8.0	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.0	7.5	5.5*			
HUBBARD CONSTRUCTION COMPA(2019)							SPRIDE		6.5	7.0	7.1								6.9	6.5			
72040000	15.550	15.968	C	1	1	35	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5			
10A				4	2.9	31000	RIDE	6.3*	8.1	7.9	6.9	7.1	7.0	7.0	6.6	6.3	6.6	6.5	6.3	6.2			
BRIDGE #81 *(15.6L)							FC125M																
4324521	15.651	15.968	C	2015		0012	CRACKING		8.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	6.5	6.5		
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE		5.6	5.1*	4.5*									5.3*	4.9*		
72040000	14.575	15.550	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5	7.5	7.5			
10A				2	2.9	51000	RIDE	7.9	8.0	7.9	6.9	6.9	7.1	6.6	6.9	6.7	6.4	6.1	5.7	6.6			
HUBBARD CONSTRUCTION COMPA(2019)							FC125M																
							CRACKING		7.5	7.5	7.5		10.0	10.0	9.5	9.5	9.5	8.2	7.9	6.0*			
							RIDE		6.3	6.6	5.9								7.4	7.0			
72040000	10.225	13.177	L	1	7	50	CRACKING	0.0*	0.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0			
10A				2	2.9	65000	RIDE	8.3	7.8	8.4	8.4	8.1	8.1	8.1	8.1	7.9	8.3	8.3	8.1	7.9			
SUPERIOR CONSTRUCTION COMP(2026)							FC5M																
							CRACKING		6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*			10.0	9.0		
							RIDE		7.6	8.1	7.9	8.1	8.1	8.0	8.0	7.8	7.7			8.7	8.5		
72040000	9.653	9.863	L	1	7	45	CRACKING	4.0*	4.0*	4.0*	4.0*	4.0*		10.0	9.0	9.0	8.0	8.0	8.0	10.0			
10A				3	2.9	43000	RIDE	7.7	7.7	7.4	6.6	5.7*		7.4	7.5	7.5	7.2	7.6	7.2	7.4			
SB ENT FROM SR 10A(9.8L)							FC125M																
4433101	9.640	9.863	L	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.6	10.0	9.0		
SUPERIOR CONSTRUCTION COMP(2026)							SPRIDE	7.2	6.4	5.7	7.4	7.9	7.8	7.8	7.6	7.6	7.7	7.8	7.7	7.8	7.7	8.3	7.9
72040000	7.120	9.653	L	1	1	45	CRACKING	10.0	10.0	9.5	9.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0			
115	A90			2	2.9	42500	RIDE	8.9	8.9	8.6	8.2	8.2	7.5	7.5	7.2	7.1	7.1	6.6	6.2	8.2			
SERVICE RD(7.9L)							FC125M																
4234071	7.120	9.640	L	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.6	7.4	4.5*		
PREFERRED MATERIALS, INC. (2013)							SPRIDE	8.2	8.1	7.3	6.9	7.9	7.8	7.8	7.6	7.6	7.7	7.8	7.7	7.7	7.7	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE			
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013
INTERSECT AT (MP SIDE)												*****													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																									
CONTRACTOR (AGE_ONE YEAR) ASTYPE												2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						(PMRS)			
72040000			6.015		7.120	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
115						2	2.9			50500	RIDE	7.9	7.9	7.7	7.1	6.6		8.1	8.0	8.0	8.1	8.1	8.1	7.9	
WALLACE DEVLIN BLVD(6.1L)												FC125M													
2096643			4.668		7.245	C	2005			0012	CRACKING	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.5	7.0	6.0*	6.0*	4.7*	4.2*	0.5*
HUBBARD CONSTRUCTION COMPA(2007)												SPRIDE													
2096644			4.668		7.472	C	2028			0012															
72040000			5.203		6.015	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
115						3	2.9			50500	RIDE	7.9	7.9	7.7	7.1	6.6		8.1	8.0	8.0	8.1	8.1	8.1	7.9	
QUALITY CIR S L(5.6L)												FC4													
(2025)																									
2096644			4.668		7.472	C	2028			0012	CRACKING	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.5	7.0			10.0	10.0	9.0
RIDE												8.0	7.9	7.4	7.1	7.7	7.6	7.6	7.5	7.5			8.3	8.2	7.8
72040000			4.620		5.203	L	1	1	45	CRACKING	3.5*	3.5*	0.0*	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
115						2	2.9			50500	RIDE	6.5	6.7	8.2	7.7	7.7		8.1	8.0	8.0	8.1	8.1	8.1	7.9	
FC125																									
2096643			4.668		7.245	C	2005			0012	CRACKING	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.5	7.0	7.0	4.5*	3.9*	3.3*	0.0*
HUBBARD CONSTRUCTION COMPA(2007)												SPRIDE													
2096644			4.668		7.472	C	2028			0012		8.0	7.9	7.4	7.1	7.7	7.6	7.6	7.5	7.5	7.6	7.6	7.5	7.5	7.1
72040000			1.760		4.620	L	1	8	45	CRACKING	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
115						3	2.9			46500	RIDE	8.4		8.9	8.4	8.2	8.2	8.3	8.1	8.2	8.2	8.1	8.0	8.1	
FRONTAGE RD(1.9L)												FC3													
2095571			1.628		4.744	C	2000			0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
HUBBARD CONSTRUCTION COMPA(2003)												S RIDE													
4453401			0.000		4.038	C	2023			0012		8.0	7.4	7.8	7.8	8.0	7.8	7.9	7.7	7.8	7.8	7.8	7.6		
72040000			0.000		1.760	L	1	8	45	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
115						2	2.9			28000	RIDE	7.8	8.0	7.9	6.8	6.8	6.7	6.8	8.0	8.0	7.5	7.2	7.4	7.7	
PHILIPS HWY(0.0C)												FC5M													
2096473			0.000		1.829	C	2007			0012	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*			
PREFERRED MATERIALS, INC. (2008)												RIDE													
4453401			0.000		4.038	C	2023			0012		7.0	7.1	7.5	7.4	7.5	7.7	7.4	7.3	7.1	6.8	6.2			
72040018			0.000		0.254	C	1	6		CRACKING															
115F						2	2.0			6500	RIDE														
(1983)												CRACKING													
RIDE																								8.3	1.5*
72040018			0.254		0.880	C	1	1		CRACKING															
115F						2	2.0			6500	RIDE														
(1983)												CRACKING													
RIDE																								3.7*	0.0*
																								4.4*	4.0*
72040101			0.000		0.403	C	1	1	35	CRACKING	6.5	10.0	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	7.5	6.5	
139 17						4	2.9			26000	RIDE	3.9*	6.3	7.1	5.7	6.1	5.6	6.7	6.2	6.8	6.6	5.8	5.6	5.3*	
MAIN ST N(0.0C)												DGFC													
4324521			0.000		0.317	C	2015			0012	CRACKING	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.8	5.0*
HUBBARD CONSTRUCTION COMPA(2018)												SPRIDE													
											4.5*	3.7*	4.0*	3.6*										5.3*	4.9*
72040115			0.000		0.272	C	1	7		CRACKING															
115F						2	2.0			2800	RIDE														
(2026)												CRACKING													
RIDE																								10.0	9.0
																								7.9	7.5
72040116			0.000		0.354	C	1	7		CRACKING															
115F						2	2.0			3600	RIDE														
(2026)												CRACKING													
RIDE																								10.0	9.0
																								7.3	6.9
72040117			0.000		1.450	C	1	7		CRACKING															
115F						2	13.6			2200	RIDE														
(2026)												CRACKING													
RIDE																								7.0	9.0
																								5.9*	5.9*
																								5.8*	7.5
																								7.1	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE	ONE	YEAR)	ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	

72040131	0.000	1.599	C	1	7		CRACKING	9.0														
115F			2	13.6	2200		RIDE	5.3*														
					FC125M																	
4433101	0.131	1.030	C	2023	0012		CRACKING										7.0	6.0*		10.0	9.0	
SUPERIOR	CONSTRUCTION	COMP	(2026)				RIDE										5.6*	5.9*		7.6	7.2	

72040214	0.000	0.301	C	1	7		CRACKING															
115F			2	2.0	1000		RIDE															
					(2026)		CRACKING															
							RIDE														10.0	
																					7.7	
																					9.0	
																					7.3	

72040331	0.000	2.051	C	1	1		CRACKING															
115F			2	13.6	2200		RIDE															
					DGFC		CRACKING															
					(2023)		RIDE														9.5	
																					5.3*	
																					7.0	
																					6.1*	
																					6.9	
																					5.6*	
																					5.2*	

72040332	0.000	2.028	C	1	1		CRACKING															
115F			2	13.6	2200		RIDE															
					DGFC		CRACKING															
					(1983)		RIDE														7.0	
																					5.6*	
																					7.0	
																					6.4*	
																					7.1	
																					6.8	
																					0.0*	
																					5.4*	

72040333	0.000	1.074	C	1	7		CRACKING															
115F			2	13.6	3100		RIDE															
					(2026)		CRACKING															
							RIDE														5.5*	
																					5.5*	
																					10.0	
																					6.5	
																					6.5	
																					7.9	
																					9.0	
																					7.5	

72040337	0.000	0.966	C	1	7		CRACKING															
115F			2	13.6	11000		RIDE															
					(2026)		CRACKING															
							RIDE														8.5	
																					5.9*	
																					7.0	
																					5.8*	
																					10.0	
																					7.9	
																					9.0	
																					7.5	

72040338	0.000	1.570	C	1	7		CRACKING	4.5*														
115F			2	13.6	2200		RIDE	5.7*														
					FC125M																	
4433101	0.000	1.570	C	2023	0012		CRACKING										7.0			10.0	9.0	
SUPERIOR	CONSTRUCTION	COMP	(2026)				RIDE										6.3*			7.3	6.9	

72040345	0.000	0.420	R	1	7	45	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
10A			2	3.5	34500		RIDE	7.1	7.7	7.3	7.7	7.0	7.1	6.6	6.7	7.3	7.5	7.3	7.2	7.5	7.5	
JACKSONVILLE	CITY	LIMITS(0.0C)		DGFC		CRACKING	9.0	9.0	7.5	7.5			4.5*	3.5*	3.5*	3.5*	1.0*		10.0	9.0	
			(2026)				RIDE	7.3	7.2	7.2	7.1			6.6	6.7	6.2	6.0	5.7		7.5	7.1	

72040345	0.420	0.677	R	1	1	45	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
10A			3	3.5	34500		RIDE	7.1	7.7	7.3	7.7	7.0	7.1	6.6	6.7	7.3	7.5	7.3	7.2	7.5	7.5	
SR-10/ATLANTIC	BLVD(0.7R)			DGFC		CRACKING	9.0	9.0	7.5	7.5			10.0	10.0	10.0	10.0	9.0	8.8	9.0	7.5	
			(2020)				RIDE	7.3	7.2	7.2	7.1			7.3	7.2	7.2	7.1		7.5	7.1	7.1	

72040345	0.420	0.677	L	1	1	45	CRACKING	9.5	9.5	9.5	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
10A			2	3.5	34500		RIDE	7.8	8.2	7.7	7.9	7.2	7.1	6.5	6.4	7.4	7.5	7.3	7.4	7.5	7.5	
ATLANTIC	BLVD(0.7C)			DGFC		CRACKING	8.0	8.0	7.5				10.0	10.0	10.0	10.0	8.5	8.9	8.6	7.0	
			(2020)				RIDE	7.1	7.1	7.4				7.1	7.1	7.4		7.1	7.1	7.2	6.8	

72040345	0.000	0.420	L	1	7	45	CRACKING	9.5	9.5	9.5	9.5	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
10A			2	3.5	34500		RIDE	7.8	8.2	7.7	7.2	7.2	7.1	6.5	6.4	7.4	7.5	7.3	7.4	7.5	7.5	
JACKSONVILLE	CITY	LIMITS(0.0C)		DGFC		CRACKING	8.0	8.0	7.5				4.5*	3.5*	3.5*	3.5*	1.0*		10.0	9.0	
			(2026)				RIDE	7.1	7.1	7.4				7.0	6.7	6.6	6.4	6.2		8.1	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)																			(PMRS)
CONTRACTOR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
72050000	3.064	3.489	C	1	7	30	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
211			2	1.1		9200	RIDE	7.1	7.2	7.0	6.4	6.0	6.2	5.9	5.7	5.8	5.6	7.5	6.6	6.3	
LEXINGTON AVE(3.1C)																					
4454311	3.064	3.459	C	2024	0012		CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	9.0
WATSON CIVIL CONSTRUCTION, (2026)																					
							SPRIDE	6.0	5.7	5.3*	5.4*	5.2*	5.0*	5.1*	4.9*	4.7*	4.8*	4.8*	4.7*	6.8	6.4
72050000	3.489	4.508	C	1	8	30	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
211			2	1.1		7500	RIDE	7.1	7.2	7.0	6.4	6.0	6.2	5.9	5.7	5.8	5.6	5.4*	6.6	6.3	
HERSCHEL ST(3.5L)																					
							CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*		
							RIDE	6.0	5.7	5.3*	5.4*	5.2*	5.0*	5.1*	4.9*	4.7*	4.8*	4.8*	4.7*		
4454311	3.064	6.787	C	2024	0012																
HERSCHEL ST(3.5L)																					
72050000	4.508	5.547	C	1	8	30	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
211			2	1.1		7500	RIDE	7.1	7.2	7.0	6.4	6.0	6.2	5.9	5.7	5.8	5.6	5.4*	5.5	5.1*	
EDGEWOOD AVE(4.6C)																					
							CRACKING	6.5	10.0	10.0	9.5	9.5	8.0	8.0	7.0	6.0*	6.0*	5.5*	5.5*		
							RIDE	3.7*	6.4	5.3*	5.4*	5.5	5.6	5.5	5.3*	5.2*	5.2*	5.1*	4.9*		
4454311	3.064	6.787	C	2024	0012																
EDGEWOOD AVE(4.6C)																					
72050000	5.547	6.787	C	1	8	30	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
211			2	1.1		13000	RIDE	7.1	7.2	7.0	6.4	6.0	6.2	5.9	5.7	5.8	5.6	5.4*	5.5	5.1*	
KING ST(5.5L)																					
							CRACKING		10.0	10.0	8.0	8.0	7.0	7.0	7.0		6.0*	6.0*	5.8*		
							RIDE		5.0*	4.0*	3.8*	3.9*	3.7*	3.7*	3.6*		3.5*	3.7*	3.6*		
4454311	3.064	6.787	C	2024	0012																
KING ST(5.5L)																					
72050000	8.294	8.773	C	1	2	35	CRACKING	9.5	9.0	9.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	
5			3	1.1		8300	RIDE	6.3*	5.8	5.9	4.5*	3.8*	4.9*	5.0*	4.9*	4.4*	4.9*		4.8*	4.1*	
FORSYTH ST(8.4C)																					
							CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	8.0	6.5	6.5	6.5	3.5*	4.4*	3.5*	0.5*
							RIDE	4.3*	3.8*	4.4*	4.1*	4.5*	4.0*	4.2*	3.7*	4.3*	4.3*	3.9*	3.9*	3.1*	2.7*
2089572	8.294	8.773	C	2028	0012																
FORSYTH ST(8.4C)																					
72050000	8.845	12.941	R	1	7	35	CRACKING	7.5	7.5	6.5	9.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	7.2		16300	RIDE	5.6*	5.6	5.4*	6.5	6.1	5.9	6.0	6.9	6.7	6.7	6.8	6.8	6.4	
ORANGE ST(8.9R)																					
							FC125M														
4454171	8.845	12.941	C	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	7.0		10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)																					
							SPRIDE	6.3	5.9	6.7	6.7	6.8	6.7	6.8	6.7	6.4	6.3	6.5		6.8	6.4
72050000	13.217	13.335	R	1	1	45	CRACKING									10.0	10.0	10.0	3.5*		
5			2	6.5		14600	RIDE									7.5	7.8	7.8			
SUPERIOR CONSTRUCTION COMP(2015)																					
							SPRIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.1	7.0	4.5*
2091374	12.870	13.411	R	2011	0012				7.0	6.3	6.5									6.2	5.8
SUPERIOR CONSTRUCTION COMP(2015)																					
2091376	12.941	15.649	C	2026	0012																
SUPERIOR CONSTRUCTION COMP(2015)																					
72050000	13.335	15.649	R	1	1	50	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	7.2		14100	RIDE	7.4	7.3	7.2	6.2*	6.2*	7.8	7.8	7.5	7.5	7.8	7.8	8.0	7.9	
RAMP TO ZOO PKWY(13.8R)																					
							FC125														
2094387	13.299	15.736	C	2005	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	5.5*	3.5*	3.5*	3.0*	0.0*
PREFERRED MATERIALS, INC. (2006)																					
							SPRIDE	7.9	7.1	7.4	7.3	7.6	7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.3	6.9
2091376	12.941	15.649	C	2026	0012																
PREFERRED MATERIALS, INC. (2006)																					
72050000	13.335	15.649	L	1	1	50	CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	7.2		14100	RIDE	7.9	7.8	7.8	6.5	6.5	8.0	7.9	8.0	8.0	8.0	8.0	8.1	7.8	
BROWARD RD(13.4L)																					
							FC125														
2094387	13.299	15.736	C	2005	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	5.5*	3.5*	3.0*	2.5*	0.0*
PREFERRED MATERIALS, INC. (2006)																					
							SPRIDE	7.8	7.5	7.3	7.6	7.5	7.7	7.8	7.7	7.6	7.7	7.5	7.5	7.5	7.1
2091376	12.941	15.649	C	2026	0012																
PREFERRED MATERIALS, INC. (2006)																					
72050000	13.217	13.335	L	1	1	45	CRACKING									10.0	10.0	10.0	3.5*		
5			2	6.5		14600	RIDE									8.0	8.0	8.0			
SUPERIOR CONSTRUCTION COMP(2015)																					
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	4.1*
							SPRIDE		7.4	6.6	6.9									6.4	1.5*
2091376	12.941	15.649	C	2026	0012																6.0
SUPERIOR CONSTRUCTION COMP(2015)																					
72050000	8.845	12.941	L	1	7	35	CRACKING	7.5	7.5	6.5	8.0	8.0	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	7.2		16300	RIDE	5.6*	5.6	5.4*	6.2	6.1	5.8	5.7	7.2	6.9	7.0	7.0	7.1	7.0	6.9
FIRST ST(9.1C)																					
							FC125M														
4454171	8.845	12.941	C	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5		10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)																					
							SPRIDE	7.0	6.7	6.3	6.5	6.5	6.4	6.5	6.5	6.3	6.3	6.3		6.5	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @% INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	ASTYPE	=====														(PMRS)
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKMX-P	ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
72050443	0.000	0.480	C	1	1	35	CRACKING	9.5	9.5	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1					3	1.1	10500	RIDE					4.5*	5.2*	4.5*	5.4*	5.5	5.7	5.3*	5.1*	4.9*	
SR-139/W STATE ST(0.0R)							DGFC															
							(2006)	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	7.6	4.0*	
								RIDE	4.6*	4.1*	4.4*										4.4*	
2089572	0.000	0.480	C	2028	0012																	
72060000	0.000	0.779	R	1	8	50	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
5 17					2	3.4	22000	RIDE	8.2	8.0	8.1	6.9	6.9	5.9*	7.4	8.2	8.0	7.5	7.9	7.8	7.7	
CR-163/BUSCH DR(0.0R)							FC125															
2094112	0.057	2.252	R	2006	0221	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
DUVAL ASPHALT PRODUCTS, IN(2008)							SPRIDE	7.6	7.5	7.6	7.4	7.7	7.6	7.4	7.4	7.2	7.4	7.7	6.8	7.4	7.0	
2095733	0.716	1.743	C	2025	0012																	
72060000	0.779	2.448	R	1	2	50	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
5 17					2	3.4	20400	RIDE	8.2	8.0	8.1	6.9	6.9	5.9*	7.4	8.2	8.0	7.5	7.9	7.8	7.7	
BAIRDEN RD(0.8R)							FC125															
2094112	0.057	2.252	R	2006	0221	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*	
DUVAL ASPHALT PRODUCTS, IN(2008)							SPRIDE	7.6	7.5	7.6	7.4	7.7	7.6	7.4	7.4	7.2	7.4	7.7	6.8	7.4	7.0	
2095733	0.716	1.743	C	2025	0012																	
72060000	2.448	7.400	C	1	1	50	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 17					2	3.4	12700	RIDE	8.1	8.1	8.2	7.4	7.2	7.1	7.1	8.1	8.0	7.9	7.9	7.8	7.9	
CENTRAL AVE(2.5R)							FC125															
							(2008)	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.0*	6.0*	4.6*	4.0*	0.5*	
								RIDE	7.9	7.8	7.5	7.4	7.7	7.6	7.5	7.4	7.3	7.3	7.2	7.1	6.7	
2095733	3.410	10.431	C	2025	0012																	
72060000	7.400	10.431	C	1	1	60	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 17					2	3.4	17500	RIDE	8.1	8.1	8.2	7.4	7.2	7.1	6.6	8.4	8.4	8.5	8.4	8.3	8.2	
POND RUN LN(7.6R)							DGFC															
2094112	8.806	10.230	C	2006	0221	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	6.0*	6.0*	5.0*	4.4*	1.0*		
DUVAL ASPHALT PRODUCTS, IN(2008)							SPRIDE	8.3	8.3	7.5	7.8	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.4	7.4	7.0	
2095733	3.410	10.431	C	2025	0012																	
72060000	2.219	2.448	L	1	1	45	CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
5 17					2	3.4	12700	RIDE	7.6	8.1	8.4	7.6	7.4	7.3	7.2	8.2	8.2	8.3	8.1	8.0	8.1	
COLE RD(2.3L)							UNKW															
							(2008)	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	3.5*	
								RIDE	8.1	8.0	8.1	7.8	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.4	7.1	
2094118	2.160	3.351	C	2029	0213																	
72060000	1.660	2.219	L	1	7	50	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
5 17					2	3.4	20400	RIDE	8.7	8.3	8.4	8.0	7.9	7.8	8.2	8.2	8.3	8.1	8.0	8.1	8.1	
							FC125															
							(2026)	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	10.0	9.0	
								RIDE	8.1	8.0	8.1	7.8	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.4	7.4	
72060000	0.779	1.660	L	1	1	50	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
5 17					2	3.4	22000	RIDE	8.7	8.3	8.4	8.0	7.9	7.8	8.2	8.2	8.3	8.1	8.0	8.1	8.1	
							FC125															
2094112	0.057	2.252	L	2006	0221	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.3*	3.0*	
DUVAL ASPHALT PRODUCTS, IN(2008)							SPRIDE	8.1	8.0	8.1	7.8	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.4	7.8	7.4	
2095733	0.716	1.743	C	2025	0012																	
72060000	0.000	0.779	L	1	8	50	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
5 17					2	3.4	22000	RIDE	8.7	8.3	8.4	8.0	7.9	7.8	8.2	8.2	8.3	8.1	8.0	8.1	8.1	
SR-104/BUSCH DR(0.0L)							FC125															
2094112	0.057	2.252	L	2006	0221	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
DUVAL ASPHALT PRODUCTS, IN(2008)							SPRIDE	8.1	8.0	8.1	7.8	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.4	7.8	7.4	
2095733	0.716	1.743	C	2025	0012																	
72070000	0.000	0.525	R	1	8	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	
5 1					2	3.4	30500	RIDE		8.7	8.7	8.1	8.0	7.9	7.9	7.4	7.2	7.9	7.7	7.7	7.5	
FROM NOCATEE PKWY(0.0R)							FC5A															
4305641	0.024	2.344	C	2016	0012	CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.8	8.8	
HUBBARD CONSTRUCTION COMPA(2017)							RIDE	7.6	7.3	7.8	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.4	8.3	8.3	
72070000	0.525	2.337	R	1	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	
5 1					2	3.4	30500	RIDE		8.7	8.7	8.1	8.0	7.9	7.9	7.4	7.2	7.9	7.7	7.7	7.5	
WILLIAMSTOWN DR(0.9R)							FC5A															
4305641	0.024	2.344	C	2016	0012	CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.7	5.5*	
HUBBARD CONSTRUCTION COMPA(2017)							RIDE	7.6	7.3	7.8	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.4	8.3	8.6	8.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
72070000	2.337	3.065	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	
5 1							RIDE		8.7	8.7	8.1	8.0	7.9	7.9	7.4	7.2	7.9	7.7	7.7	7.5	
ROSCO AVE(2.9R)							DGFC														
							CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.4	6.5
							RIDE	7.6			8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.4	8.3	7.6	7.2
							(2017)														
72070000	3.065	3.331	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	9.5	10.0	
5 1							RIDE		8.7	8.7	8.1	8.0	7.9	7.9	7.4	7.2	7.9	7.7	7.4	8.0	
BAYARD BLVD(3.3R)							DGFC														
							CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.5	6.5
							RIDE				8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.4	8.3	7.2	6.8
							(2017)														
72070000	3.331	3.716	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	9.5	10.0	
5 1							RIDE		8.7	8.7	8.1	8.0	7.9	7.9	7.4	7.2	7.9	7.7	7.4	8.0	
MOWLEY ST R(3.4R)							FC125M														
							CRACKING				10.0	10.0	10.0	9.5	9.0	7.5	7.5	7.5	7.5	5.5*	3.5*
							RIDE				8.3	8.5	8.4	8.5	8.2	8.3	8.3	8.3	8.2	7.6	7.2
							(2017)														
2095144	3.312	5.260	C	2026		0012															
72070000	3.716	5.101	R	1	1	60	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
5 1							RIDE	8.6	9.0	8.9	8.1	8.0	7.7	7.4	7.5	6.6	7.0	6.5	8.6	8.3	
PINNACLE POINT DR(3.9R)							FC5M														
2095143	3.180	5.260	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	7.5	7.5	7.5	5.4*	0.5*
PREFERRED MATERIALS, INC. (2012)							SPRIDE	8.4	8.2	8.5	8.3	8.5	8.4	8.5	8.2	8.3	8.3	8.3	8.2	8.2	8.0
2095144	3.312	5.260	C	2026		0012															
72070000	5.101	6.100	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	
5 1							RIDE	8.9	8.9	8.8	8.4	8.3	8.1	8.0	8.1	6.8	8.0	8.0	7.9	7.9	7.8
BUSINESS PARK BLVD(5.2R)							FC125M														
4234081	5.269	6.460	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.8	7.3	5.0*
HUBBARD CONSTRUCTION COMPA(2014)							SPRIDE	8.6	8.1	7.8	8.1	8.4	8.1	8.4	8.2	8.2	8.3	8.3	8.3	8.2	7.8
72070000	6.100	10.315	R	1	1	45	CRACKING	10.0	10.0	9.5	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	
5 1							RIDE	8.8	8.9	8.7	8.3	8.2	8.0	8.0	7.9	7.3	7.9	7.6	7.1	6.9	
TO FORTUNE PKWY(6.5R)							FC125M														
4234081	7.620	10.046	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.1	7.6	5.0*
HUBBARD CONSTRUCTION COMPA(2014)							SPRIDE	8.6	8.1	8.2	8.1	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.1	8.0	7.6
72070000	10.315	10.713	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 1							RIDE	8.8	8.8	8.8	8.3	8.3	8.2	8.3	8.3	7.1	8.3	8.3	8.2	8.1	
BAYMEADOWS WAY W(11.1R)							FC125M														
4393561	10.296	10.713	R	2022		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	10.0	9.0
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	8.2	7.4	7.8	7.8	8.2	8.1	8.2	8.1	8.1	8.1	8.1	7.7	8.5	8.1
72070000	10.713	12.000	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 1							RIDE	8.8	8.8	8.8	8.3	8.3	8.2	8.3	8.3	7.1	8.3	8.3	8.2	8.1	
BAYMEADOWS WAY W(11.1R)							FC125M														
4393561	10.713	11.983	R	2022		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	10.0	9.0
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	8.2	7.4	7.8	7.8	8.2	8.1	8.2	8.1	8.1	8.1	8.1	7.7	8.5	8.1
72070000	12.000	12.217	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 1							RIDE	8.8	8.8	8.8	8.3	8.3	8.2	8.3	8.3	7.1	8.3	8.3	8.2	8.1	
J T BUTLER BLVD(12.1R)							FC125M														
2094421	7.571	15.682	C	1997		0225	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.9	3.5*	
HUBBARD CONSTRUCTION CO (1999)							S RIDE	8.2	7.4	7.8	7.8	8.2	8.1	8.2	8.1	8.1	8.1	8.1	7.7	7.1	6.7
4389282	11.998	12.220	C	2026		0213															
72070000	12.217	13.833	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 1							RIDE	8.8	8.8	8.8	8.3	8.3	8.2	8.3	8.3	7.1	8.3	8.3	8.2	8.1	
MUSTANG RD(12.2R)							FC125M														
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	10.0	9.0
							RIDE	8.2	7.4	7.8	7.8	8.2	8.1	8.2	8.1	8.1	8.1	8.1	7.7	8.5	8.1
							(2026)														
72070000	13.833	17.044	R	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 1							RIDE	8.8	8.8	8.8	8.3	8.3	8.2	8.3	8.3	7.1	8.3	8.3	8.2	8.1	
TO BOWDEN RD(13.8R)							DGFC														
4287061	13.949	16.987	R	2014		0012	CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	6.5
DUVAL ASPHALT PRODUCTS, IN(2017)							SPRIDE	8.2	7.4		7.8	8.0	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																											
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE							
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031						

INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE																					
CONTRACTOR (AGE_ONE YEAR)																											
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																						
72070000	18.211	18.601	R	1	8	40	CRACKING																				
10	1		2	3.4	12700		RIDE																				
NB EXIT TO PRUDENTIAL DR(18.3R) LDG																											
(2019)							CRACKING																				
							RIDE							9.2	9.3	9.0	9.4	9.4	9.4	9.4	9.4						
														7.3	6.7												
72070000	18.919	19.057	C	1	8	30	CRACKING																				
5	1		2	3.4	5600		RIDE																				
CONC																											
(2017)							CRACKING																				
							RIDE																				
72070000	19.057	19.076	C	1	8	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
5	1		2	3.4	5600		RIDE																				
BAY ST(19.1C) CONC																											
(1994)							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.9		
							RIDE																				
72070000	18.211	18.601	L	1	4	40	CRACKING																				
10	1		2	3.4	12700		RIDE																				
ACOSTA BRIDGE SB(18.2L) LDG																											
(2019)							CRACKING																				
							RIDE								8.9	9.3	8.6	8.9	8.6	9.5	8.4	9.0	8.5				
															7.4	6.2	6.8	6.3	6.3	6.6	6.3	6.5	6.4				
72070000	13.833	17.044	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0					
5	1		2	3.4	23500		RIDE	8.7	8.8	8.7	8.2	8.1	7.9	8.1	8.1	7.0	8.0	8.0	8.1	8.1	7.9	7.9					
BOWDEN RD(13.9C) DGFC																											
4287061	13.949	16.987	L	2014	0012		CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.3	7.3	5.0*					
DUVAL ASPHALT PRODUCTS, IN(2017)								7.9	7.5		7.4	7.8	7.8	7.8	7.8	7.6	7.8	7.6	7.6	7.6	7.5	7.2	7.2	6.8			
							SPRIDE																				
72070000	12.217	13.833	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0					
5	1		2	3.4	21500		RIDE	8.7	8.8	8.7	8.2	8.1	7.9	8.1	8.1	7.0	8.0	8.0	8.1	7.9	7.9	7.9					
BUSINESS ENT(12.3L) FC125M																											
4393561	12.190	13.825	L	2022	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.0					
WATSON CIVIL CONSTRUCTION, (2026)								7.9	7.5	7.8	7.6	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.6		8.4	8.0			
							SPRIDE																				
72070000	12.000	12.217	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0					
5	1		2	3.4	21500		RIDE	8.7	8.8	8.7	8.2	8.1	7.9	8.1	8.1	7.0	8.0	8.0	8.1	7.9	7.9	7.9					
FC125M																											
2094421	7.571	15.682	C	1997	0225		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		7.3	2.5*					
HUBBARD CONSTRUCTION CO (1998) S RIDE								7.9	7.5	7.8	7.6	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.6		7.7	7.3				
4393561	10.296	13.825	L	2022	0012																						
FC125M																											
72070000	10.713	12.000	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0					
5	1		2	3.4	38500		RIDE	8.7	8.8	8.7	8.2	8.1	7.9	8.1	8.1	7.0	8.0	8.0	8.1	7.9	7.9	7.9					
FL EAST COAST RR(12.0L) FC125M																											
4393561	10.713	11.983	L	2022	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.0					
WATSON CIVIL CONSTRUCTION, (2026)								7.9	7.5	7.8	7.6	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.6		8.4	8.0				
							SPRIDE																				
72070000	10.315	10.713	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0					
5	1		3	3.9	32500		RIDE	8.7	8.8	8.7	8.2	8.1	7.9	8.1	8.1	7.0	8.0	8.0	8.1	7.9	7.9	7.9					
FC125M																											
4393561	10.296	10.713	L	2022	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*	3.0*		10.0	9.0						
WATSON CIVIL CONSTRUCTION, (2026)								7.9	7.5	7.8	7.6	7.8	7.8	7.7	7.8	6.3	6.3	6.4	6.4	6.4		8.6	8.2				
							SPRIDE																				
72070000	7.265	10.315	L	1	1	45	CRACKING	10.0	9.0	9.0	8.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*					
5	1		2	3.4	41000		RIDE	8.8	8.8	8.8	8.2	8.2	8.0	7.8	7.4	6.9	7.6	7.2	7.1	7.4	7.4						
GAZEBO PARK PL S(7.7L) FC125M																											
4234081	7.620	10.046	L	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.3	7.5	5.0*						
HUBBARD CONSTRUCTION COMPA(2014)								8.6	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.3	8.2	8.3	8.2	8.1	7.7			
							SPRIDE																				
72070000	6.046	7.265	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0						
5	1		3	3.4	34000		RIDE	8.6	8.7	8.7	7.9	8.0	7.8	7.8	7.2	7.4	8.0	8.0	7.9	7.9	7.9						
CEDAR ST(6.1L) FC125M																											
(2014)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.3	6.6	4.0*				
							RIDE	8.7	8.6	8.3	8.2	8.2	8.4	8.3	8.3	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.2	7.8			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****																
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F		W_BMP	W_EMP	RW		WKM-M	P																
72070000	5.101	6.046	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5			
5	1			4	3.4	34000	RIDE	8.7	8.7	8.7	8.3	8.3	8.2	8.3	6.8	6.6	7.5	7.4	7.6	7.4			
TO GREENLAND RD(5.5L)							FC125M																
					(2014)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.9	7.9	7.1	4.5*	
							RIDE	8.6	8.5	8.2	8.1	8.1	8.1	7.9	7.8	8.0	7.8	7.9	7.8	7.8	7.4		
72070000	3.331	5.101	L	1	1	60	CRACKING	9.5	9.0	9.0	8.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
5	1			2	3.4	30500	RIDE	8.9	8.7	8.8	8.2	8.0	7.7	7.7	7.3	7.1	7.6	7.1	8.5	8.4			
FR OLD ST AUGUSTINE(3.5L)							FC5M																
2095143	3.180	5.260	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.2*	0.0*		
PREFERRED MATERIALS, INC. (2012)							SPRIDE	8.4	8.2	8.3	8.1	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.2	8.1	7.9	7.7	
2095144	3.312	5.260	C	2026	0012																		
72070000	0.000	3.331	L	1	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5			
5	1			2	3.4	30500	RIDE		8.4	8.8	8.2	8.1	8.0	7.9	7.4	7.3	7.9	7.8	7.7	7.6			
RACE TRACK RD(0.0L)							FC5A																
4305641	0.024	2.344	C	2016	0012	CRACKING	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	8.9	5.5*			
HUBBARD CONSTRUCTION COMPA(2017)							RIDE	7.7	7.3	7.7	8.2	8.5	8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.2	8.0		
72070001	0.000	0.114	C	1	4	30	CRACKING	9.5	9.5	9.5	9.5	9.5											
5	1			2	1.1	12500	RIDE																
BAY ST(0.0C)							CONC																
					(2017)		CRACKING				8.7	8.7	8.8	8.7	8.8	8.9	8.2	9.5	8.7	7.8	7.0		
							RIDE													4.0*	3.9*		
72070004	0.000	0.231	C	1	1	6100	CRACKING	9.0															
5	10F			2	1.5		RIDE	4.6*															
					(2026)		CRACKING														10.0	9.0	
							RIDE														6.9	6.5	
72070008	0.000	0.080	C	1	1	3100	CRACKING																
5	10F			2	13.6		RIDE																
					(2025)		CRACKING														10.0	9.0	
							RIDE														4.1*	6.8	
																					6.4*		
72070101	0.000	1.196	C	1	4	50	CRACKING																
5	1			3	13.6	17000	RIDE																
JOHN ST(0.0L)							LDG																
					(2021)		CRACKING								9.4	9.4	9.5	9.5	9.4	9.5	9.0		
							RIDE								7.7	7.6	7.8	7.7	7.6	7.8	7.7		
72070102	0.000	1.096	C	1	4	50	CRACKING																
5	1			2	13.6	25000	RIDE																
ACOSTA EXPY(0.1R)							LDG																
					(2021)		CRACKING								9.4	9.5	9.4	9.4	8.9	9.4	9.0		
							RIDE								7.7	7.4	7.0	7.0	7.2	7.8	7.7		
72070442	0.000	0.044	C	1	1	35	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			
5				2	2.0	9700	RIDE																
BERTHA ST(0.0R)																							
					(2020)		CRACKING	6.5	6.5	4.5*				10.0	10.0	10.0	10.0	8.5	8.1	8.0	6.5		
							RIDE													5.1*	4.7*		
72070443	0.105	0.232	C	1	1	30	CRACKING	9.5	9.0	7.4	7.0	7.3	6.1*	5.9*	3.8*	4.5*	8.8	8.2	1.7*	0.0*			
5				1	1.5	5300	RIDE	7.0	6.4														
BERTHA ST(0.1L)							FC125M																
					(2020)		CRACKING	0.0*	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5		
							RIDE													5.8	5.4*		
72070443	0.232	0.490	C	1	1	30	CRACKING	9.5	9.0	9.0	6.5		10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5			
5				4	1.5	8200	RIDE	7.0	6.4	6.7	5.7		6.4	6.5	6.0	5.7	5.6	5.4*	5.2*	5.1*			
FULTON PL(0.3L)							FC125M																
					(2026)		CRACKING	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	9.5	9.5	8.0	7.4	10.0	9.0		
							RIDE	4.8*	4.4*	4.4*	4.5*	4.5*								7.3	6.9		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)																			(PMRS)	
ITMSEG-F	CONTRACTOR	(AGE_ONE YEAR)																			(PMRS)	
72070443	0.490	1.023	C	1	1	30	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5		
5			4	1.5		8200	RIDE	3.8*	3.6*	3.6*	3.0*		6.4	6.5	6.0	5.7	5.6	5.4*	5.2*	5.1*		
VINE ST(0.5R)																						
4361581	0.261	0.833	C	2018		0012	CRACKING	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	9.5	9.5	8.0	7.4	7.5	6.0*	
PREFERRED MATERIALS, INC. (2020) SPRIDE																						
4361581	0.261	0.833	C	2018		0012	CRACKING	4.8*	4.4*	4.4*	4.5*	4.5*		10.0	10.0	9.5	9.5	8.0	7.4	7.5	6.0*	
PREFERRED MATERIALS, INC. (2020) SPRIDE																						
72070443	1.023	1.345	C	1	1	30	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5		
5			4	1.5		8200	RIDE	3.8*	3.6*	3.6*	3.0*		6.4	6.5	6.0	5.7	5.6	5.4*	5.2*	5.1*		
KINGS AVE(1.0R)																						
							CRACKING	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	9.5	9.5	8.0	7.4	9.5	8.5	
(2026) RIDE 4.8* 4.4* 4.4* 4.5* 4.5*																						
72070443	1.345	1.559	C	1	1	30	CRACKING	3.5*	3.5*	3.5*	3.5*	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5			
5			3	1.5		1800	RIDE	3.8*	3.6*	3.6*	3.0*											
ALVAREZ ST(1.4L)																						
4361581	1.330	1.484	C	2018		0012	CRACKING	6.5		4.5*	4.5*	4.5*		10.0	10.0	9.5	9.5	9.5	8.3	8.7	7.0	
PREFERRED MATERIALS, INC. (2020) SPRIDE																						
4361581	1.330	1.484	C	2018		0012	CRACKING	6.5		4.5*	4.5*	4.5*		10.0	10.0	9.5	9.5	9.5	8.3	8.7	7.0	
PREFERRED MATERIALS, INC. (2020) SPRIDE																						
72080000	0.000	0.650	C	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	
139 17			4	2.2		26000	RIDE		7.8	7.9	6.9	6.5	6.5	6.4	6.4	6.2	6.3	6.0	6.0	5.8		
MAIN ST(0.0C)																						
4324521	0.000	0.525	C	2015		0012	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.8	5.0*	
HUBBARD CONSTRUCTION COMPA(2018) SPRIDE																						
4324521	0.000	0.525	C	2015		0012	CRACKING	5.3*	5.0*	4.5*	4.7*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.5	6.1	
HUBBARD CONSTRUCTION COMPA(2018) SPRIDE																						
72080000	0.650	0.961	C	1	1	30	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
139 17			3	2.2		26000	RIDE	7.0	8.6	8.3	7.6	7.2	7.2	6.7	7.4	6.7	6.2	6.3	6.3	6.1		
DAVIS S N(0.7C)																						
4324521	0.525	0.867	C	2015		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	8.0	6.0*	
HUBBARD CONSTRUCTION COMPA(2018) SPRIDE																						
4324521	0.525	0.867	C	2015		0012	CRACKING	6.3	6.2	6.1	6.2	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.2	6.8	
HUBBARD CONSTRUCTION COMPA(2018) SPRIDE																						
72080000	0.961	3.588	C	1	1	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
139 23			4	2.2		15700	RIDE	7.1	7.1	7.1	6.1	5.8	5.8	5.7	5.7	5.5	5.8	5.9	5.8	5.7		
CLEVELAND ST(1.0R)																						
4305601	1.381	3.600	L	2017		0012	CRACKING	9.0	9.0	9.0	7.0	7.0		10.0	10.0	10.0	10.0	9.5	8.6	9.5	8.0	
HUBBARD CONSTRUCTION COMPA(2020) SPRIDE																						
4305601	1.381	3.600	L	2017		0012	CRACKING	5.5	5.3*	5.5	5.3*	5.5		7.6	7.2	7.1	7.1	7.1	7.0	6.9	6.5	
HUBBARD CONSTRUCTION COMPA(2020) SPRIDE																						
72080000	3.588	3.800	R	1	4	45	CRACKING	4.9*	3.1*	3.1*	3.0*	5.9*	5.8*	5.7*	5.7*	8.4	3.2*	2.0*	2.3*	2.2*		
139 23			1	5.1		10700	RIDE	6.7	6.6	6.1*	5.8*	5.5*	5.8	5.5	5.0*	5.0*	4.9*	5.0*	5.6	5.7		
(1996) LDG																						
							CRACKING	2.0*	1.3*	0.1*	1.4*		6.5	6.3*	6.0*	6.7	6.2*	6.3*	6.2*	3.3*	2.5*	
(1996) RIDE 6.1 5.5 5.4* 4.8*																						
72080000	3.800	4.325	R	1	1	45	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0		
15 1			3	10.5		30500	RIDE	7.9	7.8	7.8	7.4	7.4	7.1	6.9	6.7	7.2		8.5	8.3	8.1		
NB SR 15 US 1(3.8R)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.7	7.6	4.5*	
(2011) RIDE 8.1 7.7 6.7 7.1 7.4 7.3 7.2 7.4 7.2 7.3 7.3 7.2 7.2 7.3 7.3 7.2 7.2 7.2 7.2 7.2 6.8																						
72080000	4.325	4.958	R	1	1	45	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0		5.5*	5.5*	5.5*		
15 1			3	10.5		30500	RIDE	7.9	7.8	7.8	7.4	7.4	7.1	6.9	6.7	7.2		7.6	7.5	7.4		
45TH ST(4.5R)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.4	8.0	5.5*	
(2014) RIDE 8.6 8.2 7.7 8.1 8.5 8.2 8.2 8.3 8.5 8.3 8.3 8.5 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.2 7.8																						
72080000	4.958	8.535	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5		
15 1			2	10.5		24500	RIDE	7.4	7.3	7.3	6.5	6.3*	8.5	8.3	7.5	8.3	8.3	8.2	8.1	8.1		
EDGEWOOD AVE(5.0C)																						
4361631	4.971	8.163	R	2018		0012	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0		10.0	10.0	10.0	10.0	9.2	8.3	6.5	
DUVAL ASPHALT PRODUCTS, IN(2021) SPRIDE																						
4361631	4.971	8.163	R	2018		0012	CRACKING	8.0	7.8	7.9	7.9	8.0	8.0		8.3	8.2	8.1	8.1	8.0	7.8	7.4	
DUVAL ASPHALT PRODUCTS, IN(2021) SPRIDE																						
72080000	8.535	10.415	R	1	1	55	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0		
15 1			2	10.5		34000	RIDE	7.6	8.8	8.8	8.4	8.3	8.3	8.3	7.9	8.2	8.3	8.1	8.2	8.2		
MACON RD(8.7R)																						
4269641	8.535	10.415	C	2013		0012	CRACKING		10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	0.0*	0.0*	
HUBBARD CONSTRUCTION COMPA(2015) SPRIDE																						
4269642	8.548	10.417	C	2027		0012	CRACKING		8.2	8.5	8.5	8.6	8.4	8.4	8.3	8.2	8.1	8.1	7.9	7.6	7.4	
HUBBARD CONSTRUCTION COMPA(2015) SPRIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F		W_EMP	RW	FY-F	WKM-X-F																
72080000	10.415	15.154	R	1	1	60	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	
15 1				2	10.5	15400	RIDE	7.9	8.8	8.8	8.4	8.3	8.3	8.3	7.9	8.2	8.3	8.1	8.2	8.2	
							FC5M														
4373211	10.417	15.097	C	2019		0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.2	9.0	7.0
HUBBARD	CONSTRUCTION	COMPA(2021)					SPRIDE	8.1	7.8	8.1	8.1	8.3	8.3	8.1	9.0	8.8	8.9	8.8	8.8	8.7	8.5
72080000	10.415	15.154	L	1	1	60	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
15 1				2	10.5	15400	RIDE	8.4	8.8	8.8	8.3	8.3	8.2	8.3	7.9	8.2	8.3	7.8	8.2	8.1	
							FC5M														
WOODLEY RD(11.5L)							0012	9.0	9.0	9.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.9	8.9	6.5
HUBBARD	CONSTRUCTION	COMPA(2021)					SPRIDE	8.2	8.0	8.2	8.2	8.4	8.3	8.3	8.7	8.7	8.7	8.7	8.6	8.6	8.4
72080000	8.535	10.415	L	1	1	55	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	
15 1				2	10.5	34000	RIDE	7.5	8.8	8.8	8.3	8.3	8.2	8.3	7.5	7.9	7.9	7.3	7.2	7.3	
							FC5M														
BARTH RD(8.8C)							0012		10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5	4.5*	4.5*	1.0*	0.0*
4269641	8.535	10.415	C	2013			SPRIDE		8.3	8.6	8.6	8.7	8.6	8.6	8.6	8.5	8.5	8.5	8.2	7.9	7.7
HUBBARD	CONSTRUCTION	COMPA(2015)																			
4269642	8.548	10.417	C	2027		0012															
72080000	4.958	8.535	L	1	1	45	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
15 1				2	10.5	24500	RIDE	7.9	7.6	7.6	6.7	6.6	8.6	8.4	7.4	8.3	8.3	7.2	8.1	8.0	
							FC125M														
EDGEWOOD AVE(5.0C)							0012	8.5	8.5	8.5	7.5	7.5	7.0		10.0	10.0	10.0	10.0	9.6	8.3	6.5
4361631	4.971	8.163	L	2018			SPRIDE	8.0	7.2	7.8	7.8	7.9	7.9		8.4	8.2	8.2	8.2	8.2	8.0	7.6
DUVAL ASPHALT	PRODUCTS,	IN(2021)																			
72080000	4.325	4.958	L	1	1	45	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0		5.5*	5.5*	5.5*	
15 1				3	10.5	30500	RIDE	7.9	7.7	7.8	7.4	7.1	6.9	7.1	6.4	6.6		6.5	6.9	7.0	
							FC125M														
CLIFFORD LN(4.6L)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.0	4.5*
							RIDE	8.0	7.2	7.9	8.0	8.4	8.1	8.1	8.3	8.2	8.1	8.2	8.1	7.9	7.5
							(2014)														
72080000	3.868	4.325	L	1	1	45	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	
15 1				3	10.5	30500	RIDE	7.9	7.7	7.8	7.4	7.1	6.9	7.1	6.4	6.6		8.6	8.4	8.2	
							DGFC														
DEER ST(3.9L)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.9	7.6	4.5*
							RIDE	8.3	7.9	7.1	7.1	7.5	7.4	7.4	7.1	7.3	7.2	7.2	7.3	7.1	6.7
							(2011)														
72080000	3.588	3.868	L	1	4	45	CRACKING	6.2*	4.4*	4.3*	4.1*	5.7*	5.6*	5.4*	4.8*	6.3*	2.8*	1.3*	2.1*	2.1*	
139 23				1	5.1	10700	RIDE	6.5	6.3*	6.2*	5.6*	5.3*	5.1*	5.0*	4.8*	4.9*	4.8*	4.8*	4.9*	4.8*	
							LDG														
							CRACKING	2.0*	0.9*	0.5*	0.6*	0.3*	5.9*	5.9*	4.6*	6.1*	6.4*	6.5	4.3*	4.5*	
							RIDE	4.2*	4.1*	4.9*	4.9*	5.0*	7.3	7.6	7.7	7.7	7.7	7.7	7.6	7.4	
72080101	0.000	0.252	C	1	1	35	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0
139 23				3	2.2	28500	RIDE	5.7*	8.2	8.5	7.7	7.5	7.5	7.4	6.6	6.1	6.7	6.6	6.7	6.6	
							FC3														
KINGS RD(0.0C)							0012	8.0	8.0	8.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	7.5
4324521	0.000	0.201	C	2015			SPRIDE	6.6	5.9	6.3	6.2										6.9
HUBBARD	CONSTRUCTION	COMPA(2018)																			
72080101	0.252	1.024	C	1	1	35	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	
139 17				4	2.2	28500	RIDE	3.9*	7.5	7.7	6.4	6.5	6.0	6.3	6.0	6.6	5.9	6.5	6.5	6.6	
							FC3														
DAVIS ST *(0.3C)							0012	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.0	6.0*
4324521	0.282	1.024	C	2015			SPRIDE	6.1	6.0	5.9	5.8										6.2
HUBBARD	CONSTRUCTION	COMPA(2018)																			
72090000	0.000	0.162	C	1	1	45	CRACKING	9.0	8.0	9.0	8.0	7.0	8.0	7.0	5.5*	5.5*		10.0	10.0	10.0	
15 1				2	10.8	10500	RIDE	7.8	7.2	7.9	7.3	6.5	6.9	6.9	6.6	7.2		8.6	8.4	8.4	
							FC125M														
NEW KINGS RD(0.0L)							0012	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	5.5*	5.5*	5.1*	4.6*	1.5*
4234121	0.000	0.162	C	2011			SPRIDE	8.2	7.7	7.0	6.8	7.4	7.7	7.5	7.6	7.2	7.6	7.4	7.5	7.5	7.1
HUBBARD	CONSTRUCTION	COMPA(2011)																			
72090000	0.162	2.561	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	10.0	
15 1				2	10.8	27500	RIDE	7.9	7.8	7.8	7.4	7.4	7.1	7.1	6.8	7.1	7.0	7.0	6.9	8.8	
							FC125M														
DIVISION ST(0.8C)							0012	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1	6.6	4.0*
4234121	0.162	2.272	R	2011			SPRIDE	8.6	8.3	8.2	8.1	8.4	8.3	8.3	8.3	8.2	8.3	8.0	7.9	8.1	7.7
HUBBARD	CONSTRUCTION	COMPA(2013)																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECAST

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															
72090000	2.561	3.042	R	1	8 45	CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0
15 1				2	10.8	29500	RIDE	8.4	8.3	8.3	7.8	7.9	7.9	7.9	7.7	8.0	7.5	8.0	8.1	8.8	
						FC125M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1		
							RIDE	8.6	8.3	8.2	8.1	8.4	8.3	8.3	8.3	8.2	8.3	8.0	7.9		
72090000	3.042	3.215	R	1	1 55	CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0
115 1				2	10.8	61000	RIDE	8.4	8.3	8.3	7.8	7.9	7.9	7.9	7.7	8.0	7.5	8.0	8.1	8.8	
						FC125M															
4234121	2.838	3.334	R	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1	7.9	5.0*
HUBBARD	CONSTRUCTION	COMPA				SPRIDE		8.6	8.3	8.2	8.1	8.4	8.3	8.3	8.3	8.2	8.3	8.0	7.9	8.0	7.6
72090000	3.215	4.428	R	1	4 55	CRACKING		7.2	7.2	7.2	7.2	7.2	7.6	7.6	7.5	8.5	7.4	7.4	7.1		
115 A1				2	10.8	54000	RIDE	8.0	8.0	8.0	7.1	6.9	6.8	6.3*	6.5	6.5	6.5	6.2*	5.6*		
						LDG															
4244941	3.238	5.495	R	2013	0012	CRACKING			9.3	9.2	9.2	9.2	9.2	9.1	8.8	8.9	8.5	8.4	8.5	8.0	7.5
SUPERIOR	CONSTRUCTION	COMP				RIDE			6.9	8.2	8.2	8.0	7.9	7.8	8.0	8.0	8.0	8.0	8.1	7.7	7.6
72090000	4.889	5.215	R	1	4 55	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
115 A1				2	10.8	49500	RIDE	8.6	8.5	8.5	8.0	7.7	7.8	7.6	7.4	7.6	7.7	7.7	7.6		
						LDG															
4244941	3.238	5.495	R	2013	0012	CRACKING			9.2	9.2	9.1	9.2	9.2	9.2	8.7	9.0	8.9	8.6	8.4	8.3	7.5
SUPERIOR	CONSTRUCTION	COMP				RIDE			6.4*	6.8	6.8	7.8	7.8	7.8	7.8	7.4	7.5	7.9	7.8	7.7	7.6
72090000	5.215	6.126	R	1	1 55	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
115 A1				2	10.8	48000	RIDE	8.6	8.5	8.5	8.0	7.7	7.8	7.6	7.4	7.6	7.7	7.7	7.6	7.4	
						DGFC															
4244941	5.495	6.126	R	2013	0012	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	5.0*
SUPERIOR	CONSTRUCTION	COMP				SPRIDE		7.4	8.0	7.7	7.6	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.7	7.8	7.4
72090000	6.126	6.870	R	1	4 50	CRACKING		6.1*	6.7	6.5	6.2*	6.2*	6.2*	6.1*	6.1*	5.6*	8.0	7.6	6.7	6.7	
115A A1				1	10.8	27000	RIDE	6.4*	6.2*	6.1*	5.3*	5.2*	5.1*	5.0*	4.8*	4.6*	4.5*	4.8*	4.7*	4.5*	
						LDG															
4244941	6.447	6.873	R	2013	0012	CRACKING			9.1	9.2	9.1	9.0	9.0	8.9	8.7	7.7	8.6	8.5	8.4	8.2	7.5
SUPERIOR	CONSTRUCTION	COMP				RIDE			5.8*	6.3*	6.5	7.3	7.1	7.1	7.2	7.1	7.2	7.0	7.1	7.1	7.0
72090000	8.225	11.094	R	1	4 60	CRACKING		8.6	8.8	8.8	8.7	8.7	8.7	8.7	8.7	8.3	8.6	8.4	8.0	8.0	
228 A1				2	10.8	23000	RIDE	6.7	6.8	6.8	6.1*	6.0*	6.1*	5.9*	5.9*	5.9*	5.9*	6.1*	6.1*	5.9*	
						LDG															
							CRACKING	8.0	8.2	8.0	8.2	8.4	8.3	8.2	7.8	7.3	7.9	7.9	8.3	8.1	7.0
							RIDE	6.0*	5.9*	5.8*	5.3*	5.7*	5.6*	5.6*	5.6*	5.6*	5.7*	5.6*	5.6*	5.5*	5.4*
4373181	8.220	11.216	C	2026	0012																
72090000	11.094	11.216	R	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
228				2	10.8	23000	RIDE														
						DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	10.0	9.2	8.0
							RIDE												8.3	7.9	
4373181	8.220	11.216	C	2026	0012																
72090000	11.094	11.216	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
228				2	10.8	23000	RIDE														
						DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	8.4	8.3	0.5*
							RIDE												7.5	7.1	
4373181	8.220	11.216	C	2026	0012																
72090000	8.225	11.094	L	1	4 60	CRACKING		9.1	9.0	9.0	8.9	8.9	8.9	8.9	8.9	8.8	9.0	8.8	8.5	8.5	
228 A1				2	10.8	23000	RIDE	7.0	7.0	7.0	6.3*	6.2*	6.3*	6.3*	6.2*	5.6*	6.1*	6.1*	6.1*	5.9*	
						LDG															
							CRACKING	8.5	8.3	8.2	8.6	8.7	8.5	8.5	7.9	7.8	8.3	8.1	8.2	8.2	7.0
							RIDE	6.1*	6.0*	5.5*	5.6*	6.0*	5.9*	6.0*	5.9*	6.0*	6.0*	6.0*	6.0*	6.0*	5.9*
4373181	8.220	11.216	C	2026	0012																
72090000	6.126	6.870	L	1	4 50	CRACKING		8.6	8.4	8.3	8.1	8.0	8.3	8.3	8.2	8.0	7.2	7.6	6.0*	6.0*	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	(MP SIDE)						=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE YEAR)				ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
72090447	0.000	0.513	L	1	4	50	CRACKING	7.6	8.3	8.1	7.9	8.0	7.9	7.9	7.7	7.6	8.3	8.2	7.3	8.3		
228A A1				2	3.2	25500	RIDE	6.1*	6.4*	6.3*	5.4*	5.4*	5.9*	6.1*	5.8*	5.7*	5.5*	5.8*	5.6*	5.5*		
AUX LANE RT TO SR212(0.0C)							LDG															
							CRACKING	8.4	8.1	8.0	8.1	8.1	8.0	7.8	8.0	8.3	8.5	8.1	9.4	9.4	8.5	
4471261	0.000	0.930	C	2024		0012	RIDE	5.5*	5.4*	5.5*	5.3*	5.6*	5.4*	5.3*	5.3*	5.4*	5.4*	5.5*	7.8	7.8	7.7	
							(1983)															
72090448	0.000	0.235	C	1	4	50	CRACKING		7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.6	7.4	7.0	7.3		
126 A1				2	3.2	8800	RIDE		7.5	7.4	4.8*	5.2*	5.7*	6.2*	6.6	6.6	5.1*	5.2*	5.3*	5.2*		
HART EXPRESSWAY GORE(0.0C)							LDG															
4471261	0.000	0.235	C	2024		0012	CRACKING	7.4	7.1	7.0	6.3*	6.2*	6.1*	6.1*	5.0*	4.8*	4.4*	2.9*	9.4	9.3	9.0	
DE MOYA HIGHWAY INFRASTRUC(2025)							RIDE	5.2*	4.8*	4.8*	4.7*	4.7*	4.5*	4.4*	4.6*	4.5*	4.7*	4.7*	7.5	7.4	7.3	
72100000	0.491	3.170	R	1	1	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0		
10 A90				3	2.6	30000	RIDE	7.6	7.9	7.5	6.6	6.4	6.5	6.7	6.5	6.2	6.4	7.2	7.2	7.0		
STEVENS AVE R(0.5R)							FC125M															
2095312	1.074	3.026	R	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.5	7.0	4.0*	
J.B. COXWELL CONTRACTING,I(2011)							SPRIDE	7.1	6.3	7.0	6.8	7.1	7.0	7.0	7.1	6.8	6.9	6.8	6.8	6.8	6.4	
72100000	3.170	3.424	R	1	1	40	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
10 A90				2	2.6	30000	RIDE	7.8	7.4	7.5	6.4		7.5	7.3	7.3	7.3	7.2	7.5	7.4	7.5		
AIKEN AVE(3.2R)							DGFC															
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	10.0	10.0	9.0	
							RIDE	7.5	6.9	7.4	7.2	7.3	7.4	7.3	7.4	7.3	7.0	7.3	6.9	6.9	6.5	
72100000	3.424	6.167	R	1	1	40	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
10 A90				2	2.6	35000	RIDE	7.8	7.4	7.5	6.4		7.5	7.3	7.3	7.3	7.2	7.5	7.4	7.5		
SPRING FOREST AVE(3.7R)							FC125M															
2095742	3.185	7.500	C	2004		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.0*	2.5*	
JOHN CARLO, INC.							SPRIDE	7.5	6.9	7.4	7.2	7.3	7.4	7.3	7.4	7.3	7.0	7.3	7.4	7.3	6.9	
2088193	3.413	6.167	C	2028		0012																
72100000	6.526	6.818	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
10 A90				3	2.6	58000	RIDE	5.6*	5.7*	5.8*	5.1*		7.5	7.3	7.3	7.3	7.2	7.1	6.9	6.9		
LIVE OAK DR(6.5R)							DGFC															
							CRACKING	8.0	8.0	8.0			8.0	8.0	7.0	7.0	7.0	6.0*	5.2*	10.0	9.0	
							RIDE	6.9	6.7	6.6			6.2	6.3	6.3	6.2	6.1	6.2	6.0	6.1	5.7	
2088192	6.526	7.509	C	2028		0012																
72100000	6.818	7.519	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
10 A90				3	2.6	58000	RIDE	5.6*	5.7*	5.8*	5.1*		7.5	7.3	7.3	7.3	7.2	7.1	6.9	6.9		
LEON RD(7.1R)							FC125M															
2095742	3.185	7.500	C	2004		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	5.2*	4.0*	0.5*	
JOHN CARLO, INC.							SPRIDE	6.9	6.7	6.6	6.0	6.3	6.2	6.3	6.3	6.2	6.1	6.2	6.0	5.7	5.3*	
2088192	6.526	7.509	C	2028		0012																
72100000	7.519	8.704	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5	9.0		
10 A90				3	2.6	69000	RIDE	8.6	8.4	8.2	7.7	7.9	7.6	7.6	7.7	7.5	7.5	7.1	6.9	6.9		
DIBBLE CIR(7.6R)							FC125M															
4305461	7.833	9.232	R	2015		0012	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.8	7.6	5.5*	
PREFERRED MATERIALS, INC.							SPRIDE	6.9	6.7	8.0	7.9	8.0	8.0	8.0	7.9	7.8	7.8	7.9	7.8	7.7	7.3	
72100000	8.704	8.965	R	1	7	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5	9.0		
10 A90				4	2.6	69000	RIDE	8.6	8.4	8.2	7.7	7.9	7.6	7.6	7.7	7.5	7.5	7.1	6.9	6.9		
SUTTON LAKES BLVD(8.9R)							FC125M															
							CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.8	10.0	9.0	
							RIDE	6.9	6.7	8.0	7.9	8.0	8.0	8.0	7.9	7.8	7.8	7.9	7.8	7.5	7.1	
72100000	8.965	9.232	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5	9.0		
10 A90				3	2.6	69000	RIDE	8.6	8.4	8.2	7.7	7.9	7.6	7.6	7.7	7.5	7.5	7.1	6.9	6.9		
							FC125M															
4305461	7.833	9.232	R	2015		0012	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.8	9.2	7.0	
PREFERRED MATERIALS, INC.							SPRIDE	6.9	6.7	8.0	7.9	8.0	8.0	8.0	7.9	7.8	7.8	7.9	7.8	8.3	7.9	
72100000	9.232	10.400	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0			10.0	10.0		
10 A90				3	2.6	69000	RIDE	8.6	8.4	8.2	7.7	7.9	7.6	7.6	7.7	7.5	7.5			8.0	7.8	
MARKETPLACE DR(9.5R)							DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	8.0	8.1	7.5	4.5*	
							RIDE	8.0	7.5	7.5	7.4	7.4	7.5	7.5	7.5	7.3	7.4	7.4	7.4	7.4	6.9	
							(2012)															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
72100000	10.400	12.932	R	1	8 45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	
10 A90				3	2.6	62000 RIDE	8.6	8.4	8.2	7.7	7.9	7.6	7.6	7.7	7.5	7.5	7.5	7.5	7.4	7.4	
KENSINGTON GARDN BL(10.5R) FC3																					
2092691	7.655	12.341	C	1996	0213	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
HUBBARD CONSTRUCTION CO				(2001)		S RIDE	7.5	7.3	7.0	7.3	7.5	7.5	7.4	7.4	7.4	7.4	7.3	7.4			
4454301	10.428	14.426	C	2024	0012																
72100000	13.377	14.411	R	1	8 45	CRACKING	9.0	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
10 A90				2	2.6	49500 RIDE	6.7	6.7	8.2	7.5	7.5	7.3	7.0	7.0	7.0	7.5	7.0	7.5	7.0	7.3	7.2
OGFC																					
(2003)																					
4454301	10.428	14.426	C	2024	0012		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	5.2*	
CRACKING RIDE																					
72100000	14.411	17.383	R	1	1 35	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.5	3.5*	3.5*	10.0	10.0	10.0		
A1A A90				2	2.6	24500 RIDE	8.0	7.9	7.9	7.3	7.0	6.9	6.7	6.6	6.1	6.4	8.1	8.0	7.9		
BRANT BLVD(14.6R) FC125M																					
4033504	14.373	17.383	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	8.0	7.7	4.5*	
HUBBARD CONSTRUCTION COMPA				(2011)		SPRIDE	7.9	7.5	6.9	6.9	7.4	7.4	7.5	7.4	7.4	7.2	7.3	7.3	7.3	7.2	6.8
72100000	17.383	18.266	R	1	1 35	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.5	3.5*		10.0	10.0	10.0		
A1A A90				2	2.6	33000 RIDE	8.0	7.9	7.9	7.3	7.0	6.9	6.7	6.6	6.1		8.1	7.9	8.0		
NINTH AVE N(17.4C) DGFC																					
2089812	17.383	19.800	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.9	5.8*	3.0*
CALLAWAY CONTRACTING, INC.				(2011)		SPRIDE	8.0	7.5	7.8	7.4	7.8	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.6	6.8	6.4
72100000	18.266	18.793	R	1	1 35	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.5	7.0		10.0	10.0	10.0		
A1A A90				2	2.6	36500 RIDE	8.0	7.9	7.9	7.3	7.0	6.9	6.7	6.6	7.8		8.1	7.9	8.0		
FOURTH AVE S(18.3C) FC125M																					
2089812	17.383	19.800	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.9	7.0	4.0*
CALLAWAY CONTRACTING, INC.				(2011)		SPRIDE	8.0	7.5	7.8	7.4	7.8	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.6	7.7	7.3
72100000	18.793	19.840	R	1	1 35	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.5	7.0		10.0	10.0	10.0		
A1A A90				2	1.7	37500 RIDE	8.0	7.9	7.9	7.3	7.0	6.9	6.7	6.6	7.8		8.1	7.9	8.0		
TWELFTH AVE S(18.8C) FC125M																					
2089812	17.383	19.800	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.9	7.4	4.5*
CALLAWAY CONTRACTING, INC.				(2011)		SPRIDE	8.0	7.5	7.8	7.4	7.8	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.6	7.9	7.5
72100000	18.793	19.840	L	1	1 35	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	5.5*		10.0	10.0	10.0		
A1A A90				2	1.7	37500 RIDE	7.5	7.7	7.9	7.3	6.8	6.7	6.5	6.5	6.4		8.0	7.8	7.7		
TWELFTH AVE S(18.8C) FC125M																					
2089812	17.383	19.800	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.7	7.2	4.0*
CALLAWAY CONTRACTING, INC.				(2011)		SPRIDE	7.8	7.4	7.6	7.7	7.8	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.4	7.7	7.3
72100000	18.266	18.793	L	1	1 35	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	5.5*		10.0	10.0	10.0		
A1A A90				2	2.6	36500 RIDE	7.5	7.7	7.9	7.3	6.8	6.7	6.5	6.5	6.4		8.0	7.8	7.7		
FOURTH AVE S(18.3C) FC125M																					
2089812	17.383	19.800	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.7	7.1	4.0*
CALLAWAY CONTRACTING, INC.				(2011)		SPRIDE	7.8	7.4	7.6	7.7	7.8	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.4	7.8	7.4
72100000	17.383	18.266	L	1	1 35	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	5.5*		10.0	10.0	10.0		
A1A A90				2	2.6	33000 RIDE	7.5	7.7	7.9	7.3	6.8	6.7	6.5	6.5	6.4		8.0	7.8	7.7		
NINTH AVE N(17.4C) DGFC																					
2089812	17.383	19.800	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.7	5.8*	3.0*
CALLAWAY CONTRACTING, INC.				(2011)		SPRIDE	7.8	7.4	7.6	7.7	7.8	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.4	6.6	6.2
72100000	14.373	17.383	L	1	1 35	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	5.5*	5.5*	10.0	10.0	10.0		
A1A A90				2	2.6	24500 RIDE	7.5	7.7	7.9	7.3	6.8	6.7	6.5	6.5	6.4	5.6	8.0	7.8	7.9		
CORNELL LN(14.4L) FC125M																					
4033504	14.373	17.383	L	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.7	7.3	4.5*	
HUBBARD CONSTRUCTION COMPA				(2011)		SPRIDE	7.8	7.4	7.1	6.8	7.4	7.3	7.3	7.2	7.1	6.9	7.1	6.9	6.9	6.9	6.5
72100000	13.443	14.373	L	1	8 45	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	
10 A90				3	2.6	49500 RIDE	7.5	6.4*	8.4	7.5	7.7	7.6	7.4	7.7	7.6	7.2	7.5	7.4	7.2		
BEGONIA ST(14.0L) OGFC																					
(2003)																					
4454301	10.428	14.426	C	2024	0012		9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*			
CRACKING RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
ITMSEG-F																						
72100000	10.400	12.885	L	1	8	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	
10 A90			3	2.6	62000		RIDE	8.6	8.8	8.8	8.1	8.1	7.9	8.0	7.7	7.7	7.6	8.0	8.1	8.0		
HICKORY CREEK BLVD W(10.5L)							FC3															
2092691	7.655	12.341	C	1996	0213		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5				
HUBBARD CONSTRUCTION CO				(2001)			S RIDE	8.1	7.3	7.5	7.8	7.8	7.8	7.9	7.8	7.9	7.7	7.7				
4454301	10.428	14.426	C	2024	0012																	
72100000	8.965	10.400	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0		
10 A90			3	2.6	69000		RIDE	8.6	8.8	8.8	8.1	8.1	7.9	8.0	7.7	7.7	7.6		8.2	8.1		
FROM KERNAN BLVD(9.7L)							DGFC															
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	8.2	7.8	5.0*	
							RIDE	8.2	7.7	7.6	7.8	7.8	7.8	7.8	7.7	7.6	7.7	7.7	7.7	7.6	7.2	
72100000	8.690	8.965	L	1	7	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0		
10 A90			3	2.6	69000		RIDE	8.6	8.8	8.8	8.1	8.1	7.9	8.0	7.7	7.7	7.6	7.1	6.8	6.7		
				(2026)			FC125M															
							CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.1	10.0	9.0	
							RIDE	7.1	6.8	7.6	7.9	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.6	7.2	
72100000	7.490	8.690	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0		
10 A90			3	2.6	69000		RIDE	8.6	8.8	8.8	8.1	8.1	7.9	8.0	7.7	7.7	7.6	7.1	6.8	6.7		
BROOKVIEW DR N(7.5L)							FC125M															
4305461	7.833	9.232	L	2015	0012		CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.1	7.5	5.0*	
PREFERRED MATERIALS, INC.				(2016)			SPRIDE	7.1	6.8	7.6	7.9	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.4	
72100000	6.818	7.490	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
10 A90			3	2.6	58000		RIDE	5.5*	6.1*	5.7*	5.7*		7.5	7.5	7.4	7.3	7.5	7.5	7.4	7.3		
THERESA DR L(7.0L)							FC125M															
2095742	3.185	7.500	C	2004	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	3.0*	
JOHN CARLO, INC.				(2006)			SPRIDE	7.3	6.7	6.9	6.4	7.4	7.3	7.4	7.4	7.4	7.3	6.5	6.1	6.5	6.1	
2088192	6.526	7.509	C	2028	0012																	
72100000	6.526	6.818	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
10 A90			3	2.6	58000		RIDE	5.5*	6.1*	5.7*	5.7*		7.5	7.5	7.4	7.3	7.5	7.5	7.4	7.3		
MONUMENT RD(6.5L)							DGFC															
				(2026)			CRACKING	9.0	9.0	9.0	9.0		8.5	8.5	8.5	8.5	8.5	8.5	7.5	10.0	9.0	
							RIDE	7.3	6.7	6.9	6.4		7.3	7.4	7.4	7.4	7.3	6.5	6.1	5.7	5.3*	
2088192	6.526	7.509	C	2028	0012																	
72100000	3.424	6.167	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
10 A90			2	2.6	35000		RIDE	7.2	7.7	7.2	6.4		7.5	7.5	7.4	7.3	7.5	7.5	7.4	7.3		
ALMERIA AVE(3.7L)							FC125M															
2095742	3.185	7.500	C	2004	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	7.5	6.5	7.0	3.5*	
JOHN CARLO, INC.				(2006)			SPRIDE	7.3	6.7	6.9	6.9	7.1	7.1	7.3	7.2	7.1	7.0	7.1	7.1	7.1	6.7	
2088193	3.413	6.167	C	2028	0012																	
72100000	3.170	3.424	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
10 A90			2	2.6	30000		RIDE	7.2	7.7	7.2	6.4		7.5	7.5	7.4	7.3	7.5	7.5	7.4	7.3		
SR 109(3.2C)							DGFC															
				(2026)			CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	7.5	6.5	10.0	9.0	
							RIDE	7.3	6.7	6.9	6.9	7.1	7.1	7.3	7.2	7.1	7.0	7.1	7.1	6.5	6.1	
72100000	0.491	3.170	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	10.0	10.0	10.0		
10 A90			3	2.6	30000		RIDE	7.5	7.9	7.5	7.2	7.2	7.2	7.1	7.0	6.4	6.7	7.8	7.6	7.4		
OLD HICKORY RD(0.5L)							FC125M															
2095312	1.136	3.180	L	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.1	7.1	4.0*	
J.B. COXWELL CONTRACTING, I				(2011)			SPRIDE	7.5	6.7	7.2	7.0	7.3	6.9	7.1	7.0	7.0	6.8	6.9	6.6	6.8	6.4	
72100001	0.000	0.396	R	1	1	45	CRACKING															
10 A90			3	2.6	58000		RIDE															
BEACON POINT DR E(0.0R)							DGFC															
				(2019)			CRACKING															
							RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.0		
2088192	0.000	0.396	C	2028	0012															6.6	6.2	
72100001	0.000	0.396	L	1	1	45	CRACKING															
10 A90			3	2.6	58000		RIDE															
SHOPPING ENT(0.0L)							DGFC															
				(2019)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.4	6.5		
							RIDE													6.1	5.7	
2088192	0.000	0.396	C	2028	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
72120000 228	9.600	9.726	C	1	1	55	CRACKING	8.3	8.1	8.1	8.5	8.5	8.5	8.6	8.0	4.5*	4.5*	1.0*	1.0*	10.0		
				2	7.7	16200	RIDE	6.5	6.6	6.4*	5.6*	5.5*	5.3*	5.6*	5.1*	6.6	6.4*	6.1*	5.8*	8.2		
							FC5M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5	6.5	6.5	7.5	3.5*	0.0*	
							RIDE	8.3	8.1	8.0	8.4	8.1	8.4	8.0	7.9	8.3	7.9	7.9	8.1	5.3*	5.1*	
2095665	9.635	16.425	C	2027		0012																
72120000 228	9.726	11.925	R	1	1	50	CRACKING	10.0	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	1.0*	1.0*	10.0		
				2	7.7	8700	RIDE	8.4	8.8	8.9	8.2	7.8	7.6	7.4	7.2	6.6	6.4*	6.1*	5.8*	8.2		
							FC5M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	5.5*	1.0*	
							SPRIDE	8.3	8.1	8.1	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.1	8.1	7.9	
RAMP TO NEWWORLD AVE(10.8R) ANDERSON COLUMBIA CO., INC 2095665	9.792	16.590	R	2011	0012																	
	9.635	16.425	C	2027	0012																	
72120000 228	11.925	12.767	R	1	1	50	CRACKING	10.0	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	1.0*	1.0*	10.0		
				2	7.7	8700	RIDE	8.4	8.8	8.9	8.2	7.8	7.6	7.4	7.2	6.6	6.4*	6.1*	5.8*	8.2		
							OGFC															
							CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.6	9.0	6.5	
							RIDE	8.3	8.1	8.1				8.2	8.2	8.0	8.1	8.2	8.1	8.1	7.9	
SARROCA LN(12.2R) 2095665	9.635	16.425	C	2027		0012																
72120000 228	12.767	16.450	R	1	1	55	CRACKING	10.0	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	1.0*	1.0*	10.0		
				2	7.7	17400	RIDE	8.4	8.8	8.9	8.2	7.8	7.6	7.4	6.6	6.0*	5.6*	6.1*	5.8*	8.2		
							FC5M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	2.0*	
							SPRIDE	8.3	8.1	8.1	8.4	8.6	8.4	8.5	8.5	8.4	8.4	8.3	8.2	8.2	8.0	
CHAFFEE RD(13.4R) ANDERSON COLUMBIA CO., INC 2095665	9.792	16.590	R	2011	0012																	
	9.635	16.425	C	2027	0012																	
72120000 228	16.450	18.646	R	1	7	45	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0		
				2	7.7	21000	RIDE	8.4	8.3	8.3	7.8	7.9	7.3	7.3	7.5	7.3	7.5	7.4	7.3	7.5		
							FC125M															
							CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	
							SPRIDE	7.6	7.3	7.2	6.9	7.8	7.7	7.6	7.7	7.6	7.6	7.5	7.3	8.3	7.9	
DOLOMA ST(17.3R) 4453521 PREFERRED MATERIALS, INC.	16.450	18.135	R	2023	0012																	
	16.450	18.135	R	2026																		
72120000 228	18.646	19.736	R	1	1	45	CRACKING	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
				2	7.7	28000	RIDE	7.4	7.4	7.4		7.8	7.6	7.7	7.7	7.6	7.7	7.6	7.4	7.3		
							DGFC															
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.5	7.0	6.0*	6.0*	5.5*	5.5*	3.1*	0.0*	
							RIDE	7.6	6.8	6.6	7.0	7.2	7.1	7.1	7.1	7.1	7.1	7.1	6.8	7.3	6.9	
MEMORIAL PARK RD(18.7C) 2096482 JOHN CARLO, INC.	18.909	19.742	C	2003	0012																	
	18.663	19.742	C	2026	0012																	
72120000 228	19.736	21.068	R	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
				2	7.7	19500	RIDE	8.1	8.0	7.8	7.6	7.6	7.3	7.1	7.2	7.3	7.1	7.2	7.0	6.7		
							FC3															
							CRACKING	9.0	9.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	3.5*	3.3*			
							RIDE	7.0	6.5	6.3	6.9	7.3	7.0	6.8	6.5	6.8	6.7	6.9	6.4			
LANE AVE(19.8C) 2096481 HUBBARD CONSTRUCTION COMPA	19.997	21.223	C	1999	0216																	
	19.796	21.051	C	2025	0012																	
72120000 228	21.068	21.907	C	1	8	30	CRACKING	9.5	8.0	8.0	8.0	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0		
				2	2.1	7200	RIDE	6.9	6.9	6.7	5.6	4.4*	3.7*	3.6*	6.8	7.0	6.9	6.9	6.7	6.7		
							FC95M															
							CRACKING	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.4*			
							RIDE	6.6	5.9	5.7	5.6	5.7	5.3*	5.4*	5.0*	4.6*	4.7*	4.9*	4.6*			
WOODRUFF AVE(21.2C) 2096484 PREFERRED MATERIALS, INC.	21.241	22.079	C	2006	0012																	
	21.083	22.596	C	2025	0012																	
72120000 228	21.907	22.742	C	1	8	30	CRACKING	9.5	8.0	8.0	3.5*	3.5*	1.0*	1.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
				2	7.7	5700	RIDE	6.9	6.9	6.7	4.3*	4.4*	3.7*	3.6*	5.1*	4.9*	4.3*	7.3	7.0	6.8		
							DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.5	7.0	7.0			
							RIDE	7.1	6.3	6.3	5.6	6.8	6.8	6.6	6.4	6.2	6.2	5.8	5.5			
CYPRESS ST(21.9R) 2096488 (2011)	22.196	22.618	C	2007	0012																	
	21.083	22.596	C	2025	0012																	
72120000 228	19.736	21.068	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
				2	7.7	19500	RIDE	8.0	8.1	7.7	7.4	7.5	7.3	7.1	7.1	7.2	7.2	7.2	7.2	7.2		
							FC3															
							CRACKING	9.0	9.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*			
							RIDE	7.5	7.1	7.0	6.7	6.9	6.5	6.8	6.5	6.6	6.3					

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE) SURFTYPE =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
72120000	16.450	18.646	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
228				2	7.7		21000 RIDE	8.4	8.6	8.5	8.1	8.2	8.1	8.1	8.1	8.0	8.1	8.0	7.9	8.0	
NORMANDY ESTATES DR(16.5L) FC125M																					
4453521	16.450	18.135	L	2023			0012 CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	8.0	7.9	10.0	9.0
PREFERRED MATERIALS, INC. (2026) SPRIDE																					
72120000	12.705	16.450	L	1	1	55	CRACKING	10.0	10.0	9.5	8.0	7.5	5.5*	5.5*	5.5*	3.5*	3.5*	1.0*	1.0*	10.0	
228				2	7.7		17400 RIDE	8.9	8.8	8.7	8.2	8.0	7.8	7.6	7.2	6.8	6.5	6.3*	6.0*	8.0	
ADAMS LAKE BLVD(13.0L) FC5M																					
2095662	9.899	16.590	L	2011			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	5.3*	4.5*	0.0*
ANDERSON COLUMBIA CO., INC(2013) SPRIDE																					
2095665	9.635	16.425	C	2027			0012	8.0	7.9	8.0	8.2	8.4	8.1	8.3	8.2	8.2	8.2	8.2	8.1	7.9	7.7
RAMP FROM SR 23(12.4L) OGFC																					
72120000	12.040	12.705	L	1	1	50	CRACKING	10.0	10.0	9.5	8.0	7.5	5.5*	5.5*		3.5*	3.5*	1.0*	1.0*	10.0	
228				2	7.7		8700 RIDE	8.9	8.8	8.7	8.2	8.0	7.8	7.6		7.0	6.8	6.3*	6.0*	8.0	
(2020) CRACKING																					
2095665	9.635	16.425	C	2027			0012	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.1	8.7	6.0*
(2027) RIDE																					
72120000	9.726	12.040	L	1	1	50	CRACKING	10.0	10.0	9.5	8.0	7.5	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	1.0*	10.0	
228				2	7.7		8700 RIDE	8.9	8.8	8.7	8.2	8.0	7.8	7.6	7.3	7.0	6.8	6.3*	6.0*	8.0	
NEW WORLD AVE(10.8C) FC5M																					
2095662	9.899	16.590	L	2011			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	5.9*	5.1*	0.5*
ANDERSON COLUMBIA CO., INC(2013) SPRIDE																					
2095665	9.635	16.425	C	2027			0012	8.0	7.9	8.0	8.0	8.1	7.9	8.0	7.9	7.8	7.9	7.9	7.8	7.8	7.6
SR 200(0.0C) FC125																					
72120201	0.000	0.373	C	1	1	35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	
228				2	17.8		6100 RIDE			8.0	7.6	7.3	7.6	6.8	7.3		6.6	7.0	7.0	6.6	
(2003) CRACKING																					
							RIDE	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.1	7.6	3.5*
(2003) RIDE																					
72130000	0.000	0.217	C	1	1	30	CRACKING	1.0*	1.0*	1.0*	0.0*	0.0*	0.0*	1.0*	1.0*	0.0*	1.0*	0.0*	0.0*	0.0*	
122				4	2.8		16400 RIDE	6.8	7.2	6.8	4.5*	4.1*	4.4*	5.3*	5.4*	3.5*	5.0*	4.0*	3.8*	3.7*	
BEGIN SECTION(0.0C) FC125M																					
4305621	0.000	0.217	C	2016			0012 CRACKING	0.0*	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.6	6.5
DUVAL ASPHALT PRODUCTS, IN(2018) SPRIDE																					
72130000	0.366	0.452	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
122				4	2.8		5000 RIDE														
BRENTWOOD AVE(0.4C) FC125M																					
4305621	0.366	0.465	C	2016			0012 CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
DUVAL ASPHALT PRODUCTS, IN(2018) SPRIDE																					
72130000	0.452	1.053	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
122				2	2.8		5000 RIDE				6.1	5.9	5.5	5.6	5.5	5.5	5.5	5.5	5.5	5.1*	
SPRINGFIELD BLVD(0.5C) FC125M																					
							CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.9	7.0
(2018) RIDE																					
72130001	0.000	0.076	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
122				2	2.8		8200 RIDE														
GOLFAIR BLVD/SR-122(0.0R) FC125M																					
4305621	0.000	0.076	C	2016			0012 CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.5	6.5
DUVAL ASPHALT PRODUCTS, IN(2018) SPRIDE																					
72130001	0.000	0.076	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
122				2	2.8		8200 RIDE														
BRENTWOOD AVE/SR-117(0.0L) FC125M																					
4305621	0.000	0.076	C	2016			0012 CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	6.5
DUVAL ASPHALT PRODUCTS, IN(2018) SPRIDE																					
72140000	0.000	6.938	R	1	1	65	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
200 301				2	31.1		21900 RIDE	8.7	8.9	8.9	8.3	8.3	8.2	8.3	7.9	8.1	8.2	8.1	8.1	8.0	
MAXVILLE MIDDLEBURG(0.7R) FC5M																					
4373231	0.000	6.943	C	2021			0012 CRACKING	8.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	9.5	9.3	7.5
HUBBARD CONSTRUCTION COMPA(2023) SPRIDE																					
								8.1	7.8	8.2	8.3	8.5	8.4	8.5	8.5		8.7	8.7	8.6	8.6	8.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP)	SIDE	SURFTYPE		=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																			
CONTRACTOR	(AGE_ONE_YEAR)	ASTYPE																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																			
72140001	0.000	0.183	L	1	1	35	CRACKING																	
200 301				2	13.6	2100	RIDE																	
US-301 N BYPASS(0.0L)																								
					(2022)		CRACKING									10.0	10.0	8.5	8.8	8.5	7.0			
							RIDE									7.4	6.9	7.7	7.2	7.6	7.2			
72140002	0.000	0.426	C	1	1	40	CRACKING																	
200 301				2	13.6	1700	RIDE																	
SOLAR FIELD(0.0R)																								
					(2022)		CRACKING									10.0	10.0	8.5	7.6	7.7	6.5			
							RIDE									7.1	7.4	7.7	7.8	7.8	7.4			
4295514	0.000	0.426	C	2028	0012																			
72145000	0.000	0.400	R	1	1	45	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
N STRUCTURE #0831(0.0C)																								
2095374	0.000	3.147	C	2017	0002	CRACKING										10.0	10.0	8.5	9.0	8.8	7.5			
SUPERIOR CONSTRUCTION COMP(2022)																8.0	8.0	8.0	7.6	7.6	7.2			
72145000	0.400	0.767	R	1	1	45	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
SUPERIOR CONSTRUCTION COMP(2022)																								
2095374	0.000	3.147	C	2017	0002	CRACKING										10.0	10.0	8.5	9.7	10.0	8.0			
SUPERIOR CONSTRUCTION COMP(2022)																8.0	8.0	8.0	8.2	8.4	8.2			
72145000	0.767	1.193	R	1	4	45	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
BEAVER ST(1.1C)																								
					(2025)		CRACKING									10.0	10.0	8.5	9.4	9.4	9.0			
							RIDE									8.0	8.0	8.0	8.0	7.9	7.8			
72145000	1.193	3.933	R	1	1	50	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
SR 200(3.4R)																								
2095374	0.000	3.147	C	2017	0002	CRACKING										10.0	10.0	8.5	9.6	10.0	8.0			
SUPERIOR CONSTRUCTION COMP(2022)																8.7	8.6	8.5	8.5	8.5	8.3			
72145000	1.193	3.933	L	1	1	50	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
CATCH BASIN(3.9C)																								
2095374	0.000	3.147	C	2017	0002	CRACKING										10.0	10.0	8.5	9.3	10.0	8.0			
SUPERIOR CONSTRUCTION COMP(2022)																8.7	8.6	8.5	8.4	8.5	8.3			
72145000	0.767	1.193	L	1	4	45	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
BEAVER ST(1.1C)																								
					(2025)		CRACKING									10.0	10.0	8.5	9.4	9.4	9.0			
							RIDE									8.0	8.0	8.0	8.2	8.0	7.9			
72145000	0.400	0.767	L	1	1	45	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
SUPERIOR CONSTRUCTION COMP(2022)																								
2095374	0.000	3.147	C	2017	0002	CRACKING										10.0	10.0	8.5	9.0	9.1	7.0			
SUPERIOR CONSTRUCTION COMP(2022)																8.0	8.0	8.0	8.5	8.5	8.3			
72145000	0.000	0.400	L	1	1	45	CRACKING																	
201 A301				2	31.1	5000	RIDE																	
N STRUCTURE #0831(0.0C)																								
2095374	0.000	3.147	C	2017	0002	CRACKING										10.0	10.0	8.5	9.0	8.7	7.5			
SUPERIOR CONSTRUCTION COMP(2022)																8.0	8.0	8.0	7.2	7.1	6.7			
72150000	0.686	1.965	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0			
117				4	2.4	14800	RIDE	7.7	7.2	7.1	6.3	6.1	5.9	6.0	5.7	6.0	6.0	6.3	5.6	5.5	5.4*			
BASSWOOD ST(0.7R)																								
4305631	0.720	1.964	C	2016	0012	CRACKING		8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.8	7.7	5.5*			
DUVAL ASPHALT PRODUCTS, IN(2018)								5.4*	5.5	5.6		7.2	6.8	7.0	7.0	6.6	6.3	6.5	6.4	6.5	6.1			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
72150000	1.965	3.046	R	1	1	35	CRACKING	8.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
115				2	2.4	29500	RIDE	7.0	8.3	8.2	7.8	7.6	7.3	7.3	7.0	7.1	7.3	7.2	7.2	7.1	
ASHTON ST(2.2R)						FC125M															
4361701	1.965	4.114	C	2018		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8
PREFERRED MATERIALS, INC. (2020)						SPRIDE		7.2	7.2	6.8	6.4	6.9		7.7	7.6	7.5	7.4	7.6	7.5	7.5	7.0
72150000	3.046	4.114	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.0	8.0
115				2	1.9	28000	RIDE	6.7	6.5	7.1	6.8	6.4	6.4	6.3	6.3	5.9	5.9	5.4*	5.4*	5.5	
RIVERVIEW ST(3.3C)						FC125M															
4361701	1.965	4.114	C	2018		0012	CRACKING	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.0
PREFERRED MATERIALS, INC. (2020)						SPRIDE		5.5	5.1*	5.2*	5.0*	5.5		7.8	7.8	7.6	7.5	7.5	7.3	7.2	6.8
72150000	4.114	7.515	R	1	7	45	CRACKING	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	
115				2	2.4	31500	RIDE	7.0	8.6	8.6	8.0	7.7	7.9	7.9	7.9	7.8	7.9	7.8	7.7	7.6	
SOUTEL DR(4.1R)						FC125M															
4373201	5.023	8.015	C	2023		0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.6	7.1	6.9	6.9	7.5	7.4	7.4	7.5	7.3	7.3	6.8	6.9	8.3	7.9
72150000	7.515	7.828	R	1	2	45	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
115				2	2.4	11000	RIDE	8.0	7.8	7.8	6.6	7.1	7.3	7.4	7.3	7.6	7.3	7.4	7.4	7.5	
FC125M																					
4373201	5.023	8.015	C	2023		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	9.5	9.5	9.5	9.5	7.0	7.0	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.3	6.8	6.2	6.2	6.8	6.5	7.6	7.7	7.5	7.3	7.6	7.5	7.4	7.0
72150000	7.828	8.166	R	1	7	50	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
115				1	2.4	11000	RIDE	8.0	7.8	7.8	6.6	7.1	7.3	7.4	7.3	7.6	7.3	7.4	7.4	7.5	
PERCY RD(8.2R)						FC125															
4373201	5.023	8.015	C	2023		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	9.5	9.5	9.5	9.5	7.0	7.0	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.3	6.8	6.2*	6.2*	6.8	6.5	7.6	7.7	7.5	7.3	7.6	7.5	7.1	6.7
72150000	8.166	13.587	C	1	7	60	CRACKING	5.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	
115				2	2.4	11500	RIDE	7.1	7.1	7.1	6.4*		7.7	7.7	7.8	7.8	7.9	7.8	7.8	7.7	
TERRELL RD(9.1R)						FC125M															
4373201	9.298	12.476	C	2023		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	3.5*		10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.6	7.2	7.1	6.9	7.6	7.3	7.4	7.5	7.4	7.4	7.4		8.4	8.0
72150000	7.828	8.166	L	1	7	50	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
115				2	2.4	11000	RIDE	7.9	8.0	7.5	6.7	6.5	7.1	7.3	7.5	7.5	7.6	7.3	7.5	7.5	
NEWCOMB RD(7.9L)						FC125															
4373201	5.023	8.015	C	2023		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	9.5	9.5	9.5	9.5	7.0	7.0	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.3	6.8	6.2*	6.6	6.9	6.7	7.7	7.7	7.7	7.6	7.5	7.3	6.7	6.3*
72150000	7.515	7.828	L	1	2	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
115				2	2.4	11000	RIDE	7.9	8.0	7.5	6.7	6.5	7.1	7.3	7.5	7.5	7.6	7.3	7.5	7.5	
FC2																					
4373201	5.023	8.015	C	2023		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	9.5	9.5	9.5	9.5	7.0	7.0	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.3	6.8	6.2	6.6	6.9	6.7	7.7	7.7	7.7	7.6	7.5	7.3	7.8	7.6
72150000	4.114	7.515	L	1	7	45	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
115				2	2.4	31500	RIDE	7.4	8.4	8.3	7.9	7.5	7.5	7.6	7.6	7.7	7.7	7.6	7.6	7.4	
CR 115A(4.1L)						FC125M															
4373201	5.023	8.015	C	2023		0012	CRACKING	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2026)						SPRIDE		7.0	7.1	7.5	7.3	7.5	7.2	7.3	7.3	7.2	7.1	7.1	7.1	8.3	7.9
72150000	3.046	4.114	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
115				2	1.9	28000	RIDE	7.5	7.5	7.3	7.6	7.2	7.0	7.0	7.1	6.9	7.0	6.9	6.9	6.7	
RIVERVIEW ST(3.3C)						FC125M															
4361701	1.965	4.114	C	2018		0012	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.0
PREFERRED MATERIALS, INC. (2020)						SPRIDE		6.2	6.3	6.2	5.8	6.0		8.2	8.1	8.1	8.1	8.1	8.1	8.0	7.6
72150000	1.965	3.046	L	1	1	35	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	
115				2	2.4	29500	RIDE	5.0*	8.2	8.0	7.6	7.4	7.0	7.0	6.6	6.4	6.9	6.6	6.5	6.4	
LEM TURNER CIR(2.2L)						FC125M															
4361701	1.965	4.114	C	2018		0012	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
PREFERRED MATERIALS, INC. (2020)						SPRIDE		6.2	6.3	5.9	5.7	6.0		7.7	7.5	7.3	7.1	7.3	7.2	7.1	6.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****															(PMRS)
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F																						
72150001	0.000	0.245	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
117				2	2.8	20000	RIDE					6.2	6.6	5.8	6.0	6.5	5.2*	5.6	5.6	5.7		
0.011 W OF DAVIS ST(0.0C)							FC125M															
					(2018)		CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.3	6.5
							RIDE													7.3	6.9	
72150001	0.000	0.245	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
117				2	2.8	20000	RIDE					5.4*	5.5	6.0	5.8	6.3	6.3	6.3	6.3	6.2		
0.011 W OF DAVIS ST(0.0C)							FC125M															
					(2018)		CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.4	7.5
							RIDE													7.4	7.0	
72160000	0.000	3.055	R	1	2	45	CRACKING	5.5*	5.5*	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
13				3	1.5	45000	RIDE	7.4	7.7	7.6	6.8	6.8	7.7	7.6	7.7	7.6	7.7	7.6	7.5	7.5		
JULINGTON CREEK RD(0.2R)							FC125M															
2096972	0.105	3.115	C	2005		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.0	7.0	6.7	6.5	3.0*	
DUVAL ASPHALT PRODUCTS, IN(2006)								7.4	7.4	7.2	7.2	7.1	7.1	7.1	7.0	7.0	7.0	7.1	7.0	6.9	6.5	6.5
2096976	0.000	3.055	C	2028		0012	RIDE															
72160000	3.055	5.253	R	1	8	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
13				3	1.5	39500	RIDE		8.4	8.4	7.9	7.7	7.5	7.4	7.1	7.4	6.9	7.4	7.4	7.2		
HALCYON LN(3.1C)							FC3															
2092341	3.098	5.296	C	1999		0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0			
APAC-FLORIDA INC (2002)							S	7.2	7.3	7.3	7.1	7.5	7.3	7.4	7.2	7.2	7.2	7.2	7.2	7.2		
4454261	3.055	5.250	C	2024		0012	RIDE															
72160000	5.253	5.870	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
13				3	1.5	50500	RIDE		8.4	8.4	7.9	7.7	7.5	7.4	7.1	7.4	6.9	7.4	7.4	7.2		
WILLAMSBURG PK BLVD(5.4R)							FC125M															
					(2026)		CRACKING	8.5		10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	9.5	8.5	
							RIDE	7.2		8.0	8.1	8.3	8.2	7.4	7.2	7.2	7.2	7.2	7.2	7.2	6.8	
72160000	5.870	9.910	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*		
13				2	1.5	19900	RIDE	8.6	8.6	8.6	8.1	8.1	7.9	7.9	7.4	7.9	7.4	7.9	7.9	7.7		
RAMP TO SR-152(6.0R)							FC125M															
4287081	6.024	9.060	R	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.3	6.0*	
PREFERRED MATERIALS, INC. (2016)							SPRIDE	7.7		8.0	8.1	8.3	8.2	8.2	8.2	8.1	8.1	8.2	8.2	8.0	7.6	
72160000	9.910	12.768	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	6.0*	6.0*		
13				2	1.5	24500	RIDE	8.5	8.5	7.9	7.5	7.2	7.3	7.3	6.5	6.9	6.3	6.5	6.8	6.6		
SHIRL LN(9.9R)							FC125M															
4343001	9.910	12.762	C	2017		0012	CRACKING	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.1	7.5	
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	6.6	6.4	6.9	6.8	6.9		7.7	7.6	7.5	7.6	7.6	7.6	7.5	7.4	7.0
72160000	12.768	13.709	R	1	1	30	CRACKING	6.5	6.5	6.5	6.5	10.0		10.0	10.0	10.0	10.0	9.5	9.5			
13				1	1.5	8700	RIDE	2.8*	2.6*	3.0*	2.5*	4.9*			5.0*	5.1*	5.0*	5.2*	4.9*	4.9*		
ALFORD PL(12.8C)							DGFC															
					(2008)		CRACKING	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*	
2096975	12.762	13.709	C	2027		0012	RIDE	4.7*	4.3*	3.9*	4.1*	3.9*	4.1*	4.4*	4.0*	3.8*	3.8*	3.7*	3.8*	3.5*	3.1*	
72160000	13.957	14.278	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	6.0*	6.5	6.5		
13				2	1.5	8200	RIDE															
LEG 2(14.1L)							DGFC															
					(2020)		CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	
							RIDE													4.7*	4.3*	
72160000	12.768	13.709	L	1	1	30	CRACKING	6.5	6.5	6.5	6.5	10.0			10.0	10.0	7.0	6.0*	9.5	9.5		
13				1	1.5	8700	RIDE	2.8*	2.6*	3.0*	2.5*	4.9*			5.5	5.3*	5.0*	4.6*	4.9*	4.9*		
TO SAN MARCO BLVD(12.8L)							DGFC															
					(2012)		CRACKING	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.5*	
2096975	12.762	13.709	C	2027		0012	RIDE	4.7*	4.3*	3.9*	4.1*	3.9*	4.1*	4.4*	4.0*	3.5*	3.6*	3.4*	3.3*	3.3*	2.9*	
72160000	9.910	12.768	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	6.0*	6.0*	6.0*		
13				2	1.5	24500	RIDE	8.4	8.6	8.4	8.0	7.9	7.7	7.5	7.4	7.2	6.8	7.0	6.8	6.9		
FLANDERS RD(10.0C)							FC125M															
4343001	9.910	12.762	C	2017		0012	CRACKING	6.0*	6.0*	6.0*	5.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.1	9.1	7.5	
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	6.7	6.5	7.1	7.1	7.0		7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.5	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
72170000	4.133	6.200	L	1	1	40	CRACKING	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
21				2	3.3	27500	RIDE	7.4	7.4	7.2	6.8	7.0	8.0	7.9	7.3	8.1	8.0	8.1	7.9	7.9	
SHOPPING ENT(4.2L) FC95																					
2096983	4.133	5.712	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	7.0	6.0*	6.0*	4.8*	4.6*	1.0*
PREFERRED MATERIALS, INC. (2006) RIDE																					
2096985	4.194	5.717	C	2029		0012		8.2	8.1	6.9	7.5	7.5	7.4	7.6	7.5	7.3	7.1	7.4	7.3	7.3	6.9
72170000	2.411	4.133	L	1	1	45	CRACKING	6.5	6.5	6.5	4.5*	4.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	
21				3	3.3	30000	RIDE	7.8	7.8	7.8	7.5	7.5	7.3	7.4	6.7		8.3	7.9	8.0	8.0	
MORSE AVE(2.6C) FC125M																					
2096982	0.925	3.985	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	6.0*	6.0*	3.0*
HUBBARD CONSTRUCTION COMPA(2010) SPRIDE																					
72170000	1.022	2.411	L	1	1	45	CRACKING	6.5	6.5	6.5	4.5*	4.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	
21				2	3.3	39000	RIDE	7.8	7.8	7.8	7.5	7.5	7.3	7.4	6.7		8.3	7.9	8.0	8.0	
LONG CHAMP(1.5C) FC125M																					
2096982	0.925	3.985	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	6.0*	5.5*	2.5*
HUBBARD CONSTRUCTION COMPA(2010) SPRIDE																					
72170000	0.000	1.022	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
21				4	3.3	39000	RIDE	7.7	7.7	7.6	6.8	6.7	8.0	7.8	7.2	8.0	8.0	7.9	8.0	7.4	
ARGYLE FOREST BLVD(0.2L) FC125																					
							CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.5	6.0*
							RIDE		7.2	7.2	7.3	7.5	7.6	7.4	7.4	7.6	7.5	7.3	7.5	7.3	6.9

72190000	0.000	1.870	R	1	1	40	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*
212 90				2	1.7	17600	RIDE	7.7	7.8	7.8	7.4	7.3	7.1	7.1	7.1	7.0	7.1	6.9	7.0	6.4	
RIDGWOOD RD(0.0R) FC125M																					
4287091	0.351	3.515	R	2014		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	5.0*
MASCI GENERAL CONTRACTORS (2016) RIDE																					
72190000	1.870	2.611	R	1	1	40	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*
212 90				2	1.7	27000	RIDE	7.7	7.8	7.8	7.4	7.3	7.1	7.1	7.1	7.0	7.1	6.9	7.0	6.4	
SR 109(2.2C) FC3																					
							CRACKING	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	6.5
							RIDE	6.7	6.2	6.9	6.4		8.3	7.8	7.8	7.7	7.7	7.7	7.7	8.0	7.6

72190000	2.611	3.567	R	1	1	40	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*
212 90				2	1.7	23500	RIDE	7.7	7.8	7.8	7.4	7.3	7.1	7.1	7.1	7.0	7.1	6.9	7.0	6.4	
BURKHOLDER RD(2.7R) FC125M																					
4287091	0.351	3.515	R	2014		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	6.7	4.5*
MASCI GENERAL CONTRACTORS (2016) RIDE																					
72190000	3.567	4.600	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
212 90				3	1.7	57000	RIDE	7.8	8.2	8.1	7.4	7.3	7.1	7.9	8.1	7.9	8.0	7.9	7.9	7.9	7.8
PARENTAL HOME RD(3.6C) FC125M																					
2095432	4.031	6.739	C	2006		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.6	3.0*
DOUGLAS ASPHALT COMPANY (2007) SPRIDE																					
2095436	3.567	6.761	C	2028		0012		7.8	7.4	7.5	7.3	7.7	7.6	7.7	7.6	7.6	7.3	7.4	7.6	7.3	6.9
72190000	4.600	5.050	R	1	1	45	CRACKING	10.0	7.5	7.5	7.5	7.5	7.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
212 90				3	1.7	51500	RIDE		8.2	8.1	7.4	7.3	7.1	7.9	8.1	7.9	8.0	7.9	7.9	7.9	7.8
SERVICE RD TO SOUTHSIDE(4.7R) FC125M																					
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	9.6	9.6	8.5
							RIDE	7.8	7.4	7.5	7.3	7.7	7.6	7.7	7.6	7.6	7.3	7.4	6.8	6.4	6.0
2095436	3.567	6.761	C	2028		0012															
72190000	5.050	6.761	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
212 90				3	1.7	55500	RIDE	8.4	8.2	8.1	7.4	7.3	7.1	7.9	8.1	7.9	8.0	7.9	7.9	7.9	7.8
PEACH DR(5.4C) FC125M																					
2095432	4.031	6.739	C	2006		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.7	6.8	3.5*
DOUGLAS ASPHALT COMPANY (2007) SPRIDE																					
2095436	3.567	6.761	C	2028		0012		7.8	7.4	7.5	7.3	7.7	7.6	7.7	7.6	7.6	7.3	7.4	7.5	7.2	6.8
72190000	6.761	10.530	R	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	8.0	7.0				10.0	10.0	10.0	10.0	
212 90				3	1.7	52500	RIDE	8.0	9.0	8.8	8.1	8.0	7.9				8.3	8.2	8.3	8.1	
ST JOHNS BLUFF RD(6.8C) FC125M																					
2095138	7.744	10.820	C	2005		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.0	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	0.5*
HUBBARD CONSTRUCTION COMPA(2010) SPRIDE																					
2097243	6.697	10.558	C	2025		0012		8.2	7.8	7.8	7.6	7.8	7.8	7.7	7.7	7.6	7.5	7.6	7.5	7.4	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)			FY-F	WKM-X-F																(PMRS)	
CONTRACTOR																						
ITMSEG-F																						
72190000	10.530	12.200	R	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	9.0	6.5	6.5			6.5		10.0	10.0		
212 90			3	1.7	44500	RIDE		8.0	9.0	8.8	8.2	7.9	7.5	7.1			4.9*		8.4	8.2		
SHOPPING ENT(10.6R)						FC125M																
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.0	4.0*
							RIDE	7.8	7.7	7.8	7.8	7.8	7.7	7.6	7.6	7.6	7.5	7.7	7.6	7.4	7.0	
72190000	12.200	12.830	R	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*					10.0	10.0	10.0		
212 90			3	4.3	41132	RIDE		8.0	8.5	8.2	7.2	7.0	7.4					8.3	8.4	8.3		
EUNICE DR R(12.3R)						DGFC																
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.7	7.6	4.5*
							RIDE	8.3	7.7	7.9	7.9	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7	7.3
72190000	13.228	14.100	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	
212 90			3	1.7	44000	RIDE		8.2	7.7	7.7	7.4	7.6	7.3						8.4	7.9	7.8	
FRONTAGE RD WB(13.3R)						DGFC																
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.2	8.4	5.5*	
							RIDE	8.1	7.6	7.7	7.6	7.7	7.7	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	6.9
72190000	14.100	14.826	R	1	7	35	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	8.0	8.0	8.0		
212 90			2	1.7	22000	RIDE		6.7		7.8	7.6	7.2	6.7	6.6	6.7	6.3	6.5	6.6	6.6	6.6	6.5	
S 12TH ST(14.2R)						FC125M																
4454201	14.149	14.826	C	2024	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	
WATSON CIVIL CONSTRUCTION, (2026)						SPRIDE		6.6	6.4	6.2	5.9	6.3	6.0	6.1	5.9	5.7	5.5	5.9	5.3*	7.9	9.0	
72190000	14.000	14.826	L	1	7	35	CRACKING	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
212 90			2	1.7	22000	RIDE		6.3*		6.9	6.9	6.3	6.5	6.7	7.0	7.0	7.0	7.0	7.0	6.6	6.7	
CR 223 R(14.0L)						FC125M																
4454201	14.149	14.826	C	2024	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.2*	10.0	9.0	
WATSON CIVIL CONSTRUCTION, (2026)						SPRIDE		6.6	6.6	6.2	5.9	6.0	6.0	6.0	6.0	6.0	5.9	6.0	6.1	7.7	7.3	
72190000	13.228	14.000	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0						10.0	10.0	10.0	
212 90			3	1.7	44000	RIDE		7.4	7.0	7.2	6.1*	6.0*	5.5						8.3	8.3	8.3	
END OF FRONTAGE RD(13.3L)						DGFC																
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.6	8.5	5.5*	
							RIDE	8.0	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.6	7.8	7.4	
72190000	12.200	12.830	L	1	1	45	CRACKING	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*						10.0	10.0	10.0	
212 90			3	4.3	41132	RIDE		8.0	8.4	8.2	6.8	6.7	6.5						7.8	8.0	8.1	
FRONTAGE RD(12.6L)						DGFC																
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.6	7.6	4.5*
							RIDE	8.1	7.4	7.7	7.7	7.7	7.6	7.7	7.4	7.5	7.4	7.4	7.3	7.3	7.4	7.0
72190000	10.530	12.200	L	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	9.5	9.5						9.5	10.0	10.0	
212 90			3	1.7	44500	RIDE		8.0	8.9	8.5	8.1	8.0	7.8						6.9	8.1	7.9	
GERONA DR W(10.6L)						FC125M																
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.5	4.5*
							RIDE	7.8	7.3	7.4	7.4	7.5	7.4	7.4	7.3	7.3	7.4	7.3	7.3	7.3	7.2	6.8
72190000	6.761	10.530	L	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	9.0	7.5						10.0	10.0	10.0	
212 90			3	1.7	52500	RIDE		8.0	8.9	8.7	8.1	8.0	7.8						8.2	8.2	8.2	
ST JOHNS BLUFF RD(6.8C)						FC125M																
2095138	7.744	10.820	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.2*	2.0*	
HUBBARD CONSTRUCTION COMPA(2010)						SPRIDE		8.1	7.6	7.8	7.7	8.0	7.9	7.6	7.8	7.8	7.4	7.7	7.6	7.6	7.2	
2097243	6.697	10.558	C	2025	0012																	
72190000	5.050	6.761	L	1	1	45	CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	
212 90			3	1.7	55500	RIDE		8.3	8.2	8.0	7.3	6.9	6.9	7.8	7.6	8.0	8.1	8.0	7.9	7.7		
KLINE RD(5.1L)						FC125M																
2095432	4.031	6.739	C	2006	0012	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.9	7.6	4.0*
DOUGLAS ASPHALT COMPANY (2007)						SPRIDE		7.9	7.5	7.3	7.4	7.5	7.4	7.5	7.5	7.4	7.1	7.4	7.3	7.3	6.9	
2095436	3.567	6.761	C	2028	0012																	
72190000	4.600	5.050	L	1	1	45	CRACKING	10.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	
212 90			3	1.7	51500	RIDE			8.2	8.0	7.3	6.9	6.9	7.8	7.6	8.0	8.1	8.0	7.9	7.7		
NEWELL RD(4.7L)						FC125M																
				(2025)			CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	9.3	9.3	8.5
							RIDE	7.9	7.5	7.3	7.4	7.5	7.4	7.5	7.5	7.4	7.1	7.4	6.9	6.9	6.5	
2095436	3.567	6.761	C	2028	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-M	P	ASTYPE															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																
72190000	3.567	4.600	L	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	7.5	7.5		
212 90				3	1.7	57000	RIDE	8.0	8.2	8.0	7.3	6.9	6.9	7.8	7.6	8.0	8.1	8.0	7.9	7.7		
PARENTAL HOME RD(3.6C) FC125M																						
2095432	4.031	6.739	C	2006	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.3	4.0*	
DOUGLAS ASPHALT COMPANY (2007) SPRIDE																						
2095436	3.567	6.761	C	2028	0012																	
72190000	2.661	3.567	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5		
212 90				2	1.7	23500	RIDE	8.1	8.0	8.0	7.5	7.3	7.2	7.2	6.7	7.1	7.0	6.9	6.9	6.8		
GLENDALE RD(2.8L) FC125M																						
4287091	0.351	3.515	L	2014	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	8.3	7.5	5.0*		
MASCI GENERAL CONTRACTORS (2016) RIDE																						
72190000	1.870	2.661	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5		
212 90				2	1.7	27000	RIDE	8.1	8.0	8.0	7.5	7.3	7.2	7.2	6.7	7.1	7.0	6.9	6.9	6.8		
SR 109(2.2C) FC3																						
				(2019)			CRACKING	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	8.0	8.0	7.0	8.3	8.7	7.0	
							RIDE	6.7	6.3	7.0	7.4		7.2	7.8	7.3	7.2	7.2	7.3	7.3	6.9	6.5	
72190000	0.000	1.870	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5		
212 90				2	1.7	17600	RIDE	8.1	8.0	8.0	7.5	7.3	7.2	7.2	6.7	7.1	7.0	6.9	6.9	6.8		
SR-10/ATLANTIC BLVD(0.0L) FC125M																						
4287091	0.351	3.515	L	2014	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.2	7.9	5.5*	
MASCI GENERAL CONTRACTORS (2016) RIDE																						
72190100	0.000	0.191	C	1	4	40	CRACKING										8.0	6.5	6.5	6.5		
212				2	1.7	8300	RIDE										6.8	6.5				
BEACH BLVD(0.0C) CONC																						
				(2026)			CRACKING	6.5	6.5	6.5	9.3	9.1	9.2	9.2	8.9	9.1	9.0	8.9	9.2	8.8	8.5	
							RIDE													4.5*	4.4*	
72190180	0.000	0.224	C	1	1		CRACKING															
1155				2	2.0	1000	RIDE															
							CRACKING														3.6*	
							RIDE														4.7*	
72190300	0.000	0.520	C	1	1	20	CRACKING															
212				2	13.6	450	RIDE															
				(2025)			CRACKING														9.4	9.0
							RIDE														6.4	6.4
																					8.0	8.0
72190301	0.000	0.595	C	1	1		CRACKING															
212				2	2.0	800	RIDE															
						DGFC	CRACKING															
							RIDE														8.1	
																					5.0*	
72193000	0.000	0.442	R	1	1	45	CRACKING										9.5	9.5	9.5	9.5		
116				2	2.0	21000	RIDE										7.1	6.8	6.8	6.9		
.072 W OF 72002015(0.0C) DGFC																						
				(2026)			CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.1	10.0	9.0
							RIDE	7.0	6.7	6.8	6.5	6.3	5.6	5.9	6.1	6.4	6.7	6.8	6.8	6.8	7.2	6.8
72193000	0.442	5.836	R	1	8	45	CRACKING										10.0	10.0	10.0	9.5		
116				2	2.0	21000	RIDE										7.2	7.2	7.1	7.1		
WOMPI DR(0.6C) DGFC																						
				(2010)			CRACKING	9.5	9.5		7.5	6.5	6.0*	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*			
							RIDE	6.9	6.6		6.4	6.4	6.3	5.9	6.0	5.9	5.8	6.3				
4287963	0.455	7.884	C	2022	0012																	
72193000	6.118	6.692	R	1	1	55	CRACKING										10.0	10.0	10.0	10.0		
116				2	4.7	23500	RIDE										8.4	8.3	8.4	8.2		
DGFC																						
4287963	0.455	7.884	C	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	10.0	9.0	
WATSON CIVIL CONSTRUCTION, (2026) SPRIDE																						
								8.2	8.1	7.6	7.3	7.7	7.6	7.6	7.6	7.4	7.6	8.8	8.8	8.9	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE															
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====																												
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																														
72193000	7.380	7.882	R	1	1	55	CRACKING										9.5	9.5	9.5	9.5															
116			2	4.7		23500	RIDE										8.0	8.4	8.3	8.2															
							UNKW																												
4287963	0.455	7.884	C	2022		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.0	
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	8.0	7.9	7.5	7.4	7.5	7.5	7.4	7.5	7.2	7.3	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.2	
72193000	7.882	9.026	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0															
116			2	1.5		18400	RIDE			8.0	7.1	7.5	7.5	7.3	7.3	7.3	7.4	7.3	7.0	7.0															
SAND CASTLE LN(7.9R)							FC125M																												
4361751	7.882	8.895	R	2018		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.2	7.5													
PREFERRED MATERIALS, INC. (2019)							SPRIDE	6.8	6.8	6.3	5.7	6.4	8.3	8.0	8.1	8.1	8.0	8.1	7.8	7.8	7.4														
72193000	7.882	9.026	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.0															
116			2	1.5		18400	RIDE			7.7	7.4	7.4	7.3	7.2	7.3	7.4	7.5	7.3	7.2	7.1															
RAMP FROM SR ALA(8.0L)							FC125M																												
4361751	7.882	8.895	L	2018		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.5	7.5													
PREFERRED MATERIALS, INC. (2019)							SPRIDE	7.1	6.8	6.2	6.6	6.5	8.4	8.2	8.2	8.2	8.2	8.1	8.2	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.6		
72193000	7.380	7.882	L	1	1	55	CRACKING										10.0	10.0	10.0	10.0															
116			2	4.7		23500	RIDE										7.7	8.0	7.8	7.8															
							UNKW																												
4287963	0.455	7.884	C	2022		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	10.0	9.0														
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	7.9	7.7	7.2	6.8	7.2	6.7	6.8	7.0	6.8	6.9	8.5	8.4	8.3	7.9														
72193000	6.118	6.692	L	1	1	55	CRACKING										10.0	10.0	9.0	9.0															
116			2	4.7		23500	RIDE										8.3	8.2	8.2	8.0															
							DGFC																												
4287963	0.455	7.884	C	2022		0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	9.0														
WATSON CIVIL CONSTRUCTION, (2026)							SPRIDE	8.2	7.9	6.8	7.2	7.4	7.3	7.3	7.2	7.1	7.1	8.9	8.7	8.6	8.2														
72193000	0.442	5.836	L	1	8	45	CRACKING										10.0	10.0	10.0	9.5															
116			2	2.0		21000	RIDE										7.4	7.3	7.0	7.0															
WOMPI DR(0.6C)							DGFC																												
							CRACKING	9.5	9.5		7.5	6.5	6.0*	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*																
4287963	0.455	7.884	C	2022		0012	RIDE	7.0	6.4		6.1	6.1	5.8	5.7	5.5	5.5	5.4*	5.7																	
72193000	0.000	0.442	L	1	1	45	CRACKING										9.5	9.5	9.5	9.5															
116			2	2.0		21000	RIDE										7.3	7.4	7.3	7.2															
.072 W OF 72002015(0.0C)							DGFC																												
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	9.0													
(2026)							RIDE	7.0	6.3	6.2	6.2	6.1	6.3	6.1	6.1	6.0	6.7	6.7	6.6	6.6	7.6														
72220000	0.320	2.325	R	1	1	55	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	4.5*	10.0	10.0	10.0	10.0	10.0	10.0														
134			2	6.0		13100	RIDE	8.2	7.9	7.9	6.7	6.9	6.5	6.1*	8.0	8.2	8.3	8.1	7.8	7.7															
AVE A(0.5R)							FC95M																												
2087182	0.000	2.572	C	2007		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.0*	2.5*														
PREFERRED MATERIALS, INC. (2008)							RIDE	7.8	7.6	7.6	7.7	7.7	7.5	7.6	7.6	7.4	7.3	7.4	7.3	7.2	6.8														
2096928	0.320	3.217	C	2029		0012																													
72220000	2.325	3.217	R	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
134			2	7.0		14400	RIDE	8.2	7.6	7.5	7.0	6.9	8.1	8.2	8.2	8.1	8.2	8.0	7.9	8.0															
CECIL COMMERCE PKWY(2.8C)							DGFC																												
							CRACKING	9.5	9.5																										
2096928	0.320	3.217	C	2029		0012	RIDE	8.1	8.1					10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0														
72220000	3.217	5.570	R	1	1	45	CRACKING	4.5*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
134			2	7.0		14400	RIDE	8.2	8.1	8.1	7.1	6.9	8.1	8.2	8.2	8.1	8.2	8.0	7.9	8.0															
PIPER GLEN BLVD(3.4R)							FC125																												
2096922	3.006	5.480	C	2005		0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0																	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
72220000	7.600	9.008	R	1	1	45	CRACKING	7.5	7.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	
134				3	6.5	35000	RIDE	5.2*	5.6*	5.3*	7.7	7.3	7.2	6.9	7.1	6.8	6.9	6.2	6.6	6.3	
FIRESTONE DR(7.6C)																					
4412611	7.776	8.982	C	2021	0012	CRACKING	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.4	10.0	8.5	
DUVAL ASPHALT PRODUCTS, IN(2023) SPRIDE																					
72220000	9.008	10.797	R	1	1	45	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
134				2	6.5	19700	RIDE	6.1*	6.2*	6.1*		7.7	7.6	7.6	7.5	7.5	7.5	7.4	7.1	7.1	
WESCONNET BLVD(9.1C)																					
4432611	8.978	10.660	R	2022	0012	CRACKING	9.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*		10.0	10.0	9.0	
DUVAL ASPHALT PRODUCTS, IN(2025) SPRIDE																					
72220000	11.062	11.631	R	1	1	40	CRACKING	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	
134				2	6.5	19200	RIDE	7.9	8.1	7.8		7.7	7.6	7.6	7.5	7.5	7.7	7.4	7.4	7.5	
ROOSEVELT(11.6C)																					
4432611	10.660	11.589	R	2022	0012	CRACKING	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	9.0	
DUVAL ASPHALT PRODUCTS, IN(2025) SPRIDE																					
72220000	11.062	11.631	L	1	1	40	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
134				2	6.5	19200	RIDE	7.5	7.0	6.6		7.4	7.2	7.4	7.1	7.4	6.3	6.1	8.9	7.3	
ORTEGA FOREST DR(11.2L)																					
4432611	10.660	11.589	L	2022	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	9.0	
DUVAL ASPHALT PRODUCTS, IN(2025) SPRIDE																					
72220000	9.008	10.797	L	1	1	45	CRACKING	8.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
134				2	6.5	19700	RIDE	5.6*	6.2*	6.0*		7.4	7.2	7.4	7.1	7.4	7.4	7.0	6.8	6.9	
WESCONNET BLVD(9.1C)																					
4432611	8.978	10.660	L	2022	0012	CRACKING	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	10.0	9.0	
DUVAL ASPHALT PRODUCTS, IN(2025) SPRIDE																					
72220000	7.600	9.008	L	1	1	45	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
134				3	6.5	35000	RIDE	6.3*	6.1*	6.6	7.7	7.4	7.1	7.2	7.3	7.2	7.4	7.2	7.0	6.9	
FIRESTONE DR(7.6C)																					
4412611	7.776	8.982	C	2021	0012	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.4	10.0	8.5	
DUVAL ASPHALT PRODUCTS, IN(2023) SPRIDE																					
72220000	5.570	7.600	L	1	7	45	CRACKING	9.5	9.5	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
134				3	6.5	49500	RIDE	6.6	6.5	6.5	6.2*	5.9*	8.0	7.7	7.7	7.9	7.8	7.6	7.5	7.4	
LAMBING RD(5.7L)																					
4376141	5.570	7.606	C	2024	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	10.0	9.0
REEVES CONSTRUCTION COMPAN(2026) SPRIDE																					
72220000	3.217	5.570	L	1	1	45	CRACKING	6.0*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
134				2	7.0	14400	RIDE	8.1	8.0	7.9	7.2	7.1	7.9	7.9	8.1	8.0	8.2	7.9	7.8	8.0	
PIPER GLEN BLVD R(3.4L)																					
2096922	3.006	5.480	C	2005	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	6.5	3.0*	
DOUGLAS ASPHALT COMPANY (2006) RIDE																					
2096926	3.217	5.570	C	2025	0012		8.0	7.5	7.8	7.9	7.9	8.0	7.9	7.8	7.9	7.9	7.9	7.8	7.6	7.2	
72220000	2.325	3.217	L	1	1	45	CRACKING	6.0*	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
134				2	7.0	14400	RIDE	8.1	7.5	7.4	7.5	6.8	7.9	7.9	8.1	8.0	8.2	7.9	7.8	8.0	
CHAFFEE RD L(2.6L)																					
				(2020)			CRACKING	9.5	9.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	8.0	7.5					8.0	7.8	7.8	7.9	7.8	7.8	7.9	7.5
2096928	0.320	3.217	C	2029	0012																
72220000	0.320	2.325	L	1	1	55	CRACKING	9.5	8.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
134				2	6.0	13100	RIDE	8.5	8.1	8.2	7.4	7.1	6.6	6.4*	8.5	8.4	8.4	8.4	8.1	7.8	
TO NEW WORLD AVE(0.3L)																					
2087182	0.000	2.572	C	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	2.0*
PREFERRED MATERIALS, INC. (2008) RIDE																					
2096928	0.320	3.217	C	2029	0012		7.9	7.3	7.7	7.7	7.7	7.7	7.8	7.7	7.8	7.6	7.5	7.4	7.1	7.2	6.8
72220001	0.000	0.184	R	1	1	45	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	
134				2	6.5	12000	RIDE														
NORMANDY BLVD(0.0C)																					
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	3.5*
							RIDE													4.2*	3.8*
2096928	0.000	0.184	C	2029	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F	ASTYPE	=====														(PMRS)	
CONTRACTOR	(AGE_ONE	YEAR)																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F	ASTYPE	=====															
72220001	0.000	0.184	L	1	1	45	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0		
134			2	6.5	12000		RIDE															
NORMANDY BLVD(0.0C)																						
					(2008)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	6.0*	2.5*	
					2029	0012	RIDE														5.2*	
2096928	0.000	0.184	C	2029	0012																	
72230000	0.000	0.370	R	1	1	40	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	7.0		
ALA			2	2.6	29200		RIDE	7.3	6.7	6.7	6.3	6.5	6.4	6.1	6.2	6.1	6.0	6.0	6.0	6.0	6.0	
.025 BEFORE SR 10(0.0C)																						
					(2003)		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.8*	3.5*	0.0*	
					2026	0012	RIDE	6.1	5.8	5.6	5.7	5.6	5.3*	5.6	5.3*	5.5	5.5	5.4*	5.4*	4.9*	4.5*	
4454281	0.000	0.383	C	2026	0012																	
72230000	0.370	1.135	R	1	1	40	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0		
ALA			3	2.6	38000		RIDE	7.3	6.7	7.0	6.8	6.6	6.0	6.3	6.4		8.4	8.1	8.2	7.8		
SARATAGO CIR N(0.4R)																						
					(2010)		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	7.0	6.5	3.5*	
					2029	0012	RIDE	8.2	7.6	7.4	7.7	8.0	7.8	7.9	7.9	7.9	7.9	7.8	8.0	7.8	7.4	
2085123	0.383	3.509	C	2029	0012																	
72230000	1.135	3.509	R	1	1	40	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	9.0		10.0	10.0	10.0	10.0		
101			2	2.6	14600		RIDE	7.9	7.9	7.8	7.2	7.2	6.9	6.8	6.5		8.0	7.9	7.9	7.8		
SIMMONS RD(1.1R)																						
					(2010)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	6.7	3.5*	
					2029	0012	RIDE	7.9	7.7	7.5	7.7	7.7	7.6	7.4	7.5	7.2	7.4	7.4	7.1	7.0	6.6	
2085123	0.383	3.509	C	2029	0012																	
72230000	1.135	3.509	L	1	1	40	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0		
101			2	2.6	14600		RIDE	7.7	7.4	7.5	6.8	6.5	6.6	6.3	6.1		8.0	7.8	7.8	7.8		
DUDLEY ST(1.2L)																						
					(2010)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.3*	3.0*	
					2029	0012	RIDE	7.7	7.4	7.3	7.4	7.6	7.4	7.4	7.3	7.2	7.3	7.2	7.1	6.9	6.5	
2085123	0.383	3.509	C	2029	0012																	
72230000	0.370	1.135	L	1	1	40	CRACKING	7.0	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0		
ALA			3	2.6	38000		RIDE	6.7	5.9	6.9	6.0	6.1	6.0	5.7	5.2*		8.2	8.1	8.0	7.9		
W 7TH ST(0.4L)																						
2088282	0.383	1.213	L	2007	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.3	5.5*	2.5*	
					(2010)		RIDE	8.0	7.5	7.7	7.7	7.9	7.8	7.8	7.6	7.7	7.8	7.7	7.6	7.5	7.1	
2085123	0.383	3.509	C	2029	0012																	
72230000	0.000	0.370	L	1	1	40	CRACKING	7.0	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	7.0		
ALA			2	2.6	29200		RIDE	6.7	5.9	7.2	6.9	6.7	6.4	6.1	5.5	6.2	6.0	5.8	5.9	5.8		
.025 BEFORE SR 10(0.0C)																						
					(2003)		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.0*	3.5*	0.0*	
					2026	0012	RIDE	5.6	5.7	5.6	5.7	5.5	5.4*	5.4*	5.5	5.5	5.2*	5.1*	4.9*	4.8*	4.4*	
4454281	0.000	0.383	C	2026	0012																	
72240000	0.000	0.570	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		10.0	10.0	10.0		
ALA			2	3.4	14100		RIDE	7.2	7.2	6.6	6.9	5.9*	5.6	5.1*	6.2	6.6		7.7	7.5	7.5		
SR-101/ MAYPORT RD(0.0R)																						
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.4	7.2	4.0*	
							RIDE	7.6	7.1	7.1	7.2	7.1	7.3	7.2	6.9	7.1	7.1	6.9	7.0	7.0	6.6	
72240000	0.570	3.451	C	1	1	50	CRACKING	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0		
ALA			2	4.1	6000		RIDE	7.0	7.1	7.1	6.5	6.5	6.4*	6.3*	6.3*	6.2*		7.7	7.6	7.6		
APT ENT(0.7L)																						
2085122	1.127	3.015	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.4	7.1	4.0*	
DUVAL ASPHALT PRODUCTS, IN(2011)																						5.9*
							SPRIDE	7.5	7.0	7.3	7.3	7.3	7.1	6.9	7.0	6.8	6.8	6.6	6.5	6.3*		
72250000	0.000	0.501	C	1	1	45	CRACKING	6.5	10.0	10.0	10.0	10.0		10.0			9.5	9.5	9.5	9.5		
105			2	15.8	8600		RIDE	7.6	8.7	8.7	8.0	8.0		6.6			7.9	7.4	7.8	7.6		
I 95(0.0C)																						
4413211	0.074	0.408	C	2021	0012		CRACKING	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	8.5	
PREFERRED MATERIALS, INC. (2023)																						7.7
							SPRIDE	6.8	6.8	7.1	7.4	7.4	7.3	7.3	7.2	7.1	8.1	8.2	8.1	8.1		
72250000	0.501	1.050	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		
105			2	15.8	19800		RIDE	8.2	8.0	8.0	7.3	7.6	7.1	6.9	7.2	7.1	7.0	8.4	8.1	8.1		
PARKER AVE(0.8C)																						
4413211	0.408	0.863	C	2021	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.6	8.4	7.0	
PREFERRED MATERIALS, INC. (2021)																						7.4
							SPRIDE	7.3	7.4	7.1	7.4	7.8	7.9		7.9	7.9	7.8	7.8	7.8	7.8		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)		SURFTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
72250000	5.350	5.900	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
105			2	16.6		17900	RIDE	7.8	7.4	7.3	6.4*		7.3	7.6	7.4	7.4	7.4	7.3	7.4	7.2		
NEW BERLIN RD(5.9C) DGFC																						
2092681	4.963	5.960	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.5	7.4	7.3	3.5*	
				(2006)			RIDE	7.3	6.6	6.5	6.3	6.6	6.5	6.6	6.6	6.6	6.4	6.6	6.6	6.6	6.2	
4432551	3.100	8.017	C	2028		0012																
72250000	3.040	5.350	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*					10.0	
105			2	16.6		17900	RIDE	7.8	7.4	7.3	6.4*	5.9*	6.9	6.8	6.6	6.2					8.2	
SIDE ROAD(3.2L) DGFC																						
2092684	3.174	5.371	L	2008		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	5.5*	3.0*
				(2013)			RIDE	8.2	7.7	7.7	7.6	7.6	7.4	7.3	7.2	7.1	6.8	6.8	6.4	6.2	5.8	
4432551	3.100	8.017	C	2028		0012																
72250000	1.050	3.040	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	
105			2	15.8		15500	RIDE	8.8	8.8	8.7	8.4	8.2	8.0	7.9	8.1	7.8	7.7	7.8	7.9	7.6		
HAYDON RD(1.1L) FC125H																						
4376151	0.743	3.100	C	2019		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	8.5	
				(2021)			SPRIDE	7.3	7.1	7.4	7.3	7.2	7.1		8.4	8.3	8.2	8.2	8.0	8.1	7.7	
PREFERRED MATERIALS, INC. (2021)																						
72250000	0.501	1.050	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
105			2	15.8		19800	RIDE	7.6	7.9	7.2	6.7	6.3*	5.8	5.5	5.2*	5.2*	5.2*	8.4	8.3	8.0		
PARKER AVE(0.8C) FC125H																						
4413211	0.408	0.863	C	2021		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.8	8.9	7.5	
				(2021)			SPRIDE	7.4	7.6	7.9	7.6	7.5	7.8		8.0	7.8	7.7	7.4	7.4	7.4	7.0	
PREFERRED MATERIALS, INC. (2021)																						
72250001	0.000	0.553	C	1	1	45	CRACKING						10.0			10.0	10.0	10.0	9.5	9.5		
105			2	15.8		6500	RIDE						7.4			7.6	7.6	7.5	7.3	7.2		
72020425 BROWARD RD(0.0R) FC125M																						
4413211	0.111	0.530	C	2021		0012	CRACKING	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	10.0	10.0		7.0	5.5*	
				(2023)			SPRIDE	7.2	6.6	6.8	6.9	6.7	6.0	6.4	6.3	5.7	7.6	7.5		7.7	7.3	
PREFERRED MATERIALS, INC. (2023)																						
72250002	0.000	0.351	C	1	1		CRACKING															
1051			2	2.0		800	RIDE															
				(2026)			CRACKING														8.8	
							RIDE														5.8*	
PREFERRED MATERIALS, INC. (2026)																						
72250451	0.000	0.328	C	1	1	35	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5								
106			2	12.6		3600	RIDE	6.3*	6.9	7.0	6.6	6.4	6.3	5.7								
MAIN ST N(0.0C) FC125M																						
4413211	0.064	0.299	C	2021		0012	CRACKING													8.5	8.5	
				(2025)			SPRIDE													6.3	6.3	
PREFERRED MATERIALS, INC. (2025)																						
72260000	0.000	0.222	C	1	1	40	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5				10.0	10.0	
ALA			2	6.0		5450	RIDE	7.9	8.0	8.0	6.0	5.9	5.6	5.6	5.4*	5.5				7.5	7.2	
FERRY SLIP(0.0C) FC95																						
2094412	0.000	0.140	L	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	6.8	4.0*	
				(2012)			RIDE	7.1	6.2	5.7	5.7	6.1	5.9	5.8	5.8	5.6	5.5	5.7	5.3*	6.0	5.6	
HUBBARD CONSTRUCTION COMPA (2012)																						
72260000	0.222	1.450	C	1	8	50	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5		10.0	10.0	7.5	7.5		
ALA			2	6.0		5450	RIDE	7.9	8.0	8.0	6.0*	5.9*	5.6*	5.6*	5.4*		8.7	8.7	8.6	8.3		
FT GEORGE RD(0.6L) FC95																						
2094412	0.140	1.611	C	2008		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	5.5*	5.5*	5.5*	5.3*			
				(2010)			RIDE	7.9	7.6	7.1	6.4*	6.8	6.7	6.5	6.3*	6.2*	6.2*	6.2*	5.9*			
HUBBARD CONSTRUCTION COMPA (2010)																						
2094414	0.300	2.970	C	2025		0012																
72260000	1.450	1.992	C	1	8	50	CRACKING	8.5	8.5	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA			3	6.0		5450	RIDE	7.9	8.0	8.0			7.3	7.1	7.1	6.7	7.3	7.3	7.1	7.1		
TRUCK TURNAROUND(1.6L) FC125																						
				(2006)			CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.5	6.5	6.5	6.0*	5.5*	5.5*			
							RIDE	6.9	6.8	5.6*	5.6*	5.9*	5.7*	5.6*	5.8*	5.5*	5.6*	5.7*	5.6*			
2094414	0.300	2.970	C	2025		0012																
72260000	2.384	3.035	C	1	8	55	CRACKING	8.5	8.5	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	6.0		5450	RIDE	7.9	8.0	8.0			7.9	7.8	7.8	8.0	7.9	7.9	7.7	7.6		
FC125																						
				(2006)			CRACKING	10.0	10.0	8.5	8.5	7.5	7.5	7.5	6.5	6.5	6.0*	6.0*	5.4*			
							RIDE	7.2	6.7	6.2*	6.0*	6.4*	6.5	6.3*	6.3*	5.8*	5.7*	5.4*	5.2*			
2094415	2.371	9.453	C	2028		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_AADT	W_RATINGS	W_SURFTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_AGE	W_YEAR	W_FY	W_P	W_WKMX	W_P	W_ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)				
ITMSEG-F	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_AADT	W_RATINGS	W_SURFTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
72260000	ALA		3.035	5.144	C	1	1	55	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
SIDE ROAD(4.1L)						2	6.0		5450 RIDE	7.9	8.0	8.0	7.4	7.3	7.1	7.0	6.8				8.5	8.5	8.3	8.2		
FC95																										
2094412	HUBBARD CONSTRUCTION COMPA(2010)		2.670	4.937	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.8	6.4*	6.4*	3.5*	
2094415	HUBBARD CONSTRUCTION COMPA(2010)		2.371	9.453	C	2028		0012	RIDE	7.9	7.3	6.8	6.9	7.6	7.6	7.4	7.4	7.2	7.0	6.2*	6.1*	6.1*	6.1*	5.7*		
72260000	ALA		5.144	6.196	C	1	1	55	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0		
FC125M						2	5.1		5500 RIDE	7.9	8.0	8.0	7.4	7.3	7.1	7.0	6.8				8.5	8.5	8.3	8.2		
(2024)																										
2094415	HUBBARD CONSTRUCTION COMPA(2010)		2.371	9.453	C	2028		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	
RIDE										7.9	7.3	6.8	6.9	7.6	7.6	7.4	7.4	7.2	7.0	8.1	8.0	8.0	8.0	7.6		
72260000	ALA		6.196	9.453	C	1	1	55	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0		
FC95						2	5.1		5500 RIDE	7.9	8.0	8.0	7.4	7.3	7.1	7.0	6.8				8.5	8.5	8.3	8.2		
HOUSTON AVE(6.4L)																										
2094412	HUBBARD CONSTRUCTION COMPA(2010)		5.158	9.453	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	7.0	7.0	4.0*		
2094415	HUBBARD CONSTRUCTION COMPA(2010)		2.371	9.453	C	2028		0012	RIDE	7.9	7.3	6.8	6.9	7.6	7.6	7.4	7.4	7.2	7.0	7.6	7.4	7.4	7.3	6.9		
72260001	ALA		0.000	0.470	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0				10.0	10.0	10.0	10.0		
FC3						2	5.1		5500 RIDE	7.8	8.2	8.0	7.5	7.6	7.5	7.5	7.2				8.4	8.2	8.0	7.7		
(2010)																										
2094415	HECKSCHER(0.0C)		0.000	0.470	C	2028		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	5.4*	2.5*		
RIDE										7.5	6.2*	6.7	6.6	6.5	6.5	6.2*	6.0*	6.1*	6.1*	6.1*	6.3*	5.8*	5.9*	5.5*		
72270000	8 I10		0.000	2.486	R	4	8	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
FC5M						2	28.5		41500 RIDE	8.9	8.9	8.8	8.2	8.2	8.1	8.0	8.1	7.9	7.8	7.7	7.8	7.8	7.8	7.6		
4246341	ANDERSON COLUMBIA CO., INC(2014)		0.013	9.008	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5			
4475591	ANDERSON COLUMBIA CO., INC(2014)		0.000	2.996	C	2024		0012	SPRIDE	8.0	7.8	8.3	8.3	8.5	8.4	8.4	8.4	8.4	8.3	8.1	8.0					
72270000	8 I10		2.486	4.361	R	4	8	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
OGFC						2	21.4		61097 RIDE	9.0	8.9	8.8	8.2	8.2	8.1	8.0	7.9	7.8	7.7	7.8	7.8	7.8	7.6			
(2025)																										
72270000	8 I10		4.361	8.787	R	4	8	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5		
FC5M						2	21.4		61097 RIDE	8.9	8.8	8.8	8.3	8.2	8.1	8.1	7.6	7.8	7.8	7.7	7.5	7.5	7.5			
4246341	ANDERSON COLUMBIA CO., INC(2014)		0.013	9.008	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*			
4475591	ANDERSON COLUMBIA CO., INC(2014)		3.916	8.875	C	2024		0012	SPRIDE	8.2	8.0	8.5	8.5	8.7	8.6	8.6	8.5	8.5	8.3	8.1	8.0					
72270000	8 I10		8.787	11.139	R	4	1	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0			
FC5M						3	21.4		61097 RIDE	8.9	8.8	8.8	8.3	8.2	8.1	8.0					8.3	8.3	8.2	8.3		
(2020)																										
EB ENT FROM FRONTAGE RD(10.4R)																										
FC5M																										
RIDE										10.0	10.0	10.0									10.0	10.0	10.0	7.5		
(2020)										8.2	7.9	8.4									8.8	8.8	8.8	8.6		
72270000	8 I10		11.139	16.316	R	4	1	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5					
FC5M						3	21.6		96000 RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.0	7.6	7.5								
4475571	ANDERSON COLUMBIA CO., INC(2025)		11.148	15.365	R	2024		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	6.5	6.5	4.5*	3.5*	10.0	10.0	9.0			
SPRIDE										8.2	8.2	8.6	8.5	8.8	8.0	8.7	8.6	8.5	8.2	7.7	8.6	8.7	8.6			
72270000	8 I10		16.316	17.162	R	4	8	55	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5								
FC5M						4	19.6		135000 RIDE	9.0	8.8	8.8	8.3	8.0	7.9	7.9	7.2	6.9								
(2017)																										
RIDE										10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
(2017)										8.2	8.0	7.9	8.1	8.3	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4				
72270000	8 I10		17.162	17.550	R	4	8	55	CRACKING	7.5	7.3	7.6	7.5	7.5	7.6	7.6	7.8	7.6	8.4				9.1			
LDG						4	19.6		134000 RIDE	7.7	7.8	7.8	6.3*	6.2*	6.6	6.7	5.7*	6.2*	5.0*				7.3			
(2017)																										
RIDE										9.2	9.1		9.1	9.2	9.1	9.1	9.1	9.1	9.2	9.1						
(2017)										7.5	7.7		6.6	7.4	7.1	7.2	7.4	7.4	7.3	7.3						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
72270000	17.550	18.085	R	4	2	55	CRACKING	7.5	7.3	7.6	7.5	7.5	7.6	7.6	7.8	7.6	8.4				9.1
8 I10	358.2	358.7	4	19.6	134000		RIDE	7.7	7.8	7.8	6.3*	6.2*	6.6	6.7	5.7*	6.2*	5.0*				7.3
							LDG														
				(2017)			CRACKING	9.2	9.1		9.1	9.2	9.1	9.1	9.1	9.1	9.2	9.1	8.8	9.1	8.5
							RIDE	7.5	7.7		6.6	7.4	7.1	7.2	7.4	7.4	7.3	7.3		7.3	7.2
72270000	18.085	19.786	R	4	2	55	CRACKING	7.5	7.3	7.6	7.5	7.5	7.6	7.6	7.8	7.6	8.4				9.1
8 I10	358.7	360.4	3	19.6	137000		RIDE	7.7	7.8	7.8	6.3*	6.2*	6.6	6.7	5.7*	6.2*	5.0*				7.3
							LDG														
2131132	17.035	20.265	R	2009	0227		CRACKING	9.2	9.1	9.1	9.2	9.2	9.2	9.2	9.1	9.2	8.9	8.9	8.6	9.1	8.5
				(2013)			RIDE	7.5	7.7	7.8	7.2	7.7	7.5	7.6	7.7	7.6	7.3	7.2	6.9	7.8	7.7
72270000	19.786	21.002	R	4	8	55	CRACKING	7.5	7.3	7.6	7.5	7.5	7.6	7.6	7.8	7.6	8.4				9.1
8 I10	360.4	361.6	3	19.6	139000		RIDE	7.7	7.8	7.8	6.3*	6.2*	6.6	6.7	5.7*	6.2*	5.0*				7.3
							LDG														
FR I-10 WB TO ROOSEV(20.5R)																					
2131132	20.265	21.044	R	2009	0227		CRACKING	9.2	9.1	9.1	9.2	9.2	9.2	9.2	9.1	9.2	8.9	8.9	8.6	9.1	8.5
				(2013)			RIDE	7.5	7.7	7.8	7.2	7.7	7.5	7.6	7.7	7.6	7.3	7.2	6.9	7.8	7.7
72270000	21.002	21.398	R	4	4	55	CRACKING	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	0.0*				9.5	9.4	9.4
8 I10	361.6	362.0	4	19.6	139000		RIDE	7.2	7.4	7.4	6.4*	6.2*	6.0*	5.9*	5.5*				7.0	7.1	7.3
							LDG														
72020182	EB OFF(21.4R)						CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.2	9.2	9.1	9.2	9.1	9.1	8.5
				(2011)			RIDE	7.8	7.8	8.1	7.4	8.1	8.0	7.4	7.6	6.8	7.1	7.3	6.9	7.2	7.1
72270000	21.002	21.398	L	4	4	55	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*				9.4	9.4	9.4	
8 I10	361.6	362.0	4	19.6	139000		RIDE	6.7	6.9	6.9	6.0*	5.5*	6.0*	5.9*				7.2	7.6	7.5	
							LDG														
72020183	EB OFF(21.4L)						CRACKING	9.4	9.2	9.2	9.2	9.3	9.2	9.2	9.1	9.4	9.4	9.5	9.4	9.1	8.5
				(2011)			RIDE	7.8	7.1	7.4	7.4	7.5	7.5	6.9	7.4	7.5	8.1	8.0	8.0	7.4	7.3
72270000	17.050	21.002	L	4	4	55	CRACKING	8.7	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.6	7.8	7.3			8.9
8 I10	357.7	361.6	3	19.6	134000		RIDE	7.9	8.0	8.1	6.4*	6.7	6.6	6.8	6.2*	6.4*	5.7*	6.1*			5.7*
							LDG														
72030000	WB OFF(20.5L)																				
2131132	17.035	20.265	L	2009	0227		CRACKING	9.0	9.0	9.1	9.0	9.2	9.2	9.0	8.6	8.1	8.1	8.1	7.8	8.7	8.0
				(2013)			RIDE	7.9	8.0	8.2	8.1	8.2	8.0	8.0	8.2	8.0	8.0	7.9	7.5	7.8	7.7
RUSSELL ENGINEERING, INC																					
72270000	16.316	17.050	L	4	8	55	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	3.5*					
8 I10	356.9	357.7	3	19.6	135000		RIDE	7.4	8.0	8.2	7.6	7.5	7.2	6.9	6.4*	5.5*					
							FC5M														
2132724	16.616	17.035	L	2009	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	3.5*			
				(2014)			RIDE	8.6	8.3	8.3	8.3	8.4	8.4	8.3	8.4	8.3	8.2	8.1			
72270000	11.139	16.316	L	4	1	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5					
8 I10	351.8	356.9	3	21.6	96000		RIDE	8.7	8.9	8.9	8.3	8.2	8.2	8.2	7.9	7.8					
							FC5M														
4475571	11.148	16.429	L	2024	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	3.5*	10.0	10.0	9.0
				(2025)			SPRIDE	8.5	8.3	8.4	8.4	8.6	8.6	8.6	8.6	8.5	8.3	8.0	8.6	8.7	8.6
ANDERSON COLUMBIA CO., INC																					
72270000	8.916	11.139	L	4	1	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0	
8 I10	349.5	351.8	3	21.4	61097		RIDE	8.7	8.9	8.9	8.3	8.2	8.2	8.2			8.4	8.5	8.5	8.5	
							FC5M														
				(2020)			CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	9.5	9.5	8.1	9.0	7.5
							RIDE	8.5	8.2	8.5				9.0	9.1	9.0	9.0	9.0	8.9	8.9	8.8
72270000	4.383	8.916	L	4	8	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	
8 I10	345.0	349.5	2	21.4	61097		RIDE	8.7	8.9	8.9	8.3	8.2	8.2	8.2	8.0	7.9	8.0	8.0	7.9	7.9	
							FC5M														
4246341	0.013	9.008	L	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*		
				(2014)			SPRIDE	8.2	8.0	8.4	8.4	8.6	8.5	8.6	8.6	8.6	8.5	8.4	8.3		
ANDERSON COLUMBIA CO., INC																					
4475591	3.916	8.875	C	2024	0012																
72270000	2.486	4.383	L	4	8	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	
8 I10	343.1	345.0	2	21.4	61097		RIDE	8.9	8.9	8.9	8.3	8.2	8.2	8.2	8.0	7.9	8.0	8.0	7.9	7.9	
							FC5M														
				(2025)			CRACKING	10.0	10.0	10.0											
							RIDE	8.2	8.0	8.4											

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
72280000	16.281	16.793	R	4	4	55	CRACKING		8.6	8.8	8.7	8.6	8.6	8.4	8.3	8.5	8.4	8.3	8.0	7.9		
9 I95	348.1	348.6	3	13.6	153500		RIDE		8.6	8.8	7.7	8.2	8.1	8.1	7.8	8.0	7.4	7.4	7.1	7.5		
END 280 NB/BEG 020 NB(16.8C)					LDG																	
				(2019)			CRACKING						9.3	9.3	9.3	9.3	9.3	9.1	9.0	8.3	8.0	
							RIDE						8.0	8.1	8.3	8.4	8.3	8.2	8.1	8.2	8.1	
72280000	16.437	16.793	L	4	4	55	CRACKING		8.7	9.3	9.2	9.1	9.1	9.0	9.0	8.8	8.7	8.7	8.0	8.5		
9 I95	348.3	348.6	4	13.6	153500		RIDE		8.4	8.5	8.1	7.9	7.8	7.8	7.6	8.8	7.3	7.7	7.7	7.3		
END 280 NB/BEG 020 NB(16.8C)					LDG																	
				(2019)			CRACKING						9.2	9.1	9.1	9.1	9.0	8.8	8.7	9.4	9.0	
							RIDE						8.1	8.1	8.4	8.2	8.3	8.3	8.2	8.2	8.1	
72280000	14.561	16.437	L	4	8	65	CRACKING	9.2	9.2	9.2	9.1	9.1	9.1	9.0	9.1	9.1	9.2	9.2	8.5	9.2		
9 I95	346.4	348.3	4	13.6	153500		RIDE	8.4	8.1	8.5	7.7	7.6	7.6	7.6	7.2	7.3	7.4	7.4	6.5	6.3*		
					LDG																	
2132172	11.118	16.523	L	2011	0227		CRACKING		9.2	9.2	9.1	9.2	9.1	9.1	8.7	8.6	8.5	8.3	8.3			
				(2015)			RIDE		8.0	8.3	6.9	8.2	8.0	8.0	8.2	8.2	8.0	8.0	8.0			
4322592	14.785	16.402	C	2023	0213																	
72280000	12.360	14.561	L	4	4	65	CRACKING	9.2	9.2	9.2	9.1	9.1	9.1	9.0	9.1	9.1	9.2	9.2	8.5	9.2		
9 I95	344.2	346.4	3	4.0	149170		RIDE	8.4	8.1	8.5	7.7	7.6	7.6	7.6	7.2	7.3	7.4	7.4	6.5	6.3*		
					LDG																	
2132172	11.118	16.523	L	2011	0227		CRACKING		9.2	9.2	9.1	9.2	9.1	9.1	8.7	8.6	8.5	8.3	8.3	8.0	7.5	
				(2015)			RIDE		8.0	8.3	6.9	8.2	8.0	8.0	8.2	8.2	8.0	8.0	8.0	8.0	7.9	
4322595	11.626	14.785	C	2026	0213																	
72280000	10.765	12.360	L	4	4	65	CRACKING	7.0	6.7	6.5	6.5	6.5	6.4*	4.8*	6.5	6.4*	6.9	6.3*	5.1*	6.0*		
9 I95	342.6	344.2	3	13.6	135500		RIDE	8.6	8.5	8.5	7.7	7.4	7.5	7.3	7.3	7.1	7.2	7.0	6.3*	6.1*		
					LDG																	
				(2018)			CRACKING		9.3	9.3		9.0	8.7	8.7	7.6	7.2	6.9	6.4*	7.1	5.9*	5.5*	
4461531	9.451	11.626	C	2030	0213		RIDE		7.8	8.1		8.0	7.7	7.8	8.0	8.1	7.9	7.9	7.9	7.9	7.8	
72280000	7.476	10.765	L	4	4	65	CRACKING	7.0	6.7	6.5	6.5	6.5	6.4*	4.8*	6.5	6.4*	6.9	6.3*	5.1*	6.0*		
9 I95	339.3	342.6	3	13.6	117000		RIDE	8.6	8.5	8.5	7.7	7.4	7.5	7.3	7.3	7.1	7.2	7.0	6.3*	6.1*		
					LDG																	
2132175	7.313	11.118	L	2011	0227		CRACKING		9.3	9.3	9.2	9.1	9.1	9.1	8.4	7.4	7.5	7.1	7.6	6.5	6.0*	
				(2015)			RIDE		7.8	8.1	8.1	8.2	7.9	8.0	8.1	8.1	8.0	8.0	8.0	7.9	7.8	
72280000	6.079	7.476	L	4	4	65	CRACKING	7.6	6.4*	6.4*	6.3*	6.3*	6.2*	4.4*	6.1*	6.4*	7.1	6.8	5.5*	5.2*		
9 I95	337.9	339.3	4	19.6	142500		RIDE	8.5	8.5	8.4	7.2	7.4	7.5	7.2	6.5	6.9	7.0	7.1	6.9	6.2*		
					LDG																	
2132175	6.648	7.313	L	2011	0227		CRACKING		9.3	9.4	9.3	9.3	9.3	9.3	8.6	8.1	7.9	7.2	7.4	6.4*	6.0*	
				(2015)			RIDE		7.3	8.1	8.1	8.2	8.0	8.1	8.3	8.3	8.2	8.2	8.1	8.1	8.0	
72280000	4.807	6.079	L	4	4	65	CRACKING	9.3	9.1	9.1				8.4	8.2	7.4	8.1	7.0	5.6*	5.2*		
9 I95	336.6	337.9	3	19.6	157500		RIDE	8.6	8.4	8.6				7.3	7.4	7.0	7.2	7.4	7.3	6.7		
					LDG																	
I-295/SR-9A SB(5.3L)																						
2132175	5.000	5.874	L	2011	0227		CRACKING		9.4	9.3	9.1	9.3	9.2	9.2	8.6	8.8	8.0	7.4	7.3	6.5	6.0*	
				(2015)			RIDE		7.9	8.3	8.3	8.4	8.2	8.3	8.5	8.5	8.4	8.3	8.4	8.3	8.2	
4240265	0.052	5.768	C	2029	0213																	
72280000	4.420	4.807	L	4	1	65	CRACKING	2.0*						10.0	10.0	10.0	10.0	10.0	9.5	9.0		
9 I95	336.2	336.6	3	11.2	97025		RIDE	8.0						8.0	7.9	7.9	8.0	7.8	7.8	7.7		
					FC2																	
				(2007)			CRACKING		9.0	9.0	7.5		8.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	0.0*
2132093	0.052	4.916	C	2029	0012		RIDE		7.7	7.5	7.7		8.2	8.2	8.3	8.3	8.0	7.9	8.0	7.7	7.8	7.7
72280000	3.243	4.420	L	4	1	65	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	335.1	336.2	4	11.2	97025		RIDE	8.0		8.9	8.3	8.2	8.2	8.2	8.1	8.1	8.2	7.9	7.9	7.9	7.8	
					FC5M																	
4326561	3.405	4.302	L	2016	0213		CRACKING		9.0	8.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.9	5.0*	
PETTICOAT-SCHMITT				(2018)			SPRIDE		7.7	7.9		8.6	8.6	8.5	8.5	8.5	8.4	8.3	8.3	8.0	7.9	
2132093	0.052	4.916	C	2029	0012																	
72280000	2.289	3.243	L	4	1	65	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
9 I95	334.1	335.1	3	11.2	97025		RIDE	8.0		8.9	8.3	8.2	8.2	8.2	8.1	8.1	8.2	7.9	7.9	7.9	7.8	
					FC5																	
				(2015)			CRACKING		9.0	8.0	8.0	8.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*
2132093	0.052	4.916	C	2029	0012		RIDE		7.7	7.9	8.1	8.2	8.2	8.3	8.2	8.2	8.0	7.9	8.1	7.7	7.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
72280000	0.000	2.289	L	4	1	65	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	331.8	334.1	3	11.2		97025	RIDE	8.0		8.9	8.3	8.2	8.2	8.2	8.1	8.1	8.2	7.9	7.9	7.8	
						FC5M					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.4	6.5
						(2017)	CRACKING				8.6	8.8	8.7	8.7	8.8	8.8	8.8	8.7	8.8	8.7	8.6
2132093	0.052	4.916	C	2029		0012	RIDE														
72290000	0.000	1.775	R	4	4	70	CRACKING	9.1	9.2	9.2	9.2	9.2	9.2	9.2		9.5	9.4	9.3	9.2	9.2	
9 I95	359.2	361.0	3	13.6		91500	RIDE	8.1	8.2	7.7	7.5	7.5	7.4	7.5		7.7	8.1	8.0	8.0	8.0	
72290239	NB OFF(0.0R)				LDG															
						(2020)	CRACKING	9.1	9.1	9.1	9.2			9.1	9.1	9.0	9.0	9.1	8.9	8.7	8.0
							RIDE	8.1	8.0	8.1	8.2			8.3	8.4	8.5	8.3	8.3	8.2	8.3	8.2
72290000	1.775	3.798	R	4	4	70	CRACKING	7.5	6.8	9.4	9.3	9.3	9.3	9.3	9.2	9.1	7.9	7.5	7.4	7.4	
9 I95	361.0	363.0	3	13.6		130000	RIDE	7.4	7.2	6.2*	8.1	8.0	7.8	7.7	7.1	7.1	6.3*	6.5	6.2*	6.2*	
						LDG															
2132711	2.439	10.363	C	2001		0213	CRACKING	7.0	6.5	6.5	6.8			7.0		7.5	7.5	7.5	7.5	6.4*	5.5*
HUBBARD	CONSTRUCTION	COMPA(2003)	RIDE	6.2*	6.6	7.5	7.5			7.7		8.3	8.2	8.2	8.2	8.0	7.9
72290000	3.798	4.344	R	4	4	70	CRACKING	7.9	8.5	9.4	9.2	9.2	6.7	9.2	9.1	7.5	8.7	8.2	8.3	8.4	
9 I95	363.0	363.5	3	13.6		87000	RIDE	7.5	7.8	6.7	8.0	7.9	7.9	7.8	7.8	7.3	7.7	7.9	7.7	7.7	
						LDG															
2132711	2.439	10.363	C	2001		0213	CRACKING	8.1	8.0	7.8	7.7	7.5	7.4	7.3	8.1	7.6	7.8	7.6	8.0	7.7	7.0
HUBBARD	CONSTRUCTION	COMPA(2007)	RIDE	7.8	7.5	7.8	8.0	8.2	8.2	8.1	8.2	8.0	8.1	7.9	8.0	8.0	7.9
4460491	3.506	4.344	C	2025		0012															
72290000	4.344	10.513	R	4	1	70	CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
9 I95	363.5	369.7	3	13.6		87000	RIDE	8.7	8.3		8.3	8.4	8.2	8.2	8.1	7.9	8.0	10.0	7.7	7.6	7.1
						FC5M															
4288061	4.344	10.513	C	2014		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.0	5.5*
HUBBARD	CONSTRUCTION	COMPA(2015)	SPRIDE	7.3	8.3	8.7	8.7	8.9	8.9	8.9	8.9	8.9	8.9	8.7	8.7	8.7	8.6
2132092	4.344	10.513	C	2027		0012															
72290000	4.344	10.513	L	4	1	70	CRACKING	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
9 I95	363.5	369.7	3	13.6		87000	RIDE	8.6	8.5		8.4	8.4	8.4	8.4	8.2	8.2	8.3	8.1	8.2	7.9	
						FC5M															
4288061	4.344	10.513	C	2014		0012	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.6	6.5
HUBBARD	CONSTRUCTION	COMPA(2015)	SPRIDE	7.9	8.3	8.7	8.7	9.0	9.0	9.0	9.0	9.0	8.9	8.9	8.9	8.9	8.8
2132092	4.344	10.513	C	2027		0012															
72290000	3.506	4.344	L	4	4	70	CRACKING	7.7	7.2	9.4	9.5	9.5	9.4	9.4	9.3	8.6	7.8	7.4	7.2	7.6	
9 I95	362.7	363.5	3	13.6		87000	RIDE	8.0	7.1	5.6*	6.5	7.9	7.9	7.9	7.7	7.6	7.1	7.3	7.2	7.3	
						LDG															
2132711	2.439	10.363	C	2001		0213	CRACKING	7.2	7.2	7.2	6.9	6.8	6.8	6.7	7.3	6.3*	6.6	6.8	6.3*	5.9*	5.0*
HUBBARD	CONSTRUCTION	COMPA(2003)	RIDE	6.9	7.4	7.4	7.6	8.0	7.9	7.8	7.9	7.8	7.7	7.7	7.7	7.6	7.5
4460491	3.506	4.344	C	2025		0012															
72290000	2.677	3.506	L	4	4	70	CRACKING	8.9	9.3	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.1	9.2	
9 I95	361.9	362.7	4	13.6		130000	RIDE	8.5	8.5	8.4	8.1	8.2	8.0	8.1	7.9	8.1	7.5	7.9	7.9	7.9	
						LDG															
						(2020)	CRACKING	9.2	8.9	8.8	8.9			9.2	9.2	8.7	8.8	8.7	8.6	8.3	8.0
							RIDE	8.0	8.0	7.9	8.0			8.6	8.6	8.4	8.4	8.3	8.3	8.3	8.2
72290000	1.315	2.677	L	4	4	70	CRACKING	8.8	8.9	9.0	8.9	8.9	9.0	9.0		9.5	9.4	9.3	9.3	9.3	
9 I95	360.5	361.9	3	13.6		91500	RIDE	8.0	8.2	8.1	7.4	7.2	7.2	7.1		7.8	8.1	8.1	7.8	8.1	
						LDG															
2132731	0.000	2.611	C	2006		0218	CRACKING	9.2	9.2	9.3	9.2					8.3	8.5	8.5	8.5	8.2	7.5
ARCHER	WESTERN	CONTRACTORS(2009)	RIDE	8.1	8.0	7.6	7.6					8.5	8.4	8.5	8.3	8.4	8.3
72290000	0.000	1.315	L	4	4	70	CRACKING	8.8	8.9	9.0	8.9	8.9	9.0	9.0		9.5	9.4	9.3	9.3	9.3	
9 I95	359.2	360.5	3	13.6		91500	RIDE	8.0	8.2	8.1	7.4	7.2	7.2	7.1		7.8	8.1	8.1	7.8	8.1	
						LDG															
						(2020)	CRACKING	9.2	9.2	9.3	9.2			9.0	8.9	8.6	8.8	8.8	8.7	8.4	8.0
							RIDE	8.1	8.0	7.6	7.6			8.0	8.0	7.7	7.9	7.9	7.8	7.8	7.7
72291000	0.000	2.766	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0
111			2	8.9		23500	RIDE	7.8	8.0	8.1	7.6	7.1	7.2	7.2	7.2	7.2	7.3	7.0	7.0	7.0	
						FC125M															
4361741	0.013	2.766	C	2018		0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.0
ANDERSON	COLUMBIA	CO., INC(2020)	SPRIDE	7.1	6.6	6.6	6.6	6.6	6.7	8.3	8.0	8.1	8.1	8.1	8.1	8.0	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	WKM-F																(PMRS)
CONTRACTOR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
72291000	2.766	3.500	R	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
111			2	8.9		23500	RIDE	7.1	7.5	7.6	7.1	6.5	6.4	6.3	6.2	6.0	5.8	5.6	6.1	6.2	
ROSSELLE ST(2.9C)						FC125M															
4244851	2.846	3.244	C	2013	0012		CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	6.0*	6.0*	4.3*	2.0*
				(2015)			RIDE	6.2	7.6										6.6	6.2	
72291000	3.500	5.860	R	1	8	40	CRACKING	8.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
111			2	8.9		26500	RIDE	7.4	7.2	7.2	6.2	7.7	7.4	7.3	7.2	7.4	7.3	7.4	7.4	7.4	7.2
BEAVER ST(3.6C)						FC125M															
2094512	3.570	5.874	C	2004	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*		
HUBBARD CONSTRUCTION COMPA(2005)							RIDE	7.2	6.5	7.1	7.2	7.1	7.1	7.0	7.0	6.9	7.0	6.9	6.9		
4454291	3.478	5.884	C	2024	0012																
72291000	5.860	6.705	R	1	1	40	CRACKING	8.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	
111			2	8.9		31000	RIDE	7.4	7.2	7.2	6.2	7.1	6.7	6.9	7.0	6.8	7.0	6.8	6.8	6.8	
SUSQUEHANNA ST(5.9C)						FC125M															
4322681	5.970	6.673	C	2017	0012		CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	8.5	7.8	6.0*
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	7.0	6.5	6.9	6.3			7.5	7.4	6.9	6.8	7.1	7.1	7.1	6.7
72291000	6.705	10.929	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	
111			2	8.9		18000	RIDE	7.7	7.6	7.5	7.1	7.1	6.7	6.9	7.0	6.8	7.0	6.8	6.8	6.8	
LUSAID DR(6.8R)						FC125M															
4376161	6.705	9.782	R	2018	0012		CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.2	9.3	7.5
HUBBARD CONSTRUCTION COMPA(2020)							SPRIDE	7.0	6.5	6.9	6.3	6.9	7.0	8.0	7.8	7.9	7.9	7.9	7.9	7.8	7.4
72291000	10.929	11.875	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	10.0	10.0
111			1	8.9		11000	RIDE	7.4	7.2	7.2	6.9	6.4	6.5	6.5	6.2	6.3	6.5	6.5	5.4*	6.9	6.6
LORAIN ST(11.0C)						FC125R															
2094513	10.986	11.812	C	2010	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	6.0*	5.5*	3.5*	3.5*	3.6*	1.0*
THE HASKELL COMPANY				(2012)			SPRIDE	6.6	6.3	5.8	5.5	5.2*	5.1*	5.0*	4.7*	4.6*	4.6*	4.5*	4.2*	4.2*	3.8*
2094516	10.822	11.875	C	2027	0012																
72291000	10.929	11.875	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	10.0	10.0	
111			1	8.9		11000	RIDE	7.4	7.2	7.2	6.9	6.4	6.5	6.5	6.2	6.3	6.5	5.4*	6.9	6.6	
LORAIN ST(11.0C)						FC125R															
2094513	10.986	11.812	C	2010	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	5.5*	5.5*	3.5*	3.5*	1.0*	0.0*
THE HASKELL COMPANY				(2012)			SPRIDE	6.6	6.3	5.8	5.5	5.2*	5.1*	5.0*	4.7*	7.0	4.6*	4.7*	4.6*	4.4*	4.0*
2094516	10.822	11.875	C	2027	0012																
72291000	6.705	10.929	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
111			2	8.9		18000	RIDE	8.0	8.1	8.3	7.8	7.6	7.6	7.6	7.4	7.3	7.7	7.4	7.4	7.4	
KINNON DR(6.8L)						FC125M															
4376161	6.705	9.782	L	2018	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2020)							SPRIDE	7.4	7.4	6.8	7.1	7.2	7.3	8.0	7.8	8.0	7.8	7.9	7.9	7.8	7.4
72291000	5.860	6.705	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
111			2	8.9		31000	RIDE	8.0	8.1	8.3	7.8	7.6	7.6	7.6	7.4	7.3	7.7	7.4	7.4	7.4	
SUSQUEHANNA ST(5.9C)						FC125M															
4322681	5.970	6.673	C	2017	0012		CRACKING	7.0	7.0	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.0
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	7.4	7.4	6.8	7.1			8.1	7.6	7.3	7.1	7.9	7.4	7.6	7.2
72291000	3.500	5.860	L	1	8	40	CRACKING	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
111			2	8.9		26500	RIDE	6.9	7.0	6.7	5.2*	7.8	7.6	7.6	7.7	7.4	7.7	7.7	7.5	7.4	
BEAVER ST(3.6C)						FC125M															
2094512	3.570	5.874	C	2004	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.3*		
HUBBARD CONSTRUCTION COMPA(2005)							RIDE	7.4	7.4	6.3	6.7	7.1	7.0	7.1	6.9	6.9	6.9	7.1	6.9		
4454291	3.478	5.884	C	2024	0012																
72291000	2.766	3.500	L	1	1	35	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
111			2	8.9		23500	RIDE	7.7	7.5	7.4	6.6	6.6	6.3	6.5	6.4	6.3	6.6	6.2	6.7	6.6	
ROSSELLE ST(2.9C)						FC125M															
4244851	2.846	3.244	C	2013	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.0*	6.0*	3.5*
				(2015)			RIDE	6.9	7.6										7.0	6.6	
72291000	0.000	2.766	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	
111			2	8.9		23500	RIDE	8.0	8.0	7.9	7.3	7.3	7.1	7.1	6.9	6.7	7.1	6.8	6.7	6.6	
BLANDING BLVD(0.0C)						FC125M															
4361741	0.013	2.766	C	2018	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	8.5	9.4	8.9	7.0
ANDERSON COLUMBIA CO., INC(2020)							SPRIDE	6.8	6.6	6.1	6.4	6.4	6.4	6.4	8.3	8.3	8.2	8.1	8.1	8.0	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
72292000	0.000	1.215	R	1	1	45	CRACKING	9.5	9.5	9.5	7.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0		
202				2	4.3	47000	RIDE	8.4	8.5	8.3	7.8	5.8*	6.3	5.6	5.6	5.5	5.1*	4.9*	5.6	8.0		
FROM PHILIPS HWY(0.0C)					FC125M																
							CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.0	8.7	8.4	6.5	
							RIDE	8.3	7.8	7.9										6.9	6.5	
4389282	0.000	0.658	C	2026		0213																
72292000	1.215	3.745	R	1	1	65	CRACKING	4.5*	4.5*	4.5*	4.5*											
202				3	4.3	100000	RIDE	7.1	7.4	7.9	6.7		8.0	8.0	10.0	10.0	8.0	9.5	9.5	9.5	9.5	
						OGFC																
4165011	0.506	5.222	C	2005	0213		CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.9*	5.2*	0.0*	
							RIDE	7.8	7.6	7.8	7.7	7.9	7.8	7.9	7.9	7.8	7.7	7.8	7.8	7.7	7.5	
2094693	1.144	5.875	C	2026		0012																
72292000	3.745	4.148	R	1	1	65	CRACKING	4.5*	4.5*	4.5*	4.5*								10.0	10.0	9.5	
202				3	4.3	117000	RIDE	8.5	8.5	8.5	7.2								8.1	8.0	7.9	
GATE PKWY BLVD (DONT USE(4.0C)					FC5M																
4165011	0.506	5.222	C	2005	0213		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	1.5*
							RIDE	7.9	7.7	8.1	8.0	8.2	8.1	8.1	8.2	8.2	8.1	8.1	8.1	8.0	7.8	7.6
2094693	1.144	5.875	C	2026		0012																
72292000	4.148	4.638	R	1	1	65	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*							10.0	10.0	9.5	
202				3	4.3	110000	RIDE	8.5	8.5	8.5	7.2	7.7							8.1	8.0	7.9	
						OGFC																
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0
							RIDE	7.9	7.7	8.1	8.0	8.2	8.1	8.1	8.2	8.2	8.1	8.1	8.0	8.2	8.2	8.0
72292000	4.638	5.764	R	1	1	65	CRACKING	0.0*	10.0	0.0*	0.0*	0.0*							10.0	10.0	9.5	
202				3	4.3	110000	RIDE	8.4	8.3	8.3	7.5	7.3							8.1	8.0	7.9	
						FC5M																
4165011	0.506	5.222	C	2005	0213		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	1.5*
							RIDE	7.9	7.7	8.1	8.0	8.2	8.1	8.1	8.2	8.2	8.1	8.1	8.0	7.8	7.6	
2094693	1.144	5.875	C	2026		0012																
72292000	5.764	6.505	R	1	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0					10.0	10.0	9.5	
202				4	4.3	158500	RIDE	8.5	8.5	8.5	7.9	7.8	7.6	7.6					8.1	8.0	7.9	
						FC5M																
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0
							RIDE	7.9	7.7	8.1	8.0	8.2	8.1	8.1	8.2	8.2	8.1	8.1	8.7	8.8	8.6	
2094693	1.144	7.751	R	2026		0012																
72292000	6.505	10.100	R	1	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0					10.0	10.0	9.5	
202				3	4.3	102000	RIDE	8.5	8.5	8.5	7.9	7.8	7.6	7.6					8.1	8.0	7.9	
						FC5M																
2097334	6.275	10.033	R	2007	0213		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.2*	6.5	1.5*
J.B. COXWELL CONTRACTING, I	(2011)						SPRIDE	7.9	7.7	8.1	8.0	8.2	8.1	8.1	8.2	8.2	8.1	8.1	8.1	8.2	8.1	7.9
2094694	7.751	11.228	C	2027		0012																
72292000	10.100	10.358	R	1	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
202				2	4.3	76500	RIDE	8.5	8.5	8.5	7.9	7.8		8.4	8.3	8.4	8.1	8.3	8.3	8.3		
						FC5M																
2097332	10.052	12.610	C	2005	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	0.0*	
JOHN CARLO, INC.	(2007)						SPRIDE	8.2	8.0	8.1	8.1	8.2	8.2	8.1	8.1	7.9	8.1	8.1	8.0	8.1	7.9	
2094694	7.751	11.228	C	2027		0012																
72292000	11.228	12.690	R	1	7	65	CRACKING	4.5*	4.5*	0.0*	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
202				2	4.3	76500	RIDE	8.0	8.0	8.2	7.8	7.5		8.1	7.8	7.8	8.1	8.0	8.0	8.0		
EB EXIT TO MARSH LANDING(12.1R)						UNKW																
4471281	11.228	12.806	R	2024	0012		CRACKING	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	10.0	9.0	
PREFERRED MATERIALS, INC.	(2026)						SPRIDE	8.1	7.9	8.0	7.9	8.0	8.0	7.9	7.9	7.7	7.7	7.8	7.6	8.6	8.2	
72292000	12.690	13.022	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5		
202				1	4.3	52000	RIDE	8.3	7.3	8.1	6.1*	6.2*	6.6	7.2	7.5	7.2	6.9	6.9	7.1	6.8		
@END BRIDGE A1A(13.0C)						DGFC																
4471281	12.806	13.022	R	2024	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	9.0
PREFERRED MATERIALS, INC.	(2026)						SPRIDE	7.6	7.3	7.4	7.0	6.3	6.7	6.6						8.2	7.8	
72292000	12.690	13.022	L	1	7	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0		
202				1	4.3	52000	RIDE	7.9	7.9	7.7	6.8	6.6	7.5	6.7	7.5	6.9	7.8	8.0	8.1	7.9	7.8	
@END BRIDGE A1A(13.0C)						DGFC																
4471281	12.806	13.022	L	2024	0012		CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	6.5	6.5	10.0	9.0	
PREFERRED MATERIALS, INC.	(2026)						SPRIDE	7.8	7.7	7.3	7.0	7.3	7.2	7.1	6.8	7.2	7.2	6.8	7.1	8.2	7.8	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	W_KMX-P	ASTYPE	=====														
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	W_KMX-F															
72293000	0.445	2.136	R	1	1	45	CRACKING					10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
243			2	4.7		26500	RIDE					8.0	8.0	7.8	7.6	7.2	7.5	7.5	7.2	7.1	
BISCAYNE BLVD(0.8R) FC125M																					
4432601	0.797	1.877	R	2022		0012	CRACKING	9.0	9.0	8.0	7.0	6.5	6.5	6.5	4.5*	3.5*		10.0	10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2024) SPRIDE																					
72293000	2.136	2.574	R	1	1	45	CRACKING					10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
243			1	4.7		4300	RIDE					8.0	8.0	7.8	7.6	7.2	7.5	7.5	7.2	7.1	
RAMP TO SERVICE RD(2.2R) FC5M																					
2093996	2.255	4.877	C	2015		0002	CRACKING	9.0	9.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	5.5*
SUPERIOR CONSTRUCTION COMP(2018) SPRIDE																					
72293000	2.574	4.870	C	1	1	45	CRACKING														
243			2	4.7		4300	RIDE														
BAINBRIDGE DR(4.9L) FC5M																					
2093996	2.255	4.877	C	2015		0002	CRACKING					10.0		10.0	10.0	10.0	10.0	10.0	9.1	8.8	6.5
SUPERIOR CONSTRUCTION COMP(2020) SPRIDE																					
72293000	4.870	5.886	R	1	1	45	CRACKING														
243			2	4.7		14200	RIDE														
BEG LIMITED ACCESS(5.8C) FC125M																					
4337301	4.869	5.752	C	2017		0213	CRACKING								10.0	10.0	10.0	10.0	9.2	9.0	7.5
PETTICOAT-SCHMITT CIVIL CO(2021) SPRIDE																					
72293000	4.870	5.886	L	1	1	45	CRACKING														
243			2	4.7		14200	RIDE														
BEG LIMITED ACCESS(5.8C) FC125M																					
4337301	4.869	5.752	C	2017		0213	CRACKING								10.0	10.0	10.0	10.0	9.1	8.7	7.0
PETTICOAT-SCHMITT CIVIL CO(2021) SPRIDE																					
72293000	2.333	2.574	L	1	1	45	CRACKING														
243			2	4.7		4300	RIDE														
OWENS RD(2.6C) FC5M																					
2093996	2.255	4.877	C	2015		0002	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0
SUPERIOR CONSTRUCTION COMP(2018) SPRIDE																					
72293000	2.136	2.333	L	1	1	45	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
243			2	4.7		14200	RIDE					7.8	7.3	7.4	7.5	7.2	7.6	7.6	7.7	7.7	
DIXIE SERVICE RD(2.2L) DGFC																					
							CRACKING	9.5	9.5	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0
							RIDE	7.6	7.4	7.4	7.3	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5
72293000	0.445	2.136	L	1	1	45	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
243			2	4.7		26500	RIDE					7.8	7.3	7.4	7.5	7.2	7.6	7.6	7.7	7.7	
PECAN PARK RD(0.8L) FC125M																					
4432601	0.797	2.132	L	2022		0012	CRACKING	9.5	9.5	8.0	7.0	6.5	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2024) SPRIDE																					
72293000	0.000	0.445	L	1	1	45	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
243			2	4.7		26500	RIDE						7.9	8.0	7.8	7.2	8.0	8.0	7.9	7.9	
BEG BRIDGE #724317(0.0C) DGFC																					
							CRACKING	9.5	9.5	8.0	7.0	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.9	7.5	7.6	7.5	7.7	7.6	7.6	7.7	7.8	7.8	7.9	7.8	7.8	7.4
72295000	0.000	0.840	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
208			2	2.5		26500	RIDE	8.2	8.1	8.2	7.5	7.6	7.6	7.4	7.5	7.5	7.3	7.4	7.3	7.4	
APT ENT(0.0R) FC125M																					
4471291	0.000	0.800	R	2023		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2025) SPRIDE																					
72295000	0.000	0.840	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
208			2	2.5		26500	RIDE	7.8	8.2	8.2	7.5	7.8	7.7	7.6	7.5	7.7	7.8	7.7	7.7	7.6	
DEBRA DR(0.0L) FC125M																					
4471291	0.000	0.800	L	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0
DUVAL ASPHALT PRODUCTS, IN(2025) SPRIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = DUVAL -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)	
72470000	0.000	7.450	R	5	1	70	CRACKING															
23	6.2	13.7	2	7.0	27200		RIDE															
							FC5M															
							(2021)															
							CRACKING								10.0	10.0	10.0	10.0	9.1	9.2	7.5	
							RIDE								8.4	8.2	8.3	8.3	8.2	8.3	8.2	
72470000	7.450	8.390	R	5	1	60	CRACKING															
23	13.7	14.6	2	7.0	25000		RIDE															
I 10	ENT(8.4C)					OGFC															
							(2021)															
							CRACKING								10.0	10.0	10.0	10.0	6.5	5.5*	4.0*	
							RIDE								8.4	8.2	8.3	8.3	8.1	8.1	8.0	
4570071	7.390	8.390	C	2028	0012																	
72470000	8.006	8.390	L	5	1	60	CRACKING															
23	14.3	14.6	3	7.0	25000		RIDE															
I 10	ENT(8.4C)					FC5M															
							(2026)															
							CRACKING								10.0	10.0	10.0	10.0	6.5	9.1	8.0	
							RIDE								8.5	8.3	8.5	8.4	8.2	7.6	7.5	
4570071	7.390	8.390	C	2028	0012																	
72470000	7.450	8.006	L	5	1	60	CRACKING															
23	13.7	14.3	2	7.0	25000		RIDE															
							OGFC															
							(2021)															
							CRACKING								10.0	10.0	10.0	10.0	6.5	5.5*	4.0*	
							RIDE								8.5	8.3	8.5	8.4	8.2	8.2	8.1	
4570071	7.390	8.390	C	2028	0012																	
72470000	0.000	7.450	L	5	1	70	CRACKING															
23	6.2	13.7	2	7.0	27200		RIDE															
							FC5M															
							(2021)															
							CRACKING								10.0	10.0	10.0	10.0	9.0	8.9	7.5	
							RIDE								8.5	8.3	8.5	8.4	8.4	8.4	8.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).