

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = FLAGLER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****														(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-P																					
ITMSEG-F																					
73010000	0.000	4.149	L	1	1	65	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.0*	
5	1			2	10.7	12541	RIDE	8.6	8.5	8.4	8.2	9.0	8.4	8.4	8.3	8.3	7.9	8.1	8.2	8.1	
CIRCLE S RD(0.3L)																					
4272771	0.000	8.990	C	2013	0012	FC5AW	CRACKING	6.0*	6.0*	6.0*		10.0	10.0	10.0	9.5	9.0	8.0	8.0	7.0	7.0	4.8
P & S PAVING, INC. (2016)																					
73020000	0.000	0.620	R	1	1	35	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	
100				1	5.1	12400	RIDE	8.4	8.3	8.2	7.7	8.2	7.9	7.5	7.7	7.8	8.4	7.2	8.0	8.0	
US-1/SR-5(0.0R)																					
2379651	0.000	2.237	C	2005	0213	FC125	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
P & S PAVING, INC. (2008)																					
73020000	0.620	2.400	R	1	1	50	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	
100				2	10.4	15400	RIDE	8.1	8.1	8.0	8.4	8.5	8.0	8.0	7.9		7.7	7.2	7.7	7.7	
COMMERCE PKWY(0.9R)																					
2379651	0.000	2.237	C	2005	0213	OGFC	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	2.6
P & S PAVING, INC. (2008)																					
4452191	0.615	5.185	C	2024	0012		SPRIDE	7.8	7.7	7.6	7.1	7.3	7.5	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.3
73020000	2.400	4.662	R	1	1	50	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
100				2	5.6	20300	RIDE	8.0	8.2	8.0	8.4	8.5	8.0		7.9	7.9	7.8	7.7	8.1	8.0	
BELLE PKWY(2.4R)																					
2379251	2.324	4.488	C	2004	0213	OGFC	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	5.9
P & S PAVING, INC. (2006)																					
4452191	0.615	5.185	C	2024	0012		SPRIDE	8.0	8.1	8.0	7.6	7.8	7.8	8.1	8.0	7.9	8.0	7.9	8.0	7.9	7.9
73020000	4.662	4.920	R	1	1	45	CRACKING	9.5	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	
100				2	5.7	26000	RIDE	6.4*	8.7	8.7	8.6	8.5	7.9	7.9	7.4	7.4	7.1	7.0	7.1	7.0	
OGFC (2012)																					
4452191	0.615	5.185	C	2024	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	3.5*	3.5*	3.5*	3.5*	1.0*	0.0
RIDE (2012)																					
73020000	4.920	7.325	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	
100				2	5.7	22733	RIDE		8.7	8.7	8.6	8.5	7.9	7.9	7.4	7.4	7.1	7.0	7.1	7.0	
FC5																					
4272321	4.920	8.191	C	2013	0012		CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
HALIFAX PAVING, INC. (2016)																					
73020000	7.850	8.191	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	
100				2	5.1	15300	RIDE	7.6	6.8	6.7	6.6	7.0	6.4	6.7	6.4	6.3	6.5	6.3	6.3	6.7	
PALMETTO AVE(7.9C)																					
4272321	4.920	8.191	C	2013	0012	FC125R	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALIFAX PAVING, INC. (2016)																					
73020000	7.850	8.191	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
100				2	5.1	15300	RIDE	7.5	6.4*	6.1*	7.3	8.0	6.9	6.7	6.7	6.7	6.7	6.5	6.6	6.6	
PALMETTO AVE(7.9C)																					
4272321	4.920	8.191	C	2013	0012	FC125R	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4
HALIFAX PAVING, INC. (2016)																					
73020000	4.920	7.325	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	
100				2	5.7	22733	RIDE		8.8	8.5	8.6	8.6	8.0	8.0	7.6	7.6	7.2	6.8	7.3	7.1	
FC5																					
4272321	4.920	8.191	C	2013	0012		CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	6.0
HALIFAX PAVING, INC. (2016)																					
73020000	4.662	4.920	L	1	1	45	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	
100				2	5.7	26000	RIDE	6.4*	8.8	8.5	8.6	8.6	8.0	8.0	7.6	7.6	7.2	6.8	7.3	7.1	
OGFC (2012)																					
4452191	0.615	5.185	C	2024	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	3.5*	1.0*	0.0
RIDE (2012)																					
73020000	2.400	4.662	L	1	1	50	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
100				2	5.6	20300	RIDE	8.0	8.2	8.0	8.4	8.5	8.0		7.8	7.9	7.9	7.7	8.1	8.1	
OGFC																					
2379251	2.324	4.488	C	2004	0213	FC125R	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5
P & S PAVING, INC. (2006)																					
4452191	0.615	5.185	C	2024	0012		SPRIDE	8.1	8.1	8.2	7.9	8.0	7.9	8.1	8.1	8.0	8.1	8.0	7.9	8.0	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = FLAGLER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)		SURFTYPE		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE															
CONTRACTOR	(AGE_ONE_YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F														(REG)		
73030000	10.282	10.621	L	1	1	50	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.0	6.5		
ALA			1	5.4		5800	RIDE	7.9	7.9	6.9	7.7	7.9	7.5	7.3	7.0	6.7	6.9	6.2*	5.7*	5.7*		
ISLAND ESTATES PKWY(10.4L)																						
4272531	10.325	10.635	C	2013		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
DUVAL ASPHALT PRODUCTS, IN(2014)																						
73030000	2.043	3.630	L	1	1	25	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0		
ALA			1	3.6		5000	RIDE	7.8	7.7	7.8	7.7	7.6	7.0	6.9	6.9	6.8	6.5	6.4	7.5	8.5		
S 22ND ST(2.2L)																						
4405576	2.206	3.630	C	2019		0102	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0
SUPERIOR CONSTRUCTION COMP(2021)																						
73030001	0.000	0.940	R	1	1	50	CRACKING	9.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0		
ALA			2	2.9		6600	RIDE	8.0	8.6	8.5	8.4	7.4	7.2	7.6	7.3	7.5	7.3	7.2	7.2	7.3		
SR ALA(0.0C)																						
4272531	0.053	0.879	C	2013		0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
DUVAL ASPHALT PRODUCTS, IN(2014)																						
73030001	0.000	0.940	L	1	1	50	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0		
ALA			2	2.9		6600	RIDE	8.1	8.8	8.7	8.5	8.3	7.4	7.4	7.4	7.3	7.1	7.0	7.1	7.0		
SR ALA(0.0C)																						
4272531	0.053	0.879	C	2013		0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
DUVAL ASPHALT PRODUCTS, IN(2014)																						
73040000	0.000	16.978	C	1	1	60	CRACKING	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0		
20			2	10.4		4700	RIDE	9.0	9.0	8.9	8.6	8.8	7.9	7.7	7.5	7.2	6.7	7.7	8.9	8.8		
ANDALUSIA TR(3.1R)																						
4171831	0.000	16.978	C	2007		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*		
HALIFAX PAVING, INC. (2009)																						
4526431	0.000	16.978	C	2027		0012	SPRIDE	8.9	8.8	8.8	8.2	8.2	8.3	8.4	8.3	8.2	8.3	8.2	8.2	8.0		
73040000	16.978	17.684	C	1	1	40	CRACKING	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		
20			2	12.9		9700	RIDE	8.0	8.0	7.7	7.8	8.1	7.3	7.6	7.3	7.1	7.3	6.1	7.0	7.0		
E WOODLAND AVE(17.5C)																						
4323461	16.978	17.684	C	2017		0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.5	6.5	10.0	10.0	10.0	9.0	9.0		
PIPER LANDINGS MARINA AND (2020)																						
73050000	0.000	15.477	C	1	1	60	CRACKING	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
11			2	12.7		4500	RIDE	8.5	8.4	8.0	8.3	8.2	7.6	7.4	7.1	6.8	6.8	8.4	8.4	8.5		
CR 304(6.0C)																						
4171411	0.000	15.507	C	2008		0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	6.0*	6.0*	6.0*		
P & S PAVING, INC. (2009)																						
4470821	0.000	15.477	C	2024		0012	SPRIDE	8.3	8.2	8.3	7.6	7.7	7.8	8.1	8.0	7.9	7.9	7.8	7.8	7.7		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).