







# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = FLAGLER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP   SIDE)		W_BMP	W_EMP	RW	FY-P	WKM	WKM	=====														
CONTRACTOR (AGE_ONE YEAR)		W_BMP	W_EMP	RW	FY-F	WKM	WKM	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKM	WKM															
73020000	100	0.000	0.620	L	1	1	35	CRACKING	5.5*	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	
US-1/SR-5/SR-100(		0.0L)				FC125																
2379651	100	0.000	2.237	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	6.5	
P & S PAVING, INC.				(2008)		SPRIDE																
73020001	100	0.000	0.045	C	1	1	CRACKING															
				2		9.8		1750		RIDE											7.9	
								CRACKING											3.8*			
								RIDE														
73020002	100	0.000	0.395	C	1	1	25	CRACKING														
				2		9.8		1250		RIDE											7.0	
								CRACKING											4.9*			
								RIDE														
73020003	100	0.000	0.423	C	1	1	25	CRACKING														
				2		9.8		1150		RIDE											5.3*	
								CRACKING											5.7			
								RIDE														
73030000	100	0.000	2.043	C	1	1	45	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	10.0	10.0	10.0	10.0	10.0	
ALA				2		5.7		5100		RIDE												
								FC125M														
4171581	100	0.000	3.385	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.5	8.5	7.6	7.1	5.0*	
HALIFAX PAVING, INC.				(2009)		SPRIDE																
73030000	100	2.043	3.630	R	1	1	25	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
ALA				1		5.7		5100		RIDE												
								DGFC														
4405576	100	2.206	3.630	C	2019	0102	CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.5	9.5	8.0	
SUPERIOR CONSTRUCTION COMP				(2021)		SPRIDE																
73030000	100	3.630	5.450	C	1	1	45	CRACKING	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
ALA				2		3.2		7700		RIDE												
								FC125														
4071541	100	3.385	10.257	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.6*	4.3*	1.5*	
PREFERRED MATERIALS, INC.				(2005)		SPRIDE																
4487951	100	3.663	5.461	C	2025	0012																
73030000	100	5.450	6.471	C	1	1	45	CRACKING	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
ALA				2		3.2		7700		RIDE												
								FC125M														
4405577	100	5.519	6.575	C	2019	0102	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0		10.0	10.0	10.0	10.0	9.5	8.4	7.0	
SUPERIOR CONSTRUCTION COMP				(2021)		RIDE																
73030000	100	6.471	10.282	C	1	8	50	CRACKING	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
ALA				2		6.1		6100		RIDE												
								FC125M														
4071541	100	3.385	10.257	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.7*			
PREFERRED MATERIALS, INC.				(2005)		SPRIDE																
4391241	100	6.484	10.282	C	2024	0012																
73030000	100	10.282	10.621	R	1	1	50	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	
ALA				1		6.1		6100		RIDE												
								FC125R														
4272531	100	10.325	10.635	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.2	6.5	
DUVAL ASPHALT PRODUCTS, IN				(2014)		RIDE																
73030000	100	10.621	16.545	C	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	
ALA				2		10.4		9900		RIDE												
								FC125R														
								(2014)		CRACKING												
								RIDE											6.5			

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = FLAGLER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																						
CONTRACTOR (AGE_ONE YEAR) ASTYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						
73030000	17.450	18.595	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
A1A				2	11.0		5900 RIDE	8.6	8.5	8.4	7.7	7.8	7.4	7.3	6.8	6.5	7.2	7.2	6.9	7.1		
BEACH SIDE DR(17.8L)								FC125R														
4272531	17.450	18.595	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	7.0
DUVAL ASPHALT PRODUCTS, IN(2014)								RIDE 8.0 7.7 7.4 7.3 7.7 7.6 7.6 7.6 7.6 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.2														
73030000	10.282	10.621	L	1	1	50	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.0	6.5	6.5	6.5	6.5	
A1A				1	6.1		6100 RIDE	6.9	7.7	7.9	7.5	7.3	7.0	6.7	6.9	6.2*	5.7*	5.7*	5.7*	6.0*		
ISLAND ESTATES PKWY(10.4L)								FC125R														
4272531	10.325	10.635	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	6.5
DUVAL ASPHALT PRODUCTS, IN(2014)								RIDE 8.0 7.5 7.4 7.6 7.7 7.4 7.4 7.2 7.3 7.1 7.1 6.9 7.1 6.9 7.1 6.9 7.1 6.9 7.1 6.8														
73030000	2.043	3.630	L	1	1	25	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
A1A				1	5.7		5100 RIDE	7.8	7.7	7.6	7.0	6.9	6.9	6.8	6.4	7.5	8.5	8.5	8.5	8.5		
S 22ND ST( 2.2L)								DGFC														
4405576	2.206	3.630	C	2019		0102	CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.1	8.9	7.5	
SUPERIOR CONSTRUCTION COMP(2021)								SPRIDE 8.5 8.2 7.7 7.9 6.9 6.6 6.4 5.4* 5.2* 4.7* 4.4*														
73030001	0.000	0.940	R	1	1	50	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0		
A1A				2	7.4		5800 RIDE	8.5	8.4	7.4	7.2	7.6	7.3	7.5	7.3	7.2	7.2	7.3	7.1	7.3		
SR A1A( 0.0C)								FC125R														
4272531	0.053	0.879	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.6	8.5	6.5	
DUVAL ASPHALT PRODUCTS, IN(2014)								RIDE 8.0 7.4 7.4 7.2 7.6 7.4 7.6 7.7 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.2														
73030001	0.000	0.940	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0		
A1A				2	7.4		5800 RIDE	8.7	8.5	8.3	7.4	7.4	7.4	7.3	7.1	7.0	7.1	7.0	7.0	6.6	7.5	
SR A1A( 0.0C)								FC125R														
4272531	0.053	0.879	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.1	8.0	6.0*	
DUVAL ASPHALT PRODUCTS, IN(2014)								RIDE 8.0 8.0 7.4 7.3 7.7 7.7 7.7 7.7 7.7 7.7 7.6 7.5 7.5 7.5 7.6 7.5 7.5 7.5 7.6 7.6 7.3														
73040000	0.000	16.978	C	1	1	60	CRACKING	10.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0		
20				2	19.8		5400 RIDE	8.9	8.6	8.8	7.9	7.7	7.5	7.2	6.7	7.7	8.9	8.8	8.9	8.8		
ANDALUSIA TR( 3.1R)								FC95														
4171831	0.000	16.978	C	2007		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	5.3*	4.9*	2.5*	
HALIFAX PAVING, INC. (2009)								SPRIDE 8.8 8.2 8.2 8.3 8.4 8.3 8.2 8.3 8.2 8.2 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 7.7														
4526431	0.000	16.978	C	2027		0012																
73040000	16.978	17.684	C	1	1	40	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0		
20				2	12.9		10300 RIDE	7.7	7.8	8.1	7.3	7.6	7.3	7.1	7.3	6.1	7.0	7.0	6.9	6.4		
E WOODLAND AVE(17.5C)								FC125M														
4323461	16.978	17.684	C	2017		0012	CRACKING	7.0	7.0	6.0*	6.0*	6.5	6.5	10.0	10.0	10.0	9.0	9.0	8.4	7.6	6.0*	
PIPER LANDINGS MARINA AND (2020)								SPRIDE 6.0 6.2 6.0 5.8 7.1 6.9 6.9 6.8 6.8 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.8 6.5														
73050000	0.000	15.477	C	1	7	60	CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0		
11				2	12.7		4900 RIDE	8.0	8.3	8.2	7.6	7.4	7.1	6.8	6.8	8.4	8.4	8.5	8.3	8.2		
CR 304( 6.0C)								FC125M														
4470821	0.000	15.477	C	2024		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	9.0	
(2026)								RIDE 8.3 7.6 7.7 7.8 8.1 8.0 7.9 7.9 7.8 7.8 7.7 8.2 7.9														

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).