

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = FLAGLER																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE																			
ITMSEG-P	(AGE_ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				(PMRS)
CONTRACTOR	W BMP	W EMP	RW	FY-F	WKMX-F																				
ITMSEG-F																									
73001000	0.000	18.729	R	4	1	70	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	5.5*			10.0	10.0	9.0	9.0					
9 I95	278.2	297.0	3	22.8	65500	RIDE		9.0	8.8	8.7	8.5	7.8	7.7	7.2			8.1	8.1	8.0	8.0					
					FC5M																				
4380031	0.000	11.738	C	2019	0012	CRACKING		9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	8.5				
MASCI GENERAL CONTRACTORS				(2022)	SPRIDE			8.0	7.8	7.7	8.1	8.0	8.3	8.1	8.1		8.9	8.8	8.8	8.8	8.8				
73001000	0.000	18.729	L	4	1	70	CRACKING	8.0	8.0	7.5	7.5	6.5	6.5	4.5*			10.0	10.0	9.0	9.0					
9 I95	278.2	297.0	3	22.8	65500	RIDE		8.8	8.6	8.6	8.4	7.8	7.6	7.1			8.0	8.1	7.9	7.9					
					FC5M																				
4380031	0.000	11.738	C	2019	0012	CRACKING		9.0	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5				
MASCI GENERAL CONTRACTORS				(2022)	SPRIDE			7.9	7.6	7.4	8.0	7.9	8.0	7.7	7.7		8.7	8.6	8.7	8.6	8.6				
73010000	0.000	4.149	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	6.5					
5 I1			2	10.4	13529	RIDE		8.8	8.8	8.8	8.9	7.9	8.0	7.9	8.0	7.7	7.8	7.8	7.7	7.7					
ALDENHAM LN(0.3R)					FC5AW																				
4272771	0.000	8.990	C	2013	0012	CRACKING		6.5	6.5		10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	9.0	6.5				
P & S PAVING, INC.				(2016)	RIDE			7.6	7.3		8.3	8.3	8.5	8.4	8.4	8.4	8.3	8.5	8.5	8.5	8.5				
73010000	4.149	5.080	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	6.5					
5 I1			2	10.4	13529	RIDE		8.8	8.8	8.8	8.9	7.9	8.0	7.9	8.0	7.7	7.8	7.8	7.7	7.7					
ST JOSEPHS ST(4.5R)					FC5M																				
				(2023)	CRACKING			6.5	6.5		10.0	10.0	10.0	9.0	9.0	8.0	8.0	10.0	10.0	10.0	8.5				
					RIDE			7.6	7.3		8.3	8.3	8.5	8.4	8.4	8.4	8.3	7.9	7.8	7.8	7.8				
73010000	5.080	9.657	R	1	1	60	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
5 I1			2	13.9	13000	RIDE		8.3	8.3	8.2	8.9	8.3	8.3	8.3	8.3	8.0	8.1	8.2	8.2	8.2					
PALM COAST CITY LIMITS(5.9R)					FC5AW																				
4272771	0.000	8.990	C	2013	0012	CRACKING		9.0	9.0		10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.7	5.0*				
P & S PAVING, INC.				(2016)	RIDE			8.3	7.8		8.3	8.3	8.5	8.4	8.4	8.4	8.3	8.2	8.1	8.1	7.9				
73010000	9.657	10.870	R	1	1	35	CRACKING	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0					
5 I1			2	13.9	13000	RIDE		8.1	8.1	8.0	8.1	7.4	7.4	7.0	7.1	6.7	7.1	7.1	7.2	8.2					
HIBISCUS AVE(9.7R)					FC125R																				
4220011	9.657	10.870	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.0	6.0*	5.5*	3.5*				
COMMERCIAL INDUSTRIAL CORP(2012)					RIDE			8.1	8.1	7.6	7.6	7.5	7.2	7.2	7.0	7.0	6.9	7.0	6.6	6.8	6.5				
4541941	9.656	10.651	C	2028	0226																				
73010000	10.870	23.673	R	1	1	65	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5					
5 I1			2	9.5	12700	RIDE		8.9	8.9	8.9	8.9	8.3	8.2	8.1	8.1	7.7	8.0	8.1	8.1	8.1					
GRAND RESERVE BLVD(11.9R)					FC5M																				
4135711	10.890	23.673	C	2005	0012	CRACKING		9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	0.0*				
ANDERSON COLUMBIA CO., INC(2007)					SPRIDE			8.2	8.0	7.9	8.3	8.2	8.5	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.0				
73010000	10.870	23.673	L	1	1	65	CRACKING	7.5	7.5	4.5*	4.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.0					
5 I1			2	9.5	12700	RIDE		8.5	8.5	8.4	8.3	7.6	7.5	7.3	8.2	7.8	8.1	8.2	8.1	8.1					
CHURCH ST(10.9L)					FC5M																				
4135711	10.890	23.673	C	2005	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	0.0*				
ANDERSON COLUMBIA CO., INC(2007)					SPRIDE			8.2	8.1	8.0	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.2	8.2	8.1	7.9				
73010000	9.657	10.870	L	1	1	35	CRACKING	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0					
5 I1			2	13.9	13000	RIDE		8.5	8.2	8.1	8.2	7.6	7.7	7.2	7.0	6.8	7.4	7.1	7.1	7.9					
RAILROAD ST L(9.9L)					FC125R																				
4220011	9.657	10.870	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	8.0	7.0	6.0*	4.5*	2.5*				
COMMERCIAL INDUSTRIAL CORP(2012)					RIDE			7.8	7.8	7.6	6.8	6.8	7.2	7.1	6.9	6.9	6.8	6.9	6.8	6.6	6.3				
4541941	9.656	10.651	C	2028	0226																				
73010000	5.160	9.657	L	1	1	60	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.0*	6.0*					
5 I1			2	13.9	13000	RIDE		8.1	8.0	7.9	9.0	8.4	8.4	8.3	8.3	7.9	8.1	8.2	8.1	8.0					
CR 304 L(6.9L)					FC5AW																				
4272771	0.000	8.990	C	2013	0012	CRACKING		6.0*	6.0*		10.0	10.0	10.0	9.5	9.0	8.0	8.0	8.0	8.0	6.9	4.5*				
P & S PAVING, INC.				(2016)	RIDE			8.0	7.8		8.1	8.2	8.3	8.1	8.1	8.1	8.0	7.4	7.2	7.0	6.8				
73010000	4.149	5.160	L	1	1	65	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.0*	6.0*					
5 I1			2	10.4	13529	RIDE		8.5	8.4	8.2	9.0	8.4	8.4	8.3	8.3	7.9	8.1	8.2	8.1	8.0					
					FC5M																				
				(2023)	CRACKING			6.0*	6.0*		10.0	10.0	10.0	9.5	9.0	8.0	8.0	10.0	10.0	10.0	8.5				
					RIDE			8.0	7.8		8.1	8.2	8.3	8.1	8.1	8.1	8.0	7.7	7.7	7.7	7.5				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

										DISTRICT = 5 COUNTY = FLAGLER																			
RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE					
INTERSECT	AT	(MP)	(SIDE)		LN	%T	AADT		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE																							
CONTRACTOR	(AGE ONE YEAR)									2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	(PMRS)					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																								
73010000	0.000	4.149	L	1	1	65	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.0*	6.0*							
5	1		2	10.4	13529	RIDE	8.5	8.4	8.2	9.0	8.4	8.4	8.3	8.3	7.9	8.1	8.2	8.1	8.0										
CIRCLE S RD(0.3L)					FC5AW																								
4272771	0.000	8.990	C	2013	0012	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
P & S PAVING, INC.				(2016)		RIDE	8.0	7.8		8.1	8.2	8.3	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.5	8.5	8.4	5.0*	8.2					
73020000	0.000	0.620	R	1	1	35	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			1	10.4	13900	RIDE	8.3	8.2	7.7	8.2	7.9	7.5	7.7	7.8	7.8	8.4	7.2	8.0	8.0	8.0	8.0	8.0	8.0	8.0					
US-1/SR-5(0.0R)					FC125																								
2379651	0.000	2.237	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
P & S PAVING, INC.				(2008)		SPRIDE	7.6	7.4	7.3	6.7	7.1	7.1	7.0	6.9	7.0	6.9	7.0	7.1	7.2	7.2	6.9	7.2	6.9	6.9					
73020000	0.620	2.400	R	1	1	50	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	5.8	16200	RIDE	8.1	8.0	8.4	8.5	8.0	8.0	8.0	8.0	7.9		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
COMMERCE PKWY(0.9R)					OGFC																								
2379651	0.000	2.237	C	2005	0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*						
P & S PAVING, INC.				(2008)		SPRIDE	7.7	7.6	7.1	7.3	7.5	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.2					
4452191	0.615	5.185	C	2024	0012																								
73020000	2.400	4.662	R	1	2	50	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	15.0	23000	RIDE	8.2	8.0	8.4	8.5	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
BELLE PKWY(2.4R)					OGFC																								
2379251	2.324	4.488	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.8	2.0*						
				(2006)		SPRIDE	8.1	8.0	7.6	7.8	7.8	8.1	8.0	8.1	8.0	7.9	8.0	7.9	8.0	8.0	7.9	7.8	7.6						
4452191	0.615	5.185	C	2024	0012																								
73020000	4.662	4.920	R	1	2	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	3.9	28000	RIDE	8.7	8.7	8.6	8.5	7.9	8.0	7.9	8.0	8.0	7.4	8.0	7.1	6.5	6.5	6.5	7.0	6.6						
					OGFC																								
				(2012)		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*					
4452191	0.615	5.185	C	2024	0012																								
73020000	4.920	7.325	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	5.8	23642	RIDE	8.7	8.7	8.6	8.5	7.9	7.9	7.4	7.4	7.1	7.0	7.1	7.0	7.1	7.0	7.0	7.0	4.5*						
CR 2001(5.0R)					FC5																								
4272321	4.920	8.191	C	2013	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
HALIFAX PAVING, INC.				(2016)		RIDE	7.0	6.6		8.0	7.9	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.0	7.8	7.8					
73020000	7.850	8.191	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	10.4	16100	RIDE	6.8	6.7	6.6	7.0	6.4	6.7	6.4	6.3	6.5	6.3	6.5	6.3	6.3	6.7	6.2	6.2	6.2	6.2					
PALMETTO AVE(7.9C)					FC125R																								
4272321	4.920	8.191	C	2013	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
HALIFAX PAVING, INC.				(2016)		RIDE	6.4	6.3																					
73020000	7.850	8.191	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	10.4	16100	RIDE	6.4*	6.1*	7.3	8.0	6.9	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.5	6.6	6.6	6.5	4.5*	4.5*					
PALMETTO AVE(7.9C)					FC125R																								
4272321	4.920	8.191	C	2013	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
HALIFAX PAVING, INC.				(2016)		RIDE	6.4	6.1																					
73020000	4.920	7.325	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	5.8	23642	RIDE	8.8	8.5	8.6	8.6	8.0	8.0	8.0	8.0	8.0	7.6	7.6	7.2	6.8	4.5*	4.5*	4.5*	4.5*	4.5*					
FROM OLD KINGS RD(5.0L)					FC5																								
4272321	4.920	8.191	C	2013	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
HALIFAX PAVING, INC.				(2016)		RIDE	7.3	6.9		8.2	8.1	8.3	8.3	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.1	6.0*					
73020000	4.662	4.920	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	3.9	28000	RIDE	8.8	8.5	8.6	8.6	8.0	8.0	8.0	8.0	8.0	7.6	7.6	7.2	6.8	4.5*	4.5*	4.5*	10.0	6.4					
					OGFC																								
				(2012)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	1.0*	0.0*	0.0*	0.0*					
4452191	0.615	5.185	C	2024	0012																								
73020000	2.400	4.662	L	1	1	50	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
100			2	15.0	23000	RIDE	8.2	8.0	8.4	8.5	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
BELLE TERRE PKWY(2.4L)					OGFC																								
2379251	2.324	4.488	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
				(2006)		SPRIDE	8.1	8.2	7.9	8.0	7.9	8.1	8.1	8.0	8.1	8.0	8.1	8.0	7.9	8.0	8.0	8.0	7.8	7.8					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = FLAGLER

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																(PMRS)	
73020000	0.620	2.400	L	1	1 50	CRACKING		5.5*	5.5*	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0		
100			2	5.8	16200	RIDE		8.1	8.0	8.4	8.5	8.0	8.0	7.9		7.9	7.4	8.0	8.0	8.0		
CITRUS BLVD(0.7L)																						
2379651	0.000	2.237	C	2005	0213	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	
P & S PAVING, INC.				(2008)	SPRIDE			7.7	7.7	7.5	7.7	7.7	7.8	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.4	
4452191	0.615	5.185	C	2024	0012																	
73020000	0.000	0.620	L	1	1 35	CRACKING		5.5*	5.5*	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0		
100			1	10.4	13900	RIDE		8.3	8.2	7.7	8.2	7.9	7.5	7.7	7.8	8.4	7.2	8.0	7.9	7.4		
US-1/SR-5/SR-100(0.0L)																						
2379651	0.000	2.237	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	
P & S PAVING, INC.				(2008)	SPRIDE			7.5	7.8	7.3	7.1	6.9	7.1	7.1	7.1	7.1	6.9	7.0	7.4	7.1	6.8	
73030000	0.000	2.043	C	1	1 45	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	10.0	10.0	10.0	10.0		
A1A			2	5.7	4900	RIDE		8.6	8.6	8.4	8.5	7.9	7.9	7.8	7.8	7.3	7.5	8.5	8.5	8.5		
CLUB HOUSE DR(0.3L)																						
4171581	0.000	3.385	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.5	8.5	7.6	5.5*	
HALIFAX PAVING, INC.				(2009)	SPRIDE			8.5	8.5	8.2	7.7	7.9	8.1	8.0	7.9	7.7	7.7	7.7	7.4	7.5	7.2	
73030000	2.043	3.630	R	1	1 25	CRACKING		8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
A1A			1	5.7	4900	RIDE		7.7	7.8	7.7	7.6	7.0	6.9	6.9	6.8	6.4	7.5	8.5	8.5	8.5		
4405576 2.206 3.630 C 2019 0102 CRACKING																						
SUPERIOR CONSTRUCTION COMP(2021)					SPRIDE			10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.5	8.5	
								8.5	8.5	8.2	7.7	7.9				7.6	7.5	7.4	6.5	6.3	6.0	
73030000	3.630	5.450	C	1	1 45	CRACKING		4.0*	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
A1A			2	3.2	7500	RIDE		8.2	8.1	7.8	7.8	6.4*	8.1	8.0	8.0	7.3	8.0	8.1	8.1	8.0		
S 8TH ST(3.7L)																						
4071541	3.385	10.257	C	2003	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.6*	2.0*	
PREFERRED MATERIALS, INC.				(2005)	SPRIDE			8.0	7.9	7.4	7.7	7.5	7.7	7.6	7.7	7.7	7.5	7.5	7.3	7.3	7.0	
4487951	3.663	5.461	C	2025	0012																	
73030000	5.450	6.575	C	1	1 45	CRACKING		4.0*	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
A1A			2	3.2	7500	RIDE		8.2	8.1	7.8	7.8	6.4*	8.1	8.0	8.0	7.3	8.0	8.1	8.1	8.0		
N 18TH ST(5.5L)																						
4405577	5.519	6.575	C	2019	0102	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0		10.0	10.0	10.0	10.0	9.5	8.5	
SUPERIOR CONSTRUCTION COMP(2021)					RIDE			8.0	7.9	7.4	7.7	7.5	7.7	7.6		8.0	7.8	7.8	7.7	7.9	7.6	
73030000	6.575	9.850	C	1	1 50	CRACKING		4.0*	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
A1A			2	6.1	5900	RIDE		8.2	8.1	7.8	7.8	6.4*	8.1	8.0	8.0	7.3	8.0	8.1	8.1	8.0		
SUNSET INLET DR(6.7L)																						
4071541	3.385	10.257	C	2003	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.7*	2.0*	
PREFERRED MATERIALS, INC.				(2005)	SPRIDE			8.0	7.9	7.4	7.7	7.5	7.7	7.6	7.7	7.1	7.1	7.0	6.9	6.8	6.6	
4391241	6.484	10.282	C	2024	0012																	
73030000	9.850	10.282	C	1	1 50	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
A1A			2	6.1	5900	RIDE		7.8	7.5	7.3	7.4	6.1*	8.2	8.3	8.2	7.3	8.0	8.1	8.3	8.2		
4071541 3.385 10.257 C 2003 0012 CRACKING																						
PREFERRED MATERIALS, INC.				(2005)	SPRIDE			8.1	7.9	7.4	7.5	7.3	7.4	7.4	7.3	7.2	7.1	7.1	7.1	6.9	6.6	
4391241	6.484	10.282	C	2024	0012																	
73030000	10.282	10.621	R	1	1 50	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0		
A1A			1	6.1	5900	RIDE		8.2	8.3	8.3	8.2	7.4	7.3	7.1	7.2	6.7	7.2	7.1	6.4*	6.5		
CAMINO DEL REY PKWY(10.4R)																						
4272531	10.325	10.635	C	2013	0012	CRACKING		7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	7.0	
DUVAL ASPHALT PRODUCTS, IN(2014)					RIDE			6.8	7.8	7.3	7.1	7.0	7.3	7.1	6.9	6.9	7.0	6.8	6.8	6.8	6.5	
73030000	10.621	16.545	C	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0		
A1A			2	7.2	9700	RIDE		8.5	8.6	8.5	8.4	7.9	7.9	7.5	7.6	7.1	6.8	7.5	7.3	7.2		
OLD A1A S(10.7L)																						
				(2014)		CRACKING		7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.4	6.5	
						RIDE		7.1	8.0	7.3	7.5	7.3	7.8	7.7	7.7	7.6	7.6	7.5	7.4	7.1		
73030000	17.450	18.595	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5		
A1A			2	11.0	5700	RIDE		8.7	8.6	8.5	8.4	7.7	7.8	7.4	7.3	6.8	6.5	7.2	7.2	6.9		
BEACH SIDE DR(17.8L)																						
4272531	17.450	18.595	C	2013	0012	CRACKING		8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	7.5	
DUVAL ASPHALT PRODUCTS, IN(2014)					RIDE			7.1	8.0	7.7	7.4	7.3	7.7	7.6	7.6	7.6	7.6	7.6	7.5	7.5	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = FLAGLER																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P		=====																		
ITMSEG-P	(AGE ONE YEAR)				ASTYPE																				
CONTRACTOR	W BMP	W EMP	RW	FY-F	WKMX-F			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025			2030 (PMRS)		
ITMSEG-F																									
73030000	10.282	10.621	L	1	1 50	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.0	6.5	6.5					
A1A			1	6.1	5900	RIDE		7.9	6.9	7.7	7.9	7.5	7.3	7.0	6.7	6.9	6.2*	5.7*	5.7*	5.7*					
ISLAND ESTATES PKWY(10.4L)					FC125R																				
4272531	10.325	10.635	C	2013	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0				
DUVAL ASPHALT PRODUCTS, IN(2014)						RIDE		6.0*	8.0	7.5	7.4	7.6	7.7	7.4	7.4	7.2	7.3	7.1	7.1	6.9	6.6				
73030000	2.043	3.630	L	1	1 25	CRACKING		8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0					
A1A			1	5.7	4900	RIDE		7.7	7.8	7.7	7.6	7.0	6.9	6.9	6.8	6.4	7.5	8.5	8.5	8.5					
S 22ND ST(2.2L)					DGFC																				
4405576	2.206	3.630	C	2019	0102	CRACKING		10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.1	8.0				
SUPERIOR CONSTRUCTION COMP(2021)					SPRIDE			8.5	8.5	8.2	7.7	7.9				6.9	6.6	6.4	5.4*	5.2*	4.9*				
73030001	0.000	0.940	R	1	1 50	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0					
A1A			2	7.4	5600	RIDE		8.6	8.5	8.4	7.4	7.2	7.6	7.3	7.5	7.3	7.2	7.2	7.3	7.1					
SR A1A(0.0C)					FC125R																				
4272531	0.053	0.879	C	2013	0012	CRACKING		7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.6	7.0				
DUVAL ASPHALT PRODUCTS, IN(2014)						RIDE		7.3	8.0	7.4	7.4	7.2	7.6	7.4	7.6	7.7	7.5	7.5	7.5	7.4	7.1				
73030001	0.000	0.940	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0					
A1A			2	7.4	5600	RIDE		8.8	8.7	8.5	8.3	7.4	7.4	7.4	7.3	7.1	7.0	7.1	7.0	6.6					
SR A1A(0.0C)					FC125R																				
4272531	0.053	0.879	C	2013	0012	CRACKING		7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.1	6.5				
DUVAL ASPHALT PRODUCTS, IN(2014)						RIDE		7.5	8.0	8.0	7.4	7.3	7.7	7.7	7.7	7.7	7.6	7.5	7.5	7.5	7.2				
73040000	0.000	16.978	C	1	1 60	CRACKING		10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0					
20			2	19.8	5200	RIDE		9.0	8.9	8.6	8.8	7.9	7.7	7.5	7.2	6.7	7.7	8.9	8.8	8.9					
ANDALUSIA TR(3.1R)					FC95																				
4171831	0.000	16.978	C	2007	0012	CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	5.3*	3.0*				
HALIFAX PAVING, INC. (2009)					SPRIDE			8.8	8.8	8.2	8.2	8.3	8.4	8.3	8.2	8.3	8.2	8.2	8.0	8.0	8.0	7.7			
4526431	0.000	16.978	C	2027	0012																				
73040000	16.978	17.684	C	1	1 40	CRACKING		9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0					
20			2	12.9	10100	RIDE		8.0	7.7	7.8	8.1	7.3	7.6	7.3	7.1	7.3	6.1	7.0	7.0	6.9					
E WOODLAND AVE(17.5C)					FC125M																				
4323461	16.978	17.684	C	2017	0012	CRACKING		7.0	7.0	7.0	6.0*	6.0*	6.5	6.5	10.0	10.0	10.0	9.0	9.0	8.4	7.0				
PIPER LANDINGS MARINA AND (2020)					SPRIDE			6.4	6.0	6.2	6.0	5.8	7.1	6.9	6.9	6.8	6.8	6.9	6.9	6.9	6.6				
73050000	0.000	7.440	C	1	1 60	CRACKING		7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0					
11			2	9.4	2700	RIDE		8.4	8.0	8.3	8.2	7.6	7.4	7.1	6.8	6.8	8.4	8.4	8.5	8.3					
CR 304(6.0C)					FC125																				
4171411	0.000	15.507	C	2008	0012	CRACKING		9.0	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*				
P & S PAVING, INC. (2009)					SPRIDE			8.2	8.3	7.6	7.7	7.8	8.1	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.4				
4470821	0.000	15.477	C	2024	0012																				
73050000	7.440	15.477	C	1	8 60	CRACKING		7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0					
11			2	12.7	4700	RIDE		8.4	8.0	8.3	8.2	7.6	7.4	7.1	6.8	6.8	8.4	8.4	8.5	8.3					
CR 2003(14.9R)					FC125																				
4171411	0.000	15.507	C	2008	0012	CRACKING		9.0	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	6.0*	6.0*	6.0*						
P & S PAVING, INC. (2009)					SPRIDE			8.2	8.3	7.6	7.7	7.8	8.1	8.0	7.9	7.9	7.8	7.8	7.7	7.7					
4470821	0.000	15.477	C	2024	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).