

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = NASSAU -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F											
		(AGE_ONE YEAR)		(YEAR)		ASTYPE				WKM-F											
		W_BMP		W_EMP		RW		FY-F		WKM-F											
74010000	0.000	2.173	C	1	1	60	CRACKING	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90				2	18.0		RIDE	8.9	8.9	8.8		8.5	8.3	8.2	8.1	8.1	8.1	8.1	8.1	8.0	7.8
SIDE ROAD(0.5C)						FC125M															
4244711	0.000	2.173	C	2012	0012	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	5.0
HUBBARD CONSTRUCTION COMPA(2013)						SPRIDE		7.7	8.2	8.2	8.2	8.1	8.1	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.7
74020000	0.000	3.888	C	1	1	60	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	
5 17				2	5.1	15900	RIDE	8.7	8.9	8.9	8.9	8.7	8.5	8.6	8.5	8.3	8.3	8.3	8.3	8.1	
CRADY LAKE DR(1.4L)						FC125M															
					(2016)	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1	
						RIDE	8.1	8.0	7.9		8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.1	8.0	
74020000	3.888	4.369	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	
5 17				2	5.1	14000	RIDE	8.5	8.4	8.4	8.3	8.2	7.8	7.5	7.4	7.5	7.3	7.2	7.7	7.1	
SR ALA(4.0C)						FC125M															
4287101	3.821	4.274	R	2014	0012	CRACKING	8.5	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
DUVAL ASPHALT PRODUCTS, IN(2018)						SPRIDE		7.0	8.0	7.9			7.8	7.8	7.5	7.5	7.4	7.1	7.1	7.1	6.4
74020000	4.369	10.624	C	1	1	60	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	
5 17				2	5.1	14000	RIDE	9.0	9.0	9.0	9.0	8.8	8.5	8.5	8.5	8.6	8.6	8.6	8.5	8.5	
KOEN LN(4.5C)						FC125M															
4287101	4.434	8.538	C	2014	0012	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1	
DUVAL ASPHALT PRODUCTS, IN(2016)						SPRIDE		8.3	8.4	8.3		8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.4	8.3
74020000	10.624	11.415	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.5	8.0	7.0	7.0	7.0	
5 17				2	5.1	4300	RIDE	8.6	8.6	8.5	8.4	8.3	7.6	7.5	7.4	7.9	7.6	7.4	7.1	7.1	
HANCE PKWY(10.7R)						FC125M															
					(2015)	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.3
						RIDE	6.4	6.3	6.1	7.8	7.3	7.3	7.2	7.1	7.0	6.9	6.9	6.9	6.9	6.8	6.3
74020000	11.415	13.375	C	1	1	55	CRACKING	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
5 17				2	5.1	4300	RIDE	8.4	8.5	8.4	8.2	7.9	7.3	7.4	6.9	6.9	6.8	6.6	8.5	8.5	
SIDE ROAD(12.2C)						FC95															
2106732	11.403	13.375	C	2009	0012	CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	0.0*	0.0*	0.0*	0.0*	0.0	
DUVAL ASPHALT PRODUCTS, IN(2010)						RIDE		8.2	8.1	7.7	7.6	8.0	7.8	7.6	7.8	7.7	7.3	7.4	7.3	7.4	6.9
2106733	11.415	13.375	C	2026	0012																
74020000	10.624	11.415	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	
5 17				2	5.1	4300	RIDE	8.7	8.6	8.7	8.6	8.5	8.0	7.8	7.8	8.1	8.1	8.0	7.8	7.6	
LIPPIZAN CT(11.3L)						FC125M															
					(2015)	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0
						RIDE	7.3	7.3	6.8	7.9	7.7	7.5	7.4	7.4	7.4	7.2	7.2	7.2	7.2	7.1	6.7
74020000	3.888	4.369	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	
5 17				2	5.1	14000	RIDE	8.5	8.3	8.4	8.1	8.0	8.0	7.6	7.1	7.4	6.7	7.2	7.1	7.1	
SOWELL RD(3.9L)						FC125M															
4287101	3.821	4.274	L	2014	0012	CRACKING	7.0	7.0	7.0			10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	5.6	
DUVAL ASPHALT PRODUCTS, IN(2018)						SPRIDE		7.0	7.7	7.6			7.4	7.4	7.1	7.2	6.9	6.7	6.1	5.4	
74030000	0.000	4.305	R	1	1	65	CRACKING	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	
15 1				2	10.3	16100	RIDE	8.5	8.3	8.2		8.6	8.4	8.2	8.0	8.3	8.2	7.8	7.7	7.4	
BOOTH RD R(0.3R)						FC5M															
4287111	0.003	4.168	C	2015	0012	CRACKING	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.4	
DUVAL ASPHALT PRODUCTS, IN(2016)						SPRIDE		7.2	7.0	6.6		8.6	8.7	8.7	8.7	8.6	8.6	8.6	8.6	8.6	
74030000	4.305	4.879	R	1	1	30	CRACKING	5.5*	4.5*	4.5*		10.0	10.0	10.0	9.5	8.5	7.0	5.0*	5.0*	5.0*	
15 1				2	14.6	22000	RIDE	5.1*	5.5*	5.7*		8.0	7.7	6.7	6.5	6.5	5.9	5.4*	5.0*	5.1*	
EWING PARK RD(4.5R)						FC125M															
4269621	4.310	4.611	R	2013	0012	CRACKING	5.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.0*	6.0*	4.9	
ANDERSON COLUMBIA CO., INC(2015)						SPRIDE		4.7*	4.8*		8.2	7.3	6.6	7.3	6.6	7.2	7.2	7.0	6.9	6.6	6.2
74030000	4.879	13.918	R	1	1	65	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	
15 1				2	13.5	15700	RIDE	8.5	8.3	8.5	8.2	8.1		8.1	8.2	8.3	8.3	8.0	8.1	8.0	
RHODEN LN(5.1R)						FC5M															
4361621	5.040	14.773	R	2018	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
ANDERSON COLUMBIA CO., INC(2020)						SPRIDE		7.9	7.8	7.7	7.4	7.9	7.8	8.1	8.0	8.8	8.8	8.8	8.7	8.8	8.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = NASSAU -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP	SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
74030000	13.918	14.773	R	1	1	45	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	
15	1			2	14.6		13600 RIDE	8.5	8.3	8.5	8.2	8.1		8.1	8.2	8.3	8.3	8.0	8.1	8.0	
EASTWOOD RD(14.2R)																					
4361621	5.040	14.773	R	1818		0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA CO.,	INC(2020)					SPRIDE	7.9	7.8	7.7	7.4	7.9	7.8	8.1	8.0	8.6	8.6	8.7	8.6	8.7	8.7
74030000	14.773	16.098	R	1	1	35	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	
15	1			2	14.6		13600 RIDE	8.2	7.9	8.1	8.0	7.8	7.7	7.4	7.2		8.5	8.0	8.4	8.3	
WADE DR(15.3R)																					
2106695	15.415	22.502	R	2006		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.0*	5.5*	5.5
				(2008)			RIDE	8.3	8.3	8.2	8.2	7.9	7.8	7.9	7.8	7.8	7.7	7.7	7.6	7.7	7.3
4453511	14.771	22.502	C	2024		0012															
74030000	16.098	21.924	R	1	1	65	CRACKING	7.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	
15	1			2	14.6		13300 RIDE	8.8	8.5	8.6	8.4	8.3	7.9	7.6	7.4			8.1	8.4	8.3	
PLEASANT PARK CIR(16.8R)																					
2106695	15.415	22.502	R	2006		0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*	3.5*	3.5*	2.0
				(2009)			RIDE	8.3	8.3	8.2	8.1	8.4	8.4	8.4	8.0	8.4	8.3	8.2	8.1	8.1	8.1
4453511	14.771	22.502	C	2024		0012															
74030000	21.924	22.502	R	1	1	45	CRACKING	7.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0
15	1			2	12.4		9881 RIDE	8.8	8.5	8.6	8.4	8.3	7.9	7.6	7.4			8.2	8.0	8.3	8.3
LAKE HAMPTON RD(22.3R)																					
2106695	15.415	22.502	R	2006		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.0*	6.0*	5.5*	3.5*	3.5
				(2008)			RIDE	8.3	8.3	8.3	8.2	7.9	7.9	7.9	7.8	7.7	7.7	7.7	7.7	7.4	7.3
4453511	14.771	22.502	C	2024		0012															
74030000	21.924	22.502	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5			10.0	10.0	10.0	10.0
15	1			2	12.4		9881 RIDE	8.8	8.6	8.7	8.6	8.4	7.8	7.5	7.6			8.3	7.9	8.2	8.2
CHURCH DR(22.1L)																					
2106695	15.415	22.502	L	2006		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	5.5*	3.5*	3.5
				(2008)			RIDE	8.2	8.2	8.2	8.2	7.9	7.9	7.5	7.8	7.7	7.6	7.6	7.6	7.6	7.3
4453511	14.771	22.502	C	2024		0012															
74030000	16.098	21.924	L	1	1	65	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	6.5	6.5			10.0	10.0	10.0	10.0
15	1			2	14.6		13300 RIDE	8.8	8.6	8.7	8.6	8.4	7.8	7.5	7.6			8.0	8.3	8.3	
8TH ST(16.3L)																					
2106695	15.415	22.502	L	2006		0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	7.5	7.5	7.5	4.5*	3.5*	3.5*	1.0*	0.7
				(2009)			RIDE	8.3	8.3	8.1	8.1	8.3	8.3	8.4	8.3	8.3	8.2	8.1	7.9	7.8	7.8
4453511	14.771	22.502	C	2024		0012															
74030000	14.773	16.098	L	1	1	35	CRACKING	9.5	8.0	8.0	8.0	8.0	6.0*	4.5*	4.5*			10.0	10.0	10.0	10.0
15	1			2	14.6		13600 RIDE	8.6	8.4	8.6	8.2	8.2	7.6	7.3	7.2			8.5	8.0	8.2	8.2
CHAPEL RD(14.9L)																					
2106695	15.415	22.502	L	2006		0012	CRACKING	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	6.0*	4.0*	4.0
				(2008)			RIDE	8.1	8.2	8.1	8.1	7.9	7.9	7.9	7.8	7.7	7.8	7.8	7.6	7.7	7.4
4453511	14.771	22.502	C	2024		0012															
74030000	13.918	14.773	L	1	1	45	CRACKING	6.0*	5.5*	4.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	
15	1			2	14.6		13600 RIDE	8.5	8.4	8.4	8.2	7.8		8.1	8.2	8.3	8.2	7.9	8.0	8.0	
HENRY SMITH RD(14.2L)																					
4361621	5.040	14.773	L	1818		0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA CO.,	INC(2020)					SPRIDE	7.8	7.6	7.4	7.2	7.8	7.7	8.0	7.9	8.6	8.6	8.7	8.5	8.6	8.5
74030000	4.879	13.918	L	1	1	65	CRACKING	6.0*	5.5*	4.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	
15	1			2	13.5		15700 RIDE	8.5	8.4	8.4	8.2	7.8		8.1	8.2	8.3	8.2	7.9	8.0	8.0	
CR 115 L(5.2L)																					
4361621	5.040	14.773	L	1818		0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
ANDERSON	COLUMBIA CO.,	INC(2020)					SPRIDE	7.8	7.6	7.4	7.2	7.8	7.7	8.0	7.9	8.8	8.9	8.9	8.9	8.9	8.9
74030000	4.305	4.879	L	1	1	30	CRACKING	4.0*	3.5*	3.5*		10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	
15	1			2	14.6		22000 RIDE	6.9	6.6	6.5		7.3	7.4	7.5	6.8	6.6	6.8	6.4	5.5	5.6	
FOURTH AVE(4.4L)																					
4269621	4.310	4.611	L	2013		0012	CRACKING	6.0*	4.5*		10.0	10.0	10.0	9.5	9.5	10.0	7.0	5.5*	5.0*	3.0*	0.6
ANDERSON	COLUMBIA CO.,	INC(2015)					SPRIDE	5.4*	5.3*		8.0	7.3	7.0	7.1	7.0	7.2	6.8	6.5	6.5	5.9	5.3
74030000	0.000	4.305	L	1	1	65	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	6.5	
15	1			2	10.3		16100 RIDE	8.1	7.9	8.0		8.9	8.5	8.4	8.3	8.5	8.3	8.0	7.9	7.5	
RATLIFF RD(0.3L)																					
4287111	0.003	4.168	C	2015		0012	CRACKING	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1
DUVAL ASPHALT	PRODUCTS,	IN(2016)					SPRIDE	6.9	6.6	5.8*		8.7	8.8	8.9	8.7	8.9	8.8	8.9	8.7	8.8	8.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = NASSAU -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
74040000	0.000	14.740	R	1	1	65	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	3.5*	3.5*	1.0*	1.0*	
200 301			2	31.9		8300	RIDE	8.8	8.9	8.8	8.7	8.3	8.0	7.8	7.5	7.5	7.5	6.4*	5.8*	5.7*	
CR 119(0.9R)							FC5M														
				(2016)			CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	5.4
							RIDE	8.3				8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.0
74040000	15.294	16.088	R	1	1	30	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
ALA 301			4	8.3		20500	RIDE	8.8	8.8			8.2	7.8	7.6	7.5	7.7	6.9	7.4	7.4	7.3	
CR 15A(15.4C)							FC125M														
4376121	15.294	16.086	C	2019		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
DUVAL ASPHALT PRODUCTS, IN(2020)							SPRIDE	7.2	7.1	6.9	7.1	6.6	6.4	6.6	6.5	7.9	7.9	7.8	7.8	7.8	7.6
74040000	16.088	18.600	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		
ALA			2	8.3		12900	RIDE	8.8	8.8	8.8	8.7	8.2	7.9	8.2	8.2	8.3	8.3	8.3	8.1		
ZWEIFEL RD(18.4R)							FC125H														
4412601	16.088	22.233	C	2022		0012	CRACKING	10.0	10.0	9.5	7.0	7.0	7.0	6.0*	4.0*	4.0*	4.0*			10.0	
DUVAL ASPHALT PRODUCTS, IN(2024)							SPRIDE	8.2	8.0	7.8	6.7	6.3	6.2	5.5	5.1*	5.1*	5.1*			8.4	
74040000	18.600	22.245	R	1	7	65	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0		
ALA			2	8.3		12900	RIDE	8.8	8.8	8.8	8.7	8.6	8.3	8.2	8.2	8.2	8.2	8.1	7.9		
FOUR CREEKS RD(20.3R)							FC5HP														
4412601	16.088	22.233	C	2022		0012	CRACKING	10.0	10.0	9.5	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*			10.0	
DUVAL ASPHALT PRODUCTS, IN(2024)							SPRIDE	8.2	8.0	7.8	8.0	7.9	7.9	7.4	7.3	7.1	6.8			8.8	
74040000	22.245	27.400	R	1	7	65	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	
ALA			2	8.3		20500	RIDE	8.8	8.8	8.8	8.7	8.6	8.3	8.2			8.2	8.2	8.1	8.1	
WESTBERRY LN(23.6R)							FC5HP														
4453411	22.233	27.300	C	2022		0012	CRACKING	10.0	10.0	9.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	
HUBBARD CONSTRUCTION COMPA(2024)							SPRIDE	8.0	8.1	7.9	7.7	7.9	7.9	8.0	8.0	7.8	7.6	7.5	7.3	8.5	
74040000	27.400	27.992	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.5	6.5	4.5*	10.0	4.5*	4.5*	4.5*	
ALA			3	10.1		27054	RIDE	8.9	8.9	8.9	8.8	8.4	7.9	7.9	7.2	7.2	8.0	6.1	4.8*	6.7	
SIDNEY PL(27.7R)							FC125H														
2107112	27.300	29.518	C	2017		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5				10.0	10.0	10.0	10.0
J.B. COXWELL CONTRACTING,I(2022)							SPRIDE	8.6	8.4	8.3	8.7	8.7	8.8					7.7	7.3	7.6	7.2
74040000	27.992	29.533	R	1	4	55	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
ALA			3	10.1		27054	RIDE	8.9	8.9	8.9	8.8	8.4	7.9	7.9	7.2	7.2	6.6	6.1*	4.8*	6.7	
HARPER CHAPEL RD(28.1R)							LGD														
2107112	27.300	29.518	C	2017		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5				9.5	9.5	9.5	9.5
J.B. COXWELL CONTRACTING,I(2022)							RIDE	8.6	8.4	8.3	8.7	8.7	8.8					9.1	9.0	8.9	8.4
74040000	29.533	30.548	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
ALA			3	10.1		27054	RIDE	8.9	8.9	8.9	8.8	8.4	7.9	7.9	7.2	7.2	6.6	6.1	4.8*	6.7	
OAK TREE LN(30.0R)							FC125M														
2107123	29.520	30.548	C	2014		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
J.B. COXWELL CONTRACTING,I(2018)							SPRIDE	8.6	8.4	8.3				7.9	7.9	7.5	7.6	7.8	7.9	7.8	7.8
74040000	29.533	30.548	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	
ALA			3	10.1		27054	RIDE	9.0	9.0	9.0	8.9	8.8	8.3	8.2	7.7	7.6	7.1	6.7	5.8	5.6	
STILL QUARTERS RD(29.8L)							FC125M														
2107123	29.520	30.548	C	2014		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
J.B. COXWELL CONTRACTING,I(2018)							SPRIDE	8.5	8.3	8.3				7.7	7.5	7.2	7.1	7.5	7.5	7.4	7.2
74040000	27.992	29.533	L	1	4	55	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	
ALA			3	10.1		27054	RIDE	9.0	9.0	9.0	8.9	8.8	8.3	8.2	7.7	7.6	7.1	6.7	5.8*	5.6*	
HARPER CHAPEL RD(28.1C)							LGD														
2107112	27.300	29.518	C	2017		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0					9.5	9.5	9.5	9.5
J.B. COXWELL CONTRACTING,I(2022)							RIDE	8.5	8.3	8.3	8.7	8.7						9.1	9.0	8.8	8.1
74040000	27.310	27.992	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	4.5*	10.0	4.5*	4.5*	4.5*	
ALA			3	10.1		27054	RIDE	8.6	8.6	8.6	8.4	8.4	8.2	8.1	7.7	7.6	8.3	6.7	5.8	5.6	
							FC125H														
2107112	27.300	29.518	C	2017		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0
J.B. COXWELL CONTRACTING,I(2022)							SPRIDE	8.5	8.3	8.3	8.7	8.7						7.7	7.4	7.0	5.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = NASSAU -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE													
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P															
		(AGE_ONE YEAR)		RW		ASTYPE																	
		W_BMP		W_EMP		FY-F		WKMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
										(REG)													
74040000	22.245	27.310	L	1	7	65	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5				10.0	10.0	10.0	10.0		
ALA			2	8.3		20500	RIDE	8.8	8.8	8.8	8.7	8.6	8.3	8.2				8.2	8.2	8.1	8.1		
ROCKING HORSE LN(23.1L) FC5HP																							
4453411	22.233	27.300	C	2022		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	3.5*	3.5*	10.0			
HUBBARD CONSTRUCTION COMPA(2024) SPRIDE																							
74040000	18.600	22.245	L	1	7	65	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0				
ALA			2	8.3		12900	RIDE	8.8	8.8	8.8	8.7	8.6	8.3	8.2	8.2	8.2	8.2	8.2	8.1	7.9			
PITMAN RD(18.8L) FC5HP																							
4412601	16.088	22.233	C	2022		0012	CRACKING		10.0	10.0	8.0	9.5	9.5	9.5	9.5	9.0	9.0	7.5		10.0			
DUVAL ASPHALT PRODUCTS, IN(2024) SPRIDE																							
74040000	16.088	18.600	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0				
ALA			2	8.3		12900	RIDE	8.8	8.8	8.8	8.7	8.2	7.9	8.2	8.2	8.3	8.3	8.3	8.1				
ANNIE LAURA ST(16.2L) FC125H																							
4412601	16.088	22.233	C	2022		0012	CRACKING		10.0	10.0	8.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0		10.0			
DUVAL ASPHALT PRODUCTS, IN(2024) SPRIDE																							
74040000	15.294	16.088	L	1	1	30	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ALA	301		2	8.3		20500	RIDE	8.8	8.8			8.3			7.6	7.8	7.7	7.7	7.5	6.9			
CR 15A(15.4C) FC125M																							
4376121	15.294	16.086	C	2019		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	8.5	7.6	7.6
DUVAL ASPHALT PRODUCTS, IN(2020) SPRIDE																							
74040000	0.000	14.740	L	1	1	65	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	3.5*	3.5*	1.0*	1.0*			
200	301		2	31.9		8300	RIDE	8.8	8.9	8.8	8.7	8.3	8.0	7.8	7.5	7.5	7.5	6.4*	5.8*	5.7*			
FOURAKER RD(1.2L) FC5M																							
							CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	6.7		
							RIDE	8.3				8.3	8.3	8.3	8.2	8.3	8.1	8.1	8.2	8.2	8.0		

74040001	0.000	0.538	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
200	301		2	31.9		6700	RIDE			7.9	8.2	8.4	8.2	8.0	7.8	8.1	8.1	7.4	7.9	7.7			
.183 S OF PICKETT RD(0.0C) FC125M																							
4376121	0.183	0.538	C	2019		0012	CRACKING	9.5	8.0	8.0	8.0	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	7.5	6.0		
DUVAL ASPHALT PRODUCTS, IN(2020) SPRIDE																							
74040001	0.000	0.538	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
200	301		2	31.9		6700	RIDE			7.9	8.6	8.7	8.0	8.1	8.0	8.3	8.0	7.7	7.7	7.5			
.183 S OF PICKETT RD(0.0C) FC125M																							
4376121	0.183	0.538	C	2019		0012	CRACKING	9.5	9.5	9.5	9.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0	8.4	8.4	
DUVAL ASPHALT PRODUCTS, IN(2020) SPRIDE																							
74060000	0.000	0.400	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0			
ALA			3	6.3		45500	RIDE	7.8	8.1	7.6	7.6	7.4	7.4	7.2	6.9	7.4	7.5	7.4	7.3	7.2			
US 17(0.0C) FC125M																							
2107123	0.000	0.501	C	2014		0213	CRACKING		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J.B. COXWELL CONTRACTING, I(2018) SPRIDE																							
74060000	0.400	5.487	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*			
ALA			3	6.3		45500	RIDE	8.7	8.7	8.6	8.5	8.2	7.7	7.5	7.2	7.0	6.9	6.6	6.1	6.7			
KUTANA DR(0.9R) FC125M																							
2107124	0.500	5.378	C	2016		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	
SUPERIOR CONSTRUCTION COMP(2022) SPRIDE																							
74060000	5.487	7.020	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*			
ALA			2	6.3		49000	RIDE	8.7	8.7	8.6	8.5	8.2	7.7	7.5	7.2	7.0	6.9	6.6	6.1*	6.7			
OTTER RUN RD R(5.7R) FC5M																							
2107113	0.000	7.022	R	2011		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	3.5*	1.0*	0.1		
HUBBARD CONSTRUCTION COMPA(2013) SPRIDE																							
2107115	5.387	7.618	C	2026		0012			8.5	8.3	8.4	8.6	8.5	8.7	8.6	8.6	8.4	8.2	7.7	7.1	7.1		
74060000	7.617	10.340	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.5	7.0		10.0	10.0			
ALA			2	6.3		20700	RIDE	8.1	8.4	8.4	8.2	8.0	7.7	7.5	7.5	7.8	7.9		8.3	8.2			
AMELIA ISLAND PKWY(8.2R) FC125H																							
4361601	7.618	10.340	R	2018		0012	CRACKING	10.0	9.5	7.5	8.5	8.5	8.5	7.5	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
HUBBARD CONSTRUCTION COMPA(2020) SPRIDE																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = NASSAU -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE					
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011				
INTERSECT AT (MP SIDE)		SURFTYPE		=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
CONTRACTOR (AGE_ONE YEAR)																						(REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F																		
74060000	10.340	11.389	R	1	1	30	CRACKING	9.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0				
ALA				1	6.3	11500	RIDE	7.1	6.9	6.5	6.8	6.2	5.4*	5.0*	4.7*	5.3*	4.9*		7.6	7.2				
LIME ST(10.3C)																								
4361601	10.340	11.384	R	2018	0012	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
HUBBARD CONSTRUCTION COMPA(2020)																								
FC125H																								
74060000	11.389	11.931	C	1	1	30	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
ALA				2	6.3	5000	RIDE	7.6	7.8	8.0	8.0	7.0	7.2	7.0	6.8	7.2	6.9	7.2	6.7	7.3				
ATLANTIC AVE(11.4L)																								
2106791	11.408	13.038	C	1994	0224	CRACKING	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.0*	6.0*	5.7			
HUBBARD CONSTRUCTION COMPA(1995)																								
FC3																								
2106792	11.415	13.038	C	2026	0012	S RIDE	7.0	7.0	6.7	6.9	6.9	6.8	6.7	6.4	6.5	6.9	6.6	6.8	6.3	6.0				
HUBBARD CONSTRUCTION COMPA(2026)																								
74060000	11.931	13.038	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5			
ALA				2	6.3	8800	RIDE	8.1	8.4	7.9	8.1	8.0	7.7	7.4	7.6	7.7	7.8	7.2	7.1	7.6				
SOUTH 15TH ST(11.9R)																								
2106791	11.408	13.038	C	1994	0224	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0			
HUBBARD CONSTRUCTION COMPA(1995)																								
FC3																								
2106792	11.415	13.038	C	2026	0012	S RIDE	7.6	7.6	7.6	7.3	7.6	7.5	7.4	7.4	7.4	7.2	7.4	7.2	7.0	7.0	6.8			
HUBBARD CONSTRUCTION COMPA(2026)																								
74060000	10.340	11.389	L	1	1	30	CRACKING	9.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0				
ALA				1	6.3	11500	RIDE	7.1	6.9	6.5	6.8	6.2	5.4*	5.0*	4.7*	5.3*	4.9*		7.6	7.2				
LIME ST(10.3C)																								
4361601	10.340	11.384	L	2018	0012	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
HUBBARD CONSTRUCTION COMPA(2020)																								
FC125H																								
74060000	7.617	10.340	L	1	1	45	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0				
ALA				2	6.3	20700	RIDE	7.7	7.6	7.7	7.4	7.1	7.0	6.8	6.3	6.8	7.1		8.3	8.2				
CREEKSIDE RD(7.8L)																								
4361601	7.618	10.340	L	2018	0012	CRACKING	10.0	9.5	9.5	9.5	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
HUBBARD CONSTRUCTION COMPA(2020)																								
FC125H																								
74060000	5.487	7.020	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*				
ALA				2	6.3	49000	RIDE	8.8	8.8	8.9	8.9	8.6	8.4	8.1	8.0	7.8	7.5	7.1	6.4*	6.7				
PINEY ISLAND DR(6.4L)																								
2107113	0.000	7.022	L	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	1.0*	0.0			
HUBBARD CONSTRUCTION COMPA(2013)																								
FC5M																								
2107115	5.387	7.618	C	2026	0012	SPRIDE		8.4	8.3	8.4	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.4	8.1	7.7	7.7			
HUBBARD CONSTRUCTION COMPA(2026)																								
74060000	0.400	5.487	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*				
ALA				3	6.3	45500	RIDE	8.8	8.8	8.9	8.9	8.6	8.4	8.1	8.0	7.8	7.5	7.1	6.4	6.7				
RUBIN LN(0.6L)																								
2107124	0.500	5.378	C	2016	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0			
SUPERIOR CONSTRUCTION COMP(2022)																								
FC125M																								
74060000	0.000	0.400	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5				
ALA				3	6.3	45500	RIDE	8.2	8.3	8.3	7.4	8.0	7.6	7.0	6.8	7.2	7.3	7.4	6.7	6.6				
US 17(0.0C)																								
2107123	0.000	0.501	C	2014	0213	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
J.B. COXWELL CONTRACTING,I(2018)																								
FC125M																								
74070000	0.000	5.058	C	1	1	50	CRACKING	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	4.0*	4.0*		10.0	10.0				
115				2	7.1	9300	RIDE	8.3	8.2	8.4	8.2	8.0	7.5	7.2	7.1	7.4	7.2		8.5	8.4				
BRIDGE #54(0.0C)																								
2105652	0.703	5.138	C	2008	0012	CRACKING	10.0	10.0	9.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.0*	4.0*	2.3			
HUBBARD CONSTRUCTION COMPA(2010)																								
FC125M																								
2105653	0.000	5.058	C	2025	0012	SPRIDE		8.3	8.3	8.2	8.2	8.1	8.0	8.0	7.9	7.9	7.9	7.8	7.7	7.7	7.4			
HUBBARD CONSTRUCTION COMPA(2025)																								
74070001	0.000	0.036	C	1	6	50	CRACKING									3.5*	3.5*		10.0	10.0				
115				2	7.1	9300	RIDE																	
CALLAHAN CITY LIMITS(0.0C)																								
(2011)								10.0	10.0	10.0	9.0	9.0	6.5	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0			
CRACKING RIDE																								
74110000	0.000	5.693	C	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
ALA				2	2.0	6800	RIDE	8.2	7.9	8.2	7.9	7.7	7.2	6.9	6.8	6.5	6.5	6.5	6.5	6.8				
GERBING RD(0.0R)																								
(2012)								10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.0*	5.5*	4.6			
CRACKING RIDE																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = NASSAU -----																																	
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE												
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011													
INTERSECT AT (MP SIDE)		SURFTYPE		=====																													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMXP-P															2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																													(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMXP-F																												
74170000	0.000	0.719	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0													
8	I10			2	29.1	40000	RIDE	8.6	8.6	8.5	8.9	8.6	7.4	7.4	7.1	7.4	7.3	8.4	7.9	8.2													
FC5M																																	
2134703	0.000	0.710	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5											
ANDERSON	COLUMBIA	CO.,	INC(2009)			RIDE	8.2	8.2	8.0	8.0	8.1	8.2	8.2	8.3	8.1	8.3	8.2	8.1	8.0	8.0													
4460431	0.000	0.676	C	2024	0012																												

74170000	0.000	0.719	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0												
8	I10			2	29.1	40000	RIDE	8.8	9.0	8.9	8.8	8.9	8.6	8.3	8.2	8.2	8.1	8.4	8.2	8.2													
FC5M																																	
2134703	0.000	0.710	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5												
ANDERSON	COLUMBIA	CO.,	INC(2009)			RIDE	8.2	8.2	8.1	8.1	8.3	8.3	8.4	8.4	8.4	8.4	8.5	8.4	8.3	8.3	8.3												
4460431	0.000	0.676	C	2024	0012																												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).