

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = PUTNAM -----																																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																											
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****																										(REG)				
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																																
ITMSEG-P																																					
ITMSEG-F																																					
76010000 15 17	0.000	3.788	C	1	1	60	CRACKING	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0																	
SILVER POND RD(0.4L)			2	4.6		6400	RIDE	7.2	6.9		8.4	8.4	8.0	7.9	7.9	7.8	7.6	7.8	7.4	7.3																	
4305511	0.000	3.788	C	2015	0012	CRACKING		7.0	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.2																
HALIFAX PAVING, INC.				(2016)		SPRIDE		7.2	7.0	6.8	6.4*	7.8	7.5	8.0	7.9	7.9	7.8	7.8	7.8	7.8	9.2																
76010000 15 17	3.788	4.131	C	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*																	
S PROSPECT ST(3.9R)			2	5.5		7500	RIDE	8.0	7.9	7.9	7.8	7.7	6.9	6.6	6.6	6.5	6.3	6.6	6.5	6.5																	
						FC125M																															
							CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5															
							RIDE	6.4	8.5	8.4	8.4	7.9	7.9	7.9	7.7	7.7	7.9	7.4	7.6	7.7	7.0																
76010000 15 17	4.131	5.125	R	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*																	
LEMON AVE(4.2C)			4	5.5		7500	RIDE	8.0	7.9	7.9	7.8	7.7	6.9	6.6	6.6	6.5	6.3	6.6	6.5	6.5																	
						FC125M																															
							CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5															
							RIDE	6.4	7.6	7.6	7.5	7.3	7.3	7.3	7.2	7.0	7.3	7.0	7.0	6.8	6.8	8.5	8.5														
76010000 15 17	5.125	6.358	C	1	1	60	CRACKING	8.0	8.0	8.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*																
UNSIGNED(5.2L)			2	5.5		7100	RIDE	7.6	7.5	7.3	7.1	7.0	7.7	7.5	7.2	7.0	7.0	5.9*	5.5*	5.5*																	
						FC125M																															
							CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5															
							RIDE	5.3*	8.0	8.1	8.2	7.6	7.6	7.8	7.7	7.6	7.7	7.6	7.7	7.7	7.4	7.4															
76010000 15 17	6.358	12.380	C	1	1	60	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	9.0	9.0	9.0	9.0																	
R A BILL LN(6.4R)			2	5.5		6300	RIDE	7.8	7.8	7.6	7.6	7.6	7.1	7.1	7.0	7.0	8.1	8.3	8.2	8.2																	
						FC125M																															
2100212	8.353	12.398	C	2007	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5														
P & S PAVING, INC.				(2008)		RIDE		8.1	8.0	8.0	7.6	7.8	7.6	7.8	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.3	7.3														
76010000 15 17	12.380	17.496	C	1	1	60	CRACKING	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.0	7.0																	
FEAGLE AVE(12.4R)			2	5.5		6300	RIDE	7.8		8.8	8.7	8.8	8.2	8.2	8.1	8.0	7.2	8.0	7.7	7.6																	
						FC125																															
4305521	12.380	17.496	L	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
HALIFAX PAVING, INC.				(2018)		SPRIDE		7.6	7.4	7.3	6.6	7.3		8.5	8.3	8.2	8.1	8.2	8.0	8.0	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	
76010000 15 17	17.496	20.048	C	1	1	45	CRACKING	6.5	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0																
LAKE MYRA LN(17.5R)			2	5.5		12000	RIDE	7.8	7.8	7.7	7.7	7.6	7.0	7.3	6.9	7.1	6.9	7.2	6.8	7.9																	
						FC125M																															
2099583	18.357	19.648	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5														
ANDERSON COLUMBIA CO., INC				(2011)		SPRIDE		7.8	7.8	7.8	7.2	7.4	7.6	7.6	7.4	7.4	7.4	7.4	7.4	7.4	7.3	7.3	8.5	8.5													
76010000 15 17	20.560	21.916	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	10.0																	
SAN MATEO RD(20.7R)			2	5.5		12000	RIDE	7.5	7.4	7.5	7.4	8.4	7.7	8.2	8.1	8.0	7.4	7.4	7.0	8.2																	
						FC5M																															
4354441	19.826	21.682	C	2018	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GLF CONSTRUCTION CORPORATI				(2023)		SPRIDE		8.1	8.1	8.1	7.7	7.9									7.5	7.5															
76010000 15 17	21.916	23.667	R	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	10.0																	
TROPIC AVE(22.0R)			2	5.5		15700	RIDE	7.5	7.4	7.5	7.4	7.9																									

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = PUTNAM -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	YEAR		FY-F	WKM-X-F																(REG)
CONTRACTOR																					
ITMSEG-F																					
76010000	28.583	30.366	R	1	1	35	CRACKING	9.5	7.0	7.0	7.0	6.5	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	
15 17				2	5.5	26000	RIDE	7.1	6.8	7.0	6.6	6.7	7.1	7.3	6.4	6.4	6.5	7.5	7.4	7.3	
FIRST ST(28.6R)																					
2099492	28.672	30.366	C	2006	0012	FC125M	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	4.6
P & S PAVING, INC. (2008)																					
2100262	28.583	30.366	C	2026	0012		RIDE	7.2	7.1	7.1	6.6	7.0	7.1	7.2	7.0	7.0	6.9	6.8	6.7	6.7	6.7
76010000	28.583	30.366	L	1	1	35	CRACKING	7.5	5.5*	4.5*	1.0*	1.0*	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	
15 17				2	5.5	26000	RIDE	6.9	6.9	6.6	6.6	6.4	7.5	7.3	6.7	6.3	7.5	7.3	7.3	7.3	
FIRST ST L(28.6L)																					
2099492	28.672	30.366	C	2006	0012	FC125M	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	6.0*	6.0*	6.0*	5.4
P & S PAVING, INC. (2008)																					
2100262	28.583	30.366	C	2026	0012		RIDE	7.2	7.2	7.2	6.5	6.9	6.6	7.0	7.0	6.9	6.9	6.9	6.8	6.6	6.5
76010000	26.336	27.821	L	1	1	40	CRACKING	9.5	9.5	9.0	7.5	9.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	
15 17				2	5.5	35000	RIDE	8.7	8.7	8.4	8.3	8.7	7.8	7.7	7.6	7.8	7.7	7.8	7.5	7.4	
BROWNING LN(26.8L)																					
4269591	26.621	27.821	L	2012	0012	FC125M	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.3
HALIFAX PAVING, INC. (2013)																					
76010000	23.667	26.336	L	1	1	55	CRACKING	9.5	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
15 17				2	6.4	19610	RIDE	8.5	8.5	8.4	8.3	8.0	7.8	7.7	7.6	7.9	7.7	8.0	7.6	7.7	
CEDAR ST(23.8L)																					
2099582	23.368	26.401	C	2006	0012	FC5M	CRACKING	9.5	9.0	9.0	9.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*	0.2
PREFERRED MATERIALS, INC. (2007)																					
4391151	23.667	26.313	C	2023	0012		RIDE	7.5	7.6	7.3	7.1	7.8	7.8	8.0	7.8	7.9	7.8	7.5	7.3	7.0	7.0
76010000	21.682	23.667	L	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	10.0	
15 17				2	5.5	15700	RIDE	7.5	7.4	7.5	7.4	7.9	7.6	7.3	6.8	7.1	6.7	6.8	7.0	8.2	
WHITE OAKS TR(21.7L)																					
				(2019)		FC5A	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.1	8.1	8.1	7.7	7.9			8.4	8.4	8.4	8.4	8.3	8.3	8.2
76010000	20.560	21.682	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	10.0	
15 17				2	5.5	12000	RIDE	7.5	7.4	7.5	7.4	8.4	7.7	8.2	8.1	8.0	7.4	7.4	7.0	8.2	
DUNNS CREEK RD(20.7L)																					
4354441	19.826	21.682	C	2018	0213	FC5M	CRACKING	10.0	10.0	10.0	10.0	10.0							10.0	10.0	
GLF CONSTRUCTION CORPORATI (2023)																					
							SPRIDE	8.1	8.1	8.1	7.7	7.9							7.9	7.9	
76010000	4.131	5.125	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	
15 17				4	5.5	7500	RIDE	8.0	7.9	7.9	7.8	7.7	6.9	6.6	6.6	6.5	6.3	6.6	6.5	6.5	
LEMON AVE(4.2C)																					
				(2013)		FC125M	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5
							RIDE	6.4	7.9	7.8	7.6	7.3	6.7	7.4	7.2	7.0	7.2	6.9	6.8	6.8	6.3
76020000	0.000	7.324	C	1	1	60	CRACKING	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
19				2	13.6	3800	RIDE	8.3		9.0	9.0	9.0	8.5	8.5	8.6	8.4	8.1	8.1	8.1	7.8	
FOREST RD #62(2.1R)																					
4322651	0.000	11.123	C	2016	0012	FC125M	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2018)																					
							SPRIDE	7.5	7.6	7.3	6.7	7.5		8.5	8.4	8.3	8.2	8.0	7.8	7.7	7.0
76020000	7.587	11.123	C	1	1	60	CRACKING	0.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
19				2	7.3	4000	RIDE	6.6		9.1	9.0	8.9	8.7	8.5	8.5	8.4	8.1	8.0	8.0	7.7	
CARAVELLE WMA(10.2R)																					
4322651	0.000	11.123	C	2016	0012	FC125M	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2018)																					
							SPRIDE	7.4	7.2	7.2	7.1	7.3		8.5	8.4	8.2	8.1	8.0	7.9	7.9	7.3
76020000	11.630	19.914	C	1	1	60	CRACKING	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0
19				2	7.3	4000	RIDE	7.7	7.4	7.6	7.6	8.8	8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.0	
TO CR 310(11.7L)																					
2100301	12.056	20.196	C	2001	0012	FC125M	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	4.0*	4.0*	4.0*	4.0
APAC-FLORIDA INC (2003)																					
2100302	11.630	19.667	C	2025	0012		SPRIDE	7.9	7.8	7.7	7.3	7.2	7.4	7.7	7.6	7.6	7.6	7.4	7.3	7.3	6.9
76020000	19.914	20.695	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	
19				2	7.3	9600	RIDE	7.9	7.8	7.9	7.9		7.5	7.4	7.1	7.3	6.9	7.0	6.7	6.8	
RELLIM DR(20.0R)																					
4361671	19.914	20.675	R	2018	0012	FC125M	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	5.0*		10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2020)																					
							SPRIDE	6.6	6.3	6.3	6.2	5.3*	5.5	5.7		7.9	7.9	7.8	7.6	7.6	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = PUTNAM -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
76020000	20.695	22.028	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5
19					3	7.3	20300 RIDE	8.1	8.0	8.0	7.9	7.9	7.9	7.7	7.6	7.7	7.6	7.7	7.5	7.2	
FROM CRILL AVE(20.7R)																					
4361671	20.696	21.490	C	2018	0012		CRACKING	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC.							SPRIDE	7.1	7.1	7.1	7.1	7.0	7.0	7.0		8.0	8.0	7.9	7.8	7.8	7.5
(2020)																					
76020000	22.028	22.964	R	1	1	45	CRACKING	10.0	9.5	8.0	7.0	7.0	7.0	6.5	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0
19					2	7.3	8500 RIDE	8.5	8.3	8.5	8.1	8.3	7.7	7.4	7.6	7.3	6.9	7.2	7.2	7.8	
TOWLES RD W(22.3R)																					
2099752	21.935	22.964	R	2010	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	7.4
ANDERSON COLUMBIA CO., INC(2011)							RIDE	7.7	7.7	7.7	7.4	7.3	7.3	7.6	7.5	7.4	7.5	7.3	7.3	7.1	7.0
(2011)																					
76020000	22.028	22.964	L	1	1	45	CRACKING	10.0	10.0	9.5	8.0	8.0	7.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0
19					2	7.3	8500 RIDE	8.2	8.2	8.1	8.2	8.0	7.5	7.0	7.0	7.2	7.4	7.3	7.2	8.1	
ORIE GRIFFIN BLVD(22.8L)																					
2099752	21.935	22.964	L	2010	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4
ANDERSON COLUMBIA CO., INC(2011)							RIDE	7.9	7.9	7.9	7.1	7.4	6.9	7.8	7.8	7.7	7.7	7.6	7.3	7.5	7.3
(2011)																					
76020000	20.584	22.028	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
19					3	7.3	20300 RIDE	8.1	8.0	7.7	8.0	8.1	7.6	7.3	7.3	7.2	7.4	7.6	7.5	7.2	
SR-20/CRILL AVE(20.7C)																					
4361671	20.696	21.490	C	2018	0012		CRACKING	9.5	9.0	8.0	8.0	7.0	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC.							SPRIDE	7.2	7.0	7.3	7.1	6.9	6.4	7.2		7.9	7.8	7.8	7.7	7.7	7.4
(2020)																					
76020000	19.914	20.584	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0
19					2	7.3	9600 RIDE	8.2	8.1	8.1	8.1		7.7	7.6	7.6	7.6	7.6	7.3	7.5	7.4	7.6
MOODY RD(20.3C)																					
4361671	19.914	20.675	L	2018	0012		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC.							SPRIDE	7.0	7.3	7.3	7.0	7.0	6.5	7.0		8.0	8.0	7.9	8.0	7.9	7.8
(2020)																					
76030000	0.000	1.234	R	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	10.0	10.0	10.0	10.0	10.0
15 17					2	12.0	9900 RIDE	5.0*	8.1	8.0	7.8	7.8	7.1	6.8	6.3	6.2	8.1	8.0	7.5	7.5	
PALATKA CITY LIMITS(0.0C)																					
2100204	0.000	1.298	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	6.5	5.8
P & S PAVING, INC.							RIDE	7.3	7.0	7.2	7.0	7.2	7.3	7.0	7.2	7.1	7.1	7.1	6.9	6.7	6.5
(2008)																					
2100262	0.000	1.243	C	2026	0012																
(2026)																					
76030000	1.234	3.020	R	1	1	60	CRACKING	1.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.5	7.5	7.5	7.5	10.0	10.0
15 17					2	12.0	13600 RIDE	7.3	8.6	8.6	8.6	8.4	8.1	8.0	7.9	7.9	7.6	7.5	7.5	8.0	
COMFORT RD(1.5R)																					
2100205	1.298	4.540	R	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.8
ANDERSON COLUMBIA CO., INC(2011)							RIDE	8.0	7.9	8.0	8.1	8.2	8.2	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3
(2011)																					
76030000	3.391	4.525	R	1	1	60	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0
15 17					2	12.0	13800 RIDE	7.3	8.6	8.6	8.6	8.5	8.1	8.1	8.0	8.0	7.7	7.7	7.6	8.0	
CR-209/W RIVER RD(4.4R)																					
2100205	1.298	4.540	R	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.8
ANDERSON COLUMBIA CO., INC(2011)							RIDE	8.0	8.0	8.1	7.8	8.3	8.2	8.4	8.3	8.3	8.3	8.3	8.3	8.4	8.4
(2011)																					
76030000	4.525	13.427	R	1	7	60	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0
15 17					2	12.0	10600 RIDE	8.8	8.8	8.8	8.7	8.6	8.0	7.9	7.8	7.6	8.3	8.4	8.3	8.2	
SEMINOLE ELEC(6.7R)																					
4432721	4.510	13.427	C	2022	0012		CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	7.5	6.5	4.5*	4.5*	1.0*	1.0*	10.0	10.0
DUVAL ASPHALT PRODUCTS, IN(2024)							SPRIDE	8.1	8.1	8.1	7.8	8.2	8.1	8.4	8.3	8.2	8.2	7.9	7.6	9.1	
(2024)																					
76030000	4.580	13.427	L	1	7	60	CRACKING	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0
15 17					2	12.0	10600 RIDE	9.1	9.0	8.8	8.7	8.5	7.6	7.4	7.2	7.1	8.2	8.4	8.2	8.2	
GORDON WILKINSON RD(5.0L)																					
4432721	4.510	13.427	C	2022	0012		CRACKING	10.0	9.5	8.0	8.0	7.0	7.0	6.5	4.5*	4.5*	3.5*	0.0*	0.0*	10.0	10.0
DUVAL ASPHALT PRODUCTS, IN(2024)							SPRIDE	8.0	8.0	7.9	7.6	8.1	7.9	8.1	7.8	7.7	7.4	6.7	6.4*	9.1	
(2024)																					
76030000	3.391	4.580	L	1	1	60	CRACKING	1.0*	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	7.5	7.5	10.0	10.0
15 17					2	12.0	13800 RIDE	6.8	8.3	7.7	8.5	8.5	8.0	8.1	7.8	7.8	7.3	7.2	7.2	8.1	
POOR FARM RD(3.5L)																					
2100205	1.298	4.540	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	6.5	6.5	6.5	5.9
ANDERSON COLUMBIA CO., INC(2011)							RIDE	8.1	8.1	8.1	8.0	8.2	8.2	8.4	8.3	8.4	8.3	8.1	8.3	8.4	8.4
(2011)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = PUTNAM -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		1999	2000	2001											
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====														
ITMSEG-P	(AGE_ONE YEAR)							2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR																					(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
76030000	1.234	3.020	L	1	1	60	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	5.5*	5.5*	5.5*	10.0	
15 17				2	12.0	13600	RIDE	6.8	8.3	7.7	7.9	7.7	7.4	7.5	7.4	7.1	7.3	7.4	6.7	8.1	
DOOR LITE RD(2.0L)																					
2100205	1.298	4.540	L	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.4
ANDERSON	COLUMBIA CO., INC						RIDE	8.0	8.0	7.9	7.9	8.2	8.2	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3
FC5M																					
76030000	0.000	1.234	L	1	1	45	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	10.0	10.0	10.0	10.0	10.0
15 17				2	12.0	9900	RIDE	4.3*	8.3	7.7	7.9	7.7	7.4	7.5	7.4	7.1	7.8	7.9	7.4	7.4	
MISSING DESCRIPTION I(0.0L)																					
2100204	0.000	1.298	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	7.5	7.5	7.5
P & S PAVING, INC.							RIDE	7.2	7.0	7.2	6.5	7.2	7.1	7.1	7.1	7.1	7.0	7.0	6.8	6.8	6.5
2100262	0.000	1.243	C	2026		0012															

76040000	0.000	6.093	C	1	1	60	CRACKING	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0
20				2	15.5	5400	RIDE	7.7	7.6	7.5	8.3	8.3	7.8	7.9	7.9	7.8	7.6	7.9	7.7	7.6	
US-17/SR-15(0.0R)																					
2100181	0.087	6.185	C	2000		0221	CRACKING	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.9	
WHITE CONSTRUCTION CO INC							SPRIDE	7.5	7.3	7.6	6.9	7.3	7.4	7.3	7.1	7.1	7.2	6.9	6.8	6.7	6.5
4454191	0.048	6.093	C	2024		0012															

76050000	0.000	5.929	C	1	7	50	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	5.5*	
20				2	8.7	8000	RIDE	8.0	7.9	7.7	7.5	7.4	7.1	6.9	6.7	6.6	6.4*	6.4*	5.9*	6.0*	
SE 65 LN(0.0R)																					
2100244	2.181	7.325	C	2020		0213	CRACKING	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	7.5				10.0	
							RIDE	5.8*	5.7*	8.7	7.9	8.0	7.7	8.1	8.0	8.0				8.0	

76050000	7.111	7.516	C	1	7	50	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	5.5*	
20				2	8.7	8000	RIDE	8.0	7.9	7.7	7.5	7.4	7.1	6.9	6.7	6.6	6.4*	6.4*	5.9*	6.0*	
S W 56TH AVE(7.4L)																					
2100244	2.181	7.325	C	2020		0213	CRACKING	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	7.5				10.0	
							RIDE	5.8*	5.7*	8.7	7.9	8.0	7.7	8.1	8.0	8.0				7.7	

76050000	7.516	11.038	R	1	1	50	CRACKING	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
20				2	8.7	8000	RIDE	7.9	7.7	7.3	6.6	6.7	6.8	6.8	6.7	6.6	6.3*	6.6	6.1*	6.4*	
LADY SLIPPER LAKE RD(7.7R)																					
							CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	7.5			10.0	10.0	
							RIDE	6.1*	5.4*	8.7	7.9	8.0	7.7	8.1	8.0	8.0			7.6	7.6	

76050000	11.038	15.892	R	1	1	50	CRACKING	4.5*	4.5*	2.0*	2.0*	2.0*	10.0	9.0	9.0	8.0				10.0	
20				2	8.7	11964	RIDE	7.4	7.3	7.4	7.7	7.6	7.9	7.8	7.6	7.5				8.6	
WILLIAMS DR(11.2R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5
							RIDE	8.6	8.5	8.5	7.7	7.3	7.6	8.0	7.9	7.9	7.9	7.9	7.8	7.9	7.8

76050000	15.892	20.430	R	1	1	65	CRACKING	4.5*	4.5*	2.0*	2.0*	2.0*	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
20				2	8.7	11964	RIDE	7.4	7.3	7.4	7.7	7.6	7.9		8.1	8.2	8.0	8.1	8.2	8.2	
DIV OF FORESTRY(16.4R)																					
2099991	15.896	20.308	C	2003		0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5
ANDERSON	COLUMBIA CO., INC						SPRIDE	8.1	8.1	8.1	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.7

76050000	20.430	23.740	R	1	1	50	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
20				2	8.7	17000	RIDE	8.0	7.9	7.8	7.7	7.5		8.1	7.9	7.8	8.1	7.8	7.8		
RADCLIFF RD(20.6R)																					
2100041	19.977	23.746	C	2002		0213	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	5.5*	4.5	
ANDERSON	COLUMBIA CO., INC						RIDE	7.8	7.7	7.7	7.3	7.3	7.3	7.4	7.3	7.3	7.3	7.2	7.2	7.1	6.8

76050000	23.740	24.600	R	1	1	45	CRACKING	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
20				2	8.7	20100	RIDE	6.5	6.1*	6.2*	6.5	6.4*	5.9*	5.8*	7.7	7.7	7.9	7.7	7.9	8.0	
FLORIDA DR(23.8R)																					
2100044	23.758	24.554	C	2004		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0
ANDERSON	COLUMBIA CO., INC						RIDE	7.9	7.8	7.7	7.4	7.0	6.8	7.1	6.8	7.0	6.7	6.5	6.4	6.4	6.0
2100047	23.735	24.503	R	2027		0012															

76050000	24.600	26.320	C	1	1	35	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	8.5	
20				2	8.7	13500	RIDE	6.0*	5.9*	5.7*	5.7	5.6	5.5*	5.1*	5.1*	7.6	7.0	6.8	7.2	6.9	6.3
SIDE ROAD () (24.8C)																					
4390801	24.786	25.734	L	2020		0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0
HALIFAX PAVING, INC.							SPRIDE	6.2	6.5	6.0	5.9	5.7	5.3*	5.7	5.6	5.3*	6.6	6.3	6.3	6.3	5.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = PUTNAM -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
76050000	23.740	24.600	L	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
20			2	8.7		20100	RIDE	7.0	6.8	6.7	6.8	7.2	6.2*	6.2*	7.6	7.2	7.5	7.4	7.8	7.5	
CENTRAL AVE L(23.9L) FC95																					
2100044	23.758	24.554	C	2004		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.5	7.0	7.0	7.0	6.9
ANDERSON COLUMBIA CO., INC(2006) RIDE																					
2100047	15.956	24.503	L	2027		0012		7.7	7.6	7.7	7.1	6.1	6.2	6.6	6.8	6.4	6.7	6.5	6.7	6.6	6.0
76050000	20.430	23.740	L	1	1	50	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.5
20			2	8.7		17000	RIDE	8.0	7.9	7.8	7.7	7.5			8.0	8.0	7.9	7.9	7.8	7.8	
MOTES RD(20.6L) FC125M																					
2100041	19.977	23.746	C	2002		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.5	7.0	7.0	7.0	7.0
ANDERSON COLUMBIA CO., INC(2006) RIDE																					
2100047	15.956	24.503	L	2027		0012		7.7	7.6	7.6	7.1	7.4	7.1	7.4	7.3	7.3	7.3	7.2	7.2	7.2	6.8
76050000	16.390	20.430	L	1	1	65	CRACKING	4.5*	4.5*	2.0*	2.0*	0.0*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
20			2	8.7		11964	RIDE	7.4	7.3	7.4	6.3*	5.9*	7.6		8.0	8.1	8.0	8.0	8.2	8.2	
MOTES RD(20.3L) FC5																					
2099991	15.896	20.308	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5
ANDERSON COLUMBIA CO., INC(2006) SPRIDE																					
2100047	15.956	24.503	L	2027		0012		8.2	8.1	8.0	7.8	8.1	8.0	8.2	8.1	8.1	8.1	8.1	8.1	7.9	7.9
76050000	10.775	16.390	L	1	1	50	CRACKING	4.5*	4.5*	2.0*	2.0*	2.0*	10.0	9.0	9.0	8.0					10.0
20			2	8.7		11964	RIDE	7.4	7.3	7.4	7.7	7.6	7.9	7.8	7.6	7.5					8.6
CR 315(10.8C) FC125																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	8.7	8.5	8.5	8.0	7.6	7.3	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.4
76050000	7.516	10.775	L	1	1	50	CRACKING	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
20			2	8.7		8000	RIDE	7.9	7.7	7.3	6.6	6.7	6.8	6.8	6.8	6.6	6.3*	6.6	6.6	6.1*	6.4*
KITTY LN(7.6L) FC125M																					
							CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	7.5				10.0	10.0
							RIDE	6.1*	5.4*	8.7	7.9	8.0	7.7	8.1	8.0	8.0				8.1	8.0
76060000	0.000	1.222	R	1	1	55	CRACKING	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
207			2	6.7		19100	RIDE	8.8	8.7			8.6	8.2	8.0	7.7	7.8	7.9	8.0	8.2	8.0	
SR 100(0.0C) FC125																					
2099651	0.100	4.210	C	1999		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0
APAC-FLORIDA INC (2003) SPRIDE																					
76060000	1.222	6.668	R	1	1	55	CRACKING	10.0	9.5	8.0		10.0	10.0	10.0	9.0	7.5	5.5*	5.5*	5.5*	5.5*	
207			2	6.7		18200	RIDE	8.8	8.7	8.8		8.8	8.1	7.9	7.6	7.6	7.0	7.2	7.9	7.8	
E CRACKER SWAMP RD(1.4R) FC5A																					
4287121	1.222	6.668	C	2014		0012	CRACKING	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	7.5	6.0
PREFERRED MATERIALS, INC. (2016) SPRIDE																					
76060000	1.222	6.668	L	1	1	55	CRACKING	10.0	9.5	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
207			2	6.7		18200	RIDE	8.8	8.7	8.8		8.8	8.1	8.1	8.1	8.0	7.8	7.9	7.5	7.5	
CRACKER SWAMP RD E(1.4L) FC5A																					
4287121	1.222	6.668	C	2014		0012	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	5.4
PREFERRED MATERIALS, INC. (2016) SPRIDE																					
76060000	0.000	1.222	L	1	1	55	CRACKING	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
207			2	6.7		19100	RIDE	8.8	8.7			8.6	8.2	8.0	7.8	8.0	8.1	8.1	8.0	7.9	
SR 100(0.0C) FC125																					
2099651	0.100	4.210	C	1999		0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.6
APAC-FLORIDA INC (2003) SPRIDE																					
76070000	0.000	7.781	C	1	1	55	CRACKING	8.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	
21			2	11.2		3100	RIDE	8.6	8.6	8.3	8.5	8.4	7.8	7.7	7.5	7.4	6.9	8.5	8.6	8.5	
SR 20(0.0C) FC125																					
2098802	1.630	7.181	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.8
PREFERRED MATERIALS, INC. (2009) RIDE																					
76080000	0.000	0.357	C	1	1	35	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
26			2	5.8		10500	RIDE	7.6	7.3	8.4	8.5	8.6	7.9	8.2	8.0	8.2	7.1	8.4	8.1	7.9	
ALACHUA CO LINE(0.0C) FC125																					
2099202	0.000	0.320	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5
V. E. WHITEHURST & SONS, I(2009) RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = PUTNAM -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)		SURFTYPE		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P															2029		
CONTRACTOR	(AGE_ONE YEAR)	ASTYPE																		(REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
76080000	0.357	5.702	C	1	1	55	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0		
26			2	11.5		4500	RIDE	8.4	8.2	8.0	8.1	8.0	7.4	7.2	7.1	6.9	6.2*	8.2	8.2	8.0		
SR 21(0.4C)																						
2099202	1.252	5.702	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	6.0*	6.0*	6.0*		
V. E. WHITEHURST & SONS,		I(2009)																		5.3		
							RIDE	7.9	7.9	8.0	7.7	7.7	8.0	7.9	7.9	7.8	7.9	7.7	7.7	7.6		
76110000	0.000	17.611	C	1	1	60	CRACKING	10.0	10.0	10.0	9.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
100			2	13.0		7800	RIDE	9.0	9.0	9.0	8.9	8.9	8.2	8.0	7.9	7.6	7.1	7.4	7.2	7.1		
HAYMAKER RD(0.7R)																						
2100142	9.040	17.611	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.5	6.0*	6.0*	6.0*		
ANDERSON COLUMBIA CO., INC		(2012)																		4.7		
2100143	0.000	18.824	C	2027		0012	SPRIDE	8.4	8.4	8.3	8.1	8.0	7.8	8.3	8.2	8.2	8.2	8.1	8.1	8.1		
76110000	17.611	19.406	C	1	1	60	CRACKING	10.0	10.0	10.0	9.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0		
100			2	13.0		9800	RIDE	9.0	9.0	9.0	8.9	8.9	8.2	8.0	7.9	7.6	7.1	8.4	8.4	8.3		
AIRPORT RD(19.3R)																						
2100312	17.511	19.352	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	5.5*	5.5*		
ANDERSON COLUMBIA CO., INC		(2008)																		5.2		
2100143	0.000	18.824	C	2027		0012	RIDE	8.3	8.3	8.2	7.7	7.7	7.7	7.9	7.9	7.8	7.8	7.7	7.7	8.0		
76110000	19.406	21.165	R	1	7	45	CRACKING	0.0*	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
100			2	13.0		10800	RIDE	7.7	7.6	7.5		8.4	8.0	7.9	7.8	7.8	6.9	7.8	7.7	7.6		
MOODY RD(19.9R)																						
4432741	19.441	20.560	R	2022		0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0		10.0		
HALIFAX PAVING, INC.		(2024)																		8.1		
							SPRIDE	7.4	7.4	7.5	7.3	7.1	7.3	7.5	7.4	7.4	7.3	7.4				
76110000	21.165	21.361	R	1	7	40	CRACKING	8.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
100			2	13.0		19500	RIDE	7.8	7.1	7.0		8.4	8.0	7.9	7.8	7.8	6.9	7.8	7.7	7.6		
IDA ST(21.2R)																						
4432741	21.236	21.361	R	2022		0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	4.5*	10.0		
HALIFAX PAVING, INC.		(2024)																		7.9		
							SPRIDE	7.4	7.4	7.5	7.3	7.1	7.3	7.5	7.4	7.4	7.3	7.0	7.7	7.9		
76110000	21.165	21.361	L	1	7	40	CRACKING	8.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
100			2	13.0		19500	RIDE	7.8	7.1	7.0		7.8	7.6	7.5	7.4	7.7	6.9	7.6	7.4	7.1		
PALATKA CITY LIMITS(21.4L)																						
4432741	20.560	21.361	L	2022		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0		
HALIFAX PAVING, INC.		(2024)																		6.3		
							SPRIDE	7.2	7.1	7.5	7.1	7.3	6.8	7.3	7.4	7.3	7.4	7.2	6.3			
76110000	19.406	21.165	L	1	7	45	CRACKING	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
100			2	13.0		10800	RIDE	7.6	7.8	7.3		7.8	7.6	7.5	7.4	7.7	6.9	7.6	7.4	7.1		
CR 216A(19.6L)																						
4432741	19.441	20.560	L	2022		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*		10.0		
HALIFAX PAVING, INC.		(2024)																		8.2		
							SPRIDE	7.2	7.1	7.5	7.1	7.3	6.8	7.3	7.4	7.3	7.4	7.2				
76110001	0.000	0.031	R	1	2	40	CRACKING															
100			1	13.0		19500	RIDE															
GORE TO US-17(0.0C)																						
							CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0		
							RIDE												8.0	6.7		
(2013)																						
76110001	0.000	0.031	L	1	2	40	CRACKING															
100			2	13.0		19500	RIDE															
GORE TO US-17(0.0C)																						
							CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0		
							RIDE												8.0	6.7		
(2013)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).