FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = ST. JOHNS

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	WKMX-P / WKMX-F	DISTRESS RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78001000	0.000	0.192	C	1	1	45				CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0												
A1A			2	1.8			1	7500		RIDE	7.8	7.8	7.5	7.1	7.0	6.8	7.0	6.3	6.7	7.1	7.9	8.0	7.9												
.052 S OF SR-A1A GOR(0.0C)									DGFC																											
										CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	9.1	9.4	6.5											
								(2012)		RIDE	7.7	7.7	7.4	7.6	8.0	7.9	7.8	7.8	7.6	7.6	7.7	7.6	7.6	7.2											
78001000	0.192	0.700	C	1	7	45				CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0												
A1A			3	1.8				7500		RIDE	7.8	7.8	7.5	7.1	7.0	6.8	7.0	6.3	6.7	7.1	7.9	7.8	7.8												
RAMP TO CR 203(0.3R)									FC95																											
										CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		10.0	9.0											
								(2026)		RIDE	7.5	7.4	6.8	6.8	6.8	6.6	6.6	6.7	6.4	6.4	6.7		6.8	6.4											
2104044	0.182	7.151	C	2028				0012																												
78001000	0.700	2.504	C	1	1	55				CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5												
A1A			2	1.8				22000		RIDE	7.8	7.8	7.5	7.1	7.0	6.8	7.0	6.3*	6.7	7.1	7.9	8.0	7.9												
APT ENT(0.8L)									FC125																											
										CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	8.0	8.6	6.0*											
								(2014)		RIDE	8.6	8.1	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.2	7.8											
2104044	0.182	7.151	C	2028				0012																												
78001000	2.504	7.151	R	1	1	45				CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.5	10.0	10.0	10.0												
A1A			2	1.8				52500		RIDE	8.2	8.2	8.2	7.7	7.7	7.6	7.6	6.8	7.5	7.5	8.2	8.1	8.0												
SAWGRASS ENT(2.6R)									DGFC																											
2104043	2.441	6.824	R	2009				0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	4.0*											
DUVAL ASPHALT PRODUCTS, IN(2011)									SPRIDE	RIDE	8.0	7.7	7.6	7.9	8.0	8.0	7.9	7.9	7.9	7.7	7.8	7.8	7.7	7.3											
2104044	0.182	7.151	C	2028				0012																												
78001000	2.504	7.151	L	1	1	45				CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0												
A1A			2	1.8				52500		RIDE	8.1	8.1	8.1	7.5	7.4	7.3	7.3	6.5	7.0	7.2	8.0	8.0	7.9												
ENT TO SAWGRASS COUNTRY(2.6L)									DGFC																											
2104043	2.441	6.824	L	2009				0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.5	6.5	3.5*											
DUVAL ASPHALT PRODUCTS, IN(2011)									SPRIDE	RIDE	7.9	7.9	7.7	7.6	7.8	7.7	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.0											
2104044	0.182	7.151	C	2028				0012																												
78002000	0.000	0.542	R	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.0	7.0												
312			2	1.7				37000		RIDE	7.7	8.0	8.2	7.2	7.5	7.0	7.5	7.3	6.5	7.1	7.2	7.2	7.0												
DIXIE HWY(0.0C)									FC125A																											
4323131	0.041	2.594	R	2017				0012		CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.3	6.5											
HUBBARD CONSTRUCTION COMPA(2018)									SPRIDE	RIDE	7.2	6.5	6.6	6.8									7.2	6.8											
78002000	1.219	2.594	R	1	1	50				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0												
312			2	1.7				37000		RIDE	8.4	8.5	8.6	7.7	7.8	7.7	7.9	7.9	7.2	7.8	7.7	7.8	7.7												
S PLANTATION ISLAND(1.6R)									FC5A																											
4323131	0.041	2.594	R	2017				0012		CRACKING	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.1	6.0*											
HUBBARD CONSTRUCTION COMPA(2018)									SPRIDE	RIDE	7.7	7.3	7.3	7.0	8.0	8.0	8.0	7.9	7.7	7.6	7.9	7.9	7.8	7.6											
78002000	2.594	2.827	R	1	1	45				CRACKING																										
312			2	1.8				6500		RIDE																										
ANASTASIA BLVD(2.6C)									FC125A																											
4323131	2.594	2.706	R	2017				0012		CRACKING			9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.4	6.5											
HUBBARD CONSTRUCTION COMPA(2018)									SPRIDE														5.9	5.5											
78002000	2.594	2.827	L	1	1	45				CRACKING																										
312			2	1.8				6500		RIDE																										
ANASTASIA BLVD(2.6C)									FC125A																											
4323131	2.594	2.706	L	2017				0012		CRACKING			9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5											
HUBBARD CONSTRUCTION COMPA(2018)									SPRIDE														6.2	5.8											
78002000	1.219	2.594	L	1	1	50				CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5												
312			2	1.7				37000		RIDE	7.9	8.0	7.7	7.4	7.4	7.4	7.5	7.2	6.8	7.2	7.8	7.3	7.1												
MARINA COVE DR(1.6L)									FC5A																											
4323131	0.041	2.594	L	2017				0012		CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	5.5*											
HUBBARD CONSTRUCTION COMPA(2018)									SPRIDE	RIDE	7.2	7.0	7.2	7.1	8.0	8.0	7.7	7.8	7.9	7.6	8.0	8.0	7.9	7.7											
78002000	0.000	0.542	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0												
312			2	1.7				37000		RIDE	8.1	7.9	8.0	7.4	7.3	7.4	7.5	7.4	6.6	6.7	7.2	7.0	7.1												
DIXIE HWY(0.0C)									FC125A																											
4323131	0.041	2.594	L	2017				0012		CRACKING	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.7	6.5											
HUBBARD CONSTRUCTION COMPA(2018)									SPRIDE	RIDE	7.3	6.6	6.7	6.7									7.7	7.3											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78002900	0.000	1.009	R	1	1	45	1			CRACKING	9.0	7.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
312			2	2.2	33000					RIDE	6.9	6.7	6.3*	5.6*	5.4*	4.8*	7.0	6.8	6.3	7.2	7.0	7.3	7.1													
SR 207(0.0C)										FC95M																											
											CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.0*	5.5*	5.5*	3.5*	4.4*	4.2*	0.5*											
									(2007)		RIDE	7.4	6.7	6.1	6.7	6.6	6.8	6.8	6.9	6.6	6.6	6.7	6.6	6.6	6.2											
4323132	0.000	0.935	C	2028		0012																															
78002900	0.000	1.009	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
312			2	2.2	33000					RIDE	7.1	7.7	7.1	6.9	6.3*	5.9	7.0	6.7	6.3	6.8	6.9	7.3	7.4													
SR 207(0.0C)										FC95M																											
											CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	6.0*	6.0*	5.6*	6.0*	2.5*											
									(2007)		RIDE	7.3	6.7	6.7	6.6	6.9	7.0	6.8	6.9	6.9	6.7	6.5	6.5	6.8	6.4											
4323132	0.000	0.935	C	2028		0012																															
78003000	0.000	0.400	R	1	5	45				CRACKING																											
312			1	2.2	31500					RIDE																											
										FC125M																											
2102304	0.000	1.052	C	2022		0002				CRACKING																10.0	9.0									
P & S PAVING, INC.				(2026)						SPRIDE																6.7	6.3									
78003000	0.400	1.030	C	1	1	45				CRACKING																											
312			2	2.2	31500					RIDE																											
										FC125M																											
2102304	0.000	1.052	C	2022		0002				CRACKING																10.0	9.0									
P & S PAVING, INC.				(2026)						SPRIDE																7.9	7.5									
78003000	0.000	0.400	L	1	5	45				CRACKING																											
312			2	2.2	31500					RIDE																											
										FC125M																											
2102304	0.000	1.052	C	2022		0002				CRACKING																10.0	9.0									
P & S PAVING, INC.				(2026)						SPRIDE																6.8	6.4									
78004000	0.000	2.196	R	1	4	60				CRACKING																											
9B			2	3.0	49000					RIDE																											
										LDG																											
											CRACKING																						9.4	9.5	9.5	9.5	9.5	9.5	9.4	9.0
									(2020)		RIDE																						8.7	8.6	8.6	8.6	8.7	8.6	8.6	8.5
78004000	0.000	2.196	L	1	4	60				CRACKING																											
9B			2	3.0	49000					RIDE																											
										LDG																											
											CRACKING																						9.4	9.5	9.5	9.4	9.4	9.5	9.4	9.0
									(2020)		RIDE																						8.6	8.6	8.6	8.6	8.5	8.4	8.4	8.3
78010000	0.000	0.463	R	1	1	55				CRACKING	8.5	8.5	8.5	10.0	10.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
5	1		2	4.0	14700					RIDE	8.4	7.9	8.0	6.5	6.6	7.3	7.4	7.6	7.7	7.7	7.8	7.7	7.8													
										FC5M																											
4376171	0.000	0.471	R	2019		0012				CRACKING	10.0	9.0	9.0	9.0	8.0	6.5	4.5*	10.0	10.0	10.0	10.0	9.3	10.0	8.0												
PREFERRED MATERIALS, INC.				(2021)						SPRIDE	7.7	7.6	8.0	8.0	8.2	8.2	8.2	8.8	8.6	8.7	8.7	8.6	8.8	8.6												
78010000	0.463	0.950	R	1	1	55				CRACKING	8.5	8.5	8.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0													
5	1		2	4.0	17000					RIDE	8.4	7.9	8.0	7.8	7.8	7.7	7.8	7.9	7.9	7.8	7.9	7.7	7.8													
										DGFC																											
											CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0		10.0	10.0	9.5	10.0	8.5											
									(2023)		RIDE	7.8	7.5	6.8	7.5	7.7	7.4	7.4	7.5		8.0	7.9	7.9	7.9	7.5											
78010000	0.950	7.325	R	1	1	65				CRACKING	9.0	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5													
5	1		2	4.0	17000					RIDE	8.9	8.9	8.8	8.0	7.8	7.6		7.9	7.9	8.0	8.0	8.0	8.0													
FAVER DYKES RD(1.0R)										FC5M																											
4376171	0.920	7.330	C	2019		0012				CRACKING	9.0	8.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.8	7.5												
PREFERRED MATERIALS, INC.				(2021)						SPRIDE	7.9	7.7	8.1	8.1	8.3	8.2	8.3	9.0	9.0	8.9	8.9	8.8	8.8	8.6												
78010000	7.325	11.273	R	1	1	55				CRACKING	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
5	1		2	4.0	24500					RIDE	8.1	7.9	7.7	6.1*		8.3	8.3	8.1	8.1	7.8	8.0	8.0	8.0													
SR 206(7.4C)										FC5M																											
4471721	7.326	11.934	C	2023		0012				CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	1.0*	1.0*	1.0*	10.0	10.0	9.0												
P & S PAVING, INC.				(2025)						SPRIDE	8.0	7.7	8.1	8.0	8.2	8.1	8.0	7.9	7.8	7.4	7.4	8.9	8.7	8.5												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / SURFTYPE / RW FY-P / RW FY-F	SYS / %T / AADT / WKMX-P / WKMX-F	TYP / ASTYPE	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78010000	11.273	11.934	R	1	7	45	CRACKING	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
5	1		2	4.0	35500		RIDE	8.1	7.9	7.7	6.1*		8.3	8.3	8.1	8.1	7.8	8.0	8.0	8.0														
SHORES BLVD(11.4R)					FC5M																													
4471721	7.326	11.934	C	2023	0012		CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	1.0*	1.0*	1.0*	8.3	10.0	9.0														
P & S PAVING, INC.			(2026)				SPRIDE	8.0	7.7	8.1	8.0	8.2	8.1	8.0	7.9	7.8	7.4	7.4	7.3	8.3	8.1														
78010000	11.934	13.837	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		2	1.8	42500		RIDE	8.9	8.8	8.8	8.3	8.0	7.8	7.6	7.2	6.9		8.0	8.0	7.8														
BRAINARD DR(12.3R)					FC125M																													
2104243	11.860	13.883	R	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	8.3	8.0	5.0*														
P & S PAVING, INC.			(2011)				SPRIDE	7.8	7.5	7.7	7.3	7.6	7.5	7.5	7.5	7.4	7.4	7.4	7.3	7.3	6.9														
2102694	11.934	16.120	C	2025	0012																													
78010000	13.837	14.933	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		3	1.8	42500		RIDE	8.8	8.8	8.6	8.1	7.9	7.7	7.4	7.1	7.0		8.0	8.0	7.7														
S ST AUGUSTINE DR(14.0R)					FC125M																													
2104243	13.981	15.054	R	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.6	8.6	5.5*														
P & S PAVING, INC.			(2011)				SPRIDE	7.6	7.5	7.5	6.9	7.6	7.5	7.5	7.5	7.4	7.2	7.3	7.3	7.4	7.0														
2102694	11.934	16.120	C	2025	0012																													
78010000	14.933	15.216	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		3	4.0	35000		RIDE	8.8	8.8	8.6	8.1	7.9	7.7	7.4	7.1	7.0		8.0	8.0	8.1														
SR 200(15.1C)					DGFC																													
2104243	15.054	15.458	R	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.7	7.8	5.0*														
P & S PAVING, INC.			(2013)				SPRIDE	7.5	7.6	7.6	7.7	7.7	7.6	7.4	7.6	7.3	6.8	7.4	7.4	7.5	7.1														
2102694	11.934	16.120	C	2025	0012																													
78010000	15.216	16.120	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		2	4.0	35000		RIDE	8.8	8.8	8.6	8.1	7.9	7.7	7.4	7.1	7.0		8.0	8.0	8.1														
NIX BOAT YARD RD(15.3R)					FC125M																													
2104243	15.458	16.119	R	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	5.5*	2.5*														
P & S PAVING, INC.			(2011)				SPRIDE	8.0	7.7	7.6	7.9	8.0	7.9	7.9	7.9	7.9	7.6	7.9	7.9	7.9	7.5														
2102694	11.934	16.120	C	2025	0012																													
78010000	16.120	16.754	R	1	4	45	CRACKING	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.2	7.3	7.8	7.7	8.0	4.8*														
5	1		2	4.0	40000		RIDE	6.1*	7.0	7.1	6.1*	6.1*	6.1	6.1	6.0	6.2	6.2	6.2	6.3	6.0														
RIVER RD(16.2C)					LDG																													
							CRACKING	4.8*	4.7*	4.6*	5.6*	5.7*	5.6*	5.6*	7.8	7.2	8.5	9.3	9.3	9.2	8.0														
			(1977)				RIDE	6.1	5.4*	6.0	5.9	6.0	5.8	5.8	5.8	5.9	5.3*	6.9	6.0	6.8	6.7														
4361681	16.120	16.776	C	2021	0012																													
78010000	16.754	17.059	R	1	4	35	CRACKING	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.2	7.3	7.8	7.7	8.0															
5	1		2	4.0	29500		RIDE	6.1*	7.0	7.1	6.1	6.1	6.1	6.1	6.0	6.2	6.2	6.2	6.3															
BUS US-1/SR-5A KING(16.8C)					LDG																													
							CRACKING	9.1	9.1	9.0	9.0	9.0	9.0	9.0	9.0	9.4	9.4	9.3	9.4	9.3	8.5														
			(2014)				RIDE	7.3	7.2	7.7	7.9	8.0	8.0	7.8	7.4	6.8	6.9	6.5	7.8	7.8	7.7														
78010000	17.059	18.692	R	1	4	40	CRACKING	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.2	7.3	7.8	7.7	8.0	8.7														
5	1		2	4.0	36000		RIDE	6.1*	7.0	7.1	6.1	6.1	6.1	6.1	6.0	6.2	6.2	6.2	6.3	6.3														
MALAGA ST(17.1R)					LDG																													
							CRACKING	8.7	8.7	8.7	8.5	8.6	8.6	8.5	8.7	8.7	8.4	8.7	9.3	9.2	8.0														
			(1983)				RIDE	6.6	6.4	5.7	5.9	6.1	6.1	5.9	6.1	6.2	5.3*	6.3	7.3	7.3	7.2														
4361681	17.041	18.692	C	2021	0012																													
78010000	17.158	18.692	L	1	4	40	CRACKING	7.3	7.3	7.3	7.6	7.5	7.5	7.5	7.4	8.4	8.7	8.6	8.6	6.9														
5	1		2	4.0	36000		RIDE	6.4*	6.8	6.7	5.8	5.8	5.8	5.8	5.8	5.8	6.0	6.1	6.1	6.2														
PERPALL ST(18.3C)					LDG																													
4361681	17.041	18.692	C	2021	0012		CRACKING	6.8	6.8	6.8	6.0*	6.0*	6.0*	5.9*	8.7	6.0*	7.2	9.3	9.4	9.3	9.0														
KIEWIT INFRASTRUCTURE SOUT			(2024)				RIDE	6.0	6.1	5.6	5.6	5.6	5.4*	5.4*	5.6	5.5	4.7*	6.5	7.5	7.5	7.4														
78010000	16.754	17.158	L	1	4	35	CRACKING	7.3	7.3	7.3	7.6	7.5	7.5	7.5	7.4	8.4	8.7	8.6	8.6															
5	1		2	4.0	29500		RIDE	6.4*	6.8	6.7	5.8	5.8	5.8	5.8	5.8	5.8	6.0	6.1	6.1															
BUS US-1/SR-5A KING(16.8C)					LDG																													
							CRACKING	9.2	9.2	9.2	9.3	9.2	9.2	9.1	9.3	9.0	9.2	9.3	9.4	9.2	8.5														
			(2014)				RIDE	7.3	6.6	6.5	6.7	7.5	7.7	7.1	7.0	6.8	5.5	7.3	7.7	7.7	7.6														
78010000	16.120	16.754	L	1	2	45	CRACKING	7.3	7.3	7.3	7.6	7.5	7.5	7.5	7.4	8.4	8.7	8.6	8.6	5.9*														
5	1		2	4.0	40000		RIDE	6.4*	6.8	6.7	5.8*	5.8*	5.8	5.8	5.8	5.8	6.0	6.1	6.1	6.1														
AVIELES DR(16.2L)					LDG																													
							CRACKING	5.9*	5.4*	5.4*	5.2*	5.0*	4.8*	4.7*	8.2	8.2	9.0	7.7	7.6	9.2	9.0														
			(2026)				RIDE	5.7	5.5	5.7	5.8	5.7	5.6	5.5	5.9	6.0	4.7*	5.6	5.7	5.7	5.6														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW / SURFTYPE / FY-P / ASTYPE / FY-F	SYS / %T / FY-P / WKMX-P / WKMX-F	TYP	AADT	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78010000	15.480	16.120	L	1	1	45		CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		2	4.0	35000			RIDE	8.4	8.6	8.1	7.9	7.5	7.3	7.1	6.7	6.4		8.1	8.1	7.9														
ARAPAHO AVE(15.9C)						FC125M																														
2104243	15.458	16.119	L	2009		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	6.0*	6.5	3.5*														
P & S PAVING, INC.			(2011)			SPRIDE			8.0	8.0	7.7	7.6	7.9	7.8	7.8	7.9	7.7	7.5	7.7	7.8	7.7	7.3														
2102694	11.934	16.120	C	2025		0012																														
78010000	15.146	15.480	L	1	1	45		CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		3	4.0	35000			RIDE	8.4	8.6	8.1	7.9	7.5	7.3	7.1	6.7	6.4		8.1	8.1	8.2														
CEMETARY ENT(15.5L)						FC125M																														
2104243	15.054	15.458	L	2009		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	7.0	5.8*	7.0	4.0*														
P & S PAVING, INC.			(2011)			SPRIDE			8.1	8.1	7.7	7.3	8.0	7.9	8.0	7.8	7.9	7.8	7.9	7.7	7.8	7.4														
2102694	11.934	16.120	C	2025		0012																														
78010000	14.846	15.146	L	1	1	45		CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		3	1.8	42500			RIDE	8.4	8.6	8.1	7.9	7.5	7.3	7.1	6.7	6.4		8.1	8.1	8.5														
SR 200(15.1C)						FC125M																														
2104243	13.981	15.054	L	2009		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	5.9*	7.0	4.5*														
P & S PAVING, INC.			(2013)			SPRIDE			7.7	8.0	7.2	7.6	7.8	7.8	7.7	7.5	7.8	7.6	7.5	7.4	7.4	7.0														
2102694	11.934	16.120	C	2025		0012																														
78010000	13.981	14.846	L	1	1	45		CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0														
5	1		3	1.8	42500			RIDE	8.4	8.6	8.1	7.9	7.5	7.3	7.1	6.7	6.4		8.1	8.1	8.0														
LEWIS POINT RD(14.0L)						FC125M																														
2104243	13.981	15.054	L	2009		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.7	7.3	4.5*														
P & S PAVING, INC.			(2011)			SPRIDE			8.0	7.9	7.3	7.6	8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.8	7.4														
2102694	11.934	16.120	C	2025		0012																														
78010000	11.934	13.981	L	1	1	45		CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	6.5	3.5*	3.5*		10.0	10.0	10.0														
5	1		2	1.8	42500			RIDE	8.9	8.8	8.9	8.2	8.1	8.0	7.7	7.4	7.1		8.2	8.1	8.1														
CREEKSIDE DR(12.2L)						FC125M																														
2104243	11.860	13.981	L	2009		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.5	8.3	5.5*														
P & S PAVING, INC.			(2011)			SPRIDE			8.1	7.4	7.6	7.6	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.5														
2102694	11.934	16.120	C	2025		0012																														
78010000	11.273	11.934	L	1	7	45		CRACKING	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.5	9.0	7.5	7.5															
5	1		2	4.0	35500			RIDE	8.3	8.2	8.0	6.6		8.3	8.1	8.0	8.0	8.1	8.0	7.9	7.8															
SIDE ROAD(11.3L)						FC5M																														
4471721	7.326	11.934	C	2023		0012		CRACKING	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	8.5	10.0	9.0														
P & S PAVING, INC.			(2026)			SPRIDE			7.7	7.4	7.9	7.7	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.9	8.5	8.3														
78010000	7.325	11.273	L	1	1	55		CRACKING	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.5	9.0	7.5	7.5															
5	1		2	4.0	24500			RIDE	8.3	8.2	8.0	6.6		8.3	8.1	8.0	8.0	8.1	8.0	7.9	7.8															
SR 206(7.4C)						FC5M																														
4471721	7.326	11.934	C	2023		0012		CRACKING	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0														
P & S PAVING, INC.			(2025)			SPRIDE			7.7	7.4	7.9	7.7	7.9	7.9	7.9	7.8	7.8	7.7	7.7	8.6	8.6	8.4														
78010000	0.950	7.325	L	1	1	65		CRACKING	7.5	5.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5															
5	1		2	4.0	17000			RIDE	8.8	8.7	8.5	7.8	7.6	7.6		7.9	8.0	8.1	8.1	8.1	8.0															
SIDE ROAD(2.4C)						FC5M																														
4376171	0.920	7.330	C	2019		0012		CRACKING	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.2	10.0	8.0														
PREFERRED MATERIALS, INC.			(2021)			SPRIDE			8.0	7.7	8.2	8.1	8.3	8.3	8.3	8.9	8.8	8.8	8.7	8.7	8.7	8.5														
78010000	0.463	0.950	L	1	1	55		CRACKING	8.0	7.5	7.5	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5														
5	1		2	4.0	17000			RIDE	8.3	8.4	8.2	7.8	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.3														
CR 204(0.5L)						DGFC																														
								CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0		10.0	10.0	9.4	10.0	8.5														
			(2023)					RIDE	7.4	6.6	7.1	7.1	7.2	6.9	7.0	6.8		7.7	7.6	7.5	7.4	7.0														
78010000	0.000	0.463	L	1	1	55		CRACKING	8.0	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
5	1		2	4.0	14700			RIDE	8.3	8.4	8.2	7.9	7.6	7.7	8.1	8.1	8.0	8.2	8.1	8.0	8.1														
						FC5M																														
4376171	0.000	0.471	L	2019		0012		CRACKING	9.5	9.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0														
PREFERRED MATERIALS, INC.			(2021)			SPRIDE			8.0	7.7	8.1	8.0	8.2	8.2	8.1	8.7	8.6	8.6	8.6	8.6	8.7	8.5														
78010027	0.000	0.250	C	1	1	25		CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*														
5A			2	1.9	16000			RIDE	5.9*	5.8	5.7	4.5*	4.6*	4.3*	4.1*	3.7*	3.0*	3.6*	4.0*	4.1*	3.9*														
PONCE DE LEON BLVD(0.0C)						S3																														
2102601	0.084	2.646	C	1995		0224		CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	7.0	5.9*	1.0*														
HUBBARD CONSTRUCTION COMPA			(1997)			S		RIDE	3.8*	3.4*	4.4*	4.2*	4.0*	4.1*	4.0*	4.2*	4.0*	4.1*	3.7*		3.9*	3.5*														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = ST. JOHNS

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78010027	0.833	1.404	C	1	1	25					CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	9.5	7.5	8.5													
A1A			4	1.9	16200						RIDE	8.4	8.2	7.2	7.6	7.1	7.3	7.3	6.4	7.0	5.7	5.2*	6.5	5.3*													
AVENIDA MENENDEZ(0.8R)					FC125M																																
4361611	1.078	1.408	C	2018		0012					CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.8	9.1	7.5												
DUVAL ASPHALT PRODUCTS, IN(2020)					SPRIDE						RIDE	6.3	5.9	6.0	6.4	6.6	6.5		6.6	6.6	6.4	6.6	6.5	6.5	6.1												
78010027	1.404	2.737	C	1	1	25					CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5													
A1A			2	1.9	12800						RIDE	8.2	8.0	8.3	7.4	7.4	7.3	7.2	7.1	6.9	6.9	6.7	6.6	6.6													
RIPLEY BELIEVE IT EN(1.4R)					FC125M																																
											CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.1	9.5	8.0											
	(2021)										RIDE	6.5	6.5	6.3	6.0	6.3	6.1		7.8	7.1	7.1	7.2	7.1	7.1	6.7											
78020000	0.000	0.695	R	1	4	45					CRACKING	5.3*	5.3*	5.1*	5.1*	4.4*	5.2*	5.0*	4.9*	3.7*	5.9*	6.4*	6.3*	6.5													
5 1			2	3.0	22000						RIDE	6.0*	5.8*	5.9*	5.2*	5.1*	5.2*	4.7*	5.1*	5.0*	5.2*	5.2*	5.2*	5.2*													
BINNINGER DR(0.0C)					LDG																																
4361681	0.000	0.695	C	2021		0012					CRACKING	6.6	6.5	6.4*	6.3*	6.3*	6.1*	6.0*	6.0*	6.6	7.5	9.1	9.4	9.3	9.0												
KIEWIT INFRASTRUCTURE SOUT(2024)											RIDE	5.2*	4.8*	4.9*	4.9*	5.1*	4.9*	4.9*	4.8*	4.8*	4.4*	4.4*	7.7	7.9	7.8												
78020000	0.695	15.025	R	1	1	65					CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
5 1			2	3.0	30000						RIDE	8.2		8.8	8.4	8.3	8.4	8.4	8.3	8.2	8.3	8.3	8.3	8.4													
FORT MOSE(0.7R)					FC5M																																
4393551	0.695	15.052	R	2020		0012					CRACKING	9.0	8.0	6.5	6.5	6.5	6.5	6.5			10.0	10.0	9.0	9.0	7.5												
DUVAL ASPHALT PRODUCTS, IN(2023)											RIDE	8.3	7.9	8.2	8.2	8.3	8.3	8.3			8.4	8.5	8.5	8.5	8.3											
78020000	15.025	16.041	R	1	1	55					CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0													
5 1			2	3.0	28500						RIDE	8.3		8.8	8.4	8.3	8.4	8.4	8.3	8.2			8.4	8.4													
RAMP TO NOCATEE PKWY(15.2R)					OGFC																																
											CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	4.5*	4.5*	5.5*	4.8*	0.0*												
	(2012)										RIDE	8.4	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.1	8.0	7.9	7.7												
4475262	15.042	16.041	C	2028		0012																															
78020000	15.025	16.041	L	1	1	55					CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0		10.0	10.0													
5 1			2	3.0	28500						RIDE	7.1		8.8	8.4	8.4	8.4	8.4	8.0	8.2			8.3	8.2													
RACE TRACK RD(15.1L)					OGFC																																
											CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	4.5*	4.5*	3.5*	4.0*	3.5*	0.0*												
	(2012)										RIDE	8.3	8.3	8.0	8.0	8.1	8.0	7.9	7.9	7.8	8.0	7.8	7.8	7.7	7.5												
4475262	15.042	16.041	C	2028		0012																															
78020000	0.695	15.025	L	1	1	65					CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5													
5 1			2	3.0	30000						RIDE	7.5		8.8	8.4	8.4	8.4	8.4	8.0	8.2	8.3	8.3	8.2	8.3													
SAN SEBASTIAN NW(1.2L)					FC5M																																
4393551	0.695	15.052	L	2020		0012					CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0	9.0	9.0	7.5												
DUVAL ASPHALT PRODUCTS, IN(2023)					SPRIDE						RIDE	8.2	8.2	8.2	8.1	8.2	8.2	8.1			8.5	8.5	8.5	8.5	8.3											
78020000	0.000	0.695	L	1	4	45					CRACKING	6.3*	6.3*	6.3*	6.3*	6.8	7.3	7.4	7.3	7.3	7.8	8.5	8.7	8.4													
5 1			2	3.0	22000						RIDE	6.0*	6.3*	6.5	5.9*	5.8*	5.7	6.1	6.0	5.3*	5.9	5.9	6.0	6.0													
BINNINGER DR(0.0C)					LDG																																
											CRACKING	8.4	8.4	8.3	8.3	8.3	8.1	8.0	8.3	8.0	8.1	8.6	9.3	9.3	8.0											
	(1977)										RIDE	5.9	5.6	5.2*	5.6	5.8	5.6	5.7	5.6	5.6	4.6*	4.6*	7.8	7.8	7.7											
4361681	0.000	0.695	C	2021		0012																															
78030000	0.038	0.431	C	1	1	30					CRACKING	4.5*	4.5*	2.0*	2.0*	2.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
A1A			2	2.5	17300						RIDE	5.4*	5.2*	5.3*	3.8*	4.0*	3.9*	8.0	7.8	7.7	7.8	8.0	7.8	7.7													
MISSING DESCRIPTION I(0.0C)					DGFC																																
											CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0		10.0	10.0	10.0	10.0	10.0	8.5											
	(2022)										RIDE	7.5	6.9	7.4	7.5	7.6	7.4	7.4		5.6	6.0	5.8	6.0	6.0	5.6											
78030000	0.431	0.803	C	1	1	40					CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
A1A			2	2.5	17300						RIDE	7.5	7.1	7.6	7.5	7.3	7.2	8.0	7.8	7.7	7.8	8.0	7.8	7.7													
FLA D&B SCH RD(0.6L)					FC125M																																
2104522	0.000	0.803	C	2006		0012					CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.7	6.5	3.0*												
PREFERRED MATERIALS, INC. (2007)											RIDE	7.5	6.9	7.4	7.5	7.6	7.4	7.4	7.2	7.3	7.3	7.2	7.1	7.1	6.7												
2101163	0.378	0.803	C	2029		0012																															
78030000	1.949	3.385	C	1	1	45					CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
A1A			2	2.5	14800						RIDE	7.4	7.2	7.0	6.7	6.5	6.4	8.4	7.7	8.3	8.3	8.3	8.2	8.1													
BEACHCOMBER WAY(2.0C)					FC125																																
2104132	2.013	2.911	C	2005		0012					CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*												
ANDERSON COLUMBIA CO., INC(2007)											RIDE	8.0	7.4	7.6	7.5	7.8	7.6	7.7	7.5	7.4	7.3	7.0	7.1	6.9	6.5												
2101163	1.949	3.459	C	2029		0012																															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP / AADT / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
78030000 A1A VILLAGES OF VILANO(3.4L)	3.385	18.906	C 2	1 2.5	1 5900 FC125	55	CRACKING RIDE	6.5 7.4	6.5 7.2	6.5 7.0	6.5 6.7	6.5 6.5	6.5 6.4*	10.0 8.4	10.0 7.7	10.0 8.3	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.1															
				(2018)			CRACKING RIDE	9.0 8.0	9.0 7.4	9.0 7.6	8.0 7.5	10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.9	10.0 7.8	10.0 7.8	9.5 7.8	8.9 7.6	7.0 7.2													
78030001 A1A 78030000(0.0C)	0.000	0.176	C 2	1 2.5	1 14800 FC3	35	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
				(1997)			CRACKING RIDE	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0* 6.8	1.0* 6.4											
78030001 A1A VILANO ROAD(1.0R)	0.903	1.032	C 2	1 2.5	1 14800 FC3	35	CRACKING RIDE	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5															
				(1997)			CRACKING RIDE	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.9	7.0 6.7	2.0* 6.3											
78030101 A1A	0.000	0.104	C 2	1 4.0	1 6200	15	CRACKING RIDE																												
				(2023)			CRACKING RIDE										10.0	8.5	8.8	10.0 2.3*	8.5 1.9*											
78040000 A1A OLD A1A(0.2R)	0.000	0.455	C 2	1 2.2	1 5300 FC125	45	CRACKING RIDE	5.5* 8.0	5.5* 8.3	6.5 8.2	6.5 7.6	10.0 7.9	10.0 7.8	10.0 7.9	10.0 7.8	10.0 7.7	10.0 7.5	10.0 7.8	9.5 7.4	9.5 7.3															
2102652 APAC-FLORIDA INC 2102659	0.000	9.800 (2005) 9.671	C 2003 C 2027		0012 0012		CRACKING RIDE	9.5 6.8	9.5 6.6	9.5 6.6	9.5 6.8	9.5 6.8	8.0 6.5	7.0 6.5	6.5 6.3	5.5* 6.4	5.5* 6.3	5.5* 6.0	5.8* 6.4	5.8* 6.2	2.0* 5.8													
78040000 A1A SUMMER ISLAND DR(1.7L)	0.455	2.218	C 2	1 2.2	1 5300 DGFC	55	CRACKING RIDE	5.5* 8.0	5.5* 8.3	6.5 8.2	6.5 7.6	10.0 7.9	10.0 7.8	10.0 7.9	10.0 7.8	10.0 7.7	10.0 7.5	10.0 7.8	10.0 7.8	10.0 8.2															
2102659	0.000	9.671	C 2027	(2013)	0012		CRACKING RIDE	10.0 8.0	10.0 7.2	10.0 6.7	10.0 6.9	10.0 7.2	10.0 6.9	9.0 7.0	8.5 6.7	8.5 6.6	7.0 6.6	7.0 6.2*	7.1 6.5	6.8 6.2*	4.0* 5.8*													
78040000 A1A BARRATARIA DR(2.4L)	2.218	2.491	C 2	1 2.2	1 5300 DGFC	45	CRACKING RIDE	9.5 8.3	8.0 8.8	7.0 8.3	6.5 7.9	10.0 7.9	10.0 7.8	10.0 7.9	10.0 7.8	10.0 7.7	10.0 7.5	10.0 7.5	10.0 7.4	10.0 7.6															
2102652 APAC-FLORIDA INC 2102659	0.000	9.800 (2005) 9.671	C 2003 C 2027		0012 0012		CRACKING RIDE	10.0 6.9	10.0 7.0	10.0 6.9	9.5 7.1	9.5 7.4	9.0 7.4	8.5 7.4	7.0 7.6	7.0 7.1	6.5 7.2	6.5 6.8	5.9* 7.1	5.8* 6.9	2.0* 6.5													
78040000 A1A TURNOUT TO INLET(3.1C)	2.892	7.438	C 2	1 2.2	1 9900 DGFC	55	CRACKING RIDE	3.5* 8.3	3.5* 8.2	3.5* 8.2	3.5* 7.6	10.0 7.9	10.0 8.0	10.0 8.0	10.0 7.2	10.0 7.7	10.0 7.7	10.0 7.7	10.0 7.7	10.0 7.6															
2102652 APAC-FLORIDA INC 2102659	0.000	9.800 (2005) 9.671	C 2003 C 2027		0012 0012		CRACKING RIDE	10.0 7.1	10.0 7.0	9.5 6.7	8.0 6.9	8.0 6.9	8.0 6.8	7.0 6.8	7.0 6.6	6.0* 6.6	5.5* 6.5	5.5* 6.3*	6.3* 6.4*	6.1* 6.0*	2.5* 5.6*													
78040000 A1A LANCASTER PL(7.5R)	7.438	9.693	C 2	1 2.0	1 15900 FC125	45	CRACKING RIDE	6.5 7.2	6.5 7.3	6.5 7.3	6.5 7.0	10.0 7.7	10.0 7.7	10.0 7.9	10.0 6.9	10.0 6.9	10.0 7.8	10.0 7.8	9.5 7.7	9.5 7.7															
2102652 APAC-FLORIDA INC 2102659	0.000	9.800 (2005) 9.671	C 2003 C 2027		0012 0012		CRACKING RIDE	9.5 7.4	9.5 7.3	9.5 6.9	9.5 6.9	9.5 7.2	8.0 7.1	7.0 7.1	7.0 6.9	7.0 6.9	7.0 6.8	7.0 6.6	6.2* 6.6	6.0* 6.5	2.0* 6.1													
78040000 A1A OWENS AVE(9.8C)	9.693	13.820	R 2	1 2.2	1 23000 FC3	45	CRACKING RIDE	10.0 8.4	10.0 8.6	10.0 8.5	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.1	10.0 7.1	9.5 7.0	9.5 7.9	8.0 8.0	7.0 7.9	7.0 8.0															
2102721 PETTICOAT CONTRACTING INC 2102658	11.218	13.776 (1999) 9.671	C 1996 S C 2027		0213 0012		CRACKING RIDE	7.0 7.8	7.0 7.2	7.0 7.7	7.0 7.1	7.0 7.7	7.0 7.5	6.5 7.5	5.5* 7.4	5.5* 7.5	5.5* 7.4	5.5* 7.4	6.0* 7.5	6.0* 7.4	1.5* 7.0													
78040000 A1A RAMP TO OLD SR A1A(13.9R)	13.820	15.400	R 2	1 2.2	1 23000 FC125	40	CRACKING RIDE	6.5 6.9	6.5 7.7	4.5* 7.7	4.5* 7.1	4.5* 6.9	10.0 8.2	10.0 8.1	10.0 7.1	10.0 7.1	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0															
2102653 HUBBARD CONSTRUCTION COMPA 2101162	14.054 (2006) 13.820	15.266 16.721	C 2004 C 2028		0012 0012		CRACKING RIDE	9.5 7.9	9.5 7.3	9.5 7.7	9.5 7.1	9.0 7.6	9.0 7.6	9.0 7.5	8.0 7.5	7.0 7.4	7.0 7.4	7.0 7.2	6.5 7.3	6.1* 6.9	2.5* 6.5													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = ST. JOHNS

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / FY-P / FY-F	AADT / WKMX-P / WKMX-F	DISTRESS / RATINGS / SURFTYPE / ASTYPE	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78040000 A1A ANASTASIA AVE(15.5R) 2104061 HUBBARD CONSTRUCTION COMPA(1998) 2101162	15.400 2 2.2 15.266 13.820	16.465 16.687 16.721	R 2 C 1997 C 2028	1 	1 	40 20500 FC3 0224 S 0012	CRACKING RIDE	10.0 8.3	10.0 8.8	10.0 8.7	10.0 8.4	10.0 8.3	10.0 8.3	10.0 8.1	10.0 7.2	10.0 6.7	9.5 7.4	9.5 8.1	9.0 8.0	9.0 8.0														
							CRACKING RIDE	9.0 8.1	9.0 7.3	9.0 8.0	9.0 7.4	9.0 8.0	8.0 7.9	8.0 7.9	7.0 7.8	6.5 7.8	6.5 7.8	6.5 7.7	7.0 7.7	7.0 7.6	2.0* 7.2
78040000 A1A ZORAYDA AVE(16.5C) 2101162	16.465 1 2.2 13.820	16.693 16.721	R 1 C 2028	1 	1 	30 18200 DGFC 0012	CRACKING RIDE	10.0 8.3	10.0 8.8	10.0 8.7	10.0 8.4	10.0 8.3	10.0 8.3	10.0 8.1	10.0 7.2	10.0 6.7	9.5 7.4	9.5 8.1	10.0 7.6	10.0 7.8														
							CRACKING RIDE	10.0 7.9	10.0 7.5	10.0 6.7	10.0 5.9	10.0 6.6	10.0 6.5	10.0 6.5	9.0 6.6	8.5 6.4	8.5 6.3	8.5 6.3	9.4 6.2	9.6 6.0	7.0 5.6
78040000 A1A A1A/SR 5A/AVE MENEND(17.1C)	17.041 2 2.2 	17.063 	C 2 	1 	1 	30 18500 WC1	CRACKING RIDE																												
							CRACKING RIDE			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5 2.0*	7.0 1.6*
78040000 A1A ZORAYDA AVE(16.5C) 2101162	16.465 1 2.2 13.820	16.693 16.721	L 1 C 2028	1 	1 	30 18200 DGFC 0012	CRACKING RIDE	10.0 8.6	10.0 8.5	10.0 8.7	10.0 8.3	10.0 8.3	10.0 8.3	10.0 7.5	9.0 6.7	9.0 8.0	9.0 7.7	9.0 8.0	10.0 7.2	10.0 7.2														
							CRACKING RIDE	10.0 7.1	10.0 7.0	10.0 6.0	10.0 5.3*	10.0 5.9	10.0 5.7	10.0 5.7	9.0 5.5	8.0 5.6	8.0 5.7	8.0 5.7	8.7 5.5	8.6 5.2*	6.0* 4.8*
78040000 A1A CARVER ST(15.7L) 2104061 HUBBARD CONSTRUCTION COMPA(1998) 2101162	15.431 2 2.2 15.266 13.820	16.465 16.687 16.721	L 2 C 1997 C 2028	1 	1 	40 20500 FC3 0224 S 0012	CRACKING RIDE	10.0 8.6	10.0 8.5	10.0 8.7	10.0 8.3	10.0 8.3	10.0 8.3	10.0 7.5	9.0 6.7	9.0 8.0	9.0 7.7	9.0 8.0	8.0 8.1	8.0 8.1														
							CRACKING RIDE	8.0 8.0	8.0 7.8	8.0 8.1	8.0 7.4	8.0 8.1	8.0 8.1	8.0 8.0	6.5 7.9	6.5 7.9	6.5 7.9	6.5 7.9	7.0 7.8	7.0 7.8	2.0* 7.4
78040000 A1A GRANDVIEW RD(14.1L) 2102653 HUBBARD CONSTRUCTION COMPA(2006) 2101162	13.820 2 2.2 14.054 13.820	15.431 15.266 16.721	L 2 C 2004 C 2028	1 	1 	40 23000 FC125 0012 0012	CRACKING RIDE	2.0* 7.4	1.0* 7.7	1.0* 7.6	1.0* 6.6	1.0* 6.5	10.0 8.1	10.0 8.2	10.0 7.3	10.0 8.1	10.0 8.2	10.0 8.2	9.5 8.1	9.5 8.1														
							CRACKING RIDE	9.5 7.9	9.5 7.5	9.5 7.1	9.5 7.1	9.0 7.8	9.0 7.7	9.0 7.6	8.0 7.6	6.0* 7.6	6.0* 7.4	6.0* 7.3	6.0* 7.4	5.4* 7.2	1.5* 6.8
78040000 A1A SAN JULLIAN BLVD(9.8L) 2102721 PETTICOAT CONTRACTING INC (1999) 2102658	9.693 2 2.2 11.218 9.671	13.820 13.776 13.780	L 2 C 1996 C 2027	1 	1 	45 23000 FC3 0213 S 0012	CRACKING RIDE	10.0 8.3	10.0 8.6	10.0 8.6	9.0 8.3	9.0 8.2	9.0 8.1	9.0 8.2	9.0 7.3	9.0 8.0	9.0 8.1	9.0 8.1	8.0 8.0	8.0 8.1														
							CRACKING RIDE	8.0 8.0	8.0 7.7	8.0 7.1	8.0 7.1	7.0 7.9	7.0 7.7	7.0 7.7	6.0* 7.7	6.0* 7.7	6.0* 7.7	6.0* 7.7	7.0 7.7	7.0 7.5	2.5* 7.1
78051000 207 	0.000 2 6.4 	0.270 	R 2 	1 	1 	45 18000 FC5	CRACKING RIDE							10.0 7.9	10.0 7.9	10.0 7.7	9.5 7.8	9.5 7.6	7.5 7.9	7.5 7.7														
							CRACKING RIDE	7.5 7.4	7.5 7.4	10.0 8.1	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	7.0 8.0	7.0 8.2	6.0* 8.2	6.0* 8.0	2.5* 7.8
78051000 207 S DANCY AVE(0.8R) 4322641 HALIFAX PAVING, INC.	0.270 2 6.4 0.270 	1.580 3.132 	R 2 R 2016 	1 	1 	45 18000 FC125M 0012 	CRACKING RIDE CRACKING SPRIDE	9.0 7.5	9.0 6.7	9.0 6.6		10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.8	10.0 7.8	10.0 7.6	9.5 7.6	9.5 7.5	9.5 7.3	8.9 7.1	7.0 6.7
78051000 207 MORRISON RD(2.1C) 4322641 HALIFAX PAVING, INC.	1.580 2 6.4 0.270 	3.132 3.132 	R 2 R 2016 	1 	1 	55 22000 FC5M 0012 	CRACKING RIDE CRACKING SPRIDE	4.5* 7.3	4.5* 6.8	3.5* 7.2		10.0 8.1	10.0 8.1	10.0 7.8	10.0 7.9	9.0 7.8	9.0 7.9	9.0 7.9	9.7 7.8	8.9 7.8	6.0* 7.6
78051000 207 COWPEN BRANCH RD(3.2R) 4393481 PREFERRED MATERIALS, INC.	3.132 2 6.4 3.139 	8.860 10.406 	R 2 R 2020 	1 	1 	55 15800 FC5M 0012 	CRACKING RIDE CRACKING SPRIDE	8.0 7.8	8.0 7.4	6.5 7.6	6.5 7.6	4.5* 7.6	4.5* 7.5	4.5* 7.4		10.0 8.4	10.0 8.4	10.0 8.3	9.7 8.3	10.0 8.2	8.0 8.0

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = ST. JOHNS

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	DISTRESS / RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78051000	8.860	10.405	R	1	1	55			CRACKING										10.0	10.0	10.0	10.0	10.0	9.0	9.0											
207			2	6.4		17600			RIDE										8.1	7.9	8.0	8.0	8.0	7.9	7.8											
									FC5M																											
4393481	3.139	10.406	R	2020		0012			CRACKING	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	8.0											
PREFERRED MATERIALS, INC.		(2022)				SPRIDE				7.7	7.2	7.4	7.4	7.4	7.4	7.3			8.4	8.3	8.3	8.3	8.3	8.1											
78051000	10.405	12.554	R	1	1	45			CRACKING										10.0	10.0	10.0	10.0	10.0	9.0	9.0											
207			2	6.4		17600			RIDE										8.1	7.9	8.0	8.0	8.0	7.9	7.8											
VERMONT BLVD(11.0C)						FC125M																													
									CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	5.5*	5.5*	3.5*	4.2*	3.8*	0.5*											
		(2007)							RIDE	7.7	7.1	7.3	7.6	7.6	7.4	7.6	7.5	7.4	7.4	7.4	7.4	7.2	6.8											
4346154	10.406	12.805	C	2028		0012																													
78051000	12.554	16.600	R	1	1	45			CRACKING										9.0	9.0	9.0	9.0	8.0	7.0	7.0											
207			2	6.4		32500			RIDE										8.3	7.8	8.2	8.1	8.1	8.1	7.9											
MASON MANATEE WAY(13.2R)						FC125M																													
4455461	12.805	16.608	C	2023		0012			CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	3.5*	3.5*		10.0	10.0	9.0											
HALIFAX PAVING, INC.		(2025)				SPRIDE				7.8	7.0	7.5	7.6	7.7	7.7	7.5	7.5	7.5	7.3		8.2	8.1	7.7											
78051000	16.600	17.762	R	1	1	45			CRACKING										9.0	9.0	9.0	9.0	9.0	9.0	9.0											
207			2	6.4		12000			RIDE										7.2	6.4	7.3	7.1	7.4	7.4	7.2											
DOBBS RD(16.8R)						FC125																													
									CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.7	7.6	4.0*											
		(2007)							RIDE	7.3	6.5	6.9	6.3	6.7	6.9	6.5	6.7	6.8	6.6	6.4	6.3	6.2	5.8											
4322644	16.477	17.762	C	2029		0012																													
78051000	16.600	17.762	L	1	1	45			CRACKING										10.0	10.0	10.0	10.0	10.0	10.0	10.0											
207			2	6.4		12000			RIDE										7.3	7.0	7.1	7.3	7.3	7.1	7.2											
OSCEOLA ELEM RD(16.7L)						FC125																													
									CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.3*	6.1*	2.5*											
		(2007)							RIDE	6.9	6.6	6.3	6.5	6.3	6.4	6.2	6.2	6.3	6.1	5.9	6.0	5.9	5.5											
4322644	16.477	17.762	C	2029		0012																													
78051000	12.554	16.600	L	1	1	45			CRACKING										9.5	8.0	8.0	8.0	8.0	7.0	7.0											
207			2	6.4		32500			RIDE										8.3	8.0	7.9	7.9	7.8	7.9	7.5											
FLEA MARKET RD(13.0L)						FC125M																													
4455461	12.805	16.608	C	2023		0012			CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	10.0	9.0											
HALIFAX PAVING, INC.		(2025)				SPRIDE				7.6	7.5	7.3	7.3	7.4	7.3	7.3	7.3	7.3	7.1		8.2	8.1	7.7											
78051000	10.405	12.554	L	1	1	45			CRACKING										10.0	10.0	10.0	10.0	10.0	10.0	10.0											
207			2	6.4		17600			RIDE										8.0	7.8	7.9	7.9	7.8	7.8	7.7											
VERMONT BLVD(11.0C)						FC125M																													
									CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.0	7.0	4.5*	2.8*	2.1*	0.0*											
		(2007)							RIDE	7.6	7.4	7.2	7.2	7.3	7.3	7.1	7.0	7.0	7.0	6.9	7.0	6.8	6.4											
4346154	10.406	12.805	C	2028		0012																													
78051000	8.860	10.405	L	1	1	55			CRACKING										10.0	10.0	10.0	10.0	10.0	10.0	10.0											
207			2	6.4		17600			RIDE										8.0	7.8	7.9	7.9	7.8	7.8	7.7											
									FC5M																											
4393481	3.139	10.406	L	2020		0012			CRACKING	9.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	8.0											
PREFERRED MATERIALS, INC.		(2022)				SPRIDE				7.6	6.9	7.8	7.7	7.9	7.7	7.7			8.6	8.5	8.5	8.5	8.5	8.3											
78051000	3.132	8.860	L	1	1	55			CRACKING										10.0	10.0	10.0	10.0	10.0	10.0	10.0											
207			2	6.4		15800			RIDE										8.2	8.1	8.1	8.1	8.0	8.0	8.0											
CR 13(4.1L)						FC5M																													
4393481	3.139	10.406	L	2020		0012			CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	8.0											
PREFERRED MATERIALS, INC.		(2022)				SPRIDE				8.0	7.7	7.8	7.8	7.9	7.8	7.7			8.4	8.4	8.4	8.3	8.3	8.1											
78051000	1.580	3.132	L	1	1	55			CRACKING										10.0	10.0	10.0	10.0	10.0	9.5	9.0											
207			2	6.4		22000			RIDE										8.0	7.9	7.9	7.9	7.7	7.5	7.5											
MORRISON RD(2.1C)						FC5M																													
4322641	0.270	3.132	L	2016		0012			CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.2	8.9	6.0*											
HALIFAX PAVING, INC.		(2018)				SPRIDE				7.5	7.1	7.4		8.3	8.1	8.1	8.1	8.0	7.6	7.9	7.8	7.8	7.6											
78051000	0.270	1.580	L	1	1	45			CRACKING										10.0	10.0	10.0	10.0	10.0	9.5	9.5											
207			2	6.4		18000			RIDE										8.0	7.9	7.9	7.9	7.9	7.9	7.9											
OLD HASTINGS RD(0.3L)						FC125M																													
4322641	0.270	3.132	L	2016		0012			CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.3	6.5											
HALIFAX PAVING, INC.		(2018)				SPRIDE				7.8	7.3	7.0		8.2	8.0	8.0	8.0	8.0	7.8	7.8	7.3	7.5	7.1											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 2 COUNTY = ST. JOHNS

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78051000 207	0.000	0.270	L 2	1 6.4	1 FC5	45		18000	CRACKING RIDE												10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.9	10.0 7.9	7.5 8.0	7.5 8.0												
								(2016)	CRACKING RIDE		7.5 7.7	7.5 7.3	10.0 8.5	10.0 8.6	10.0 8.8	10.0 8.7	10.0 8.7	10.0 8.5	10.0 8.5	7.0 8.6	6.0* 8.6	5.8* 8.6	5.1* 8.4	1.5* 8.2												
78060000 16 SEABOAT RD(1.6R) 2103951 J.B. COXWELL CONTRACTING	1.262 1.262	1.995 2.310	C 2 C 1999	1 8.6	1 FC3	55 (2000)		19500 0221	CRACKING RIDE SPRIDE	10.0 8.5 8.0 7.8	10.0 8.2 8.0 7.7	10.0 7.9 8.0 7.8	10.0 7.9 8.0 7.6	10.0 7.8 8.0 7.6	10.0 7.8 8.0 7.6	9.0 7.3 8.0 7.4	9.0 8.0 8.0 7.4	9.0 8.0 6.5 7.5	9.0 7.9 6.0* 7.4	9.0 7.8 6.0* 7.2	9.0 7.9 6.0* 7.1	8.0 7.8 6.3* 7.2	8.0 7.8 6.0* 6.9	1.5* 6.5												
78060000 16 KILEY CT(2.1R) 2103951 J.B. COXWELL CONTRACTING	1.995 1.262	2.305 2.310	C 2 C 1999	1 8.6	1 FC3	45 (2000)		19500 0221	CRACKING RIDE SPRIDE	10.0 7.9 7.0 6.6	10.0 7.9 7.0 6.7	10.0 7.9 7.0 6.2	10.0 7.1 7.0 6.3	10.0 7.0 7.0 6.4	9.0 6.9 7.0 5.8	9.0 7.1 7.0 5.8	8.0 7.2 6.0* 6.0	8.0 7.0 6.0* 6.0	8.0 7.2 6.0* 6.1	8.0 7.2 6.0* 5.9	7.0 6.9 5.3* 5.9	7.0 6.9 5.5* 5.8	1.0* 5.4*												
78060000 16 SR-13/SR-16(6.3L) 2102212 PREFERRED MATERIALS, INC. 2102216	6.303 6.303 6.333	7.980 7.936 7.890	C 2 C 2006 (2008) C 2026	1 2.7	1 FC125M	55 		17500 0012	CRACKING RIDE CRACKING RIDE	3.5* 7.7 9.5 7.3	3.5* 7.8 9.5 6.9	3.5* 7.4 8.5 6.4*	3.5* 7.0 8.5 6.7	3.5* 7.1 7.0 7.0	3.5* 7.0 7.0 6.8	 7.0 6.7	 7.0 6.7	10.0 7.7 5.5* 6.7	10.0 7.4 5.5* 6.7	10.0 7.4 3.0* 6.7	10.0 7.4 3.0* 6.6	9.5 7.3 3.0* 6.7	9.5 7.3 0.0* 6.5	6.1*												
78060000 16 RUES LANDING RD(8.9R)	7.980	9.549	R 2	1 2.7	1 DGFC	45		27000	CRACKING RIDE	3.5* 7.7	10.0 8.7	10.0 8.5	9.0 8.1	9.0 8.1	9.0 8.0	9.0 8.0	9.0 7.8	9.0 7.8	9.0 7.9	9.0 8.2	10.0 8.1	10.0 8.1	10.0 8.1												
								(2011)	CRACKING RIDE	10.0 8.0	10.0 7.5	10.0 7.0	10.0 7.5	10.0 7.7	10.0 7.7	9.0 7.6	8.5 7.4	8.5 7.3	8.5 7.3	8.5 7.5	7.6 7.3	7.0 7.2	4.0* 6.8												
78060000 16 MURABELLA PKWY(9.6R) 2104471 APAC-FLORIDA INC 2104478	9.549 7.980 9.388	13.865 15.190 15.525	C 1 C 2001 (2002) C 2025	1 2.7	1 FC125	60 		21000 0012	CRACKING RIDE SPRIDE CRACKING	3.5* 7.7 9.0 7.7	10.0 8.7 9.0 7.3	10.0 8.5 9.0 7.1	9.0 8.1 8.0 7.3	9.0 8.1 8.0 7.5	9.0 8.0 7.0 7.4	9.0 8.0 7.0 7.4	9.0 7.8 7.0 7.4	9.0 7.8 6.0* 7.4	9.0 7.8 6.0* 7.4	9.0 7.9 6.0* 7.5	9.0 7.8 6.0* 7.5	9.0 7.8 6.0* 7.4	9.0 7.7 6.0* 7.3	2.0* 6.9												
78060000 16 WHISPER RIDGE DR(14.0R) 2104471 APAC-FLORIDA INC 2104478	13.865 7.980 9.388	14.517 15.190 15.525	R 2 C 2001 (2002) C 2025	1 2.7	1 FC125	60 		21000 0012	CRACKING RIDE SPRIDE CRACKING	4.5* 8.0 9.0 7.7	10.0 8.7 9.0 7.3	10.0 8.5 9.0 7.1	9.0 8.1 8.0 7.3	9.0 8.1 7.9 7.5	9.0 8.0 7.0 7.4	9.0 8.0 7.0 7.4	9.0 7.8 7.0 7.4	9.0 7.8 6.0* 7.4	9.0 7.9 6.0* 7.5	9.0 7.8 6.0* 7.5	9.0 7.8 6.0* 7.4	9.0 7.7 5.7* 7.1	1.5* 6.7												
78060000 16 TOMS RD(15.1R) 2104473 HUBBARD CONSTRUCTION COMPA 2104478	14.517 14.421 9.388	15.115 15.892 15.525	R 2 C 2008 (2009) C 2025	1 2.7	1 FC125M	45 		26500 0012	CRACKING RIDE SPRIDE CRACKING	10.0 8.2 9.0 8.0	9.5 8.1 9.0 7.6	8.0 8.0 9.0 7.6	7.5 7.6 9.0 7.7	7.5 7.4 9.0 7.9	7.5 7.2 8.0 7.8	4.5* 7.0 8.0 7.8	4.5* 6.7 7.5 7.6	10.0 8.2 4.5* 7.6	10.0 8.2 4.5* 7.7	10.0 8.1 4.5* 6.5	10.0 8.0 4.7* 6.4	10.0 8.0 4.5* 7.3	1.5* 6.9												
78060000 16 CR 208(15.3R) 2104473 HUBBARD CONSTRUCTION COMPA 2104478	15.115 14.421 9.388	15.595 15.892 15.525	R 2 C 2008 (2009) C 2025	1 2.7	7 FC125M	45 		43000 0012	CRACKING RIDE SPRIDE CRACKING	10.0 8.2 9.0 8.0	9.5 8.1 9.0 7.6	8.0 8.0 9.0 7.6	7.5 7.6 9.0 7.7	7.5 7.4 9.0 7.9	7.5 7.2 8.0 7.8	4.5* 7.0 8.0 7.8	4.5* 6.7 7.5 7.6	10.0 8.2 4.5* 7.6	10.0 8.2 4.5* 7.7	10.0 8.1 4.5* 6.5	10.0 8.0 4.7* 6.4	10.0 8.0 10.0 6.8	9.0 6.4												
78060000 16 BELTZ OUTLER ENT(15.7C) 2104473 HUBBARD CONSTRUCTION COMPA	15.595 14.421	15.900 15.892	R 2 C 2008 (2009)	1 2.7	1 FC125M	45 		43000 0012	CRACKING RIDE SPRIDE	10.0 7.9 9.0 8.0	10.0 7.8 9.0 7.6	10.0 7.9 9.0 7.6	10.0 7.2 9.0 7.7	10.0 7.3 9.0 7.9	10.0 7.4 8.0 7.8	10.0 7.1 8.0 7.8	10.0 7.2 7.5 7.6	10.0 8.2 4.5* 7.6	10.0 8.2 4.5* 7.7	10.0 8.1 4.5* 6.5	10.0 8.0 4.7* 6.4	10.0 8.0 5.5* 7.9	2.5* 7.5												
78060000 16 HARVEST LN(16.0R) 4244811 HUBBARD CONSTRUCTION COMPA	15.900 15.892	19.435 20.697	R 2 R 2013 (2014)	1 2.7	1 FC5M	55 		43000 0012	CRACKING RIDE SPRIDE	10.0 9.0 10.0 8.3	10.0 8.9 10.0 8.1	10.0 8.9 10.0 8.4	10.0 8.3 10.0 8.4	10.0 8.2 10.0 8.5	10.0 8.2 10.0 8.4	10.0 8.1 10.0 8.4	7.5 7.7 9.0 8.3	7.5 7.8 9.0 8.4	7.5 7.8 9.0 8.3	6.5 7.8 9.0 8.3	4.5* 7.7 7.5 8.3	4.5* 7.5 8.3 8.4	4.5* 7.3 7.6 8.3	3.5* 8.1												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / RATINGS	BMP / EMP / RW / SYS / TYP / SPD	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
INTERSECT AT (MP|SIDE) / SURFTYPE / ========															
ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P															
CONTRACTOR (AGE_ONE YEAR) / ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F															(PMRS)
78060000 / 19.435 / 20.386	R 1 4 45	CRACKING	8.1	8.1	8.1	8.0	8.0	8.2	8.2	8.3	9.2	8.7	8.5	8.3	7.7	
16	2 2.7 25500	RIDE	8.6	8.5	8.6	8.1	7.9	8.0	7.9	7.8	8.0	8.1	8.1	8.1	8.1	
SCHALLER RD(19.5R)	LDG														
		CRACKING	7.6	7.3	7.3	6.3*	6.3*	5.9*	5.8*	6.1*	6.7	6.8	7.5	7.4	8.4	7.5
	(2009)	RIDE	8.3	7.6	7.9	7.7	8.1	8.1	8.1	7.9	8.0	8.0	8.0	7.8	8.0	7.9
78060000 / 20.386 / 20.750	R 1 6 40	CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
16	2 2.7 25500	RIDE	7.2		7.6	7.0	6.8	6.7	6.9	6.2	5.2*	5.7	6.4	5.6	6.0	
UNSIGNED(20.4R)	FC125M														
4244811 / 15.892 / 20.697	R 2013 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.1	7.6	5.0*
HUBBARD CONSTRUCTION COMPA	(2014) SPRIDE		8.4	7.8	7.1	7.2	7.0	7.3	6.6	6.7	6.6	6.8	7.0	6.6		
78060000 / 20.750 / 20.881	C 1 1 35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
16	2 2.7 6200	RIDE														
PONCE DE LEON BLVD(20.8C)	FC125M														
4244811 / 20.752 / 20.867	C 2013 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.0	4.5*
HUBBARD CONSTRUCTION COMPA	(2014) SPRIDE														4.1*	3.7*
78060000 / 20.386 / 20.750	L 1 1 40	CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
16	2 2.7 25500	RIDE	4.7*		7.3	6.9	6.1	6.4	5.9	5.7	5.7	5.3*	5.7	5.1*	5.4*	
CR 16A(20.4L)	FC125M														
4244811 / 15.892 / 20.697	L 2013 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.0	7.0	4.5*
HUBBARD CONSTRUCTION COMPA	(2014) SPRIDE		8.0	7.8	6.8	6.0	6.4	6.7	7.0	6.6	6.5	6.4	6.6	6.6	6.3	5.9
78060000 / 19.435 / 20.386	L 1 4 45	CRACKING	7.9	7.8	7.8	7.7	7.7	7.8	7.8	7.7	8.9	8.8	7.9	8.0	7.5	
16	2 2.7 25500	RIDE	8.9	8.5	8.7	8.1	8.1	8.0	7.6	7.8	7.9	8.0	7.8	7.8	7.9	
MCCULLOUGH ST(19.6C)	LDG														
		CRACKING	7.5	7.3	7.3	6.5	6.5	6.4*	6.4*	6.2*	6.5	7.9	7.9	8.4	7.9	7.0
	(1983)	RIDE	7.9	7.6	7.9	7.9	8.2	8.1	8.1	7.9	8.1	8.0	8.0	7.9	7.9	7.8
78060000 / 15.900 / 19.435	L 1 1 55	CRACKING	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
16	2 2.7 43000	RIDE	9.1	9.0	8.9	8.4	8.3	8.2	8.2	7.9	7.7	7.9	7.7	7.5	7.3	
INMAN RD(16.0L)	FC5M														
4244811 / 15.892 / 20.697	L 2013 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	8.3	7.9	3.5*
HUBBARD CONSTRUCTION COMPA	(2014) SPRIDE		8.4	8.2	8.5	8.4	8.6	8.5	8.5	8.3	8.4	8.4	8.4	8.4	8.4	8.2
78060000 / 15.595 / 15.900	L 1 1 45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
16	2 2.7 43000	RIDE	7.6	7.8	7.7	7.3	7.2	7.3	7.2	7.1	8.4	8.4	8.0	8.2	7.9	
BELTZ OUTLER ENT(15.7C)	FC125M														
2104473 / 14.421 / 15.892	C 2008 0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	5.5*	5.5*	2.5*
HUBBARD CONSTRUCTION COMPA	(2009) SPRIDE		8.1	7.7	8.0	7.5	7.9	7.9	7.8	7.7	7.7	7.5	6.9	6.1	7.8	7.4
78060000 / 15.115 / 15.595	L 1 7 45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
16	2 2.7 43000	RIDE	7.6	7.8	7.7	7.3	7.2	7.3	7.2	7.1	8.4	8.4	8.0	8.2	7.9	
	FC125M															
		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	5.5*	10.0	9.0
	(2026)	RIDE	8.1	7.7	8.0	7.5	7.9	7.9	7.8	7.7	7.7	7.5	6.9	6.1	7.6	7.2
78060000 / 14.517 / 15.115	L 1 1 45	CRACKING	9.5	9.5	9.5	8.0	7.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
16	2 2.7 26500	RIDE	7.7	7.9	7.8	7.2	7.1	6.7	6.9	6.6	8.4	8.4	8.0	8.2	7.9	
FACTORY OUTLETS DR(15.1L)	FC125M														
2104473 / 14.421 / 15.892	C 2008 0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	5.5*	3.2*	0.0*
HUBBARD CONSTRUCTION COMPA	(2009) SPRIDE		8.1	7.7	8.0	7.5	7.9	7.9	7.8	7.7	7.7	7.5	6.9	6.1	7.8	7.4
2104478 / 9.388 / 15.525	C 2025 0221															
78060000 / 13.865 / 14.517	L 1 2 60	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
16	2 2.7 21000	RIDE	8.0	8.7	8.5	8.1	8.1	8.0	8.0	7.8	7.8	7.9	7.8	7.8	7.7	
	FC125															
2104471 / 7.980 / 15.190	C 2001 0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	7.7	3.5*
APAC-FLORIDA INC	(2002) SPRIDE		7.7	7.3	7.1	7.3	7.5	7.4	7.4	7.4	7.4	7.5	7.5	7.4	6.9	6.5
2104478 / 9.388 / 15.525	C 2025 0221															
78060000 / 7.980 / 9.549	L 1 1 45	CRACKING	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	
16	2 2.7 27000	RIDE	7.7	8.7	8.5	8.1	8.1	8.0	8.0	7.8	7.8	7.9	8.2	8.2	8.1	
FULLER LN(9.0L)	FC125M														
		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	4.5*
	(2011)	RIDE	7.7	7.5	7.5	7.6	7.7	7.7	7.5	7.3	7.3	7.1	7.2	7.2	7.3	6.9

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / FY-P / FY-F	SYS / %T / SURFTYPE / WKMX-P / WKMX-F	TYP / AADT / ASTYPE	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78070000	0.000	0.268	C	1	1	55	CRACKING	8.0	8.0	6.0*	6.0*	6.0*	4.0*		10.0	10.0	10.0	10.0	9.5	9.5															
13			2	7.5	11000		RIDE	7.5	7.8	7.5	6.8	6.5	6.2*		8.1	8.0	8.1	8.0	7.9	7.9															
CR 13(0.0C)					DGFC																													
							CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.9	7.5	5.5*														
				(2017)			RIDE	7.9	7.9											6.9	6.5															
2102238	0.000	3.867	C	2025	0012																													
78070000	0.268	4.347	C	1	1	55	CRACKING	8.0	8.0	6.0*	6.0*	6.0*	4.0*		10.0	10.0	10.0	10.0	9.5	9.5															
13			2	7.5	11000		RIDE	7.5	7.8	7.5	6.8	6.5	6.2*		8.1	8.0	8.1	8.0	7.9	7.9															
COLLIER RD(1.7R)					FC125M																													
2102235	1.862	4.385	C	2006	0221		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.0*	6.0*	5.5*	4.4*	3.9*	0.5*															
PREFERRED MATERIALS, INC. (2008)							RIDE	7.9	7.9	7.2	7.7	7.8	7.7	7.6	7.6	7.5	7.4	7.3	7.4	7.2	6.8															
2102238	0.000	3.867	C	2025	0012																													
78070000	4.347	8.285	C	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0															
13			2	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9															
BARTRAM OAKS BLVD(4.4R)					FC95M																													
2102234	4.385	11.851	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	4.4*	1.0*															
PREFERRED MATERIALS, INC. (2007)							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	6.6	6.2*															
2102238	4.422	6.598@	C	2025	0012																													
78070000	8.285	8.610	C	1	7	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0															
13			2	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9															
					FC95M																														
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	10.0	9.0														
				(2026)			RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1		7.7														
78070000	8.610	8.898	C	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0															
13			2	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9															
					FC95M																														
2102234	4.385	11.851	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	4.3*	0.5*															
PREFERRED MATERIALS, INC. (2007)							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.4	7.0															
2102239	8.566	14.100	C	2027	0012																													
78070000	8.898	9.415	R	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0															
13			1	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9																
SEQUOIA CREEK TR(9.0R)					DGFC																													
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	9.0	8.0														
				(2026)			RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.3	6.9														
2102239	8.566	14.100	C	2027	0012																													
78070000	9.415	14.100	C	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	4.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0															
13			2	7.5	10500		RIDE	7.7	8.1	7.8	6.5	6.2*		8.1	8.1	8.0	8.0	7.9	7.9	7.9															
SWAMP OAK TRL(9.9R)					FC95M																													
2102234	4.385	11.851	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	5.2*	1.5*															
PREFERRED MATERIALS, INC. (2007)							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.1	6.7															
2102239	8.566	14.100	C	2027	0012																													
78070000	14.100	16.837	R	1	1	45	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5															
13			2	4.2	28257		RIDE	7.7	8.1	8.1	7.9	7.8	7.8	7.6	6.7	7.2	7.5	7.5	7.5	7.7															
ROBERTS RD(14.3R)					FC125M																													
4410571	14.274	16.837	R	2021	0012		CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	9.4	10.0	8.5															
HUBBARD CONSTRUCTION COMPA(2023)					SPRIDE		RIDE	7.7	7.5	7.0	7.3	7.7	7.6	7.5	7.5	7.4	8.1	8.2	8.2	8.1	7.7															
78070000	14.100	16.837	L	1	1	45	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
13			2	4.2	28257		RIDE	7.7	8.1	8.8	8.1	8.0	7.5	7.5	6.7	7.4	7.5	7.4	7.4	7.4															
EDGEWATER DR(14.5L)					FC125M																													
4410571	14.274	16.837	L	2021	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	6.5	10.0	10.0	9.6	10.0	8.5															
HUBBARD CONSTRUCTION COMPA(2023)					SPRIDE		RIDE	7.3	7.4	6.8	6.6	7.0	6.9	6.7	6.8	6.8	8.3	8.3	8.3	8.3	7.9															
78080000	0.000	13.380	R	4	1	70	CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5															
9 I95	297.0	310.4	3	7.1	66500		RIDE	8.5	8.5				8.3	8.2	8.2	8.2	8.2	8.1	8.0	7.9															
					FC5M																														
4346191	0.000	13.389	C	2020	0012		CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	3.5*		10.0	10.0	9.6	10.0	8.5															
HUBBARD CONSTRUCTION COMPA(2023)					SPRIDE		RIDE	7.9	7.6	8.0	7.9	8.1	7.9	7.9	7.8		8.8	8.8	8.8	8.8	8.7															
78080000	13.380	25.475	R	4	7	70	CRACKING	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5															
9 I95	310.4	322.4	3	7.1	89000		RIDE	8.4	8.4			8.4	8.4	8.4	8.3	8.2	8.3	8.2	8.2	8.2															
					FC5MSD																														
							CRACKING	9.5	9.5	9.5	9.0	7.5	7.5	7.5	4.5*	3.5*				10.0	9.0														
				(2026)			RIDE	8.1	7.8	8.2	8.1	8.4	8.3	8.4	8.3	8.3				9.2	9.1														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 2 COUNTY = ST. JOHNS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P	TYP SPD / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
78080000	25.475	34.855	R	4	1 70	CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
9 I95	322.4	331.8	3	11.2	113000	RIDE	8.5	8.3				8.4	8.3	8.3	8.0	8.1	8.1	8.1	8.1	8.1														
					FC5																													
2135162	25.504	34.855	C	2002	0218	CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	5.4*	4.7*	1.0*														
SUPERIOR CONSTRUCTION CO.,(2005)					SPRIDE	RIDE	8.1	7.8	8.2	8.1	8.4	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.1														
78080000	25.475	34.855	L	4	1 70	CRACKING	8.0	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
9 I95	322.4	331.8	3	11.2	113000	RIDE	8.6	8.7				8.4	8.2	8.3	8.1	8.0	8.2	8.1	8.1	8.1														
					FC5																													
2135162	25.504	34.855	C	2002	0218	CRACKING	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	5.0*	1.5*														
SUPERIOR CONSTRUCTION CO.,(2005)					SPRIDE	RIDE	8.1	7.8	8.1	8.2	8.4	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.1	8.0														
78080000	13.380	25.475	L	4	7 70	CRACKING	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0														
9 I95	310.4	322.4	3	7.1	89000	RIDE	8.5	8.3				8.4	8.4	8.4	8.1	8.2	8.2	8.2	8.1	8.1														
					FC5MSD																													
						CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	3.5*				10.0	9.0														
		(2026)				RIDE	7.8	7.8	8.2	8.1	8.4	8.3	8.3	8.3	8.3				9.1	9.0														
78080000	0.000	13.380	L	4	1 70	CRACKING	7.5	7.5					10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
9 I95	297.0	310.4	3	7.1	66500	RIDE	8.7	8.5					8.3	8.1	8.1	8.1	8.2	8.1	8.1	8.1														
					FC5M																													
4346191	0.000	13.389	C	2020	0012	CRACKING	9.0	8.0	8.0	8.0	6.5	6.5	6.5			10.0	10.0	9.3	10.0	8.5														
HUBBARD CONSTRUCTION COMPA(2023)					SPRIDE	RIDE	8.0	7.8	8.0	8.0	8.2	8.1	8.2			8.6	8.6	8.6	8.6	8.5														
78090000	0.000	8.320	C	1	1 55	CRACKING	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0															
206			2	7.2	5000	RIDE	8.2	8.5	8.4	8.2	8.1	7.7	7.5	7.5	7.4	7.7	7.5	7.4	7.8														
SR 207(0.0C)					FC125M																													
4453531	1.267	8.133	C	2023	0012	CRACKING	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	9.7	10.0	9.0														
P & S PAVING, INC.		(2024)			SPRIDE	RIDE	7.6	7.0	7.0	6.9	7.3	7.2	7.3	7.1	7.1	7.2	8.3	8.2	8.0	7.6														
78090000	8.320	13.770	C	1	1 55	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0															
206			2	7.2	12500	RIDE	7.6	8.2	8.1	7.7	7.7	7.6	7.7	7.5	7.5	7.6	7.5	7.5	7.6														
RD 21(8.9L)					FC125M																													
4432731	10.696	13.773	C	2022	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	9.6	10.0	8.5														
PREFERRED MATERIALS, INC.		(2023)			SPRIDE	RIDE	7.5	7.1	6.9	6.8	7.2	7.1	7.1	7.0	7.0	8.3	8.3	8.3	8.2	7.8														
78090000	14.333	14.485	C	1	1 40	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
206			2	7.2	12500	RIDE																												
AVE D(14.4R)					DGFC																													
2104301	0.233	14.520	C	2001	0221	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.3*	2.0*														
ANDERSON COLUMBIA CO., INC(2002)					SPRIDE	RIDE													6.9	6.5														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).