

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====														
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR																					(PMRS)
ITMSEG-F																					
78001000	0.000	0.192	C	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	
A1A				2	1.8	7500	RIDE	7.8	7.8	7.5	7.1	7.0	6.8	7.0	6.3	6.7	7.1	7.9	8.0	7.9	
.052 S OF SR-A1A GOR(0.0C)							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	9.1	9.4	6.5
							RIDE	7.7	7.7	7.4	7.6	8.0	7.9	7.8	7.8	7.6	7.6	7.7	7.6	7.6	7.2
							(2012)														
78001000	0.192	0.700	C	1	7	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	
A1A				3	1.8	7500	RIDE	7.8	7.8	7.5	7.1	7.0	6.8	7.0	6.3	6.7	7.1	7.9	7.8	7.8	
RAMP TO CR 203(0.3R)							FC95														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		10.0	9.0
							RIDE	7.5	7.4	6.8	6.8	6.8	6.6	6.6	6.7	6.4	6.4	6.7		6.8	6.4
							(2026)														
							C 2028														
2104044	0.182	7.151	C	2028		0012															
78001000	0.700	2.504	C	1	1	55	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
A1A				2	1.8	22000	RIDE	7.8	7.8	7.5	7.1	7.0	6.8	7.0	6.3*	6.7	7.1	7.9	8.0	7.9	
APT ENT(0.8L)							FC125														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	8.0	8.6	6.0*
							RIDE	8.6	8.1	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.2	7.8
							(2014)														
							C 2028														
2104044	0.182	7.151	C	2028		0012															
78001000	2.504	7.151	R	1	1	45	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.5	10.0	10.0	10.0	
A1A				2	1.8	52500	RIDE	8.2	8.2	8.2	7.7	7.7	7.6	7.6	6.8	7.5	7.5	8.2	8.1	8.0	
SAWGRASS ENT(2.6R)							DGFC														
2104043	2.441	6.824	R	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	4.0*
DUVAL ASPHALT PRODUCTS, IN(2011)							SPRIDE	8.0	7.7	7.6	7.9	8.0	8.0	7.9	7.9	7.9	7.7	7.8	7.8	7.7	7.3
2104044	0.182	7.151	C	2028		0012															
78001000	2.504	7.151	L	1	1	45	CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0
A1A				2	1.8	52500	RIDE	8.1	8.1	8.1	7.5	7.4	7.3	7.3	6.5	7.0	7.2	8.0	8.0	8.0	7.9
ENT TO SAWGRASS COUNTRY(2.6L)							DGFC														
2104043	2.441	6.824	L	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.5	6.5	3.5*
DUVAL ASPHALT PRODUCTS, IN(2011)							SPRIDE	7.9	7.9	7.7	7.6	7.8	7.7	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.0
2104044	0.182	7.151	C	2028		0012															
78002000	0.000	0.542	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.0	7.0	
312				2	1.7	37000	RIDE	7.7	8.0	8.2	7.2	7.5	7.0	7.5	7.3	6.5	7.1	7.2	7.2	7.0	
DIXIE HWY(0.0C)							FC125A														
4323131	0.041	2.594	R	2017		0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.3	6.5
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.2	6.5	6.6	6.8								7.2	6.8	
78002000	1.219	2.594	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
312				2	1.7	37000	RIDE	8.4	8.5	8.6	7.7	7.8	7.7	7.9	7.9	7.2	7.8	7.7	7.8	7.7	
S PLANTATION ISLAND(1.6R)							FC5A														
4323131	0.041	2.594	R	2017		0012	CRACKING	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.1	6.0*
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.7	7.3	7.3	7.0	8.0	8.0	8.0	7.9	7.7	7.6	7.9	7.9	7.8	7.6
78002000	2.594	2.827	R	1	1	45	CRACKING														
312				2	1.8	6500	RIDE														
ANASTASIA BLVD(2.6C)							FC125A														
4323131	2.594	2.706	R	2017		0012	CRACKING			9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.4	6.5
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE												5.9	5.5	
78002000	2.594	2.827	L	1	1	45	CRACKING														
312				2	1.8	6500	RIDE														
ANASTASIA BLVD(2.6C)							FC125A														
4323131	2.594	2.706	L	2017		0012	CRACKING			9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE												6.2	5.8	
78002000	1.219	2.594	L	1	1	50	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	
312				2	1.7	37000	RIDE	7.9	8.0	7.7	7.4	7.4	7.4	7.5	7.2	6.8	7.2	7.8	7.3	7.1	
MARINA COVE DR(1.6L)							FC5A														
4323131	0.041	2.594	L	2017		0012	CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	5.5*
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.2	7.0	7.2	7.1	8.0	8.0	7.7	7.8	7.9	7.6	8.0	8.0	7.9	7.7
78002000	0.000	0.542	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	
312				2	1.7	37000	RIDE	8.1	7.9	8.0	7.4	7.3	7.4	7.5	7.4	6.6	6.7	7.2	7.0	7.1	
DIXIE HWY(0.0C)							FC125A														
4323131	0.041	2.594	L	2017		0012	CRACKING	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.7	6.5
HUBBARD CONSTRUCTION COMPA(2018)							SPRIDE	7.3	6.6	6.7	6.7								7.7	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	FW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F																						
78002900	0.000	1.009	R	1	1	45	CRACKING	9.0	7.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
312			2	2.2		33000	RIDE	6.9	6.7	6.3*	5.6*	5.4*	4.8*	7.0	6.8	6.3	7.2	7.0	7.3	7.1		
SR 207(0.0C)						FC95M																
				(2007)			CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.0*	5.5*	5.5*	3.5*	4.4*	4.2*	0.5*	
4323132	0.000	0.935	C	2028		0012	RIDE	7.4	6.7	6.1	6.7	6.6	6.8	6.8	6.9	6.6	6.6	6.7	6.6	6.6	6.2	
78002900	0.000	1.009	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
312			2	2.2		33000	RIDE	7.1	7.7	7.1	6.9	6.3*	5.9	7.0	6.7	6.3	6.8	6.9	7.3	7.4		
SR 207(0.0C)						FC95M																
				(2007)			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	6.0*	6.0*	5.6*	6.0*	2.5*	
4323132	0.000	0.935	C	2028		0012	RIDE	7.3	6.7	6.7	6.6	6.9	7.0	6.8	6.9	6.9	6.7	6.5	6.5	6.8	6.4	
78003000	0.000	0.400	R	1	5	45	CRACKING															
312			1	2.2		31500	RIDE															
						FC125M																
2102304	0.000	1.052	C	2022		0002	CRACKING													10.0	9.0	
P & S PAVING, INC.				(2026)			SPRIDE													6.7	6.3	
78003000	0.400	1.030	C	1	1	45	CRACKING															
312			2	2.2		31500	RIDE															
						FC125M																
2102304	0.000	1.052	C	2022		0002	CRACKING													10.0	9.0	
P & S PAVING, INC.				(2026)			SPRIDE													7.9	7.5	
78003000	0.000	0.400	L	1	5	45	CRACKING															
312			2	2.2		31500	RIDE															
						FC125M																
2102304	0.000	1.052	C	2022		0002	CRACKING													10.0	9.0	
P & S PAVING, INC.				(2026)			SPRIDE													6.8	6.4	
78004000	0.000	2.196	R	1	4	60	CRACKING															
9B			2	3.0		49000	RIDE															
						LDG																
				(2020)			CRACKING							9.4	9.5	9.5	9.5	9.5	9.5	9.4	9.0	
							RIDE							8.7	8.6	8.6	8.6	8.7	8.6	8.6	8.5	
78004000	0.000	2.196	L	1	4	60	CRACKING															
9B			2	3.0		49000	RIDE															
						LDG																
				(2020)			CRACKING							9.4	9.5	9.5	9.4	9.4	9.5	9.4	9.0	
							RIDE							8.6	8.6	8.6	8.6	8.5	8.4	8.4	8.3	
78010000	0.000	0.463	R	1	1	55	CRACKING	8.5	8.5	8.5	10.0	10.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	4.0		14700	RIDE	8.4	7.9	8.0	6.5	6.6	7.3	7.4	7.6	7.7	7.7	7.8	7.7	7.8		
						FC5M																
4376171	0.000	0.471	R	2019		0012	CRACKING	10.0	9.0	9.0	9.0	8.0	6.5	4.5*	10.0	10.0	10.0	10.0	9.3	10.0	8.0	
PREFERRED MATERIALS, INC.				(2021)			SPRIDE	7.7	7.6	8.0	8.0	8.2	8.2	8.2	8.8	8.6	8.7	8.7	8.6	8.8	8.6	
78010000	0.463	0.950	R	1	1	55	CRACKING	8.5	8.5	8.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
5			2	4.0		17000	RIDE	8.4	7.9	8.0	7.8	7.8	7.7	7.8	7.9	7.9	7.8	7.9	7.7	7.8		
						DGFC																
				(2023)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0		10.0	10.0	9.5	10.0	8.5	
							RIDE	7.8	7.5	6.8	7.5	7.7	7.4	7.4	7.5		8.0	7.9	7.9	7.9	7.5	
78010000	0.950	7.325	R	1	1	65	CRACKING	9.0	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5		
5			2	4.0		17000	RIDE	8.9	8.9	8.8	8.0	7.8	7.6		7.9	7.9	8.0	8.0	8.0	8.0		
FAVER DYKES RD(1.0R)						FC5M																
4376171	0.920	7.330	C	2019		0012	CRACKING	9.0	8.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.8	7.5	
PREFERRED MATERIALS, INC.				(2021)			SPRIDE	7.9	7.7	8.1	8.1	8.3	8.2	8.3	9.0	9.0	8.9	8.9	8.8	8.8	8.6	
78010000	7.325	11.273	R	1	1	55	CRACKING	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	4.0		24500	RIDE	8.1	7.9	7.7	6.1*			8.3	8.3	8.1	8.1	7.8	8.0	8.0	8.0	
SR 206(7.4C)						FC5M																
4471721	7.326	11.934	C	2023		0012	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	1.0*	1.0*	1.0*	10.0	10.0	9.0	
P & S PAVING, INC.				(2025)			SPRIDE	8.0	7.7	8.1	8.0	8.2	8.1	8.0	7.9	7.8	7.4	7.4	8.9	8.7	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P													
		(AGE_ONE YEAR)		YEAR		ASTYPE																	
		W_BMP		W_EMP		RW		FY-F		WKMX-F													
								2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
																			(PMRS)				
78010000	5	11.273	11.934	R	1	7 45	CRACKING	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
SHORES BLVD(11.4R)								8.1	7.9	7.7	6.1*		8.3	8.3	8.1	8.1	7.8	8.0	8.0	8.0			
4471721	5	7.326	11.934	C	2023	0012	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	1.0*	1.0*	1.0*	8.3	10.0	9.0		
P & S PAVING, INC.								8.0	7.7	8.1	8.0	8.2	8.1	8.0	7.9	7.8	7.4	7.4	7.3	8.3	8.3	8.1	
78010000	5	11.934	13.837	R	1	1 45	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0		
BRAINARD DR(12.3R)								8.9	8.8	8.8	8.3	8.0	7.8	7.6	7.2	6.9		8.0	8.0	7.8			
2104243	5	11.860	13.883	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	8.3	8.0	5.0*		
P & S PAVING, INC.								7.8	7.5	7.7	7.3	7.6	7.5	7.5	7.5	7.4	7.4	7.4	7.3	7.3	6.9		
2102694	5	11.934	16.120	C	2025	0012																	
78010000	5	13.837	14.933	R	1	1 45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0		
S ST AUGUSTINE DR(14.0R)								8.8	8.8	8.6	8.1	7.9	7.7	7.4	7.1	7.0		8.0	8.0	7.7			
2104243	5	13.981	15.054	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.6	8.6	5.5*		
P & S PAVING, INC.								7.6	7.5	7.5	6.9	7.6	7.5	7.5	7.5	7.4	7.2	7.3	7.3	7.4	7.0		
2102694	5	11.934	16.120	C	2025	0012																	
78010000	5	14.933	15.216	R	1	1 45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0		
SR 200(15.1C)								8.8	8.8	8.6	8.1	7.9	7.7	7.4	7.1	7.0		8.0	8.0	8.1			
2104243	5	15.054	15.458	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.7	7.8	5.0*		
P & S PAVING, INC.								7.5	7.6	7.6	7.7	7.7	7.6	7.4	7.6	7.3	6.8	7.4	7.4	7.5	7.1		
2102694	5	11.934	16.120	C	2025	0012																	
78010000	5	15.216	16.120	R	1	1 45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0		
NIX BOAT YARD RD(15.3R)								8.8	8.8	8.6	8.1	7.9	7.7	7.4	7.1	7.0		8.0	8.0	8.1			
2104243	5	15.458	16.119	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	5.5*	2.5*		
P & S PAVING, INC.								8.0	7.7	7.6	7.9	8.0	7.9	7.9	7.9	7.9	7.6	7.9	7.9	7.9	7.9	7.5	
2102694	5	11.934	16.120	C	2025	0012																	
78010000	5	16.120	16.754	R	1	4 45	CRACKING	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.2	7.3	7.8	7.7	8.0	4.8*			
RIVER RD(16.2C)								6.1*	7.0	7.1	6.1*	6.1*	6.1	6.1	6.0	6.2	6.2	6.2	6.3	6.0			
4361681	5	16.120	16.776	C	2021	0012	CRACKING	4.8*	4.7*	4.6*	5.6*	5.7*	5.6*	5.6*	7.8	7.2	8.5	9.3	9.3	9.2	8.0		
								6.1	5.4*	6.0	5.9	6.0	5.8	5.8	5.8	5.9	5.3*	6.9	6.0	6.8	6.7		
78010000	5	16.754	17.059	R	1	4 35	CRACKING	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.2	7.3	7.8	7.7	8.0				
BUS US-1/SR-5A KING(16.8C)								6.1*	7.0	7.1	6.1	6.1	6.1	6.1	6.0	6.2	6.2	6.2	6.3				
4361681	5	17.041	18.692	C	2021	0012	CRACKING	9.1	9.1	9.0	9.0	9.0	9.0	9.0	9.4	9.4	9.3	9.4	9.3	9.3	8.5		
								7.3	7.2	7.7	7.9	8.0	8.0	7.8	7.4	6.8	6.9	6.5	7.8	7.8	7.7		
78010000	5	17.059	18.692	R	1	4 40	CRACKING	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.2	7.3	7.8	7.7	8.0	8.7			
MALAGA ST(17.1R)								6.1*	7.0	7.1	6.1	6.1	6.1	6.1	6.0	6.2	6.2	6.2	6.3	6.3			
4361681	5	17.041	18.692	C	2021	0012	CRACKING	8.7	8.7	8.7	8.5	8.6	8.6	8.5	8.7	8.7	8.4	8.7	9.3	9.2	8.0		
								6.6	6.4	5.7	5.9	6.1	6.1	5.9	6.1	6.2	5.3*	6.3	7.3	7.3	7.2		
78010000	5	17.158	18.692	L	1	4 40	CRACKING	7.3	7.3	7.3	7.6	7.5	7.5	7.5	7.4	8.4	8.7	8.6	8.6	6.9			
PERPALL ST(18.3C)								6.4*	6.8	6.7	5.8	5.8	5.8	5.8	5.8	5.8	6.0	6.1	6.1	6.2			
4361681	5	17.041	18.692	C	2021	0012	CRACKING	6.8	6.8	6.8	6.0*	6.0*	6.0*	5.9*	8.7	6.0*	7.2	9.3	9.4	9.3	9.0		
KIEWIT INFRASTRUCTURE SOUT								6.0	6.1	5.6	5.6	5.6	5.4*	5.4*	5.6	5.5	4.7*	6.5	7.5	7.5	7.4		
78010000	5	16.754	17.158	L	1	4 35	CRACKING	7.3	7.3	7.3	7.6	7.5	7.5	7.5	7.4	8.4	8.7	8.6	8.6				
BUS US-1/SR-5A KING(16.8C)								6.4*	6.8	6.7	5.8	5.8	5.8	5.8	5.8	5.8	6.0	6.1	6.1				
4361681	5	17.041	18.692	C	2021	0012	CRACKING	9.2	9.2	9.2	9.3	9.2	9.2	9.1	9.3	9.0	9.2	9.3	9.4	9.2	8.5		
								7.3	6.6	6.5	6.7	7.5	7.7	7.1	7.0	6.8	5.5	7.3	7.7	7.7	7.6		
78010000	5	16.120	16.754	L	1	2 45	CRACKING	7.3	7.3	7.3	7.6	7.5	7.5	7.5	7.4	8.4	8.7	8.6	8.6	5.9*			
AVIELES DR(16.2L)								6.4*	6.8	6.7	5.8*	5.8*	5.8	5.8	5.8	5.8	6.0	6.1	6.1	6.1			
4361681	5	17.041	18.692	C	2026	0012	CRACKING	5.9*	5.4*	5.4*	5.2*	5.0*	4.8*	4.7*	8.2	8.2	9.0	7.7	7.6	9.2	9.0		
								5.7	5.5	5.7	5.8	5.7	5.6	5.5	5.9	6.0	4.7*	5.6	5.7	5.7	5.6		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT	(MP)	(SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
78010027	0.833	1.404	C	1	1	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	9.5	7.5	8.5		
ALA					4	1.9	16200	RIDE	8.4	8.2	7.2	7.6	7.1	7.3	7.3	6.4	7.0	5.7	5.2*	6.5	5.3*	
AVENIDA MENENDEZ(0.8R)																						
4361611	1.078	1.408	C	2018			0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.8	9.1	7.5
DUVAL ASPHALT PRODUCTS, IN(2020)																						
								SPRIDE	6.3	5.9	6.0	6.4	6.6	6.5		6.6	6.6	6.4	6.6	6.5	6.5	6.1
78010027	1.404	2.737	C	1	1	25	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5		
ALA					2	1.9	12800	RIDE	8.2	8.0	8.3	7.4	7.4	7.3	7.2	7.1	6.9	6.9	6.7	6.6	6.6	
RIPLEY BELIEVE IT EN(1.4R)																						
								FC125M														
								CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.1	9.5	8.0
								RIDE	6.5	6.5	6.3	6.0	6.3	6.1		7.8	7.1	7.1	7.2	7.1	7.1	6.7
(2021)																						
78020000	0.000	0.695	R	1	4	45	CRACKING	5.3*	5.3*	5.1*	5.1*	4.4*	5.2*	5.0*	4.9*	3.7*	5.9*	6.4*	6.3*	6.5		
5					2	3.0	22000	RIDE	6.0*	5.8*	5.9*	5.2*	5.1*	5.2*	4.7*	5.1*	5.0*	5.2*	5.2*	5.2*	5.2*	
BINNINGER DR(0.0C)																						
4361681	0.000	0.695	C	2021			0012	CRACKING	6.6	6.5	6.4*	6.3*	6.3*	6.1*	6.0*	6.0*	6.6	7.5	9.1	9.4	9.3	9.0
KIEWIT INFRASTRUCTURE SOUT(2024)																						
								RIDE	5.2*	4.8*	4.9*	4.9*	5.1*	4.9*	4.9*	4.8*	4.8*	4.4*	4.4*	7.7	7.9	7.8
78020000	0.695	15.025	R	1	1	65	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
5					2	3.0	30000	RIDE	8.2		8.8	8.4	8.3	8.4	8.4	8.3	8.2	8.3	8.3	8.3	8.4	
FORT MOSE(0.7R)																						
4393551	0.695	15.052	R	2020			0012	CRACKING	9.0	8.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.0	9.0	7.5	
DUVAL ASPHALT PRODUCTS, IN(2023)																						
								RIDE	8.3	7.9	8.2	8.2	8.3	8.3	8.3			8.4	8.5	8.5	8.5	8.3
78020000	15.025	16.041	R	1	1	55	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0	
5					2	3.0	28500	RIDE	8.3		8.8	8.4	8.3	8.4	8.4	8.3	8.2			8.4	8.4	
RAMP TO NOCATEE PKWY(15.2R)																						
								OGFC														
								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	4.5*	4.5*	5.5*	4.8*	0.0*
								RIDE	8.4	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.1	8.0	7.9	7.7
(2012)																						
4475262	15.042	16.041	C	2028			0012															
78020000	15.025	16.041	L	1	1	55	CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0			10.0	10.0	
5					2	3.0	28500	RIDE	7.1		8.8	8.4	8.4	8.4	8.4	8.0	8.2			8.3	8.2	
RACE TRACK RD(15.1L)																						
								OGFC														
								CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	4.5*	4.5*	3.5*	4.0*	3.5*	0.0*
								RIDE	8.3	8.3	8.0	8.0	8.1	8.0	7.9	7.9	7.8	8.0	7.8	7.8	7.7	7.5
(2012)																						
4475262	15.042	16.041	C	2028			0012															
78020000	0.695	15.025	L	1	1	65	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	7.5	7.5	
5					2	3.0	30000	RIDE	7.5		8.8	8.4	8.4	8.4	8.4	8.0	8.2	8.3	8.3	8.2	8.3	
SAN SEBASTIAN NW(1.2L)																						
4393551	0.695	15.052	L	2020			0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.0	9.0	7.5	
DUVAL ASPHALT PRODUCTS, IN(2023)																						
								SPRIDE	8.2	8.2	8.2	8.1	8.2	8.2	8.1		8.5	8.5	8.5	8.5	8.5	8.3
78020000	0.000	0.695	L	1	4	45	CRACKING	6.3*	6.3*	6.3*	6.3*	6.8	7.3	7.4	7.3	7.3	7.8	8.5	8.7	8.4		
5					2	3.0	22000	RIDE	6.0*	6.3*	6.5	5.9*	5.8*	5.7	6.1	6.0	5.3*	5.9	5.9	6.0	6.0	
BINNINGER DR(0.0C)																						
								LDG														
								CRACKING	8.4	8.4	8.3	8.3	8.3	8.1	8.0	8.3	8.0	8.1	8.6	9.3	9.3	8.0
								RIDE	5.9	5.6	5.2*	5.6	5.8	5.6	5.7	5.6	5.6	4.6*	4.6*	7.8	7.8	7.7
(1977)																						
4361681	0.000	0.695	C	2021			0012															
78030000	0.038	0.431	C	1	1	30	CRACKING	4.5*	4.5*	2.0*	2.0*	2.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA					2	2.5	17300	RIDE	5.4*	5.2*	5.3*	3.8*	4.0*	3.9*	8.0	7.8	7.7	7.8	8.0	7.8	7.7	
MISSING DESCRIPTION I(0.0C)																						
								DGFC														
								CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0		10.0	10.0	10.0	10.0	10.0	8.5
								RIDE	7.5	6.9	7.4	7.5	7.6	7.4	7.4		5.6	6.0	5.8	6.0	6.0	5.6
(2022)																						
78030000	0.431	0.803	C	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA					2	2.5	17300	RIDE	7.5	7.1	7.6	7.5	7.3	7.2	8.0	7.8	7.7	7.8	8.0	7.8	7.7	
FLA D&B SCH RD(0.6L)																						
2104522	0.000	0.803	C	2006			0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.7	6.5	3.0*
PREFERRED MATERIALS, INC. (2007)																						
2101163	0.378	0.803	C	2029			0012	RIDE	7.5	6.9	7.4	7.5	7.6	7.4	7.4	7.2	7.3	7.3	7.2	7.1	7.1	6.7
78030000	1.949	3.385	C	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA					2	2.5	14800	RIDE	7.4	7.2	7.0	6.7	6.5	6.4	8.4	7.7	8.3	8.3	8.3	8.2	8.1	
BEACHCOMBER WAY(2.0C)																						
2104132	2.013	2.911	C	2005			0012	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*
ANDERSON COLUMBIA CO., INC(2007)																						
2101163	1.949	3.459	C	2029			0012	RIDE	8.0	7.4	7.6	7.5	7.8	7.6	7.7	7.5	7.4	7.3	7.0	7.1	6.9	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	RY-P	W_KMX-P	ASTYPE	=====														
ITMSEG-P	(AGE_ONE	YEAR)		FY-F	W_KMX-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F																
78030000	3.385	18.906	C	1	1	55	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	2.5		5900	RIDE	7.4	7.2	7.0	6.7	6.5	6.4*	8.4	7.7	8.3	8.3	8.3	8.2	8.1	
VILLAGES OF VILANO(3.4L)							FC125														
				(2018)			CRACKING	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.0
							RIDE	8.0	7.4	7.6	7.5	8.2	8.1	8.1	8.0	7.9	7.8	7.8	7.6	7.2	
78030001	0.000	0.176	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	2.5		14800	RIDE														
78030000(0.0C)							FC3														
				(1997)			CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	1.0*
							RIDE													6.8	6.4
78030001	0.903	1.032	C	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
A1A			2	2.5		14800	RIDE														
VILANO ROAD(1.0R)							FC3														
				(1997)			CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.9	7.0	2.0*
							RIDE													6.7	6.3
78030101	0.000	0.104	C	1	1	15	CRACKING														
A1A			2	4.0		6200	RIDE														
				(2023)			CRACKING														
							RIDE									10.0	8.5	8.8	10.0	8.5	
																				2.3*	1.9*
78040000	0.000	0.455	C	1	1	45	CRACKING	5.5*	5.5*	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
A1A			2	2.2		5300	RIDE	8.0	8.3	8.2	7.6	7.9	7.8	7.9	7.8	7.7	7.5	7.8	7.4	7.3	
OLD A1A(0.2R)							FC125														
2102652	0.000	9.800	C	2003	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	5.5*	5.5*	5.5*	5.8*	5.8*	2.0*
APAC-FLORIDA INC				(2005)			RIDE	6.8	6.6	6.6	6.8	6.8	6.5	6.5	6.3	6.4	6.3	6.0	6.4	6.2	5.8
2102659	0.000	9.671	C	2027	0012																
78040000	0.455	2.218	C	1	1	55	CRACKING	5.5*	5.5*	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	2.2		5300	RIDE	8.0	8.3	8.2	7.6	7.9	7.8	7.9	7.8	7.7	7.5	7.8	7.8	8.2	
SUMMER ISLAND DR(1.7L)							DGFC														
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	7.1	6.8	4.0*
							RIDE	8.0	7.2	6.7	6.9	7.2	6.9	7.0	6.7	6.6	6.6	6.2*	6.5	6.2*	5.8*
2102659	0.000	9.671	C	2027	0012																
78040000	2.218	2.491	C	1	1	45	CRACKING	9.5	8.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	2.2		5300	RIDE	8.3	8.8	8.3	7.9	7.9	7.8	7.9	7.8	7.7	7.5	7.5	7.4	7.6	
BARRATARIA DR(2.4L)							DGFC														
2102652	0.000	9.800	C	2003	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	8.5	7.0	7.0	6.5	6.5	5.9*	5.8*	2.0*
APAC-FLORIDA INC				(2005)			RIDE	6.9	7.0	6.9	7.1	7.4	7.4	7.4	7.6	7.1	7.2	6.8	7.1	6.9	6.5
2102659	0.000	9.671	C	2027	0012																
78040000	2.892	7.438	C	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	2.2		9900	RIDE	8.3	8.2	8.2	7.6	7.9	8.0	8.0	7.2	7.7	7.7	7.7	7.7	7.6	
TURNOUT TO INLET(3.1C)							DGFC														
2102652	0.000	9.800	C	2003	0012		CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	5.5*	5.5*	6.3*	6.1*	2.5*
APAC-FLORIDA INC				(2005)			RIDE	7.1	7.0	6.7	6.9	6.9	6.8	6.8	6.6	6.6	6.5	6.3*	6.4*	6.0*	5.6*
2102659	0.000	9.671	C	2027	0012																
78040000	7.438	9.693	C	1	1	45	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
A1A			2	2.0		15900	RIDE	7.2	7.3	7.3	7.0	7.7	7.7	7.9	6.9	6.9	7.8	7.8	7.7	7.7	
LANCASTER PL(7.5R)							FC125														
2102652	0.000	9.800	C	2003	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.2*	6.0*	2.0*
APAC-FLORIDA INC				(2005)			RIDE	7.4	7.3	6.9	6.9	7.2	7.1	7.1	6.9	6.9	6.8	6.6	6.6	6.5	6.1
2102659	0.000	9.671	C	2027	0012																
78040000	9.693	13.820	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	
A1A			2	2.2		23000	RIDE	8.4	8.6	8.5	8.1	8.1	8.1	8.1	7.1	7.0	7.9	8.0	7.9	8.0	
OWENS AVE(9.8C)							FC3														
2102721	11.218	13.776	C	1996	0213		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	6.0*	6.0*	1.5*
PETTICOAT CONTRACTING INC				(1999)			S RIDE	7.8	7.2	7.7	7.1	7.7	7.5	7.5	7.4	7.5	7.4	7.4	7.5	7.4	7.0
2102658	9.671	13.780	C	2027	0012																
78040000	13.820	15.400	R	1	1	40	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
A1A			2	2.2		23000	RIDE	6.9	7.7	7.7	7.1	6.9	8.2	8.1	7.1	7.1	8.0	8.0	8.0	8.0	
RAMP TO OLD SR A1A(13.9R)							FC125														
2102653	14.054	15.266	C	2004	0012		CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	7.0	7.0	7.0	6.5	6.1*	2.5*
HUBBARD CONSTRUCTION COMPA				(2006)			RIDE	7.9	7.3	7.7	7.1	7.6	7.6	7.5	7.5	7.4	7.4	7.2	7.3	6.9	6.5
2101162	13.820	16.721	C	2028	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
78040000	15.400	16.465	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	
ALA			2	2.2		20500	RIDE	8.3	8.8	8.7	8.4	8.3	8.3	8.1	7.2	6.7	7.4	8.1	8.0	8.0	
ANASTASIA AVE(15.5R)																					
2104061	15.266	16.687	C	1997		0224	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	6.5	6.5	6.5	7.0	7.0	2.0*
HUBBARD CONSTRUCTION COMPA(1998)							S RIDE	8.1	7.3	8.0	7.4	8.0	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.6	7.2
2101162	13.820	16.721	C	2028		0012															
78040000	16.465	16.693	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	
ALA			1	2.2		18200	RIDE	8.3	8.8	8.7	8.4	8.3	8.3	8.1	7.2	6.7	7.4	8.1	8.0	7.8	
ZORAYDA AVE(16.5C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	9.4	9.6	7.0
							RIDE	7.9	7.5	6.7	5.9	6.6	6.5	6.5	6.6	6.4	6.3	6.3	6.2	6.0	5.6
2101162	13.820	16.721	C	2028		0012															
78040000	17.041	17.063	C	1	1	30	CRACKING														
ALA			2	2.2		18500	RIDE														
ALA/SR 5A/AVE MENEND(17.1C)																					
							CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0
							RIDE													2.0*	1.6*
78040000	16.465	16.693	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	
ALA			1	2.2		18200	RIDE	8.6	8.5	8.7	8.3	8.3	8.3	7.5	6.7	8.0	7.7	8.0	7.2	7.2	
ZORAYDA AVE(16.5C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.7	8.6	6.0*
							RIDE	7.1	7.0	6.0	5.3*	5.9	5.7	5.7	5.5	5.6	5.7	5.7	5.5	5.2*	4.8*
2101162	13.820	16.721	C	2028		0012															
78040000	15.431	16.465	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	
ALA			2	2.2		20500	RIDE	8.6	8.5	8.7	8.3	8.3	8.3	7.5	6.7	8.0	7.7	8.0	8.1	8.1	
CARVER ST(15.7L)																					
2104061	15.266	16.687	C	1997		0224	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	7.0	7.0	2.0*
HUBBARD CONSTRUCTION COMPA(1998)							S RIDE	8.0	7.8	8.1	7.4	8.1	8.1	8.0	7.9	7.9	7.9	7.9	7.8	7.8	7.4
2101162	13.820	16.721	C	2028		0012															
78040000	13.820	15.431	L	1	1	40	CRACKING	2.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
ALA			2	2.2		23000	RIDE	7.4	7.7	7.6	6.6	6.5	8.1	8.2	7.3	8.1	8.2	8.2	8.1	8.1	
GRANDVIEW RD(14.1L)																					
2102653	14.054	15.266	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	6.0*	6.0*	6.0*	6.0*	5.4*	1.5*
HUBBARD CONSTRUCTION COMPA(2006)							RIDE	7.9	7.5	7.1	7.1	7.8	7.7	7.6	7.6	7.4	7.3	7.4	7.4	7.2	6.8
2101162	13.820	16.721	C	2028		0012															
78040000	9.693	13.820	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
ALA			2	2.2		23000	RIDE	8.3	8.6	8.6	8.3	8.2	8.1	8.2	7.3	8.0	8.1	8.1	8.0	8.1	
SAN JULLIAN BLVD(9.8L)																					
2102721	11.218	13.776	C	1996		0213	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	7.0	7.0	2.5*
PETTICOAT CONTRACTING INC(1999)							S RIDE	8.0	7.7	7.1	7.1	7.9	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.5	7.1
2102658	9.671	13.780	C	2027		0012															
78051000	0.000	0.270	R	1	1	45	CRACKING							10.0	10.0	10.0	9.5	9.5	7.5	7.5	
207			2	6.4		18000	RIDE							7.9	7.9	7.7	7.8	7.6	7.9	7.7	
							CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.0*	6.0*	2.5*
							RIDE	7.4	7.4	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.0	8.2	8.2	8.0	7.8
78051000	0.270	1.580	R	1	1	45	CRACKING							10.0	10.0	10.0	9.5	9.5	9.5	9.5	
207			2	6.4		18000	RIDE							7.9	7.9	7.7	7.8	7.6	7.5	7.5	
S DANCY AVE(0.8R)																					
4322641	0.270	3.132	R	2016		0012	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	7.0
HALIFAX PAVING, INC.				(2018)			SPRIDE	7.5	6.7	6.6		8.0	7.9	7.9	7.8	7.8	7.6	7.6	7.3	7.1	6.7
78051000	1.580	3.132	R	1	1	55	CRACKING							10.0	10.0	10.0	9.5	9.0	6.5	6.5	
207			2	6.4		22000	RIDE							7.9	7.9	7.7	7.8	7.8	7.7	7.5	
MORRISON RD(2.1C)																					
4322641	0.270	3.132	R	2016		0012	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.7	8.9	6.0*
HALIFAX PAVING, INC.				(2018)			SPRIDE	7.3	6.8	7.2		8.1	8.1	7.8	7.9	7.8	7.9	7.9	7.8	7.8	7.6
78051000	3.132	8.860	R	1	1	55	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	
207			2	6.4		15800	RIDE							8.1	7.9	7.9	7.9	7.9	7.9	7.8	
COWPEN BRANCH RD(3.2R)																					
4393481	3.139	10.406	R	2020		0012	CRACKING	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.7	10.0	8.0
PREFERRED MATERIALS, INC.				(2022)			SPRIDE	7.8	7.4	7.6	7.6	7.6	7.5	7.4		8.4	8.4	8.3	8.3	8.2	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P		ASTYPE												2031
		(AGE_ONE YEAR)		RW		WKMX-F														(PMRS)		
				RW		FY-F																
78060000	19.435	20.386	R	1	4	45	CRACKING	8.1	8.1	8.1	8.0	8.0	8.2	8.2	8.3	9.2	8.7	8.5	8.3	7.7		
16	SCHALLER RD(19.5R)		2	2.7	25500	RIDE		8.6	8.5	8.6	8.1	7.9	8.0	7.9	7.8	8.0	8.1	8.1	8.1	8.1		
						LDG																
						(2009)	CRACKING	7.6	7.3	7.3	6.3*	6.3*	5.9*	5.8*	6.1*	6.7	6.8	7.5	7.4	8.4	7.5	
							RIDE	8.3	7.6	7.9	7.7	8.1	8.1	8.1	7.9	8.0	8.0	8.0	7.8	8.0	7.9	
78060000	20.386	20.750	R	1	6	40	CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
16	UNSIGN(20.4R)		2	2.7	25500	RIDE		7.2		7.6	7.0	6.8	6.7	6.9	6.2	5.2*	5.7	6.4	5.6	6.0		
						FC125M																
4244811	15.892	20.697	R	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.1	7.6	5.0*	
						SPRIDE		8.4	7.8	7.1	7.2	7.0	7.3	6.6	6.7	6.6	6.8	7.0	6.6			
78060000	20.750	20.881	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
16	PONCE DE LEON BLVD(20.8C)		2	2.7	6200	RIDE																
						FC125M																
4244811	20.752	20.867	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.0	4.5*	
						SPRIDE														4.1*	3.7*	
78060000	20.386	20.750	L	1	1	40	CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
16	CR 16A(20.4L)		2	2.7	25500	RIDE		4.7*		7.3	6.9	6.1	6.4	5.9	5.7	5.7	5.3*	5.7	5.1*	5.4*		
						FC125M																
4244811	15.892	20.697	L	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.0	7.0	4.5*	
						SPRIDE		8.0	7.8	6.8	6.0	6.4	6.7	7.0	6.6	6.5	6.4	6.6	6.6	6.3	5.9	
78060000	19.435	20.386	L	1	4	45	CRACKING	7.9	7.8	7.8	7.7	7.7	7.8	7.8	7.7	8.9	8.8	7.9	8.0	7.5		
16	MCCULLOUGH ST(19.6C)		2	2.7	25500	RIDE		8.9	8.5	8.7	8.1	8.1	8.0	7.6	7.8	7.9	8.0	7.8	7.8	7.9		
						LDG																
						(1983)	CRACKING	7.5	7.3	7.3	6.5	6.5	6.4*	6.4*	6.2*	6.5	7.9	7.9	8.4	7.9	7.0	
							RIDE	7.9	7.6	7.9	7.9	8.2	8.1	8.1	7.9	8.1	8.0	8.0	7.9	7.9	7.8	
78060000	15.900	19.435	L	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
16	INMAN RD(16.0L)		2	2.7	43000	RIDE		9.1	9.0	8.9	8.4	8.3	8.2	8.2	7.9	7.7	7.9	7.7	7.5	7.3		
						FC5M																
4244811	15.892	20.697	L	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	8.3	7.9	3.5*	
						SPRIDE		8.4	8.2	8.5	8.4	8.6	8.5	8.5	8.3	8.4	8.4	8.4	8.4	8.4	8.2	
78060000	15.595	15.900	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0		
16	BELTZ OUTLER ENT(15.7C)		2	2.7	43000	RIDE		7.6	7.8	7.7	7.3	7.2	7.3	7.2	7.1	8.4	8.4	8.0	8.2	7.9		
						FC125M																
2104473	14.421	15.892	C	2008	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	5.5*	5.5*	2.5*	
						SPRIDE		8.1	7.7	8.0	7.5	7.9	7.9	7.8	7.7	7.7	7.5	6.9	6.1	7.8	7.4	
78060000	15.115	15.595	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0		
16	FACTORY OUTLETS DR(15.1L)		2	2.7	43000	RIDE		7.6	7.8	7.7	7.3	7.2	7.3	7.2	7.1	8.4	8.4	8.0	8.2	7.9		
						FC125M																
2104473	14.421	15.892	C	2008	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	5.5*	3.2*	0.0*	
						SPRIDE		8.1	7.7	8.0	7.5	7.9	7.9	7.8	7.7	7.7	7.5	6.9	6.1	7.8	7.4	
2104478	9.388	15.525	C	2025	0221																	
78060000	13.865	14.517	L	1	2	60	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
16	APAC-FLORIDA INC		2	2.7	21000	RIDE		8.0	8.7	8.5	8.1	8.1	8.0	8.0	7.8	7.8	7.9	7.8	7.8	7.7		
						FC125																
2104471	7.980	15.190	C	2001	0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	7.7	3.5*	
						SPRIDE		7.7	7.3	7.1	7.3	7.5	7.4	7.4	7.4	7.4	7.5	7.5	7.5	7.4	6.5	
2104478	9.388	15.525	C	2025	0221																	
78060000	7.980	9.549	L	1	1	45	CRACKING	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0		
16	FULLER LN(9.0L)		2	2.7	27000	RIDE		7.7	8.7	8.5	8.1	8.1	8.0	8.0	7.8	7.8	7.9	8.2	8.2	8.1		
						FC125M																
						(2011)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	4.5*	
							RIDE	7.7	7.5	7.5	7.6	7.7	7.7	7.5	7.3	7.3	7.1	7.2	7.2	7.3	6.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	W_KMX-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																
78070000	0.000	0.268	C	1	1	55	CRACKING	8.0	8.0	6.0*	6.0*	6.0*	4.0*		10.0	10.0	10.0	10.0	9.5	9.5	
13			2	7.5	11000		RIDE	7.5	7.8	7.5	6.8	6.5	6.2*		8.1	8.0	8.1	8.0	7.9	7.9	
CR 13(0.0C)							DGFC														
				(2017)			CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.9	7.5	5.5*
							RIDE	7.9	7.9										6.9	6.5	6.5
2102238	0.000	3.867	C	2025		0012															
78070000	0.268	4.347	C	1	1	55	CRACKING	8.0	8.0	6.0*	6.0*	6.0*	4.0*		10.0	10.0	10.0	10.0	9.5	9.5	
13			2	7.5	11000		RIDE	7.5	7.8	7.5	6.8	6.5	6.2*		8.1	8.0	8.1	8.0	7.9	7.9	
COLLIER RD(1.7R)							FC125M														
2102235	1.862	4.385	C	2006	0221		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.0*	6.0*	5.5*	4.4*	3.9*	0.5*
PREFERRED MATERIALS, INC. (2008)							RIDE	7.9	7.9	7.2	7.7	7.8	7.7	7.6	7.6	7.5	7.4	7.3	7.4	7.2	6.8
2102238	0.000	3.867	C	2025		0012															
78070000	4.347	8.285	C	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	
13			2	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9	
BARTRAM OAKS BLVD(4.4R)							FC95M														
2102234	4.385	11.851	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	4.4*	1.0*
PREFERRED MATERIALS, INC. (2007)							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	6.6	6.2*
2102238	4.422	6.598@	C	2025		0012															
78070000	8.285	8.610	C	1	7	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	
13			2	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9	
							FC95M														
				(2026)			CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	10.0	9.0
							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.1	7.7
78070000	8.610	8.898	C	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	
13			2	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9	
							FC95M														
2102234	4.385	11.851	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	4.3*	0.5*
PREFERRED MATERIALS, INC. (2007)							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.4	7.0
2102239	8.566	14.100	C	2027		0012															
78070000	8.898	9.415	R	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	
13			1	7.5	5600		RIDE	7.7	7.5	7.3	6.4*	6.1*		8.1	8.1	8.0	8.0	7.9	7.9	7.9	
SEQUOIA CREEK TR(9.0R)							DGFC														
				(2026)			CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	9.0	8.0
							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.3	6.9
2102239	8.566	14.100	C	2027		0012															
78070000	9.415	14.100	C	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	4.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	
13			2	7.5	10500		RIDE	7.7	8.1	7.8	6.5	6.2*		8.1	8.1	8.0	8.0	7.9	7.9	7.9	
SWAMP OAK TRL(9.9R)							FC95M														
2102234	4.385	11.851	C	2005	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	3.5*	3.5*	3.5*	3.5*	5.2*	1.5*
PREFERRED MATERIALS, INC. (2007)							RIDE	7.8	7.5	7.0	7.0	7.4	7.2	7.1	7.1	7.1	7.0	7.0	7.1	7.1	6.7
2102239	8.566	14.100	C	2027		0012															
78070000	14.100	16.837	R	1	1	45	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	
13			2	4.2	28257		RIDE	7.7	8.1	8.1	7.9	7.8	7.8	7.6	6.7	7.2	7.5	7.5	7.5	7.5	
ROBERTS RD(14.3R)							FC125M														
4410571	14.274	16.837	R	2021	0012		CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	9.4	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2023)							SPRIDE	7.7	7.5	7.0	7.3	7.7	7.6	7.5	7.5	7.4	8.1	8.2	8.2	8.1	7.7
78070000	14.100	16.837	L	1	1	45	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
13			2	4.2	28257		RIDE	7.7	8.1	8.8	8.1	8.0	7.5	7.5	6.7	7.4	7.5	7.4	7.4	7.4	
EDGEWATER DR(14.5L)							FC125M														
4410571	14.274	16.837	L	2021	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	6.5	10.0	10.0	9.6	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2023)							SPRIDE	7.3	7.4	6.8	6.6	7.0	6.9	6.7	6.8	6.8	8.3	8.3	8.3	8.3	7.9
78080000	0.000	13.380	R	4	1	70	CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.5	9.5		
9 I95	297.0	310.4	3	7.1	66500		RIDE	8.5	8.5				8.3	8.2	8.2	8.2	8.2	8.1	8.0	7.9	
							FC5M														
4346191	0.000	13.389	C	2020	0012		CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	3.5*		10.0	10.0	9.6	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2023)							SPRIDE	7.9	7.6	8.0	7.9	8.1	7.9	7.9	7.8		8.8	8.8	8.8	8.8	8.7
78080000	13.380	25.475	R	4	7	70	CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
9 I95	310.4	322.4	3	7.1	89000		RIDE	8.4	8.4				8.4	8.4	8.4	8.3	8.2	8.3	8.2	8.2	
							FC5MSD														
				(2026)			CRACKING	9.5	9.5	9.5	9.0	7.5	7.5	7.5	4.5*	3.5*				10.0	9.0
							RIDE	8.1	7.8	8.2	8.1	8.4	8.3	8.4	8.3	8.3				9.2	9.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 2 COUNTY = ST. JOHNS -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-F		ASTYPE												(PMRS)
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKM-F												
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		RW		FY-F		WKM-F												
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-F												
78080000		25.475	34.855	R	4	1	70	CRACKING	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9	I95	322.4	331.8	3	11.2		113000	RIDE	8.5	8.3			8.4	8.3	8.3	8.0	8.1	8.1	8.1	8.1	8.1	
								FC5														
2135162		25.504	34.855	C	2002		0218	CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	5.4*	4.7*	1.0*
SUPERIOR CONSTRUCTION CO., (2005)								SPRIDE	8.1	7.8	8.2	8.1	8.4	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.1

78080000		25.475	34.855	L	4	1	70	CRACKING	8.0	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
9	I95	322.4	331.8	3	11.2		113000	RIDE	8.6	8.7			8.4	8.2	8.3	8.1	8.0	8.2	8.1	8.1	8.1	
								FC5														
2135162		25.504	34.855	C	2002		0218	CRACKING	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	5.0*	1.5*
SUPERIOR CONSTRUCTION CO., (2005)								SPRIDE	8.1	7.8	8.1	8.2	8.4	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.1	8.0

78080000		13.380	25.475	L	4	7	70	CRACKING	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
9	I95	310.4	322.4	3	7.1		89000	RIDE	8.5	8.3			8.4	8.4	8.4	8.1	8.2	8.2	8.2	8.1	8.1	
								FC5MSD														
								CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	3.5*				10.0	9.0
								RIDE	7.8	7.8	8.2	8.1	8.4	8.3	8.3	8.3	8.3				9.1	9.0

78080000		0.000	13.380	L	4	1	70	CRACKING	7.5	7.5			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
9	I95	297.0	310.4	3	7.1		66500	RIDE	8.7	8.5			8.3	8.1	8.1	8.1	8.2	8.1	8.1	8.1		
								FC5M														
4346191		0.000	13.389	C	2020		0012	CRACKING	9.0	8.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	9.3	10.0	8.5	
HUBBARD CONSTRUCTION COMPA (2023)								SPRIDE	8.0	7.8	8.0	8.0	8.2	8.1	8.2		8.6	8.6	8.6	8.6	8.6	

78090000		0.000	8.320	C	1	1	55	CRACKING	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
206				2	7.2		5000	RIDE	8.2	8.5	8.4	8.2	8.1	7.7	7.5	7.5	7.4	7.7	7.5	7.4	7.8	
								FC125M														
4453531		1.267	8.133	C	2023		0012	CRACKING	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	9.7	10.0	9.0
P & S PAVING, INC. (2024)								SPRIDE	7.6	7.0	7.0	6.9	7.3	7.2	7.3	7.1	7.1	7.2	8.3	8.2	8.0	7.6

78090000		8.320	13.770	C	1	1	55	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	
206				2	7.2		12500	RIDE	7.6	8.2	8.1	7.7	7.7	7.6	7.7	7.5	7.5	7.6	7.5	7.5	7.6	
								FC125M														
4432731		10.696	13.773	C	2022		0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	9.6	10.0	8.5
PREFERRED MATERIALS, INC. (2023)								SPRIDE	7.5	7.1	6.9	6.8	7.2	7.1	7.1	7.0	7.0	8.3	8.3	8.3	8.2	7.8

78090000		14.333	14.485	C	1	1	40	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
206				2	7.2		12500	RIDE														
								DGFC														
2104301		0.233	14.520	C	2001		0221	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.3*	2.0*
ANDERSON COLUMBIA CO., INC (2002)								SPRIDE													6.9	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).