

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE					
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P		=====											2029			
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		FY-F		WKMX-F													(REG)			
79001000	0.000	0.250	R	1	1	55	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
400			2	3.4		26500	RIDE	8.6	8.6	8.5	8.6		8.2	8.1	8.1	7.9	8.3	8.3	8.3	8.3	8.3	8.3		
STORE W ENTRANCE(0.0R)							FC5M																	
					(2024)		CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0				
							RIDE	8.3	8.3	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.4	8.4	7.4				
79001000	0.250	1.812	R	1	7	55	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
400			2	7.8		25000	RIDE	8.6	8.6	8.5	8.6		8.2	8.1	8.1	7.9	8.3	8.3	8.3	8.3	8.3	8.3		
CR 4009(0.3C)							FC5																	
4429061	0.250	1.812	C	2023	0012	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0				
P & S PAVING, INC.							(2024)	SPRIDE	8.3	8.3	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.4	8.4	8.9			
79001000	1.812	4.196	R	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5				
400			2	6.9		23000	RIDE	8.0	8.0	7.9	7.7		7.7	7.6	7.5	7.5	7.6	7.7	7.7	7.7	7.1			
WOODCREST DR(2.0R)							DGFC																	
4306771	1.812	4.161	C	2016	0012	CRACKING	7.5	7.5	7.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.							(2017)	RIDE	7.7	7.5	7.6	7.5	7.3	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.8	7.6	
79001000	1.812	4.196	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0				
400			2	6.9		23000	RIDE	7.8	7.8	7.8	7.8		7.8	7.7	7.2	7.7	7.7	7.8	7.8	7.4				
WOODCREST DR(2.0L)							DGFC																	
4306771	1.812	4.161	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.							(2017)	RIDE	7.7	7.7	7.7	7.5	7.4	8.0	8.0	7.8	7.8	7.7	7.7	7.8	7.8	7.6	7.4	
79001000	0.250	1.812	L	1	7	55	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
400			2	7.8		25000	RIDE	8.8	8.7	8.7	8.6		8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.1	8.1	8.1		
CR 4009(0.3C)							FC5																	
4429061	0.250	1.812	C	2023	0012	CRACKING	10.0	10.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0				
P & S PAVING, INC.							(2024)	SPRIDE	8.2	8.1	8.2	8.1	8.3	8.2	8.3	8.3	8.2	8.2	8.3	8.3	8.9			
79001000	0.000	0.250	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
400			2	3.4		26500	RIDE	8.3	8.6	8.5	8.3		8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.1	8.1	8.1		
BEGIN SECTION(0.0C)							FC5M																	
					(2024)		CRACKING	10.0	10.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0				
							RIDE	8.2	8.1	8.2	8.1	8.3	8.2	8.3	8.3	8.2	8.2	8.3	8.3	7.9				
79002000	0.000	16.899	R	4	1	70	CRACKING	10.0	10.0	8.5	7.5	4.5*	4.5*	3.5*		10.0	10.0	8.0	7.5	7.5				
9			3	12.0		34500	RIDE	8.9	9.1	9.0	8.9	8.8	7.9	7.9		8.4	8.3	8.3	8.3	8.3				
4068698							FC5M																	
			C	2013	0218	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1			
P & S PAVING, INC.							(2017)	RIDE	8.2	8.1	8.0		8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	
79002000	16.899	26.000	R	4	1	70	CRACKING	10.0	10.0	8.5	7.5	4.5*	4.5*	3.5*		10.0	10.0	8.0	7.5	7.5				
9			3	16.8		52019	RIDE	8.9	9.1	9.0	8.9	8.8	7.9	7.9		8.4	8.3	8.3	8.3	8.3				
2427152							FC5M																	
			C	2015	0213	CRACKING	7.5	7.5	7.5	7.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.							(2019)	RIDE	8.2	8.1	8.0	8.0		8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	
79002000	26.000	30.360	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	7.5	7.0	7.0				
9			3	13.6		78500	RIDE	8.2	8.9	9.0	8.9	8.9		7.9	7.9	7.9	7.8	7.9	7.8	7.8				
2427152							FC5M																	
			C	2015	0213	CRACKING	7.0	7.0	7.0	7.0	6.5						10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.							(2021)	RIDE	7.7	7.5	7.5	7.4	7.7		8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.1	
79002000	30.360	36.400	R	4	7	65	CRACKING		10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9			3	13.6		78500	RIDE		9.1	9.2	9.0	8.8	8.5		8.3	8.3	8.3	8.3	8.3	8.3				
4411331							FC5M																	
			C	2021	0012	CRACKING	10.0	10.0	9.0	7.5	6.5	4.5*	3.5*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0				
HALIFAX PAVING, INC.							(2024)	SPRIDE	8.1	7.9	7.8	7.5	7.9	7.8	7.6	7.8	7.7	7.6	7.4			8.9		
79002000	36.400	45.712	R	4	1	70	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0			
9			3	19.6		74500	RIDE	9.2	9.1	9.0	8.9	8.7	8.2		8.3	8.4	8.3	8.3	8.3	8.2	8.2			
4391311							FC5M																	
			C	2020	0012	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0		
HALIFAX PAVING, INC.							(2022)	SPRIDE	8.0	7.8	7.8	7.4	8.0	7.9	7.7	8.1	8.0			8.9	8.8	8.8	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
79002000	36.300	45.712	L	4	1	70	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0
9	I95		3	19.6		74500	RIDE	9.2	9.2	8.8	9.0	9.1	8.3		8.3	8.4	8.3	8.3	8.3	8.2	8.2
							FC5M														
4391311	36.500	44.992	C	2020		0012	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0
	HALIFAX PAVING, INC.			(2022)			SPRIDE	8.1	7.8	7.7	7.4	8.0	7.8	7.8	8.0	7.8		8.9	8.6	8.6	8.6
79002000	30.086	36.300	L	4	7	65	CRACKING		10.0	10.0	8.5	8.5	10.0			10.0	10.0	10.0	10.0	10.0	10.0
9	I95		3	13.6		78500	RIDE		8.7	8.8	8.7	8.7	8.3			8.3	8.3	8.3	8.3	8.3	8.2
							FC5M														
4411331	30.755	36.500	C	2021		0012	CRACKING	10.0	10.0	9.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*			10.0
	HALIFAX PAVING, INC.			(2024)			SPRIDE	8.0	8.0	7.8	7.5	7.7	7.4	7.3	7.5	7.2	7.1	6.7			8.9
79002000	26.000	30.086	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.0	7.5	7.0	
9	I95		3	13.6		78500	RIDE	9.2	9.1	9.0	8.9	9.0		8.0	8.0	8.0	7.9	7.7	7.9	7.9	7.9
							FC5M														
2427152	16.899	30.755	C	2015		0213	CRACKING	7.0	7.0	7.0	6.5	6.5					10.0	10.0	9.5	9.5	8.5
				(2021)			RIDE	7.8	7.6	7.5	7.3	7.7					8.5	8.5	8.4	8.4	8.2
79002000	16.899	26.000	L	4	1	70	CRACKING	10.0	10.0	7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0	8.0	7.5	7.5	
9	I95		3	16.8		52019	RIDE	9.1	9.0	9.0	8.9	8.8	8.0	7.7		8.4	8.3	8.4	8.3	8.3	8.3
							FC5M														
2427152	16.899	30.755	C	2015		0213	CRACKING	7.5	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.0	8.8
				(2019)			RIDE	8.3	8.3	8.2	8.3				8.4	8.3	8.4	8.4	8.4	8.4	8.4
79002000	0.000	16.899	L	4	1	70	CRACKING	10.0	10.0	7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0	8.0	7.5	7.5	
9	I95		3	12.0		34500	RIDE	9.1	9.0	9.0	8.9	8.8	8.0	7.7		8.4	8.3	8.4	8.3	8.3	8.3
							FC5M														
4068698	0.000	16.896	C	2013		0218	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1
				(2017)			RIDE	8.3	8.3	8.2			8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.6	8.6
79010000	0.000	6.663	R	1	7	65	CRACKING	10.0	10.0	8.5	8.5	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
5	1		2	6.0		5300	RIDE	8.9	8.6	8.9	8.8	8.8	8.1	8.1	7.9		8.1	8.0	7.9	8.0	8.0
							FC5M														
4438131	0.000	6.663	C	2022		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
	MASCI GENERAL CONTRACTORS			(2024)			SPRIDE	7.9	7.8	7.6	7.7	7.8	7.9	7.7	7.8	7.7	7.6	7.7	7.7	7.7	8.5
79010000	6.663	14.746	R	1	1	55	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
5	1		2	3.5		14924	RIDE	8.3	8.1	7.9		8.8	8.0	8.0	8.0	8.0	7.9	7.8	7.7	7.8	7.8
							FC5M														
4306781	6.646	14.746	R	2016		0012	CRACKING	7.5	7.5	7.5	6.5	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
	P & S PAVING, INC.			(2019)			RIDE	7.6	7.6	7.4	7.4	7.6			8.6	8.5	8.5	8.5	8.5	8.4	8.4
79010000	14.746	20.040	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		
5	1		2	8.1		27500	RIDE	8.8	8.7	8.7	8.7	8.6	8.0	8.0	10.0	7.9	7.9	8.0	8.0	7.8	7.8
							FC125R														
4220181	14.746	20.040	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.7
	HALIFAX PAVING, INC.			(2012)			RIDE	8.2	8.1	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.1
79010000	20.040	24.229	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.0*	10.0	
5	1		2	6.0		25500	RIDE	8.8	8.9	8.9	8.8	8.8	8.3	8.3	8.2	8.2	8.1	8.1	8.0	8.3	8.3
							OGFC														
4220191	20.040	24.234	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0
	HALIFAX PAVING, INC.			(2011)			RIDE	8.3	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.1
79010000	24.229	26.882	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	
5	1		2	7.4		15700	RIDE	8.8	8.7	8.7	8.7	8.6	8.0	8.0	7.7	7.9	7.8	7.7	7.8	7.8	7.8
							FC125A														
4286881	24.229	26.879	C	2015		0012	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.3
	HALIFAX PAVING, INC.			(2017)			RIDE	7.6	7.6	7.6	7.2		7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.3	7.0
79010000	26.882	28.722	R	1	4	40	CRACKING	9.0	9.0	8.9	8.9	8.8	8.8	8.8	8.7	8.6	8.5	7.9	8.3	8.7	
5	1		2	6.0		23000	RIDE	7.4	7.4	7.2	7.2	7.3	6.8	6.7	6.6	6.6	6.8	6.7	6.5	6.8	
							B														
				(2021)			CRACKING	8.6	8.6	8.0	8.2	8.0	8.1	8.3	8.2		9.3	9.2	9.1	9.0	8.5
							RIDE	6.7	6.7	6.6	6.5	6.4	6.3	6.4	6.3		6.4	6.4	6.3	6.3	6.1

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----

RDWYID	SR	US	BMP	G_BMP	EMP	G_EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE					
														1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011		
INTERSECT AT (MP SIDE)																													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																													
CONTRACTOR (AGE_ONE YEAR) ASTYPE																													
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																							(REG)						
79010000	5	1	28.722		29.400		R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
SANDY CIR(28.7R)																													
2409311	5	1	28.676		32.696		C	1994	0012	FC3	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.2	
MARTIN PAVING CO																													
(1995) S RIDE																													
4470891	5	1	28.722		29.400		C	2025	0012		CRACKING	7.7	7.4	7.7	7.8	7.9	7.9	7.8	7.7	7.5	7.7	7.7	7.6	7.6	7.6	7.6	7.1		
RIDGE BLVD(29.4C)																													
79010000	5	1	29.400		30.564		R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
RIDGE BLVD(29.4C)																													
(2015) DGFC																													
CRACKING																													
RIDE																													
79010000	5	1	30.564		32.540		R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
BEVILLE RD(30.6R)																													
(2012) FC125R																													
CRACKING																													
RIDE																													
4507821	5	1	30.564		32.696		C	2026	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	4.3		
MAGNOLIA AVE(32.6C)																													
(2017) DGFC																													
CRACKING																													
RIDE																													
79010000	5	1	32.540		32.696		R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
MAGNOLIA AVE(32.6C)																													
(2017) DGFC																													
CRACKING																													
RIDE																													
4507821	5	1	30.564		32.696		C	2026	0012		CRACKING	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.6		
MAGNOLIA AVE(32.6C)																													
(2017) DGFC																													
CRACKING																													
RIDE																													
79010000	5	1	32.540		32.696		L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
MAGNOLIA AVE(32.6C)																													
(2017) DGFC																													
CRACKING																													
RIDE																													
4324421	5	1	32.557		32.696		L	2016	0012		CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
ATLANTIC CIVIL CONSTRUCTOR(2017)																													
(2017) DGFC																													
CRACKING																													
RIDE																													
4507821	5	1	30.564		32.696		C	2026	0012		CRACKING	5.0*	5.0*	4.8*															
RUTLEDGE AVE(30.6L)																													
(2012) FC125R																													
CRACKING																													
RIDE																													
79010000	5	1	29.400		30.564		L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
RIDGE BLVD(29.4C)																													
(2015) DGFC																													
CRACKING																													
RIDE																													
79010000	5	1	28.722		29.400		L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
REED CANAL RD(28.7L)																													
(2012) FC3																													
CRACKING																													
RIDE																													
2409311	5	1	28.676		32.696		C	1994	0012		CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.6		
MARTIN PAVING CO																													
(1995) S RIDE																													
4470891	5	1	28.722		29.400		C	2025	0012		CRACKING	7.9	7.8	7.9	8.0	7.8	7.7	7.7	7.5	7.5	7.4	7.4	7.4	7.3	7.3	6.9			
WHITE PL(27.0C)																													
(2021) B																													
CRACKING																													
RIDE																													
79010000	5	1	24.229		26.882		L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	
BAYSHORE DR L(24.8L)																													
(2017) FC125A																													
CRACKING																													
RIDE																													
4286881	5	1	24.229		26.879		C	2015	0012		CRACKING	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	5.4		
HALIFAX PAVING, INC.																													
(2017) OGFC																													
CRACKING																													
RIDE																													
79010000	5	1	20.040		24.229		L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*	10.0	10.0	10.0	10.0		
SKYLINE DR(20.7L)																													
(2011) OGFC																													
CRACKING																													
RIDE																													
4220191	5	1	20.040		24.234		C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7		
HALIFAX PAVING, INC.																													
(2011) OGFC																													
CRACKING																													
RIDE																													

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE															
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	WKM	*****																												
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****																												
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****																												
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****																												
79010000	14.746	20.040	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*																
5	1		2	8.1		27500	RIDE	8.8	8.8	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0	7.8	7.8																
TURGOT AVE(14.9L)																																			
4220181	14.746	20.040	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	
HALIFAX PAVING, INC. (2012)																																			
79010000	11.467	14.746	L	1	1	55	CRACKING	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	3.5		14924	RIDE	8.3	8.1	8.0		8.7	7.8	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	
EAST WIND DR(11.5L)																																			
4306781	11.467	14.746	L	2016		0012	CRACKING	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC. (2018)																																			
79010000	9.600	11.467	L	1	4	55	CRACKING	9.0	9.2	9.4	9.3	9.3	9.4	9.3	9.3	9.4	9.1	4.1*	9.1	9.2															
5	1		2	3.5		14924	RIDE	7.6	7.5	7.5	7.6	7.3	6.6	7.0	6.8	6.9	6.9	7.0	7.0	6.9															
CLINTON CEMETARY RD(10.0L)																																			
							CRACKING	9.1	9.0	8.9	8.9	8.9	8.6	8.7	8.8	8.8	8.8	9.0	8.6	8.5	8.4														
(2010)																																			
79010000	6.663	9.600	L	1	1	55	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5															
5	1		2	6.9		11200	RIDE	8.5	8.5	8.0		8.8	8.0	7.9	7.9	7.9	7.9	7.8	7.7	7.8															
SOUTH ST(6.7L)																																			
4306781	6.646	9.467	L	2016		0012	CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC. (2018)																																			
79010000	0.000	6.663	L	1	7	65	CRACKING	9.0	9.0	6.0*	6.0*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0															
5	1		2	6.0		5300	RIDE	9.0	8.9	8.9	8.3	8.7	8.0	7.7	7.7		8.1	8.1	8.0	8.1															
STACEY GROVE RD(1.9L)																																			
4438131	0.000	6.663	C	2022		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0															
MASCI GENERAL CONTRACTORS (2024)																																			
79030000	0.000	5.841	R	1	1	35	CRACKING	5.5*	5.5*	5.5*	3.5*	3.5*	3.0*	3.0*		10.0	10.0	9.5	9.5	9.5															
5	1		2	5.0		24000	RIDE	6.7	7.2	7.0	6.9	6.8	5.7	5.6		7.6	7.7	7.6	7.5	7.5															
INTL SPEEDWAY BLVD(0.0C)																																			
4117771	0.083	5.924	C	2004		0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.7	
(2007)																																			
4529081	0.788	5.868	C	2027		0226	SPRIDE	7.5	7.5	7.5	7.4	6.8	6.9	6.8	6.7	6.6	6.6	6.4	6.4	6.3	5.9														
79030000	5.841	7.166	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*															
5	1		2	10.7		19500	RIDE	9.0	9.0	9.0	8.9	8.9	8.4	8.4	8.1	8.2	8.0	7.9	7.9	7.7															
WOODLAND AVE(5.9R)																																			
4286891	5.841	7.166	R	2014		0012	CRACKING	4.5*		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
P & S PAVING, INC. (2015)																																			
4529082	5.868	7.467	R	2027		0226	RIDE	7.6		7.2	8.2	8.5	8.4	8.4	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
79030000	7.166	7.459	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*															
5	1		2	10.7		19500	RIDE	9.0	9.0	9.0	8.9	8.9	8.4	8.4	8.1	8.2	8.0	7.9	7.9	7.7															
(2015)																																			
4529082	5.868	7.467	R	2027		0226	CRACKING	4.5*		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
RIDE																																			
79030000	7.459	12.803	R	1	1	55	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0														
5	1		2	10.7		24500	RIDE	8.3	8.2	8.1	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	8.0															
COQUINA AVE(8.3R)																																			
4391361	5.868	12.803	C	2020		0012	CRACKING	9.0	9.0	9.0	7.5	7.5	6.0*	6.0*	4.5*	4.5*	4.5*		10.0	10.0															
P & S PAVING, INC. (2023)																																			
4529082	5.868	10.719	C	2027		0226	SPRIDE	7.9	7.9	7.8	7.8	8.0	8.0	7.9	7.9	7.9	7.9		8.6	8.6															
79030000	5.868	12.803	L	1	1	55	CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5															
5	1		2	10.7		24500	RIDE	8.7	9.1	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4															
WILMETTE AVE(6.2C)																																			
4195881	5.868	12.803	C	2007		0012	CRACKING	8.5	8.5	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	0.0		
HALIFAX PAVING, INC. (2009)																																			
4391361	5.868	12.803	C	2020		0012	SPRIDE	8.3	8.3	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2														
79030000	0.000	5.868	L	1	1	35	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0															
5	1		2	5.0		24000	RIDE	6.8	6.7	6.7	6.6	6.8	5.5	5.4*		7.3	7.3	7.5	7.1	6.9															
INTL SPEEDWAY BLVD(0.0C)																																			
4117771	0.083	5.924	C	2004		0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.7		
(2007)																																			
4529081	0.788	5.868	C	2027		0226	SPRIDE	7.2	7.1	7.1	7.0	6.8	6.6	6.7	6.6																				

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
79040000	10.236	11.420	L	1	50	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	7.5	7.5			10.0	10.0	
15 17				3	3.3	56000 RIDE	8.1	7.9	8.0	7.9	8.3	7.7	7.9	7.7	7.7	7.8			8.1	8.1	
CR 4116(10.3L)						FC125M															
2408871	9.407	11.322	C	2007	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.0
P & S PAVING, INC.				(2010)		SPRIDE	8.0	8.0	8.0	7.9	7.6	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.1	7.1	6.6
4453011	8.577	11.429	C	2024	0012																
79040000	9.689	10.236	L	1	50	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	4.5*	4.5*			10.0	10.0	
15 17				3	3.3	56000 RIDE	8.8	8.8	8.8	8.7	8.7	7.9	8.0	7.8	7.9	7.9			8.1	8.1	
FIREHOUSE RD(10.0L)						FC5M															
2408871	9.407	11.322	C	2007	0213	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5
P & S PAVING, INC.				(2010)		SPRIDE	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	7.9	7.9	7.9	8.0	8.0	7.8	7.8
4453011	8.577	11.429	C	2024	0012																
79040000	6.050	9.689	L	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
15 17				2	6.0	34500 RIDE	8.5	8.6	8.6	8.5	8.5	7.8	7.9	7.7	7.7	7.7	7.6	7.6	7.6	8.3	
HOLLY DR L(6.4L)						FC95R															
4220201	6.050	9.689	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	4.5
RANGER CONSTRUCTION INDUST(2011)				(2010)		RIDE	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.6
4509911	5.304	8.578	C	2026	0226																
79040000	3.656	6.050	L	1	45	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
15 17				2	6.0	24000 RIDE	7.3	7.7		8.3	7.8	7.8	7.7	7.8	7.9	7.7	7.7	7.7	7.7	7.7	
HIGHBANKS RD(3.8L)						FC3															
2407921	3.854	5.959	C	2000	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.9
JONES BROS., INC.				(2003)		S RIDE	7.6	7.6	7.5	7.4	7.3	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.7
4509731	0.477	5.304	C	2026	0226																
79040000	2.549	3.656	L	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
15 17				2	6.0	25500 RIDE	8.0	7.8	8.0	7.7	7.6	7.4	7.5	7.1	7.1	7.2	7.1	7.1	7.0	7.0	
SANFORD AVE(2.7L)						FC3															
2404931	2.522	3.854	C	1996	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0
BERGERON LAND DEVELOPMENT(1998)				(1998)		S RIDE	7.0	6.8	6.6	6.5	6.9	6.9	6.7	6.8	6.6	6.7	6.5	6.6	6.5	6.0	
4509731	0.477	5.304	C	2026	0226																
79040000	0.477	2.549	L	1	50	CRACKING	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5		
15 17				2	6.0	31500 RIDE	8.1	8.0		8.7	8.6	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	
BARWICK RD(0.5L)						FC3															
2407931	0.367	2.522	C	1999	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.9
MARTIN K. EBY CONSTRUCTION(2002)				(2002)		S RIDE	7.8	7.7	7.7	7.6	7.4	7.3	7.2	7.2	7.0	7.1	7.0	7.1	7.0	7.0	6.6
4509731	0.477	5.304	C	2026	0226																
79040101	0.000	0.411	R	1	50	CRACKING	10.0	8.5		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	
15 17				2	12.5	35000 RIDE	7.8	7.6		8.3	8.0	7.1	7.3	6.7	6.4*	7.8	7.8	7.8	8.1	8.0	
LAKE MONROE PARK(0.1R)						FC125															
4220221	0.000	0.411	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
P & S PAVING, INC.				(2010)		RIDE	7.9	7.8	7.7	7.6	7.4	7.4	7.1	7.3	7.1	7.1	6.9	6.9	7.0	7.0	6.4
4509731	0.000	0.411	C	2026	0226																
79040101	0.000	0.411	L	1	50	CRACKING	10.0	8.5		7.0	7.0	7.0	7.0	7.0	7.0	3.5*	3.5*	10.0	10.0		
15 17				2	12.5	35000 RIDE	8.2	8.3		8.3	7.7	7.1	7.3	6.9	7.1	6.7	6.8	8.5	8.4		
FPL SERVICE RD(0.2L)						FC125															
4220221	0.000	0.411	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
P & S PAVING, INC.				(2010)		RIDE	8.3	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.4
4509731	0.000	0.411	C	2026	0226																
79050000	0.000	5.951	R	1	55	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0		
15 17				2	12.0	19600 RIDE	8.8	8.9	8.5	8.6	8.8	8.4	8.3	7.8	8.2	8.2	8.2	8.2	8.2	8.2	
CR 92 / INTL SPDWY(0.0C)						FC5															
4195961	0.000	5.951	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.3	
P & S PAVING, INC.				(2010)		SPRIDE	8.2	8.1	8.0	7.9	8.1	8.1	8.1	8.2	8.1	8.2	8.1	8.1	8.1	8.1	8.1
79050000	5.951	16.180	C	1	60	CRACKING	10.0	8.5	8.5	7.0	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
15 17				2	17.3	9400 RIDE	9.1	9.1	9.0	8.9	8.7	7.7	7.3		8.6	8.7	8.6	8.6	8.6		
BRIDLELAND RD(6.3R)						FC95															
4135961	5.951	16.180	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.4
P & S PAVING, INC.				(2007)		SPRIDE	8.6	8.5	8.4	8.4	8.2	8.1	8.1	8.1	7.9	8.0	7.9	7.9	7.9	7.8	7.5
4102515	7.257	16.140@	C	2025	0226																
79050000	16.180	25.873	C	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	4.5*	4.5*	4.5*			
15 17				2	11.4	5800 RIDE	9.2	9.1	9.1	9.0	9.0	8.4	8.3	8.1	8.1	7.8	7.6	7.5			
E 4 TH AVE(16.3R)						FC125R															
4220231	16.180	25.873	C																		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE														
79060000	20.597	20.766	L	1	6	35	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5
600 92				2	1.1	22500	RIDE	6.3*	8.0	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	
N SEGRAVE ST(20.7L)																					
4324421	20.625	20.766	C	2016		0012	CRACKING	7.5	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ATLANTIC CIVIL CONSTRUCTOR(2017)																					
79060000	20.206	20.597	L	1	1	40	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5
600 92				2	1.1	22500	RIDE	6.3*	8.0	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	
LINCOLN AVE(20.2C)																					
						FC125	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.7	6.4	6.6	6.8	7.3	7.5	7.2	7.1	6.2	5.9	6.2	5.9	5.7	5.7
79060000	19.603	20.206	L	1	1	40	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5
600 92				2	5.7	22500	RIDE	6.3*	8.0	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	
NOVA RD(19.6C)																					
						FC125	CRACKING	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.0	6.4	5.9	6.6	6.1	6.0	5.9	5.8	7.3	7.2	7.3	7.1	6.9	6.5
79060000	18.634	19.603	L	1	4	45	CRACKING	0.0*	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	8.5	9.1	8.9
600 92				3	9.4	36000	RIDE	7.7	7.6	7.9	7.8	7.4	7.0	6.9	6.8	5.3*	6.2	7.2	7.3	6.8	
FROM SR 483(18.7L)																					
2407211	18.630	19.611	C	1994		0213	CRACKING	8.9	8.9	8.8	8.8	8.7	8.6	8.8	8.8	8.8	8.8	9.2	9.4	9.2	8.6
L.G. DEFELICE INC.																					
79060000	16.337	18.634	L	1	1	50	CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	
600 92				3	5.7	45500	RIDE	8.5	8.5	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	
INDIGO DR(16.4L)																					
4195951	15.444	18.656	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5
P & S PAVING, INC.																					
							SPRIDE	8.5	8.4	8.5	8.5	8.2	8.1	8.1	8.0	8.0	8.1	8.0	8.0	7.9	7.6
79060000	15.582	16.337	L	1	1	50	CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	
600 92				3	5.0	30500	RIDE	8.5	8.5	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	
SIDE ROAD(13.2C)																					
						FC125M	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0
							RIDE	8.5	8.4	8.5	8.5	8.2	8.1	8.1	8.0	8.0		7.5	7.4	7.3	6.8
79060000	15.412	15.582	L	1	1	55	CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	
600 92				3	5.0	30500	RIDE	8.5	8.5	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	
CR 415(15.6C)																					
4195951	15.444	18.656	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	7.0
P & S PAVING, INC.																					
							SPRIDE	8.5	8.4	8.5	8.5	8.2	8.1	8.1	8.0	8.0	7.8	8.1	8.3	8.0	7.7
79060000	14.274	15.412	L	1	4	55	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*	
600 92				2	5.0	30500	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*	
GENE DANIELS RD(15.0L)																					
4220242	7.200	15.426	L	2011		0227	CRACKING		8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.6	7.4	7.0	5.1*	5.1
SUPERIOR CONSTRUCTION COMP(2014)																					
							RIDE		7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	7.4	6.1*	6.1
79060000	13.156	14.274	L	1	4	55	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*	
600 92				2	5.0	30500	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*	
SIDE ROAD(13.2C)																					
4220242	7.200	15.426	L	2011		0227	CRACKING		8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.6	7.4	7.0	0.0*	0.0
SUPERIOR CONSTRUCTION COMP(2014)																					
							RIDE		7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	7.4	8.1	7.6
79060000	11.043	13.156	L	1	4	65	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*	
600 92				2	7.0	17100	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*	
RED JOHN DR(11.1L)																					
4220242	7.200	15.426	L	2011		0227	CRACKING		8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.6	7.4	7.0	7.8	6.7
SUPERIOR CONSTRUCTION COMP(2014)																					
							RIDE		7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	7.1	7.1	
79060000	9.153	11.043	L	1	4	65	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*	
600 92				2	7.0	17100	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*	
SIDE ROAD(13.2C)																					
						LGD	CRACKING			8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	9.5	
							RIDE			7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	9.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																										
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	ASTYPE	=====																										(REG)			
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F																														
ITMSEG-P																																				
ITMSEG-F																																				
79060000	7.200	9.153	L	1	4	65	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*																
600 92				2	6.3	15769	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*																
BRICK RD(8.5L)							LGD																													
4220242	7.200	15.426	L	2011		0227	CRACKING			8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	6.1*	5.8*	5.8*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	5.7*	
SUPERIOR CONSTRUCTION COMP(2014)							RIDE			7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
79060000	2.759	7.200	L	1	4	65	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*																
600 92				2	6.3	15769	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*																
SIDE ROAD(3.9C)							LGD																													
							CRACKING			8.2	7.2	7.1	6.6	5.9*	5.8*	5.4*	5.0*	4.8*	4.9*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3*	4.3	
							RIDE			7.4	7.6	7.3	7.6	7.5	7.3	7.1	7.0	6.9	6.9	6.8	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.3	
							(1977)																													
79060000	0.137	2.759	L	1	4	55	CRACKING	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*																
600 92				2	1.6	24000	RIDE	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*																
AMELIA AVE(0.3C)							LGD																													
							CRACKING			5.3*	5.0*	4.8*	4.8*	4.4*	4.4*	4.3*	4.2*	4.2*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3*	3.3	3.3		
							RIDE			6.6	6.7	6.6	7.1	6.9	7.0	7.0	6.9	6.9	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.0	6.0	
							(1977)																													
4434332	0.134	2.750	L	2027		0012																														
79060000	0.000	0.137	L	1	6	45	CRACKING	9.2	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
600 92				2	4.7	26500	RIDE	6.4*																												
DELAND CITY LIMITS(0.0C)							DGFC																													
4324411	0.000	0.147	C	2016		0012	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.							RIDE																													
							(2018)																													

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
ITMSEG-P																					
ITMSEG-F																					
79070000	16.166	19.952	R	1	1	65	CRACKING	0.0*	0.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
44			2	11.5		16600	RIDE	7.9	7.8	8.7	8.4	8.6		7.9	7.9	7.9	7.8	8.0	7.9		
RANCHETTE RD(16.6R)																					
4411381	16.166	19.952	C	2021		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	
P & S PAVING, INC. (2023) SPRIDE 7.9 7.9 7.9 7.9 7.8 7.7 7.7 7.7 7.8 7.7																					
79070000	19.952	24.946	R	1	1	65	CRACKING	0.0*	0.0*		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.0*	
44			2	9.8		22500	RIDE	7.9	7.8		8.6	8.8	8.4	8.3	8.3	8.3	8.2	8.1	8.1	7.9	
CR 415(20.2R)																					
4272671	20.000	26.989	C	2013		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5
P & S PAVING, INC. (2014) SPRIDE 7.6 7.5 8.2 8.2 8.3 8.1 8.3 8.2 8.4 8.3 8.4 8.3 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4																					
79070000	24.946	26.989	R	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	6.5	
44			2	8.0		36000	RIDE	7.8	8.0	7.4	7.5	8.4	7.8	7.7	7.6	7.6	7.5	7.4	7.4	7.4	
LEGS TO & FM RAMPS(25.0C)																					
4272671	20.000	26.989	C	2013		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.1
P & S PAVING, INC. (2014) SPRIDE 7.1 7.0 8.2 8.2 8.3 8.1 8.3 8.2 8.4 8.3 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0																					
4506421	24.946	27.060	C	2027		0226															
79070000	26.989	29.289	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
44			2	5.2		22500	RIDE	7.3	7.1	7.2	7.1	6.8	6.6	6.6	6.2	5.8	6.0	5.6	5.9	7.7	
CORBIN PARK RD(27.1R)																					
4220271	26.888	28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.0	6.4
P & S PAVING, INC. (2011) SPRIDE 7.6 7.5 7.5 7.5 7.2 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.0 7.0 7.0 7.0 6.7 6.7 6.3																					
79070000	29.752	31.310	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	10.0	
44			2	4.1		26000	RIDE	7.7	7.7	7.4	7.4	7.2	6.6	6.4	6.3	6.1	6.2	6.3	6.4	7.9	
SAXON DR(30.9R)																					
4220271	30.451	31.310	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.5	6.8
P & S PAVING, INC. (2011) SPRIDE 7.5 7.4 7.5 7.2 7.2 6.9 6.9 6.8 6.8 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.5 6.4 5.9																					
79070000	29.752	31.310	L	1	1	40	CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	4.0*	4.0*	4.0*	10.0	
44			2	4.1		26000	RIDE	8.2	8.1	8.1	8.0	7.9	7.3	7.3	7.2	7.2	7.2	7.1	6.9	8.3	
BOUCHELLE DR(30.0L)																					
4220271	30.451	31.310	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0
P & S PAVING, INC. (2011) SPRIDE 8.1 7.9 7.9 7.7 7.5 7.4 7.4 7.3 7.2 7.1 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 6.9 6.3																					
79070000	26.989	29.289	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	
44			2	5.2		22500	RIDE	7.9	7.9	7.9	7.8	7.3	7.0	6.9	6.6	6.8	6.6	6.7	6.5	8.3	
LINDA RD(27.2L)																					
4220271	26.888	28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0
P & S PAVING, INC. (2011) SPRIDE 8.1 8.0 8.0 8.0 8.0 7.6 7.5 7.5 7.5 7.5 7.5 7.5 7.4 7.3 7.3 7.3 7.3 7.3 7.1 7.0 6.5																					
79070000	24.946	26.989	L	1	1	55	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	
44			2	8.0		36000	RIDE	7.9	7.9	7.9	7.8	8.5	7.8	7.8	7.8	7.7	7.5	7.5	7.5	7.4	
LEGS TO & FM RAMPS(25.0C)																					
4272671	20.000	26.989	C	2013		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	2.1
P & S PAVING, INC. (2014) SPRIDE 7.1 7.0 8.3 8.3 8.4 8.4 8.4 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 7.9 7.8 7.7 7.6																					
4506421	24.946	27.060	C	2027		0226															
79070000	19.952	24.946	L	1	1	65	CRACKING	0.0*	0.0*		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.0*	
44			2	9.8		22500	RIDE	7.9	7.8		9.0	9.0	8.6	8.6	8.5	8.5	8.4	8.4	8.3	8.2	
CR-415/TOMOKA FARMS(20.2L)																					
4272671	20.000	26.989	C	2013		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.3
P & S PAVING, INC. (2014) SPRIDE 7.8 7.7 8.3 8.3 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.5 8.5 8.5 8.5 8.5																					
79070000	16.166	19.952	L	1	1	65	CRACKING	0.0*	0.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
44			2	11.5		16600	RIDE	7.9	7.8	8.7	8.4	8.6		7.4	7.5	7.5	7.5	7.5	7.5	7.5	
CR 4118(16.6L)																					
4411381	16.166	19.952	C	2021		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	
P & S PAVING, INC. (2023) SPRIDE 7.4 7.4 7.3 7.3 7.4 7.4 7.4 7.3 7.2 7.3 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 8.8 8.7																					
79070000	10.850	16.166	L	1	1	65	CRACKING	0.0*	0.0*	10.0	10.0	10.0	8.5				10.0	10.0	10.0	10.0	
44			2	15.8		19000	RIDE	7.9	7.8	8.7	8.4	8.6	7.8				8.1	8.1	8.1	8.2	
OLD SAWMILL RD(13.2L)																					
4431681	10.200	16.166	C	2021		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	4.5*		10.0	10.0	
P & S PAVING, INC. (2023) SPRIDE 8.1 8.1 8.1 8.0 8.1 8.0 8.0 7.9 7.9 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.8 8.7																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F																
79070000	10.200	10.850	L	1	1	50	CRACKING	0.0*	0.0*	10.0	10.0	10.0	8.5				10.0	10.0	10.0	10.0		
44			2	9.4	16500	RIDE	7.4	7.3	8.5	8.5	8.1	7.8					8.1	8.1	8.1	8.2		
DELAND CROSSING BLVD(10.4L)																						
4431681	10.200	16.166	C	2021	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	1.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2022)	SPRIDE		8.1	8.1	8.1	8.0	8.1	8.0	7.9	6.6	8.0	8.0	7.9	8.2	8.4	8.4		
79070001	0.000	0.684	C	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
44B			2	4.9	12900	RIDE	6.1*	5.7*	6.2*	6.1	5.8	5.2*	5.2*	5.4*	5.2*	5.0*	4.3*	5.2*	5.2*			
LYTLE ST(0.0C)																						
4220281	0.000	0.698	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.1
P & S PAVING, INC.				(2012)	SPRIDE		7.3	7.2	7.2	7.2	7.1	7.1	6.9	6.8	6.7	6.5	6.8	6.7	6.4	6.2		
79070001	0.684	0.934	C	1	6	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
44B			2	4.9	12900	RIDE	6.1*	5.7*	6.2*	6.1	5.8	5.2*	5.4*	5.2*	5.0*	4.3*	5.2*	5.2*				
LEWIS ST(0.7L)																						
				(2021)	DGFC		10.0	10.0	8.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	8.5	6.7		
79070002	0.000	0.142	C	1	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	10.0		
44			2	6.9	12300	RIDE					6.0*											
4220281	0.000	0.090	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	2.7		
P & S PAVING, INC.				(2011)	SPRIDE																	
4470861	0.000	0.142	C	2026	0226																	
79070005	0.000	1.286	C	1	1	50	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0		
44			2	10.7	13900	RIDE					8.6	8.4	8.0	7.9	8.1	7.7	8.3	8.2	8.5	8.6		
S SHELL RD(0.0R)																						
4195891	0.000	1.261	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	
P & S PAVING, INC.				(2010)	SPRIDE		8.6	8.6	8.6	8.6	8.2	8.1	7.8	7.8	7.7	7.8	7.8	7.7	7.8	7.2		
79070006	0.000	0.940	R	1	1	50	CRACKING												10.0	10.0		
44			2	3.7	23500	RIDE													7.9	7.8		
SR 44 BEFORE DITCH(0.0C)																						
				(2010)	DGFC		10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	6.1	
4453001	0.000	0.940	C	2023	0012		7.8	7.7	7.7	7.6	7.3	7.3	7.2	7.0	7.1	7.0	7.1	7.0	6.9	6.5		
79070006	0.000	0.940	L	1	1	50	CRACKING												10.0	10.0		
44			2	3.7	23500	RIDE													8.0	8.0		
SR 44 BEFORE DITCH(0.0C)																						
				(2010)	DGFC		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
4453001	0.000	0.940	C	2023	0012		7.8	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.4	7.5	7.5	7.5	7.5	7.2	
79070007	0.000	0.089	C	1	6	450	CRACKING															
44A			2	28.3		RIDE																
SR 44(0.0C)																						
4373461	0.004	0.089	C	2019	0012	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2019)	RIDE																	
79070009	0.000	0.511	R	1	1	50	CRACKING												10.0	10.0		
44			2	7.5	19100	RIDE													7.8	8.0		
79110057 WB ON(0.0R)																						
				(2010)	OGFC		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	3.5*	3.5*	3.5*	3.5*	0.0*	0.0	
4453001	0.000	0.451	C	2023	0012		7.9	7.8	7.8	7.7	7.8	7.7	7.7	7.7	7.6	7.7	7.7	7.3	7.0	6.5	6.5	
79070009	0.000	0.511	L	1	1	50	CRACKING												10.0	10.0		
44			2	7.5	19100	RIDE													7.5	7.6		
I-4 ONRMP(0.0C)																						
				(2010)	OGFC		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	4.5*	3.5*	3.2	
4453001	0.000	0.451	C	2023	0012		7.6	7.6	7.5	7.5	7.3	7.1	7.3	7.1	7.2	7.1	6.9	6.7	6.8	6.5		
79080000	0.000	0.230	R	1	6	30	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0		
600 92			2	6.0	15000	RIDE	4.3*				6.2	6.3	4.9*	4.8*	4.8*	5.2*	4.7*	5.3*	4.8*	5.0*		
DAYTONA BEACH CITY LIMIT(0.0C)																						
4324421	0.000	0.230	C	2016	0012	CRACKING	7.0	7.0	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ATLANTIC CIVIL CONSTRUCTOR				(2017)	RIDE		5.0*	4.7*	4.8*	4.7*	4.1*											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																																		
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE														
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
INTERSECT AT	(MP)	(SIDE)					*****																											
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029													
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																												
79080000	1.059	1.375	C	1	1	30	CRACKING	4.5*						10.0	10.0	10.0		10.0	10.0	10.0	8.5													
600 92				4	6.0	9200	RIDE	4.8*						4.7*	5.7	4.4*		5.4*	4.4*	4.4*	4.3*													
HALIFAX AVE(1.1L)							WC2																											
				(2008)			CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.3												
							RIDE	4.2*	4.2*	4.6*	4.1*	3.1*	3.0*	3.0*	2.9*	3.0*	2.8*	2.8*	2.8*	2.8*	1.7													
79080000	1.375	2.691	R	1	1	35	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5					10.0	10.0	10.0	8.5													
ALA 92				2	5.9	19400	RIDE	7.1	6.8	6.8	6.8	6.7	6.1					5.2*	5.2*	5.2*	4.9*													
ATLANTIC AVE(1.4R)							DGFC																											
				(2008)			CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.1												
							RIDE	5.0*	4.9*	5.0*	5.0*	5.7	5.5	5.5	5.5	5.2*	5.2*	5.2*	4.9*	4.6*	4.6													
4428841	1.448	5.114	C	2024		0012																												
79080000	2.691	6.790	R	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0													
ALA				2	2.2	17000	RIDE	7.7	7.5	7.7	7.5	7.4	6.9	6.7	6.6	6.4	6.5	6.4	7.7	7.7														
UNIVERSITY BLVD(2.9C)							FC125																											
4119851	2.691	6.790	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.8													
P & S PAVING, INC.				(2010)			SPRIDE	7.6	7.6	7.6	7.3	7.3	7.3	7.2	7.1	7.1	7.0	7.0	6.9	6.9	6.6													
4428841	1.448	5.114	C	2024		0012																												
79080000	6.790	9.735	C	1	1	40	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5														
ALA				2	2.2	17000	RIDE	6.9	6.8	8.4	8.5	8.3	7.8	7.8	7.6	7.6	7.7	7.6	7.7	7.6														
NEPTUNE AVE(7.4C)							FC125																											
2410281	6.790	9.800	C	2000		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	4.7													
RANGER CONSTRUCTION INDUST(2001)							SPRIDE	7.5	7.5	7.3	7.2	7.4	7.4	7.3	7.2	7.1	7.1	7.0	7.0	6.8	6.6													
4428741	6.713	9.824	C	2024		0012																												
79080000	9.735	16.726	C	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
ALA				2	13.7	9900	RIDE	6.9	6.8	6.8	6.7	6.6	5.4*	8.6	8.5	8.4	8.5	8.3	8.3	8.4														
LAURIE DR(9.8L)							FC95																											
4071621	9.800	16.726	C	2003		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2													
HALIFAX PAVING, INC.				(2005)			SPRIDE	8.1	7.9	7.9	7.7	7.9	7.8	7.8	7.8	7.7	7.6	7.5	7.5	7.4	7.1													
4509461	10.290	16.726	C	2026		0012																												
79080000	2.691	6.790	L	1	1	35	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0													
ALA				2	2.2	17000	RIDE	7.2	7.1	6.9	7.0	6.8	6.6	6.7	6.3	6.3	6.3	6.4	7.8	7.4														
JESSAMINE BLVD(2.8L)							FC125																											
4119851	2.691	6.790	C	2009		0012	CRACKING	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.9													
P & S PAVING, INC.				(2010)			SPRIDE	7.5	7.4	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.9													
4428841	1.448	5.114	C	2024		0012																												
79080000	1.375	2.691	L	1	1	35	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0					10.0	10.0	10.0	10.0													
ALA 92				2	5.9	19400	RIDE	6.8	7.1	6.8	6.6	6.3	5.8					5.3*	5.3*	5.1*	5.1*													
FIFTH AVE(1.5L)							DGFC																											
				(2008)			CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.1													
							RIDE	5.1*	5.0*	4.8*	4.9*	5.4*	5.3*	5.5	5.3*	5.4*	5.3*	5.3*	5.2*	5.3*	5.3													
4428841	1.448	5.114	C	2024		0012																												
79080000	0.000	0.230	L	1	6	30	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5															
600 92				2	6.0	15000	RIDE	5.4*			5.6	5.3*	5.3*	5.0*	5.0*	5.1*	4.9*	4.6*	5.0*	4.8*														
DAYTONA BEACH CITY LIMIT(0.0C)							DGFC																											
4324421	0.000	0.230	C	2016		0012	CRACKING	7.0	7.0	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE	4.5*	4.6*	4.6*	4.7*	3.4*																						
79080001	0.000	0.033	R	1	6	30	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0														
600 92				2	3.5	17300	RIDE																											
BEACH ST(0.0C)							FC3																											
4324421	0.000	0.033	C	2016		0012	CRACKING	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE																											
79080001	0.604	0.770	R	1	6	30	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0														
600 92				2	3.5	17300	RIDE																											
HALIFAX DR(0.8C)							FC3																											
				(2004)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.7													
							RIDE																											
79080001	0.604	0.770	L	1	6	30	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0														
600 92				2	3.5	17300	RIDE																											
HALIFAX DR(0.8L)							FC3																											
				(2004)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0													
							RIDE																											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
79080001	0.000	0.033	L	1	6	30	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
600 92				2	3.5	17300	RIDE														
BEACH ST(0.0C)							FC3														
4324421	0.000	0.033	C	2016	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE														
79090000	0.000	0.218	C	1	1	35	CRACKING	3.5*		7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0
11				1	6.4	3800	RIDE	7.9		7.1	6.4	7.0	5.8	5.6	5.4*	4.9*	6.0	5.3*	5.3*	10.0	7.6
SR 15(0.0C)							OGFC														
4195961	0.000	0.218	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
P & S PAVING, INC.				(2010)			SPRIDE	7.5	7.5	7.5	7.6	8.0	7.9	7.9	7.6	7.8	7.8	7.9	7.7	7.7	7.7
79090000	0.218	1.690	C	1	1	55	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.0	
11				2	6.4	7300	RIDE	7.9		8.9	8.9	8.8	8.1	7.9	7.7	7.8	7.6	7.3	7.0	6.9	
DOLORES BLVD(0.3R)							FC125M														
4306801	0.941	1.670	C	2015	0012		CRACKING	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALIFAX PAVING, INC.				(2017)			RIDE	6.7	6.6	6.4*	6.3*		8.0	8.0	7.9	7.6	7.6	7.4	7.4	7.2	6.6
79090000	1.690	2.247	C	1	1	55	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	10.0	
11				2	6.4	7300	RIDE	7.9		9.1	9.0	9.0	7.8	8.0	7.7	7.7	7.8	7.4	7.1	8.5	
OLD PERKINS HWY(1.9R)							DGFC														
4233601	1.690	2.247	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4
P & S PAVING, INC.				(2011)			RIDE	8.5	8.3	8.1	8.1	8.3	8.1	8.1	8.1	8.0	8.1	8.0	8.0	7.9	7.7
79090000	2.247	2.645	C	1	1	55	CRACKING	6.5		7.0	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.5*	3.5*	10.0	10.0	
11				2	11.6	3900	RIDE	7.7		7.6	7.5	7.6	6.7	6.7	6.2*	6.2*	6.6	6.6	7.8	7.9	
GEMSTONE TR(2.3L)							OGFC														
4195961	2.247	2.645	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5
P & S PAVING, INC.				(2010)			SPRIDE	7.8	7.7	7.7	7.7	8.0	7.8	7.9	7.9	8.0	7.9	7.8	7.9	8.0	8.0
79090000	2.645	14.295	C	1	1	60	CRACKING	3.5*		10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	6.0*	10.0	
11				2	11.6	3900	RIDE	8.0		9.1	9.1	9.0	8.3	8.2	7.9	8.0	7.5	7.5	7.0	8.7	
ISLAND GROVE DR(3.6R)							FC125R														
4233601	2.645	14.316	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	5.8
P & S PAVING, INC.				(2011)			RIDE	8.5	8.3	8.1	8.0	8.0	7.8	7.8	7.5	7.6	7.6	7.4	7.5	7.4	6.8
79100000	0.000	6.535	C	1	1	55	CRACKING	10.0	9.5	8.5	7.0	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
40				2	13.6	8600	RIDE	9.0	9.0	8.9	8.9	8.6	8.1	7.7	7.4		8.6	8.3	8.7	8.6	
ALICE DR(0.1L)							FC95														
4155261	0.000	6.535	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	7.0	6.0
P & S PAVING, INC.				(2008)			SPRIDE	8.6	8.6	8.6	8.7	8.3	8.4	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.0
4529071	0.000	6.389	C	2027	0012																
79100000	6.535	19.529	C	1	1	60	CRACKING	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	
40				2	18.4	7400	RIDE	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.5	8.5	8.5	8.5	
PINE ST(6.6L)							FC95														
4171541	6.543	19.529	C	2006	0012		CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	5.2
ANDERSON COLUMBIA CO., INC(2008)							RIDE	8.4	8.3	8.2	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.7	7.6
4513111	6.389	13.115	C	2025	0012																
79100000	19.529	19.899	R	1	7	60	CRACKING	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	
40				2	18.4	7400	RIDE	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.1	8.3	8.1	8.2	
COUNTRY ACRES BLVD(19.6R)							FC5M														
4438151	19.531	19.783	C	2022	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	
				(2024)			RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	8.4	
79100000	19.899	25.936	R	1	7	60	CRACKING	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0	10.0	10.0	
40				2	15.4	13600	RIDE	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0		8.1	8.1	8.1	8.1	
RIMA RIDGE RD(21.2R)							FC5M														
4438151	19.899	25.795	C	2022	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	
				(2024)			RIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	8.7	
79100000	25.936	30.240	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	6.0*	
40				2	3.5	36000	RIDE	8.4	8.4	8.3	8.1	8.2	7.9	7.9	7.7	7.7	7.7	7.5	7.5	7.6	7.6
BOOTH RD(26.0R)							FC125M														
4249041	26.392	30.170	C	2014	0012		CRACKING	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5
HALIFAX PAVING, INC.				(2016)			RIDE	7.4	7.3	7.2		7.8	7.8	7.7	7.6	7.6	7.5	7.5	7.4	7.3	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)								=====													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P								2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR) ASTYPE								(REG)													
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																					
79100000	25.875	30.240	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	
40			2	3.5		36000	RIDE	8.4	8.2	8.2	8.1	8.0	7.4	7.3	6.8	7.1	6.9	7.0	6.8	6.9	
BERMUDA ESTATES DR(26.7C)								FC125M													
4249041	26.392	30.170	C	2014		0012	CRACKING	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	5.9
HALIFAX PAVING, INC.								(2016)													
79100000	19.899	25.875	L	1	7	60	CRACKING	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0	10.0	10.0	
40			2	15.4		13600	RIDE	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0		8.1	8.1	8.1	8.1	
PINTO LN(19.9L)								FC5M													
4438151	19.899	25.795	C	2022		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
								(2024)													
79100000	19.529	19.899	L	1	7	60	CRACKING	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	
40			2	18.4		7400	RIDE	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0	6.9	7.9	7.9	8.0	7.9	
								FC5M													
4438151	19.531	19.783	C	2022		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	10.0	
								(2024)													
79110000	0.486	5.886	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.0	8.0	
400 I4			3	7.5		130000	RIDE	9.1	8.9	9.1	9.1				8.3	8.3	8.3	8.3	8.2	8.2	
								FC5M													
4324551	0.486	5.886	C	2016		0012	CRACKING	8.0	8.0	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3
								(2018)													
79110000	5.886	10.212	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5				10.0	10.0	9.0	
400 I4			3	14.8		105000	RIDE	9.1	8.9	9.1	9.1	8.8	8.4	8.4				8.2	8.2	8.2	
								FC5HP													
4380381	5.482	10.212	C	2018		0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	1.0*	10.0	10.0	10.0	9.5	9.5	8.8
								(2020)													
								P & S PAVING, INC.													
79110000	10.212	15.027	R	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	8.0	
400 I4			3	9.8		78000	RIDE	9.1	8.9	9.1	9.1	8.8	8.4	8.4	8.1	7.9		8.0	8.0	7.9	
								FC5M													
4344111	9.875	15.023	C	2022		0012	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	
								(2024)													
								P & S PAVING, INC.													
79110000	15.027	26.944	R	4	4	70	CRACKING	7.5	7.0	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	7.5	
400 I4			3	16.9		59500	RIDE	9.1	9.0	9.0	8.7	8.8	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.5	
								LGD													
4084641	14.821	27.373	C	2012		0213	CRACKING	7.5	7.5					9.4	9.4	9.4	9.5	9.4	9.4	9.2	9.2
								(2018)													
79110000	26.944	28.013	R	4	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.0*	6.0*	
400 I4			2	18.6		52000	RIDE		9.1	9.1	9.1	8.8	8.5	8.3	8.2	8.1	7.9	7.8	7.7	7.8	
								FC5M													
								6.0*	6.0*	6.0*	6.0*	5.5*				10.0	10.0	10.0	10.0		
								(2022)													
79110000	26.944	28.013	L	4	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	
400 I4			2	18.6		52000	RIDE		9.0	9.0	9.1	8.7	8.1	8.3	8.3	8.1	7.9	8.0	8.1	8.1	
								FC5M													
								6.0*	6.0*	6.0*	6.0*	5.0*	5.0*	1.0*	0.0*		10.0	10.0	10.0	10.0	
								(2022)													
79110000	15.027	26.944	L	4	4	70	CRACKING	10.0	10.0	10.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
400 I4			3	16.9		59500	RIDE	9.0	9.0	9.0	8.9	8.8	8.3	8.3	8.4	8.3	8.4	8.4	8.4	8.4	
								LGD													
4084641	14.821	27.373	C	2012		0213	CRACKING	9.0	9.0					9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4
								(2018)													
								P & S PAVING, INC.													
79110000	9.810	15.027	L	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	
400 I4			3	9.8		78000	RIDE	9.1	9.1	9.0	9.1	9.0	8.6	8.5	8.4	8.3		8.3	8.3	8.3	
								FC5M													
4344111	9.875	15.023	C	2022		0012	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0
								(2024)													
								P & S PAVING, INC.													

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	*****															
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR				FY-F	WKM	X-F															(REG)	
ITMSEG-F																						
79160000	0.681	1.819	R	1	1	45	CRACKING	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0		
15A			2	6.9		28000	RIDE	7.9	7.7	7.7	7.9	7.2	6.2*		7.6	7.5	7.6	6.9	8.0	7.9		
BERESFORD RD W(1.0C) FC125																						
2408221	0.143	1.741	C	2004		0213	CRACKING	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5	
				(2006)			SPRIDE	7.7	7.7	7.5	7.6	7.4	7.4	7.4	7.2	7.1	7.3	6.9	7.4	7.3	7.1	
4526471	0.693	1.819	C	2027		0226																
79160000	1.819	3.659	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
15A			2	18.4		27500	RIDE	7.6	7.7	7.5	7.5	7.2	6.9	7.0	6.3	6.3	8.3	8.3	8.2	8.2		
VOLUSIA AVE W(1.9C) FC95																						
4171551	1.819	3.659	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	
				(2008)			SPRIDE	8.2	8.2	8.1	8.1	7.7	7.8	7.5	7.7	7.6	7.6	7.6	7.4	7.6	7.1	
P & S PAVING, INC.																						
79160000	3.659	4.652	R	1	7	50	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A			2	11.5		24500	RIDE	7.2	8.4	8.4	8.4	8.3	8.1	8.2	8.0	8.1	8.2	8.2	8.0	8.1		
PLYMOUTH AVE W(3.8C) FC125M																						
4411341	3.659	4.652	C	2022		0012	CRACKING	10.0	10.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0		
				(2024)			SPRIDE	7.9	7.9	7.8	7.8	7.7	7.6	7.6	7.4	7.4	7.5	7.4	7.3	8.2		
P & S PAVING, INC.																						
79160000	4.652	6.899	R	1	1	55	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0		
15A			2	8.5		13600	RIDE	7.2	8.4	8.4	8.4	8.3	8.0	7.9	7.9			8.4	8.4	8.4	8.2	
GREENS DAIRY RD(4.8R) FC125																						
2408561	4.800	6.750	C	2005		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
				(2008)			SPRIDE	8.2	8.2	8.2	8.1	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.5	7.7	7.2	
P & S PAVING, INC.																						
79160000	4.652	6.899	L	1	1	55	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0		
15A			2	8.5		13600	RIDE	7.2	8.4	8.4	8.4	8.3	8.0	7.9	7.9			8.5	8.5	8.4	8.2	
DELAND CITY LIMITS(4.8L) FC125																						
2408561	4.800	6.750	C	2005		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.3	
				(2008)			SPRIDE	8.2	8.2	8.1	8.1	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.7	7.8	7.4	
P & S PAVING, INC.																						
79160000	3.659	4.652	L	1	7	50	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A			2	11.5		24500	RIDE	7.2	8.4	8.4	8.4	8.3	8.1	8.0	8.0	8.1	8.2	8.2	8.2	8.1		
PLYMOUTH AVE W(3.8C) FC125M																						
4411341	3.659	4.652	C	2022		0012	CRACKING	9.0	9.0	8.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0		
				(2024)			SPRIDE	7.9	8.0	7.8	7.9	7.8	7.7	7.8	7.5	7.6	7.4	7.5	7.4	8.2		
P & S PAVING, INC.																						
79160000	1.819	3.659	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
15A			2	18.4		27500	RIDE	7.7	7.6	7.8	7.7	7.3	6.9	7.1	6.5	6.4	8.1	8.1	8.1	8.1		
VOLUSIA AVE W(1.9C) FC95																						
4171551	1.819	3.659	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.3	
				(2008)			SPRIDE	8.0	8.0	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.5	7.5	7.2	
P & S PAVING, INC.																						
79160000	0.681	1.819	L	1	1	45	CRACKING	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0		
15A			2	6.9		28000	RIDE	7.9	7.7	7.7	7.9	7.2	6.2*		7.8	7.8	7.6	7.0	7.9	7.8		
BERESFORD RD W(1.0C) FC125																						
2408221	0.143	1.741	C	2004		0213	CRACKING	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5	
				(2006)			SPRIDE	7.6	7.8	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.4	7.3	7.4	7.3	7.2	
4526471	0.693	1.819	C	2027		0226																
79160000	0.000	0.681	L	1	7	45	CRACKING	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0		
15A			2	8.1		24000	RIDE	7.9	7.7	7.7	7.9	7.2	6.2*		7.8	7.8	7.6	7.0	7.9	7.8		
DELAND CITY LIMITS(0.0C) FC125M																						
				(2024)			CRACKING	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0		
							RIDE	7.6	7.8	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.4	7.3		7.9		
79170000	0.000	1.000	C	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	10.0		
44			1	3.3		10400	RIDE	7.5	7.5	7.6	7.6	7.6	6.8	6.6	6.6	6.6	6.9	6.5	6.4	8.0		
LEG 070001(0.0C) FC125R																						
4220311	0.000	1.433	C	2009		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.2	
				(2011)			SPRIDE	8.0	8.0	7.9	7.9	7.5	7.5	7.4	7.0	7.2	7.1	7.0	6.7	7.0	6.3	
P & S PAVING, INC.																						
4470861	0.000	1.000	C	2026		0226																
79170100	0.000	0.100	C	1	6	30	CRACKING															
44			2	3.3		10400	RIDE															
DESOTO DR(0.0R) DGFC																						
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)																				(REG)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
79190000	0.000	3.289	R	1	1	45	CRACKING	7.0	7.0	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	
5A			2	6.0	18200	RIDE		8.0	7.7	7.7	7.8				7.6	7.4	7.7	7.7	7.7	7.7	
PORT ORANGE CITY LIMITS(0.0C) FC125																					
2407571	0.009	2.254	C	2001		0213	CRACKING	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	5.7
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																					
4506431	0.025	3.289	C	2027		0226		7.6	7.6	7.5	7.4	7.1	7.1	7.1	6.9	6.9	6.8	6.8	6.8	6.7	6.4
79190000	3.289	6.166	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	
5A			3	3.8	27000	RIDE		8.5	8.4	8.4	8.4	8.1	7.7	7.6	7.5	7.5	7.4	7.2	7.3	7.1	
HERBERT ST(3.3C) FC125R																					
4220321	3.908	6.010	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
P & S PAVING, INC. (2012) SPRIDE																					
79190000	6.166	8.177	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	
5A			3	6.9	35000	RIDE		8.5	8.4	8.4	8.3	8.3	7.7	7.8	7.6	7.6	7.5	7.7	7.4	7.3	
SIDE ROAD(6.5C) FC5M																					
4324383	6.166	8.177	C	2017		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2019) RIDE																					
79190000	8.177	9.619	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*		10.0	10.0	
5A			3	6.9	35000	RIDE		7.3	7.0	7.3	7.4	7.1	6.9	6.8	6.4	6.4	6.3		8.3	8.2	
SR 600(8.2C) FC95																					
4195561	8.208	9.619	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2
P & S PAVING, INC. (2010) SPRIDE																					
79190000	9.791	10.389	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	
5A			2	7.8	1000	RIDE		8.8	8.6	8.8	8.8	8.7	8.0	8.0	7.9	7.9	7.9	7.7	7.5	7.5	
FOURTH ST(10.0L) FC125M																					
4369151	9.791	10.389	C	2018		0012	CRACKING	7.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	7.0	7.0	7.0	7.0	3.4
P & S PAVING, INC. (2020) SPRIDE																					
79190000	10.640	11.696	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
5A			3	5.0	28500	RIDE		8.4	8.3	8.3	8.2	8.1	6.9	6.3*	7.6	7.6	7.6	7.6	7.7	7.3	
CR 4019(10.9C) FC125M																					
4369151	10.640	11.696	C	2018		0012	CRACKING	7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2020) SPRIDE																					
79190000	11.696	14.185	R	1	1	45	CRACKING	0.0*	0.0*	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	9.5	
5A			3	5.0	28500	RIDE		6.2*	6.7	6.9	6.7				7.1	7.1	7.3	7.1	7.0	7.0	
FLOMICH ST(11.7C) FC125																					
2407191	11.836	14.830	C	2001		0213	CRACKING	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.5	
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																					
4506441	11.696	15.606	C	2026		0012		6.5	6.2	6.7	6.6	6.7	6.7	6.6	6.5	6.5	6.4	6.3	6.3	6.1	5.9
79190000	14.185	14.629	R	1	1	45	CRACKING	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
5A			3	6.9	21500	RIDE		6.2*	8.5	8.5	8.5				7.7	7.6	7.2	7.6	7.4	7.2	
STERTHAUS DR(14.2R) FC125																					
2407191	11.836	14.830	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.5
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																					
4506441	11.696	15.606	C	2026		0012		7.0	6.8	6.9	7.0	6.9	6.7	6.5	6.8	6.5	6.4	6.3	6.2	6.0	5.7
79190000	14.629	15.606	R	1	1	45	CRACKING	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
5A			2	6.9	21500	RIDE		6.2*	8.5	8.5	8.5				7.7	7.6	6.5	7.5	7.7	7.5	
LAKEBRIDGE DR(14.9C) FC125																					
2407581	14.405	15.601	C	2001		0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	6.2
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																					
4506441	11.696	15.606	C	2026		0012		7.3	7.5	7.3	6.5	7.1	6.9	6.8	6.7	6.6	6.5	6.3	6.3	6.0	5.9
79190000	14.629	15.606	L	1	1	45	CRACKING	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
5A			2	6.9	21500	RIDE		6.2*	8.5	8.5	8.5				7.2	7.6	7.4	7.4	7.5	7.6	
LAKEBRIDGE DR(14.9C) FC125																					
2407581	14.405	15.601	C	2001		0213	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	6.3
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																					
4506441	11.696	15.606	C	2026		0012		7.3	7.3	7.3	7.0	7.0	6.9	6.8	6.8	6.5	6.7	6.6	6.6	6.7	6.3
79190000	14.185	14.629	L	1	1	45	CRACKING	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
5A			3	6.9	21500	RIDE		6.2*	8.5	8.5	8.5				7.2	7.6	8.0	8.0	7.9	7.9	
MAIN TRL(14.6L) FC125																					
2407191	11.836	14.830	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	6.8
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																					
4506441	11.696	15.606	C	2026		0012		7.8	7.8	7.9	7.7	6.3	6.4	6.0	6.1	5.9	5.9	5.6	5.5	5.5	4.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																										
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT (MP SIDE)								=====										FUTURE																		
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																																				
CONTRACTOR (AGE_ONE YEAR) ASTYPE																																				
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																		(REG)																		
79190000		11.696	14.185	L	1	1 45	CRACKING	0.0*	0.0*	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	10.0																
5A				3	5.0	28500	RIDE	6.2*	6.7	6.9	6.7				7.4	7.3	7.5	7.5	7.3	7.4																
FLOMICH ST(11.7C)																																				
2407191		11.836	14.830	C	2001	0213	CRACKING	10.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.5															
MODERN CONTINENTAL SOUTH I(2006)																																				
4506441		11.696	15.606	C	2026	0012	RIDE	7.3	7.0	7.1	6.8	6.9	6.8	6.7	6.4	6.5	6.5	6.4	6.3	6.0																
79190000		10.640	11.696	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
5A				3	5.0	28500	RIDE	8.1	8.0	8.0	7.9	7.9	7.2	7.2	7.4	7.4	7.4	7.4	7.3	7.1																
CR 4019(10.9C)																																				
4369151		10.640	11.696	C	2018	0012	CRACKING	7.5	7.5	7.5	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC. (2020)																																				
79190000		8.177	9.619	L	1	1 45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0															
5A				3	6.9	35000	RIDE	6.9	6.7	6.8	7.0	6.8	6.5	6.3*	6.2	6.0	6.0			8.3	8.4															
SR 600(8.2C)																																				
4195561		8.208	9.619	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.4	
P & S PAVING, INC. (2010)																																				
79190000		6.166	8.177	L	1	1 50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0																
5A				3	6.9	35000	RIDE	8.6	8.6	8.6	8.5	8.5	7.9	8.0	7.8	7.7	7.8	7.9	7.9	7.8																
PROMENADE SHOPPING CENTE(6.3L)																																				
4324383		6.166	8.177	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC. (2019)																																				
79190000		3.289	6.166	L	1	1 50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*																
5A				2	3.8	27000	RIDE	8.3	8.2	8.2	8.2	8.0	7.5	7.5	7.2	7.3	7.2	7.1	7.1	7.0																
HERBERT ST(3.3C)																																				
4220321		3.908	6.010	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
P & S PAVING, INC. (2012)																																				
79190000		0.000	3.289	L	1	1 45	CRACKING	7.0	7.0	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	8.5																
5A				2	6.0	18200	RIDE	8.0	7.7	7.7	7.8				7.8	7.9	7.9	7.9	7.9	7.9																
PORT ORANGE CITY LIMITS(0.0C)																																				
2407571		0.009	2.254	C	2001	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.3	
MODERN CONTINENTAL SOUTH I(2006)																																				
4506431		0.025	3.289	C	2027	0226	RIDE	7.8	7.7	7.8	7.6	7.3	7.3	7.2	7.1	7.0	7.0	7.0	6.9	6.9	6.5															
79190005		0.000	0.022	C	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
5A				2	7.8	1000	RIDE																													
SR 5A(0.0L)																																				
4369151		0.000	0.022	C	2018	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC. (2021)																																				
79190006		0.000	1.030	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5														
5A				3	5.1	30500	RIDE	8.3	8.7	8.2	8.7	8.6	8.0	7.9	7.6	7.7	7.8	7.8	7.3	7.5																
BRENTWOOD DR(0.0C)																																				
4369151		0.000	1.030	C	2018	0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC. (2020)																																				
79190006		0.000	1.030	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0														
5A				3	5.1	30500	RIDE	7.9	8.0	6.6	7.9	7.9	7.6	7.6	7.4	7.4	7.5	7.4	7.5	7.3																
BRENTWOOD DR(0.0C)																																				
4369151		0.000	1.030	C	2018	0012	CRACKING	7.5	7.5	7.5	7.0	6.5	6.0*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC. (2020)																																				
79190007		0.000	0.140	C	1	6 30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5													
5A				2	6.7	600	RIDE																													
EIGHTH ST(0.0C)																																				
4369151		0.000	0.140	C	2018	0012	CRACKING	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
P & S PAVING, INC. (2020)																																				
79210000		0.192	0.363	R	1	6 45	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
442				1	8.7	14181	RIDE		8.2	7.0	7.8				7.6	6.9	5.9																			
DGFC																																				
							CRACKING	8.5	8.5	8.5	7.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
(2017)																																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P		ASTYPE														
CONTRACTOR (AGE_ONE YEAR)								2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
79210000	0.363	3.972	R	1	7	55	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0
442				2	8.7		14181 RIDE		8.9	8.8	8.8				8.1	8.0	8.0	8.0	8.0	8.0	7.9
COW CREEK RD(0.6C)																					
							FC125M														
4411321	0.379	3.966	R	2022			0012 CRACKING	9.0	9.0	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	
MASCI GENERAL CONTRACTORS (2024)							SPRIDE	7.8	7.6	7.6	7.4	7.3	7.3	7.2	7.1	7.1	7.1	6.9	6.9	8.1	

79210000	0.363	3.972	L	1	7	55	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0
442				2	8.7		14181 RIDE		8.9	8.8	8.8				8.1	7.9	8.0	8.0	8.0	8.0	7.9
SIDE ROAD(0.5L)																					
							FC125M														
4411321	0.379	3.966	L	2022			0012 CRACKING	9.0	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	
MASCI GENERAL CONTRACTORS (2024)							SPRIDE	7.7	7.5	7.4	7.3	7.1	7.0	6.9	6.8	6.8	6.8	6.8	6.6	6.6	8.2

79210000	0.192	0.363	L	1	6	45	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.5	9.5	8.5
442				1	8.7		14181 RIDE		8.0	8.1	8.3				7.8	7.4	7.5				
DGFC																					
							CRACKING	8.5	8.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE														
							(2017)														

79220000	0.000	1.965	C	1	1	35	CRACKING	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	
430				4	3.7		19600 RIDE	6.2*	6.2*	6.0*	6.0	6.2	5.8	5.6		7.3	7.6	7.3	6.9	6.5	
SR483/N CLYDE MORRIS(0.0R)																					
							FC125														
4117821	0.000	2.168	C	2005			0012 CRACKING	9.0	9.0	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.4
P & S PAVING, INC. (2007)							SPRIDE	6.7	6.5	6.7	6.5	6.8	6.7	6.8	6.7	6.8	6.8	6.6	6.5	6.3	6.2
4487981	0.000	2.370	C	2025			0012														

79220000	1.965	2.168	R	1	6	35	CRACKING	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
430				2	3.7		19600 RIDE	6.2*	6.2*	6.0*	6.0	6.2	5.8	5.6		7.3	6.5	5.7	6.0	5.8	
RIDGWOOD AVE(2.1C)																					
							FC125														
4117821	0.000	2.168	C	2005			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2007)							SPRIDE														
4487981	0.000	2.370	C	2025			0012														

79220000	2.168	2.370	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	
430				2	3.7		19600 RIDE	7.6	7.6	7.8	7.4	7.3	6.6	6.2	6.9	7.1	6.8	6.6	6.6	6.9	
MULBERRY ST(2.2R)																					
							DGFC														
4306811	2.168	2.370	C	2015			0012 CRACKING	7.5	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2017)							RIDE	6.8	6.8	6.6	6.6	6.2									
4487981	0.000	2.370	C	2025			0012														

79220000	2.168	2.370	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
430				2	3.7		19600 RIDE	8.3	6.8	7.1		7.1	7.6	7.0	6.9	6.6	6.9	7.8	7.8	7.8	
DAYTONA AVE(2.2L)																					
							DGFC														
4306811	2.168	2.370	C	2015			0012 CRACKING	8.5	8.5	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2017)							RIDE	7.7	7.6	7.3	7.5	6.8									
4487981	0.000	2.370	C	2025			0012														

79220000	1.965	2.168	L	1	6	35	CRACKING	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
430				2	3.7		19600 RIDE	6.2*	6.2*	6.0*	6.0	6.2	5.8	5.6		7.3	5.8	5.8	5.8	5.8	
STATE AVE(2.0L)																					
							FC125														
4117821	0.000	2.168	C	2005			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2007)							SPRIDE														
4487981	0.000	2.370	C	2025			0012														

79220001	0.000	0.104	C	1	6	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
430				2	6.0		9300 RIDE		6.9	7.3	6.8	7.8	6.4	6.5	6.6	6.9	7.1	7.2	7.0	6.9	
BEACH ST N(0.0C)																					
							DGFC														
							CRACKING	8.5	8.5	8.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.1	7.0	7.0	6.9	6.1									
							(2017)														

79220001	0.553	0.983	C	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
430				2	1.6		6000 RIDE		7.5	7.9	7.4	7.6	7.0	7.1	6.8	6.9	6.5	6.6	6.9	6.7	
HALIFAX AVE(0.6C)																					
							FC3														
4411391	0.620	0.953	C	2021			0012 CRACKING	8.5	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0
P&S PAVING & FLORIDA INDUS(2023)							RIDE	6.9	6.2	6.6	6.7	6.4	6.0	6.3	6.2	5.8	6.4	5.8	7.6	7.1	

79220002	0.000	0.442	C	1	6	30	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*
430				2	1.5		11000 RIDE		7.5	7.5	7.5	7.7	6.6	6.6	6.3	6.3	6.4	6.5	6.6	6.1	
ATLANTIC AVE(0.0C)																					
							DGFC														
4306811	0.000	0.455	C	2015			0012 CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9
P & S PAVING, INC. (2017)							RIDE	5.7	6.0	5.3*	5.3*	5.1*									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINE

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	ASTYPE															
ITMSEG-P	(AGE_ONE YEAR)	YEAR		FY-F	WKM	F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR																					(REG)	
ITMSEG-F	W_BMP	W_EMP	RW																			
79220002	0.901	0.997	C	1	6	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
430			2	6.0	10000		RIDE		8.3	8.1	8.1	8.0	7.3	7.4	7.4	7.3	7.6	7.7	7.7	7.9		
BEACH ST N(1.0C)							DGFC															
				(2017)			CRACKING	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.8	7.9	7.5	7.5	7.1									10.0	
79230000	0.000	2.480	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
421			3	3.8	44000		RIDE	8.7	8.7	8.6	8.7	8.5	7.6	8.1	8.5	8.5	8.5	8.5	8.5	8.5	7.0	
AIRPORT RD(0.1C)							FC125A															
4272791	0.350	2.376	C	2014	0012		CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.3
P & S PAVING, INC.				(2016)			RIDE	7.4	7.6	7.4	7.3	8.2	8.3	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.0
79230000	2.480	4.001	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
421			2	3.8	26500		RIDE	7.2	7.2	6.9	7.1	7.0	6.5	6.0*	6.2	8.1	7.7	7.8	7.7	7.6		
JACKSON ST(2.5R)							FC125															
4135841	2.382	3.944	C	2005	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	
P & S PAVING, INC.				(2007)			SPRIDE	7.7	8.0	7.6	7.7	7.6	7.8	7.5	7.7	7.3	7.5	7.2	7.3	7.1	7.1	
79230000	2.480	4.001	L	1	1	45	CRACKING	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	
421			2	3.8	26500		RIDE	7.2	7.0	6.9	6.9	6.7	6.1*	6.0*	6.0	8.1	8.0	8.2	8.2	8.2		
JACKSON ST(2.5L)							FC125															
4135841	2.382	3.944	C	2005	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
P & S PAVING, INC.				(2007)			SPRIDE	8.1	8.1	8.0	7.8	7.7	7.8	7.6	7.6	7.6	7.6	7.4	7.5	7.4	7.2	
79230000	0.350	2.480	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	
421			3	3.8	44000		RIDE	8.6	8.6	8.6	8.6	8.5	8.0	7.9	7.7	7.4	7.6	7.5	7.5	7.6		
SIDE ROAD(0.4C)							FC125A															
4272791	0.350	2.376	C	2014	0012		CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	
P & S PAVING, INC.				(2016)			RIDE	7.3	7.4	7.3	7.3	8.4	8.5	8.4	8.4	8.3	8.2	8.5	8.5	8.4	8.4	
79230000	0.000	0.350	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5				10.0	10.0	
421			2	4.0	54500		RIDE	8.6	8.6	8.6	8.6	8.5	8.0	7.9	7.7	7.4				7.0	6.9	
AIRPORT RD(0.1C)							FC125A															
4272791	0.064	0.350	C	2014	0012		CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0
P & S PAVING, INC.				(2016)			RIDE	6.9	6.8	6.8	6.8	7.9	8.0	7.6	7.9	7.8	7.6	7.6	7.3	7.4	7.0	
79260000	0.000	4.281	C	1	1	40	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	8.5		
441			2	8.0	5800		RIDE	6.8	6.7	6.7	6.6	6.3		6.8	6.2	6.1	6.2	6.1	6.1	6.0		
DUNLAWTON AVE(0.0C)							DGFC															
2409551	0.000	5.409	C	2003	0012		CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	7.0	5.4*	7.0	7.0	7.0	7.0	7.0	5.3	
				(2005)			RIDE	6.0	5.8	5.7	5.7	5.5	5.5	5.5	5.3*	5.2*	5.1*	5.1*	5.1*	5.0*	4.5	
4526401	0.014	4.735	C	2027	0226																	
79260000	4.281	4.750	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
441			4	8.9	8400		RIDE	8.1	8.0	8.0	7.9	7.8	6.0	5.7	5.7	5.6	5.4*	5.5	5.4*			
OCEAN DUNES RD(4.3R)							FC4															
2409551	0.000	5.409	C	2003	0012		CRACKING	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.4	
				(2005)			RIDE	5.4*	5.3*	5.3*	5.2*	4.9*	4.8*	4.7*	4.7*	4.4*	4.5*	4.4*	4.4*	4.2*	3.8	
4526401	0.014	4.735	C	2027	0226																	
79260000	4.750	5.409	C	1	6	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	7.5	7.5	7.0		
441			2	8.9	8400		RIDE	6.0*	5.8*	6.1*	6.0	5.4*	5.0*	5.4*	5.6	5.0*	5.1*	5.2*	5.1*	5.0*		
SILVER BEACH AVE(4.8C)							FC125M															
4306821	4.847	5.409	C	2015	0012		CRACKING	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	9.0	8.5	8.5	8.5	7.5	7.5	5.5	
P & S PAVING, INC.				(2017)			RIDE	4.8*	4.7*	4.8*	4.7*	4.4*										
79270000	0.000	3.377	R	1	1	40	CRACKING	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0		
483			2	3.3	27500		RIDE	8.1	8.1	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4	7.4	7.8	7.7		
BEVILLE RD(0.0C)							FC125M															
4154641	0.000	3.357	C	2008	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	4.7	
P & S PAVING, INC.				(2010)			SPRIDE	7.6	7.4	7.4	7.5	7.3	7.1	7.1	7.1	6.9	7.0	7.0	6.7	6.4	6.2	
4526411	0.019	3.359	C	2027	0226																	
79270000	0.000	3.377	L	1	1	40	CRACKING	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0		
483			2	3.3	27500		RIDE	8.1	8.1	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4	7.4	8.1	7.9		
BEVILLE RD(0.0C)							FC125M															
4154641	0.000	3.357	C	2008	0012		CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.6	
P & S PAVING, INC.				(2010)			SPRIDE	7.9	7.7	7.7	7.7	7.4	7.3	7.4	7.2	7.2	7.1	7.1	6.9	6.7	6.4	
4526411	0.019	3.359	C	2027	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).