FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS / %T / FY-P / ASTYPE / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79001000	0.000	0.250	R	1	1	55	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
400			2	3.4	28500		RIDE	8.5	8.6		8.2	8.1	8.1	7.9	8.3	8.3	8.3	8.3	8.3	8.3															
BEGIN SECTION(0.0C)					FC5M																														
							CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	9.5	9.0	7.5														
				(2024)			RIDE	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.4	8.4	7.4	7.8	8.0	7.8														
79001000	0.250	1.812	R	1	1	55	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
400			2	5.2	14600		RIDE	8.5	8.6		8.2	8.1	8.1	7.9	8.3	8.3	8.3	8.3	8.3	8.3															
CR 4009(0.3C)					FC5M																														
4429061	0.250	1.812	C	2023	0012		CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	9.1	10.0	8.5														
P & S PAVING, INC.				(2024)			SPRIDE	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.4	8.4	8.9	8.6	8.5	8.3														
79001000	1.812	4.196	R	1	1	45	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5															
400			2	4.8	21500		RIDE	7.9	7.7		7.7	7.6	7.5	7.5	7.6	7.7	7.7	7.1	7.7	7.5															
WOODCREST DR(2.0R)					DGFC																														
4306771	1.812	4.161	C	2016	0012		CRACKING	7.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.8	7.0														
P & S PAVING, INC.				(2017)			RIDE	7.6	7.5	7.3	8.1	8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.8	7.5														
79001000	1.812	4.196	L	1	1	45	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0															
400			2	4.8	21500		RIDE	7.8	7.8		7.8	7.7	7.2	7.7	7.7	7.8	7.8	7.4	7.7	7.7															
WOODCREST DR(2.0L)					DGFC																														
4306771	1.812	4.161	C	2016	0012		CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	7.0														
P & S PAVING, INC.				(2017)			RIDE	7.7	7.5	7.4	8.0	8.0	7.8	7.8	7.7	7.7	7.8	7.6	7.7	7.5	7.2														
79001000	0.250	1.812	L	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
400			2	5.2	14600		RIDE	8.7	8.6		8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.1	8.2	8.1															
CR 4009(0.3C)					FC5M																														
4429061	0.250	1.812	C	2023	0012		CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	9.8	10.0	8.5														
P & S PAVING, INC.				(2024)			SPRIDE	8.2	8.1	8.3	8.2	8.3	8.3	8.2	8.2	8.3	8.3	8.9	8.7	8.5	8.3														
79001000	0.000	0.250	L	1	1	55	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
400			2	3.4	28500		RIDE	8.5	8.3		8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.1	8.2	8.1															
BEGIN SECTION(0.0C)					FC5M																														
							CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	9.3	8.0														
				(2024)			RIDE	8.2	8.1	8.3	8.2	8.3	8.3	8.2	8.2	8.3	8.3	7.9	8.1	8.0	7.8														
79002000	0.000	16.899	R	4	1	70	CRACKING	8.5	7.5	4.5*	4.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5															
9 I95	232.5	249.4	3	25.4	33500		RIDE	9.0	8.9	8.8	7.9	7.9		8.4	8.3	8.3	8.3	8.3	8.2	8.1															
					FC5M																														
4068698	0.000	16.896	C	2013	0218		CRACKING	7.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.5	5.5*														
				(2017)			RIDE	8.0			8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.5	8.5	8.4														
79002000	16.899	26.000	R	4	1	70	CRACKING	8.5	7.5	4.5*	4.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5															
9 I95	249.4	258.5	3	16.4	52600		RIDE	9.0	8.9	8.8	7.9	7.9		8.4	8.3	8.3	8.3	8.3	8.2	8.1															
					FC5M																														
2427152	16.899	30.755	C	2015	0213		CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.9	7.0														
				(2019)			RIDE	8.0	8.0				8.4	8.3	8.4	8.4	8.3	8.4	8.3	8.3	8.2														
79002000	26.000	30.360	R	4	1	65	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	7.5	7.0	7.0	7.0	7.0															
9 I95	258.5	262.9	3	12.7	84500		RIDE	9.0	8.9	8.9		7.9	7.9	7.9	7.8	7.9	7.8	7.8	7.7	7.5															
					FC5M																														
2427152	16.899	30.755	C	2015	0213		CRACKING	7.0	7.0	6.5					10.0	10.0	10.0	10.0	9.1	8.7	7.0														
				(2021)			RIDE	7.5	7.4	7.7					8.4	8.4	8.3	8.3	8.3	8.3	8.2														
79002000	30.360	36.400	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0															
9 I95	262.9	268.9	3	12.7	85500		RIDE	9.2	9.0	8.8	8.5			8.3	8.3	8.3	8.3	8.3	8.1	7.9															
					FC5M																														
4411331	30.755	36.500	C	2021	0012		CRACKING	9.0	7.5	6.5	4.5*	3.5*	1.0*	0.0*	0.0*	0.0*		10.0	10.0	10.0	8.5														
HALIFAX PAVING, INC.				(2024)			SPRIDE	7.8	7.5	7.9	7.8	7.6	7.8	7.7	7.6	7.4		8.9	8.9	8.9	8.8														
79002000	36.400	45.712	R	4	1	70	CRACKING	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0															
9 I95	268.9	278.2	3	19.6	80000		RIDE	9.0	8.9	8.7	8.2		8.3	8.4	8.3	8.3	8.2	8.2	8.0	7.8															
					FC5M																														
4391311	36.500	44.992	C	2020	0012		CRACKING	9.0	9.0	6.5	4.5*	0.0*	0.0*	0.0*		10.0	10.0	10.0	9.6	9.0	7.5														
HALIFAX PAVING, INC.				(2022)			SPRIDE	7.8	7.4	8.0	7.9	7.7	8.1	8.0		8.9	8.8	8.8	8.8	8.7	8.6														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79002000	36.300	45.712	L	4	1	70	1	80000	CRACKING	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0														
9 I95	268.8	278.2	3	19.6				FC5M	RIDE	8.8	9.0	9.1	8.3		8.3	8.4	8.3	8.3	8.2	8.2	8.1	7.8														
4391311	36.500	44.992	C	2020		0012	CRACKING			9.0	9.0	6.5	4.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	9.5	8.8	7.5												
HALIFAX PAVING, INC.				(2022)			SPRIDE			7.7	7.4	8.0	7.8	7.8	8.0	7.8		8.9	8.6	8.6	8.6	8.6	8.5												
79002000	30.086	36.300	L	4	1	65	CRACKING			10.0	8.5	8.5	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0														
9 I95	262.6	268.8	3	12.7		85500	RIDE			8.8	8.7	8.7	8.3			8.3	8.3	8.3	8.3	8.2	8.0	8.0														
4411331	30.755	36.500	C	2021		0012	CRACKING			9.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	8.5												
HALIFAX PAVING, INC.				(2024)			SPRIDE			7.8	7.5	7.7	7.4	7.3	7.5	7.2	7.1	6.7		8.9	8.8	8.8	8.7												
79002000	26.000	30.086	L	4	1	65	CRACKING			10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.0	7.5	7.0	7.0	7.0														
9 I95	258.5	262.6	3	12.7		84500	RIDE			9.0	8.9	9.0		8.0	8.0	8.0	7.9	7.7	7.9	7.9	7.8	7.6														
2427152	16.899	30.755	C	2015		0213	CRACKING			7.0	6.5	6.5					10.0	10.0	9.5	9.5	9.6	9.3	7.5													
				(2021)			RIDE			7.5	7.3	7.7					8.5	8.5	8.4	8.4	8.4	8.4	8.3													
79002000	16.899	26.000	L	4	1	70	CRACKING			7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5														
9 I95	249.4	258.5	3	16.4		52600	RIDE			9.0	8.9	8.8	8.0	7.7		8.4	8.3	8.4	8.3	8.3	8.3	8.3														
2427152	16.899	30.755	C	2015		0213	CRACKING			7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.0	9.2	9.0	7.0													
				(2019)			RIDE			8.2	8.3				8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3													
79002000	0.000	16.899	L	4	1	70	CRACKING			7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5														
9 I95	232.5	249.4	3	25.4		33500	RIDE			9.0	8.9	8.8	8.0	7.7		8.4	8.3	8.4	8.3	8.3	8.3	8.3														
4068698	0.000	16.896	C	2013		0218	CRACKING			7.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.5	5.5*													
				(2017)			RIDE			8.2			8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.6	8.6	8.6	8.5													
79010000	0.000	6.663	R	1	1	65	CRACKING			8.5	8.5	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0														
5 1			2	6.1		5200	RIDE			8.9	8.8	8.8	8.1	8.1	7.9		8.1	8.0	7.9	8.0	7.9	7.8														
CO LINE DITCH RD(0.0R)								FC5M																												
4438131	0.000	6.663	C	2022		0012	CRACKING			10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.4	10.0	8.5												
MASCI GENERAL CONTRACTORS				(2024)			SPRIDE			7.6	7.7	7.8	7.9	7.7	7.8	7.7	7.6	7.7	7.7	8.5	8.5	8.5	8.3												
79010000	6.663	14.746	R	1	1	55	CRACKING			3.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5														
5 1			2	3.5		15500	RIDE			7.9		8.8	8.0	8.0	8.0	8.0	7.9	7.8	7.7	7.8	7.6	7.6														
CANAL AVE(7.0R)								FC5M																												
4306781	6.646	14.746	R	2016		0012	CRACKING			7.5	6.5	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.0													
P & S PAVING, INC.				(2019)			RIDE			7.4	7.4	7.6			8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.1													
79010000	14.746	15.749	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		10.0	10.0														
5 1			2	6.2		29000	RIDE			8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0	8.0	7.8		8.2	8.1														
ORANGE AVE(14.8R)								FC125R																												
4220181	14.746	20.040	C	2010		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1	7.0	5.0*												
HALIFAX PAVING, INC.				(2012)			RIDE			8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.5	7.6	7.3												
79010000	15.749	17.673	R	1	1	40	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		10.0	10.0														
5 1			2	6.7		26000	RIDE			8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0	8.0	7.8		8.2	8.1														
E LAMONT ST(15.8R)								FC125R																												
4220181	14.746	20.040	C	2010		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1	7.7	5.5*												
HALIFAX PAVING, INC.				(2012)			RIDE			8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.5	7.4	7.1												
79010000	17.673	20.040	R	1	1	40	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		10.0	10.0														
5 1			2	6.7		26500	RIDE			8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0	8.0	7.8		8.2	8.1														
SMITH ST(17.8R)								FC125R																												
4220181	14.746	20.040	C	2010		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1	8.1	6.0*												
HALIFAX PAVING, INC.				(2012)			RIDE			8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.5	7.5	7.2												
79010000	20.040	23.242	R	1	1	55	CRACKING			10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.0*	10.0	10.0	10.0														
5 1			2	6.7		26000	RIDE			8.9	8.8	8.8	8.3	8.3	8.2	8.2	8.1	8.1	8.0	8.3	8.3	8.3														
INLET SHORES DR(20.6R)								OGFC																												
4220191	20.040	24.234	C	2010		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	8.2	7.8	4.5*												
HALIFAX PAVING, INC.				(2011)			RIDE			8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.3	8.1												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / ASTYPE / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79010000	23.242	23.559	R	1	7	55	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
5 1			2	6.7	27500		RIDE				8.5	8.1	8.1	8.0	8.1	8.0	7.8	7.8	8.3	8.3	8.3														
						OGFC																														
4470891	23.200	23.622	R	2025	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	8.2	10.0	9.0														
P & S PAVING, INC.			(2026)				RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.2	8.0														
79010000	23.559	24.229	R	1	1	55	CRACKING				6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0														
5 1			2	6.7	27500		RIDE				8.5	7.9	7.7	7.6	7.6	7.5	7.3	7.3	8.3	8.3	8.3														
HARBOR DR(23.7R)						OGFC																													
4220191	20.040	24.234	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	8.2	6.5	3.0*														
HALIFAX PAVING, INC.			(2011)				RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	7.4	7.2														
79010000	24.229	24.908	R	1	1	45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0														
5 1			2	6.7	27500		RIDE				8.3	8.0	8.0	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.6														
HARBOR RD(24.5R)						FC5A																													
4286881	24.229	26.879	C	2015	0012		CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.3	7.8	5.5*														
HALIFAX PAVING, INC.			(2017)				RIDE	7.4	7.5		7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.3	7.1														
79010000	24.908	26.882	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5															
5 1			2	7.0	15900		RIDE	8.7	8.7	8.6	8.0	8.0	7.7	7.9	7.8	7.7	7.8	7.8	7.6	7.6															
PALM AVE(25.0R)						FC125A																													
4286881	24.229	26.879	C	2015	0012		CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.3	7.0	5.5*														
HALIFAX PAVING, INC.			(2017)				RIDE	7.6	7.2		7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.2	6.9														
79010000	26.882	28.722	R	1	4	40	CRACKING	8.9	8.9	8.8	8.8	8.8	8.7	8.6	8.5	7.9	8.3	8.7	8.6	8.6															
5 1			2	6.7	24500		RIDE	7.2	7.2	7.3	6.8	6.7	6.6	6.6	6.8	6.7	6.5	6.8	6.7	6.7															
CARLTON PL(26.9R)						B																													
							CRACKING	8.0	8.2	8.0	8.1	8.3	8.2		9.3	9.2	9.1	9.0	9.0	8.8	8.5														
			(2021)				RIDE	6.6	6.5	6.4	6.3	6.4	6.3		6.4	6.4	6.3	6.3	6.3	6.4	6.3														
79010000	28.722	29.400	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5															
5 1			2	6.7	24500		RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	7.7	7.4															
SANDY CIR(28.7R)						FC125M																													
2409311	28.676	32.696	C	1994	0012		CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*														
MARTIN PAVING CO			(1995)			S	RIDE	7.7	7.8	7.9	7.9	7.8	7.7	7.5	7.7	7.7	7.6	7.6	7.5	7.5	7.2														
4470891	28.807	29.399	C	2025	0012																														
79010000	29.400	30.564	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5															
5 1			2	2.5	30000		RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	7.7	7.4															
RIDGE BLVD(29.4C)						DGFC																													
							CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.1	8.6	7.0														
			(2015)				RIDE	7.7	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.1	7.2	6.9														
79010000	30.564	32.540	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0															
5 1			2	2.5	30000		RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	7.6	7.6															
BEVILLE RD(30.6R)						FC125R																													
							CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.0	6.5	6.5	6.5	6.6	6.5	4.5*														
			(2012)				RIDE	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.1	7.0	7.0	6.7	6.7	6.7	6.4														
4507821	30.564	32.696	C	2026	0012																														
79010000	32.540	32.696	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0															
5 1			2	8.1	29500		RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	6.5	6.1															
MAGNOLIA AVE(32.6C)						DGFC																													
							CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	7.5	6.0*														
			(2017)				RIDE	6.1																													
4507821	30.564	32.696	C	2026	0012																														
79010000	32.540	32.696	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.0*	6.0*															
5 1			2	8.1	29500		RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	5.0*	5.0*															
MAGNOLIA AVE(32.6C)						DGFC																													
							CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.7	9.5	8.5														
			(2026)				RIDE	4.8*																													
79010000	30.564	32.540	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	10.0	10.0															
5 1			2	2.5	30000		RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	8.2	8.1															
RUTLEDGE AVE(30.6L)						FC125R																													
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	6.5	6.5	4.5*														
			(2012)				RIDE	8.1	8.1	7.9	7.9	7.8	7.8	7.7	7.8	7.7	7.6	7.4	7.4	7.3	7.0														
4507821	30.564	32.696	C	2026	0012																														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / FY-P / FY-F	AADT / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
79010000	29.400	30.564	L	1	1	40	1		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.5	8.5													
5	1		2	2.5	30000			DGFC	RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	7.9	7.8													
RIDGE BLVD(29.4C)																																				
									CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.0												
							(2015)		RIDE	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.5	7.6	7.6	7.3												
79010000	28.722	29.400	L	1	1	45			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.5	8.5													
5	1		2	6.7	24500				RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	7.9	7.8													
REED CANAL RD(28.7L)								FC125M																												
2409311	28.676	32.696	C	1994		0012			CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	3.0*											
MARTIN PAVING CO				(1995)		S			RIDE	7.9	8.0	7.8	7.8	7.7	7.7	7.5	7.5	7.4	7.4	7.3	7.3	7.2	6.9											
4470891	28.807	29.399	C	2025		0012																														
79010000	26.882	28.722	L	1	4	40			CRACKING	8.7	8.6	8.6	8.6	8.6	8.5	7.8	7.1	8.1	7.9	8.1	8.0	8.0													
5	1		2	6.7	24500				RIDE	7.2	7.3	7.2	6.6	6.6	6.4	6.3	6.5	6.4	6.5	6.6	6.5	6.4													
WHITE PL(27.0C)								B																												
									CRACKING	7.0	7.0	7.0	6.8	6.7	6.7		9.2	9.2	8.7	8.7	9.1	8.9	8.5											
							(2021)		RIDE	6.1	6.5	6.3	6.3	6.3	6.2		6.2	6.3	6.2	6.2	6.1	6.3	6.2											
79010000	24.908	26.882	L	1	1	45			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5													
5	1		2	7.0	15900				RIDE	8.7	8.5	8.6	8.1	8.0	8.1	8.0	8.1	7.9	7.9	7.9	7.9	7.8													
FROM SR-5A(25.0L)								FC125A																												
4286881	24.229	26.879	C	2015		0012			CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.1*	5.1*	3.5*											
HALIFAX PAVING, INC.				(2017)					RIDE	7.8	7.5		7.8	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.1	6.8											
79010000	24.229	24.908	L	1	1	45			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5													
5	1		2	6.7	27500				RIDE			8.6	7.9	7.4	7.6	7.4	7.6	7.9	7.9	7.9	7.9	7.8													
BAYSHORE DR L(24.8L)								FC5A																												
4286881	24.229	26.879	C	2015		0012			CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.1*	5.5*	3.0*											
HALIFAX PAVING, INC.				(2017)					RIDE	7.7	7.9		7.8	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.8	7.6											
79010000	23.559	24.229	L	1	1	55			CRACKING			6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0													
5	1		2	6.7	27500				RIDE			9.0	8.3	8.3	8.3	8.2	8.3	8.0	8.0	8.2	8.2	8.2													
								OGFC																												
4220191	20.040	24.234	C	2010		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	8.1	5.0*											
HALIFAX PAVING, INC.				(2011)					RIDE	8.2	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.2	8.0											
79010000	23.242	23.559	L	1	7	55			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	10.0	10.0	10.0													
5	1		2	6.7	27500				RIDE			8.4	8.1	7.7	7.9	7.9	7.6	7.6	7.5	8.2	8.2	8.2													
								OGFC																												
4470891	23.200	23.622	L	2025		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	10.0	9.0											
P & S PAVING, INC.				(2026)		SPRIDE			RIDE	8.2	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.6	8.4											
79010000	20.040	23.242	L	1	1	55			CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*	10.0	10.0	10.0													
5	1		2	6.7	26000				RIDE	9.0	8.8	8.8	8.2	8.2	7.9	7.9	8.0	7.8	7.8	8.2	8.2	8.2													
SKYLINE DR(20.7L)								OGFC																												
4220191	20.040	24.234	C	2010		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	7.5	4.0*											
HALIFAX PAVING, INC.				(2011)					RIDE	8.2	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.1	7.9											
79010000	17.673	20.040	L	1	1	40			CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*		10.0	10.0													
5	1		2	6.7	26500				RIDE	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0	7.8	7.8		8.3	8.2													
JULIA ST(18.3L)								FC125R																												
4220181	14.746	20.040	C	2010		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	7.8	5.5*											
HALIFAX PAVING, INC.				(2012)					RIDE	8.2	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.4	7.1											
79010000	15.749	17.673	L	1	1	40			CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*		10.0	10.0													
5	1		2	6.7	26000				RIDE	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0	7.8	7.8		8.3	8.2													
PEARL ST(15.9L)								FC125R																												
4220181	14.746	20.040	C	2010		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	8.1	6.0*											
HALIFAX PAVING, INC.				(2012)					RIDE	8.2	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.7	7.4											
79010000	14.746	15.749	L	1	1	45			CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*		10.0	10.0													
5	1		2	6.2	29000				RIDE	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0	7.8	7.8		8.3	8.2													
TURGOT AVE(14.9L)								FC125R																												
4220181	14.746	20.040	C	2010		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	6.8	4.5*											
HALIFAX PAVING, INC.				(2012)					RIDE	8.2	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.8	7.5											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79010000	11.467	14.746	L	1	1	55	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.5															
5 1			2	3.5	15500		RIDE	8.0		8.7	7.8	8.0	7.9	8.0	7.9	7.9	7.9	7.8	7.8	7.7															
EAST WIND DR(11.5L)						FC5M																													
4306781	11.467	14.746	L	2016		0012	CRACKING	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.5	7.5														
P & S PAVING, INC.				(2018)			RIDE	7.6	7.6	7.9	7.9	8.2	8.6	8.5	8.6	8.5	8.6	8.5	8.5	8.5	8.3													
79010000	9.600	11.467	L	1	4	55	CRACKING	9.4	9.3	9.3	9.4	9.3	9.3	9.4	9.1	4.1*	9.1	9.2	9.1	9.0															
5 1			2	3.5	15500		RIDE	7.5	7.6	7.3	6.6	7.0	6.8	6.9	6.9	7.0	7.0	6.9	6.8	6.7															
CLINTON CEMETARY RD(10.0L)						B																													
							CRACKING	8.9	8.9	8.9	8.6	8.7	8.8	8.8	8.8	9.0	8.6	8.5	8.5	8.4	7.5													
				(2010)			RIDE	6.9	6.8	7.0	6.9	6.9	6.8	6.9	6.9	6.9	6.9	6.6	6.8	6.8	6.7													
79010000	6.663	9.600	L	1	1	55	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5															
5 1			2	3.8	9100		RIDE	8.0		8.8	8.0	7.9	7.9	7.9	7.9	7.8	7.7	7.8	7.7	7.5															
SOUTH ST(6.7L)						FC5M																													
4306781	6.646	9.467	L	2016		0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	6.5														
P & S PAVING, INC.				(2018)			RIDE	7.4	7.1	7.6	7.6	8.9	8.6	8.4	8.5	8.5	8.4	8.2	8.2	8.2	8.0													
79010000	0.000	6.663	L	1	1	65	CRACKING	6.0*	6.0*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0															
5 1			2	6.1	5200		RIDE	8.9	8.3	8.7	8.0	7.7	7.7		8.1	8.1	8.0	8.1	8.0	7.8															
STACEY GROVE RD(1.9L)						FC5M																													
4438131	0.000	6.663	C	2022		0012	CRACKING	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.6	10.0	8.5														
MASCI GENERAL CONTRACTORS				(2024)			SPRIDE	7.9	7.8	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	8.6	8.6	8.6	8.4													
79030000	0.000	5.841	R	1	1	35	CRACKING	5.5*	3.5*	3.5*	3.0*	3.0*		10.0	10.0	9.5	9.5	9.5	9.0	9.0															
5 1			2	2.8	24500		RIDE	7.0	6.9	6.8	5.7	5.6		7.6	7.7	7.6	7.5	7.5	7.5	7.5															
INTL SPEEDWAY BLVD(0.0C)						FC125																													
4117771	0.083	5.924	C	2004		0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.8	7.0	4.5*														
				(2007)			SPRIDE	7.5	7.4	6.8	6.9	6.8	6.7	6.6	6.6	6.4	6.4	6.3	6.3	6.2	5.9													
4529081	0.788	9.556	C	2028		0226																													
79030000	5.841	7.166	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*																
5 1			2	8.3	20500		RIDE	9.0	8.9	8.9	8.4	8.4	8.1	8.2	8.0	7.9	7.9	7.7	7.6																
WOODLAND AVE(5.9R)						FC5A																													
4286891	5.841	7.166	R	2014		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.8	6.6	4.0*														
P & S PAVING, INC.				(2015)			RIDE	7.2	8.2	8.5	8.4	8.4	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.1													
4529081	0.788	9.556	C	2028		0226																													
79030000	7.166	7.459	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*																
5 1			2	8.3	20500		RIDE	9.0	8.9	8.9	8.4	8.4	8.1	8.2	8.0	7.9	7.9	7.7	7.6																
						FC5																													
							CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.4	7.1	4.5*													
				(2015)			RIDE	7.2	8.3	8.5	8.4	8.4	8.5	8.4	8.6	8.4	8.2	8.2	8.3	8.5	8.3													
4529081	0.788	9.556	C	2028		0226																													
79030000	7.459	12.803	R	1	1	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0															
5 1			2	7.7	27500		RIDE	8.1	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	8.0	7.9	7.9															
COQUINA AVE(8.3R)						FC5M																													
4391361	5.868	12.803	C	2020		0012	CRACKING	9.0	7.5	7.5	6.0*	6.0*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5														
P & S PAVING, INC.				(2023)			SPRIDE	7.8	7.8	8.0	8.0	7.9	7.9	7.9	7.9		8.6	8.6	8.5	8.5	8.3													
79030000	11.579	12.803	L	1	1	60	CRACKING	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5	8.5	8.5															
5 1			2	8.3	17800		RIDE	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4	8.3	8.3															
						FC5M																													
4195881	5.868	12.803	C	2007		0012	CRACKING	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.2*	2.9*	0.0*														
HALIFAX PAVING, INC.				(2009)			SPRIDE	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2	8.2	8.2	8.0													
4529082	11.727	12.803	L	2028		0226																													
79030000	10.715	11.579	L	1	1	45	CRACKING	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5	8.5	8.5															
5 1			2	7.7	27500		RIDE	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4	8.3	8.3															
BROADWAY AVE(10.8C)						FC5M																													
							CRACKING	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	9.0	8.4	7.5													
				(2025)			RIDE	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2	8.4	8.5	8.3													
79030000	5.868	10.715	L	1	1	55	CRACKING	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5	8.5	8.5															
5 1			2	7.7	27500		RIDE	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4	8.3	8.3															
WILMETTE AVE(6.2C)						FC5																													
4195881	5.868	12.803	C	2007		0012	CRACKING	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.8*	3.6*	0.0*														
HALIFAX PAVING, INC.				(2009)			SPRIDE	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2	8.2	8.1	7.9													
4529081	0.788	9.556	C	2028		0226																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / SURFTYPE / FY-P / ASTYPE / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79030000	0.000	5.868	L	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0														
5	1		2	2.8	24500		RIDE	6.7	6.6	6.8	5.5	5.4*		7.3	7.3	7.5	7.1	6.9	7.2	7.1														
INTL SPEEDWAY BLVD(0.0C)					FC125																													
4117771	0.083	5.924	C	2004	0012		CRACKING	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.2	6.8														4.5*
				(2007)			SPRIDE	7.1	7.0	6.8	6.6	6.7	6.6	6.5	6.5	6.4	6.3	6.1	6.2	6.1														5.8
4529081	0.788	9.556	C	2028	0226																													
79040000	0.477	2.549	R	1	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
15	17		2	6.7	30500		RIDE		8.6	8.4	7.8	7.9	7.6	7.6	7.9	7.9	7.9	7.8	7.8	7.7														
SAVANNA ST(0.5R)					FC3																													
2407931	0.367	2.522	C	1999	0213		CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	8.3	8.2														5.5*
MARTIN K. EBY CONSTRUCTION(2002)					S		RIDE	7.7	7.6	7.5	7.5	7.3	7.4	7.3	7.3	7.2	7.2	7.2	7.1	7.1														6.8
4509731	0.477	5.304	C	2027	0226																													
79040000	2.549	3.805	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5														
15	17		2	6.5	28500		RIDE	8.5	8.5	8.3	7.8	7.9	7.7	7.8	7.8	7.8	7.8	7.7	7.6	7.5														
PLANTATION RD(2.7R)					FC3																													
2404931	2.522	3.854	C	1996	0213		CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0														3.5*
BERGERON LAND DEVELOPMENT (1998)					S		RIDE	7.2	7.3	7.2	7.2	7.3	7.3	7.2	7.3	7.1	7.3	7.3	7.2	7.1														6.8
4509731	0.477	5.304	C	2027	0226																													
79040000	3.805	6.050	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
15	17		2	10.1	27000		RIDE			8.4	7.9	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.7	7.7														
N PINE MEADOW DR(4.2R)					FC3																													
2407921	3.854	5.959	C	2000	0213		CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0														4.0*
JONES BROS., INC.				(2003)	S		RIDE	7.6	7.6	7.4	7.4	7.4	7.4	7.2	7.2	7.2	7.2	7.3	7.3	7.2														6.9
4509731	0.477	5.304	C	2027	0226																													
79040000	6.050	8.600	R	1	1	45	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0														
15	17		2	9.2	31000		RIDE	8.3	8.3	8.2	7.8	7.8	7.7	7.6	7.6	7.6	7.6	8.4	8.2	8.2														
LEG TO ENTERPRISE RD(6.1R)					FC95R																													
4220201	6.050	9.689	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	6.0*	5.2*	6.0*														4.0*
RANGER CONSTRUCTION INDUST(2011)							RIDE	8.1	8.0	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.7	7.6														7.3
4509911	5.304	8.578	C	2027	0226																													
79040000	8.600	11.420	R	1	7	50	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	4.5*	10.0	10.0	10.0	10.0														
15	17		3	3.3	61000		RIDE	8.6	8.6	8.2	7.8	7.8	7.7	7.6	7.4	7.5	8.1	8.0	8.0	8.0														
E MINNESOTA AVE(9.3R)					FC125M																													
4453011	9.783	11.322	R	2024	0012		CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0	7.0	5.2*	10.0														9.0
P & S PAVING, INC.				(2026)			SPRIDE	8.0	7.9	7.5	7.5	7.4	7.4	7.2	7.2	7.2	7.1	6.9	6.8	8.5														8.2
79040000	11.420	12.404	R	1	1	40	CRACKING	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5														
15	17		2	5.3	34500		RIDE	8.2	8.0	8.0	7.7	7.8	7.6	7.6	7.6	6.9	7.5	7.2	7.0	6.9														
ANDOVER ST(11.7R)					FC125M																													
4306791	11.426	12.244	C	2015	0012		CRACKING	8.5	8.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.2														6.5
HALIFAX PAVING, INC.				(2017)			RIDE	6.8	6.7	6.9	7.6	7.2	7.1	7.1	7.1	7.0	7.0	6.9	6.9	6.9														6.6
79040000	12.404	14.345	C	1	4	30	CRACKING	8.8	8.8	8.8	8.7	8.7	8.7	8.4	8.1	7.7	8.1	8.3	8.4	8.3														
15	17		2	4.9	20500		RIDE		6.3	6.2	5.6	5.7	5.3*	5.3*	5.3*	5.3*	5.2*	5.4*	5.2*	5.6														
CHELSEA AVE R(12.4R)					LDG																													
							CRACKING	8.4	8.4	8.5	8.4	8.3	8.4	8.6	8.7	8.7	7.7	7.8	8.1	8.5	7.5												
				(1977)			RIDE	5.6	5.3*	5.7	5.5	5.3*	5.5	5.4*	5.4*	5.3*	5.5	5.4*	5.5	5.2*	5.1*												
79040000	14.345	15.172	R	1	1	45	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0														
15	17		2	4.2	26000		RIDE	7.2	6.9	7.3	7.1	6.8	6.7	6.7	6.8	6.5	8.3	8.2	8.2	8.2														
E PLYMOUTH AVE(14.4R)					FC125																													
4195941	14.345	15.172	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	8.2														6.0*
P & S PAVING, INC.				(2010)			SPRIDE	7.8	8.1	7.8	7.7	7.7	7.6	7.8	7.7	7.6	7.6	7.7	7.8	7.6														7.3
79040000	14.345	15.172	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0														
15	17		2	4.2	26000		RIDE	8.0	8.0	7.7	7.3	7.6	7.4	7.3	7.4	7.5	8.3	8.1	8.1	7.9														
PLYMOUTH AVE(14.4L)					FC125																													
4195941	14.345	15.172	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	8.3	7.9														5.5*
P & S PAVING, INC.				(2010)			SPRIDE	7.9	7.9	8.0	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.9	7.9	7.8														7.5
79040000	11.420	12.404	L	1	1	40	CRACKING	4.5*	4.5*	10.0	10.0	10.0	8.5	7.5	7.5	6.5	6.0*	6.0*	6.0*	6.0*														
15	17		2	5.3	34500		RIDE	8.0	7.9	8.3	7.7	7.9	7.7	7.7	7.8	7.2	7.1	6.9	6.7	6.6														
CHIPOLA AVE L(11.6L)					FC125M																													
4306791	11.426	12.244	C	2015	0012		CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	7.1	6.8														5.0*
HALIFAX PAVING, INC.				(2017)			RIDE	6.6	6.3	6.3	7.5	7.4	7.0	7.0	7.2	7.1	6.9	6.8	6.8	6.8														6.5

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW LN / %T / SURFTYPE / RW FY-P / RW FY-F	SYS / AADT / WKMX-P / WKMX-F	TYP	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79040000 15 17 NEW YORK AVE L(8.8L) 4453011 P & S PAVING, INC.	8.600 3.3 9.977 (2026)	11.420 11.420	L 1 3 L 2024 (2026)	7 50 61000 FC125M 0012 SPRIDE	CRACKING RIDE CRACKING RIDE		10.0 8.8 9.0 8.0	8.5 8.7 9.0 7.9	10.0 8.3 9.0 7.6	10.0 7.7 9.0 7.5	10.0 7.9 8.5 7.5	8.5 7.7 7.5 7.4	7.5 7.7 7.5 7.3	7.5 7.8 7.5 7.3	 7.5 7.2	10.0 8.1 7.5 7.1	10.0 8.1 7.0 7.1	9.0 8.0 5.9* 6.8	9.0 8.0 10.0 8.4	9.0 8.1
79040000 15 17 HOLLY DR L(6.4L) 4220201 RANGER CONSTRUCTION INDUST(2011) 4509911	6.050 9.2 6.050 9.689 5.304	8.600 8.578	L 1 2 C 2010 C 2027	1 45 31000 FC95R 0012 0226	CRACKING RIDE CRACKING RIDE		10.0 8.6 10.0 8.1	10.0 8.5 10.0 8.0	8.5 8.5 10.0 8.1	7.0 7.8 9.0 8.1	7.0 7.9 8.5 8.0	6.5 7.7 7.0 8.0	6.5 7.7 7.0 7.9	6.5 7.7 7.0 7.9	6.5 7.6 7.0 7.8	6.5 7.6 7.0 7.8	10.0 8.3 6.0* 7.8	10.0 8.2 5.8* 7.8	10.0 8.2 6.0* 7.5	4.0* 7.2
79040000 15 17 HIGHBANKS RD(3.8L) 2407921 JONES BROS., INC. 4509731	3.656 10.1 3.854 (2003) 0.477	6.050 5.959 5.304	L 1 2 C 2000 C 2027	1 45 27000 FC3 0213 S 0226	CRACKING RIDE CRACKING RIDE		 8.5 7.5	10.0 8.3 8.5 7.4	10.0 7.8 8.5 7.3	10.0 7.8 8.0 7.3	10.0 7.7 8.0 7.1	10.0 7.8 8.0 7.1	10.0 7.9 7.0 7.0	10.0 7.7 7.0 7.1	10.0 7.7 7.0 7.1	10.0 7.7 7.0 7.0	8.5 7.7 7.0 7.1	8.5 7.6 7.0 7.1	8.5 7.6 7.0 7.1	4.0* 6.8
79040000 15 17 SANFORD AVE(2.7L) 2404931 BERGERON LAND DEVELOPMENT (1998) 4509731	2.549 6.5 2.522 3.854 0.477	3.656 5.304	L 1 2 C 1996 C 2027	1 40 28500 FC3 0213 S 0226	CRACKING RIDE CRACKING RIDE		10.0 8.0 8.5 6.6	10.0 7.7 8.5 6.5	10.0 7.6 8.5 6.9	10.0 7.4 7.0 6.9	10.0 7.5 7.0 6.7	10.0 7.1 7.0 6.8	10.0 7.1 7.0 6.6	10.0 7.2 7.0 6.7	8.5 7.1 7.0 6.5	8.5 7.0 7.0 6.6	8.5 7.0 7.0 6.5	8.5 6.8 7.0 6.6	8.5 7.0 6.6	3.5* 6.3
79040000 15 17 BARWICK RD(0.5L) 2407931 MARTIN K. EBY CONSTRUCTION(2002) 4509731	0.477 6.7 0.367 0.477	2.549 2.522 5.304	L 1 2 C 1999 C 2027	1 50 30500 FC3 0213 S 0226	CRACKING RIDE CRACKING RIDE		 8.5 7.7	10.0 8.7 8.5 7.6	10.0 8.6 8.5 7.4	10.0 8.0 8.0 7.3	10.0 8.0 8.0 7.2	10.0 7.9 7.0 7.2	10.0 7.9 7.0 7.0	10.0 7.9 7.0 7.1	9.0 7.9 7.0 7.0	9.0 7.9 7.0 7.1	8.5 7.8 7.0 7.0	8.5 7.8 7.0 6.9	8.5 7.7 7.0 6.9	4.0* 6.6
79040101 15 17 LAKE MONROE PARK(0.1R) 4220221 P & S PAVING, INC. 4509731	0.000 7.1 0.000 (2010) 0.000	0.411 0.411 0.411	R 1 2 C 2009 C 2027	1 50 38000 FC125 0012 SPRIDE 0226	CRACKING RIDE CRACKING RIDE		 10.0 7.7	7.0 8.3 10.0 7.6	7.0 8.0 9.0 7.4	7.0 7.1 9.0 7.4	7.0 7.3 9.0 7.1	7.0 6.7 9.0 7.3	7.0 6.4* 9.0 7.1	7.0 7.8 9.0 7.1	7.0 7.8 9.0 6.9	10.0 8.1 9.0 7.0	10.0 8.0 9.0 7.0	10.0 7.9 8.3 7.0	10.0 7.8 8.0 6.9	6.0* 6.6
79040101 15 17 FPL SERVICE RD(0.2L) 4220221 P & S PAVING, INC. 4509731	0.000 7.1 0.000 (2010) 0.000	0.411 0.411 0.411	L 1 2 C 2009 C 2027	1 50 38000 FC125 0012 SPRIDE 0226	CRACKING RIDE CRACKING RIDE		 10.0 8.3	7.0 7.7 10.0 8.2	7.0 7.1 10.0 8.1	7.0 7.3 10.0 8.1	7.0 6.9 10.0 8.0	7.0 7.1 9.0 7.9	3.5* 6.7 9.0 7.9	3.5* 6.8 9.0 7.9	10.0 8.5 9.0 7.8	10.0 8.4 9.0 7.7	10.0 8.3 8.4 7.8	10.0 8.3 7.6 7.7	6.0* 7.4
79050000 15 17 CR 92 / INTL SPDWY(0.0C) 4195961 P & S PAVING, INC.	0.000 5.8 0.000 (2010)	1.210 5.951	R 1 2 C 2009 C 2027	1 50 36500 FC95 0012 SPRIDE 0226	CRACKING RIDE CRACKING RIDE		10.0 8.5 10.0 8.0	8.5 8.6 10.0 7.9	7.0 8.8 9.0 8.1	7.0 8.4 9.0 8.1	6.0* 8.3 8.5 8.1	6.0* 7.8 8.5 8.2	6.0* 8.2 8.5 8.1	4.5* 8.2 8.5 8.2	4.5* 8.2 7.5 8.1	10.0 8.2 7.5 8.1	10.0 8.2 7.0 8.1	10.0 8.2 7.2 7.8	10.0 8.1 6.8 7.7	4.5* 7.4
79050000 15 17 SAGO CIR(1.5R) 4195961 P & S PAVING, INC.	1.210 5.3 0.000 (2010)	4.890 5.951	R 1 2 C 2009 C 2027	1 55 22000 FC5 0012 SPRIDE 0226	CRACKING RIDE CRACKING RIDE		10.0 8.5 10.0 8.0	8.5 8.6 10.0 7.9	7.0 8.8 9.0 8.1	7.0 8.4 9.0 8.1	6.0* 8.3 8.5 8.1	6.0* 7.8 8.5 8.2	6.0* 8.2 8.5 8.1	4.5* 8.2 8.5 8.2	4.5* 8.2 7.5 8.1	10.0 8.2 7.5 8.1	10.0 8.2 7.0 8.1	10.0 8.2 6.5 8.2	10.0 8.1 6.5 8.2	3.0* 8.0
79050000 15 17 E DAVIS ST(5.0R) (2025)	4.890 5.3	5.951	R 1 2	1 45 22000 FC95	CRACKING RIDE CRACKING RIDE		10.0 8.5 10.0 8.0	8.5 8.6 10.0 7.9	7.0 8.8 9.0 8.1	7.0 8.4 9.0 8.1	6.0* 8.3 8.5 8.1	6.0* 7.8 8.5 8.2	6.0* 8.2 8.5 8.1	4.5* 8.2 8.5 8.2	4.5* 8.2 7.5 8.1	10.0 8.2 7.5 8.1	10.0 8.2 7.0 8.1	10.0 8.2 8.8 8.0	10.0 8.1 7.0 7.7	6.0* 7.4
79050000 15 17 BRIDLELAND RD(6.3R) 4135961 P & S PAVING, INC. 4102513	5.951 11.7 5.951 (2007) 5.700	7.250 16.180 7.250	C 1 2 C 2005 C 2023	8 55 12700 FC95 0012 SPRIDE 0213	CRACKING RIDE CRACKING RIDE		8.5 9.0 10.0 8.4	7.0 8.9 10.0 8.4	4.5* 8.7 8.5 8.2	3.5* 7.7 8.5 8.1	3.5* 7.3 8.5 8.1	 7.0 8.1	10.0 8.6 7.0 7.9	10.0 8.7 7.0 8.0	10.0 8.6 7.0 7.9	10.0 8.6 7.0 7.9	10.0 8.6 6.5 7.8	10.0 8.6 5.8* 7.8	10.0 8.5	

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / SURFTYPE / FY-P / ASTYPE / FY-F	AADT / WKMX-P / WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
79050000	7.250	16.180	C	1	7	60			CRACKING	8.5	7.0	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0												
15 17			2	17.3				10200	RIDE	9.0	8.9	8.7	7.7	7.3		8.6	8.7	8.6	8.6	8.6	8.6	8.5												
DAWSON BROWN RD(9.2R)								FC95																												
4102515	7.257	12.080	C	2025				0226	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	5.8*	10.0	9.0											
P & S PAVING, INC.				(2026)					RIDE	8.4	8.4	8.2	8.1	8.1	8.1	7.9	8.0	7.9	7.9	7.8	7.8	8.6	8.3											
79050000	16.180	25.873	C	1	1	60			CRACKING	10.0	10.0	10.0	10.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0													
15 17			2	12.6				6100	RIDE	9.1	9.0	9.0	8.4	8.3	8.1	8.1	7.8	7.6	7.5		8.5	8.4													
E 4 TH AVE(16.3R)								FC125R																												
4220231	16.180	25.873	C	2010				0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.1*	6.5	4.5*											
P & S PAVING, INC.				(2012)					RIDE	8.2	8.2	8.0	7.9	7.9	7.8	7.5	7.8	7.7	7.7	7.6	7.6	7.5	7.2											
4542081	18.400	25.873@	C	2029				0226																												
79050000	4.890	5.951	L	1	1	45			CRACKING	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0													
15 17			2	5.3				22000	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0												
DAVIS AVE(5.0L)								FC95																												
4195961	0.000	5.951	C	2009				0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	8.0	7.6	5.5*											
P & S PAVING, INC.				(2010)					RIDE	8.0	7.7	8.2	8.0	8.1	8.1	8.1	8.1	8.0	8.1	8.0	7.7	7.7	7.4											
79050000	1.210	4.890	L	1	1	55			CRACKING	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0													
15 17			2	5.3				22000	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0												
WILDWOOD RD(1.9L)								FC5																												
4195961	0.000	5.951	C	2009				0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.7	6.5	3.0*											
P & S PAVING, INC.				(2010)					RIDE	8.0	7.7	8.2	8.0	8.1	8.1	8.1	8.1	8.0	8.1	8.0	8.1	8.1	7.9											
79050000	0.000	1.210	L	1	1	50			CRACKING	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0													
15 17			2	5.8				36500	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0												
CR 92 / INTL SPDWY(0.0C)								FC95																												
4195961	0.000	5.951	C	2009				0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	8.2	7.7	5.5*											
P & S PAVING, INC.				(2010)					RIDE	8.0	7.7	8.2	8.0	8.1	8.1	8.1	8.1	8.0	8.1	8.0	7.9	7.9	7.6											
79060000	0.000	0.070	R	1	6	45			CRACKING	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0	6.0*	6.0*	6.0*													
600 92			2	6.6				28000	RIDE	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9	7.8	7.9															
DELAND CITY LIMITS(0.0C)								DGFC																												
4324411	0.000	0.147	C	2016				0012	CRACKING	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.3*	6.5	5.0*											
P & S PAVING, INC.				(2018)					RIDE																											
79060000	0.070	0.522	R	1	1	45			CRACKING	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0	10.0	9.0	9.0													
600 92			2	6.6				28000	RIDE	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9	7.8	7.9	8.2	8.0	8.0												
ALABAMA AVE N R(0.1R)								FC125M																												
4434331	0.134	2.750	R	2022				0012	CRACKING	8.5	7.5	7.0	6.5	6.0*	5.5*	5.5*	5.5*	5.5*	4.0*	10.0	10.0	10.0	9.0											
MASCI GENERAL CONTRACTORS				(2024)					SPRIDE	8.0	8.0	8.2	8.2	8.1	8.2	8.2	8.1	8.1	8.2	8.4	7.9	8.0	7.7											
79060000	0.522	2.759	R	1	1	55			CRACKING	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0	10.0	9.0	9.0													
600 92			2	4.1				27000	RIDE	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9	7.8	7.9	8.2	8.0	8.0												
CLEARVIEW AVE(0.6R)								FC5MW																												
4434331	0.134	2.750	R	2022				0012	CRACKING	8.5	7.5	7.0	6.5	6.0*	5.5*	5.5*	5.5*	5.5*	4.0*	10.0	10.0	10.0	8.5											
MASCI GENERAL CONTRACTORS				(2024)					SPRIDE	8.0	8.0	8.2	8.2	8.1	8.2	8.2	8.1	8.1	8.2	8.4	8.5	8.5	8.3											
79060000	2.759	7.200	R	1	4	65			CRACKING	8.2	8.2	8.0	8.0	7.9	7.9	8.0	6.6	6.5	6.7	6.4*		8.8												
600 92			2	6.5				16100	RIDE	6.8	6.6	6.5	5.9*	5.8*	5.6*	5.7*	5.6*	5.4*	5.4*	5.2*		7.6												
4TH AVE(3.2R)								LDG																												
4220241	2.763	7.200	C	2011				0227	CRACKING	8.8	8.3	8.1	8.1	7.9	7.8	7.4	7.3	7.3	6.8	6.8	6.4*	5.7*	5.0*											
SUPERIOR CONSTRUCTION COMP				(2013)					RIDE	7.9	7.7	8.0	7.9	7.9	8.0	7.8	7.7	7.6	7.5	7.4	7.3	7.1	7.0											
79060000	7.200	13.158	R	1	4	65			CRACKING	8.2	8.2	8.0	8.0	7.9	7.9	8.0	6.6	6.5	6.7	6.4*														
600 92			2	7.0				18600	RIDE	6.8	6.6	6.5	5.9*	5.8*	5.6*	5.7*	5.6*	5.4*	5.4*	5.2*														
WMA(8.3R)								LDG																												
4220242	7.200	13.156	R	2011				0227	CRACKING	9.2	9.0	9.0	8.9	8.8	8.8	8.4	8.5	8.2	7.9	7.8	8.5	6.9	6.5											
SUPERIOR CONSTRUCTION COMP				(2014)					RIDE	8.0	7.9	8.2	8.1	8.1	8.2	8.1	8.0	8.0	7.9	7.7	7.7	7.4	7.3											
79060000	13.158	15.402	R	1	1	55			CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
600 92			2	5.8				27000	RIDE	8.8	8.7	8.7	7.7	7.4	7.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5												
SIDE ROAD(13.2C)								FC5M																												
4452081	13.149	15.410	R	2023				0012	CRACKING	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	9.0											
HALIFAX PAVING, INC.				(2025)					SPRIDE	8.4	8.3	8.4	8.4	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.5	8.7	8.5											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / SURFTYPE / FY-P / FY-F	TYP / AADT / ASTYPE / WKMX-P / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79060000	15.402	16.367	R	1	1 50		CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0															
600 92			3	5.8	27000		RIDE	8.5	8.5	8.3	7.5	7.8	7.6	7.4	7.3	7.3	7.1	8.7	8.5	8.4															
SIDE ROAD(15.6R)					FC125M																														
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.5	9.4	10.0	9.0														
		(2025)					RIDE	8.5	8.5	8.2	8.1	8.0	7.9	8.0	7.9	8.0	8.0	7.8	8.0	8.0	7.7														
79060000	16.367	18.634	R	1	1 50		CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0															
600 92			3	6.6	49500		RIDE	8.5	8.5	8.3	7.5	7.8	7.6	7.4	7.3	7.3	7.1	8.7	8.5	8.4															
TO THAMES RD(16.5R)					FC95																														
4195951	15.444	18.656	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.5	5.5*	5.2*	3.0*															
P & S PAVING, INC.				(2011)	SPRIDE		RIDE	8.5	8.5	8.2	8.1	8.0	7.9	8.0	7.9	8.0	8.0	7.8	7.9	7.9	7.6														
79060000	18.634	19.603	R	1	4 45		CRACKING	9.5	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.3	9.3	9.2	9.3	9.2															
600 92			3	9.8	36500		RIDE	7.5	7.3	7.5	7.2	6.7	6.7	6.2	7.0	7.1	7.1	6.8	7.2	7.0															
TO SR 483(18.7R)					LDG																														
2407211	18.630	19.611	C	1994	0213		CRACKING	9.2	9.2	9.1	9.1	9.2	8.9	8.9	8.9	9.4	9.4	9.2	9.1	9.0	8.0														
L.G. DEFELICE INC.				(1997)			RIDE	7.0	7.1	7.3	7.2	7.0	7.1	7.1	7.0	6.9	7.0	7.1	7.0	7.1	7.0														
79060000	19.603	20.206	R	1	1 40		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.5	7.0															
600 92			2	6.6	24500		RIDE	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3	6.2	6.4	6.5	6.8	6.8															
NOVA RD(19.6C)					FC125																														
							CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.6	9.2	8.0														
		(2020)					RIDE	6.8	7.4	7.0	7.0	6.8	6.7	7.5	7.5	7.3	7.2	7.1	6.9	6.9	6.6														
79060000	20.206	20.597	R	1	1 40		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	10.0	10.0															
600 92			2	1.0	22500		RIDE	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3	6.2	6.4	6.5	6.7	6.7															
LINCOLN AVE(20.2C)					DGFC																														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.1	8.5	6.5														
		(2012)					RIDE	6.5	6.7	7.3	7.1	7.0	6.9	5.6	5.3*	5.0*	5.1*	5.0*	4.7*	4.6*	4.3*														
79060000	20.597	20.766	R	1	6 35		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.5	7.0															
600 92			2	1.0	22500		RIDE	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3	6.2	6.4	6.5	3.9*	4.3*															
S SEGRAVE ST(20.7R)					DGFC																														
4324421	20.625	20.766	C	2016	0012		CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.5	8.0														
ATLANTIC CIVIL CONSTRUCTOR				(2017)			RIDE	4.3*	4.4*	3.6*																									
79060000	20.597	20.766	L	1	6 35		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	7.5	7.0															
600 92			2	1.0	22500		RIDE	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	5.2*	5.1*															
N SEGRAVE ST(20.7L)					DGFC																														
4324421	20.625	20.766	C	2016	0012		CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.5	8.0														
ATLANTIC CIVIL CONSTRUCTOR				(2017)			RIDE	5.1*	5.1*	4.3*																									
79060000	20.206	20.597	L	1	1 40		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	10.0	10.0															
600 92			2	1.0	22500		RIDE	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	6.7	6.4															
LINCOLN AVE(20.2C)					DGFC																														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	6.5														
		(2012)					RIDE	6.6	6.8	7.3	7.5	7.2	7.1	6.2	5.9	6.2	5.9	5.7	5.5	5.5	5.2*														
79060000	19.603	20.206	L	1	1 40		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	7.5	7.5															
600 92			2	6.6	24500		RIDE	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	6.0	6.4															
NOVA RD(19.6C)					FC125																														
							CRACKING	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.5														
		(2020)					RIDE	5.9	6.6	6.1	6.0	5.9	5.8	7.3	7.2	7.3	7.1	6.9	6.9	7.0	6.7														
79060000	18.634	19.603	L	1	4 45		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	8.5	9.1	8.9	8.9	8.9															
600 92			3	9.8	36500		RIDE	7.9	7.8	7.4	7.0	6.9	6.8	5.3*	6.2	7.2	7.3	6.8	7.1	7.0															
FROM SR 483(18.7L)					LDG																														
2407211	18.630	19.611	C	1994	0213		CRACKING	8.8	8.8	8.7	8.6	8.8	8.8	8.8	8.8	9.2	9.4	9.2	9.2	9.0	8.0														
L.G. DEFELICE INC.				(2000)			RIDE	7.1	7.3	7.3	7.3	7.2	7.2	7.1	7.1	7.1	7.1	6.9	6.9	6.9	6.8														
79060000	16.337	18.634	L	1	1 50		CRACKING	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0															
600 92			3	6.6	49500		RIDE	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	8.5	8.4															
INDIGO DR(16.4L)					FC95																														
4195951	15.444	18.656	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	8.0	6.0*															
P & S PAVING, INC.				(2011)	SPRIDE		RIDE	8.5	8.5	8.2	8.1	8.1	8.0	8.0	8.1	8.0	8.0	7.9	8.0	7.9	7.6														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD / %T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
79060000	15.582	16.337	L	1	1	50	27000	CRACKING	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0												
600 92			3	5.8			FC125M	RIDE	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	8.5	8.4												
								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.7	9.1	8.0												
							(2022)	RIDE	8.5	8.5	8.2	8.1	8.1	8.0	8.0		7.5	7.4	7.3	7.3	7.4	7.1												
79060000	15.412	15.582	L	1	7	55		CRACKING	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0												
600 92			3	5.8			27000	RIDE	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	8.5	8.4												
CR 415(15.6C)							FC95																										
								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	7.0	6.0*	10.0	9.0											
							(2026)	RIDE	8.5	8.5	8.2	8.1	8.1	8.0	8.0	7.8	8.1	8.3	8.0	8.0	8.2	7.9											
79060000	14.274	15.412	L	1	4	55		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*														
600 92			2	5.8			27000	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*														
GENE DANIELS RD(15.0L)							LDG																										
4220242	7.200	15.426	L	2011			0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	5.1*	5.1*	4.8*	4.0*											
SUPERIOR CONSTRUCTION COMP							(2014)	RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	6.1*	6.0*	5.9*	5.8*											
79060000	13.156	14.274	L	1	4	55		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*														
600 92			2	5.8			27000	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*														
SIDE ROAD(13.2C)							CONC																										
4220242	7.200	15.426	L	2011			0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	0.0*	0.0*	0.0*	0.0*											
SUPERIOR CONSTRUCTION COMP							(2014)	RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	8.1	8.0	7.9	7.8											
4559191	13.069	13.969	C	2030			0227																										
79060000	11.043	13.156	L	1	4	65		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*														
600 92			2	7.0			18600	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*														
RED JOHN DR(11.1L)							LDG																										
4220242	7.200	15.426	L	2011			0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	7.8	7.7	7.4	7.0											
SUPERIOR CONSTRUCTION COMP							(2014)	RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	7.1	7.0	6.8	6.7											
79060000	9.153	11.043	L	1	4	65		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*														
600 92			2	7.0			18600	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*														
							LDG																										
								CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	9.5	9.4	9.5	9.0											
							(2024)	RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	9.0	8.7	8.9	8.8											
79060000	7.200	9.153	L	1	4	65		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*														
600 92			2	6.5			16100	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*														
BRICK RD(8.5L)							LDG																										
4220242	7.200	15.426	L	2011			0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	6.1*	5.9*	5.0*	4.5*											
SUPERIOR CONSTRUCTION COMP							(2014)	RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	6.9	6.7	6.5	6.4*											
79060000	2.759	7.200	L	1	4	65		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			8.2											
600 92			2	6.5			16100	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			7.4											
SIDE ROAD(3.9C)							LDG																										
								CRACKING	7.2	7.1	6.6	5.9*	5.8*	5.4*	5.0*	4.8*	4.9*	4.3*	4.3*	3.9*	3.2*	2.0*											
							(1977)	RIDE	7.6	7.3	7.6	7.5	7.3	7.1	7.0	6.9	6.9	6.8	6.5	6.3*	6.2*	6.1*											
79060000	0.137	2.759	L	1	4	55		CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			5.3*											
600 92			2	4.1			27000	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			6.6											
AMELIA AVE(0.3C)							LDG																										
								CRACKING	5.0*	4.8*	4.8*	4.4*	4.4*	4.3*	4.2*	4.2*	3.3*	3.3*	3.3*	3.2*	3.1*	2.0*											
							(1977)	RIDE	6.7	6.6	7.1	6.9	7.0	7.0	6.9	6.9	6.7	6.8	6.7	6.7	6.6	6.5											
4434332	0.134	2.750	L	2027			0012																										
79060000	0.000	0.137	L	1	6	45		CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*												
600 92			2	6.6			28000	RIDE																									
DELAND CITY LIMITS(0.0C)							DGFC																										
4324411	0.000	0.147	C	2016			0012	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5											
P & S PAVING, INC.				(2018)				RIDE																									
79070000	0.000	0.162	C	1	1	45		CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0												
44			2	6.5			15500	RIDE	8.3	8.4	8.3	8.2	8.3	8.3	8.1	8.2	8.1	8.1	8.4	8.4	8.4												
UNSIGNED(0.1R)							FC125M																										
4195891	0.000	1.193	C	2009			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.2	7.0											
P & S PAVING, INC.				(2010)			SPRIDE	RIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	5.3*	5.0*											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP / W_EMP	EMP / G_EMP / W_EMP	RW / LN / RW / RW	SYS / %T / FY-P / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD / SURFTYPE / ASTYPE	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79070000	0.162	0.421	C	1	7	55	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0															
44			2	6.5	15500		RIDE	8.3	8.4	8.3	8.2	8.3	8.3	8.1	8.2	8.1	8.1	8.4	8.4	8.4															
						FC125M																															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	10.0	9.0															
					(2026)		RIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	7.2	6.9															
79070000	0.421	1.193	C	1	1	55	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0															
44			2	6.5	15500		RIDE	8.3	8.4	8.3	8.2	8.3	8.3	8.1	8.2	8.1	8.1	8.4	8.4	8.4															
LINDA DR(0.7R)						FC95																													
4195891	0.000	1.193	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.0	7.0															
P & S PAVING, INC.				(2010)			SPRIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	7.8	7.5															
79070000	2.466	4.113	C	1	1	40	CRACKING	8.5	8.5	7.0	7.0	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0															
44			2	8.6	14800		RIDE	8.3	7.8	8.0	7.0	7.3	6.8	6.5	7.0	6.8	8.3	8.1	7.9	7.8															
N RIDGEWOOD AVE(2.9L)						FC95																													
4195891	2.454	4.106	C	2009		0012	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	5.8*	5.3*	3.0*															
P & S PAVING, INC.				(2010)			SPRIDE	7.8	7.9	7.5	7.5	7.3	7.1	7.1	7.1	6.8	6.8	6.9	6.6	6.8	6.5															
4542091	2.667	4.111	C	2028		0012																													
79070000	4.113	6.372	C	1	4	40	CRACKING	8.1	8.0	7.9	7.9	7.8	7.7	7.7	6.6	5.6*	5.7*	6.2*	6.1*	5.8*															
44			2	7.6	14500		RIDE		7.6	7.3	7.2	6.8	6.5	6.6	6.7	6.5	6.4	6.5	6.6	6.4															
S BOUNDARY AVE(4.1R)						LDG																													
							CRACKING	5.6*	5.4*	5.1*	4.7*	4.0*	5.9*	6.9	6.3*	5.3*	5.7*	5.3*	5.4*	6.1*	5.0*															
					(1977)		RIDE	6.5	6.3	6.9	6.7	6.7	6.0	6.6	6.6	6.4	6.4	6.4	6.3	6.3	6.2															
79070000	6.372	7.611	C	1	7	45	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0															
44			2	5.6	19600		RIDE	8.5	8.5	8.1	7.8	7.9	7.7	7.7	7.7	7.6	7.4	7.5	7.4	7.2															
HILL AVE(6.4R)						FC125																													
4453001	6.372	7.381	C	2023		0012	CRACKING	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.6*	10.0	9.0															
P & S PAVING, INC.				(2026)			SPRIDE	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.7	6.6	6.6	6.4	8.2	7.9															
79070000	7.611	8.773	C	1	8	50	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0															
44			2	5.6	19600		RIDE	8.5	8.5	8.1	7.8	7.9	7.7	7.7	7.7	7.6	7.4	7.5	7.4	7.2															
CR 4101(7.8L)						FC125																													
4220261	6.372	8.658	C	2009		0012	CRACKING	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.6*																	
HUBBARD CONSTRUCTION COMPA				(2011)			SPRIDE	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.7	6.6	6.6	6.4*															
4453001	6.372	8.773	C	2023		0012																													
79070000	9.085	9.711	C	1	1	35	CRACKING	10.0	10.0	10.0	8.5					10.0	7.5	7.0	7.0	7.0															
44A			2	11.8	25000		RIDE	8.5	8.5	8.1	7.8					8.2	7.5	7.4	7.3	7.1															
LAKE WINNEMISSETT DR(9.2L)						DGFC																													
4373461	9.085	9.701	C	2019		0012	CRACKING	7.0	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	9.0	8.6	7.6	6.0*															
P & S PAVING, INC.				(2020)			RIDE	7.0	6.9	7.3	7.3	7.1	6.8	8.1	8.0	7.9	7.8	7.7	7.7	7.7	7.4															
79070000	10.200	10.850	R	1	1	50	CRACKING	10.0	10.0	10.0	8.5				10.0	10.0	10.0	10.0	10.0	10.0															
44			2	11.8	25000		RIDE	8.5	8.5	8.1	7.8				8.2	8.2	8.2	8.1	8.1	8.1															
FLORAL PARK BLVD(10.3R)						FC125M																													
4431681	10.200	16.166	C	2021		0012	CRACKING	10.0	10.0	9.0	7.5	4.5*	4.5*	1.0*	1.0*	10.0	10.0	10.0	9.3	8.5	7.5															
P & S PAVING, INC.				(2022)			SPRIDE	8.1	8.0	8.0	7.9	7.8	7.5	7.6	7.6	7.5	8.1	8.0	8.1	7.9	7.6															
79070000	10.850	16.166	R	1	1	65	CRACKING	10.0	10.0	10.0	8.5				10.0	10.0	10.0	10.0	10.0	10.0															
44			2	16.1	21500		RIDE	8.7	8.4	8.6	7.8				8.2	8.2	8.2	8.1	8.1	8.1															
SUNDY TR(13.0R)						FC5M																													
4431681	10.200	16.166	C	2021		0012	CRACKING	10.0	10.0	9.0	7.5	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	7.5															
P & S PAVING, INC.				(2023)			SPRIDE	8.1	8.0	8.0	7.9	7.8	7.5	7.6	7.6		8.9	8.9	8.8	8.7	8.5															
79070000	16.166	19.952	R	1	1	65	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
44			2	11.5	18000		RIDE	8.7	8.4	8.6			7.9	7.9	7.9	7.8	8.0	7.9	7.9	7.9															
RANCHETTE RD(16.6R)						FC5M																													
4411381	16.166	19.952	C	2021		0012	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.6	9.1	7.5															
P & S PAVING, INC.				(2023)			SPRIDE	7.9	7.9	7.8	7.7	7.7	7.7	7.8	7.7		8.8	8.7	8.7	8.7	8.5															
79070000	19.952	24.946	R	1	1	65	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.0*	6.0*	6.0*															
44			2	6.4	21000		RIDE		8.6	8.8	8.4	8.3	8.3	8.3	8.2	8.1	8.1	7.9	7.6	7.5															
CR 415(20.2R)						FC5M																													
4272671	20.000	26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.1	6.8	4.0*															
P & S PAVING, INC.				(2014)			SPRIDE	8.2	8.2	8.3	8.1	8.3	8.2	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.2															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / RATINGS	BMP / EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
INTERSECT AT (MP|SIDE) / SURFTYPE / =========																				
ITMSEG-P / W_BMP / W_EMP		RW	FY-P			WKMX-P														
CONTRACTOR (AGE_ONE YEAR) / ASTYPE							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F / W_BMP / W_EMP		RW	FY-F			WKMX-F														(PMRS)
79070000	24.946 26.989	R	1	1	55	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	
44		2	7.8	36500		RIDE	7.4	7.5	8.4	7.8	7.7	7.6	7.6	7.5	7.4	7.4	7.4	7.1	7.0	
LEGS TO & FM RAMPS(25.0C)					FC5M															
4272671	20.000 26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.2*	5.6*	2.5*
P & S PAVING, INC.			(2014)			SPRIDE	8.2	8.2	8.3	8.1	8.3	8.2	8.4	8.3	8.0	8.0	7.8	7.7	7.8	7.6
4506421	24.946 27.351	R	2026		0012															
79070000	26.989 28.000	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
44		2	7.8	36500		RIDE	7.2	7.1	6.8	6.6	6.6	6.2	5.8	6.0	5.6	5.9	7.7	7.6	7.5	
CORBIN PARK RD(27.1R)					FC125R															
4220271	26.888 28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.0	4.8*	3.6*	1.5*
P & S PAVING, INC.			(2011)			SPRIDE	7.5	7.5	7.2	7.1	7.1	7.1	7.0	7.0	7.0	6.7	6.7	6.1	6.2	5.9
79070000	28.000 29.289	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
44		2	5.2	24500		RIDE	7.2	7.1	6.8	6.6	6.6	6.2	5.8	6.0	5.6	5.9	7.7	7.6	7.5	
OLD MISSION RD(28.3R)					FC125R															
4220271	26.888 28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.0	7.4	6.8	4.5*
P & S PAVING, INC.			(2011)			SPRIDE	7.5	7.5	7.2	7.1	7.1	7.1	7.0	7.0	7.0	6.7	6.7	7.0	7.0	6.7
79070000	29.752 31.310	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	10.0	10.0	10.0	
A1A		2	4.1	28000		RIDE	7.4	7.4	7.2	6.6	6.4	6.3	6.1	6.2	6.3	6.4	7.9	7.5	7.4	
SAXON DR(30.9R)					FC125R															
4220271	30.451 31.310	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.5	7.8	7.5	5.5*
P & S PAVING, INC.			(2011)			SPRIDE	7.5	7.2	7.2	6.9	6.9	6.8	6.8	6.7	6.7	6.5	6.4	6.2	6.4	6.1
79070000	29.752 31.310	L	1	1	40	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	4.0*	4.0*	4.0*	10.0	10.0	10.0	
A1A		2	4.1	28000		RIDE	8.1	8.0	7.9	7.3	7.3	7.2	7.2	7.2	7.1	6.9	8.3	8.1	7.9	
BOUCHELLE DR(30.0L)					FC125R															
4220271	30.451 31.310	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.9	7.7	5.5*
P & S PAVING, INC.			(2011)			SPRIDE	7.9	7.7	7.5	7.4	7.4	7.3	7.2	7.1	7.0	7.0	6.9	6.8	6.9	6.6
79070000	28.000 29.289	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	
44		2	5.2	24500		RIDE	7.9	7.8	7.3	7.0	6.9	6.6	6.8	6.6	6.7	6.5	8.3	8.1	8.0	
CANAL ST(28.0L)					FC125R															
4220271	26.888 28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0	5.0*
P & S PAVING, INC.			(2011)			SPRIDE	8.0	8.0	7.6	7.5	7.5	7.5	7.4	7.3	7.3	7.1	7.0	7.1	7.2	6.9
79070000	26.989 28.000	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	
44		2	7.8	36500		RIDE	7.9	7.8	7.3	7.0	6.9	6.6	6.8	6.6	6.7	6.5	8.3	8.1	8.0	
LINDA RD(27.2L)					FC125R															
4220271	26.888 28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	5.2*	4.5*	2.5*
P & S PAVING, INC.			(2011)			SPRIDE	8.0	8.0	7.6	7.5	7.5	7.5	7.4	7.3	7.3	7.1	7.0	7.2	7.2	6.9
79070000	24.946 26.989	L	1	1	55	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.0*	6.0*	
44		2	7.8	36500		RIDE	7.9	7.8	8.5	7.8	7.8	7.8	7.7	7.5	7.5	7.5	7.4	7.1	7.0	
LEGS TO & FM RAMPS(25.0C)					FC5M															
4272671	20.000 26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	1.8*	1.2*	0.0*
P & S PAVING, INC.			(2014)			SPRIDE	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.3	7.9	7.8	7.7	7.3	7.0	6.8
4506421	24.840 27.351	L	2026		0012															
79070000	19.952 24.946	L	1	1	65	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.0*	6.0*	6.0*	
44		2	6.4	21000		RIDE		9.0	9.0	8.6	8.6	8.5	8.5	8.4	8.4	8.3	8.2	7.8	7.7	
CR-415/TOMOKA FARMS(20.2L)					FC5M															
4272671	20.000 26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	5.7*	5.9*	3.0*
P & S PAVING, INC.			(2014)			SPRIDE	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.5	8.5	8.5	8.4	8.4	8.2
79070000	16.166 19.952	L	1	1	65	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
44		2	11.5	18000		RIDE	8.7	8.4	8.6			7.4	7.5	7.5	7.5	7.5	7.5	7.4	7.4	
CR 4118(16.6L)					FC5M															
4411381	16.166 19.952	C	2021		0012	CRACKING	10.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5
P & S PAVING, INC.			(2023)			SPRIDE	7.3	7.3	7.4	7.4	7.3	7.2	7.3	7.1		8.8	8.7	8.7	8.6	8.4
79070000	10.850 16.166	L	1	1	65	CRACKING	10.0	10.0	10.0	8.5				10.0	10.0	10.0	10.0	10.0	10.0	
44		2	16.1	21500		RIDE	8.7	8.4	8.6	7.8				8.1	8.1	8.1	8.2	8.1	8.1	
OLD SAWMILL RD(13.2L)					FC5M															
4431681	10.200 16.166	C	2021		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5
P & S PAVING, INC.			(2023)			SPRIDE	8.1	8.0	8.1	8.0	7.9	7.9	8.0	8.0		8.8	8.7	8.7	8.7	8.5

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79070000 44 DELAND CROSSING BLVD(10.4L) 4431681 P & S PAVING, INC.	10.200 2 11.8 10.200 (2022)	10.850 16.166	L C	1 2021	1 0012	50 FC125M SPRIDE	CRACKING RIDE CRACKING RIDE	10.0 8.5 10.0 8.1	10.0 8.5 10.0 8.0	10.0 8.1 10.0 8.1	8.5 7.8 9.0 8.0	9.0 7.9	1.0* 6.6	4.5* 8.0	4.5* 8.0	10.0 7.9	10.0 8.1 8.2	10.0 8.1 8.4	10.0 8.1 8.4	10.0 8.2 9.6 8.3	10.0 8.1 9.5 8.0	8.5
79070001 44B LYTLE ST(0.0C) 4220281 P & S PAVING, INC.	0.000 2 9.0 0.698 (2012)	0.684 11000 0012 SPRIDE	C	1	1	35 FC125R	CRACKING RIDE CRACKING RIDE	6.5 6.2* 10.0 7.2	6.5 6.1 10.0 7.2	6.5 5.8 8.5 7.1	6.5 5.2* 8.5 7.1	6.5 5.4* 8.5 6.9	6.5 5.2* 8.5 6.8	6.5 5.0* 8.5 6.7	6.5 4.3* 8.5 6.5	6.5 5.2* 8.5 6.8	6.5 5.2* 7.0 6.7	10.0 7.3 7.0 6.4	10.0 7.2 6.3* 6.3	6.1*	4.0* 5.8
79070001 44B LEWIS ST(0.7L) 	0.684 2 9.0 0.934 (2021)	0.934 11000 	C	1	6	35 DGFC	CRACKING RIDE CRACKING RIDE	6.5 6.2* 8.5	6.5 6.1 7.0	6.5 5.8 5.5*	6.5 5.2* 5.5*	6.5 5.4* 5.5*	6.5 5.2* 5.5*	6.5 5.0* 5.5*	6.5 4.3* 10.0	6.5 5.2* 10.0	6.5 5.2* 10.0	10.0 7.3 8.5	10.0 7.2 7.5	7.1	6.0*
79070002 44 4220281 P & S PAVING, INC. 4470861	0.000 2 9.5 0.090 (2011) 0.000	0.142 10900 C 2009 0012 SPRIDE C 2026 0226	C	1	6	45	CRACKING RIDE CRACKING	10.0 6.0*	10.0 10.0	10.0 8.5	10.0 7.0	10.0 7.0	10.0 7.0	10.0 7.0	10.0 5.5*	10.0 5.5*	8.5 5.5*	8.5 5.5*	10.0 5.5*	10.0 5.5*	10.0 3.5*
79070005 44 S SHELL RD(0.0R) 4195891 P & S PAVING, INC.	0.000 2 6.5 0.000 (2010)	1.286 15500 1.261 SPRIDE	C	1	1	50 FC95 0012	CRACKING RIDE CRACKING	10.0 8.6 10.0	10.0 8.4 10.0	10.0 8.0 10.0	10.0 7.9 10.0	10.0 8.1 10.0	10.0 7.7 10.0	10.0 8.3 8.5	9.5 8.2 8.5	10.0 8.5 8.5	10.0 8.6 8.5	10.0 8.6 8.3	10.0 8.6 8.2	6.0*
79070006 44 SR 44 BEFORE DITCH(0.0C) 4453001	0.000 2 5.6 0.145 (2026)	0.940 22500 0.940 	R	1	7	50 FC125M 0012	CRACKING RIDE CRACKING RIDE	10.0 7.7	10.0 7.6	9.0 7.3	8.5 7.3	8.5 7.2	8.5 7.0	8.5 7.1	8.5 7.0	7.5 7.1	10.0 7.9 7.0	10.0 7.8 6.9	10.0 7.8 5.6* 6.9	10.0 7.7 10.0 8.2	9.0 7.9
79070006 44 SR 44 BEFORE DITCH(0.0C) 4453001	0.000 2 5.6 0.145 (2026)	0.940 22500 0.940 	L	1	7	50 FC125M 0012	CRACKING RIDE CRACKING RIDE	10.0 7.7	10.0 7.7	10.0 7.7	9.0 7.6	9.0 7.6	9.0 7.6	9.0 7.6	9.0 7.4	9.0 7.5	10.0 8.0 7.5	10.0 8.0 7.5	10.0 7.8 7.5	10.0 7.8 7.1 7.5	10.0 8.5	9.0 8.2
79070007 44A SR 44(0.0C) 4373461 P & S PAVING, INC.	0.000 2 28.3 0.004 (2019)	0.089 450 0.089 	C	1	6	 0012	CRACKING RIDE CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	7.0	5.6*	10.0	9.0
79070008 44 	0.000 2 28.3 (2026)	0.112 450 	C	1	1	 	CRACKING RIDE CRACKING RIDE													10.0 5.3*	9.0 5.0*
79070009 44 79110057 WB ON(0.0R) 4453001	0.000 2 6.9 0.000 (2026)	0.511 16700 0.451 	R	1	7	50 FC125M 0012	CRACKING RIDE CRACKING RIDE	10.0 7.8	10.0 7.7	10.0 7.8	10.0 7.7	9.0 7.7	6.5 7.6	3.5* 7.7	3.5* 7.7	3.5* 7.3	10.0 7.8 3.5* 7.0	10.0 8.0 0.0* 6.5	10.0 7.9 0.0* 6.4*	10.0 7.8 10.0 8.1	9.0 7.8
79070009 44 I-4 ONRMP(0.0C) 4453001	0.000 2 6.9 0.000 (2026)	0.511 16700 0.451 	L	1	7	50 FC125M 0012	CRACKING RIDE CRACKING RIDE	10.0 7.5	10.0 7.5	10.0 7.3	10.0 7.1	10.0 7.3	9.0 7.1	6.5 7.2	6.5 7.1	6.5 6.9	10.0 7.5 4.5* 6.7	10.0 7.6 3.5* 6.8	10.0 7.6 1.0* 6.3*	10.0 7.6 10.0 8.0	9.0 7.7

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP SPD / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79080000	0.000	0.230	R	1	6 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0														
600 92			2	5.5	14400	RIDE		6.2	6.3	4.9*	4.8*	4.8*	5.2*	4.7*	5.3*	4.8*	5.0*	5.0*	4.7*														
DAYTONA BEACH CITY LIMIT(0.0C)						DGFC																												
4324421	0.000	0.230	C	2016	0012	CRACKING	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5													
ATLANTIC CIVIL CONSTRUCTOR				(2017)		RIDE	4.8*	4.7*	4.1*																									
79080000	1.059	1.375	C	1	7 30	CRACKING				10.0	10.0	10.0		10.0	10.0	10.0	8.5	8.5	8.5														
600 92			4	6.7	9700	RIDE				5.7	5.7	5.2*		5.4*	5.4*	4.4*	4.3*	4.2*	4.2*														
HALIFAX AVE(1.1L)					FC125M																													
						CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.0														
				(2026)		RIDE	4.6*	4.1*	3.1*	3.0*	3.0*	2.9*	3.0*	2.8*	2.8*	2.8*	2.8*		6.4	6.1														
79080000	1.375	2.691	R	1	1 30	CRACKING	8.5	8.5	8.5	8.5				10.0	10.0	10.0	8.5	8.5	8.5														
A1A 92			2	5.3	15800	RIDE	6.8	6.8	6.7	6.1				5.2*	5.2*	5.2*	4.9*	5.0*	4.9*														
ATLANTIC AVE(1.4R)					DGFC																													
						CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	7.2	7.1	4.5*														
				(2008)		RIDE	5.0*	5.0*	5.7	5.5	5.5	5.5	5.2*	5.2*	5.2*	4.9*	4.6*	4.5*	4.5*	4.2*														
4428841	1.448	5.114	C	2024	0012																													
79080000	2.691	5.030	R	1	8 30	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0														
A1A			2	2.2	18500	RIDE	7.1	6.9	6.7	6.4	6.4	5.9	5.8	6.2	5.9	7.7	7.7	7.6	7.6														
UNIVERSITY BLVD(2.9C)					FC125																													
4119851	2.691	6.790	C	2009	0012	CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0																
P & S PAVING, INC.				(2010)	SPR	IDE	7.6	7.3	7.3	7.3	7.3	7.2	7.1	7.1	7.0	6.9	6.9	7.0																
4428841	1.448	5.114	C	2024	0012																													
79080000	5.030	6.630	R	1	1 30	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0														
A1A			2	2.2	18500	RIDE	7.7	7.5	7.4	6.9	6.7	6.6	6.4	6.5	6.4	7.7	7.7	7.6	7.6														
BEACH RAMP(5.2R)					FC125																													
						CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0														
				(2025)		RIDE	7.6	7.3	7.3	7.3	7.3	7.2	7.1	7.1	7.0	6.9	6.9	6.7	6.8	6.5														
79080000	6.630	6.790	R	1	1 30	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0														
A1A			2	2.2	18500	RIDE	7.7	7.5	7.4	6.9	6.7	6.6	6.4	6.5	6.4	7.7	7.7	7.6	7.6														
					FC125M																													
4119851	2.691	6.790	C	2009	0012	CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*														
P & S PAVING, INC.				(2010)	SPR	IDE	7.6	7.3	7.3	7.3	7.3	7.2	7.1	7.1	7.0	6.9	6.9	6.3	6.3	6.0														
4471051	6.593	6.858	C	2024	0012																													
79080000	6.790	9.735	C	1	1 30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5														
A1A			2	2.2	18500	RIDE	8.4	8.5	8.3	7.8	7.8	7.6	7.6	7.7	7.6	7.7	7.6	7.5	7.5														
NEPTUNE AVE(7.4C)					FC125																													
2410281	6.790	9.800	C	2000	0012	CRACKING	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.6	6.5	3.5*														
RANGER CONSTRUCTION INDUST				(2001)	SPR	IDE	7.3	7.2	7.4	7.4	7.3	7.2	7.1	7.1	7.0	7.0	6.8	6.8	6.7	6.4														
4428741	6.713	9.824	C	2024	0012																													
79080000	9.735	16.726	C	1	1 55	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0														
A1A			2	11.8	10900	RIDE	6.8	6.7	6.6	5.4*	8.6	8.5	8.4	8.5	8.3	8.3	8.4	8.1	7.9														
LAURIE DR(9.8L)					FC95																													
4071621	9.800	16.726	C	2003	0012	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	8.4	7.8	5.0*														
HALIFAX PAVING, INC.				(2005)	SPR	IDE	7.9	7.7	7.9	7.8	7.8	7.8	7.7	7.6	7.5	7.5	7.4	7.5	7.4	7.1														
4509461	9.817	16.724	C	2026	0012																													
79080000	6.630	6.790	L	1	8 30	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0														
A1A			2	2.2	18500	RIDE	6.9	7.0	6.8	6.6	6.7	6.3	6.3	6.3	6.4	7.8	7.4	7.5	7.4														
SR 40(6.7L)					FC125M																													
4119851	2.691	6.790	C	2009	0012	CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5																
P & S PAVING, INC.				(2010)	SPR	IDE	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.4																
4471051	6.593	6.858	C	2024	0012																													
79080000	5.150	6.630	L	1	1 30	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0														
A1A			2	2.2	18500	RIDE	6.9	7.0	6.8	6.6	6.7	6.3	6.3	6.3	6.4	7.8	7.4	7.5	7.4														
MILSAP RD(5.2L)					FC125																													
						CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0														
				(2025)		RIDE	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.6	6.6	6.3														
79080000	2.691	5.150	L	1	1 30	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0														
A1A			2	2.2	18500	RIDE	7.5	7.2	7.0	6.3	6.7	6.5	6.2	6.5	6.3	7.8	7.4	7.5	7.4														
JESSAMINE BLVD(2.8L)					FC125																													
4119851	2.691	6.790	C	2009	0012	CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	6.6	4.5*														
P & S PAVING, INC.				(2010)	SPR	IDE	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.9	6.7	6.4														
4428841	1.448	5.114	C	2024	0012																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / SURFTYPE / RW / FY-P / FY-F	AADT / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79080000	1.375	2.691	L	1	1	30	1	15800	CRACKING	7.0	7.0	7.0	7.0				10.0	10.0	10.0	10.0	8.5	8.5													
A1A 92			2	5.3					RIDE	6.8	6.6	6.3	5.8				5.3*	5.3*	5.1*	5.1*	5.1*	5.0*													
FIFTH AVE(1.5L)								DGFC																												
									CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.2	7.2	5.0*												
							(2008)		RIDE	4.8*	4.9*	5.4*	5.3*	5.5	5.3*	5.4*	5.3*	5.3*	5.2*	5.3*	5.1*	5.1*	4.8*												
4428841	1.448	5.114	C	2024		0012																														
79080000	0.000	0.230	L	1	6	30	1	14400	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.0	7.0													
600 92			2	5.5					RIDE		5.6	5.3*	5.3*	5.0*	5.0*	5.1*	4.9*	4.6*	5.0*	4.8*	4.5*	4.6*													
DAYTONA BEACH CITY LIMIT(0.0C)								DGFC																												
4324421	0.000	0.230	C	2016		0012			CRACKING	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	10.0	8.5													
ATLANTIC CIVIL CONSTRUCTOR(2017)									RIDE	4.6*	4.7*	3.4*																								
79080001	0.000	0.033	R	1	6	30			CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
600 92			2	3.5			18800		RIDE																												
BEACH ST(0.0C)								FC3																												
4324421	0.000	0.033	C	2016		0012			CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	8.5													
ATLANTIC CIVIL CONSTRUCTOR(2017)									RIDE																											
79080001	0.604	0.770	R	1	7	30			CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0														
600 92			2	3.5			18800		RIDE																												
HALIFAX DR(0.8C)								FC125M																												
									CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.2*	10.0	9.0												
							(2026)		RIDE														7.6	7.3												
79080001	0.604	0.770	L	1	7	30			CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
600 92			2	3.5			18800		RIDE																												
HALIFAX DR(0.8C)								FC125M																												
									CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0		10.0	9.0												
							(2026)		RIDE														6.5	6.2												
79080001	0.000	0.033	L	1	6	30			CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
600 92			2	3.5			18800		RIDE																												
BEACH ST(0.0C)								FC3																												
4324421	0.000	0.033	C	2016		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5													
ATLANTIC CIVIL CONSTRUCTOR(2017)									RIDE																											
79090000	0.000	0.218	C	1	1	35			CRACKING	7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0														
11			1	7.0			3600		RIDE	7.1	6.4	7.0	5.8	5.6	5.4*	4.9*	6.0	5.3*	7.7	7.6	7.5	7.5													
SR 15(0.0C)								OGFC																												
4195961	0.000	0.218	C	2009		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.6	6.5	3.0*													
P & S PAVING, INC.							(2010)	SPRIDE	RIDE	7.5	7.6	8.0	7.9	7.9	7.6	7.8	7.8	7.9	7.7	7.7	7.7	7.6	7.4												
79090000	0.218	1.690	C	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0														
11			2	7.0			6700		RIDE	8.9	8.9	8.8	8.1	7.9	7.7	7.8	7.6	7.3	7.0	6.9	6.7	6.6													
DOLORES BLVD(0.3R)								FC125M																												
4306801	0.941	1.670	C	2015		0012			CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.4	7.0													
HALIFAX PAVING, INC.							(2017)		RIDE	6.4*	6.3*		8.0	8.0	7.9	7.6	7.6	7.4	7.4	7.2	7.1	7.1	6.8													
79090000	1.690	2.247	C	1	1	55			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0														
11			2	7.0			6700		RIDE	9.1	9.0	9.0	7.8	8.0	7.7	7.7	7.8	7.4	7.1	8.5	8.5	8.3													
OLD PERKINS HWY(1.9R)								DGFC																												
									CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	10.0	10.0	9.0												
							(2025)		RIDE	8.1	8.1	8.3	8.1	8.1	8.1	8.0	8.1	8.0	8.0	7.9	7.8	7.8	7.5												
79090000	2.247	2.645	C	1	1	55			CRACKING	7.0	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.5*	3.5*	10.0	10.0	10.0	10.0														
11			2	14.8			4400		RIDE	7.6	7.5	7.6	6.7	6.7	6.2*	6.7	6.2*	6.6	7.8	7.9	7.8	7.7													
GEMSTONE TR(2.3L)								OGFC																												
4195961	2.247	2.645	C	2009		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.3	6.5	3.0*													
P & S PAVING, INC.							(2010)	SPRIDE	RIDE	7.7	7.7	8.0	7.8	7.9	7.9	8.0	7.9	7.8	7.9	8.0	7.7	7.5	7.3												
79090000	2.645	14.295	C	1	1	60			CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	6.0*	10.0	10.0	10.0														
11			2	14.8			4400		RIDE	9.1	9.1	9.0	8.3	8.2	7.9	8.0	7.5	7.5	7.0	8.7	8.5	8.3													
ISLAND GROVE DR(3.6R)								FC125R																												
4233601	2.645	14.316	C	2010		0012			CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	8.3	8.0	6.0*													
P & S PAVING, INC.							(2011)		RIDE	8.1	8.0	8.0	7.8	7.8	7.5	7.6	7.6	7.4	7.5	7.4	7.4	7.3	7.0													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / RATINGS / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2031 (PMRS)
79100000	0.000	6.412	C	1	1	55	CRACKING	8.5	7.0	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
40			2	12.7		8800	RIDE	8.9	8.9	8.6	8.1	7.7	7.4		8.6	8.3	8.7	8.6	8.6	8.6	
ALICE DR(0.1L)						FC95															
4155261	0.000	6.535	C	2006		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	7.0	8.0	7.4	5.0*
P & S PAVING, INC.				(2008)		SPRIDE		8.6	8.7	8.3	8.4	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	7.9
4529071	0.000	6.389	C	2029		0226															
79100000	6.412	13.274	C	1	7	60	CRACKING	10.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	9.0	9.0	8.8	7.9	7.5	7.3	7.0	8.5	8.5	8.5	8.5	8.4	8.3	
SR 15(6.4C)						FC125M															
4513111	6.528	12.958	C	2025		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	5.4*	10.0	9.0
P & S PAVING, INC.				(2026)		SPRIDE		8.2	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.7	7.7	8.8	8.5
79100000	13.274	19.529	C	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.5	8.5	8.5	8.5	8.4	8.3	
SIDE ROAD(15.0C)						FC95															
4171541	6.543	19.529	C	2006		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	5.4*	5.7*	3.5*
ANDERSON COLUMBIA CO., INC				(2008)			RIDE	8.2	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.7	7.7	7.8	7.5
4528841	13.261	19.529	C	2027		0226															
79100000	19.529	19.899	R	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.1	8.3	8.1	8.2	8.1	8.2	
COUNTRY ACRES BLVD(19.6R)						FC5M															
4438151	19.531	19.783	C	2022		0012	CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5
				(2024)			RIDE	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	8.4	8.4	8.3	8.1
79100000	19.899	25.936	R	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
40			2	9.9		13100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0		8.1	8.1	8.1	8.1	8.0	8.0	
RIMA RIDGE RD(21.2R)						FC5M															
4438151	19.899	25.795	C	2022		0012	CRACKING	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.2	10.0	8.5
				(2024)			RIDE	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.8	8.7	8.7	8.7	8.5
79100000	25.936	30.240	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	
40			2	4.7		38500	RIDE	8.3	8.1	8.2	7.9	7.9	7.7	7.7	7.7	7.5	7.6	7.6	7.4	7.3	
BOOTH RD(26.0R)						FC125M															
4249041	26.392	30.170	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.9	6.5	5.0*
HALIFAX PAVING, INC.				(2016)			RIDE	7.2		7.8	7.8	7.7	7.6	7.6	7.5	7.5	7.4	7.3	7.4	7.3	7.0
79100000	25.875	30.240	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	
40			2	4.7		38500	RIDE	8.2	8.1	8.0	7.4	7.3	6.8	7.1	6.9	7.0	6.8	6.9	6.6	6.4	
BERMUDA ESTATES DR(26.7C)						FC125M															
4249041	26.392	30.170	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.3	7.0	5.5*
HALIFAX PAVING, INC.				(2016)			RIDE	6.7		7.8	7.7	7.7	7.6	7.6	7.6	7.5	7.5	7.5	7.4	7.5	7.2
79100000	19.899	25.875	L	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
40			2	9.9		13100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0		8.1	8.1	8.1	8.1	8.0	8.0	
PINTO LN(19.9L)						FC5M															
4438151	19.899	25.795	C	2022		0012	CRACKING	10.0	9.0	8.5	7.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5
				(2024)			RIDE	8.0	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	8.7	8.6	8.6	8.4
79100000	19.529	19.899	L	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0	6.9	7.9	7.9	8.0	7.9	7.8	7.8	
						FC5M															
4438151	19.531	19.783	C	2022		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	10.0	9.6	10.0	8.5
				(2024)			RIDE	7.8	7.8	7.8	7.8	7.8	7.6	7.8	7.8	7.7	7.7	8.6	8.5	8.5	8.3
79110000	0.486	5.886	R	4	1	65	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	
400 I4	104.4	109.8	3	6.3		136500	RIDE	9.1	9.1				8.3	8.3	8.3	8.3	8.2	8.2	8.1	8.0	
						FC5M															
4324551	0.486	5.886	C	2016		0012	CRACKING	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	5.5*
RANGER CONSTRUCTION INDUST				(2018)			RIDE	7.7	7.5	8.0		8.7	8.8	8.8	8.9	8.9	8.9	8.7	8.7	8.7	8.6
4565981	0.486	5.636	C	2029		0012															
79110000	5.886	10.212	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	8.5				10.0	10.0	9.0	9.0	9.0	
400 I4	109.8	114.1	3	11.1		108500	RIDE	9.1	9.1	8.8	8.4	8.4				8.2	8.2	8.2	8.0	8.0	
						FC5HP															
4380381	5.482	10.212	C	2018		0012	CRACKING	9.0	9.0	6.5	6.5	4.5*	1.0*	10.0	10.0	10.0	9.5	9.5	9.8	9.4	7.5
P & S PAVING, INC.				(2020)			RIDE	7.8	7.5	8.1	8.0	7.7	8.0	8.9	9.0	8.9	8.9	8.9	8.9	8.8	8.7

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79110000	10.212	15.027	R	4	1	70			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	8.0	8.0	8.0													
400 I4	114.1	118.9	3	12.7	72500				RIDE	9.1	9.1	8.8	8.4	8.4	8.1	7.9		8.0	8.0	7.9	7.7	7.7													
									FC5M																											
4344111	9.875	15.023	C	2022				0012	CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	9.8	10.0	8.5												
P & S PAVING, INC.				(2024)					SPRIDE	7.6	7.2	7.8	7.3	8.0	8.1	8.1	8.2	8.1	8.1	9.0	8.9	8.9	8.8												
79110000	15.027	26.944	R	4	4	70			CRACKING	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	7.5													
400 I4	118.9	130.8	3	12.7	69500				RIDE	9.0	8.7	8.8	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.5	8.4	8.4													
									LDG																											
4084641	14.821	27.373	C	2012				0213	CRACKING					9.4	9.4	9.4	9.5	9.4	9.4	9.2	9.4	9.4	9.0												
				(2018)					RIDE					8.5	9.1	9.1	9.2	9.1	8.9	9.1	9.1	9.1	9.0												
79110000	26.944	28.013	R	4	1	65			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.0*	6.0*	6.0*	6.0*													
400 I4	130.8	131.9	2	16.5	63500				RIDE	9.1	9.1	8.8	8.5	8.3	8.2	8.1	7.9	7.8	7.7	7.8	7.4	7.2													
									FC5M																											
										CRACKING	6.0*	6.0*	5.5*						10.0	10.0	10.0	9.7	9.5	8.0												
				(2022)					RIDE	7.0	7.1	7.2						8.1	7.9	7.8	7.7	7.8	7.7												
79110000	26.944	28.013	L	4	1	65			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.0*	6.0*													
400 I4	130.8	131.9	2	16.5	63500				RIDE	9.0	9.1	8.7	8.1	8.3	8.3	8.1	7.9	8.0	8.1	8.1	7.9	7.9													
									FC5M																											
										CRACKING	6.0*	6.0*	5.0*	5.0*	1.0*	0.0*			10.0	10.0	10.0	9.3	9.4	8.0												
				(2022)					RIDE	7.7	7.5	7.9	7.8	7.6	7.5			8.1	8.0	7.8	7.8	7.9	7.8												
79110000	15.027	26.944	L	4	4	70			CRACKING	10.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
400 I4	118.9	130.8	3	12.7	69500				RIDE	9.0	8.9	8.8	8.3	8.3	8.3	8.4	8.3	8.4	8.4	8.4	8.4	8.3													
									LDG																											
4084641	14.821	27.373	C	2012				0213	CRACKING					9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.0												
				(2018)					RIDE					8.6	8.9	8.8	8.9	9.0	8.9	8.9	8.8	8.9	8.8												
79110000	9.810	15.027	L	4	1	70			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	9.0													
400 I4	113.7	118.9	3	12.7	72500				RIDE	9.0	9.1	9.0	8.6	8.5	8.4	8.3		8.3	8.3	8.3	8.3	8.3													
									FC5M																											
4344111	9.875	15.023	C	2022				0012	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	8.5												
P & S PAVING, INC.				(2024)					SPRIDE	8.0	8.1	7.9	8.2	7.8	8.5	8.5	8.5	8.5	8.5	9.1	9.0	9.0	8.9												
79110000	5.636	9.810	L	4	1	70			CRACKING	10.0	10.0	10.0	10.0	8.5				10.0	10.0	9.0	9.0	9.0													
400 I4	109.5	113.7	3	11.1	108500				RIDE	9.0	9.1	9.0	8.6	8.5				8.2	8.1	8.1	8.0	7.9													
									FC5HP																											
4380381	5.482	10.212	C	2018				0012	CRACKING	9.0	9.0	4.5*	4.5*	1.0*	0.0*	10.0	10.0	10.0	9.5	9.5	9.1	8.9	7.0												
P & S PAVING, INC.				(2020)					RIDE	7.8	7.6	7.9	7.9	7.5	7.7	9.0	9.1	9.1	9.1	9.0	9.0	9.0	8.9												
79110000	0.486	5.636	L	4	1	65			CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0														
400 I4	104.4	109.5	3	6.3	136500				RIDE	9.0	9.1				8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.2														
									FC5M																											
4324551	0.486	5.886	C	2016				0012	CRACKING	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.1	7.0	5.0*												
RANGER CONSTRUCTION INDUST				(2018)					RIDE	8.0	7.8	8.0		8.7	8.8	8.8	8.8	8.9	8.8	8.7	8.6	8.6	8.5												
4565981	0.486	5.636	C	2029				0012																											
79120000	0.459	2.406	R	1	1	55			CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0														
415			2	7.9	26500				RIDE	8.0	7.8	7.7		8.0	7.9	7.9	8.1	8.0	7.9	7.9	7.6														
									FC5A																											
4073553	0.000	2.406	C	2012				0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.8	6.5												
UNITED INFRASTRUCTURE GROU				(2017)					SPRIDE				8.4	8.1	8.0	8.0	8.0	7.8	7.8	7.7	7.7	7.7	7.5												
79120000	2.406	7.446	R	1	1	45			CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0														
415			2	7.9	26500				RIDE	7.8		8.7	8.1	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1														
LEMON BLUFF RD(3.1R)									FC125R																											
4073554	2.406	7.446	C	2012				0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.8	6.0*												
P & S PAVING, INC.				(2016)					SPRIDE			8.0	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.6	7.3												
79120000	7.446	17.590	C	1	1	55			CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.0													
415			2	13.5	13800				RIDE	7.8		8.7	8.1	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1	8.0														
OSCEOLA TRAM RD(7.8L)									FC125M																											
4429071	7.444	17.590	C	2023				0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	9.0												
MASCI GENERAL CONTRACTORS				(2025)					SPRIDE	7.9	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.5	7.5	7.5	8.4	8.4	8.1												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / SURFTYPE / RW FY-P / RW FY-F	SYS / %T / WKMX-P / WKMX-F	TYP / AADT / ASTYPE	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79120000 415 RABBIT RUN(3.4L) 4073554 P & S PAVING, INC.	2.406 2.406	7.446 7.446	L 1 2 7.9 FC125R C 2012 (2016)	1 45 26500 0213 SPRIDE	CRACKING RIDE CRACKING		1.0* 7.8		10.0 8.7 10.0 8.2	10.0 8.1 10.0 8.2	10.0 8.3 10.0 8.1	10.0 8.2 10.0 8.0	10.0 8.3 10.0 8.0	10.0 8.3 10.0 8.0	10.0 8.3 10.0 8.0	8.5 8.3 10.0 7.9	8.5 8.2 9.0 7.9	8.0 8.2 8.7 7.8	8.0 8.1 8.1 7.8	6.5 7.5
79120000 415 DELTONA CITY LIMITS(2.3L) 4073553 UNITED INFRASTRUCTURE GROU	0.459 0.000	2.406 2.406	L 1 2 7.9 FC5A C 2012 (2017)	1 55 26500 0213 SPRIDE	CRACKING RIDE CRACKING		4.5* 8.0 10.0 8.5	3.5* 7.8 10.0 8.4	3.5* 7.7 10.0 8.3	10.0 8.0 10.0 8.3	10.0 7.9 10.0 8.3	10.0 7.9 10.0 8.3	10.0 8.1 10.0 8.1	8.5 8.0 10.0 8.1	7.5 7.9 10.0 8.1	7.0 7.9 10.0 8.0	7.0 7.6 10.0 7.9	6.5 7.8
79140000 46 DUSTY LN(1.3R) 4091691 RANGER CONSTRUCTION INDUST 4526481	0.000 0.000 0.000	5.436 5.436 5.436	C 1 2 6.6 FC125 C 2003 (2005) C 2027	1 55 6300 0012 SPRIDE 0226	CRACKING RIDE CRACKING		4.5* 7.4 10.0 8.0	3.5* 7.2 10.0 7.9	3.5* 7.1 10.0 7.7	10.0 8.2 8.5 7.7	10.0 8.2 7.5 7.7	10.0 8.1 7.0 7.6	10.0 8.2 7.0 7.5	10.0 8.1 7.0 7.5	10.0 8.2 7.0 7.4	10.0 8.1 7.0 7.4	10.0 8.2 7.0 7.3	10.0 8.1 6.3* 7.3	10.0 8.1 5.8* 7.2	3.0* 6.9
79150000 40 US 1(0.0C) 4220302 MASCI GENERAL CONTRACTORS (4471051	0.000 0.048 0.000	0.509 0.509 0.510	C 1 4 13.0 FC95R C 2013 (2014) C 2024	2 35 35000 0012 SPRIDE 0012	CRACKING RIDE CRACKING SPRIDE		9.0 6.9 10.0 6.1	9.0 7.1 10.0 6.2	9.0 6.3 10.0 5.5	9.0 6.0 10.0 5.7	9.0 5.9 8.5 5.6	9.0 5.8 7.0 5.7	7.0 5.4* 6.0* 5.3*	7.0 5.5 6.0* 5.3*	6.0* 6.1 6.0* 5.2*	6.0* 5.9 6.0* 5.1*	6.0* 6.0 3.5* 5.1*	6.0* 6.1 2.6* 4.9*	6.0* 5.5 2.6* 4.9*	0.5* 4.6*
79150000 40 JOHN ANDERSON DR(1.0L) 4220301 P & S PAVING, INC. 4471051	0.873 0.506 0.872	1.481 1.471 1.481	C 1 4 2.5 FC125M C 2010 (2012) C 2024	1 35 23500 0012 SPRIDE 0012	CRACKING RIDE CRACKING SPRIDE		6.5 6.8 10.0 6.8	6.5 6.7 10.0 7.3	10.0 6.8 8.5 7.3	10.0 5.9 8.5 7.3	8.5 6.1 8.5 7.0	7.0 5.7 8.5 7.1	6.5 5.8 8.5 7.0	6.5 5.6 8.5 7.0	6.0* 5.6 8.5 6.9	6.0* 5.4* 8.5 6.8	6.0* 5.6 8.5 6.7	10.0 8.1 6.8 6.3	10.0 6.8 7.0 6.0	5.0*
79160000 15A DELAND CITY LIMITS(0.0C) (2024)	0.000	0.681	R 1 2 6.7 FC125M	1 45 27000	CRACKING RIDE CRACKING RIDE		4.5* 7.7 8.5 7.5	4.5* 7.9 8.5 7.6	1.0* 7.2 8.5 7.4	1.0* 6.2* 7.0 7.4	7.0 7.4	10.0 7.6 7.0 7.2	10.0 7.5 7.0 7.1	10.0 7.6 7.0 7.3	9.0 6.9 7.0 6.9	9.0 8.0 10.0 7.6	9.0 7.9 10.0 7.6	9.0 7.7 10.0 7.3	9.0 7.7 9.0 7.0	
79160000 15A BERESFORD RD W(1.0C) 2408221 4526471	0.681 0.143 0.693	1.819 1.741 1.819	R 1 2 6.8 FC125 C 2004 (2006) C 2028	1 45 29000 0213 SPRIDE 0226	CRACKING RIDE CRACKING		4.5* 7.7 8.5 7.5	4.5* 7.9 8.5 7.6	1.0* 7.2 8.5 7.4	1.0* 6.2* 7.0 7.4	7.0 7.4	10.0 7.6 7.0 7.2	10.0 7.5 7.0 7.1	10.0 7.6 7.0 7.3	9.0 6.9 7.0 6.9	9.0 8.0 7.0 7.4	9.0 7.9 6.5 7.3	9.0 7.7 6.5 7.3	9.0 7.7 4.0* 7.0	
79160000 15A VOLUSIA AVE W(1.9C) 4171551 P & S PAVING, INC.	1.819 1.819	3.659 3.659	R 1 2 18.4 FC95 C 2007 (2008)	1 45 29500 0012 SPRIDE	CRACKING RIDE CRACKING SPRIDE		7.0 7.5 10.0 8.1	7.0 7.5 10.0 8.1	7.0 7.2 10.0 7.7	5.5* 6.9 10.0 7.8	5.5* 7.0 10.0 7.5	3.5* 6.3 10.0 7.7	3.5* 6.3 10.0 7.6	10.0 8.3 10.0 7.6	10.0 8.3 7.5 7.6	10.0 8.2 7.5 7.4	10.0 8.2 7.0 7.6	10.0 8.2 7.5 7.5	10.0 8.2 7.0 7.6	4.5* 7.3
79160000 15A PLYMOUTH AVE W(3.8C) 4411341 P & S PAVING, INC.	3.659 3.659	4.652 4.652	R 1 2 9.7 FC125M C 2022 (2024)	1 50 25000 0012 SPRIDE	CRACKING RIDE CRACKING SPRIDE		10.0 8.4 8.5 7.8	10.0 8.4 8.5 7.8	10.0 8.3 7.5 7.7	10.0 8.1 7.0 7.6	10.0 8.2 7.0 7.6	10.0 8.0 7.0 7.4	10.0 8.1 7.0 7.4	10.0 8.2 7.0 7.5	10.0 8.2 6.5 7.4	10.0 8.0 6.5 7.3	10.0 8.1 10.0 8.2	10.0 7.9 9.6 8.3	10.0 7.9 10.0 8.2	9.0 7.9
79160000 15A GREENS DAIRY RD(4.8R) 2408561 P & S PAVING, INC.	4.652 4.800	6.899 6.750	R 1 2 5.1 FC125 C 2005 (2008)	1 55 17500 0213 SPRIDE	CRACKING RIDE CRACKING SPRIDE		10.0 8.4 10.0 8.2	10.0 8.4 10.0 8.1	10.0 8.3 10.0 7.9	10.0 8.0 10.0 7.9	10.0 7.9 10.0 7.8	10.0 7.9 10.0 7.8	10.0 7.7	10.0 8.4 10.0 7.7	10.0 8.4 9.0 7.6	10.0 8.4 9.0 7.5	10.0 8.2 9.0 7.7	10.0 8.2 9.6 7.7	10.0 8.2 8.9 7.6	6.5 7.3
79160000 15A DELAND CITY LIMITS(4.8L) 2408561 P & S PAVING, INC.	4.652 4.800	6.899 6.750	L 1 2 5.1 FC125 C 2005 (2008)	1 55 17500 0213 SPRIDE	CRACKING RIDE CRACKING SPRIDE		10.0 8.4 10.0 8.1	10.0 8.4 10.0 7.9	10.0 8.3 10.0 7.9	10.0 8.0 9.0 7.9	10.0 7.9 9.0 7.9	10.0 7.9 9.0 7.8	7.8	10.0 8.5 8.0 7.9	10.0 8.5 8.0 7.8	10.0 8.4 8.0 7.7	10.0 8.2 8.0 7.8	10.0 8.2 7.9 7.8	10.0 8.2 7.3 7.7	5.0* 7.4

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / AADT / SURFTYPE / FY-P / FY-F	DISTRESS / RATINGS / WKMX-P / ASTYPE / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79160000	3.659	4.652	L	1	1	50		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
15A			2	9.7	25000			RIDE	8.4	8.4	8.3	8.1	8.0	8.0	8.1	8.2	8.2	8.2	8.1	7.9	8.0													
PLYMOUTH AVE W(3.8C)								FC125M																											
4411341	3.659	4.652	C	2022		0012		CRACKING	8.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5												
P & S PAVING, INC.				(2024)				SPRIDE	7.8	7.9	7.8	7.7	7.8	7.5	7.6	7.4	7.5	7.4	8.2	8.2	8.3	8.0												
79160000	1.819	3.659	L	1	1	45		CRACKING	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0													
15A			2	18.4	29500			RIDE	7.8	7.7	7.3	6.9	7.1	6.5	6.4	8.1	8.1	8.1	8.1	8.0	8.0													
VOLUSIA AVE W(1.9C)								FC95																											
4171551	1.819	3.659	C	2007		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.4	6.9	4.5*											
P & S PAVING, INC.				(2008)				SPRIDE	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.5	7.5	7.5	7.6	7.3											
79160000	0.681	1.819	L	1	1	45		CRACKING	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
15A			2	6.8	29000			RIDE	7.7	7.9	7.2	6.2*		7.8	7.8	7.6	7.0	7.9	7.8	7.6	7.8													
BERESFORD RD W(1.0C)								FC125																											
2408221	0.143	1.741	C	2004		0213		CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.3	7.1	4.5*											
				(2006)				SPRIDE	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.4	7.3	7.4	7.3	7.3	7.4	7.1											
4526471	0.693	1.819	C	2028		0226																													
79160000	0.000	0.681	L	1	1	45		CRACKING	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
15A			2	6.7	27000			RIDE	7.7	7.9	7.2	6.2*		7.8	7.8	7.6	7.0	7.9	7.8	7.6	7.8													
DELAND CITY LIMITS(0.0C)								FC125M																											
								CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.6	10.0	9.0											
				(2024)				RIDE	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.4	7.3		7.9	7.7	7.9	7.6											
79170000	0.000	1.000	C	1	1	40		CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0													
44			1	3.5	8500			RIDE	7.6	7.6	7.6	6.8	6.6	6.6	6.6	6.9	6.5	6.4	8.0	8.0	8.0													
LEG 070001(0.0C)								FC125R																											
4220311	0.000	1.433	C	2009		0012		CRACKING	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.1*	5.8*	3.5*											
P & S PAVING, INC.				(2011)				SPRIDE	7.9	7.9	7.5	7.5	7.4	7.0	7.2	7.1	7.0	6.7	7.0	6.8	6.9	6.6											
4470861	0.000	1.000	C	2026		0226																													
79170100	0.000	0.100	C	1	6	30		CRACKING													10.0	10.0												
44			2	3.5	8500			RIDE																											
DESOTO DR(0.0C)								DGFC																											
								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0											
				(2012)				RIDE																											
4470861	0.000	0.090	C	2026		0226																													
79170100	0.347	0.437	C	1	6	30		CRACKING													10.0	10.0												
44			2	3.5	8500			RIDE																											
N PENINSULA DR(0.4L)								DGFC																											
								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0											
				(2012)				RIDE																											
79180000	0.000	0.608	R	1	1	45		CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0													
A1A			2	2.3	31000			RIDE	7.7	7.4	7.6	6.2*	6.6	5.5	5.3*	5.8	5.5	5.9	8.4	8.3	8.4													
PORT ORANGE CITY LIMITS(0.0C)								FC125R																											
4117811	0.000	6.531	C	2010		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	8.0	6.0*											
P & S PAVING, INC.				(2011)				SPRIDE	8.3	8.3	8.1	8.1	8.1	7.9	8.1	7.9	7.5	7.8	7.3	7.2	7.4	7.1											
4506661	0.000	6.585	C	2026		0226																													
79180000	0.987	6.601	R	1	1	35		CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0													
A1A			2	9.7	11900			RIDE	7.0	7.0	6.8	6.6	6.5	6.3	6.3	6.2	6.2	5.6		7.4	7.2													
PENINSULA DR(1.1R)								FC125R																											
4117811	0.000	6.531	C	2010		0012		CRACKING	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*											
P & S PAVING, INC.				(2012)				SPRIDE	7.1	7.0	7.2	7.1	7.0	7.0	6.8	6.8	6.5	6.6	6.5	6.4	6.3	6.0											
4506661	0.000	6.585	C	2026		0226																													
79180000	0.987	6.601	L	1	1	35		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0													
A1A			2	9.7	11900			RIDE	7.4	7.4	7.3	7.0	7.0	6.9	6.8	6.8	6.7	6.2		7.9	7.8													
FRONTAGE RD(1.1L)								FC125R																											
4117811	0.000	6.531	C	2010		0012		CRACKING	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*											
P & S PAVING, INC.				(2012)				SPRIDE	7.8	7.7	7.5	7.5	7.5	7.4	7.4	7.4	7.3	7.2	7.2	7.1	7.1	6.8											
4506661	0.000	6.585	C	2026		0226																													
79180000	0.000	0.608	L	1	1	45		CRACKING	10.0	10.0	8.5	7.0	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0													
A1A			2	2.3	31000			RIDE	7.8	7.7	7.5	6.4*	6.3*	6.2	6.0	5.2*	5.1*	4.6*	8.2	8.3	8.3													
PORT ORANGE CITY LIMITS(0.0C)								FC125R																											
4117811	0.000	6.531	C	2010		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8	6.5	4.5*											
P & S PAVING, INC.				(2011)				SPRIDE	8.4	8.3	8.0	8.0	7.9	7.8	7.8	7.9	7.6	7.2	6.8	7.0	7.3	7.0											
4506661	0.000	6.585	C	2026		0226																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T / SURFTYPE / FY-P / ASTYPE / FY-F	AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
79181000	0.376	0.644	R	1	1	45			CRACKING	10.0	7.0	6.5	6.5	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0													
472			2	4.7	2	6000		FC125M	RIDE	8.7	8.7	8.6	8.1	7.7	7.3	7.3	6.9	8.0	8.1	8.1	8.0	7.9													
4391211	0.376	0.517	C	2020		0012			CRACKING	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.4	8.0												
P & S PAVING, INC.				(2022)					SPRIDE	7.8	7.5	8.1	7.9	7.8	7.9	8.0	7.1	7.9	7.7	7.7	7.7	7.8	7.5												
79181000	0.644	2.931	R	1	1	60			CRACKING	10.0	7.0	6.5	6.5	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0													
472			2	4.7	2	6000		FC5M	RIDE	8.7	8.7	8.6	8.1	7.7	7.3	7.3	6.9	8.0	8.1	8.1	8.0	7.9													
GRAYSON ST(0.8R)																																						
4391211	0.644	2.931	C	2020		0012			CRACKING	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*		10.0	10.0	10.0	9.5	8.6	7.0												
P & S PAVING, INC.				(2022)					SPRIDE	7.8	7.5	8.1	7.9	7.8	7.9	8.0		8.6	8.6	8.6	8.5	8.5	8.3												
79181000	2.931	3.782	R	1	1	50			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5													
472			2	8.0	3	4000		DGFC	RIDE		8.5	8.3	7.9	7.9	7.6	7.7	8.0	7.9	7.9	7.7	7.6	7.5												
4324412	2.931	3.782	C	2016		0012			CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	8.5												
P & S PAVING, INC.				(2018)					RIDE	7.5	7.3	7.4		7.8	7.2	7.0	7.2	7.3	7.3	7.0	7.1	7.1	6.8												
79181000	2.931	3.782	L	1	1	50			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5													
472			2	8.0	3	4000		DGFC	RIDE		8.4	8.1	7.9	7.8	7.6	7.8	7.9	7.6	7.9	7.6	7.7	7.5												
4324412	2.931	3.782	C	2016		0012			CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	10.0	8.5												
P & S PAVING, INC.				(2018)					RIDE	7.4	7.4	6.7		7.8	7.3	7.3	7.3	7.6	7.3	7.2	7.1	7.3	7.0												
79181000	0.644	2.931	L	1	1	60			CRACKING	8.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0													
472			2	4.7	2	6000		FC5M	RIDE	8.3	8.8	8.7	7.9	7.5	7.5	7.2	7.0	8.1	8.2	8.1	8.0	8.0													
LEAVITT AVE(0.9L)																																						
4391211	0.644	2.931	C	2020		0012			CRACKING	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*		10.0	10.0	10.0	9.4	8.6	7.0												
P & S PAVING, INC.				(2022)					SPRIDE	8.0	7.8	8.2	8.1	8.1	8.1	8.2		8.6	8.5	8.4	8.4	8.4	8.2												
79181000	0.376	0.644	L	1	1	45			CRACKING	8.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0													
472			2	4.7	2	6000		FC125M	RIDE	8.3	8.8	8.7	7.9	7.5	7.5	7.2	7.0	8.1	8.2	8.1	8.0	8.0													
4391211	0.376	0.517	C	2020		0012			CRACKING	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.3	8.0												
P & S PAVING, INC.				(2022)					SPRIDE	8.0	7.8	8.2	8.1	8.1	8.1	8.2	7.3	7.2	7.1	6.9	7.1	7.3	7.0												
79190000	0.000	3.289	R	1	1	45			CRACKING	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0														
5A			2	6.7	1	9300		FC125	RIDE	7.7	7.8				7.6	7.4	7.7	7.7	7.7	7.7	7.6	7.6														
PORT ORANGE CITY LIMITS(0.0C)																																						
2407571	0.009	2.254	C	2001		0213			CRACKING	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	4.5*												
MODERN CONTINENTAL SOUTH			I	(2006)					SPRIDE	7.5	7.4	7.1	7.1	7.1	6.9	6.9	6.8	6.8	6.8	6.7	6.6	6.7	6.4												
4506431	0.025	3.279	C	2027		0226																																
79190000	3.289	6.166	R	1	1	50			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	10.0	10.0													
5A			3	4.9	2	6500		FC125R	RIDE	8.4	8.4	8.1	7.7	7.6	7.5	7.5	7.4	7.2	7.3	7.1	8.1	8.0													
HERBERT ST(3.3C)																																						
4220321	3.908	6.010	C	2011		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.3	6.0*												
P & S PAVING, INC.				(2012)					SPRIDE	7.9	7.7	7.7	7.9	7.8	7.7	7.7	7.7	7.7	7.6	7.5	7.3	7.4	7.1												
79190000	6.166	8.177	R	1	1	50			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0													
5A			3	6.8	2	2500		FC5M	RIDE	8.4	8.3	8.3	7.7	7.8	7.6	7.6	7.5	7.7	7.4	7.3	7.2	7.2													
SIDE ROAD(6.5C)																																						
4324383	6.166	8.177	C	2017		0012			CRACKING	7.0	7.0	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.7	6.5												
P & S PAVING, INC.				(2019)					RIDE	7.0	6.6	7.4	7.3	7.4	8.6	8.6	8.5	8.6	8.5	8.4	8.4	8.5	8.3												
79190000	8.177	9.619	R	1	1	45			CRACKING	7.0	7.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0													
5A			3	4.7	2	2500		FC95	RIDE	7.3	7.4	7.1	6.9	6.8	6.4	6.4	6.3		8.3	8.2	8.3	8.2												
SR 600(8.2C)																																						
4195561	8.208	9.619	C	2008		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	7.4	5.0*												
P & S PAVING, INC.				(2010)					SPRIDE	8.3	8.1	7.9	7.9	7.7	7.6	7.6	7.5	7.6	7.3	7.4	7.2	7.4	7.1												
79190000	9.791	10.389	C	1	1	30			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0													
5A			2	1.5		700		FC125M	RIDE	8.8	8.8	8.7	8.0	8.0	7.9	7.9	7.9	7.7	7.5	7.5	7.2	7.2													
FOURTH ST(10.0L)																																						
4369151	9.791	10.389	C	2018		0012			CRACKING	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	7.0	7.0	7.0	7.0	7.5	7.0	5.5*												
P & S PAVING, INC.				(2020)					SPRIDE	6.5	7.0	7.1	6.6	6.9	6.9	7.8	7.7	7.7	7.3	7.3	7.1	7.2	6.9												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / RATINGS	BMP / EMP	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
INTERSECT AT (MP|SIDE) / SURFTYPE / =========																			
ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P																			
CONTRACTOR (AGE_ONE YEAR) / ASTYPE						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F																			(PMRS)
79190000	10.640 11.696	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	
5A		3	6.2	27000		RIDE	8.3	8.2	8.1	6.9	6.3*	7.6	7.6	7.6	7.6	7.7	7.3	7.2	7.1	
CR 4019(10.9C)						FC125M														
4369151	10.640 11.696	C	2018		0012	CRACKING	7.5	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5
P & S PAVING, INC.			(2020)			SPRIDE	7.1	7.0	7.3	7.1	7.1		7.7	7.5	7.4	7.4	7.4	7.4	7.4	7.1
79190000	11.696 14.185	R	1	1	45	CRACKING	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
5A		3	6.2	27000		RIDE	6.9	6.7				7.1	7.1	7.3	7.1	7.0	7.0	6.5	6.2	
FLOMICH ST(11.7C)						FC125														
2407191	11.836 14.830	C	2001		0213	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
MODERN CONTINENTAL SOUTH I(2006)						SPRIDE	6.7	6.6	6.7	6.7	6.6	6.5	6.5	6.4	6.3	6.3	6.1	6.1	6.2	5.9
4506441	11.696 15.606	C	2026		0012															
79190000	14.185 14.629	R	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A		3	6.8	26500		RIDE	8.5	8.5				7.7	7.6	7.2	7.6	7.4	7.2	7.0	6.8	
STERTHAUS DR(14.2R)						FC125														
2407191	11.836 14.830	C	2001		0213	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH I(2006)						SPRIDE	6.9	7.0	6.9	6.7	6.5	6.8	6.5	6.4	6.3	6.2	6.0	6.0	6.1	5.8
4506441	11.696 15.606	C	2026		0012															
79190000	14.629 15.606	R	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A		2	6.8	26500		RIDE	8.5	8.5				7.7	7.6	6.5	7.5	7.7	7.5	7.3	7.5	
LAKEBRIDGE DR(14.9C)						FC125														
2407581	14.405 15.601	C	2001		0213	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH I(2006)						SPRIDE	7.3	6.5	7.1	6.9	6.8	6.7	6.6	6.5	6.3	6.3	6.0	6.0	6.2	5.9
4506441	11.696 15.606	C	2026		0012															
79190000	14.629 15.606	L	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	9.0	9.0	9.0	9.0		
5A		2	6.8	26500		RIDE	8.5	8.5				7.2	7.6	7.4	7.4	7.5	7.6	7.3	7.3	
LAKEBRIDGE DR(14.9C)						FC125														
2407581	14.405 15.601	C	2001		0213	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH I(2006)						SPRIDE	7.3	7.0	7.0	6.9	6.8	6.8	6.5	6.7	6.6	6.6	6.7	6.2	6.4	6.1
4506441	11.696 15.606	C	2026		0012															
79190000	14.185 14.629	L	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A		3	6.8	26500		RIDE	8.5	8.5				7.2	7.6	8.0	8.0	7.9	7.9	7.8	7.8	
MAIN TRL(14.6L)						FC125														
2407191	11.836 14.830	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH I(2006)						SPRIDE	7.9	7.7	6.3	6.4	6.0	6.1	5.9	5.9	5.6	5.5	5.5	5.6	5.6	5.3*
4506441	11.696 15.606	C	2026		0012															
79190000	11.696 14.185	L	1	1	45	CRACKING	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5A		3	6.2	27000		RIDE	6.9	6.7				7.4	7.3	7.5	7.5	7.3	7.4	7.3	7.0	
FLOMICH ST(11.7C)						FC125														
2407191	11.836 14.830	C	2001		0213	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
MODERN CONTINENTAL SOUTH I(2006)						SPRIDE	7.1	6.8	6.9	6.8	6.8	6.7	6.4	6.5	6.5	6.4	6.3	6.0	6.2	5.9
4506441	11.696 15.606	C	2026		0012															
79190000	10.640 11.696	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	
5A		3	6.2	27000		RIDE	8.0	7.9	7.9	7.2	7.2	7.4	7.4	7.4	7.4	7.3	7.1	6.9	6.8	
CR 4019(10.9C)						FC125M														
4369151	10.640 11.696	C	2018		0012	CRACKING	7.5	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
P & S PAVING, INC.			(2020)			SPRIDE	6.8	6.7	7.1	6.9	6.9		7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.5
79190000	8.177 9.619	L	1	1	45	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	
5A		3	4.7	32500		RIDE	6.8	7.0	6.8	6.5	6.3*	6.2	6.0	6.0		8.3	8.4	8.3	8.2	
SR 600(8.2C)						FC95														
4195561	8.208 9.619	C	2008		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.5	5.5*
P & S PAVING, INC.			(2010)			SPRIDE	8.3	7.7	7.6	7.8	7.5	7.4	7.6	7.4	7.3	7.3	7.2	7.2	7.4	7.1
79190000	6.166 8.177	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	
5A		3	6.8	32500		RIDE	8.6	8.5	8.5	7.9	8.0	7.8	7.7	7.8	7.9	7.9	7.8	7.8	7.7	
PROMENADE SHOPPING CENTE(6.3L)						FC5M														
4324383	6.166 8.177	C	2017		0012	CRACKING	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.8	6.5
P & S PAVING, INC.			(2019)			RIDE	7.7	7.9	7.8	7.6	7.9	8.6	8.5	8.5	8.5	8.5	8.6	8.4	8.5	8.3
79190000	3.289 6.166	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	
5A		2	4.9	26500		RIDE	8.2	8.2	8.0	7.5	7.5	7.2	7.3	7.2	7.1	7.1	7.0	8.2	8.1	
HERBERT ST(3.3C)						FC125R														
4220321	3.908 6.010	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.7	7.2	5.0*
P & S PAVING, INC.			(2012)			SPRIDE	8.2	8.1	8.0	8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.6

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP SPD / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79190000	0.000	3.289	L	1	1 45	CRACKING	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5															
5A			2	6.7	19300	RIDE	7.7	7.8				7.8	7.9	7.9	7.9	7.9	7.9	7.8	7.7															
PORT ORANGE CITY LIMITS(0.0C)					FC125																													
2407571	0.009	2.254	C	2001	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	4.5*														
MODERN CONTINENTAL SOUTH I(2006)					SPRIDE	RIDE	7.8	7.6	7.3	7.3	7.2	7.1	7.0	7.0	7.0	6.9	6.9	6.7	6.8	6.5														
4506431	0.025	3.279	C	2027	0226																													
79190005	0.000	0.022	C	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
5A			2	1.5	700	RIDE																													
SR-5A/79190006(0.0C)																																		
4369151	0.000	0.022	C	2018	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5														
P & S PAVING, INC.				(2021)		SPRIDE																												
79190006	0.000	1.030	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5																
5A			3	5.2	31000	RIDE	8.2	8.7	8.6	8.0	7.9	7.6	7.7	7.8	7.8	7.3	7.5	6.9	7.0																
BRENTWOOD DR(0.0C)					FC125M																													
4369151	0.000	1.030	C	2018	0012	CRACKING	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.7	8.8	7.5															
P & S PAVING, INC.				(2020)		SPRIDE	6.6	6.2	7.0	6.9	7.0		7.7	7.6	7.5	7.4	7.3	7.2	7.3	7.0															
79190006	0.000	1.030	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5																
5A			3	5.2	31000	RIDE	6.6	7.9	7.9	7.6	7.6	7.4	7.4	7.5	7.4	7.5	7.3	7.3	7.3																
BRENTWOOD DR(0.0C)					FC125M																													
4369151	0.000	1.030	C	2018	0012	CRACKING	7.5	7.0	6.5	6.0*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	8.9	7.5															
P & S PAVING, INC.				(2020)		SPRIDE	7.1	7.0	7.3	7.1	7.2		8.2	8.2	8.1	8.1	8.1	8.1	8.0	7.7															
79190007	0.000	0.140	C	1	6 30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0																
5A			2	1.5	700	RIDE																													
EIGHTH ST(0.0C)																																		
4369151	0.000	0.140	C	2018	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	10.0	8.5	8.5	8.5	8.5	8.1	7.6	6.0*															
P & S PAVING, INC.				(2020)		SPRIDE																													
79210000	0.192	0.363	R	1	6 45	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5																	
442			1	8.2	14804	RIDE	7.0	7.8			7.6	6.9	5.9																						
					DGFC																														
						CRACKING	8.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0															
				(2017)		RIDE																													
79210000	0.363	3.972	R	1	1 55	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0																
442			2	8.2	14804	RIDE	8.8	8.8			8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.6																
COW CREEK RD(0.6C)					FC125M																													
4411321	0.379	3.966	R	2022	0012	CRACKING	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0															
MASCI GENERAL CONTRACTORS (2024)					SPRIDE	RIDE	7.6	7.4	7.3	7.3	7.2	7.1	7.1	7.1	6.9	6.9	8.1	8.1	8.1	7.8															
79210000	0.363	3.972	L	1	1 55	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5																
442			2	8.2	14804	RIDE	8.8	8.8			8.1	7.9	8.0	8.0	8.0	8.0	7.9	7.7	7.5																
SIDE ROAD(0.5L)					FC125M																													
4411321	0.379	3.966	L	2022	0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0															
MASCI GENERAL CONTRACTORS (2024)					SPRIDE	RIDE	7.4	7.3	7.1	7.0	6.9	6.8	6.8	6.8	6.6	6.6	8.2	8.0	8.0	7.7															
79210000	0.192	0.363	L	1	6 45	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5																
442			1	8.2	14804	RIDE	8.1	8.3			7.8	7.4	7.5																						
					DGFC																														
						CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0															
				(2017)		RIDE																													
79220000	0.000	1.965	C	1	1 35	CRACKING	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0																
430			4	3.9	19100	RIDE	6.0*	6.0	6.2	5.8	5.6		7.3	7.6	7.3	6.9	6.5	6.7	6.5																
SR483/N CLYDE MORRIS(0.0R)					FC125																													
4117821	0.000	2.168	C	2005	0012	CRACKING	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.8	6.5	4.0*															
P & S PAVING, INC.				(2007)		SPRIDE	6.7	6.5	6.8	6.7	6.8	6.7	6.8	6.8	6.6	6.5	6.3	6.1	6.2	5.9															
4487981	0.000	2.370	C	2025	0012																													
79220000	1.965	2.168	R	1	6 35	CRACKING	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0																
430			2	3.9	19100	RIDE	6.0*	6.0	6.2	5.8	5.6		7.3	6.5	5.7	6.0	5.8																		
RIDGEWOOD AVE(2.1C)					FC125																													
4117821	0.000	2.168	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.7	6.0*															
P & S PAVING, INC.				(2007)		SPRIDE																													
4487981	0.000	2.370	C	2025	0012																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / INTERSECT AT (MP|SIDE) / ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F	DISTRESS / SURVEYED YEAR / SURFTYPE / ASTYPE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
79220000 2.168 2.370 R 1 6 35 430 2 3.9 19100 MULBERRY ST(2.2R) DGFC 4306811 2.168 2.370 C 2015 0012 P & S PAVING, INC. (2017) 4487981 0.000 2.370 C 2025 0012	CRACKING RIDE CRACKING RIDE	10.0 7.8	10.0 7.4	10.0 7.3	10.0 6.6	10.0 6.2	8.5 6.9	8.5 7.1	7.5 6.8	7.5 6.6	7.5 6.6	7.5 6.9	7.5 6.8	7.0 6.8	7.0 6.6	6.5 6.6	6.5 6.2	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.5	7.0
79220000 2.168 2.370 L 1 6 35 430 2 3.9 19100 DAYTONA AVE(2.2L) DGFC 4306811 2.168 2.370 C 2015 0012 P & S PAVING, INC. (2017) 4487981 0.000 2.370 C 2025 0012	CRACKING RIDE CRACKING RIDE	10.0 7.1	10.0	10.0 7.1	10.0 7.6	10.0 7.0	8.5 6.9	8.5 6.6	8.5 6.9	8.5 7.8	8.5 7.8	8.5 7.8	8.5 7.7	8.5 7.6	8.5 7.3	8.5 7.3	8.5 6.8	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.0	6.5
79220000 1.965 2.168 L 1 6 35 430 2 3.9 19100 STATE AVE(2.0L) FC125 4117821 0.000 2.168 C 2005 0012 P & S PAVING, INC. (2007) SPRIDE 4487981 0.000 2.370 C 2025 0012	CRACKING RIDE CRACKING RIDE	7.5 6.0*	6.5 6.0	4.5* 6.2	4.5* 5.8	4.5* 5.6		10.0 7.3	10.0 5.8	10.0 5.8	10.0 5.8	10.0 5.8	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.8	7.9	5.5*
79220001 0.000 0.104 C 1 6 40 430 2 6.7 10500 BEACH ST N(0.0C) DGFC (2017)	CRACKING RIDE CRACKING RIDE	10.0 7.3	10.0 6.8	10.0 7.8	10.0 6.4	10.0 6.5	10.0 6.6	10.0 6.9	10.0 7.1	10.0 7.2	10.0 7.0	8.5 6.9	8.5 7.1	8.5 7.0	8.5 7.0	8.5 6.9	8.5 6.1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
79220001 0.553 0.983 C 1 1 40 430 2 1.6 6500 HALIFAX AVE(0.6C) DGFC 4411391 0.620 0.953 C 2021 0012 P&S PAVING & FLORIDA INDUS(2023)	CRACKING RIDE CRACKING RIDE	10.0 7.9 8.5 6.6	10.0 7.4 7.0 6.7	10.0 7.6 7.0 6.4	10.0 7.0 5.5* 6.0	8.5 7.1 5.5* 6.3	8.5 6.8 5.5* 6.2	8.5 6.9 5.5* 5.8	8.5 6.5 5.5* 6.4	8.5 6.6 5.5* 5.8	8.5 6.9 10.0 7.6	8.5 6.7 10.0 7.1	8.5 6.9 10.0 7.0	8.5 6.2 10.0 7.1	9.0 6.8
79220002 0.000 0.442 C 1 1 30 430 2 1.5 12000 ATLANTIC AVE(0.0C) DGFC 4306811 0.000 0.455 C 2015 0012 P & S PAVING, INC. (2017)	CRACKING RIDE CRACKING RIDE	10.0 7.5 6.0* 5.3*	10.0 7.5 6.0* 5.3*	10.0 7.7 6.0* 5.1*	10.0 6.6 10.0	8.5 6.6 10.0	8.5 6.3 10.0	8.5 6.3 10.0	8.5 6.4 9.0	7.0 6.5 9.0	6.0* 6.6 9.0	6.0* 6.1 9.0	6.0* 5.7 9.0	6.0* 6.0 8.1	7.5 5.8	6.0* 5.5
79220002 0.901 0.997 C 1 6 40 430 2 6.7 10500 BEACH ST N(1.0C) DGFC (2017)	CRACKING RIDE CRACKING RIDE	10.0 8.1 9.0 7.5	10.0 8.1 9.0 7.5	10.0 8.0 9.0 7.1	10.0 7.3 10.0	10.0 7.4 10.0	10.0 7.4 10.0	10.0 7.3 10.0	10.0 7.6 10.0	10.0 7.7 10.0	10.0 7.7 10.0	10.0 7.9 10.0	10.0 7.8 9.6	9.0 7.9 9.5	8.0
79220003 0.000 0.136 C 1 1 430 2 7.1 320	CRACKING RIDE CRACKING RIDE														4.7* 3.9*	
79230000 0.000 2.480 R 1 1 45 421 3 5.5 42000 AIRPORT RD(0.1C) FC125A 4272791 0.350 2.376 C 2014 0012 P & S PAVING, INC. (2016)	CRACKING RIDE CRACKING RIDE	10.0 8.6 6.0* 7.4	10.0 8.7 6.0* 7.3	10.0 8.5 10.0 8.2	10.0 7.6 10.0 8.3	8.5 8.1 10.0 8.1	8.5 7.9 10.0 8.2	8.5 7.7 10.0 8.1	8.5 7.7 10.0 8.1	7.5 7.7 9.0 8.1	7.5 7.8 9.0 8.1	7.0 7.7 7.5 8.1	6.0* 7.4 7.1 7.8	6.0* 7.6 7.1 8.0	5.5* 7.7
79230000 2.480 4.001 R 1 1 45 421 2 3.8 28500 JACKSON ST(2.5R) FC125 4135841 2.382 3.944 C 2005 0012 P & S PAVING, INC. (2007)	CRACKING RIDE CRACKING SPRIDE	9.0 6.9 10.0 7.6	9.0 7.1 10.0 7.7	9.0 7.0 10.0 7.6	7.5 6.5 10.0 7.8	6.5 6.0* 10.0 7.5	6.5 6.2 9.0 7.7	10.0 8.1 9.0 7.3	10.0 7.7 9.0 7.5	10.0 7.8 9.0 7.2	10.0 7.7 9.0 7.3	10.0 7.6 9.0 7.1	10.0 7.7 7.0 7.1	10.0 8.0 6.0* 7.0	3.5* 6.7
79230000 2.480 4.001 L 1 1 45 421 2 3.8 28500 JACKSON ST(2.5L) FC125 4135841 2.382 3.944 C 2005 0012 P & S PAVING, INC. (2007)	CRACKING RIDE CRACKING SPRIDE	6.0* 6.9 10.0 8.0	6.0* 6.9 10.0 7.8	6.0* 6.7 10.0 7.7	6.0* 6.1* 10.0 7.8	6.0* 6.0* 10.0 7.6	6.0* 6.0 10.0 7.6	10.0 8.1 10.0 7.6	10.0 8.0 10.0 7.6	10.0 8.2 9.0 7.4	10.0 8.2 9.0 7.5	10.0 8.2 9.0 7.4	10.0 8.1 6.5 7.3	10.0 8.1 5.5* 7.2	3.0* 6.9

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 5 COUNTY = VOLUSIA ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD / %T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
79230000	0.350	2.480	L	1	1	45		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*													
421			3	5.5			42000	RIDE	8.6	8.6	8.5	8.0	7.9	7.7	7.4	7.6	7.5	7.5	7.6	7.3	7.4													
SIDE ROAD(0.4C)							FC125A																											
4272791	0.350	2.376	C	2014		0012		CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.1	7.0	5.5*											
P & S PAVING, INC.				(2016)				RIDE	7.3	7.3	8.4	8.5	8.4	8.4	8.3	8.2	8.5	8.5	8.4	8.2	8.1	7.8											
79230000	0.000	0.350	L	1	1	45		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5			10.0	10.0	10.0	10.0														
421			2	3.8			54000	RIDE	8.6	8.6	8.5	8.0	7.9	7.7	7.4			7.0	6.9	6.9	6.8												
AIRPORT RD(0.1C)							FC125A																											
4272791	0.064	0.350	C	2014		0012		CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.2*	3.5*	2.0*											
P & S PAVING, INC.				(2016)				RIDE	6.8	6.8	7.9	8.0	7.6	7.9	7.8	7.6	7.6	7.3	7.4	7.0	7.4	7.1											
79260000	0.000	4.281	C	1	1	40		CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5													
441			2	4.6			4900	RIDE	6.7	6.6	6.3		6.8	6.2	6.1	6.2	6.1	6.1	6.0	6.0	5.8													
DUNLAWTON AVE(0.0C)							DGFC																											
2409551	0.000	5.409	C	2003		0012		CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*											
				(2005)				RIDE	5.7	5.7	5.5	5.5	5.4*	5.3*	5.2*	5.1*	5.1*	5.1*	5.0*	5.0*	4.9*	4.6*											
79260000	4.281	4.750	C	1	1	35		CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
441			4	6.8			8600	RIDE	8.0	7.9	7.8	6.0	5.7	5.7	5.7	5.6	5.4*	5.5	5.4*	5.4*	5.3*													
OCEAN DUNES RD(4.3R)							FC4																											
2409551	0.000	5.409	C	2003		0012		CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.3*	6.5	4.0*											
				(2005)				RIDE	5.3*	5.2*	4.9*	4.8*	4.7*	4.7*	4.4*	4.5*	4.4*	4.4*	4.2*	4.2*	4.3*	4.0*											
79260000	4.750	5.409	C	1	1	35		CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	7.0													
441			2	6.8			8600	RIDE	6.1*	6.0	5.4*	5.0*	5.4*	5.6	5.0*	5.1*	5.2*	5.1*	5.0*	4.8*	4.7*													
SILVER BEACH AVE(4.8C)							FC125M																											
4306821	4.847	5.409	C	2015		0012		CRACKING	6.0*	6.0*	6.0*	10.0	10.0	9.0	8.5	8.5	8.5	7.5	7.5	6.2*	7.0	5.5*											
P & S PAVING, INC.				(2017)				RIDE	4.8*	4.7*	4.4*										5.4*	5.1*											
79270000	0.000	3.377	R	1	1	40		CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0													
483			2	7.9			28500	RIDE	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4	7.4	7.8	7.7	7.6	7.4													
BEVILLE RD(0.0C)							FC125M																											
4154641	0.000	3.357	C	2008		0012		CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	5.5*	3.5*											
P & S PAVING, INC.				(2010)			SP	RIDE	7.4	7.5	7.3	7.1	7.1	7.1	6.9	7.0	7.0	6.7	6.4	6.6	6.6	6.3											
4526411	0.019	3.359	C	2028		0012																												
79270000	0.000	3.377	L	1	1	40		CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0													
483			2	7.9			28500	RIDE	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4	7.4	8.1	7.9	7.9	7.7													
BEVILLE RD(0.0C)							FC125M																											
4154641	0.000	3.357	C	2008		0012		CRACKING	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	5.7*	5.2*	3.0*											
P & S PAVING, INC.				(2010)			SP	RIDE	7.7	7.7	7.4	7.3	7.4	7.2	7.2	7.1	7.1	6.9	6.7	6.9	6.8	6.5											
4526411	0.019	3.359	C	2028		0012																												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).