

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	YEAR						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
79001000	0.000	0.250	R	1	1	55	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
400			2	3.4		28500	RIDE	8.5	8.6		8.2	8.1	8.1	7.9	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
BEGIN SECTION( 0.0C)																						
							FC5M															
							CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	9.5	9.0	7.5	
							RIDE	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.4	8.4	7.4	7.8	8.0	7.8	
79001000	0.250	1.812	R	1	1	55	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
400			2	5.2		14600	RIDE	8.5	8.6		8.2	8.1	8.1	7.9	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
CR 4009( 0.3C)																						
							FC5M															
4429061	0.250	1.812	C	2023		0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	9.1	10.0	8.5	
P & S PAVING, INC.																						
							SPRIDE	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.4	8.4	8.9	8.6	8.5	8.3	
79001000	1.812	4.196	R	1	1	45	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	
400			2	4.8		21500	RIDE	7.9	7.7		7.7	7.6	7.5	7.5	7.6	7.7	7.7	7.1	7.7	7.5	7.5	
WOODCREST DR( 2.0R)																						
							DGFC															
4306771	1.812	4.161	C	2016		0012	CRACKING	7.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.8	7.0
P & S PAVING, INC.																						
							RIDE	7.6	7.5	7.3	8.1	8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.8	7.5	
79001000	1.812	4.196	L	1	1	45	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.0	
400			2	4.8		21500	RIDE	7.8	7.8		7.8	7.7	7.2	7.7	7.7	7.8	7.8	7.4	7.7	7.7	7.7	
WOODCREST DR( 2.0L)																						
							DGFC															
4306771	1.812	4.161	C	2016		0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	7.0
P & S PAVING, INC.																						
							RIDE	7.7	7.5	7.4	8.0	8.0	7.8	7.8	7.7	7.7	7.8	7.6	7.7	7.5	7.2	
79001000	0.250	1.812	L	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
400			2	5.2		14600	RIDE	8.7	8.6		8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.1	8.2	8.1	8.1	
CR 4009( 0.3C)																						
							FC5M															
4429061	0.250	1.812	C	2023		0012	CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	9.8	10.0	8.5	
P & S PAVING, INC.																						
							SPRIDE	8.2	8.1	8.3	8.2	8.3	8.3	8.2	8.2	8.3	8.3	8.9	8.7	8.5	8.3	
79001000	0.000	0.250	L	1	1	55	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
400			2	3.4		28500	RIDE	8.5	8.3		8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.1	8.2	8.1	8.1	
BEGIN SECTION( 0.0C)																						
							FC5M															
							CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	9.3	8.0	
							RIDE	8.2	8.1	8.3	8.2	8.3	8.3	8.2	8.2	8.3	8.3	7.9	8.1	8.0	7.8	
79002000	0.000	16.899	R	4	1	70	CRACKING	8.5	7.5	4.5*	4.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5		
9	195	232.5	3	25.4		33500	RIDE	9.0	8.9	8.8	7.9	7.9		8.4	8.3	8.3	8.3	8.3	8.2	8.1		
							FC5M															
4068698	0.000	16.896	C	2013		0218	CRACKING	7.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.5	5.5*	
							RIDE	8.0			8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.5	8.5	
79002000	16.899	26.000	R	4	1	70	CRACKING	8.5	7.5	4.5*	4.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5		
9	195	249.4	3	16.4		52600	RIDE	9.0	8.9	8.8	7.9	7.9		8.4	8.3	8.3	8.3	8.3	8.2	8.1		
							FC5M															
2427152	16.899	30.755	C	2015		0213	CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.9	7.0	
							RIDE	8.0	8.0				8.4	8.3	8.4	8.4	8.3	8.4	8.3	8.3	8.2	
79002000	26.000	30.360	R	4	1	65	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	7.5	7.0	7.0	7.0	7.0		
9	195	258.5	3	12.7		84500	RIDE	9.0	8.9	8.9		7.9	7.9	7.8	7.9	7.9	7.8	7.8	7.7	7.5		
							FC5M															
2427152	16.899	30.755	C	2015		0213	CRACKING	7.0	7.0	6.5				10.0	10.0	10.0	10.0	10.0	9.1	8.7	7.0	
							</															

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P		ASTYPE														2031	
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
79002000	36.300	45.712	L	4	1	70	CRACKING	10.0	8.5	8.5	8.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
9	I95	268.8	278.2	3	19.6	80000	RIDE	8.8	9.0	9.1	8.3			8.3	8.4	8.3	8.3	8.2	8.2	8.1	7.8	
							FC5M															
4391311	36.500	44.992	C	2020		0012	CRACKING	9.0	9.0	6.5	4.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	9.5	8.8	7.5	
HALIFAX	PAVING, INC.			(2022)			SPRIDE	7.7	7.4	8.0	7.8	7.8	8.0	7.8		8.9	8.6	8.6	8.6	8.6	8.6	
79002000	30.086	36.300	L	4	1	65	CRACKING	10.0	8.5	8.5	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9	I95	262.6	268.8	3	12.7	85500	RIDE	8.8	8.7	8.7	8.3			8.3	8.3	8.3	8.3	8.2	8.0	8.0	8.0	
							FC5M															
4411331	30.755	36.500	C	2021		0012	CRACKING	9.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	8.5	
HALIFAX	PAVING, INC.			(2024)			SPRIDE	7.8	7.5	7.7	7.4	7.3	7.5	7.2	7.1	6.7		8.9	8.8	8.8	8.7	
79002000	26.000	30.086	L	4	1	65	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.0	7.5	7.0	7.0	7.0	7.0	
9	I95	258.5	262.6	3	12.7	84500	RIDE	9.0	8.9	9.0		8.0	8.0	8.0	7.9	7.7	7.9	7.9	7.8	7.6		
							FC5M															
2427152	16.899	30.755	C	2015		0213	CRACKING	7.0	6.5	6.5					10.0	10.0	9.5	9.5	9.6	9.3	7.5	
				(2021)			RIDE	7.5	7.3	7.7					8.5	8.5	8.4	8.4	8.4	8.4	8.3	
79002000	16.899	26.000	L	4	1	70	CRACKING	7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5	7.5	
9	I95	249.4	258.5	3	16.4	52600	RIDE	9.0	8.9	8.8	8.0	7.7		8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	
							FC5M															
2427152	16.899	30.755	C	2015		0213	CRACKING	7.5	7.5				10.0	10.0	10.0	10.0	10.0	9.0	9.2	9.0	7.0	
				(2019)			RIDE	8.2	8.3				8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3	
79002000	0.000	16.899	L	4	1	70	CRACKING	7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0	8.0	7.5	7.5	7.5	7.5	7.5	
9	I95	232.5	249.4	3	25.4	33500	RIDE	9.0	8.9	8.8	8.0	7.7		8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	
							FC5M															
4068698	0.000	16.896	C	2013		0218	CRACKING	7.5			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.5	5.5*	
				(2017)			RIDE	8.2			8.6	8.6	8.6	8.6	8.7	8.7	8.7	8.6	8.6	8.6	8.5	
79010000	0.000	6.663	R	1	1	65	CRACKING	8.5	8.5	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1			2	6.1	5200	RIDE	8.9	8.8	8.8	8.1	8.1	7.9		8.1	8.0	7.9	8.0	7.9	7.8		
							FC5M															
4438131	0.000	6.663	C	2022		0012	CRACKING	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.4	10.0	8.5	
MASCI	GENERAL CONTRACTORS			(2024)			SPRIDE	7.6	7.7	7.8	7.9	7.7	7.8	7.7	7.6	7.7	7.7	7.7	8.5	8.5	8.5	8.3
79010000	6.663	14.746	R	1	1	55	CRACKING	3.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
5	1			2	3.5	15500	RIDE	7.9		8.8	8.0	8.0	8.0	8.0	7.9	7.8	7.7	7.8	7.6	7.6		
							FC5M															
4306781	6.646	14.746	R	2016		0012	CRACKING	7.5	6.5	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.0	
P & S	PAVING, INC.			(2019)			RIDE	7.4	7.4	7.6			8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.1	
79010000	14.746	15.749	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		10.0	10.0		
5	1			2	6.2	29000	RIDE	8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0	8.0	7.8		8.2	8.1		
							FC125R															
4220181	14.746	20.040	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1	7.0	5.0*	
HALIFAX	PAVING, INC.			(2012)			RIDE	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.5	7.6	7.3	
79010000	15.749	17.673	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		10.0	10.0		
5	1			2	6.7	26000	RIDE	8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0	8.0	7.8		8.2	8.1		
							FC125R															
4220181	14.746	20.040	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1	7.7	5.5*	
HALIFAX	PAVING, INC.			(2012)			RIDE	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.5	7.4	7.1	
79010000	17.673	20.040	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		10.0	10.0		
5	1			2	6.7	26500	RIDE	8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0	8.0	7.8		8.2	8.1		
							FC125R															
4220181	14.746	20.040	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1	8.1	6.0*	
HALIFAX	PAVING, INC.			(2012)			RIDE	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.6	7.6	7.4	7.5	7.5	7.2	
79010000	20.040	23.242	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	
5	1			2	6.7	26000	RIDE	8.9	8.8	8.8	8.3	8.3	8.2	8.2	8.1	8.1	8.0	8.3	8.3	8.3	8.3	
							OGFC															
4220191	20.040	24.234	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	8.2	7.8	4.5*	
HALIFAX	PAVING, INC.			(2011)			RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.3	8.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
79010000	23.242	23.559	R	1	7	55	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1				2	6.7	27500	RIDE			8.5	8.1	8.1	8.0	8.1	8.0	7.8	7.8	8.3	8.3	8.3	
							OGFC														
4470891	23.200	23.622	R	2025	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	8.2	10.0	9.0
P & S PAVING, INC.				(2026)			RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	8.2	8.0
79010000	23.559	24.229	R	1	1	55	CRACKING			6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
5 1				2	6.7	27500	RIDE			8.5	7.9	7.7	7.6	7.5	7.3	7.3	8.3	8.3	8.3	8.3	
HARBOR DR(23.7R)							OGFC														
4220191	20.040	24.234	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	8.2	6.5	3.0*
HALIFAX PAVING, INC.				(2011)			RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.1	7.4	7.2
79010000	24.229	24.908	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
5 1				2	6.7	27500	RIDE			8.3	8.0	8.0	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.6	
HARBOR RD(24.5R)							FC5A														
4286881	24.229	26.879	C	2015	0012		CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.3	7.8	5.5*
HALIFAX PAVING, INC.				(2017)			RIDE	7.4	7.5		7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.3	7.1
79010000	24.908	26.882	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	
5 1				2	7.0	15900	RIDE	8.7	8.7	8.6	8.0	8.0	7.7	7.9	7.8	7.7	7.8	7.6	7.6	7.6	
PALM AVE(25.0R)							FC125A														
4286881	24.229	26.879	C	2015	0012		CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.3	7.0	5.5*
HALIFAX PAVING, INC.				(2017)			RIDE	7.6	7.2		7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.2	6.9
79010000	26.882	28.722	R	1	4	40	CRACKING	8.9	8.9	8.8	8.8	8.8	8.7	8.6	8.5	7.9	8.3	8.7	8.6	8.6	
5 1				2	6.7	24500	RIDE	7.2	7.2	7.3	6.8	6.7	6.6	6.6	6.8	6.7	6.5	6.8	6.7	6.7	
CARLTON PL(26.9R)							B														
				(2021)			CRACKING	8.0	8.2	8.0	8.1	8.3	8.2		9.3	9.2	9.1	9.0	9.0	8.8	8.5
							RIDE	6.6	6.5	6.4	6.3	6.4	6.3		6.4	6.4	6.3	6.3	6.3	6.4	6.3
79010000	28.722	29.400	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
5 1				2	6.7	24500	RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	7.7	7.4	
SANDY CIR(28.7R)							FC125M														
2409311	28.676	32.696	C	1994	0012		CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*
MARTIN PAVING CO				(1995)			S RIDE	7.7	7.8	7.9	7.9	7.8	7.7	7.5	7.7	7.7	7.6	7.6	7.5	7.5	7.2
4470891	28.807	29.399	C	2025	0012																
79010000	29.400	30.564	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
5 1				2	2.5	30000	RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	7.7	7.4	
RIDGE BLVD(29.4C)							DGFC														
				(2015)			CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.1	8.6	7.0
							RIDE	7.7	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.1	7.2	6.9
79010000	30.564	32.540	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	
5 1				2	2.5	30000	RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	7.6	7.6	
BEVILLE RD(30.6R)							FC125R														
				(2012)			CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.0	6.5	6.5	6.5	6.6	6.5	4.5*
4507821	30.564	32.696	C	2026	0012		RIDE	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.1	7.0	7.0	6.7	6.7	6.7	6.4
79010000	32.540	32.696	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	
5 1				2	8.1	29500	RIDE	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.4	6.9	6.5	6.1	
MAGNOLIA AVE(32.6C)							DGFC														
				(2017)			CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	7.5	6.0*
4507821	30.564	32.696	C	2026	0012		RIDE	6.1													
79010000	32.540	32.696	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.0*	6.0*	
5 1				2	8.1	29500	RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	5.0*	5.0*	
MAGNOLIA AVE(32.6C)							DGFC														
				(2026)			CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.7	9.5	8.5
							RIDE	4.8*													
79010000	30.564	32.540	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	10.0	10.0	
5 1				2	2.5	30000	RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	8.2	8.1	
RUTLEDGE AVE(30.6L)							FC125R														
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	6.5	6.5	4.5*
4507821	30.564	32.696	C	2026	0012		RIDE														

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
79010000	29.400	30.564	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.5	8.5		
5 1			2	2.5	30000		RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	7.9	7.8		
RIDGE BLVD(29.4C)																						
				(2015)			CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.0	
							RIDE	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.5	7.6	7.6	7.3	
79010000	28.722	29.400	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.5	8.5		
5 1			2	6.7	24500		RIDE	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8	7.8	7.6	7.4	7.9	7.8		
REED CANAL RD(28.7L)																						
							FC125M															
2409311	28.676	32.696	C	1994	0012		CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	3.0*	
MARTIN PAVING CO																						
				(1995)	S		RIDE	7.9	8.0	7.8	7.8	7.7	7.7	7.5	7.5	7.4	7.4	7.3	7.3	7.2	6.9	
4470891	28.807	29.399	C	2025	0012																	
79010000	26.882	28.722	L	1	4	40	CRACKING	8.7	8.6	8.6	8.6	8.6	8.5	7.8	7.1	8.1	7.9	8.1	8.0	8.0		
5 1			2	6.7	24500		RIDE	7.2	7.3	7.2	6.6	6.6	6.4	6.3	6.5	6.4	6.5	6.6	6.5	6.4		
WHITE PL(27.0C)																						
							B															
				(2021)			CRACKING	7.0	7.0	7.0	6.8	6.7	6.7		9.2	9.2	8.7	8.7	9.1	8.9	8.5	
							RIDE	6.1	6.5	6.3	6.3	6.3	6.2		6.2	6.3	6.2	6.2	6.1	6.3	6.2	
79010000	24.908	26.882	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5		
5 1			2	7.0	15900		RIDE	8.7	8.5	8.6	8.1	8.0	8.1	8.0	8.1	7.9	7.9	7.9	7.9	7.8		
FROM SR-5A(25.0L)																						
							FC125A															
4286881	24.229	26.879	C	2015	0012		CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.1*	5.1*	3.5*	
HALIFAX PAVING, INC.																						
				(2017)			RIDE	7.8	7.5		7.8	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.1	6.8	
79010000	24.229	24.908	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5		
5 1			2	6.7	27500		RIDE			8.6	7.9	7.4	7.6	7.4	7.6	7.9	7.9	7.9	7.9	7.8		
BAYSHORE DR L(24.8L)																						
							FC5A															
4286881	24.229	26.879	C	2015	0012		CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.1*	5.5*	3.0*	
HALIFAX PAVING, INC.																						
				(2017)			RIDE	7.7	7.9		7.8	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.8	7.6	
79010000	23.559	24.229	L	1	1	55	CRACKING			6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
5 1			2	6.7	27500		RIDE			9.0	8.3	8.3	8.3	8.2	8.3	8.0	8.0	8.2	8.2	8.2		
							OGFC															
4220191	20.040	24.234	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	8.1	5.0*	
HALIFAX PAVING, INC.																						
				(2011)			RIDE	8.2	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.2	8.0	
79010000	23.242	23.559	L	1	7	55	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	10.0	10.0	10.0		
5 1			2	6.7	27500		RIDE			8.4	8.1	7.7	7.9	7.9	7.6	7.6	7.5	8.2	8.2	8.2		
							OGFC															
4470891	23.200	23.622	L	2025	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	10.0	9.0	
P & S PAVING, INC.																						
				(2026)			SPRIDE	8.2	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.6	8.4	
79010000	20.040	23.242	L	1	1	55	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*	10.0	10.0	10.0		
5 1			2	6.7	26000		RIDE	9.0	8.8	8.8	8.2	8.2	7.9	7.9	8.0	7.8	7.8	8.2	8.2	8.2		
SKYLINE DR(20.7L)																						
							OGFC															
4220191	20.040	24.234	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	7.5	4.0*	
HALIFAX PAVING, INC.																						
				(2011)			RIDE	8.2	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.1	7.9	
79010000	17.673	20.040	L	1	1	40	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*		10.0	10.0		
5 1			2	6.7	26500		RIDE	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0	7.8	7.8		8.3	8.2		
JULIA ST(18.3L)																						
							FC125R															
4220181	14.746	20.040	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	7.8	5.5*	
HALIFAX PAVING, INC.																						
				(2012)			RIDE	8.2	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.4	7.1	
79010000	15.749	17.673	L	1	1	40	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*		10.0	10.0		
5 1			2	6.7	26000		RIDE	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0	7.8	7.8		8.3	8.2		
PEARL ST(15.9L)																						
							FC125R															
4220181	14.746	20.040	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	8.1	6.0*	
HALIFAX PAVING, INC.																						
				(2012)			RIDE	8.2	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.7	7.4	
79010000	14.746	15.749	L	1	1	45	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.0*					

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR										FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
79010000	11.467	14.746	L	1	1	55	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.5		
5	1		2	3.5		15500	RIDE	8.0		8.7	7.8	8.0	7.9	8.0	7.9	7.9	7.9	7.8	7.8	7.7		
EAST WIND DR(11.5L)																						
4306781	11.467	14.746	L	2016		0012	CRACKING	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.5	7.5
P & S PAVING, INC. (2018)																						
79010000	9.600	11.467	L	1	4	55	CRACKING	9.4	9.3	9.3	9.4	9.3	9.3	9.4	9.1	4.1*	9.1	9.2	9.1	9.0		
5	1		2	3.5		15500	RIDE	7.5	7.6	7.3	6.6	7.0	6.8	6.9	6.9	7.0	6.9	6.9	6.8	6.7		
CLINTON CEMETARY RD(10.0L)																						
							CRACKING	8.9	8.9	8.9	8.6	8.7	8.8	8.8	8.8	9.0	8.6	8.5	8.5	8.4	7.5	
(2010)																						
							RIDE	6.9	6.8	7.0	6.9	6.9	6.8	6.9	6.9	6.9	6.9	6.6	6.8	6.8	6.7	
79010000	6.663	9.600	L	1	1	55	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5		
5	1		2	3.8		9100	RIDE	8.0		8.8	8.0	7.9	7.9	7.9	7.9	7.8	7.7	7.8	7.7	7.5		
SOUTH ST( 6.7L)																						
4306781	6.646	9.467	L	2016		0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	6.5	
P & S PAVING, INC. (2018)																						
79010000	0.000	6.663	L	1	1	65	CRACKING	6.0*	6.0*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	6.1		5200	RIDE	8.9	8.3	8.7	8.0	7.7	7.7		8.1	8.1	8.0	8.1	8.0	7.8		
STACEY GROVE RD( 1.9L)																						
4438131	0.000	6.663	C	2022		0012	CRACKING	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.6	10.0	8.5	
MASCII GENERAL CONTRACTORS (2024)																						
							SPRIDE	7.9	7.8	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	8.6	8.6	8.6	8.4	
79030000	0.000	5.841	R	1	1	35	CRACKING	5.5*	3.5*	3.5*	3.0*	3.0*		10.0	10.0	9.5	9.5	9.5	9.0	9.0		
5	1		2	2.8		24500	RIDE	7.0	6.9	6.8	5.7	5.6		7.6	7.7	7.6	7.5	7.5	7.5	7.5		
INTL SPEEDWAY BLVD( 0.0C)																						
4117771	0.083	5.924	C	2004		0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.8	7.0	4.5*	
(2007)																						
							SPRIDE	7.5	7.4	6.8	6.9	6.8	6.7	6.6	6.6	6.4	6.4	6.3	6.3	6.2	5.9	
4529081	0.788	9.556	C	2028		0226																
79030000	5.841	7.166	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*			
5	1		2	8.3		20500	RIDE	9.0	8.9	8.9	8.4	8.4	8.1	8.2	8.0	7.9	7.9	7.7	7.6			
WOODLAND AVE( 5.9R)																						
4286891	5.841	7.166	R	2014		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.8	6.6	4.0*	
P & S PAVING, INC. (2015)																						
4529081	0.788	9.556	C	2028		0226	RIDE	7.2	8.2	8.5	8.4	8.4	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.1	
79030000	7.166	7.459	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*			
5	1		2	8.3		20500	RIDE	9.0	8.9	8.9	8.4	8.4	8.1	8.2	8.0	7.9	7.9	7.7	7.6			
(2015)																						
							CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.4	7.1	4.5*	
(2015)																						
							RIDE	7.2	8.3	8.5	8.4	8.4	8.5	8.4	8.6	8.4	8.2	8.2	8.3	8.5	8.3	
4529081	0.788	9.556	C	2028		0226																
79030000	7.459	12.803	R	1	1	55	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			
5	1		2	7.7		27500	RIDE	8.1	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	8.0	7.9	7.9		
COQUINA AVE( 8.3R)																						
4391361	5.868	12.803	C	2020		0012	CRACKING	9.0	7.5	7.5	6.0*	6.0*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	
P & S PAVING, INC. (2023)																						
							SPRIDE	7.8	7.8	8.0	8.0	7.9	7.9	7.9	7.9		8.6	8.6	8.5	8.5	8.3	
79030000	11.579	12.803	L	1	1	60	CRACKING	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5	8.5	8.5		
5	1		2	8.3		17800	RIDE	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4	8.3	8.3		
HALIFAX PAVING, INC. (2009)																						
4195881	5.868	12.803	C	2007		0012	CRACKING	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.2*	2.9*	0.0*	
(2009)																						
							SPRIDE	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2	8.2	8.2	8.0	
4529082	11.727	12.803	L	2028		0226																
79030000	10.715	11.579	L	1	1	45	CRACKING	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5	8.5	8.5		
5	1		2	7.7		27500	RIDE	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4	8.3	8.3		
BROADWAY AVE(10.8C)																						
							CRACKING	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	9.0	8.4	7.5	
(2025)																						
							RIDE	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2	8.4	8.5	
79030000	5.868	10.715	L	1	1	55	CRACKING	8.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	4.0*	10.0	10.0	8.5	8.5	8.5		
5	1		2	7.7		27500	RIDE	8.9	9.0	8.9	8.5	8.1	8.3	8.2	8.1	8.3	8.4	8.4	8.3	8.3		
WILMETTE AVE( 6.2C)																						
4195881	5.868	12.803	C	2007		0012	CRACKING	7.5	7.0	7.0	5.5*	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.0*	3.8*	3.6*	0.0*	
(2009)																						
							SPRIDE	8.3	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.2	8.2	8.1	7.9	
4529081	0.788	9.556	C	2028		0226																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

															DISTRICT = 5		COUNTY = VOLUSIA																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE													
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031												
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031												
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)												
CONTRACTOR	(AGE_ONE YEAR)	(AGE_ONE YEAR)																															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****																										
79030000	0.000	5.868	L	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0													
5 1			2	2.8		24500	RIDE	6.7	6.6	6.8	5.5	5.4*		7.3	7.3	7.5	7.1	6.9	7.2	7.1													
INTL SPEEDWAY BLVD( 0.0C)																																	
4117771	0.083	5.924	C	2004	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.2	6.8	4.5*												
(2007) SPRIDE																																	
4529081	0.788	9.556	C	2028	0226																												
-----																																	
79040000	0.477	2.549	R	1	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
15 17			2	6.7		30500	RIDE		8.6	8.4	7.8	7.9	7.6	7.6	7.9	7.9	7.9	7.9	7.8	7.8	7.7												
SAVANNA ST( 0.5R)																																	
2407931	0.367	2.522	C	1999	0213	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	8.3	8.2												
(2007) SPRIDE																																	
MARTIN K. EBY CONSTRUCTION(2002)							S RIDE	7.7	7.6	7.5	7.5	7.3	7.4	7.3	7.3	7.2	7.2	7.2	7.1	7.1	6.8												
4509731	0.477	5.304	C	2027	0226																												
-----																																	
79040000	2.549	3.805	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5													
15 17			2	6.5		28500	RIDE	8.5	8.5	8.3	7.8	7.9	7.7	7.8	7.8	7.8	7.8	7.7	7.6	7.5													
PLANTATION RD( 2.7R)																																	
2404931	2.522	3.854	C	1996	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*												
(2007) SPRIDE																																	
BERGERON LAND DEVELOPMENT(1998)							S RIDE	7.2	7.3	7.2	7.2	7.3	7.3	7.2	7.3	7.1	7.3	7.3	7.2	7.1	6.8												
4509731	0.477	5.304	C	2027	0226																												
-----																																	
79040000	3.805	6.050	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5													
15 17			2	10.1		27000	RIDE			8.4	7.9	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.7	7.7													
N PINE MEADOW DR( 4.2R)																																	
2407921	3.854	5.959	C	2000	0213	CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*												
(2003) SPRIDE																																	
JONES BROS., INC.							S RIDE	7.6	7.6	7.4	7.4	7.4	7.4	7.2	7.2	7.2	7.2	7.3	7.3	7.2	6.9												
4509731	0.477	5.304	C	2027	0226																												
-----																																	
79040000	6.050	8.600	R	1	1	45	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0													
15 17			2	9.2		31000	RIDE	8.3	8.3	8.2	7.8	7.8	7.7	7.6	7.6	7.6	7.6	8.4	8.2	8.2													
LEG TO ENTERPRISE RD( 6.1R)																																	
4220201	6.050	9.689	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	5.2*	6.0*	4.0*												
(2011) SPRIDE																																	
RANGER CONSTRUCTION INDUST(2011)							RIDE	8.1	8.0	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.7	7.6	7.3												
4509911	5.304	8.578	C	2027	0226																												
-----																																	
79040000	8.600	11.420	R	1	7	50	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	4.5*	10.0	10.0	10.0	10.0													
15 17			3	3.3		61000	RIDE	8.6	8.6	8.2	7.8	7.8	7.7	7.6	7.4	7.5	8.1	8.0	8.0	8.0													
E MINNESOTA AVE( 9.3R)																																	
4453011	9.783	11.322	R	2024	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	5.2*	10.0	9.0												
(2026) SPRIDE																																	
P & S PAVING, INC.							RIDE	8.0	7.9	7.5	7.5	7.4	7.4	7.2	7.2	7.2	7.1	6.9	6.8	8.5	8.2												
-----																																	
79040000	11.420	12.404	R	1	1	40	CRACKING	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5													
15 17			2	5.3		34500	RIDE	8.2	8.0	8.0	7.7	7.8	7.6	7.6	7.6	6.9	7.5	7.2	7.0	6.9													
ANDOVER ST(11.7R)																																	
4306791	11.426	12.244	C	2015	0012	CRACKING	8.5	8.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.2	6.5												
(2017) SPRIDE																																	
HALIFAX PAVING, INC.							RIDE	6.8	6.7	6.9	7.6	7.2	7.1	7.1	7.1	7.0	7.0	6.9	6.9	6.9	6.6												
-----																																	
79040000	12.404	14.345	C	1	4	30	CRACKING	8.8	8.8	8.8	8.7	8.7	8.7	8.4	8.1	7.7	8.1	8.3	8.4	8.3													
15 17			2	4.9		20500	RIDE		6.3	6.2	5.6	5.7	5.3*	5.3*	5.3*	5.2*	5.4*	5.2*	5.6														
CHELSEA AVE R(12.4R)																																	
							LDG																										
							CRACKING	8.4	8.4	8.5	8.4	8.3	8.4	8.6	8.7	8.7	7.7	7.8	8.1	8.5	7.5												
							RIDE	5.6	5.3*	5.7	5.5	5.3*	5.5	5.4*	5.4*	5.3*	5.5	5.4*	5.5	5.2*	5.1*												
(1977)																																	
-----																																	
79040000	14.345	15.172	R	1	1	45	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0													
15 17			2	4.2		26000	RIDE	7.2	6.9	7.3	7.1	6.8	6.7	6.7	6.8	6.5	8.3	8.2	8.2	8.2													
PLYMOUTH AVE(14.4R)																																	
4195941	14.345	15.172	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	8.2	6.0*												
(2010) SPRIDE																																	
P & S PAVING, INC.							RIDE	7.8	8.1	7.8	7.7	7.7	7.6	7.8	7.7	7.6	7.6	7.7	7.8	7.6	7.3												
-----																																	
79040000	14.345	15.172	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0													
15 17			2	4.2		26000	RIDE	8.0	8.0	7.7	7.3	7.6	7.4	7.3	7.4	7.5	8.3	8.1	8.1	7.9													
PLYMOUTH AVE(14.4L)																																	
4195941	14.345	15.172	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	8.3	7.9	5.5*												
(2010) SPRIDE																																	
P & S PAVING, INC.							RIDE	7.9	7.9	8.0	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.9	7.9	7.8	7.5												
-----																																	
79040000	11.420	12.404	L	1	1	40	CRACKING	4.5*	4.5*	10.0	10.0	10.0	8.5	7.5	7.5	6.5	6.0*	6.0*	6.0*	6.0*													
15 17			2	5.3		34500	RIDE	8.0	7.9	8.3	7.7	7.9	7.7	7.7	7.8	7.2	7.1	6.9	6.7	6.6													
CHIPOLA AVE L(11.6L)																																	
4306791	11.426	12.244	C	2015	0012	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.0	7.1	6.8	5.0*												
(2017) SPRIDE																																	
HALIFAX PAVING, INC.							RIDE	6.6	6.3	6.3	7.5	7.4	7.0	7.0	7.2	7.1	6.9	6.8	6.8	6.8	6.5												

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
79040000	8.600	11.420	L	1	7	50	CRACKING	10.0	8.5	10.0	10.0	10.0	8.5	7.5	7.5		10.0	10.0	9.0	9.0	
15 17								8.8	8.7	8.3	7.7	7.9	7.7	7.7	7.8		8.1	8.1	8.0	8.0	
NEW YORK AVE L( 8.8L) FC125M																					
4453011	9.977	11.420	L	2024	0012		CRACKING	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.0	5.9*	10.0	9.0
P & S PAVING, INC. (2026) SPRIDE																					
79040000	6.050	8.600	L	1	45		CRACKING	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0
15 17								8.6	8.5	8.5	7.8	7.9	7.7	7.7	7.7	7.6	7.6	7.6	8.3	8.2	8.2
HOLLY DR L( 6.4L) FC95R																					
4220201	6.050	9.689	C	2010	0012		CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.8*	6.0*
RANGER CONSTRUCTION INDUST(2011) RIDE																					
4509911	5.304	8.578	C	2027	0226			8.1	8.0	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.5	7.2
FC95R																					
79040000	3.656	6.050	L	1	45		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
15 17										8.3	7.8	7.8	7.7	7.8	7.9	7.7	7.7	7.7	7.7	7.6	7.6
HIGHBANKS RD( 3.8L) FC3																					
2407921	3.854	5.959	C	2000	0213		CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
JONES BROS., INC. (2003) S RIDE																					
4509731	0.477	5.304	C	2027	0226			7.5	7.4	7.3	7.3	7.1	7.1	7.0	7.1	7.1	7.0	7.1	7.1	7.1	6.8
FC3																					
79040000	2.549	3.656	L	1	40		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5
15 17								8.0	7.7	7.6	7.4	7.5	7.1	7.1	7.2	7.1	7.0	7.0	7.0	7.0	6.8
SANFORD AVE( 2.7L) FC3																					
2404931	2.522	3.854	C	1996	0213		CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	3.5*
BERGERON LAND DEVELOPMENT(1998) S RIDE																					
4509731	0.477	5.304	C	2027	0226			6.6	6.5	6.9	6.9	6.7	6.8	6.6	6.7	6.5	6.6	6.5	6.6	6.6	6.3
FC3																					
79040000	0.477	2.549	L	1	50		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	
15 17									8.7	8.6	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.8	7.7
BARWICK RD( 0.5L) FC3																					
2407931	0.367	2.522	C	1999	0213		CRACKING	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*
MARTIN K. EBY CONSTRUCTION(2002) S RIDE																					
4509731	0.477	5.304	C	2027	0226			7.7	7.6	7.4	7.3	7.2	7.2	7.0	7.1	7.0	7.1	7.0	6.9	6.9	6.6
FC3																					
79040101	0.000	0.411	R	1	50		CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
15 17									8.3	8.0	7.1	7.3	6.7	6.4*	7.8	7.8	8.1	8.0	7.9	7.8	
LAKE MONROE PARK( 0.1R) FC125																					
4220221	0.000	0.411	C	2009	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.0	6.0*
P & S PAVING, INC. (2010) RIDE																					
4509731	0.000	0.411	C	2027	0226			7.7	7.6	7.4	7.4	7.1	7.3	7.1	7.1	6.9	7.0	7.0	7.0	6.9	6.6
FC125																					
79040101	0.000	0.411	L	1	50		CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	3.5*	3.5*	10.0	10.0	10.0	10.0	
15 17									8.3	7.7	7.1	7.3	6.9	7.1	6.7	6.8	8.5	8.4	8.3	8.3	
FPL SERVICE RD( 0.2L) FC125																					
4220221	0.000	0.411	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.0	6.0*
P & S PAVING, INC. (2010) RIDE																					
4509731	0.000	0.411	C	2027	0226			8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.9	7.8	7.7	7.8	7.6	7.7	7.4
FC125																					
79050000	0.000	1.210	R	1	50		CRACKING	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
15 17								8.5	8.6	8.8	8.4	8.3	7.8	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1
CR 92 / INTL SPDWY( 0.0C) FC95																					
4195961	0.000	5.951	C	2009	0012		CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.2	6.8	4.5*
P & S PAVING, INC. (2010) SPRIDE																					
79050000	1.210	4.890	R	1	55		CRACKING	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
15 17								8.5	8.6	8.8	8.4	8.3	7.8	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1
SAGO CIR( 1.5R) FC5																					
4195961	0.000	5.951	C	2009	0012		CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.5	6.5	3.0*
P & S PAVING, INC. (2010) SPRIDE																					
79050000	4.890	5.951	R	1	45		CRACKING	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
15 17								8.5	8.6	8.8	8.4	8.3	7.8	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1
E DAVIS ST( 5.0R) FC95																					
				(2025)			CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	8.8	7.0	6.0*
RIDE																					
79050000	5.951	7.250	C	1	8	55	CRACKING	8.5	7.0	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
15 17								9.0	8.9	8.7	7.7	7.3		8.6	8.7	8.6	8.6	8.6	8.6	8.6	8.5
BRIDLELAND RD( 6.3R) FC95																					
4135961	5.951	16.180	C	2005	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	5.8*		
P & S PAVING, INC. (2007) SPRIDE																					
4102513	5.700	7.250	C	2023	0213			8.4	8.4	8.2	8.1	8.1	8.1	7.9	8.0	7.9	7.9	7.8	7.8		
FC95																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
79050000	7.250	16.180	C	1	7	60	CRACKING	8.5	7.0	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
15 17			2	17.3		10200	RIDE	9.0	8.9	8.7	7.7	7.3		8.6	8.7	8.6	8.6	8.6	8.6	8.6	8.5
DAWSON BROWN RD( 9.2R)																					
4102515	7.257	12.080	C	2025		0226	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	5.8*	10.0	9.0
P & S PAVING, INC. (2026) SPRIDE																					
79050000	16.180	25.873	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	
15 17			2	12.6		6100	RIDE	9.1	9.0	9.0	8.4	8.3	8.1	8.1	7.8	7.6	7.5		8.5	8.4	
E 4 TH AVE(16.3R)																					
4220231	16.180	25.873	C	2010		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.1*	6.5	4.5*
P & S PAVING, INC. (2012) RIDE																					
4542081	18.400	25.873@	C	2029		0226	CRACKING	8.2	8.2	8.0	7.9	7.9	7.8	7.5	7.8	7.7	7.7	7.6	7.6	7.5	7.2
P & S PAVING, INC. (2029) SPRIDE																					
79050000	4.890	5.951	L	1	1	45	CRACKING	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
15 17			2	5.3		22000	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0	
DAVIS AVE( 5.0L)																					
4195961	0.000	5.951	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	8.0	7.6	5.5*
P & S PAVING, INC. (2010) SPRIDE																					
79050000	1.210	4.890	L	1	1	55	CRACKING	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
15 17			2	5.3		22000	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0	
WILDWOOD RD( 1.9L)																					
4195961	0.000	5.951	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.7	6.5	3.0*
P & S PAVING, INC. (2010) SPRIDE																					
79050000	0.000	1.210	L	1	1	50	CRACKING	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
15 17			2	5.8		36500	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0	
CR 92 / INTL SPDWY( 0.0C)																					
4195961	0.000	5.951	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	8.2	7.7	5.5*
P & S PAVING, INC. (2010) SPRIDE																					
79060000	0.000	0.070	R	1	6	45	CRACKING	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0	6.0*	6.0*	6.0*	
600 92			2	6.6		28000	RIDE	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9	7.8	7.9				
DELAND CITY LIMITS( 0.0C)																					
4324411	0.000	0.147	C	2016		0012	CRACKING	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.3*	6.5	5.0*
P & S PAVING, INC. (2018) RIDE																					
79060000	0.070	0.522	R	1	1	45	CRACKING	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0	10.0	9.0	9.0	
600 92			2	6.6		28000	RIDE	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9	7.8	7.9				
ALABAMA AVE N R( 0.1R)																					
4434331	0.134	2.750	R	2022		0012	CRACKING	8.5	7.5	7.0	6.5	6.0*	5.5*	5.5*	5.5*	5.5*	4.0*	10.0	10.0	10.0	9.0
MASCII GENERAL CONTRACTORS (2024) SPRIDE																					
79060000	0.522	2.759	R	1	1	55	CRACKING	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0	10.0	9.0	9.0	
600 92			2	4.1		27000	RIDE	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9	7.8	7.9				
CLEARVIEW AVE( 0.6R)																					
4434331	0.134	2.750	R	2022		0012	CRACKING	8.5	7.5	7.0	6.5	6.0*	5.5*	5.5*	5.5*	5.5*	4.0*	10.0	10.0	10.0	8.5
MASCII GENERAL CONTRACTORS (2024) SPRIDE																					
79060000	2.759	7.200	R	1	4	65	CRACKING	8.2	8.2	8.0	8.0	7.9	7.9	8.0	6.6	6.5	6.7	6.4*		8.8	
600 92			2	6.5		16100	RIDE	6.8	6.6	6.5	5.9*	5.8*	5.6*	5.7*	5.6*	5.4*	5.4*	5.2*		7.6	
4TH AVE( 3.2R)																					
4220241	2.763	7.200	C	2011		0227	CRACKING	8.8	8.3	8.1	8.1	7.9	7.8	7.4	7.3	7.3	6.8	6.8	6.4*	5.7*	5.0*
SUPERIOR CONSTRUCTION COMP(2013) RIDE																					
79060000	7.200	13.158	R	1	4	65	CRACKING	8.2	8.2	8.0	8.0	7.9	7.9	8.0	6.6	6.5	6.7	6.4*			
600 92			2	7.0		18600	RIDE	6.8	6.6	6.5	5.9*	5.8*	5.6*	5.7*	5.6*	5.4*	5.4*	5.2*			
WMA( 8.3R)																					
4220242	7.200	13.156	R	2011		0227	CRACKING	9.2	9.0	9.0	8.9	8.8	8.8	8.4	8.5	8.2	7.9	7.8	8.5	6.9	6.5
SUPERIOR CONSTRUCTION COMP(2014) RIDE																					
79060000	13.158	15.402	R	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
600 92			2	5.8		27000	RIDE	8.8	8.7	8.7	7.7	7.4	7.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
SIDE ROAD(13.2C)																					
4452081	13.149	15.410	R	2023		0012	CRACKING	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	9.0
HALIFAX PAVING, INC. (2025) SPRIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P															
CONTRACTOR (AGE_ONE YEAR)								2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(PMRS)
79060000	15.402	16.367	R	1	1	50	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
600 92				3	5.8	27000	RIDE	8.5	8.5	8.3	7.5	7.8	7.6	7.4	7.3	7.3	7.1	8.7	8.5	8.4	
SIDE ROAD(15.6R)						FC125M															
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.5	9.4	10.0	9.0
							RIDE	8.5	8.5	8.2	8.1	8.0	7.9	8.0	7.9	8.0	8.0	7.8	8.0	8.0	7.7
79060000	16.367	18.634	R	1	1	50	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
600 92				3	6.6	49500	RIDE	8.5	8.5	8.3	7.5	7.8	7.6	7.4	7.3	7.3	7.1	8.7	8.5	8.4	
TO THAMES RD(16.5R)						FC95															
4195951	15.444	18.656	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.5	5.5*	5.2*	3.0*
P & S PAVING, INC.						SPRIDE	8.5	8.5	8.2	8.1	8.0	7.9	8.0	7.9	8.0	8.0	8.0	7.8	7.9	7.9	7.6
79060000	18.634	19.603	R	1	4	45	CRACKING	9.5	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.3	9.3	9.2	9.3	9.2	
600 92				3	9.8	36500	RIDE	7.5	7.3	7.5	7.2	6.7	6.7	6.2	7.0	7.1	7.1	6.8	7.2	7.0	
TO SR 483(18.7R)						LDG															
2407211	18.630	19.611	C	1994	0213	CRACKING	9.2	9.2	9.1	9.1	9.2	8.9	8.9	8.9	9.4	9.4	9.2	9.1	9.0	8.0	
L.G. DEFELICE INC.						RIDE	7.0	7.1	7.3	7.2	7.0	7.1	7.1	7.0	6.9	7.0	7.1	7.0	7.1	7.0	7.0
79060000	19.603	20.206	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.5	7.0	
600 92				2	6.6	24500	RIDE	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3	6.2	6.4	6.5	6.8	6.8	
NOVA RD(19.6C)						FC125															
							CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.6	9.2	8.0
							RIDE	6.8	7.4	7.0	7.0	6.8	6.7	7.5	7.5	7.3	7.2	7.1	6.9	6.9	6.6
79060000	20.206	20.597	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	10.0	10.0	
600 92				2	1.0	22500	RIDE	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3	6.2	6.4	6.5	6.7	6.7	
LINCOLN AVE(20.2C)						DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.1	8.5	6.5
							RIDE	6.5	6.7	7.3	7.1	7.0	6.9	5.6	5.3*	5.0*	5.1*	5.0*	4.7*	4.6*	4.3*
79060000	20.597	20.766	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.5	7.0	
600 92				2	1.0	22500	RIDE	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3	6.2	6.4	6.5	3.9*	4.3*	
S SEGRAVE ST(20.7R)						DGFC															
4324421	20.625	20.766	C	2016	0012	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.5	8.0	
ATLANTIC CIVIL CONSTRUCTOR(2017)						RIDE	4.3*	4.4*	3.6*												
79060000	20.597	20.766	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	7.5	7.0	
600 92				2	1.0	22500	RIDE	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	5.2*	5.1*	
N SEGRAVE ST(20.7L)						DGFC															
4324421	20.625	20.766	C	2016	0012	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.5	8.0
ATLANTIC CIVIL CONSTRUCTOR(2017)						RIDE	5.1*	5.1*	4.3*												
79060000	20.206	20.597	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	10.0	10.0	
600 92				2	1.0	22500	RIDE	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	6.7	6.4	
LINCOLN AVE(20.2C)						DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	6.5
							RIDE	6.6	6.8	7.3	7.5	7.2	7.1	6.2	5.9	6.2	5.9	5.7	5.5	5.5	5.2*
79060000	19.603	20.206	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	7.5	7.5	
600 92				2	6.6	24500	RIDE	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	6.6	6.6	6.7	6.0	6.4	
NOVA RD(19.6C)						FC125															
							CRACKING	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.5
							RIDE	5.9	6.6	6.1	6.0	5.9	5.8	7.3	7.2	7.3	7.1	6.9	6.9	7.0	6.7
79060000	18.634	19.603	L	1	4	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	8.5	9.1	8.9	8.9	8.9	
600 92				3	9.8	36500	RIDE	7.9	7.8	7.4	7.0	6.9	6.8	5.3*	6.2	7.2	7.3	6.8	7.1	7.0	
FROM SR 483(18.7L)						LDG															
2407211	18.630	19.611	C	1994	0213	CRACKING	8.8	8.8	8.7	8.6	8.8	8.8	8.8	8.8	9.2	9.4	9.2	9.2	9.2	9.0	8.0
L.G. DEFELICE INC.						RIDE	7.1	7.3	7.3	7.3	7.2	7.2	7.1	7.1	7.1	7.1	7.1	6.9	6.9	6.9	6.8
79060000	16.337	18.634	L	1	1	50	CRACKING	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
600 92				3	6.6	49500	RIDE	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	8.5	8.4	
INDIGO DR(16.4L)						FC95															
4195951	15.444	18.656	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	8.0	6.0*
P & S PAVING, INC.						SPRIDE	8.5	8.5	8.2	8.1	8.1	8.0	8.0	8.0	8.1	8.0					

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)		SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	ASTYPE															(PMRS)
79060000	15.582	16.337	L	1	1	50	CRACKING	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
600 92				3	5.8	27000	RIDE	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	8.5	8.4	
						FC125M															
						(2022)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.7	9.1	8.0
							RIDE	8.5	8.5	8.2	8.1	8.1	8.0	8.0		7.5	7.4	7.3	7.3	7.4	7.1
79060000	15.412	15.582	L	1	7	55	CRACKING	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
600 92				3	5.8	27000	RIDE	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	7.5	7.5	8.6	8.5	8.4	
CR 415(15.6C)						FC95															
						(2026)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0	7.0	6.0*	10.0	9.0
							RIDE	8.5	8.5	8.2	8.1	8.1	8.0	8.0	7.8	8.1	8.3	8.0	8.0	8.2	7.9
79060000	14.274	15.412	L	1	4	55	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	5.8	27000	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
GENE DANIELS RD(15.0L)						LDG															
4220242	7.200	15.426	L	2011		0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	5.1*	5.1*	4.8*	4.0*
SUPERIOR CONSTRUCTION COMP(2014)							RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	6.1*	6.0*	5.9*	5.8*
79060000	13.156	14.274	L	1	4	55	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	5.8	27000	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
SIDE ROAD(13.2C)						CONC															
4220242	7.200	15.426	L	2011		0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	0.0*	0.0*	0.0*	0.0*
SUPERIOR CONSTRUCTION COMP(2014)							RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	8.1	8.0	7.9	7.8
4559191	13.069	13.969	C	2030		0227															
79060000	11.043	13.156	L	1	4	65	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	7.0	18600	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
RED JOHN DR(11.1L)						LDG															
4220242	7.200	15.426	L	2011		0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	7.8	7.7	7.4	7.0
SUPERIOR CONSTRUCTION COMP(2014)							RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	7.1	7.0	6.8	6.7
79060000	9.153	11.043	L	1	4	65	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	7.0	18600	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
						LDG															
						(2024)	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	9.5	9.4	9.5	9.0
							RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	9.0	8.7	8.9	8.8
79060000	7.200	9.153	L	1	4	65	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	6.5	16100	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
BRICK RD( 8.5L)						LDG															
4220242	7.200	15.426	L	2011		0227	CRACKING	8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	7.4	7.0	6.1*	5.9*	5.0*	4.5*
SUPERIOR CONSTRUCTION COMP(2014)							RIDE	7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.4	6.9	6.7	6.5	6.4*
79060000	2.759	7.200	L	1	4	65	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	6.5	16100	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
SIDE ROAD( 3.9C)						LDG															
						(1977)	CRACKING	7.2	7.1	6.6	5.9*	5.8*	5.4*	5.0*	4.8*	4.9*	4.3*	4.3*	3.9*	3.2*	2.0*
							RIDE	7.6	7.3	7.6	7.5	7.3	7.1	7.0	6.9	6.9	6.8	6.5	6.3*	6.2*	6.1*
79060000	0.137	2.759	L	1	4	55	CRACKING	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	6.1*	5.7*	5.7*			
600 92				2	4.1	27000	RIDE	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	5.4*	5.1*	5.1*			
AMELIA AVE( 0.3C)						LDG															
						(1977)	CRACKING	5.0*	4.8*	4.8*	4.4*	4.4*	4.3*	4.2*	4.2*	3.3*	3.3*	3.3*	3.2*	3.1*	2.0*
							RIDE	6.7	6.6	7.1	6.9	7.0	7.0	6.9	6.9	6.7	6.8	6.7	6.7	6.6	6.5
4434332	0.134	2.750	L	2027		0012															
79060000	0.000	0.137	L	1	6	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
600 92				2	6.6	28000	RIDE														
DELAND CITY LIMITS( 0.0C)						DGFC															
4324411	0.000	0.147	C	2016		0012	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
P & S PAVING, INC.						(2018)	RIDE														
79070000	0.000	0.162	C	1	1	45	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	
44				2	6.5	15500	RIDE	8.3	8.4	8.3	8.2	8.3	8.3	8.1	8.2	8.1	8.1	8.4	8.4	8.4	
UNSIGNED( 0.1R)						FC125M															
4195891	0.000	1.193	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.2	7.0
P & S PAVING, INC.						(2010)	SPRIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	5.3*	5.0*

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE
													2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2031
ITMSEG-F	W_BMP	W_EMP	W_RW	W_LN	W_SYS	W_TYP	W_SPD	W_DISTRESS	W_RATINGS	W_2001	W_2002	W_2003	W_2004	W_2005	W_2006	W_2007	W_2008	W_2009	W_2010	W_2011	W_2012	W_2013	W_2031
79070000 44	0.162	0.421	C	1	7	55	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0
				2	6.5	15500	RIDE	8.3	8.4	8.3	8.2	8.3	8.3	8.3	8.1	8.2	8.1	8.1	8.1	8.4	8.4	8.4	8.4
						FC125M																	
					(2026)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	10.0	9.0
							RIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	7.2	6.9
79070000 44	0.421	1.193	C	1	1	55	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	
				2	6.5	15500	RIDE	8.3	8.4	8.3	8.2	8.3	8.3	8.3	8.1	8.2	8.1	8.1	8.4	8.4	8.4	8.4	8.4
						FC95																	
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.0	7.0
							SPRIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	7.8	7.5
LINDA DR( 0.7R)																							
4195891	0.000	1.193	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.0	7.0
P & S PAVING, INC.							SPRIDE	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4	7.4	7.8	7.5
79070000 44	2.466	4.113	C	1	1	40	CRACKING	8.5	8.5	7.0	7.0	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
				2	8.6	14800	RIDE	8.3	7.8	8.0	7.0	7.3	6.8	6.5	7.0	6.8	8.3	8.1	7.9	7.9	7.8	7.8	7.8
						FC95																	
							CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	5.8*	5.3*	3.0*
							SPRIDE	7.8	7.9	7.5	7.5	7.3	7.1	7.1	7.1	7.1	6.8	6.8	6.9	6.6	6.6	6.8	6.5
N RIDGEWOOD AVE( 2.9L)																							
4195891	2.454	4.106	C	2009	0012	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	5.8*	5.3*	3.0*
P & S PAVING, INC.							SPRIDE	7.8	7.9	7.5	7.5	7.3	7.1	7.1	7.1	7.1	6.8	6.8	6.9	6.6	6.6	6.8	6.5
4542091	2.667	4.111	C	2028	0012																		
79070000 44	4.113	6.372	C	1	4	40	CRACKING	8.1	8.0	7.9	7.9	7.8	7.7	7.7	6.6	5.6*	5.7*	6.2*	6.1*	5.8*	5.8*	5.8*	
				2	7.6	14500	RIDE	7.6	7.3	7.2	6.8	6.5	6.6	6.7	6.5	6.4	6.5	6.4	6.5	6.6	6.6	6.4	6.4
						LDG																	
					(1977)		CRACKING	5.6*	5.4*	5.1*	4.7*	4.0*	5.9*	6.9	6.3*	5.3*	5.7*	5.3*	5.4*	6.1*	5.8*	5.0*	
							RIDE	6.5	6.3	6.9	6.7	6.7	6.0	6.6	6.6	6.4	6.4	6.4	6.4	6.3	6.3	6.2	6.2
79070000 44	6.372	7.611	C	1	7	45	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0
				2	5.6	19600	RIDE	8.5	8.5	8.1	7.8	7.9	7.7	7.7	7.7	7.6	7.4	7.5	7.4	7.5	7.4	7.2	7.2
						FC125																	
							CRACKING	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.6*	10.0	9.0	
							SPRIDE	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.7	6.6	6.6	6.6	6.4	8.2	7.9	
HILL AVE( 6.4R)																							
4453001	6.372	7.381	C	2023	0012	CRACKING	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.6*	10.0	9.0	
P & S PAVING, INC.							SPRIDE	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.7	6.6	6.6	6.6	6.4	8.2	7.9	
79070000 44	7.611	8.773	C	1	8	50	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0
				2	5.6	19600	RIDE	8.5	8.5	8.1	7.8	7.9	7.7	7.7	7.7	7.6	7.4	7.5	7.4	7.5	7.4	7.2	7.2
						FC125																	
							CRACKING	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.6*	10.0	9.0	
							SPRIDE	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.7	6.6	6.6	6.6	6.4	8.2	7.9	
CR 4101( 7.8L)																							
4220261	6.372	8.658	C	2009	0012	CRACKING	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.6*	10.0	9.0	
HUBBARD CONSTRUCTION COMPA(2011)							SPRIDE	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.7	6.6	6.6	6.6	6.4	8.2	7.9	
4453001	6.372	8.773	C	2023	0012																		
79070000 44A	9.085	9.711	C	1	1	35	CRACKING	10.0	10.0	10.0	8.5								10.0	7.5	7.0	7.0	7.0
				2	11.8	25000	RIDE	8.5	8.5	8.1	7.8								8.2	7.5	7.4	7.3	7.1
						DGFC																	
							CRACKING	7.0	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.0	8.6	7.6	7.6	6.0*
							RIDE	7.0	6.9	7.3	7.3	7.1	6.8	8.1	8.0	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.4
LAKE WINNEMISSETT DR( 9.2L)																							
4373461	9.085	9.701	C	2019	0012	CRACKING	7.0	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	7.6	7.6	6.0*
P & S PAVING, INC.							RIDE	7.0	6.9	7.3	7.3	7.1	6.8	8.1	8.0	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.4
79070000 44	10.200	10.850	R	1	1	50	CRACKING	10.0	10.0	10.0	8.5								10.0	10.0	10.0	10.0	10.0
				2	11.8	25000	RIDE	8.5	8.5	8.1	7.8								8.2	8.2	8.2	8.1	8.1
						FC125M																	
							CRACKING	10.0	10.0	9.0	7.5	4.5*	4.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	9.3	8.5	7.5	
							SPRIDE	8.1	8.0	8.0	7.9	7.8	7.5	7.6	7.6	7.5	8.1	8.0	8.1	8.1	7.9	7.6	
FLORAL PARK BLVD(10.3R)																							
4431681	10.200	16.166																					

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
79070000	24.946	26.989	R	1	1	55	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5		
44			2	7.8		36500	RIDE	7.4	7.5	8.4	7.8	7.7	7.6	7.6	7.5	7.4	7.4	7.4	7.1	7.0		
LEGS TO & FM RAMPS(25.0C)																						
4272671	20.000	26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.2*	5.6*	2.5*	
P & S PAVING, INC. (2014) SPRIDE																						
4506421	24.946	27.351	R	2026		0012																
79070000	26.989	28.000	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
44			2	7.8		36500	RIDE	7.2	7.1	6.8	6.6	6.6	6.2	5.8	6.0	5.6	5.9	7.7	7.6	7.5		
CORBIN PARK RD(27.1R)																						
4220271	26.888	28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.0	4.8*	3.6*	1.5*	
P & S PAVING, INC. (2011) SPRIDE																						
79070000	28.000	29.289	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
44			2	5.2		24500	RIDE	7.2	7.1	6.8	6.6	6.6	6.2	5.8	6.0	5.6	5.9	7.7	7.6	7.5		
OLD MISSION RD(28.3R)																						
4220271	26.888	28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.0	7.4	6.8	4.5*	
P & S PAVING, INC. (2011) SPRIDE																						
79070000	29.752	31.310	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	10.0	10.0	10.0		
44			2	4.1		28000	RIDE	7.4	7.4	7.2	6.6	6.4	6.3	6.1	6.2	6.3	6.4	7.9	7.5	7.4		
SAXON DR(30.9R)																						
4220271	30.451	31.310	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.5	7.8	7.5	5.5*	
P & S PAVING, INC. (2011) SPRIDE																						
79070000	29.752	31.310	L	1	1	40	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	4.0*	4.0*	4.0*	10.0	10.0	10.0		
44			2	4.1		28000	RIDE	8.1	8.0	7.9	7.3	7.3	7.2	7.2	7.1	6.9	8.3	8.1	7.9			
BOUCHELLE DR(30.0L)																						
4220271	30.451	31.310	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.9	7.7	5.5*	
P & S PAVING, INC. (2011) SPRIDE																						
79070000	28.000	29.289	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0		
44			2	5.2		24500	RIDE	7.9	7.8	7.3	7.0	6.9	6.6	6.8	6.6	6.7	6.5	8.3	8.1	8.0		
CANAL ST(28.0L)																						
4220271	26.888	28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0	5.0*	
P & S PAVING, INC. (2011) SPRIDE																						
79070000	26.989	28.000	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0		
44			2	7.8		36500	RIDE	7.9	7.8	7.3	7.0	6.9	6.6	6.8	6.6	6.7	6.5	8.3	8.1	8.0		
LINDA RD(27.2L)																						
4220271	26.888	28.958	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	5.2*	4.5*	2.5*	
P & S PAVING, INC. (2011) SPRIDE																						
79070000	24.946	26.989	L	1	1	55	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.0*	6.0*		
44			2	7.8		36500	RIDE	7.9	7.8	8.5	7.8	7.8	7.8	7.7	7.5	7.5	7.5	7.4	7.1	7.0		
LEGS TO & FM RAMPS(25.0C)																						
4272671	20.000	26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	1.8*	1.2*	0.0*
P & S PAVING, INC. (2014) SPRIDE																						
4506421	24.840	27.351	L	2026		0012																
79070000	19.952	24.946	L	1	1	65	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.0*	6.0*	6.0*		
44			2	6.4		21000	RIDE		9.0	9.0	8.6	8.6	8.5	8.5	8.4	8.4	8.3	8.2	7.8	7.7		
CR-415/TOMOKA FARMS(20.2L)																						
4272671	20.000	26.989	C	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	5.7*	5.9*	3.0*	
P & S PAVING, INC. (2014) SPRIDE																						
79070000	16.166	19.952	L	1	1	65	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
44			2	11.5		18000	RIDE	8.7	8.4	8.6			7.4	7.5	7.5	7.5	7.5	7.5	7.4	7.4		
CR 4118(16.6L)																						
4411381	16.166	19.952	C	2021		0012	CRACKING	10.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	
P & S PAVING, INC. (2023) SPRIDE																						
79070000	10.850	16.166	L	1	1	65	CRACKING	10.0	10.0	10.0	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
44			2	16.1		21500	RIDE	8.7	8.4	8.6	7.8			8.1	8.1	8.1	8.2	8.1	8.1			
OLD SAWMILL RD(13.2L)																						
4431681	10.200	16.166	C	2021		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	
P & S PAVING, INC. (2023) SPRIDE																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P																						
CONTRACTOR (AGE_ONE YEAR)																						
ITMSEG-F																						
79070000	10.200	10.850	L	1	1	50	CRACKING	10.0	10.0	10.0	8.5					10.0	10.0	10.0	10.0	10.0	10.0	
44			2	11.8		25000	RIDE	8.5	8.5	8.1	7.8				8.1	8.1	8.1	8.2	8.1	8.1		
DELAND CROSSING BLVD(10.4L)								FC125M														
4431681	10.200	16.166	C	2021	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	1.0*	4.5*	4.5*	10.0	10.0	10.0	9.6	9.5	8.5	
P & S PAVING, INC.								(2022) SPRIDE 8.1 8.0 8.1 8.0 7.9 6.6 8.0 8.0 7.9 8.2 8.4 8.4 8.3 8.0														
79070001	0.000	0.684	C	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0
44B			2	9.0		11000	RIDE	6.2*	6.1	5.8	5.2*	5.4*	5.2*	5.0*	4.3*	5.2*	5.2*				7.3	7.2
LYTLE ST( 0.0C)								FC125R														
4220281	0.000	0.698	C	2009	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.3*	6.1*	4.0*
P & S PAVING, INC.								(2012) SPRIDE 7.2 7.2 7.1 7.1 6.9 6.8 6.7 6.5 6.8 6.7 6.4 6.3 6.1 5.8														
79070001	0.684	0.934	C	1	6	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0
44B			2	9.0		11000	RIDE	6.2*	6.1	5.8	5.2*	5.4*	5.2*	5.0*	4.3*	5.2*	5.2*				7.3	7.2
LEWIS ST( 0.7L)								DGFC														
								(2021) CRACKING RIDE 8.5 7.0 5.5* 5.5* 5.5* 5.5* 5.5* 10.0 10.0 10.0 8.5 7.5 7.1 6.0*														
79070002	0.000	0.142	C	1	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	10.0	10.0	10.0		
44			2	9.5		10900	RIDE		6.0*													
4220281	0.000	0.090	C	2009	0012		CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	
P & S PAVING, INC.								(2011) SPRIDE														
4470861	0.000	0.142	C	2026	0226																	
79070005	0.000	1.286	C	1	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	
44			2	6.5		15500	RIDE		8.6	8.4	8.0	7.9	8.1	7.7	8.3	8.2	8.5	8.6	8.6	8.6	8.6	
S SHELL RD( 0.0R)								FC95														
4195891	0.000	1.261	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.3	8.2	6.0*	
P & S PAVING, INC.								(2010) SPRIDE 8.6 8.6 8.2 8.1 7.8 7.8 7.7 7.8 7.8 7.7 7.8 7.9 7.7 7.4														
79070006	0.000	0.940	R	1	7	50	CRACKING										10.0	10.0	10.0	10.0		
44			2	5.6		22500	RIDE										7.9	7.8	7.8	7.7		
SR 44 BEFORE DITCH( 0.0C)								FC125M														
4453001	0.145	0.940	R	2023	0012		CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	5.6*	10.0	9.0	
P & S PAVING, INC.								(2026) RIDE 7.7 7.6 7.3 7.3 7.2 7.0 7.1 7.0 7.1 7.0 6.9 6.9 8.2 7.9														
79070006	0.000	0.940	L	1	7	50	CRACKING										10.0	10.0	10.0	10.0		
44			2	5.6		22500	RIDE										8.0	8.0	7.8	7.8		
SR 44 BEFORE DITCH( 0.0C)								FC125M														
4453001	0.145	0.940	L	2023	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.1	10.0	
P & S PAVING, INC.								(2026) RIDE 7.7 7.7 7.7 7.6 7.6 7.6 7.6 7.4 7.5 7.5 7.5 7.5 7.5 8.5 8.2														
79070007	0.000	0.089	C	1	6		CRACKING															
44A			2	28.3		450	RIDE															
SR 44( 0.0C)																						
4373461	0.004	0.089	C	2019	0012		CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	8.5	
P & S PAVING, INC.								(2019) RIDE														
79070008	0.000	0.112	C	1	1		CRACKING														10.0	9.0
44			2	28.3		450	RIDE														5.3*	5.0*
								(2026) CRACKING RIDE														
79070009	0.000	0.511	R	1	7	50	CRACKING										10.0	10.0	10.0	10.0		
44			2	6.9		16700	RIDE										7.8	8.0	7.9	7.8		
79110057 WB ON( 0.0R)								FC125M														
4453001	0.000	0.451	R	2023	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	6.5	3.5*	3.5*	3.5*	3.5*	0.0*	0.0*	10.0	9.0	
P & S PAVING, INC.								(2026) RIDE 7.8 7.7 7.8 7.7 7.7 7.6 7.7 7.7 7.3 7.0 6.5 6.4* 8.1 7.8														
79070009	0.000	0.511	L	1	7	50	CRACKING										10.0	10.0	10.0	10.0		
44			2	6.9		16700	RIDE										7.5	7.6	7.6	7.6		
I-4 ONRMP( 0.0C)								FC125M														
4453001	0.000	0.451	L	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	4.5*	3.5*	1.0*	10.0	9.0	
P & S PAVING, INC.								(2026) RIDE 7.5 7.5 7.3 7.1 7.3 7.1 7.2 7.1 6.9 6.7 6.8 6.3* 8.0 7.7														

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
79080000	0.000	0.230	R	1	6	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	
600 92				2	5.5	14400	RIDE		6.2	6.3	4.9*	4.8*	4.8*	5.2*	4.7*	5.3*	4.8*	5.0*	5.0*	4.7*		
DAYTONA BEACH CITY LIMIT( 0.0C)																						
4324421	0.000	0.230	C	2016	0012		CRACKING	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
ATLANTIC CIVIL CONSTRUCTOR(2017)																						
79080000	1.059	1.375	C	1	7	30	CRACKING				10.0	10.0	10.0		10.0	10.0	8.5	8.5	8.5			
600 92				4	6.7	9700	RIDE				5.7	5.7	5.2*		5.4*	5.4*	4.4*	4.3*	4.2*	4.2*		
HALIFAX AVE( 1.1L)																						
							CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.0	
							RIDE	4.6*	4.1*	3.1*	3.0*	3.0*	2.9*	3.0*	2.8*	2.8*	2.8*	2.8*	6.4	6.1		
(2026)																						
79080000	1.375	2.691	R	1	1	30	CRACKING	8.5	8.5	8.5	8.5				10.0	10.0	10.0	8.5	8.5	8.5		
ALA 92				2	5.3	15800	RIDE	6.8	6.8	6.7	6.1				5.2*	5.2*	5.2*	4.9*	5.0*	4.9*		
ATLANTIC AVE( 1.4R)																						
							CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	7.2	7.1	4.5*	
							RIDE	5.0*	5.0*	5.7	5.5	5.5	5.5	5.2*	5.2*	5.2*	4.9*	4.6*	4.5*	4.5*	4.2*	
(2008)																						
4428841	1.448	5.114	C	2024	0012		CRACKING															
UNIVERSITY BLVD( 2.9C)																						
79080000	2.691	5.030	R	1	8	30	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
ALA				2	2.2	18500	RIDE	7.1	6.9	6.7	6.4	6.4	5.9	5.8	6.2	5.9	7.7	7.7	7.6	7.6		
P & S PAVING, INC. (2010)																						
4428841	1.448	5.114	C	2024	0012		CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
P & S PAVING, INC. (2010)																						
79080000	5.030	6.630	R	1	1	30	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	
ALA				2	2.2	18500	RIDE	7.7	7.5	7.4	6.9	6.7	6.6	6.4	6.5	6.4	7.7	7.7	7.6	7.6		
BEACH RAMP( 5.2R)																						
							CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.0	
							RIDE	7.6	7.3	7.3	7.3	7.3	7.2	7.1	7.1	7.0	6.9	6.9	6.7	6.8	6.5	
(2025)																						
79080000	6.630	6.790	R	1	1	30	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	
ALA				2	2.2	18500	RIDE	7.7	7.5	7.4	6.9	6.7	6.6	6.4	6.5	6.4	7.7	7.7	7.6	7.6		
P & S PAVING, INC. (2010)																						
4471051	6.593	6.858	C	2024	0012		CRACKING	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	
P & S PAVING, INC. (2010)																						
79080000	6.790	9.735	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
ALA				2	2.2	18500	RIDE	8.4	8.5	8.3	7.8	7.8	7.6	7.6	7.7	7.6	7.7	7.6	7.5	7.5		
NEPTUNE AVE( 7.4C)																						
2410281	6.790	9.800	C	2000	0012		CRACKING	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.6	6.5	3.5*	
RANGER CONSTRUCTION INDUST(2001)																						
4428741	6.713	9.824	C	2024	0012		CRACKING	7.3	7.2	7.4	7.4	7.3	7.2	7.1	7.1	7.0	7.0	6.8	6.8	6.7	6.4	
RANGER CONSTRUCTION INDUST(2001)																						
79080000	9.735	16.726	C	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
ALA				2	11.8	10900	RIDE	6.8	6.7	6.6	5.4*	8.6	8.5	8.4	8.5	8.3	8.3	8.4	8.1	7.9		
LAURIE DR( 9.8L)																						
4071621	9.800	16.726	C	2003	0012		CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	8.4	7.8	5.0*	
HALIFAX PAVING, INC. (2005)																						
4509461	9.817	16.724	C	2026	0012		CRACKING	7.9	7.7	7.9	7.8	7.8	7.8	7.7	7.6	7.5	7.5	7.4	7.5	7.4	7.1	
HALIFAX PAVING, INC. (2005)																						
79080000	6.630	6.790	L	1	8	30	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	
ALA				2	2.2	18500	RIDE	6.9	7.0	6.8	6.6	6.7	6.3	6.3	6.3	6.4	7.8	7.4	7.5	7.4		
SR 40( 6.7L)																						
4119851	2.691	6.790	C	2009	0012		CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5			
P & S PAVING, INC. (2010)																						
4471051	6.593	6.858	C	2024	0012		CRACKING	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.4			
P & S PAVING, INC. (2010)																						
79080000	5.150	6.630	L	1	1	30	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0		
ALA				2	2.2	18500	RIDE	6.9	7.0	6.8	6.6	6.7	6.3	6.3	6.3	6.4	7.8	7.4	7.5	7.4		
MILLSAP RD( 5.2L)																						
							CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0	
							RIDE	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.6	6.6	6.3	
(2025)																						
79080000	2.691	5.150	L	1	1	30	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0		
ALA				2	2.2	18500	RIDE	7.5	7.2	7.0	6.3	6.7	6.5	6.2	6.5	6.3	7.8	7.4	7.5	7.4		
JESSAMINE BLVD( 2.8L)																						
4119851	2.691	6.790	C	2009	0012		CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	6.6	4.5*	
P & S PAVING, INC. (2010)																						
4428841	1.448	5.114	C	2024	0012		CRACKING	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.1	7.1	7.0	7.3	6.9	6.7	6.4	
P & S PAVING, INC. (2010)																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====															(PMRS)
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
79080000	1.375	2.691	L	1	1 30	CRACKING		7.0	7.0	7.0	7.0					10.0	10.0	10.0	10.0	8.5	8.5	
A1A 92				2	5.3	15800	RIDE	6.8	6.6	6.3	5.8					5.3*	5.3*	5.1*	5.1*	5.1*	5.0*	
FIFTH AVE( 1.5L)						DGFC																
					(2008)		CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.2	7.2	5.0*	
4428841	1.448	5.114	C	2024	0012		RIDE	4.8*	4.9*	5.4*	5.3*	5.5	5.3*	5.4*	5.3*	5.3*	5.2*	5.3*	5.1*	5.1*	4.8*	
79080000	0.000	0.230	L	1	6 30	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.0	7.0		
600 92				2	5	14400	RIDE		5.6	5.3*	5.3*	5.0*	5.0*	5.1*	4.9*	4.6*	5.0*	4.8*	4.5*	4.6*		
DAYTONA BEACH CITY LIMIT( 0.0C)						DGFC																
4324421	0.000	0.230	C	2016	0012		CRACKING	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	10.0	
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE	4.6*	4.7*	3.4*											8.5	
79080001	0.000	0.033	R	1	6 30	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
600 92				2	3.5	18800	RIDE															
BEACH ST( 0.0C)						FC3																
4324421	0.000	0.033	C	2016	0012		CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE														8.5	
79080001	0.604	0.770	R	1	7 30	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
600 92				2	3.5	18800	RIDE															
HALIFAX DR( 0.8C)						FC125M																
					(2026)		CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.2*	10.0	9.0	
							RIDE														7.6	
79080001	0.604	0.770	L	1	7 30	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
600 92				2	3.5	18800	RIDE															
HALIFAX DR( 0.8C)						FC125M																
					(2026)		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0			10.0	
							RIDE														9.0	
79080001	0.000	0.033	L	1	6 30	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
600 92				2	3.5	18800	RIDE															
BEACH ST( 0.0C)						FC3																
4324421	0.000	0.033	C	2016	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE														8.5	
79090000	0.000	0.218	C	1	1 35	CRACKING		7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
11				1	7.0	3600	RIDE	7.1	6.4	7.0	5.8	5.6	5.4*	4.9*	6.0	5.3*	7.7	7.6	7.5	7.5		
SR 15( 0.0C)						OGFC																
4195961	0.000	0.218	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.6	6.5	3.0*	
P & S PAVING, INC.					(2010)		SPRIDE	7.5	7.6	8.0	7.9	7.9	7.6	7.8	7.8	7.9	7.7	7.7	7.7	7.6	7.4	
79090000	0.218	1.690	C	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0		
11				2	7.0	6700	RIDE	8.9	8.9	8.8	8.1	7.9	7.7	7.8	7.6	7.3	7.0	6.9	6.7	6.6		
DOLORES BLVD( 0.3R)						FC125M																
4306801	0.941	1.670	C	2015	0012		CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.4	7.0	
HALIFAX PAVING, INC.					(2017)		RIDE	6.4*	6.3*		8.0	8.0	7.9	7.6	7.6	7.4	7.4	7.2	7.1	7.1	6.8	
79090000	1.690	2.247	C	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0		
11				2	7.0	6700	RIDE	9.1	9.0	9.0	7.8	8.0	7.7	7.7	7.8	7.4	7.1	8.5	8.5	8.3		
OLD PERKINS HWY( 1.9R)						DGFC																
					(2025)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	10.0	10.0	9.0	
							RIDE	8.1	8.1	8.3	8.1	8.1	8.1	8.0	8.1	8.0	8.0	7.9	7.8	7.8	7.5	
79090000	2.247	2.645	C	1	1 55	CRACKING		7.0	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.5*	3.5*	10.0	10.0	10.0	10.0		
11				2	14.8	4400	RIDE	7.6	7.5	7.6	6.7	6.7	6.2*	6.7	6.2*	6.6	7.8	7.9	7.8	7.7		
GEMSTONE TR( 2.3L)						OGFC																
4195961	2.247	2.645	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.3	6.5	3.0*	
P & S PAVING, INC.					(2010)		SPRIDE	7.7	7.7	8.0	7.8	7.9	7.9	8.0	7.9	7.8	7.9	8.0	7.7	7.5	7.3	
79090000	2.645	14.295	C	1	1 60	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	6.0*	10.0	10.0	10.0		
11				2	14.8	4400	RIDE	9.1	9.1	9.0	8.3	8.2	7.9	8.0	7.5	7.5	7.0	8.7	8.5	8.3		
ISLAND GROVE DR( 3.6R)						FC125R																
4233601	2.645	14.316	C	2010	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	8.3	8.0	6.0*	
P & S PAVING, INC.					(2011)		RIDE	8.1	8.0	8.0	7.8	7.8	7.5	7.6	7.6	7.4	7.5	7.4	7.4	7.3	7.0	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR																			(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
79100000	0.000	6.412	C	1	1	55	CRACKING	8.5	7.0	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
40			2	12.7		8800	RIDE	8.9	8.9	8.6	8.1	7.7	7.4		8.6	8.3	8.7	8.6	8.6	8.6	
ALICE DR( 0.1L)																					
4155261	0.000	6.535	C	2006		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	7.0	8.0	7.4	5.0*
P & S PAVING, INC. (2008) SPRIDE																					
4529071	0.000	6.389	C	2029		0226															
79100000	6.412	13.274	C	1	7	60	CRACKING	10.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	9.0	9.0	8.8	7.9	7.5	7.3		8.5	8.5	8.5	8.5	8.4	8.3	
SR 15( 6.4C)																					
4513111	6.528	12.958	C	2025		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	5.4*	10.0	9.0
P & S PAVING, INC. (2026) SPRIDE																					
79100000	13.274	19.529	C	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.5	8.5	8.5	8.5	8.4	8.3	
SIDE ROAD(15.0C)																					
4171541	6.543	19.529	C	2006		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	5.4*	5.7*	3.5*
ANDERSON COLUMBIA CO., INC(2008) RIDE																					
4528841	13.261	19.529	C	2027		0226		8.2	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.7	7.7	7.8	7.5
79100000	19.529	19.899	R	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.1	8.3	8.1	8.2	8.1	8.2	
COUNTRY ACRES BLVD(19.6R)																					
4438151	19.531	19.783	C	2022		0012	CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5
(2024) RIDE																					
79100000	19.899	25.936	R	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
40			2	9.9		13100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0		8.1	8.1	8.1	8.1	8.0	8.0	
RIMA RIDGE RD(21.2R)																					
4438151	19.899	25.795	C	2022		0012	CRACKING	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.2	10.0	8.5
(2024) RIDE																					
79100000	25.936	30.240	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	
40			2	4.7		38500	RIDE	8.3	8.1	8.2	7.9	7.9	7.7	7.7	7.5	7.6	7.6	7.4	7.3		
BOOTH RD(26.0R)																					
4249041	26.392	30.170	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.9	6.5	5.0*	
HALIFAX PAVING, INC. (2016) RIDE																					
79100000	25.875	30.240	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.0*	
40			2	4.7		38500	RIDE	8.2	8.1	8.0	7.4	7.3	6.8	7.1	6.9	7.0	6.8	6.9	6.6	6.4	
BERMUDA ESTATES DR(26.7C)																					
4249041	26.392	30.170	C	2014		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.3	7.0	5.5*
HALIFAX PAVING, INC. (2016) RIDE																					
79100000	19.899	25.875	L	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
40			2	9.9		13100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0		8.1	8.1	8.1	8.1	8.0	8.0	
PINTO LN(19.9L)																					
4438151	19.899	25.795	C	2022		0012	CRACKING	10.0	9.0	8.5	7.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	8.5
(2024) RIDE																					
79100000	19.529	19.899	L	1	1	60	CRACKING	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
40			2	16.9		8100	RIDE	8.7	8.6	8.4	7.6	7.4	7.0	6.9	7.9	7.9	8.0	7.9	7.8	7.8	
FC5M																					
4438151	19.531	19.783	C	2022		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	10.0	9.6	10.0	8.5
(2024) RIDE																					
79110000	0.486	5.886	R	4	1	65	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	
400 I4	104.4	109.8	3	6.3		136500	RIDE	9.1	9.1				8.3	8.3	8.3	8.3	8.2	8.2	8.1	8.0	
FC5M																					
4324551	0.486	5.886	C	2016		0012	CRACKING	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	5.5*
RANGER CONSTRUCTION INDUST(2018) RIDE																					
4565981	0.486	5.636	C	2029		0012		7.7	7.5	8.0		8.7	8.8	8.8	8.9	8.9	8.9	8.7	8.7	8.7	8.6
79110000	5.886	10.212	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	8.5			10.0	10.0	9.0	9.0	9.0	9.0	
400 I4	109.8	114.1	3	11.1		108500	RIDE	9.1	9.1	8.8	8.4	8.4			8.2	8.2	8.2	8.0	8.0		
FC5HP																					
4380381	5.482	10.212	C	2018		0012	CRACKING	9.0	9.0	6.5	6.5	4.5*	1.0*	10.0	10.0	10.0	9.5	9.5	9.8	9.4	7.5
P & S PAVING, INC. (2020) RIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP)	(SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
79110000	10.212	15.027	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	8.0	8.0	8.0	
400 I4	114.1	118.9	3	12.7		72500	RIDE	9.1	9.1	8.8	8.4	8.4	8.1	7.9		8.0	8.0	7.9	7.7	7.7	
							FC5M														
4344111	9.875	15.023	C	2022		0012	CRACKING	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	9.8	10.0	8.5
P & S PAVING, INC.				(2024)			SPRIDE	7.6	7.2	7.8	7.3	8.0	8.1	8.1	8.2	8.1	8.1	9.0	8.9	8.9	8.8
79110000	15.027	26.944	R	4	4	70	CRACKING	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	7.5	
400 I4	118.9	130.8	3	12.7		69500	RIDE	9.0	8.7	8.8	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.5	8.4	8.4	
							LDG														
4084641	14.821	27.373	C	2012		0213	CRACKING					9.4	9.4	9.4	9.5	9.4	9.4	9.2	9.4	9.4	9.0
				(2018)			RIDE					8.5	9.1	9.1	9.2	9.1	8.9	9.1	9.1	9.1	9.0
79110000	26.944	28.013	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.0*	6.0*	6.0*	6.0*	
400 I4	130.8	131.9	2	16.5		63500	RIDE	9.1	9.1	8.8	8.5	8.3	8.2	8.1	7.9	7.8	7.7	7.8	7.4	7.2	
							FC5M														
				(2022)			CRACKING	6.0*	6.0*	5.5*						10.0	10.0	10.0	9.7	9.5	8.0
							RIDE	7.0	7.1	7.2						8.1	7.9	7.8	7.7	7.8	7.7
79110000	26.944	28.013	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.0*	6.0*	
400 I4	130.8	131.9	2	16.5		63500	RIDE	9.0	9.1	8.7	8.1	8.3	8.3	8.1	7.9	8.0	8.1	8.1	7.9	7.9	
							FC5M														
				(2022)			CRACKING	6.0*	6.0*	5.0*	5.0*	1.0*	0.0*			10.0	10.0	10.0	9.3	9.4	8.0
							RIDE	7.7	7.5	7.9	7.8	7.6	7.5			8.1	8.0	7.8	7.8	7.9	7.8
79110000	15.027	26.944	L	4	4	70	CRACKING	10.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
400 I4	118.9	130.8	3	12.7		69500	RIDE	9.0	8.9	8.8	8.3	8.3	8.3	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.3
							LDG														
4084641	14.821	27.373	C	2012		0213	CRACKING					9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.0
				(2018)			RIDE					8.6	8.9	8.8	8.9	9.0	8.9	8.9	8.8	8.9	8.8
79110000	9.810	15.027	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	9.0	
400 I4	113.7	118.9	3	12.7		72500	RIDE	9.0	9.1	9.0	8.6	8.5	8.4	8.3		8.3	8.3	8.3	8.3	8.3	
							FC5M														
4344111	9.875	15.023	C	2022		0012	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	8.5
P & S PAVING, INC.				(2024)			SPRIDE	8.0	8.1	7.9	8.2	7.8	8.5	8.5	8.5	8.5	8.5	9.1	9.0	9.0	8.9
79110000	5.636	9.810	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	8.5				10.0	10.0	9.0	9.0	9.0	
400 I4	109.5	113.7	3	11.1		108500	RIDE	9.0	9.1	9.0	8.6	8.5				8.2	8.1	8.1	8.0	7.9	
							FC5HP														
4380381	5.482	10.212	C	2018		0012	CRACKING	9.0	9.0	4.5*	4.5*	1.0*	0.0*	10.0	10.0	10.0	9.5	9.5	9.1	8.9	7.0
P & S PAVING, INC.				(2020)			RIDE	7.8	7.6	7.9	7.9	7.5	7.7	9.0	9.1	9.1	9.1	9.0	9.0	9.0	8.9
79110000	0.486	5.636	L	4	1	65	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
400 I4	104.4	109.5	3	6.3		136500	RIDE	9.0	9.1			8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.2	
							FC5M														
4324551	0.486	5.886	C	2016		0012	CRACKING	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.1	7.0	5.0*
RANGER CONSTRUCTION INDUST				(2018)			RIDE	8.0	7.8	8.0		8.7	8.8	8.8	8.8	8.9	8.8	8.7	8.6	8.6	8.5
4565981	0.486	5.636	C	2029		0012															
79120000	0.459	2.406	R	1	1	55	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0		
415			2	7.9		26500	RIDE	8.0	7.8	7.7		8.0	7.9	7.9	8.1	8.0	7.9	7.9	7.6		
							FC5A														
4073553	0.000	2.406	C	2012		0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.8	6.5
UNITED INFRASTRUCTURE GROU				(2017)			SPRIDE				8.4	8.1	8.0	8.0	8.0	7.8	7.8	7.7	7.7	7.7	7.5
79120000	2.406	7.446	R	1	1	45	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0		
415			2	7.9		26500	RIDE	7.8		8.7	8.1	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1		
LEMON BLUFF RD( 3.1R)							FC125R														
4073554	2.406	7.446	C	2012		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.8	6.0*
P & S PAVING, INC.				(2016)			SPRIDE			8.0	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.6	7.3
79120000	7.446	17.590	C	1	1	55	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.0	
415			2	13.5		13800	RIDE	7.8		8.7	8.1	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1	8.0	
OSCEOLA TRAM RD( 7.8L)							FC125M														
4429071	7.444	17.590	C	2023		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	9.0
MASCI GENERAL CONTRACTORS				(2025)			SPRIDE	7.9	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.5	7.5	7.5	8.4	8.4	8.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)	W	FW	WKM	ASTYPE	*****														(PMRS)	
ITMSEG-F			W	FW	WKM	ASTYPE	*****															
79120000	2.406	7.446	L	1	1	45	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0		
415				2	7.9		26500 RIDE	7.8		8.7	8.1	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.1			
RABBIT RUN( 3.4L)																						
4073554	2.406	7.446	C	2012			0213 CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	8.1	6.5
P & S PAVING, INC. (2016) SPRIDE																						
79120000	0.459	2.406	L	1	1	55	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0			
415				2	7.9		26500 RIDE	8.0	7.8	7.7		8.0	7.9	7.9	8.1	8.0	7.9	7.9	7.6			
DELTONA CITY LIMITS( 2.3L)																						
4073553	0.000	2.406	C	2012			0213 CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.0	6.5	
UNITED INFRASTRUCTURE GROU(2017) SPRIDE																						
79140000	0.000	5.436	C	1	1	55	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
46				2	6.6		6300 RIDE	7.4	7.2	7.1		8.2	8.2	8.1	8.2	8.1	8.2	8.2	8.1	8.1		
DUSTY LN( 1.3R)																						
4091691	0.000	5.436	C	2003			0012 CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.3*	5.8*	3.0*
RANGER CONSTRUCTION INDUST(2005) SPRIDE																						
4526481	0.000	5.436	C	2027			0226	8.0	7.9	7.7	7.7	7.7	7.6	7.5	7.5	7.4	7.4	7.3	7.3	7.2	6.9	
79150000	0.000	0.509	C	1	2	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	
40				4	13.0		35000 RIDE	6.9	7.1	6.3	6.0	5.9	5.8	5.4*	5.5	6.1	5.9	6.0	6.1	5.5		
US 1( 0.0C)																						
4220302	0.048	0.509	C	2013			0012 CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	6.0*	6.0*	3.5*	2.6*	2.6*	0.5*	
MASCI GENERAL CONTRACTORS (2014) SPRIDE																						
4471051	0.000	0.510	C	2024			0012	6.1	6.2	5.5	5.7	5.6	5.7	5.3*	5.3*	5.2*	5.1*	5.1*	4.9*	4.9*	4.6*	
79150000	0.873	1.481	C	1	1	35	CRACKING	6.5	6.5	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0		
40				4	2.5		23500 RIDE	6.8	6.7	6.8	5.9	6.1	5.7	5.8	5.6	5.6	5.4*	5.6	8.1	6.8		
JOHN ANDERSON DR( 1.0L)																						
4220301	0.506	1.471	C	2010			0012 CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.8	7.0	5.0*
P & S PAVING, INC. (2012) SPRIDE																						
4471051	0.872	1.481	C	2024			0012	6.8	6.8	7.3	7.3	7.0	7.1	7.0	7.0	6.9	6.8	6.7	6.8	6.3	6.0	
79160000	0.000	0.681	R	1	1	45	CRACKING	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
15A				2	6.7		27000 RIDE	7.7	7.9	7.2	6.2*		7.6	7.5	7.6	6.9	8.0	7.9	7.7	7.7		
DELAND CITY LIMITS( 0.0C)																						
							CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	9.0	
							RIDE	7.5	7.6	7.4	7.4	7.4	7.2	7.1	7.3	6.9		7.6	7.6	7.3	7.0	
79160000	0.681	1.819	R	1	1	45	CRACKING	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
15A				2	6.8		29000 RIDE	7.7	7.9	7.2	6.2*		7.6	7.5	7.6	6.9	8.0	7.9	7.7	7.7		
BERESFORD RD W( 1.0C)																						
2408221	0.143	1.741	C	2004			0213 CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.0*	
(2006) SPRIDE																						
4526471	0.693	1.819	C	2028			0226	7.5	7.6	7.4	7.4	7.4	7.2	7.1	7.3	6.9	7.4	7.3	7.3	7.3	7.0	
79160000	1.819	3.659	R	1	1	45	CRACKING	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
15A				2	18.4		29500 RIDE	7.5	7.5	7.2	6.9	7.0	6.3	6.3	8.3	8.3	8.2	8.2	8.2	8.2		
VOLUSIA AVE W( 1.9C)																						
4171551	1.819	3.659	C	2007			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.5	7.0	4.5*	
P & S PAVING, INC. (2008) SPRIDE																						
79160000	3.659	4.652	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A				2	9.7		25000 RIDE	8.4	8.4	8.3	8.1	8.2	8.0	8.1	8.2	8.2	8.0	8.1	7.9	7.9		
PLYMOUTH AVE W( 3.8C)																						
4411341	3.659	4.652	C	2022			0012 CRACKING	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	9.6	10.0	9.0	
P & S PAVING, INC. (2024) SPRIDE																						
79160000	4.652	6.899	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0		
15A				2	5.1		17500 RIDE	8.4	8.4	8.3	8.0	7.9	7.9		8.4	8.4	8.4	8.2	8.2	8.2		
GREENS DAIRY RD( 4.8R)																						
2408561	4.800	6.750	C	2005			0213 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6	8.9	6.5
P & S PAVING, INC. (2008) SPRIDE																						
79160000	4.652	6.899	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0		
15A				2	5.1		17500 RIDE	8.4	8.4	8.3	8.0	7.9	7.9		8.5	8.5	8.4	8.2	8.2	8.2		
DELAND CITY LIMITS( 4.8L)																						
2408561	4.800	6.750	C	2005			0213 CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.9	7.3	5.0*	
P & S PAVING, INC. (2008) SPRIDE																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
79160000	3.659	4.652	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
15A			2	9.7		25000	RIDE	8.4	8.4	8.3	8.1	8.0	8.0	8.1	8.2	8.2	8.2	8.1	7.9	8.0	
PLYMOUTH AVE W( 3.8C)						FC125M															
4411341	3.659	4.652	C	2022	0012	CRACKING	8.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5
P & S PAVING, INC.				(2024)		SPRIDE	7.8	7.9	7.8	7.7	7.8	7.5	7.5	7.6	7.4	7.5	7.4	8.2	8.2	8.3	8.0
79160000	1.819	3.659	L	1	1	45	CRACKING	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
15A			2	18.4		29500	RIDE	7.8	7.7	7.3	6.9	7.1	6.5	6.4	8.1	8.1	8.1	8.1	8.1	8.0	8.0
VOLUSIA AVE W( 1.9C)						FC95															
4171551	1.819	3.659	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.4	6.9	4.5*
P & S PAVING, INC.				(2008)		SPRIDE	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.5	7.5	7.5	7.5	7.6	7.3
79160000	0.681	1.819	L	1	1	45	CRACKING	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
15A			2	6.8		29000	RIDE	7.7	7.9	7.2	6.2*		7.8	7.8	7.6	7.0	7.9	7.8	7.6	7.8	
BERESFORD RD W( 1.0C)						FC125															
2408221	0.143	1.741	C	2004	0213	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.3	7.1	4.5*
				(2006)		SPRIDE	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.4	7.3	7.4	7.3	7.3	7.3	7.4	7.1
4526471	0.693	1.819	C	2028	0226																
79160000	0.000	0.681	L	1	1	45	CRACKING	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
15A			2	6.7		27000	RIDE	7.7	7.9	7.2	6.2*		7.8	7.8	7.6	7.0	7.9	7.8	7.6	7.8	
DELAND CITY LIMITS( 0.0C)						FC125M															
				(2024)		CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.6	10.0	9.0	9.0
						RIDE	7.6	7.6	7.4	7.4	7.4	7.4	7.3	7.3	7.4	7.3		7.9	7.7	7.9	7.6
79170000	0.000	1.000	C	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0
44			1	3.5		8500	RIDE	7.6	7.6	7.6	6.8	6.6	6.6	6.6	6.9	6.5	6.4	8.0	8.0	8.0	8.0
LEG 070001( 0.0C)						FC125R															
4220311	0.000	1.433	C	2009	0012	CRACKING	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.1*	5.8*	3.5*	
P & S PAVING, INC.				(2011)		SPRIDE	7.9	7.9	7.5	7.5	7.4	7.0	7.2	7.1	7.0	6.7	7.0	6.8	6.9	6.6	
4470861	0.000	1.000	C	2026	0226																
79170100	0.000	0.100	C	1	6	30	CRACKING													10.0	10.0
44			2	3.5		8500	RIDE														
DESOTO DR( 0.0C)						DGFC															
				(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE															
4470861	0.000	0.090	C	2026	0226																
79170100	0.347	0.437	C	1	6	30	CRACKING													10.0	10.0
44			2	3.5		8500	RIDE														
N PENINSULA DR( 0.4L)						DGFC															
				(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE															
79180000	0.000	0.608	R	1	1	45	CRACKING	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0
1A1A			2	2.3		31000	RIDE	7.7	7.4	7.6	6.2*	6.6	5.5	5.3*	5.8	5.5	5.9	8.4	8.3	8.4	
PORT ORANGE CITY LIMITS( 0.0C)						FC125R															
4117811	0.000	6.531	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.0	8.0	6.0*
P & S PAVING, INC.				(2011)		SPRIDE	8.3	8.3	8.1	8.1	8.1	7.9	8.1	7.9	7.5	7.8	7.3	7.2	7.4	7.1	
4506661	0.000	6.585	C	2026	0226																
79180000	0.987	6.601	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	
1A1A			2	9.7		11900	RIDE	7.0	7.0	6.8	6.6	6.5	6.3	6.3	6.2	6.2	5.6		7.4	7.2	
PENINSULA DR( 1.1R)						FC125R															
4117811	0.000	6.531	C	2010	0012	CRACKING	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*
P & S PAVING, INC.				(2012)		SPRIDE	7.1	7.0	7.2	7.1	7.0	7.0	6.8	6.8	6.5	6.6	6.5	6.4	6.3	6.0	
4506661	0.000	6.585	C	2026	0226																
79180000	0.987	6.601	L	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	
1A1A			2	9.7		11900	RIDE	7.4	7.4	7.3	7.0	7.0	6.9	6.8	6.8	6.7	6.2		7.9	7.8	
FRONTAGE RD( 1.1L)						FC125R															
4117811	0.000	6.531	C	2010	0012	CRACKING	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*
P & S PAVING, INC.				(2012)		SPRIDE	7.8	7.7	7.5	7.5	7.5	7.4	7.4	7.4	7.3	7.2	7.2	7.1	7.1	7.1	6.8
4506661	0.000	6.585	C	2026	0226																
79180000	0.000	0.608	L	1	1	45	CRACKING	10.0	10.0	8.5	7.0	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
1A1A			2	2.3		31000	RIDE	7.8	7.7	7.5	6.4*	6.3*	6.2	6.0	5.2*	5.1*	4.6*	8.2	8.3	8.3	
PORT ORANGE CITY LIMITS( 0.0C)						FC125R															
4117811	0.000	6.531	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.8	6.5	4.5*
P & S PAVING, INC.				(2011)		SPRIDE	8.4	8.3	8.0	8.0	7.9	7.8	7.8	7.9	7.6	7.2	6.8	7.0	7.3	7.0	
4506661	0.000	6.585	C	2026	0226																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
79190000	10.640	11.696	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	
5A			3	6.2		27000	RIDE	8.3	8.2	8.1	6.9	6.3*	7.6	7.6	7.6	7.6	7.7	7.3	7.2	7.1	
CR 4019(10.9C)						FC125M															
4369151	10.640	11.696	C	2018	0012	CRACKING	7.5	6.0*	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5
P & S PAVING, INC.				(2020)		SPRIDE	7.1	7.0	7.3	7.1	7.1			7.7	7.5	7.4	7.4	7.4	7.4	7.4	7.1
79190000	11.696	14.185	R	1	1	45	CRACKING	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
5A			3	6.2		27000	RIDE	6.9	6.7				7.1	7.1	7.3	7.1	7.0	7.0	6.5	6.2	
FLOMICH ST(11.7C)						FC125															
2407191	11.836	14.830	C	2001	0213	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	6.7	6.6	6.7	6.7	6.6	6.5	6.5	6.4	6.3	6.3	6.1	6.1	6.2	6.2	5.9
4506441	11.696	15.606	C	2026	0012																
79190000	14.185	14.629	R	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A			3	6.8		26500	RIDE	8.5	8.5				7.7	7.6	7.2	7.6	7.4	7.2	7.0	6.8	
STERTHAUS DR(14.2R)						FC125															
2407191	11.836	14.830	C	2001	0213	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	6.9	7.0	6.9	6.7	6.5	6.8	6.5	6.4	6.3	6.2	6.0	6.0	6.1	6.1	5.8
4506441	11.696	15.606	C	2026	0012																
79190000	14.629	15.606	R	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A			2	6.8		26500	RIDE	8.5	8.5				7.7	7.6	6.5	7.5	7.7	7.5	7.3	7.5	
LAKEBRIDGE DR(14.9C)						FC125															
2407581	14.405	15.601	C	2001	0213	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	7.3	6.5	7.1	6.9	6.8	6.7	6.6	6.5	6.3	6.3	6.0	6.0	6.0	6.2	5.9
4506441	11.696	15.606	C	2026	0012																
79190000	14.629	15.606	L	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
5A			2	6.8		26500	RIDE	8.5	8.5				7.2	7.6	7.4	7.4	7.5	7.6	7.3	7.3	
LAKEBRIDGE DR(14.9C)						FC125															
2407581	14.405	15.601	C	2001	0213	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	7.3	7.0	7.0	6.9	6.8	6.8	6.5	6.7	6.6	6.6	6.7	6.7	6.2	6.4	6.1
4506441	11.696	15.606	C	2026	0012																
79190000	14.185	14.629	L	1	1	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A			3	6.8		26500	RIDE	8.5	8.5				7.2	7.6	8.0	8.0	7.9	7.9	7.8	7.8	
MAIN TRL(14.6L)						FC125															
2407191	11.836	14.830	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	4.5*
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	7.9	7.7	6.3	6.4	6.0	6.1	5.9	5.9	5.6	5.5	5.5	5.5	5.6	5.6	5.3*
4506441	11.696	15.606	C	2026	0012																
79190000	11.696	14.185	L	1	1	45	CRACKING	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5A			3	6.2		27000	RIDE	6.9	6.7				7.4	7.3	7.5	7.5	7.3	7.4	7.3	7.0	
FLOMICH ST(11.7C)						FC125															
2407191	11.836	14.830	C	2001	0213	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	7.1	6.8	6.9	6.8	6.8	6.7	6.4	6.5	6.5	6.4	6.3	6.3	6.0	6.2	5.9
4506441	11.696	15.606	C	2026	0012																
79190000	10.640	11.696	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.5	7.5	
5A			3	6.2		27000	RIDE	8.0	7.9	7.9	7.2	7.2	7.4	7.4	7.4	7.4	7.3	7.1	6.9	6.8	
CR 4019(10.9C)						FC125M															
4369151	10.640	11.696	C	2018	0012	CRACKING	7.5	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
P & S PAVING, INC.				(2020)		SPRIDE	6.8	6.7	7.1	6.9	6.9			7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.5
79190000	8.177	9.619	L	1	1	45	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
5A			3	4.7		32500	RIDE	6.8	7.0	6.8	6.5	6.3*	6.2	6.0	6.0		8.3	8.4	8.3	8.2	
SR 600( 8.2C)						FC95															
4195561	8.208	9.619	C	2008	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.5	5.5*
P & S PAVING, INC.				(2010)		SPRIDE	8.3	7.7	7.6	7.8	7.5	7.4	7.6	7.4	7.3	7.3	7.2	7.2	7.4	7.1	
79190000	6.166	8.177	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	
5A			3	6.8		32500	RIDE	8.6	8.5	8.5	7.9	8.0	7.8	7.7	7.8	7.9	7.9	7.8	7.8	7.7	
PROMENADE SHOPPING CENTE( 6.3L)						FC5M															
4324383	6.166	8.177	C	2017	0012	CRACKING	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.8	6.5
P & S PAVING, INC.				(2019)		RIDE	7.7	7.9	7.8	7.6	7.9	8.6	8.5	8.5	8.5	8.5	8.6	8.4	8.5	8.3	
79190000	3.289	6.166	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	
5A			2	4.9		26500	RIDE	8.2	8.2	8.0	7.5	7.5	7.2	7.3	7.2	7.1	7.1	7.0	8.2	8.1	
HERBERT ST( 3.3C)						FC125R															
4220321	3.908	6.010	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.7	7.2	5.0*
P & S PAVING, INC.				(2012)		SPRIDE	8.2	8.1	8.0	8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.6

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****															
79190000	0.000	3.289	L	1	1	45	CRACKING	7.0	5.5*				10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
5A			2	6.7	19300	RIDE	7.7	7.8					7.8	7.9	7.9	7.9	7.9	7.9	7.8	7.7		
PORT ORANGE CITY LIMITS( 0.0C) FC125																						
2407571	0.009	2.254	C	2001	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	4.5*	
MODERN CONTINENTAL SOUTH I(2006) SPRIDE																						
4506431	0.025	3.279	C	2027	0226																	
79190005	0.000	0.022	C	1	6	700	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A			2	1.5	700	RIDE																
SR-5A/79190006( 0.0C)																						
4369151	0.000	0.022	C	2018	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
P & S PAVING, INC. (2021) SPRIDE																						
79190006	0.000	1.030	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5		
5A			3	5.2	31000	RIDE	8.2	8.7	8.6	8.0	7.9	7.6	7.7	7.8	7.8	7.3	7.5	6.9	7.0			
BRENTWOOD DR( 0.0C) FC125M																						
4369151	0.000	1.030	C	2018	0012	CRACKING	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.7	8.8	7.5		
P & S PAVING, INC. (2020) SPRIDE																						
79190006	0.000	1.030	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5		
5A			3	5.2	31000	RIDE	6.6	7.9	7.9	7.6	7.6	7.4	7.4	7.5	7.4	7.5	7.3	7.3	7.3			
BRENTWOOD DR( 0.0C) FC125M																						
4369151	0.000	1.030	C	2018	0012	CRACKING	7.5	7.0	6.5	6.0*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	8.9	7.5		
P & S PAVING, INC. (2020) SPRIDE																						
79190007	0.000	0.140	C	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0		
5A			2	1.5	700	RIDE																
EIGHTH ST( 0.0C)																						
4369151	0.000	0.140	C	2018	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	8.5	8.5	8.5	8.5	8.1	7.6	6.0*	
P & S PAVING, INC. (2020) SPRIDE																						
79210000	0.192	0.363	R	1	6	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
442			1	8.2	14804	RIDE	7.0	7.8					7.6	6.9	5.9							
DGFC																						
						CRACKING	8.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
(2017) RIDE																						
79210000	0.363	3.972	R	1	1	55	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
442			2	8.2	14804	RIDE	8.8	8.8					8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.6	
COW CREEK RD( 0.6C) FC125M																						
4411321	0.379	3.966	R	2022	0012	CRACKING	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	
MASCII GENERAL CONTRACTORS (2024) SPRIDE																						
79210000	0.363	3.972	L	1	1	55	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	
442			2	8.2	14804	RIDE	8.8	8.8					8.1	7.9	8.0	8.0	8.0	8.0	7.9	7.7	7.5	
SIDE ROAD( 0.5L) FC125M																						
4411321	0.379	3.966	L	2022	0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	
MASCII GENERAL CONTRACTORS (2024) SPRIDE																						
79210000	0.192	0.363	L	1	6	45	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	
442			1	8.2	14804	RIDE	8.1	8.3					7.8	7.4	7.5							
DGFC																						
						CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0
(2017) RIDE																						
79220000	0.000	1.965	C	1	1	35	CRACKING	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0		
430			4	3.9	19100	RIDE	6.0*	6.0	6.2	5.8	5.6			7.3	7.6	7.3	6.9	6.5	6.7	6.5		
SR483/N CLYDE MORRIS( 0.0R) FC125																						
4117821	0.000	2.168	C	2005	0012	CRACKING	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.8	6.5	4.0*	
P & S PAVING, INC. (2007) SPRIDE																						
4487981	0.000	2.370	C	2025	0012		6.7	6.5	6.8	6.7	6.8	6.7	6.8	6.8	6.6	6.5	6.3	6.1	6.2	5.9		
79220000	1.965	2.168	R	1	6	35	CRACKING	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
430			2	3.9	19100	RIDE	6.0*	6.0	6.2	5.8	5.6			7.3	6.5	5.7	6.0	5.8				
RIDGWOOD AVE( 2.1C) FC125																						
4117821	0.000	2.168	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.7	6.0*	
P & S PAVING, INC. (2007) SPRIDE																						
4487981	0.000	2.370	C	2025	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														(PMRS)
CONTRACTOR																					
ITMSEG-F																					
79220000	2.168	2.370	R	1	6 35	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0
430			2	3.9	19100	RIDE		7.8	7.4	7.3	6.6	6.2	6.9	7.1	6.8	6.6	6.6	6.9	6.8	6.8	
MULBERRY ST( 2.2R)						DGFC															
4306811	2.168	2.370	C	2015	0012	CRACKING		7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.5	7.0
P & S PAVING, INC.				(2017)		RIDE		6.6	6.6	6.2											
4487981	0.000	2.370	C	2025	0012																
79220000	2.168	2.370	L	1	6 35	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
430			2	3.9	19100	RIDE		7.1	7.1	7.6	7.0	7.0	6.9	6.6	6.9	7.8	7.8	7.8	7.7	7.6	
DAYTONA AVE( 2.2L)						DGFC															
4306811	2.168	2.370	C	2015	0012	CRACKING		8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.0	6.5
P & S PAVING, INC.				(2017)		RIDE		7.3	7.5	6.8											
4487981	0.000	2.370	C	2025	0012																
79220000	1.965	2.168	L	1	6 35	CRACKING		7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
430			2	3.9	19100	RIDE		6.0*	6.0	6.2	5.8	5.6		7.3	5.8	5.8	5.8	5.8			
STATE AVE( 2.0L)						FC125															
4117821	0.000	2.168	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.8	7.9	5.5*
P & S PAVING, INC.				(2007)		SPRIDE															
4487981	0.000	2.370	C	2025	0012																
79220001	0.000	0.104	C	1	6 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5
430			2	6.7	10500	RIDE		7.3	6.8	7.8	6.4	6.5	6.6	6.9	7.1	7.2	7.0	6.9	7.1	7.0	
BEACH ST N( 0.0C)						DGFC															
				(2017)		CRACKING		8.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
						RIDE		7.0	6.9	6.1											
79220001	0.553	0.983	C	1	1 40	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
430			2	1.6	6500	RIDE		7.9	7.4	7.6	7.0	7.1	6.8	6.9	6.5	6.6	6.9	6.7	6.9	6.2	
HALIFAX AVE( 0.6C)						DGFC															
4411391	0.620	0.953	C	2021	0012	CRACKING		8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0
P&S PAVING & FLORIDA INDUS				(2023)		RIDE		6.6	6.7	6.4	6.0	6.3	6.2	5.8	6.4	5.8	7.6	7.1	7.0	7.1	6.8
79220002	0.000	0.442	C	1	1 30	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.0*	
430			2	1.5	12000	RIDE		7.5	7.5	7.7	6.6	6.6	6.3	6.3	6.4	6.5	6.6	6.1	5.7	6.0	
ATLANTIC AVE( 0.0C)						DGFC															
4306811	0.000	0.455	C	2015	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	7.5	6.0*
P & S PAVING, INC.				(2017)		RIDE		5.3*	5.3*	5.1*									5.8	5.5	
79220002	0.901	0.997	C	1	6 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
430			2	6.7	10500	RIDE		8.1	8.1	8.0	7.3	7.4	7.4	7.3	7.6	7.7	7.7	7.9	7.8	7.9	
BEACH ST N( 1.0C)						DGFC															
				(2017)		CRACKING		9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.0
						RIDE		7.5	7.5	7.1											
79220003	0.000	0.136	C	1	1	CRACKING															4.7*
430			2	7.1	320	RIDE															3.9*
						CRACKING															
						RIDE															
79230000	0.000	2.480	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	
421			3	5.5	42000	RIDE		8.6	8.7	8.5	7.6	8.1	7.9	7.7	7.7	7.7	7.8	7.7	7.4	7.6	
AIRPORT RD( 0.1C)						FC125A															
4272791	0.350	2.376	C	2014	0012	CRACKING		6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.1	7.1	5.5*	
P & S PAVING, INC.				(2016)		RIDE		7.4	7.3	8.2	8.3	8.1	8.2	8.1	8.1	8.1	8.1	8.1	7.8	8.0	7.7
79230000	2.480	4.001	R	1	1 45	CRACKING		9.0	9.0	9.0	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
421			2	3.8	28500	RIDE		6.9	7.1	7.0	6.5	6.0*	6.2	8.1	7.7	7.8	7.7	7.6	7.7	8.0	
JACKSON ST( 2.5R)						FC125															
4135841	2.382	3.944	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	3.5*
P & S PAVING, INC.				(2007)		SPRIDE		7.6	7.7	7.6	7.8	7.5	7.7	7.3	7.5	7.2	7.3	7.1	7.1	7.0	6.7
79230000	2.480	4.001	L	1	1 45	CRACKING		6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
421			2	3.8	28500	RIDE		6.9	6.9	6.7	6.1*	6.0*	6.0*	6.0	8.1	8.0	8.2	8.2	8.1	8.1	
JACKSON ST( 2.5L)						FC125															
4135841	2.382	3.944	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	5.5*	3.0*
P & S PAVING, INC.				(2007)		SPRIDE		8.0	7.8	7.7	7.8	7.6	7.6	7.6	7.6	7.4	7.5	7.4	7.3	7.2	6.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = VOLUSIA -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====														(PMRS)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
79230000	0.350	2.480	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*		
421				3	5.5	42000	RIDE	8.6	8.6	8.5	8.0	7.9	7.7	7.4	7.6	7.5	7.5	7.6	7.3	7.4		
SIDE ROAD( 0.4C)																						
4272791	0.350	2.376	C	2014	0012	FC125A	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.1	7.0	5.5*	
P & S PAVING, INC. (2016)																						
79230000	0.000	0.350	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5			10.0	10.0	10.0	10.0		
421				2	3.8	54000	RIDE	8.6	8.6	8.5	8.0	7.9	7.7	7.4			7.0	6.9	6.9	6.8		
AIRPORT RD( 0.1C)																						
4272791	0.064	0.350	C	2014	0012	FC125A	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.2*	3.5*	2.0*	
P & S PAVING, INC. (2016)																						
79260000	0.000	4.281	C	1	1	40	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5		
441				2	4.6	4900	RIDE	6.7	6.6	6.3		6.8	6.2	6.1	6.2	6.1	6.1	6.0	6.0	5.8		
DUNLAWTON AVE( 0.0C)																						
2409551	0.000	5.409	C	2003	0012	DGFC	CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	
(2005)																						
79260000	4.281	4.750	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
441				4	6.8	8600	RIDE	8.0	7.9	7.8	6.0	5.7	5.7	5.7	5.6	5.4*	5.5	5.4*	5.4*	5.3*		
OCEAN DUNES RD( 4.3R)																						
2409551	0.000	5.409	C	2003	0012	FC4	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.3*	6.5	4.0*	
(2005)																						
79260000	4.750	5.409	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	7.0		
441				2	6.8	8600	RIDE	6.1*	6.0	5.4*	5.0*	5.4*	5.6	5.0*	5.1*	5.2*	5.1*	5.0*	4.8*	4.7*		
SILVER BEACH AVE( 4.8C)																						
4306821	4.847	5.409	C	2015	0012	FC125M	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	9.0	8.5	8.5	8.5	7.5	7.5	6.2*	7.0	5.5*	
P & S PAVING, INC. (2017)																						
79270000	0.000	3.377	R	1	1	40	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0		
483				2	7.9	28500	RIDE	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4	7.4	7.8	7.7	7.6	7.4		
BEVILLE RD( 0.0C)																						
4154641	0.000	3.357	C	2008	0012	FC125M	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	5.5*	3.5*	
P & S PAVING, INC. (2010)																						
4526411	0.019	3.359	C	2028	0012	SPRIDE		7.4	7.5	7.3	7.1	7.1	7.1	6.9	7.0	7.0	6.7	6.4	6.6	6.6	6.3	
(2028)																						
79270000	0.000	3.377	L	1	1	40	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0		
483				2	7.9	28500	RIDE	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4	7.4	8.1	7.9	7.9	7.7		
BEVILLE RD( 0.0C)																						
4154641	0.000	3.357	C	2008	0012	FC125M	CRACKING	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	5.7*	5.2*	3.0*	
P & S PAVING, INC. (2010)																						
4526411	0.019	3.359	C	2028	0012	SPRIDE		7.7	7.7	7.4	7.3	7.4	7.2	7.2	7.1	7.1	6.9	6.7	6.9	6.8	6.5	
(2028)																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).