

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

Table with columns: RDWYID, SR US, BMP, G_BMP, EMP LN, RW, SYS, TYP, SPD, DISTRESS RATINGS, SURVEYED YEAR (1999-2021), and FUTURE (2022-2029). Includes project details like 'FEDERAL HWY(0.0C)', 'NE 27 AVE(0.3R)', and 'MIDDLE RIVER DR(0.3R)'.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

Table with columns: RDWYID, SR, US, G_BMP, EMP, RW, SYS, TYP, SPD, DISTRESS, SURVEYED YEAR (1999-2021), FUTURE (2022-2029). Rows include project details like 'INTERSECT AT (MP|SIDE)', 'ITMSEG-P', 'CONTRACTOR (AGE_ONE YEAR)', and 'ITMSEG-F'.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

Table with columns: RDWYID, SR US, G_BMP, EMP LN, RW, SYS TYP, SPD, DISTRESS RATINGS, SURVEYED YEAR (1999-2029), and FUTURE (2029). Rows include project details like INTERSECT AT (MP|SIDE), ITMSEG-P, CONTRACTOR (AGE_ONE YEAR), ITMSEG-F, 86020000, 5 1, VICTORIA PK RD(1.9R), etc.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

Table with columns: RDWYID, SR, US, G_BMP, W_BMP, EMP, W_EMP, RW, W_EMP, LN, RW, SYS, TYP, SPD, AADT, DISTRESS RATINGS, SURVEYED YEAR (1999-2023), FUTURE (2024-2029), and COMMENTS. Includes project details like 'MONROE ST', 'HOLLYWOOD BLVD', 'FOREST ST', etc.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
#@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

Table with columns: RDWYID, SR, US, G_BMP, G_EMP, LN, RW, SYS, TYP, SPD, AADT, DISTRESS, RATINGS, SURVEYED YEAR (1999-2021), FUTURE YEAR (2022-2029), and FUTURE (REG). Rows include various pavement projects with details like 'INTERSECT AT (MP|SIDE)', 'PINES CITY LIMI(0.0C) DGFC', etc.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----

RDWYID	SR	US	BMP G_BMP	EMP G_EMP	RW LN	SYS #T	TYP AADT	SPD RATINGS	DISTRESS	SURVEYED YEAR												FUTURE		
										1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	
INTERSECT	AT	(MP	SIDE)						*****															
ITMSEG-P	W_BMP	W_EMP	WY-F	WY-F	WKMX-P	ASTYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)	RW	FW	WKMX-F																		(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			
86070000	9	I95	14.240	15.806	R	4	7	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		4.5*	10.0	10.0	10.0		
					4	9.5	277000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7		7.6	7.6	7.7	7.6		
							FC5															10.0		
							(2024)		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0								10.0	
									RIDE	7.6	7.6	7.6	7.5	7.6	7.5								7.9	
86070000	9	I95	15.806	17.700	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5		4.5*	10.0	10.0	10.0	10.0		
					4	9.5	251000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7		7.6	7.6	7.7	7.6		
							FC5M																	
							(2021)		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0					10.0	10.0	10.0	10.0	
									RIDE	7.6	7.6	7.6	7.5	7.6	7.5					8.1	8.1	7.9	8.0	7.7
86070000	9	I95	17.700	19.867	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5			10.0	10.0	10.0		
					3	6.5	204000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7			8.0	8.0	8.0		
							FC5M																	
							(2021)		CRACKING	10.0	10.0	9.0	9.0	6.5	6.5					10.0	10.0	10.0	10.0	
									RIDE	8.0	7.9	7.9	7.8	8.1	8.1					8.1	8.1	8.1	8.1	8.1
86070000	9	I95	19.867	21.043	R	4	7	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5			10.0	10.0	10.0		
					3	9.5	208000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7			8.0	8.0	8.0		
							FC5M																	
							(2024)		CRACKING	10.0	10.0	9.0	9.0	6.5	6.5					10.0	10.0	10.0	10.0	
									RIDE	8.0	7.9	7.9	7.8	8.1	8.1					8.1	8.1	8.1	8.1	
86070000	9	I95	21.043	22.890	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0		
					3	9.5	202000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7		7.7	7.7	7.7	7.7		
							FC5M																	
							(2021)		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0					10.0	10.0	10.0	10.0	
									RIDE	7.7	7.7	7.6	7.5	7.9	7.9					8.1	8.1	8.1	8.1	
86070000	9	I95	22.890	24.690	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0		
					3	9.5	202000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7		7.7	7.7	7.7	7.7		
							FC5M																	
							(2022)		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0						10.0	10.0	10.0	
									RIDE	7.7	7.7	7.6	7.5	7.9	7.9					8.5	8.5	8.5	8.5	
86070000	9	I95	24.690	25.334	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0		
					3	9.9	227000		RIDE	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7		7.7	7.7	7.7	7.7		
							FC5M																	
							(2023)		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0							10.0	10.0	
									RIDE	7.7	7.7	7.6	7.5	7.9	7.9					8.2	8.2	8.2	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

															DISTRICT = 4 COUNTY = BROWARD										
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE					
SR US	G_BMP	G_EMP	LN	ST	AADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE		FY-F	WKMX-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029						
CONTRACTOR	CONTRACTOR																								
ITMSEG-F																									
86070000	0.000	0.755	L	4	1	65	CRACKING	6.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	8.5	8.5	7.5					
9 I95				4	9.5	202500	RIDE	8.6	8.2	8.6	8.4	8.4	7.7		7.6	7.6	7.7	7.7	7.6	7.6					
COUNTY LINE RD(0.0C)							FC5M																		
					(2017)		CRACKING	7.5	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
							RIDE	7.5	7.4			8.7	8.7	8.6	8.2	8.4	8.5	8.6	8.7	8.5					
<hr/>																									
86070901	0.000	0.969	C	4	1		CRACKING																		
9 I95				1	9.5	11500	RIDE																		
					(2020)		CRACKING																		
							RIDE														10.0 10.0 10.0 10.0 10.0 10.0				
																					8.0 8.1 8.1 8.1 8.0 8.0				
<hr/>																									
86070901	0.969	4.868	C	4	1		CRACKING																		
9 I95				2	9.5	18000	RIDE																		
					(2020)		CRACKING																		
							RIDE														10.0 10.0 10.0 10.0 10.0 10.0				
																					8.1 8.4 8.2 8.3 8.1 8.1				
<hr/>																									
86070901	4.868	7.989	C	4	8		CRACKING																		
9 I95				1	9.5	16500	RIDE																		
					(2020)		CRACKING																		
							RIDE														10.0 10.0 10.0				
																					7.9 7.7 7.8				
<hr/>																									
86070902	17.416	20.527	C	4	8		CRACKING																		
9 I95				1	9.5	16500	RIDE																		
					(2020)		CRACKING																		
							RIDE														10.0 10.0 9.0				
																					8.0 7.9 7.8				
<hr/>																									
86070902	20.527	24.462	C	4	2		CRACKING																		
9 I95				2	9.5	23000	RIDE																		
					(2020)		CRACKING																		
							RIDE														10.0 10.0 10.0 10.0 10.0 10.0				
																					8.1 8.3 8.2 8.3 7.9 7.9				
<hr/>																									
86070902	24.462	25.412	C	4	1		CRACKING																		
9 I95				1	9.5	15000	RIDE																		
					(2020)		CRACKING																		
							RIDE														10.0 10.0 10.0 10.0 10.0 10.0				
																					8.2 8.2 8.2 8.3 8.2 8.2				
<hr/>																									
86070903	0.000	9.785	C	4	8		CRACKING																		
9 I95				1	1.0	23500	RIDE																		
							CRACKING																		
							RIDE																		
<hr/>																									
86070904	0.000	8.190	C	4	8		CRACKING																		
9 I95				1	1.0	22000	RIDE																		
							CRACKING																		
							RIDE																		
<hr/>																									
86075000	0.000	1.960	R	4	1	70	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0					
93 I75				4	7.1	196645	RIDE	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7					
FC5M																									
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	10.0	10.0	9.0	10.0	10.0			6.5	10.0	10.0	10.0	10.0					
HALLEY ENGINEERING CONTRAC(2021)							SPRIDE	7.6	7.5	7.6	7.6	8.3	8.4			8.1	8.6	8.7	8.6	8.6	8.6				
<hr/>																									
86075000	1.960	2.437	R	4	1	70	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0					
93 I75				4	12.6	159500	RIDE	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7					
FC5M																									
4378321	0.000	6.000	R	2020	0012		CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0					
HALLEY ENGINEERING CONTRAC(2020)							SPRIDE	7.6	7.5	7.6	7.6	7.7	7.6			8.4	8.6	8.5	8.6	8.5	8.5				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

Table with columns: RDWYID, SR, US, G_BMP, EMP, RW, SYS, TYP, SPD, DISTRESS, SURVEYED YEAR, and FUTURE. Contains pavement project data for Broward District.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

