

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																																		
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR											FUTURE										
													2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	RY	FY-P	WKM-F	ASTYPE	=====																										
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	RY	FY-F	WKM-F																												
86003000	844		0.000		0.240	R	1	1	35	22000	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5						
FEDERAL HWY(0.0C)																		6.9	6.5	6.0	6.1	6.2	6.0	6.6	7.0	6.9	7.0	7.0	7.0	6.8				
											CRACKING	9.5	9.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.5	7.2	5.5*								
											RIDE	6.4	6.0	6.2	6.2	6.5	6.4	5.9	5.9	5.9	6.1	5.9	6.3	5.7	5.4*									
(2004)																																		
86003000	844		0.240		0.902	R	1	1	35	18100	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
NE 27 AVE(0.3R)																		6.9	6.5	6.5	6.0	5.8	4.8*	4.7*										
											CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7	7.5								
											RIDE	6.9	6.9	6.1	6.2	6.4	5.8	5.7	5.9	5.5	5.7	5.6	5.3*	6.0	5.7									
(2009)																																		
86003000	844		0.240		0.902	L	1	1	35	18100	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
NE 27 AVE(0.3L)																		6.8	6.8	6.5	5.7	5.6	5.3*	5.4*										
											CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.7	7.5									
											RIDE	7.1	7.2	6.4	6.3	6.3	6.1	5.9	6.0	5.9	5.9	5.8	5.7	5.8	5.5									
(2009)																																		
86003000	844		0.000		0.240	L	1	1	35	22000	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
FEDERAL HWY(0.0C)																		6.8	6.8	6.9	6.6	6.4	5.9	6.6	7.4	7.3	7.4	7.3	7.4	7.3	7.2			
											CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.1	6.9	5.5*									
											RIDE	7.2	7.0	7.0	5.5	5.1*	5.0*	4.4*						5.0*	4.7*									
(2004)																																		
4476721			0.000		0.894	L	2025		0012																									

86005000	838		0.000		0.187	R	1	7	35	34500	CRACKING	10.0	9.0	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
NE 18 AV(0.0R)																		5.9*	6.2	6.5	6.7	6.4	5.8	6.0	6.0	6.6	6.6	6.5	6.3	6.1				
											CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.7	10.0	9.5									
											RIDE	6.5	6.4	6.0	6.3	6.6								5.9	5.6									
(2026)																																		
4419551			0.000		0.200	C	2030		0213																									

86005000	838		0.187		0.323	R	1	1	35	34500	CRACKING	10.0	9.0	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
MIDDLE RIVER DR(0.3R)																		5.9*	6.2	5.4*	6.7	6.4	5.8	6.0	6.0	6.6	6.6	6.5	6.3	6.1				
											CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.7	10.0	9.5									
											RIDE	6.5	6.4	6.0	6.3	6.6								5.9	5.6									
(2018)																																		
86005000	838		0.323		0.820	R	1	1	35	28500	CRACKING	9.0	9.0	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
MIDDLE RIVER DR(0.3R)																		7.0	6.9	7.2	4.0*	5.7	5.6	5.7	5.7	5.7	5.7	6.0	7.0	7.0	6.5			
											CRACKING	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5								
											RIDE	6.5	6.4	6.0	5.7	5.9	5.8	5.7	5.8	5.5	5.5	5.5	5.4*	5.3*	5.3*	5.0*								
(2004)																																		
4461811			0.361		0.827	C	2025		0012																									

86005000	838		0.820		1.191	R	1	1	35	23500	CRACKING	9.0	9.0	6.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
BREAKERS AVE(1.1R)																		7.0	6.9	7.2	4.0*	5.7	5.6	5.7	5.7	5.7	5.7	6.0	7.0	7.0	5.6			
											CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.2	8.0								
											RIDE	5.5	5.5	5.1*	5.1*									5.9	5.6									
(2018)																																		
86005000	838		0.820		1.191	L	1	1	35	23500	CRACKING	9.0	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5								
FIRE STATION(0.9L)																		6.6	6.7	7.1	5.3*	5.4*	5.2*	4.9*	5.7	6.0	6.0	5.8	6.0	5.7				
											CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5							
											RIDE	5.9	5.6	5.0*	5.1*									6.2	5.9									
(2018)																																		
86005000	838		0.384		0.820	L	1	1	35	28500	CRACKING	9.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0								
BAYVIEW DR(0.5C)																		6.6	6.7	7.1	6.6	6.2	6.3	5.9	6.1	6.7	6.8	6.6	6.5	6.5				
											CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.9*	5.8*	4.0*								
											RIDE	6.3	5.8	5.1*	4.9*	5.0*	5.3*	5.1*	5.1*	4.9*	5.0*	5.1*	4.8*	5.0*	4.7*									
(2004)																																		
4461811			0.361		0.827	C	2025		0012																									

86005000	838		0.187		0.384	L	1	1	35	34500	CRACKING	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0								
FEDERAL HWY(0.0C)																		6.6	5.9	6.6	6.6	6.2	6.3	5.9	6.1	6.7	6.8	6.6	6.5	6.5				
											CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.8	7.0								
											RIDE	6.3	5.8	5.1*										5.7	5.4*									
(2018)																																		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
86005000	0.000	0.187	L	1	7 35	CRACKING		10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
838				3	3.5	34500	RIDE	6.6	5.9	6.6	6.6	6.2	6.3	5.9	6.1	6.7	6.8	6.6	6.5	6.5	
FEDERAL HWY(0.0C)						FC125															
						(2026)	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	10.0	9.5
4419551	0.000	0.200	C	2030	0213		RIDE	6.3	5.8	5.1*										4.9*	4.6*
86006000	0.000	2.090	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0		10.0		10.0	10.0	10.0	10.0	10.0	
842				3	2.3	45000	RIDE	7.1	7.1	6.6	6.6	6.6		6.8		7.5	7.3	7.1	7.1	7.1	
PLANTATION CITY LIMITS(0.0C)						FC125															
4442651	0.025	2.098	R	2022	0012	CRACKING		10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0			10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2025)						RIDE		7.0	7.0	6.5	6.5	6.4	6.3	6.2	6.3	6.1	6.1		6.9	6.7	6.4
86006000	2.090	2.958	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	
842				3	3.8	45000	RIDE	6.6	7.0	7.2	6.7	6.9	6.3	5.7		7.0	6.8	6.9	6.8	6.7	
SW 46 AVE(2.6R)						FC4															
						(2009)	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.5	7.0
							RIDE	6.9	6.8	6.5	6.4	6.4	6.3	6.2	6.1	6.0	5.9	6.0	6.0	6.0	5.7
86006000	2.958	4.938	R	1	7 40	CRACKING		9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0		
842				3	3.8	48500	RIDE	6.6	7.0		6.2	6.0	6.0	5.8	6.0	6.0	5.9	5.8	5.7		
BRYAN BLVD(3.1R)						FC125M															
4460941	3.899	4.949	R	2023	0012	CRACKING		8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026)						RIDE		5.7	5.7	5.3*	5.3*	5.3*	4.8*	5.0*	5.1*	4.9*	5.1*	4.8*	4.9*	6.4	6.1
86006000	4.938	5.384	R	1	1 40	CRACKING		3.5*	3.5*		10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842				3	3.2	44500	RIDE	7.1	7.0		5.9	5.6	5.7	5.9	5.7	5.9	6.0	6.5	5.8	6.5	
AMTRAK(5.0R)						FC2															
4441171	4.519	5.397	R	2022	9924	CRACKING		6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	9.0	
HORSEPOWER ELECTRIC, INC. (2025)						RIDE		4.9*	6.9	6.2	6.3	5.5	5.7	5.6	5.3*	5.7	5.5	6.0	6.6	6.5	6.4
86006000	5.384	7.166	R	1	1 35	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842				3	4.2	74000	RIDE	6.1*	4.6*		6.1	5.9	5.6	5.7	5.9	5.7	5.9	6.0	5.8	5.8	
SW 18 AVE(5.4R)						FC125A															
4287241	5.664	7.032	C	2016	0012	CRACKING		6.5	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.7	9.5	8.5	
MCM CORP. (2020)						RIDE		4.9*	4.9*	5.2*	5.0*	4.7*		6.0	5.6	5.7	5.7	5.5	5.5	5.5	5.2*
86006000	5.384	7.166	L	1	1 35	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842				3	4.2	74000	RIDE	5.9*	5.4*		6.0	6.2	6.0	5.9	5.6	5.8	5.8	5.3*	5.5	5.5	
NW 18 AVE(5.4L)						FC125A															
4287241	5.664	7.032	C	2016	0012	CRACKING		6.5	10.0	8.5	8.5			10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5
MCM CORP. (2020)						RIDE		5.1*	4.9*	4.9*	5.0*			5.3*	5.1*	5.3*	5.1*	5.3*	5.0*	5.1*	4.8*
86006000	4.938	5.384	L	1	1 40	CRACKING		3.5*	3.5*		10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842				3	3.2	44500	RIDE	5.9*	5.8		6.2	6.0	5.9	5.6	5.8	5.8	6.5	6.5	5.5	5.5	
NW 22 AVE(5.0L)						FC2															
4441171	5.107	5.397	L	2022	9924	CRACKING		6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	8.8	8.0	
HORSEPOWER ELECTRIC, INC. (2025)						RIDE		5.1*	6.5	6.1	6.3	6.2	6.6	5.9	6.2	6.0	6.3	6.6	7.6	6.9	6.8
86006000	2.958	4.938	L	1	7 40	CRACKING		7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
842				3	3.8	48500	RIDE	5.4*	5.5		5.9	5.7	5.7	5.5	5.4*	5.6	5.3*	5.2*	5.2*		
NW 42 AVE(3.0L)						FC125M															
4460941	3.251	4.949	L	2023	0012	CRACKING		10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.6	10.0	9.5
GENERAL ASPHALT CO., INC. (2026)						RIDE		5.0*	5.1*	5.0*	4.9*	5.1*	5.0*	4.9*	4.8*	4.7*	4.8*	4.6*	4.7*	6.6	6.3
86006000	2.090	2.958	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	
842				3	3.8	45000	RIDE	6.1*	6.8	6.8	6.0*	5.9*	5.0*	4.5*		6.8	7.0	6.9	6.6	6.6	
NW 48 AVE(2.4L)						FC4															
						(2009)	CRACKING	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.1	8.1	6.5
							RIDE	6.5	6.5	6.1	5.9	6.1	5.9	5.7	5.9	5.7	5.8	5.6	5.5	5.5	5.2*
86006000	0.000	2.090	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	
842				3	2.3	45000	RIDE	6.0*	5.8*	6.2*	5.7*	5.8*	5.3*	5.2*		7.2	6.8	6.8	6.6	6.7	
PLANTATION CITY LIMITS(0.0C)						FC125															
4442651	0.143	2.098	L	2022	0012	CRACKING		10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2025)						RIDE		6.4	6.7	6.9	6.9	6.6	6.4	6.3	6.4	6.3	6.3		6.6	6.7	6.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
86010000	0.000	0.838	R	1	7	45	CRACKING	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1					3	6.3	51000 RIDE	7.5	7.0	7.1	6.4*			6.9	6.6	7.0	6.9	6.5	6.4	6.3	6.9
VIA DA FORTUNA(0.1R)																					
4476741	0.000	0.858	R	2025			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	10.0
GENERAL ASPHALT CO., INC. (2026) SPRIDE 6.2 6.1 6.2 6.4 6.3 5.9 5.9 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 6.7 6.4																					
86010000	0.838	1.526	R	1	7	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1					2	3.2	35000 RIDE	6.5	6.4	6.5	5.9	5.5	6.3	6.0	6.0	6.2	5.8	5.9	5.8	5.8	5.9
FIRST CT NE(0.9R)																					
4476741	0.858	1.538	R	2025			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.7	10.0
GENERAL ASPHALT CO., INC. (2026) SPRIDE 5.8 5.7 5.3* 5.1* 5.0* 4.9* 4.8* 5.0* 5.0* 4.9* 4.6* 5.0* 6.4 6.1																					
86010000	1.526	2.476	R	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1					2	3.2	30125 RIDE	6.5	6.4	6.5	5.9	5.5	6.3	6.0	6.0	6.2	5.8	5.9	5.8	5.8	5.9
MOFFETT ST(1.5R)																					
2280341	0.777	2.426	C	2003			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.7	9.3	7.5
COMMUNITY ASPHALT CORP. (2006) SPRIDE 5.8 5.7 5.3* 5.1* 5.0* 4.9* 4.8* 5.0* 5.0* 4.9* 4.6* 5.0* 5.3* 5.0*																					
86010000	2.476	2.713	C	1	1	25	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1					3	2.6	15000 RIDE	6.0*	5.7	5.9	5.9	5.5	4.6*		4.5*	4.7*	5.8	5.1*	4.8*	4.8*	
S YOUNG CIRCLE(2.5L)																					
4137931	2.476	2.713	C	2005			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.4	9.5	8.0
(2008) RIDE 5.2* 4.7* 4.2* 3.9* 3.9* 3.9* 3.8* 3.9* 3.8* 3.9* 3.6* 3.6* 3.7*																					
86010000	2.713	4.117	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0
5 1					2	2.6	30000 RIDE	6.5	6.3	6.3	5.5	5.6	5.3*	5.2*	5.4*	5.2*	5.2*	7.3	7.2	7.0	
ALLEY(2.7R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	3.5*	3.5*	8.5	8.5	8.5	8.5	8.5	8.5	8.8
(2021) RIDE 6.9 7.0 6.9 7.0 7.0 5.2* 6.3 6.2 6.0 6.1 5.9 6.6 6.3 6.0																					
86010000	4.117	5.948	R	1	1	35	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0
5 1					2	4.7	33000 RIDE	7.5	7.5	7.3	6.7	6.3	6.5	6.0	6.1	6.6	7.5	7.2	7.3	7.0	
SHERIDAN ST(4.1C)																					
4138291	4.094	5.806	R	2008			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.1	6.5
WEEKLEY ASPHALT PAVING, IN(2010) SPRIDE 7.3 7.1 7.2 7.1 7.0 6.9 6.7 6.7 6.7 6.6 6.4 6.6 6.5 6.2																					
4498151	4.117	5.917	C	2028			0012														
86010000	8.286	8.814	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0
5 1					3	8.9	50500 RIDE	7.7	7.4	7.3	6.9	6.7	6.5	6.4	6.5	6.2	6.4	6.2	6.7	7.9	
FORT LAUDERDALE CITY LIM(8.3C) DGFC																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9
(2013) RIDE 7.8 7.9 7.7 8.0 8.0 7.7 7.8 7.8 7.8 7.8 7.6 7.8 7.6 7.8 7.6 7.8 7.8 7.5																					
86010000	8.814	9.749	R	1	2	40	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1					3	2.7	47500 RIDE	7.7	7.4	7.3	6.9	6.7	6.5	6.4	6.5	6.2	6.4	6.2	6.7	6.7	
SE 16 CT(8.9R)																					
4216541	8.820	9.292	R	2011			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.7	9.5	8.5
THE DE MOYA GROUP INC. (2014) SPRIDE 7.5 7.6 7.4 7.2 7.5 7.6 7.0 7.2 7.5 6.9 7.0 7.2 7.5 6.9 6.9 6.6 6.6 6.6 6.6 7.7 7.4																					
86010000	9.749	10.330	R	1	7	35	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1					2	5.0	36000 RIDE	7.7	7.4	7.3	6.9	6.7	6.5	6.4	6.5	6.2	6.4	6.2	6.7	6.7	
SE 6 AVE(9.8R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.7	10.0	9.5
(2026) RIDE 7.5 7.6 7.4 7.2 7.5 7.6 7.0 7.2 7.5 7.0 7.2 7.5 6.9 6.9 6.6 6.6 6.4 6.1																					
86010000	9.749	10.330	L	1	7	35	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1					2	5.0	36000 RIDE	7.3	7.4	7.3	6.4	6.5	6.5	6.0	6.1	6.4	6.3	6.2	6.7	6.3	
N RIO VISTA BLVD(9.8L)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.5
(2026) RIDE 7.3 7.4 7.4 7.1 7.3 7.1 7.1 7.0 7.1 6.7 6.6 6.6 6.6 6.7 6.4																					
86010000	8.814	9.749	L	1	2	40	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1					3	2.7	47500 RIDE	7.3	7.4	7.3	6.4	6.5	6.5	6.0	6.1	6.4	6.3	6.2	6.7	6.3	
SE 16 CT(8.9L)																					
4216541	8.820	9.292	L	2011			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5
THE DE MOYA GROUP INC. (2014) SPRIDE 7.3 7.4 7.4 7.1 7.3 7.1 7.1 7.0 7.1 6.7 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 7.3 7.0																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																										
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE						
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031					
INTERSECT AT (MP SIDE)								=====																		
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																										
CONTRACTOR (AGE_ONE YEAR) ASTYPE																										
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																										
86010000	5	1	8.286	8.814	L	1	1 40	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0					
FORT LAUDERDALE CITY LIM(8.3C) DGFC								RIDE	7.3	7.4	7.3	6.4	6.5	6.5	6.0	6.1	6.4	6.3	6.2	6.7	7.9					
(2013)								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.6	9.5	8.5			
								RIDE	7.8	7.8	7.9	7.7	8.0	7.5	7.7	7.8	7.7	7.9	7.8	7.9	7.9	7.9	7.6			
86010000	5	1	4.117	5.948	L	1	1 35	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0					
SHERIDAN ST(4.1C) DGFC								RIDE	6.2*	6.8	6.5	5.8	5.9	6.1	5.7	5.8	5.6	7.3	7.1	6.9	6.8					
4138291 4.094 5.806 L 2008 0012								CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.5	6.0*				
WEEKLEY ASPHALT PAVING, IN(2010) SPRIDE								6.7	6.7	6.2	6.4	6.1	6.1	5.9	6.0	6.2	6.0	5.9	6.1	5.9	5.6					
4498151 4.117 5.917 C 2028 0012																										
86010000	5	1	2.713	4.117	L	1	1 35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.0*	6.0*	10.0	10.0	10.0					
POLK ST(2.7C) FC95								RIDE	5.8*	6.2	5.8	5.4*	4.9*	4.8*	4.6*	5.0*	4.9*	4.9*	7.0	6.9	6.9					
(2025)								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	8.0				
								RIDE	6.8	6.7	7.0	6.9	6.6	6.7	6.5	6.7	6.5	6.1	6.1	6.1	6.1	6.1	5.8			
86010000	5	1	1.550	2.476	L	1	1 35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
FLETCHER ST(1.6L) FC4								RIDE	5.1*	6.0	5.9	5.1*	5.1*	6.1	6.1	6.2	6.1	6.2	6.0	5.8	5.7					
(2025)								CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	10.0	8.6	8.0				
								RIDE	5.8	5.8	5.4*	5.3*	5.1*	5.1*	5.1*	5.1*	5.0*	4.9*	4.8*	5.9	5.9	5.6				
86010000	5	1	0.838	1.550	L	1	7 35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
FIRST CT NE(0.9L) FC125M								RIDE	5.1*	6.0	5.9	5.1*	5.1*	6.1	6.1	6.2	6.1	6.2	6.0	5.8	5.7					
4476741 0.825 1.538 L 2025 0012								CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	7.0	10.0	9.5				
GENERAL ASPHALT CO., INC. (2026) SPRIDE								5.8	5.8	5.4*	5.3*	5.1*	5.1*	5.1*	5.1*	5.0*	4.9*	4.8*	5.0*	6.1	5.8					
86010000	5	1	0.000	0.838	L	1	7 45	CRACKING	9.0	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
NINTH ST SE L(0.1L) FC125M								RIDE	5.2*	6.5	6.6	6.1*		7.6	7.6	7.8	7.8	7.6	7.7	7.5	7.5					
4476741 0.000 0.825 L 2025 0012								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	10.0	9.5				
GENERAL ASPHALT CO., INC. (2026) SPRIDE								7.3	7.4	6.9	6.8	7.0	6.7	6.9	6.4	6.4	6.4	6.2	6.5	6.1	5.8					
86010001	5	1	0.000	0.974	R	1	1 50	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0					
BRIDGE #1(0.0C) OGFC								RIDE	8.4	8.3	8.2	7.2	7.3	7.4	7.0	7.6		7.7	7.8	7.7	7.7					
(2016)								CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.9	8.8	7.0				
								RIDE			7.7	7.8	7.8	7.8	7.7	7.8	7.8	7.7	7.5	7.8	7.9	7.8				
86010001	5	1	0.974	2.547	R	1	1 50	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0					
UNSIGN(2.3R) FC5								RIDE	8.4	8.3	8.2	7.2	7.3	7.4	7.0	7.6	7.4	8.2	8.2	8.2	8.2	10.0				
(2010)								CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	8.3	8.1	5.5*				
								RIDE	8.2	8.2	8.1	8.2	8.1	7.9	8.0	8.1	8.1	8.1	7.8	8.0	8.1	8.0				
86010001	5	1	0.974	2.547	L	1	1 50	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0					
SE 30 ST(2.2L) FC5								RIDE	7.7	7.6	7.8	6.7	6.9	7.0	6.5	6.7	7.6	8.0	8.1	8.0	8.0					
(2010)								CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6	8.5	6.0*				
								RIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.0	8.0	8.0	7.9	8.0	8.0	7.9				
86010001	5	1	0.000	0.974	L	1	1 50	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0					
BRIDGE #1(0.0C) OGFC								RIDE	7.7	7.6	7.8	6.7	6.9	7.0	6.5	6.7		7.6	7.7	7.7	7.7					
(2016)								CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	8.8	7.5				
								RIDE			7.6	7.7	7.6	7.6	7.6	7.5	7.5	7.6	7.7	7.7	7.7	7.6				
86010500	5	1	0.000	0.248	C	1	1 25	CRACKING		9.0	9.0	9.0	7.5	7.5		10.0	10.0	9.5	9.5	9.5	9.5					
HOLLYWOOD CITY LIMITS(0.0C) DGFC								RIDE		7.3	5.7	5.5	5.1*	5.3*		5.3*	5.5	5.6	5.3*	5.6	5.6					
(2008)								CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.1	8.1	6.5			
								RIDE	5.8	5.2*	4.5*	3.9*	4.0*	4.2*	3.8*	3.9*	3.9*				3.8*	3.5*				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
86012000	0.000	0.312	R	1	1	45	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	6.3		48500	RIDE	7.1	7.1	7.2	6.5	6.2*	6.6	6.2	6.7	6.0	6.5	5.9	5.5	5.9		
POWERLINE RD(0.0C)																						
4246651	0.012	0.163	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.1	8.0
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	7.9	7.5	7.4	7.6	7.7	7.6	7.4	7.6	7.6	7.4	7.3	7.4	7.1	6.8	
86012000	0.312	1.330	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
869			2	6.3		48500	RIDE	6.2*	6.1*	6.0*	5.9*	5.3*	5.9	5.3*	5.7	5.6	5.7	5.8	5.4*	5.5		
SW 30 AVE(0.5R)																						
4246651	0.163	1.445	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.5
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	7.8	7.8	7.2	7.2	7.2	6.8	6.9	6.9	6.9	6.9	6.9	6.9	6.8	6.5	
86012000	1.330	1.820	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	4.6		51500	RIDE	7.0	7.4	7.4	6.7	6.1	6.9	6.9	6.5	6.1	7.0	7.0	6.9	6.9		
CR 809(1.4C)																						
4246651	1.445	1.829	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.5	8.5
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	8.4	8.4	7.6	7.6	7.7	7.0	7.5	7.6	7.3	7.3	7.3	7.5	7.4	7.1	
86012000	1.820	2.152	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
869			3	4.6		51500	RIDE	7.0	7.4	7.4	6.7	6.1	6.9		8.1	7.3	8.2	8.4	8.2	8.3		
E NEWPORT CENTER DR(1.8R)																						
				(2008)			DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.9	9.0	7.5	
							RIDE	8.3	8.3	7.6	7.7	7.3	6.9	7.0	6.8					7.8	7.5	
86012000	1.820	2.152	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
869			3	4.6		51500	RIDE	6.7	6.9	7.1	6.8	6.3	6.5		8.3	7.9	7.5	7.6	7.9	8.4		
NEWPORT CENTER DR E(1.8L)																						
				(2008)			DGFC															
							CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	8.4	9.0	7.5	
							RIDE	8.2	8.4	8.1	8.2	8.2	8.0	8.0	8.2	8.0	7.8	7.8	7.9	7.6		
86012000	1.557	1.820	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	4.6		51500	RIDE	6.7	6.9	7.1	6.8	6.3	6.5	6.1	7.0	7.1	7.2	7.5	6.7	6.7		
FC95																						
4246651	1.653	1.829	L	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6	8.6	7.5	
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	7.8	8.3	8.1	7.6	8.0	7.9	7.8	7.7	7.8	7.6	7.4	7.4	7.3	7.0	
86012000	0.312	1.557	L	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5	6.5	
869			2	6.3		48500	RIDE	7.3	7.5	7.3	6.9	6.9	6.8	6.7	6.9	6.8	6.8	6.3	6.6	6.6		
CR 809(1.4C)																						
4246651	0.312	1.653	L	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	8.0	7.9	7.4	7.6	7.3	7.4	7.4	7.3	7.1	7.4	7.2	7.3	7.3	7.0	
86012000	0.000	0.312	L	1	1	45	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
869			3	6.3		48500	RIDE	8.1	7.9	8.2	7.5	7.1	7.1	6.5	6.5	6.5	6.5	6.5	6.4	6.2		
POWERLINE RD(0.0C)																						
4246651	0.012	0.312	L	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.1	8.0
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	7.8	7.4	7.3	7.3	7.4	7.0	7.1	7.1	7.0	6.8	6.5	7.0	6.9	6.6	
86014000	0.000	0.803	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*		
870			3	3.4		53500	RIDE	7.9	8.0	7.9	7.2	7.3	7.3	7.2	6.8	6.8	6.9	7.1	6.7	6.5		
SR 817(0.0C)																						
4246661	0.017	0.814	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6	8.5	
WEEKLEY ASPHALT PAVING, IN				(2014)			SPRIDE	7.9	8.1	7.5	7.7	7.6	7.4	7.5	7.3	7.5	7.6	7.2	7.1	7.2	6.9	
86014000	0.803	1.180	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	3.4		53500	RIDE	7.9	8.0	7.9	7.2	7.2	7.0	7.0	7.2	7.0	7.2	7.1	7.2	7.0		
NW 64 AVE(1.0C)																						
				(2005)			FC125															
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.3	8.3	6.5	
							RIDE	7.1	7.2	6.8	6.7	6.6	6.4	6.4	6.5	6.4	6.4	6.4	6.4	6.4	6.2	
86014000	1.180	2.330	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*		
870			3	5.4		53500	RIDE	7.9	8.0	7.9	7.2	6.8	6.6	6.1	6.4	6.4	6.5	6.2	6.8	6.3		
WHITE OAK LA(1.2R)																						
4270041	1.180	2.330	C	2014		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5
GENERAL ASPHALT CO., INC.				(2016)			RIDE	6.0	6.1	7.7	7.7	7.9	7.9	7.4	7.7	7.7	7.7	7.6	7.5	7.8	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
86014000 870	2.330	2.795	R	1	1 45	CRACKING		10.0	9.0	9.0	9.0	10.0	10.0	10.0							
					3 4.0	73000	RIDE	7.9	8.0	7.9	7.2	7.3	7.1	6.8				10.0	10.0	10.0	
						UNKW												7.5	7.3	7.4	
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.6	9.5	8.0
							RIDE	7.3	7.5	6.6	6.2	6.3	5.8	5.8				6.4	6.4	6.1	
86014000 870	2.795	4.228	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					3 5.5	55000	RIDE	6.7	6.9	6.6	5.7*	7.3	7.1	6.8	7.1	7.1	7.0	6.9	6.7	7.0	
						FC125															
					(2005)		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	8.0	8.0	6.5
							RIDE	6.5	6.8	6.6	6.5	6.4	6.2	6.3	6.4	6.3	6.4	6.2	6.2	6.3	6.0
86014000 870	4.228	6.230	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	
					3 4.4	52000	RIDE	6.7	6.9	6.6	5.7*	5.7*	5.5		7.7	7.6	7.4	7.3	7.2	7.1	
						FC95															
					(2008)		CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	8.0	8.6	7.0
							SPRIDE	7.1	7.3	7.3	7.4	7.4	7.2	7.3	7.2	7.2	7.1	7.1	7.1	7.1	6.8
86014000 870	6.230	8.350	R	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
					3 1.9	53500	RIDE	5.8*	5.9*	5.7*	5.0*	5.3*	5.2*		6.7	6.7	6.2	6.5	6.4	6.5	
						FC125															
					(2008)		CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	8.0	8.2	7.0
							RIDE	6.4	6.5	5.7	5.6	5.6	5.4*	5.3*	5.2*	5.1*	5.3*	5.1*	5.2*	5.5	5.2*
4461821	6.230	9.893	C	2024		0012															
86014000 870	8.350	8.738	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					3 2.4	38000	RIDE	7.3	7.4	7.1	6.2	6.5	6.4	7.0	6.7	7.4	7.2	7.0	7.0	7.3	6.2
						FC125															
					(2008)		CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.5	5.5*
							S RIDE	5.9	6.1	6.1	5.9	5.9	5.6	5.7	5.4*	5.7	5.8		5.6	5.3*	
86014000 870	8.738	9.586	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					3 3.2	41500	RIDE	6.7	6.9	6.6	6.3	6.0	6.0	6.4	6.0	7.5	7.0	7.5	7.1	6.9	
						FC3															
					(2008)		CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.4	5.5*
							S RIDE	7.0	7.1	6.7	6.6	6.4	6.4	6.3	6.3	6.5	6.1	5.7	5.6	6.0	5.7
86014000 870	9.586	9.893	R	1	1 30	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					2 3.2	41500	RIDE	5.7*	5.1*	6.1	5.4*	5.3*	5.0*	4.7*	5.1*	5.1*	5.2*	5.6	5.0*	5.2*	
						DGFC															
					(2003)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.6	9.5	8.0
							RIDE	5.2*	5.1*	5.2*	5.2*	5.2*	4.9*	5.1*	5.0*	5.0*	5.2*	5.0*	4.6*	5.6	5.3*
4461821	6.230	9.893	C	2024		0012															
86014000 870	9.586	9.893	L	1	1 30	CRACKING		6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
					2 3.2	41500	RIDE	4.6*	5.3*	6.5	5.3*	5.4*	5.1*	5.0*	5.6	5.4*	5.5	5.4*	5.3*	5.2*	
						DGFC															
					(2003)		CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.6	7.0
							RIDE	5.4*	5.4*	5.4*	5.2*	5.3*	5.3*	4.9*	5.1*	5.1*	5.0*	5.1*	5.1*	5.2*	4.9*
4461821	6.230	9.893	C	2024		0012															
86014000 870	8.738	9.586	L	1	2 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
					3 3.2	41500	RIDE	6.5	6.6	6.6	6.1	6.2	5.7	5.3*	5.6	6.8	7.3	6.6	6.5	6.8	
						FC3															
					(2008)		CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0	8.0	8.0	8.1	8.1	6.0*
							S RIDE	6.8	6.7	6.7	6.4	6.7	6.4	6.4	6.3	6.4	6.1	6.0	5.6	6.1	5.8
86014000 870	8.350	8.738	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					3 2.4	38000	RIDE	7.8	7.9	7.7	6.5	6.2	6.2	6.0	6.4	7.3	7.2	7.2	7.3	7.4	
						FC125															
					(2008)		CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.2	7.1	5.0*
							S RIDE	6.5	6.7	6.6	6.5	6.4	6.0	6.3	6.4	6.0	6.4	6.2	6.2	6.1	5.8
86014000 870	6.230	8.350	L	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
					3 1.9	53500	RIDE	5.5*	5.4*	5.2*	4.7*	4.8*	4.3*		6.7	6.6	6.2	6.0	6.3	6.2	
						FC125															
					(2008)		CRACKING	10.0	10.0	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.5	8.0	6.5
							RIDE	6.1	6.2	5.7	5.6	5.6	5.2*	5.4*	5.3*	5.2*	5.4*	5.1*	5.2*	5.3*	5.0*
4461821	6.230	9.893	C	2024		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP)	(SIDE)	MP	LN	MP	LN	MP	*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
86014000	4.228	6.230	L	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0
870			3	4.4	52000		RIDE	7.2	6.9	6.9	6.2*	6.2*	6.0		7.7	7.7	8.0	7.8	7.4	7.5	
NW 31 AVE(4.2C)				FC95																
4109561	4.228	6.230	C	2005	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	8.0	8.5	7.0
COMMUNITY ASPHALT	CORP.			(2008)	SPRIDE			7.6	7.3	7.7	7.7	7.6	7.5	7.5	7.5	7.4	7.4	7.4	7.1	7.4	7.1
4484081	4.228	6.230	C	2029	0012																
86014000	2.795	4.228	L	1	1	45	CRACKING	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
870			3	5.5	55000		RIDE	7.2	6.9	6.9	6.2*	6.7	6.6	6.4	6.7	6.7	6.9	6.5	6.3	6.5	
NW 47 TER(2.8C)				FC125																
				(2005)			CRACKING	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.4	7.0
							RIDE	6.4	6.6	6.3	6.4	6.3	6.2	6.4	6.3	6.3	6.4	6.2	6.3	6.4	6.1
86014000	2.330	2.795	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0				10.0	10.0	10.0	
870			3	4.0	73000		RIDE	8.1	8.0	7.8	6.9	7.7	7.6	7.4				7.8	7.5	7.6	
CENTRAL PARK(2.4L)				UNKW																
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.2	8.2
							RIDE	7.5	7.7	7.4	7.3	7.2	7.3	7.0	6.9	6.8	6.8	6.8	6.6	6.9	6.6
86014000	1.180	2.330	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	
870			3	5.4	53500		RIDE	8.1	8.0	7.8	6.9	7.7	7.6	7.4	7.7	7.4	7.6	7.5	7.4	7.4	
SAFEGUARD(1.2L)				FC125M																
4270041	1.180	2.330	C	2014	0012		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.5
GENERAL ASPHALT	CO., INC.			(2016)	SPRIDE			7.3	7.4	7.8	7.8	7.8	7.8	7.6	7.7	7.5	7.7	7.4	7.6	7.6	7.3
86014000	0.803	1.180	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
870			3	3.4	53500		RIDE	8.1	8.0	7.8	6.9	7.3	7.3	7.2	7.2	7.0	7.0	7.0	7.0	6.3	6.9
NW 64 AVE(1.0C)				FC125																
				(2005)			CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.3	7.2	5.5*
							RIDE	6.6	6.9	7.0	7.0	7.0	7.0	6.6	6.9	6.7	6.9	6.6	6.9	6.9	6.6
86014000	0.000	0.803	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	
870			3	3.4	53500		RIDE	8.1	8.0	7.8	6.9	6.5	6.6	6.1	6.5	6.0	5.9	5.8	6.2	6.2	
SR 817(0.0C)				FC95																
4246661	0.017	0.814	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	9.1	8.0
WEEKLEY ASPHALT	PAVING, IN			(2014)	SPRIDE			8.0	8.0	7.8	7.9	7.9	7.3	7.7	7.6	7.6	7.6	7.4	7.4	7.6	7.3
86015000	0.000	2.497	R	1	7	45	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	5.4	32000		RIDE	7.8	7.7	7.6	7.1			7.9	7.7	7.6	7.6	7.4	7.5	7.5	
COOPER CITY LIMITS(0.0C)				FC125M																
4463711	0.000	2.507	C	2024	0012		CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	9.5
WEEKLEY ASPHALT	PAVING, IN			(2026)	SPRIDE			7.4	7.4	7.0	6.9	6.9	6.7	6.9	6.6	6.7	6.6	6.6	6.6	7.0	6.7
86015000	2.497	3.924	R	1	1	45	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
818			3	5.1	29000		RIDE	7.8	7.7	7.6	7.8	7.7	7.6	7.6	7.7	7.7	7.7	7.6	7.6	7.6	7.6
SW 90 AVE(2.6R)				FC125																
2278821	2.424	3.906	C	2001	0213		CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	5.5*
RUSSELL ENGINEERING, INC				(2004)	SPRIDE			7.5	7.6	6.8	6.6	6.6	6.5	6.5	6.5	6.5	6.4	6.2	6.4	6.4	6.1
4483991	2.491	3.958	C	2031	0012																
86015000	3.924	6.124	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
818			3	4.6	28561		RIDE			8.3	7.9	8.2	7.9	7.9	7.8	7.6	7.7	7.6	7.5	7.4	
SUNDANCE WAY(3.9R)				FC3																
				(2026)			CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	8.7
							RIDE	7.4	7.4	7.4	7.3	7.4	7.4	7.4	6.9	6.9	6.9	6.9	6.9	6.9	6.6
4498161	3.924	6.124	C	2029	0012																
86015000	6.519	10.738	R	1	1	45	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	
818			3	5.8	34000		RIDE	7.3	7.3	7.2	6.6	6.7	6.5	6.3	6.4		8.3	7.9	7.8	7.7	
DAVIE CITY LIMITS(6.7C)				FC95																
4138321	6.691	10.587	R	2008	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.9	8.8	7.5
THE DE MOYA GROUP	INC.			(2010)	SPRIDE			7.8	7.8	7.6	7.6	7.4	7.3	7.3	7.1	7.0	7.0	6.9	6.8	6.9	6.6
86015000	6.519	10.738	L	1	1	45	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0
818			3	5.8	34000		RIDE	6.7	6.6	6.6	6.6	5.9*	6.0*	5.9	5.8	5.8		8.3	8.2	7.9	8.1
SW 46 TERR(6.6L)				FC95																
4138321	6.691	10.729	L	2008	0012		CRACKING	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.7	7.5
THE DE MOYA GROUP	INC.			(2010)	SPRIDE			7.8	7.8	7.6	7.3	7.3	7.2	7.2	6.9	7.0	6.8	6.8	6.8	6.8	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****															
ITMSEG-P	(AGE_ONE_YEAR)	ASTYPE																				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F																
ITMSEG-F																						
86015000	3.924	6.124	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	4.6		28561	RIDE			8.8	8.2	8.2	8.0	8.3	8.2	8.0	7.9	7.9	8.0	7.8		
ACCESS RD TO ORANGE(4.7L) FC3																						
2277061	3.877	6.525	C	1998		0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	8.4	7.0
TRIPLE R PAVING INC (2003) S RIDE																						
4498161	3.924	6.124	C	2029		0012															7.6	7.3
86015000	2.497	3.924	L	1	2	45	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	5.1		29000	RIDE	7.8	7.7	7.6	7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.7	7.6	7.6		
ACCESS RD TO ORANGE(3.0L) FC125																						
2278821	2.424	3.906	C	2001		0213	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
RUSSELL ENGINEERING, INC (2004) SPRIDE																						
4483991	2.491	3.958	C	2031		0012		7.5	7.5	6.9	6.8	6.8	6.6	6.7	6.5	6.4	6.5	6.4	6.4	6.3	6.3	6.0
86015000	0.000	2.497	L	1	7	45	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	5.4		32000	RIDE	7.8	7.7	7.6	7.1			7.9	7.5	7.6	7.5	7.3	7.2	7.3		
COOPER CITY LIMITS(0.0C) FC125M																						
4463711	0.000	2.507	C	2024		0012	CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5			10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026) RIDE																						
86015009	0.000	0.369	R	1	1	45	CRACKING															
818			3	5.7		36000	RIDE															
DRIFTWOOD ACRES / SW(0.3R) FC3																						
				(2019)			CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.6	7.5
							RIDE							7.2	7.2	7.3	7.0	7.0	6.9	6.9	6.4	6.1
86015009	0.000	0.369	L	1	1	45	CRACKING															
818			3	5.7		36000	RIDE															
SW 48 AVE(0.3L) FC3																						
				(2019)			CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.0
							RIDE							7.3	7.6	7.4	7.3	7.3	7.0	7.5	7.6	7.3
86016000	0.000	2.786	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
848			3	2.7		32500	RIDE	7.4	7.2	7.3	6.7	6.6	6.7	6.6	6.6	6.6	6.6	6.7	6.4	6.5		
CARRIAGE HILLS DR(0.0C) FC95M																						
4287251	0.018	2.786	C	2017		0012	CRACKING	8.0	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.1	8.0	
WEEKLEY ASPHALT PAVING, IN(2019) RIDE																						
86016000	2.786	6.726	R	1	8	45	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
848			3	3.1		4000	RIDE	6.6	6.4*	6.3*	6.0*	5.9*	6.0	5.6	5.8	7.9	7.5	7.4	7.3	7.2		
N 58 AVE(2.9R) FC95																						
4114381	2.727	6.650	R	2006		0012	CRACKING	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	
PAVEX CORPORATION (2009) SPRIDE																						
4463701	2.767	6.726	L	2024		0012		7.0	7.0	6.9	6.9	6.8	6.9	6.6	6.4	6.4	6.3	6.1	6.3			
86016000	5.363	6.726	L	1	8	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	
848			3	3.1		23500	RIDE	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5	7.4	7.3		
SW 19 CT(5.4L) FC95																						
4114381	2.727	6.693	L	2006		0012	CRACKING	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
PAVEX CORPORATION (2009) SPRIDE																						
4463701	2.767	6.726	L	2024		0012		7.3	7.2	7.0	6.1	5.9	5.6	5.5	5.3*	5.4*	5.3*	5.1*	5.3*			
86016000	4.498	5.363	L	1	8	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	
848			3	3.7		46000	RIDE	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5	7.4	7.3		
LAKE SHORE DR(4.5L) FC95																						
4114381	2.727	6.693	L	2006		0012	CRACKING	9.5	8.5	8.5		6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
PAVEX CORPORATION (2009) SPRIDE																						
4463701	2.767	6.726	L	2024		0012		7.3	7.2	7.0		5.6	6.9	6.8	6.5	6.5	6.3	6.3	6.6			
86016000	2.786	4.498	L	1	8	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	
848			3	3.1		40000	RIDE	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5	7.4	7.3		
SW 40 AVE(3.2L) FC95																						
4114381	2.727	6.693	L	2006		0012	CRACKING	9.5	8.5	8.5	8.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
PAVEX CORPORATION (2009) SPRIDE																						
4463701	2.767	6.726	L	2024		0012		7.3	7.2	7.0	7.4	6.8	7.2	7.2	7.1	7.1	7.0	6.7	6.7			
86016000	0.000	2.786	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	
848			3	2.7		32500	RIDE	6.7	6.7	6.7	6.3*	6.1*	6.3	5.9	6.0	6.0	6.1	6.0	6.0	6.0	6.0	
CARRIAGE HILLS DR(0.0C) FC95M																						
4287251	0.018	2.786	C	2017		0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5	
WEEKLEY ASPHALT PAVING, IN(2019) RIDE																						
								5.7	5.8	5.3*	5.3*	5.2*	7.0	6.9	6.8	6.9	6.9	6.8	6.8	6.9	6.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														(PMRS)
ITMSEG-P	ITMSEG-F																				
86018000	0.000	0.285	L	1	1	45	CRACKING	9.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
824			3	2.9		47500	RIDE	6.5	6.7	6.4*	6.2*		7.7	7.4	7.4	6.9	7.0	6.6	6.9	6.9	
MIRAMAR CITY LIMITS(0.0C)																					
4062781	0.000	0.257	C	2003		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.4	6.0*
PAVEK CORPORATION (2006) SPRIDE																					
86020000	0.000	1.813	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	4.5*	
5			3	2.7		36000	RIDE	7.8	8.0	7.6	7.2	7.1	6.8	6.5	7.1	6.9	7.1	7.0	6.9	6.6	
BROWARD BLVD(0.0C)																					
4287261	0.012	1.813	C	2015		0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.0
COMMUNITY ASPHALT CORP. (2017) SPRIDE																					
86020000	1.813	4.200	R	1	7	45	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	
5			3	2.8		53000	RIDE	6.4*	6.4*	6.4*	6.0*	6.0*	5.8	5.7	5.4*	7.9	7.8	7.7	7.8	7.6	
VICTORIA PK RD(1.9R)																					
4461851	2.045	4.307	R	2023		0012	CRACKING	9.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026) SPRIDE																					
86020000	4.200	5.750	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5			3	5.2		47500	RIDE	8.3	8.3	8.3	7.5	7.5	7.4	7.2	7.5	7.6	7.6	7.4	7.3	7.4	
NE 33 CT(4.3R)																					
4360971	4.200	5.740	R	2018		0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP. (2020) SPRIDE																					
86020000	5.750	8.254	R	1	7	45	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5			3	2.3		42500	RIDE	7.0	7.1	7.0	6.7	6.6	7.3	6.9	7.3	7.1	7.1	7.1	7.1	7.0	
SPUR(5.8R)																					
4461881	5.751	8.254	R	2023		0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.5
GENERAL ASPHALT CO., INC. (2026) RIDE																					
86020000	8.254	8.756	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0
5			3	4.0		38500	RIDE	6.7	6.7	6.6	6.6	6.3*	6.4	6.2	6.3	6.3	6.2	6.2	6.2	7.4	
SE 7 ST(8.3R)																					
4229981	8.274	8.769	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.6	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2013) RIDE																					
86020000	8.756	11.863	R	1	1	45	CRACKING	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
5			3	4.0		43500	RIDE	7.4			7.6	7.7	7.4	7.0	7.4	7.1	7.2	6.8	7.2	6.8	
ATLANTIC BLVD(8.8C)																					
4484011	8.756	11.789	C	2029		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
(2004) RIDE																					
86020000	11.863	15.314	R	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			3	3.7		43500	RIDE	6.8	6.8	6.7	6.2*	6.2*	6.0	6.9	6.8	6.9	6.8	6.7	6.8	6.6	
NE 39 ST(12.1C)																					
							CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.0
(2022) RIDE																					
86020000	11.863	15.314	L	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			3	3.7		43500	RIDE	7.4	7.5	7.3	6.6	6.6	6.3	7.2	7.4	7.3	7.3	7.2	7.2	7.2	
NE 39 ST(12.1C)																					
							CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0
(2022) RIDE																					
86020000	8.756	11.863	L	1	1	45	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5			3	4.0		43500	RIDE	7.8			7.7	7.7	7.6	7.2	7.6	7.4	7.4	7.6	7.3	7.2	
ATLANTIC BLVD(8.8C)																					
4484011	8.756	11.789	C	2029		0012	CRACKING	9.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
(2004) RIDE																					
86020000	8.254	8.756	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	
5			3	4.0		38500	RIDE	7.4	7.4	7.3	6.6	6.6	6.5	6.7	6.8	6.9	6.5	6.5	6.5	8.4	
FIFTH CT SE(8.5L)																					
4229981	8.274	8.769	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.6	8.5
WEEKLEY ASPHALT PAVING, IN(2013) RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
86020000	5.750	8.254	L	1	7	45	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
5 1					3	2.3	42500 RIDE	5.6*	5.5*	5.4*	5.0*	5.1*	6.7	6.2	6.6	6.4	6.5	6.3	6.3	6.1	
NE 53 ST(5.9L)																					
4461881	5.740	8.254	L	2023	0012		CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.5
GENERAL ASPHALT CO., INC. (2026)																					
86020000	4.200	5.750	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5
5 1					3	5.2	47500 RIDE	7.8	7.8	7.7	6.9	7.1	6.8	6.2	6.7	7.1	7.1	6.9	6.8	6.8	
NE 33 CT(4.3L)																					
4360971	4.200	5.740	L	2018	0012		CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.5
COMMUNITY ASPHALT CORP. (2020)																					
86020000	1.813	4.200	L	1	7	45	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	
5 1					3	2.8	53000 RIDE	6.4*	6.6	6.4*	5.9*	6.1*	5.8	5.9	5.8	7.5	7.5	7.5	7.4	7.3	
VICTORIA PARK RD(1.9L)																					
4461851	2.045	4.307	L	2023	0012		CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.5
WEEKLEY ASPHALT PAVING, INC. (2026)																					
86020000	1.080	1.813	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	
5 1					3	2.5	57000 RIDE	8.0	7.6	7.3	6.8	6.8	6.4	6.4	7.0	6.9	6.9	6.5	6.4	6.3	
EIGHTH AVE NE(1.1L)																					
4287261	0.012	1.813	C	2015	0012		CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.3	9.1	8.0
COMMUNITY ASPHALT CORP. (2018)																					
86020000	0.000	1.080	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	
5 1					3	2.7	36000 RIDE	8.0	7.6	7.3	6.8	6.8	6.4	6.4	7.0	6.9	6.9	6.5	6.4	6.3	
BROWARD BLVD(0.0C)																					
4287261	0.012	1.813	C	2015	0012		CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	9.4	8.5
COMMUNITY ASPHALT CORP. (2017)																					
86028000	0.000	1.428	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	
834					3	3.7	31000 RIDE	7.7	7.4	7.5	6.8	7.0	6.8	6.2	6.6	6.6	6.7	6.5	6.4	6.3	
CORAL SPRINGS CITY LIMIT(0.0C)																					
4461941	0.011	1.451	R	2024	0012		CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	9.5
GENERAL ASPHALT CO., INC. (2026)																					
86028000	1.428	3.221	R	1	1	45	CRACKING	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
834					3	4.2	47000 RIDE	7.7	7.9	7.6	7.1	7.1	6.9	6.8	6.7	6.5	6.4	8.1	8.0	7.9	
BELMONTE BLVD(1.5R)																					
4138381	1.428	3.236	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	7.5
HUBBARD CONSTRUCTION COMPA(2011)																					
86028000	3.221	4.763	R	1	1	45	CRACKING	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	
834					3	2.9	52500 RIDE	7.6	7.8	7.6	7.1	7.2	7.0	6.9	7.1	6.9	7.0	6.9	6.8	8.3	
NW 54 AVE(3.3C)																					
4216561	3.221	4.763	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5
GENERAL ASPHALT CO., INC. (2013)																					
86028000	4.763	5.805	R	1	1	45	CRACKING	9.0	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
834					3	9.6	55500 RIDE	7.5	7.4	7.4	6.6	6.8	6.7	6.7	6.9	6.9	6.9	6.8	6.7	6.5	
FESTIVAL FLEA MARKET(5.4R)																					
2280721	4.754	7.558	C	2003	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	8.1	8.0	6.5
APAC-FLORIDA INC (2005)																					
86028000	5.805	6.155	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
834					3	9.6	55500 RIDE			7.5	6.6	6.5	6.6	6.9	7.0	7.0	6.5	6.5	5.9	6.3	
CROSSROADS SHOPPING CENT(5.9C)																					
2280721	4.754	7.558	C	2003	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	4.5*	4.5*	7.1	5.5*
APAC-FLORIDA INC (2003)																					
86028000	6.155	7.118	R	1	7	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
834					3	9.7	42295 RIDE			7.5	6.6	6.5	6.6	6.9	7.0	7.0	6.5	6.5	5.9	6.3	
COSTCO ENT(6.4C)																					
4461951	6.078	7.139	R	2024	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	4.5*	4.5*	10.0	9.5
GENERAL ASPHALT CO., INC. (2026)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)		FY-F	WKM-X-F																(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
86028000	7.118	7.586	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
834				4	4.1	57500	RIDE	6.0*	5.3*	5.4*	4.4*	7.1	7.1	7.1	6.7	6.5	6.6	6.7	6.5	6.5	
NW 8 AVE(7.3R)						UNKW															
						(2024)	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	9.0	9.0	8.5	7.5
							RIDE												5.5	6.5	6.2
86028000	7.586	8.122	R	1	1	45	CRACKING	10.0	8.0	8.0	8.0	8.0	8.0	7.0		10.0	10.0	10.0	10.0	9.0	8.5
834				3	4.1	57500	RIDE	6.2*	6.9	7.4	6.2*	5.5*	5.8	5.3*		7.4	7.2	7.3	7.2	7.2	7.2
NE 2 AVE(8.1R)						FC95															
						(2025)	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0	10.0	10.0	9.5
							RIDE	7.0	7.0	6.6	6.6	6.2	6.3	6.2	6.3	6.1	6.9	6.6	7.1	7.2	6.9
86028000	8.122	9.491	R	1	1	45	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	8.5	
834				3	3.6	39000	RIDE	6.7	5.8*	5.9*	5.6*	5.7*	5.7	5.1*		7.4	7.2	7.3	7.2	7.2	
NE 3 AVE(8.1C)						FC125M															
4416301	8.122	9.491	C	2021	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.6	10.0	9.0
ASPHALT GROUP, INC.						(2023)	SPRIDE	7.0	7.0	6.6	6.6	6.2	6.3	6.2	6.3	6.1	7.2	7.1	7.0	7.2	6.9
86028000	8.122	9.491	L	1	1	45	CRACKING	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
834				3	3.6	39000	RIDE	6.7	6.9	6.6	6.1*	6.2*	6.1	5.8		7.3	6.7	7.0	7.0	7.0	
NE 3 AVE(8.1C)						FC125M															
4416301	8.122	9.491	C	2021	0012	CRACKING	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0
ASPHALT GROUP, INC.						(2023)	SPRIDE	6.8	6.5	6.4	6.3	6.0	6.2	6.1	6.1	6.0	7.3	7.1	7.1	7.1	6.8
86028000	7.586	8.122	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	
834				3	4.1	57500	RIDE	7.5	7.6	7.5	6.7	7.0	7.0	6.6		7.3	6.7	7.0	7.0	7.0	
						FC95															
						(2025)	CRACKING	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	9.0	9.0	10.0	10.0	9.5
							RIDE	6.8	6.5	6.4	6.3	6.0	6.2	6.1	6.1	6.0	6.8	6.4	7.4	7.2	6.9
86028000	7.118	7.586	L	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
834				3	4.1	57500	RIDE	5.7*	5.8	5.8	5.2*	6.4	6.3	6.2	5.3*	6.2	6.2	5.9	6.0	6.0	
FRONTAGE ROAD(7.3L)						UNKW															
						(1986)	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.7
							RIDE	5.9	6.0	5.1*	5.4*	5.2*	5.5	5.3*	5.0*	5.2*	5.1*	4.9*	5.5	5.7	6.5
86028000	6.155	7.118	L	1	7	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
834				3	9.7	42295	RIDE			8.0	7.3	7.5	7.5	7.3	7.4	7.4	7.5	7.3	7.3	7.4	
COSTCO ENT(6.4C)						FC125															
4461951	6.078	7.139	L	2024	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.7	10.0	9.5
GENERAL ASPHALT CO., INC.						(2026)	RIDE	7.3	7.3	7.1	7.1	7.1	6.9	7.0	6.7	6.8	6.7	6.5	6.6	7.3	7.0
86028000	5.805	6.155	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
834				3	9.6	55500	RIDE			8.0	7.3	7.5	7.5	7.3	7.4	7.4	7.5	7.3	7.3	7.4	
CROSSROADS SHOPPING CENT(5.9C)						UNKW															
2280721	4.754	7.558	C	2003	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.7	7.0	5.5*
APAC-FLORIDA INC						(2003)	SPRIDE	7.3	7.3	7.1	7.1	7.1	6.9	7.0	6.7	6.8	6.7	6.5	6.6	5.7	5.4*
86028000	4.763	5.805	L	1	1	45	CRACKING	9.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
834				3	9.6	55500	RIDE	7.3	7.2	6.8	6.2*	7.0	6.8	6.8	6.9	7.0	7.0	6.9	6.8	6.9	
LAND FILL(5.4L)						UNKW															
2280721	4.754	7.558	C	2003	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	5.5*
APAC-FLORIDA INC						(2005)	SPRIDE	6.5	6.6	5.9	6.0	6.1	5.9	5.9	5.8	6.0	5.8	5.7	5.8	5.9	5.6
86028000	3.221	4.763	L	1	1	45	CRACKING	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	
834				3	2.9	52500	RIDE	7.6	7.9	7.5	7.3	7.3	7.1	6.3	7.0	7.0	7.1	6.8	6.5	8.2	
NW 54 AVE(3.3C)						FC95															
4216561	3.221	4.763	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
GENERAL ASPHALT CO., INC.						(2013)	SPRIDE	8.2	7.5	7.8	7.8	7.8	7.7	7.7	7.7	7.5	7.7	7.6	7.6	7.6	7.3
86028000	1.428	3.221	L	1	1	45	CRACKING	8.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
834				3	4.2	47000	RIDE	8.0	8.1	7.7	6.8	7.0	6.8	6.6	6.8	6.4	6.6	8.1	8.0	7.8	
SHOPPING CENTER ENT(1.6L)						FC95															
4138381	1.428	3.236	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.7	8.5	7.0
HUBBARD CONSTRUCTION COMPA(2011)						(2011)	SPRIDE	7.8	7.7	7.7	7.7	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	P	ASTYPE	=====													
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	ASTYPE														
86028000	0.000	1.428	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	
834				3	3.7	31000	RIDE	7.9	7.7	7.7	6.7	6.6	6.5	6.2	6.2	6.2	6.4	5.8	5.9	5.9	
CORAL SPRINGS CITY LIMIT(0.0C) FC125																					
4461941	0.011	1.451	L	2024	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.8	10.0	9.5
GENERAL ASPHALT CO., INC. (2026) SPRIDE																					
86030000	0.000	0.879	R	1	1	35	CRACKING				9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5
ALA				3	1.6	30000	RIDE				5.8	6.0	5.3*	4.9*	5.7	4.4*	3.7*	3.1*	4.1*	4.0*	
OCEAN DR(0.2R) FC95A																					
4287271	0.000	0.583	R	2014	0012		CRACKING	6.5	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.5
WEEKLEY ASPHALT PAVING, IN(2017) RIDE																					
86030000	0.879	2.282	R	1	1	35	CRACKING	6.5	6.5		6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*		10.0	
ALA				3	1.6	26500	RIDE	4.8*	4.9*		4.2*	3.8*	4.4*	3.8*	3.8*	3.6*	4.3*	3.0*		6.3	
OCEAN CREST CLUB(1.3R) FC95																					
4168691	1.242	2.011	R	2010	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*
GENERAL ASPHALT CO., INC. (2013) SPRIDE																					
4461991	0.905	2.288	C	2025	0012			5.8	6.6	6.1	6.0	6.6	5.8	5.7	5.2*	5.2*	5.1*	4.8*	4.9*	4.6*	4.3*
86030000	2.282	2.497	R	1	2	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5
ALA				3	1.6	26500	RIDE		7.2	6.6	5.8	5.8	5.5	5.3*	5.2*	5.2*	5.3*	5.2*	5.6	5.5	
MONROE ST(2.3R) FC95M																					
4323231	2.288	2.547	R	2017	0012		CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.1	9.0	8.0
COMMUNITY ASPHALT CORP. (2021) RIDE																					
86030000	2.497	4.104	R	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5
ALA				2	1.2	25000	RIDE		6.3	6.6	5.8	5.8	5.5	5.3*	5.2*	5.2*	5.3*	5.2*	5.6	5.5	
HOLLYWOOD BLVD(2.6R) FC95M																					
4323231	2.547	4.104	R	2017	0012		CRACKING	6.5	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	9.0	9.0	8.0
COMMUNITY ASPHALT CORP. (2021) RIDE																					
86030000	4.104	5.351	C	1	1	35	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
ALA				2	10.7	10200	RIDE	7.1	6.9	6.8	5.8	5.7	5.5	5.3*	5.2*		6.8	6.3	6.5	6.1	
FOREST ST(4.4R) FC95																					
4114321	4.122	5.193	C	2007	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484021	4.104	5.351	C	2028	0012			6.2	6.0	5.8	5.5	5.6	5.3*	5.4*	5.1*	5.0*	4.9*	5.0*	4.8*	4.7*	4.4*
86030000	5.351	5.783	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	9.0		10.0	10.0	10.0	10.0	
ALA				4	6.0	11700	RIDE	6.2*	6.3	7.1	6.2	6.1	6.0	6.0	5.9		7.0	5.9			
CAMBRIDGE ST(5.4R) FC95																					
				(2018)			CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.2	8.9	8.0
							RIDE					5.9	5.9	5.9	5.6	5.9	5.5	5.5	5.2*	5.3*	5.0*
86030000	5.783	6.750	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	
ALA				2	6.0	11700	RIDE	7.3	6.9	7.1	6.4	6.5	6.4	6.0	6.2		7.8	7.6	7.5	7.5	
GULF STREAM RD R(6.7R) FC125M																					
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
							RIDE	7.6	7.7	7.4	7.5	7.5	7.4	7.4	7.7	7.7	7.7	7.7	7.6	7.5	7.2
86030000	6.750	7.449	R	1	7	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	
ALA				3	2.5	21100	RIDE	5.5*	6.0	5.5	4.7*	5.2*	4.8*	5.2*	5.2*		7.2	6.7	7.1	7.1	
NE 2 CT(7.3R) FC95																					
4461981	6.683	7.355	R	2024	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026) RIDE																					
86030000	6.750	7.449	L	1	7	40	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	
ALA				3	2.5	21100	RIDE	4.8*	4.9*	5.0*	4.3*	4.5*	4.5*	4.4*	4.8*		6.9	6.7	7.2	6.9	
FIFTH AVE SE L(6.9L) FC95																					
4461981	6.883	7.449	L	2024	0012		CRACKING	10.0	9.0	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026) RIDE																					
86030000	6.360	6.750	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	
ALA				2	6.0	11700	RIDE	7.1	6.9	6.6	6.2	6.1	6.0	6.0	5.9		7.5	7.5	7.4	7.5	
FC125M																					
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.5	8.5
							RIDE	7.4	7.5	6.8	7.4	7.2	7.3	7.3	7.7	7.6	7.6	7.6	7.3	7.6	7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	F	*****														(PMRS)
ITMSEG-P	ITMSEG-F																				
86030000	5.783	6.360	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	
A1A				2	6.0	11700	RIDE	7.1	6.9	6.6	6.2	6.1	6.0	6.0	5.9		7.5	7.5	7.4	7.5	
						FC125M															
							CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	10.0	10.0	10.0	10.0	9.3	9.3	8.5
							RIDE	7.4	7.5	6.8		6.5	6.4	6.3	6.8	6.8	6.7	6.6	6.6	6.6	6.3
86030000	2.497	4.104	L	1	1	35	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
A1A				2	1.2	25000	RIDE		7.8	7.6	6.8	6.6	6.2	5.7	5.8	5.9	5.4*	5.5	6.1	6.0	
						FC95M															
BILLY'S STONE CRAB(2.7L)																					
4323231	2.497	4.104	L	2017	0012		CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	8.7	8.6	7.5
COMMUNITY ASPHALT CORP.							RIDE	5.9	5.9	4.9*	4.9*	4.7*	4.4*		5.9	5.8	5.6	5.4*	5.5	5.4*	5.1*
86030000	2.282	2.497	L	1	1	35	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
A1A				3	1.6	26500	RIDE		8.0	7.6	6.8	6.6	6.2	5.7	5.8	5.9	5.4*	5.5	6.1	6.0	
						FC95M															
4323231	2.362	2.497	L	2017	0012		CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.							RIDE	5.9	5.9	4.9*	4.9*	4.7*	5.4*		6.6	6.5	6.3	6.3	6.3	6.2	5.9
86030000	0.879	2.282	L	1	1	35	CRACKING	8.5	8.5		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
A1A				3	1.6	26500	RIDE	7.4	6.6		5.8	5.8	5.6	5.3*	5.4*	5.8	5.1*	5.6		7.4	
						FC95															
SEACREST PKWY(0.9L)																					
4168691	1.242	2.011	L	2010	0012		CRACKING	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.5*
GENERAL ASPHALT CO., INC.							SPRIDE	7.2	7.2	7.2	7.0	6.9	6.9	6.8	6.3	6.3	6.3	6.2	6.3	5.9	5.6
4461991	0.905	2.288	C	2025	0012																
86030000	0.000	0.879	L	1	1	35	CRACKING				9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5
A1A				3	1.6	30000	RIDE				6.4	6.8	6.6	6.1	6.4	6.9	6.7	6.3	5.5	5.9	
						FC95A															
HEMISPHERES(0.3C)																					
4287271	0.124	0.774	L	2014	0012		CRACKING	6.5	4.5*		10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	8.3	8.4	7.5
WEEKLEY ASPHALT PAVING, IN(2017)							RIDE	6.1	5.4*		7.4	7.3	7.2	7.1	7.0	6.8	6.7	6.8	6.3	6.6	6.3
86039000	0.000	2.482	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.0*	4.5*	4.5*	4.5*	
814				3	3.3	53000	RIDE	6.9	6.7	6.5	6.2*	6.1*	6.1	5.8	6.1	6.0	6.0	5.7	5.9	5.7	
						FC125															
MARGATE CITY LIMITS(0.0C)																					
4230021	0.484	1.786	R	2011	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.0
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	8.0	8.1	7.7	7.6	7.7	7.6	7.8	7.4	7.4	7.4	7.3	7.3	7.4	7.1
86039000	0.000	2.482	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
814				3	3.3	53000	RIDE	6.9	7.0	6.8	6.3*	6.5	6.4	6.2	7.3	7.2	7.3	7.1	7.2	6.9	
						FC125															
MARGATE CITY LIMITS(0.0C)																					
4230021	0.484	1.786	L	2011	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.9	7.5
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.9	8.0	7.7	7.7	7.8	7.7	7.4	7.5	7.6	7.4	7.4	7.3	7.4	7.1
86040000	0.000	1.365	R	1	1	45	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
820				2	5.3	10300	RIDE	7.7	7.5	7.8	7.2	7.3	6.8	7.2	7.4	7.2	7.1	7.0	7.0	8.0	
						DGFC															
PEMBROKE PINES CITY LIM(0.0C)																					
4216571	0.009	1.365	R	2011	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.2	7.0	6.0*
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.9	7.9	7.8	7.7	7.6	7.7	7.3	7.6	7.5	7.4	7.4	7.5	7.0	6.7
86040000	1.365	1.667	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0	
820				3	4.6	28500	RIDE	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	7.3	7.3	7.3	7.2	8.2	
						DGFC															
SW 196 AVE(1.5R)																					
4216571	1.365	1.660	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.4	8.8	7.5
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.9	8.0	7.8	7.8	7.8	7.6	7.5	7.3	7.0	7.1	6.9	6.9	6.9	6.6
86040000	1.667	5.087	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	
820				3	2.8	42500	RIDE	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	7.3	7.3	7.3	7.2	7.1	
						FC95															
SW 186 AVE(2.2R)																					
4270061	1.667	3.623	R	2013	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.6	9.5	8.5
COMMUNITY ASPHALT CORP.							SPRIDE	7.2	8.7	8.3	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.1	8.1	8.1	7.

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
86040000	6.187	7.905	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
820				4	2.1	62500	RIDE	8.0	7.5	7.9	7.3	7.3	7.0	7.8	7.8	7.9	7.7	7.8	7.7	7.6	
NW 145 AVE(6.2R)																					
4462001	6.170	7.870	R	2024		0012	CRACKING	9.0	8.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	9.5
WEEKLEY ASPHALT PAVING, INC(2026)																					
86040000	7.905	9.664	R	1	1	45	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
820				4	3.0	49000	RIDE	7.9	7.8	7.9	7.3	7.3	7.1	7.0		7.7	7.7	7.8	7.7	7.7	
SW 114 AVE(8.2R)																					
4168701	8.490	9.516	R	2008		0012	CRACKING	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.5	9.1	7.5
(2009)																					
4484031	7.870	9.664	C	2030		0012	RIDE	7.7	7.7	7.3	7.3	7.3	7.2	7.1	7.1	7.1	7.1	7.1	7.1	6.7	6.4
86040000	9.664	10.489	R	1	1	45	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	7.0		10.0	10.0	10.0	10.0	
820				3	3.4	52500	RIDE	7.9	7.8	7.9	7.3	7.3	7.1	7.0	7.3		7.8	7.8	7.7	7.7	
TANGLEDWOOD PLAZA(9.8R)																					
4168701	9.516	10.509	R	2008		0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	8.7	8.7
(2010)																					
86040000	10.489	13.410	R	1	1	40	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	
820				3	3.7	49500	RIDE	8.0	8.4	8.3	7.2	7.4	7.0	7.2	6.6	6.6	6.7	6.6	6.2	8.1	
DOUGLAS RD/NW 89 AVE(10.5R)																					
4216591	10.489	13.432	C	2011		0012	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	8.0	8.7	7.5
COMMUNITY ASPHALT CORP. (2013)																					
86040000	13.410	13.840	R	1	1	35	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820				3	4.2	51000	RIDE	6.5	5.9	6.4	5.2*	5.8	5.1*	5.0*	4.5*	4.5*	4.5*	4.3*	4.3*	4.0*	
SW 63 TER(13.6R)																					
4270071	13.432	13.860	C	2013		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2015)																					
86040000	13.840	14.038	R	1	1	35	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820				3	4.2	51000	RIDE	6.5	5.9	6.4	5.2*	5.8	5.1*	5.0*	4.5*	4.7*	4.7*	4.3*	4.3*	4.0*	
SR 7(14.0C)																					
				(2020)			CRACKING	6.5	6.5					10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
							RIDE	4.3*	3.4*					6.2					4.6*	4.3*	
86040000	14.038	15.241	R	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	
820				3	3.4	41000	RIDE	6.6	6.6	6.6	5.8	6.0	5.9	5.8	5.7	5.6	5.6	5.5	5.3*		
WALMART(14.2R)																					
4216592	14.038	15.241	C	2011		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.5
COMMUNITY ASPHALT CORP. (2015)																					
86040000	15.241	15.402	R	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5		
820				3	3.4	41000	RIDE	6.6	6.6	6.6	5.8	6.0	5.9	5.8	5.7	5.6	5.6	5.5	5.3*		
S CIRCLE DR(15.3R)																					
				(2026)			CRACKING		10.0	10.0	9.0	9.0	9.0		7.0	7.0	7.0	7.0	7.0	8.8	8.0
4484041	15.233	16.521	C	2029		0012	RIDE		7.7	6.9	6.9	7.3	6.9		6.6	6.8	6.8	6.4	6.3	6.4	6.1
86040000	15.402	15.625	C	1	1	30	CRACKING	10.0	10.0	9.0	8.5	7.5	7.0	7.0	7.0	7.5	10.0	10.0	10.0	10.0	
820				3	4.5	18000	RIDE	7.1	7.2	6.6	6.3	6.0	6.2	6.3	6.3	5.6	7.5				
PRESIDENTIAL CIR(15.5L)																					
2281601	15.402	15.625	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.1	6.5
COMMUNITY ASPHALT CORP. (2010)																					
4484041	15.233	16.521	C	2029		0012	SPRIDE												6.5	6.2	
86040000	15.625	16.431	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	
820				3	3.7	50000	RIDE	5.1*	5.0*	5.1*	4.5*	4.3*	4.3*	4.2*	4.6*	4.5*		7.4	7.0	6.5	
ALLEY(15.7C)																					
2281601	15.625	16.431	R	2008		0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.9	7.7	6.5
COMMUNITY ASPHALT CORP. (2011)																					
4484041	15.233	16.521	C	2029		0012	SPRIDE	6.7	6.5	6.9	6.9	7.0	6.8	6.7	5.9	5.9	6.0	5.9	5.7	5.2*	4.9*
86040000	16.431	16.826	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	
820				3	2.2	47500	RIDE	5.1*	5.0*	5.1*	4.5*	4.3*	4.3*	4.2*	4.6*	4.5*		5.4*	4.9*	5.0*	
CALLE LARGO(16.4R)																					
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.4	7.0
							RIDE	5.1*	5.9	4.3*									4.8*	4.5*	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														(PMRS)	
ITMSEG-P	ITMSEG-F																					
86040000	18.394	19.659	R	1	7	35	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0		
820				2	2.3	15380	RIDE	7.1	7.7	7.7	6.9	6.8	6.3	6.2	6.4	6.1	5.7		7.4	6.9		
S 16 AVE(18.5R)																						
4476541	18.394	19.618	R	2024	0012		CRACKING	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.3	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC(2026)																						
86040000	19.907	19.956	R	1	7	25	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0		
820				1	2.3	15380	RIDE	7.1	7.7	7.7	6.9	6.8	6.3	6.2	6.4	6.1	5.7		7.4	6.9		
HOLLYWOOD CITY LIMITS(20.0C)																						
4476541	19.814	19.956	C	2024	0012		CRACKING	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.3	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC(2026)																						
86040000	19.907	19.956	L	1	7	25	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0		
820				2	2.3	15380	RIDE	6.7	7.6	7.4	6.2	6.3	6.3	5.8	5.7	5.5	5.6		8.0	7.6	7.1	
HOLLYWOOD CITY LIMITS(20.0C)																						
4476541	19.814	19.956	C	2024	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.5	7.5	7.0	7.0	7.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC(2026)																						
86040000	18.394	19.659	L	1	7	35	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0		
820				2	2.3	15380	RIDE	6.7	7.6	7.4	6.2	6.3	6.3	5.8	5.7	5.5	5.6		8.0	7.6	7.1	
HARRISON ST(18.4L)																						
4476541	18.394	19.814	L	2024	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.5	7.5	7.0	7.0	7.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC(2026)																						
86040000	16.431	16.826	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	8.5	
820				3	2.2	47500	RIDE	5.9*	6.1	5.8	5.9	5.4*	5.2*	5.0*	5.1*	5.3*			6.3	6.1	5.8	
N 31 AVE(16.4L)																						
				(2011)			CRACKING	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*
							RIDE	5.5	6.4	5.5	5.7	5.8	6.0	5.6	5.3*	4.9*	4.6*	4.8*	5.3*	5.1*	4.8*	
86040000	15.625	16.431	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	
820				3	3.7	50000	RIDE	5.9*	6.1	5.8	5.9	5.4*	5.2*	5.0*	5.1*	5.3*			7.4	7.3	6.8	
TO 86040215(15.6L)																						
2281601	15.625	16.431	L	2008	0012		CRACKING	10.0	10.0	8.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.0*	
COMMUNITY ASPHALT CORP. (2011)																						
4484041	15.233	16.521	C	2029	0012		SPRIDE	6.8	6.8	5.7	5.9	5.8	5.9	6.0	5.9	5.4*	5.5	5.3*	5.5	5.5	5.2*	
86040000	15.241	15.402	L	1	1	35	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
820				3	3.4	41000	RIDE	7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3	6.2	6.3	6.4	6.4			
CIRCLE DR N(15.3L)																						
				(2015)			CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	9.4	8.5	
							RIDE		5.7										6.6	6.3		
4484041	15.233	16.521	C	2029	0012																	
86040000	14.038	15.241	L	1	1	35	CRACKING	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
820				3	3.4	41000	RIDE	7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3	6.2	6.3	6.4	6.4			
N 59 AVE(14.1L)																						
4216592	14.038	15.241	C	2011	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.7	8.5	7.5	
COMMUNITY ASPHALT CORP. (2015)																						
							SPRIDE		8.5	7.7	7.8	7.7	7.6	7.7	7.5	7.4	7.5	7.5	7.6	7.6	7.3	
86040000	13.840	14.038	L	1	1	35	CRACKING	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820				3	4.2	51000	RIDE	6.5	7.2	7.1	6.0	6.9	5.3*	5.3*	5.7	5.5	5.5	5.6	5.2*	5.5		
SR 7(14.0C)																						
				(2020)			CRACKING	6.5	6.5	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.5	
							RIDE	5.2*	5.4*	5.0*			4.3*	6.3	5.8	5.8	5.9	5.7		4.5*	4.2*	
86040000	13.410	13.840	L	1	1	35	CRACKING	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820				3	4.2	51000	RIDE	6.5	7.2	7.1	6.0	6.9	5.3*	5.3*	5.7	5.5	5.5	5.6	5.2*	5.5		
NW 64 AVE(13.5L)																						
4270071	13.432	13.860	C	2013	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	9.1	8.0	
GENERAL ASPHALT CO., INC. (2015)																						
							RIDE	5.2*	7.5	6.9	6.5	6.6	6.9	6.4	6.4	6.1	6.4	6.1	5.7	6.3	6.0	
86040000	10.489	13.410	L	1	1	40	CRACKING	10.0	10.0	10.0	9.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
820				3	3.7	49500	RIDE	8.6	8.6	8.5	7.7	7.9	7.7	7.7	7.4	7.3	7.3	7.1	6.9	8.3		
DOUGLAS RD(10.5L)																						
4216591	10.489	13.432	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.6	9.6	8.5	
COMMUNITY ASPHALT CORP. (2013)																						
							SPRIDE	8.3	8.4	8.1	8.1	8.2	8.0	7.9	7.9	8.0	8.0	7.8	7.9	7.9	7.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
86040000	9.664	10.489	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	
820			3	3.4		52500	RIDE	8.3	8.3	8.2	7.7	7.5	7.2	7.1	7.2		7.9	7.8	7.8	7.7	
NW 98 AVE(9.8L)							DGFC														
4168701	8.490	10.509	L	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.0
				(2010)			RIDE	7.8	7.8	7.6	7.5	7.7	7.6	7.4	7.5		7.3	7.4	7.4	7.4	7.5
86040000	7.870	9.664	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	
820			3	3.0		49000	RIDE	8.3	8.3	8.2	7.7	7.5	7.2	7.1		7.5	7.6	7.6	7.4	7.4	
NW 114 AVE(8.2L)							DGFC														
4168701	8.490	10.509	L	2008	0012		CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	8.8
				(2009)			RIDE	7.3	7.3	7.1	7.1	7.0	7.0	7.1	7.0	6.9	7.1	7.0	7.2	7.1	6.8
4484031	7.870	9.664	C	2030	0012																
86040000	6.150	7.870	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
820			4	2.1		62500	RIDE	8.2	8.2	8.1	7.5	7.6	7.6	8.0	8.0	7.9	7.9	8.1	8.0	8.0	
NW 142 AVE(6.2L)							FC95MR														
4462001	6.185	7.645	L	2024	0012		CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)							RIDE	7.9	8.1	7.8	7.8	7.9	7.8	7.9	7.9	7.9	7.8	7.9	7.9	7.7	7.4
86040000	5.087	6.150	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	10.0	
820			3	4.7		59500	RIDE	7.7	7.7	7.7	7.5	7.5	7.3	7.5	7.4	7.4	7.5	7.6	7.7	7.4	
							OGFC														
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.2	6.8	4.5*
							RIDE	7.5	7.5	7.5	7.5	7.3	7.5	7.4	7.6	7.3	7.4	7.3	7.6	7.5	7.4
86040000	1.667	5.087	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	
820			3	2.8		42500	RIDE	8.3	8.3	8.3	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.3	7.2	7.2	
NW 186 AVE(2.2L)							FC95														
4270061	1.667	5.087	L	2013	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.6	9.6	8.5
COMMUNITY ASPHALT CORP. (2015)							SPRIDE	7.2	8.7	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.2	8.3	8.3	8.0
86040000	0.000	1.667	L	1	1	45	CRACKING	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
820			2	5.3		10300	RIDE	8.2	8.1	8.2	7.5	7.4	7.3	7.0	6.9	7.0	7.1	6.6	6.8	8.1	
PEMBROKE PINES CITY LIM(0.0C)							DGFC														
4216571	0.009	1.660	L	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.9	7.8	7.7	7.6	7.8	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.7	7.4
86040005	0.000	0.289	C	1	7	25	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	
820			2	2.6		5500	RIDE		7.3	7.2											
HOLLYWOOD CITY LIMITS(0.0C)							FC95MR														
4476541	0.158	0.289	C	2024	0012		CRACKING	7.0	7.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)							RIDE													4.7*	4.4*
86040215	0.000	0.277	C	1	1	25	CRACKING				8.5	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	
820			3	2.2		24000	RIDE								5.9	5.7	7.2	8.2	8.2	8.1	
EB HOLLYWOOD CIR(0.0C)							DGFC														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.0	7.8	6.5
							RIDE	8.0	8.0	7.3	7.2	7.2	7.1	7.1	6.7	6.8	6.7	6.7	6.5	6.4	6.1
86050000	2.039	2.497	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	
A1A			2	2.5		15500	RIDE	7.1	7.1	6.7	6.0	5.9	5.9	6.0	5.3*	5.5	5.4*	5.3*	5.5	5.6	
POINSETTIA DR(2.2L)							FC95A														
4306011	2.040	2.497	C	2016	0012		CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	5.4*	5.4*	5.7	5.7	7.3								6.8	6.5
86050000	2.497	3.334	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
A1A			2	4.1		28000	RIDE	6.6	6.4	6.2	5.6	5.9	7.6	7.4	5.3*	5.3*	5.6	5.5	5.1*	5.3*	
							FC95A														
4306011	2.497	3.320	R	2016	0012		CRACKING	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.0
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	5.6	5.4*	5.9	5.9	6.6	6.4	6.3	6.6	6.5	6.7	6.3	6.3	6.5	6.2
86050000	3.334	4.322	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
A1A			1	3.8		22000	RIDE	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9	6.6	6.4	6.6	6.2	5.9	
PED CROSSWALK(3.5C)							FC125A														
4336884	3.334	4.322	C	2014	0005		CRACKING		8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.0
RUSSELL ENGINEERING, INC (2017)							SPRIDE		6.4			5.6	5.6							5.6	5.3*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE_YEAR)	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR																					
ITMSEG-F																					
86050000	4.322	5.363	R	1	1	35	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	
ALA				2	2.8	19300	RIDE	6.3*	6.4	6.4	6.1	6.1	5.5	5.6	5.6	5.5	5.9	7.8	7.6	7.5	
ATLANTIC BLVD N(4.5R)																					
4168721	4.310	5.365	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	7.5
GENERAL ASPHALT CO., INC. (2011)																					
							SPRIDE	7.5	7.6	7.2	7.2	6.6	6.6	6.4	6.6	6.5	6.5	6.4	6.5	6.6	6.3
86050000	5.363	6.434	R	1	1	35	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	
ALA				2	1.9	23500	RIDE	7.5	7.0	7.0	6.4	6.6	6.3	6.3	6.4	6.3	6.1	6.0	5.8		
OAKLAND PARK BLVD(5.4C)																					
							FC95M														
							CRACKING	10.0	10.0	10.0			10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	9.0
							RIDE	7.8	7.9	7.7			7.5	7.3	7.3	7.3	7.4	7.3	7.4	7.3	7.0
86050000	6.434	7.443	R	1	1	30	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
ALA				2	4.4	15200	RIDE	5.3*	5.3*	6.3	5.4*	5.4*	5.1*	4.9*	4.7*	4.7*	4.9*	4.9*	4.7*	4.9*	
PALM AVE(6.5R)																					
							FC125														
2279511	6.656	7.443	C	2000	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
WEEKLEY ASPHALT PAVING, INC(2003)																					
4484051	6.428	7.443	C	2026	0012	SPRIDE	4.8*	5.0*	4.4*	4.6*	4.6*	4.5*	4.6*	4.5*	4.6*	4.6*	4.4*	4.4*	4.5*	4.5*	4.2*
86050000	7.443	8.703	R	1	1	35	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
ALA				1	2.8	18000	RIDE	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	6.2	6.0	5.9	5.6	5.5	
PINE AVE(7.5C)																					
							FC125M														
4416281	7.461	8.678	R	2021	0012	CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5
H&R PAVING INC (2025)																					
							RIDE	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1*	5.9	5.8	6.7	6.6	6.3
86050000	8.703	9.879	R	1	7	35	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
ALA				1	2.8	18000	RIDE	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	6.2	6.0	5.9	5.6	5.5	
SE 12 ST(9.2R)																					
							FC125														
							CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.4	10.0	9.5
							RIDE	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1*	5.9	5.8	5.0*	6.3	6.0
86050000	9.879	10.443	R	1	1	35	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA				2	4.2	12011	RIDE	4.9*	5.1*	4.9*	7.3	7.0	6.8	6.8	6.6	6.0	6.2	6.3	5.9	5.9	
ATLANTIC BLVD(9.9C)																					
							FC125														
							CRACKING	10.0	9.0	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.2	7.0
							RIDE	5.9	5.6	5.6		5.2*	5.3*	5.7	5.8	5.6	5.5	5.7	5.8	5.9	5.6
86050000	10.443	11.498	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	
ALA				1	4.2	12011	RIDE	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4	6.2	6.2	
NE 10 ST(10.9C)																					
							FC125														
2281151	10.429	12.109	C	1999	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	5.5*	6.9	5.0*
WEEKLEY ASPHALT PAVING INC(2001)																					
4476551	10.430	12.047	C	2024	0012	SPRIDE	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.2*	5.1*	5.0*	5.0*	5.3*	5.0*
86050000	11.498	12.108	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	
ALA				1	5.8	6600	RIDE	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4	6.2	6.2	
DOW ST(11.5R)																					
							FC125														
2281151	10.429	12.109	C	1999	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	7.2	5.5*
WEEKLEY ASPHALT PAVING INC(2001)																					
4476551	10.430	12.047	C	2024	0012	SPRIDE	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	4.3*	4.1*	4.5*	4.2*	
86050000	12.108	15.622	C	1	1	35	CRACKING	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	
ALA				2	5.8	6600	RIDE	6.8	6.8	6.5	6.7	6.7	6.6	6.6	6.7	6.6	6.6	6.5	6.4	6.4	
DEERFIELD BEACH CITY LIM(15.2C)																					
							DGFC														
							CRACKING	8.0	8.0	7.5	7.5	6.5	6.5		10.0	10.0	9.0		10.0	10.0	9.5
							RIDE	6.2	6.3	5.9	5.9	5.9	5.7		6.0	6.0	5.9		5.5	5.6	5.3*
86050000	15.622	16.327	C	1	1	30	CRACKING	9.0	7.5	7.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	
ALA				2	4.3	9700	RIDE	6.8	6.8	6.5	6.7	6.6	6.6	6.3	7.0	6.6	6.1	6.4	6.2	5.8	
SE 3 ST(15.6C)																					
							FC95M														
							CRACKING	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.6	7.5
							RIDE	5.9	5.9	5.7	5.1*	7.1	7.0	6.8	6.8	6.8	6.6	6.8	6.7	6.9	6.6
86050000	10.443	11.498	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	
ALA				1	4.2	12011	RIDE	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4	6.2	6.2	
FIFTH ST NE(10.5L)																					
							FC125														
2281151	10.429	12.109	C	1999	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	6.8	5.0*
WEEKLEY ASPHALT PAVING INC(2001)																					
4476551	10.430	12.047	C	2024	0012	SPRIDE	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	4.3*	4.1*	4.1*	4.1*	3.8*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	W_KMX-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	W_KMX-F																(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																
86065000	9.142	11.424	R	1	1	45	CRACKING	9.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
845			3	8.4		42000	RIDE	5.7*	5.5*			7.5	7.5	7.3	7.5	7.4	7.4	7.0	7.1	7.0	
NW 30 PL(9.2R)						FC125M															
4460961	9.142	11.412	C	2023		0012	CRACKING	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2025)						SPRIDE		7.0	7.0	6.7	6.6	6.6	6.5	6.5	6.5	6.3	6.2	6.1	6.8	6.7	6.4
86065000	11.424	11.941	R	1	1	45	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
845			3	7.2		45000	RIDE	6.4*	6.0*			7.5	7.5	7.3	7.5	7.4	7.4	7.0	7.1	7.0	
AMERICAN WAY(11.6R)						FC125															
2279001	9.612	11.848	C	2001		0213	CRACKING	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	7.9	8.4	7.0
LANZO CONSTRUCTION CO FLOR(2005)						SPRIDE		7.0	7.0	6.7	6.6	6.6	6.5	6.5	6.5	6.3	6.2	6.1	6.6	6.8	6.5
86065000	11.941	13.295	R	1	1	45	CRACKING	10.0	10.0			9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
845			2	1.8		38000	RIDE	7.2	7.2			6.2*	6.0	5.7	6.0	5.9	5.9	6.0	5.7	5.4*	
NEST DR(12.0C)						FC95A															
4306051	11.941	13.301	R	2015		0012	CRACKING	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	8.0
WEEKLEY ASPHALT PAVING, IN(2017)						SPRIDE		5.6	5.6		7.5	7.5	7.3	7.4	7.3	7.3	7.3	7.3	7.3	7.4	7.1
86065000	11.941	13.295	L	1	1	45	CRACKING	10.0	10.0			9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5	6.5	
845			3	1.8		38000	RIDE	6.9	6.7			6.4*	6.1	6.2	6.4	6.2	6.1	6.2	6.2	6.1	
SPUR(12.0L)						FC95A															
							CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.0
							RIDE	6.1	6.0		7.7	7.4	7.5	7.6	7.5	7.6	7.5	7.5	7.3	7.6	7.3
86065000	11.424	11.941	L	1	1	45	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
845			3	7.2		45000	RIDE	6.4*	6.1*			7.5	7.8	7.4	7.7	7.6	7.5	7.5	7.4	7.4	
AMERICAN WAY(11.5L)						FC125															
2279001	9.612	11.848	C	2001		0213	CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	8.2	7.8	6.0*
LANZO CONSTRUCTION CO FLOR(2005)						SPRIDE		7.2	7.3	6.7	6.6	6.5	6.4	6.2	6.3	6.0	6.0	6.0	6.2	6.2	5.9
86065000	9.142	11.424	L	1	1	45	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
845			3	8.4		42000	RIDE	7.4	7.0			7.5	7.8	7.4	7.7	7.6	7.5	7.5	7.4	7.4	
NW 30 PL(9.2L)						FC125M															
4460961	9.142	11.412	C	2023		0012	CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2025)						SPRIDE		7.2	7.3	6.7	6.6	6.5	6.4	6.2	6.3	6.0	6.0	6.0	6.3	6.3	6.0
86065000	6.519	9.142	L	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.0		10.0	10.0	10.0	9.0	9.0	9.0	8.5	
845			3	9.0		33000	RIDE	6.4*	6.3*	6.2*	5.6*	5.6*		7.1	6.9	6.7	6.8	6.5	6.5	6.5	
NW 2 ST(6.7L)						FC125															
2281101	6.519	9.424	C	2004		0012	CRACKING	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.4	7.2	5.5*
PAVEX CORPORATION (2007)						SPRIDE		6.4	6.3	6.4	6.2	6.3	6.1	6.0	5.9	5.8	5.7	5.8	5.7	5.7	5.4*
4484061	6.519	9.142	C	2028		0012															
86065000	5.624	6.519	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
845			3	6.5		45500	RIDE	6.6	6.4*	6.1*	6.0*	5.7*	5.5	5.3*	5.6	5.6	8.2	8.1	7.3	7.5	
COURSE DR S(5.9L)						FC95															
2280751	4.527	6.519	C	2008		0012	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	8.2	7.0
PAVEX CORPORATION (2010)						SPRIDE		7.3	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.3	7.2	7.0	6.9	7.0	6.7
4461962	5.627	6.519	C	2028		0012															
86065000	3.564	5.624	L	1	7	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
845			3	5.7		35500	RIDE	6.6	6.4*	6.1*	6.0*	5.7*	5.5	5.3*	5.6	5.6	8.2	8.1	7.3	7.5	
COMMERCIAL BLVD(3.6C)						FC125M															
4461961	3.558	5.627	L	2024		0012	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
GENERAL ASPHALT CO., INC. (2026)						SPRIDE		7.3	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.3	7.2	7.0	6.9	7.0	6.7
86065000	3.273	3.564	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	8.5	
845			3	6.4		29000	RIDE	8.1	7.8	7.6	7.2	7.1	6.9	6.8	7.1	6.8	6.7	6.7	6.5	6.4	
NW 47 ST(3.3L)						FC95M															
							CRACKING	8.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5
							RIDE	6.3	6.3	6.4	6.3	6.3	6.2	6.1	5.9	5.7	6.0	5.8	5.9	7.4	7.1
86065000	2.920	3.273	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
845			2	6.4		29000	RIDE	5.7*	5.6	5.4*	5.0*	4.2*	5.0*	4.9*	5.4*	4.8*	4.8*	4.9*	5.1*	4.9*	
PROSPECT RD(3.1C)						FC95M															
							CRACKING	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	9.0	10.0	9.3	8.5
							RIDE	4.7*	5.0*	4.1*	4.0*	4.0*	4.2*	3.8*	3.8*	3.9*	6.3	6.0	5.9	6.4	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-M	ASTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FY-F	WKM-M	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE YEAR)																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
86065000	2.025	2.920	L	1	1	40	CRACKING	10.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
845				2	6.8	28500	RIDE	8.0	7.3	7.4	7.1	7.1	6.9	6.5	5.2*	5.7	5.9	7.3	7.0	7.1	
OAKLAND PARK BLVD(2.0C)																					
FC95M																					
4168731	2.065	2.890	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	10.0	8.5
WEEKLEY ASPHALT PAVING, IN(2011)						SPRIDE	7.4	7.2	7.3	6.8	7.2	7.3	6.9	6.9	7.0	6.5	6.7	6.5	6.5	6.5	6.2
86065000	1.800	2.025	L	1	1	35	CRACKING	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
845				3	6.1	25500	RIDE	3.3*	4.2*	4.4*	2.8*	2.9*	3.4*	3.3*	6.9	6.7	6.6	7.0	6.6	6.5	
NW 30 CT(2.0L)																					
FC95																					
							CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	9.5	10.0	9.0
							RIDE	7.4	5.4*										6.2	5.9	
86065000	0.000	1.800	L	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5
845				2	7.3	24000	RIDE	8.3	8.3	8.2	7.2	6.9	6.6	6.5	6.0	6.3	5.8	5.2*	5.5	5.2*	
FORT LAUDERDALE CITY LIM(0.0C)																					
FC125A																					
4306041	0.000	1.230	L	2017	0012	CRACKING	7.5	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.5
COMMUNITY ASPHALT CORP. (2018)						RIDE	5.3*	5.5	5.3*	5.1*	8.0	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.4	7.1	
86070000	0.000	0.755	R	4	1	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	17.2	18.0		4	7.0	209000	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
COUNTY LINE RD(0.0C)																					
FC5M																					
							CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.3	6.0*
							RIDE				8.5	8.6	8.1	8.4	8.2	8.2	8.2	8.2	8.2	8.2	8.1
86070000	0.755	1.732	R	4	1	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	18.0	18.9		4	4.9	259168	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
FC5M																					
							CRACKING				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		8.8	8.0
							RIDE				8.4	8.5	8.2	8.3	8.4	8.4	8.2	8.2		8.1	8.0
86070000	1.732	2.846	R	4	7	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	18.9	20.0		4	9.7	245000	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
FC5M																					
							CRACKING				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	9.0
							RIDE				8.4	8.5	8.2	8.3	8.4	8.4	8.2	8.2		8.3	8.2
86070000	2.846	3.266	R	4	7	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	20.0	20.5		5	9.7	246000	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
FC5M																					
							CRACKING				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	9.0
							RIDE				8.4	8.5	8.2	8.3	8.4	8.4	8.2	8.2		8.2	8.1
86070000	3.266	4.619	R	4	7	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	20.5	21.8		4	9.7	246000	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
FC5M																					
							CRACKING				10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	9.0
							RIDE				8.4	8.5	8.2	8.3	8.4	8.4	8.2	8.2		8.4	8.3
86070000	4.619	6.156	R	4	8	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	21.8	23.4		5	9.7	222000	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
FC5M																					
							CRACKING				10.0	10.0	10.0	10.0	10.0	9.0					
							RIDE				8.4	8.5	8.2	8.3	8.4	8.4					
86070000	6.156	6.432	R	4	8	65	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 I95	23.4	23.6		5	9.7	224000	RIDE	8.5	8.4	8.3	7.6		7.7	7.6	7.7	7.8	7.8	7.8	7.7	7.6	
FC5M																					
							CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
							RIDE				8.3	8.2	7.7	8.2	8.4	8.4	8.1	8.3			
86070000	6.432	7.100	R	4	8	65	CRACKING	6.5	4.5*	4.5*	4.5*	6.5	6.5			10.0	10.0	10.0	10.0	10.0	
9 I95	23.6	24.3		5	9.7	224000	RIDE	8.3	8.2	8.3	7.6	7.2	7.3			7.8	7.8	7.7	7.7	7.6	
FC5																					
2317321	6.569	6.932	R	2005	0012	CRACKING				7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
PAVEX CORPORATION						SPRIDE				7.8	7.8	7.5	7.6	7.8	7.9	7.8	7.7				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P	ASTYPE														
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															(PMRS)
86070000	22.890	24.690	R	4	1	65	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
9	I95	40.1	41.9	3	9.7	194000	RIDE	8.6	8.6	8.5	7.8	7.7	7.7		7.7	7.7	7.7	7.7	7.7	7.7	
						FC5M															
				(2022)			CRACKING	10.0	9.0	9.0	9.0		3.5*		10.0	10.0	10.0	9.1	9.4	8.0	
							RIDE	7.6	7.5	7.9	7.9		7.7		8.5	8.5	8.5	8.4	8.5	8.4	
86070000	24.690	25.334	R	4	1	65	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
9	I95	41.9	42.5	3	9.9	217000	RIDE	8.6	8.6	8.5	7.8	7.7	7.7		7.7	7.7	7.7	7.7	7.7	7.7	
						FC5M															
				(2023)			CRACKING	10.0	9.0	9.0	9.0		3.5*		10.0	10.0	10.0	9.1	7.5		
							RIDE	7.6	7.5	7.9	7.9		7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1
86070000	24.343	25.334	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	7.5	7.5	9.0	9.0	
9	I95	41.5	42.5	3	9.9	217000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.7	7.7	7.7	7.7	7.7	7.5	
						FC5M															
				(2023)			CRACKING	7.5	6.5	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	7.4	7.4	7.8	7.7				8.5	8.5	8.5	8.5	8.5	8.4	8.4
86070000	23.790	24.343	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	7.5	7.5	9.0	9.0	
9	I95	41.0	41.5	3	9.7	194000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.7	7.7	7.7	7.7	7.7	7.5	
						FC5M															
				(2023)			CRACKING	7.5	6.5	4.5*					10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	7.4	7.4	7.8					8.1	8.2	8.1	8.1	8.2	8.1	8.1
86070000	21.045	23.790	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	7.5	7.5	9.0	9.0	
9	I95	38.2	41.0	4	5.7	175743	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.7	7.7	7.7	7.7	7.7	7.5	
						FC5M															
				(2021)			CRACKING	7.5	6.5	4.5*	4.5*				10.0	10.0	10.0	10.0	8.7	8.4	7.0
							RIDE	7.4	7.4	7.8	7.9				8.1	8.1	8.1	8.4	8.2	8.2	8.1
86070000	19.786	21.045	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	
9	I95	37.0	38.2	3	6.5	182000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.9	8.0	7.9	7.9	7.9	7.8	
						FC5M															
				(2024)			CRACKING	9.0	7.5	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.8	7.7	8.0	8.0				8.1	8.1	8.1	8.3	7.7	7.6	7.5
86070000	17.261	19.786	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	
9	I95	34.5	37.0	3	9.0	245000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.9	8.0	7.9	7.9	7.9	7.8	
						FC5M															
				(2021)			CRACKING	9.0	7.5	4.5*	4.5*				10.0	10.0	10.0	10.0	8.7	10.0	8.5
							RIDE	7.8	7.7	8.0	8.0				8.1	8.1	8.1	8.1	8.1	8.1	8.0
86070000	15.720	17.261	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		6.5	10.0	10.0	9.0	9.0	9.0	
9	I95	32.9	34.5	5	9.0	245000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.5	7.6	7.6	7.6	7.5	7.4	
						FC5M															
				(2021)			CRACKING	9.0	9.0	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.4	7.2	7.4	7.4				8.1	8.1	7.8	7.7	7.8	7.8	7.7
86070000	15.537	15.720	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		6.5	10.0	10.0	9.0	9.0	9.0	
9	I95	32.7	32.9	4	13.3	254000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.5	7.6	7.6	7.6	7.5	7.4	
						FC5M															
				(2024)			CRACKING	9.0	9.0	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.4	7.2	7.4	7.4				8.2	8.0	8.1	8.1	8.1	8.1	8.0
86070000	14.200	15.537	L	4	1	65	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*		6.5	10.0	10.0	9.0	9.0	9.0	
9	I95	31.4	32.7	4	9.0	284000	RIDE	8.5	8.6	8.5	7.6	7.6	7.6		7.5	7.6	7.6	7.6	7.5	7.4	
						FC5M															
				(2024)			CRACKING	9.0	9.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.4	7.2	7.4	7.4	7.3			8.2	7.7	7.7	7.7	7.7	7.6	7.6
86070000	9.677	14.200	L	4	1	65	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
9	I95	26.9	31.4	5	9.7	234000	RIDE	8.1	8.4	8.2	7.4	7.3	7.4	7.3	7.3	7.5	7.6	7.6	7.6	7.6	
						FC5															
				(2024)			CRACKING	9.0	9.0	6.5	6.5	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.6	7.3	7.9	7.9	7.8			8.2	7.7	7.7	7.7	7.6	7.6	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
86070901	0.804	4.690	C	4	7		CRACKING															
9	I95			2	9.7	21500	RIDE															
				(2026)			CRACKING							10.0	10.0	10.0	10.0	10.0	8.3	10.0	9.0	
							RIDE							8.1	8.4	8.2	8.3	8.1	7.9	8.2	8.1	
86070901	4.690	7.989	C	4	8		CRACKING															
9	I95			1	9.7	17250	RIDE															
				(2020)			CRACKING							10.0	10.0	10.0						
							RIDE							7.9	7.7	7.8						
86070902	17.416	20.527	C	4	8		CRACKING															
9	I95			1	9.7	17250	RIDE															
				(2020)			CRACKING							10.0	10.0	9.0						
							RIDE							8.0	7.9	7.8						
86070902	20.527	20.812	C	4	1		CRACKING															
9	I95			2	9.7	17250	RIDE															
				(2020)			CRACKING							10.0	10.0	10.0	10.0	10.0	7.9	6.5	5.0*	
							RIDE							8.1	8.3	8.2	8.3	7.9	7.7	7.6		
86070902	20.812	23.683	C	4	7		CRACKING															
9	I95			2	9.7	20250	RIDE															
				(2026)			CRACKING							10.0	10.0	10.0	10.0	10.0	7.9	10.0	9.0	
							RIDE							8.1	8.3	8.2	8.3	7.9	8.1	8.0		
86070902	23.683	24.462	C	4	2		CRACKING															
9	I95			2	9.7	21500	RIDE															
				(2026)			CRACKING							10.0	10.0	10.0	10.0	10.0	7.9	10.0	9.0	
							RIDE							8.1	8.3	8.2	8.3	7.9	7.9	7.9	7.8	
86070902	24.462	25.412	C	4	1		CRACKING															
9	I95			1	4.3	16000	RIDE															
				(2020)			CRACKING							10.0	10.0	10.0	10.0	10.0	8.5	9.0	7.5	
							RIDE							8.2	8.2	8.2	8.3	8.2	8.2	8.2	8.1	
86070903	0.000	9.785	C	4	1		CRACKING															
9	I95			2	1.1	28000	RIDE															
				(2025)			CRACKING												10.0	10.0	9.0	
							RIDE												8.2	8.2	8.1	
86070904	0.000	8.190	C	4	1		CRACKING															
9	I95			1	1.1	31500	RIDE															
				(2025)			CRACKING												10.0	10.0	9.0	
							RIDE												8.0	8.1	8.0	
86070905	0.000	5.820	C	4	1		CRACKING															
9	I95			2			RIDE															
				(2026)			CRACKING												10.0	9.0		
							RIDE												8.1	8.0		
86070906	0.000	5.810	C	4	1		CRACKING															
9	I95			2			RIDE															
				(2026)			CRACKING												10.0	9.0		
							RIDE												8.0	7.9		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
86075000	0.000	1.960	R	4	1	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	5.5	7.4	4	7.1	208008		RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5	
							FC5M														
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	9.0	10.0	10.0			6.5	10.0	10.0	10.0	10.0	10.0	9.8	8.0
HALLEY ENGINEERING							SPRIDE	7.6	7.6	8.3	8.4			8.1	8.6	8.7	8.6	8.6	8.6	8.6	8.5
86075000	1.960	2.437	R	4	1	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	7.4	7.9	4	12.6	175500		RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5	
							FC5M														
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
HALLEY ENGINEERING							SPRIDE	7.6	7.6	7.7	7.6			8.4	8.6	8.5	8.6	8.5	8.5	8.5	8.4
86075000	2.437	5.104	R	4	1	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	7.9	10.6	4	7.1	174000		RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5	
							FC5M														
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	9.0	4.5*	4.5*			3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5
HALLEY ENGINEERING							SPRIDE	7.6	7.6	7.7	7.6			7.2	8.9	8.9	8.8	8.9	8.8	8.8	8.7
86075000	5.104	6.000	R	4	1	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	10.6	11.5	4	7.1	174000		RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5	
							FC5M														
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.2	7.5
HALLEY ENGINEERING							SPRIDE	7.6	7.6	7.7	7.6			8.1	8.3	8.4	8.3	8.3	8.4	8.3	8.2
86075000	6.000	8.120	R	4	1	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	11.5	13.6	4	7.1	174000		RIDE	8.8	8.8	8.7	8.2	8.1	7.8		8.1	7.8	7.8	7.8	7.7	7.8	
							FC5M														
4378322	5.966	9.451	R	2021	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	9.0	10.0	10.0	9.7	9.7	8.5
OHLA USA, INC.							SPRIDE	7.8	7.8	8.2	8.2	8.1	8.1	8.1	8.4	8.3	8.7	8.6	8.6	8.6	8.5
86075000	8.120	10.700	R	4	1	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	13.6	16.2	4	7.1	172000		RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.9	7.8	7.9	7.8	7.8	7.8	
							FC5M														
4378322	5.966	9.451	R	2021	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	9.7	10.0	8.5
OHLA USA, INC.							SPRIDE	7.8	7.8	8.0	8.1	8.1	8.0	8.0	8.2	8.2	8.9	8.8	8.7	8.6	8.5
86075000	10.700	11.610	R	4	1	70	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
93 I75	16.2	17.1	5	11.1	172500		RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.8		7.8	7.9	7.8	7.8	7.8	
							FC5M														
4113221	5.917	11.153	R	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	9.5	6.5
COMMUNITY ASPHALT							RIDE	7.8	7.8	8.0	8.0	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0	8.0	7.9
86075000	11.610	12.650	R	4	1	70	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
93 I75	17.1	18.1	3	15.4	72000		RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0	8.1	8.1	8.1	8.0	8.0	
							FC5M														
4416681	11.605	17.199	R	2021	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	8.5
OHLA USA, INC.							SPRIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.1		8.9	8.7	8.8	8.7
86075000	12.650	13.800	R	4	1	70	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
93 I75	18.1	19.3	5	15.4	72000		RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0	8.1	8.1	8.1	8.0	8.0	
							FC5M														
4416681	11.605	17.199	R	2021	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	8.5
OHLA USA, INC.							SPRIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.1		8.7	8.7	8.6	8.5
86075000	13.800	17.500	R	4	1	70	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
93 I75	19.3	23.0	3	26.2	43500		RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0	8.1	8.1	8.1	8.0	8.0	
							FC5M														
4416681	11.605	17.199	R	2021	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	8.5
OHLA USA, INC.							SPRIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.1		8.6	8.6	8.6	8.5
86075000	17.500	18.900	R	4	1	70	CRACKING	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	23.0	24.4	2	13.8	35044		RIDE	8.7	8.7	8.6	7.7	7.8	7.5	7.8	8.0	8.1	8.1	8.0	8.0	8.1	
							FC5M														
4416681	17.199	18.932	R	2021	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	8.5
OHLA USA, INC.							SPRIDE	8.0													

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
86075000	18.900	31.297	R	4	8	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.0*		10.0	10.0	
93 I75	24.4	36.8	2	13.8		35044	RIDE	8.8	8.5	8.6	8.2	8.1	8.0	7.8	7.9	7.9	7.8		8.1	8.1	
							FC5														
4153941	18.870	30.054	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.8		
ASPHALT GROUP, INC.				(2012)			RIDE	8.1	8.1	8.2	8.2	8.2	8.1	8.1	8.3	8.3	8.3	8.3	8.2		
4441221	18.873	31.261	C	2025		0012															
86075000	31.297	45.367	R	4	7	70	CRACKING	9.0	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
93 I75	36.8	50.8	2	13.8		35044	RIDE	8.7	8.5	8.5	7.8	7.7	7.5	7.0	7.2		8.0	8.0	7.9	7.9	
							FC5M														
4441224	31.261	45.341	R	2024		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	10.0	9.0
OHLA USA, INC.				(2026)			SPRIDE	7.8	7.9	8.2	8.2	8.2	8.1	8.0	8.4	8.3	8.3	8.3	8.2	8.3	8.2
86075000	31.293	45.367	L	4	7	70	CRACKING	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
93 I75	36.7	50.8	2	13.8		35044	RIDE	8.6	8.6	8.8	7.8	7.6	7.5	7.2	7.2		7.9	7.9	7.8	7.7	
							FC5														
4441224	31.261	45.341	L	2024		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.0
OHLA USA, INC.				(2026)			RIDE	7.6	7.7	7.9	7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0	7.9	8.3	8.2
86075000	30.050	31.293	L	4	8	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	10.0	
93 I75	35.5	36.7	2	13.8		35044	RIDE	8.6	8.6	8.5	7.8	7.8	7.7	7.8	7.9	7.8	7.7		8.0	8.0	
							FC5														
4153972	30.054	35.000	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3		
ASPHALT GROUP, INC.				(2012)			RIDE	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.2	8.2	8.2	8.2	8.1		
4441221	18.873	31.261	C	2025		0012															
86075000	18.870	30.050	L	4	8	70	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	
93 I75	24.3	35.5	2	13.8		35044	RIDE	8.6	8.6	8.5	7.8	7.8	7.7	7.2	7.2	7.3	7.2		8.0	8.1	
							FC5														
4153941	18.870	30.054	C	2009		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
ASPHALT GROUP, INC.				(2012)			RIDE	8.0	8.1	8.1	8.1	8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.2		
4441221	18.873	31.261	C	2025		0012															
86075000	17.680	18.870	L	4	1	70	CRACKING	9.0	7.5	7.5	7.5	6.5	4.5*	10.0	10.0	9.5	9.5	8.0	8.0	8.0	
93 I75	23.1	24.3	2	13.8		35044	RIDE	8.6	8.6	8.5	7.8	7.7	7.6	7.7	7.9	7.9	7.9	7.9	7.8	7.9	
							FC5M														
4416681	17.690	18.932	L	2021		0012	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	9.0
OHLA USA, INC.				(2025)			SPRIDE	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1			8.8	8.8	8.7
86075000	11.540	17.680	L	4	1	70	CRACKING	9.0	7.5	7.5	7.5	6.5	4.5*	10.0	10.0	9.5	9.5	8.0	8.0	8.0	
93 I75	17.0	23.1	3	15.4		72000	RIDE	8.6	8.6	8.5	7.8	7.7	7.6	7.7	7.9	7.9	7.9	7.9	7.8	7.9	
							FC5M														
4416681	11.459	17.690	L	2021		0012	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	9.0
OHLA USA, INC.				(2025)			SPRIDE	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1			8.8	8.6	8.5
86075000	10.784	11.540	L	4	1	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
93 I75	16.2	17.0	6	11.1		172500	RIDE	9.0	8.9	8.9	8.3	8.3	8.1	7.8	7.8	8.1	7.8	7.7	7.7	7.8	
							FC5M														
4378322	10.342	11.340	L	2021		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.0
OHLA USA, INC.				(2025)			SPRIDE	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1			8.3	8.1	8.0
86075000	7.366	10.784	L	4	1	70	CRACKING	7.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	
93 I75	12.8	16.2	4	7.1		172000	RIDE	8.7	8.6	8.6	7.9	7.8	7.5	7.3			7.9	7.9	7.9	7.9	
							FC5M														
				(2025)			CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5			10.0	10.0	9.0
							RIDE	7.9	7.9	8.1	8.1	8.1	8.0	7.9	8.2	8.2			8.4	8.1	8.0
86075000	5.656	7.366	L	4	1	70	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	
93 I75	11.1	12.8	4	7.1		174000	RIDE	8.8	8.7	8.6	7.9	7.8	7.7	7.2			7.9	7.9	7.9	7.9	
							FC5M														
4378324	5.752	7.364	L	2023		0548	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	9.0
HALLEY ENGINEERING CONTRAC				(2025)			SPRIDE	7.9	7.9	8.1	8.1	8.1	8.0	7.9	8.2	8.2	8.3	8.3	8.4	8.3	8.2
86075000	5.020	5.656	L	4	1	70	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0	
93 I75	10.5	11.1	4	7.1		174000	RIDE	8.8	8.7	8.6	7.9	7.8	7.7			7.3	7.4	7.4	7.3	7.3	
							FC5M														
4378321	0.000	6.000	L	2019		0012	CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.0	9.1	7.5
HALLEY ENGINEERING CONTRAC				(2020)			SPRIDE														

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	YEAR						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F	CONTRACTOR	CONTRACTOR															
86080000	17.137	17.514	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0		
84				3	8.4	43000	RIDE	8.2	8.5	8.2	7.8	7.5	7.2	7.1	7.2		7.4	7.1	7.6	7.7		
SW 26 TER(17.2R)							FC95															
				(2024)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.0	10.0	9.0	
							RIDE	7.5	7.5	7.1	7.1	7.4	6.9	7.0	7.0	6.9		8.0	7.8	7.7	7.4	
86080000	17.514	17.980	C	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0		
84				3	8.4	20000	RIDE	8.2	8.5	8.2	7.8	7.5	7.2	7.1	7.2		7.4	7.3				
ACCESS RD(17.9L)							FC95															
				(2026)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	8.5	10.0	9.5	
							RIDE												7.7	7.4		
86080000	17.980	19.776	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0		
84				3	10.6	62000	RIDE	5.9*	6.6	6.6	5.9	5.8	5.8	5.9	5.6		7.4	7.1	7.1	7.0		
ACCESS RD 86080002(18.0R)							FC95															
2282431	18.698	19.570	C	2007	0012	CRACKING	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	8.0	7.9	6.5	
WEEKLEY ASPHALT PAVING, IN(2010)							SPRIDE	7.0	7.0	6.6	6.6	6.3	6.5	6.3	6.3	6.1	5.7	5.6	5.6	5.8	5.5	
86080000	17.980	19.776	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0		
84				4	10.6	62000	RIDE	6.5	6.6	6.5	5.9	5.9	5.5	5.2*	5.6		7.4	7.3	7.1	7.1		
ACCESS RD(18.0L)							FC95															
2282431	18.698	19.570	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	
WEEKLEY ASPHALT PAVING, IN(2010)							SPRIDE	7.1	7.0	6.7	6.5	6.7	6.7	6.6	6.6	6.3	5.9	5.7	5.9	5.9	6.1	5.8
86080000	17.187	17.514	L	1	1	45	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0		
84				4	8.4	43000	RIDE	8.0	8.0	7.9	7.3	7.4	7.1	7.0	7.3		7.4	7.3	7.4	7.6		
SW 25 TER(17.3L)							FC95															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0	10.0	8.7	8.5	7.5	
							RIDE	7.5	7.5	7.5	7.3	7.3	7.3	7.2	7.3		7.2	7.4	7.4	7.5	7.2	
86080000	16.260	17.187	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
84				2	5.8	39500	RIDE	7.1	7.9	7.0	7.5	7.5	7.3	7.2	7.2	7.0	6.8	6.6	6.5	6.1		
FRONTAGE ROAD(16.4L)							FC5															
4230041	16.080	17.137	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	
ASPHALT GROUP, INC.							SPRIDE	7.4	7.4	7.0	7.0	7.2	7.0	6.9	6.9	6.9	6.8	6.8	6.7	6.8	6.7	6.7
4498271	16.271	17.207	C	2027	0012																	
86080000	16.171	16.260	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5		
84				2	5.8	39500	RIDE	8.2	8.2	8.1	7.5	7.6	7.3	7.2	7.4	7.4	7.4	7.3	7.3	7.2		
CANAL DR(16.2L)							DGFC															
4230041	16.080	17.137	L	2012	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	10.0	9.0	
ASPHALT GROUP, INC.							SPRIDE		8.2												7.7	7.4
86080100	0.000	2.252	C	1	1	45	CRACKING															
84				2	6.6	31000	RIDE															
CANAL DRIVE(0.0R)							DGFC															
				(2016)			CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	9.0	8.0	
							RIDE			8.3	8.3	8.3	8.2	8.0	8.0	8.0	7.8	7.9	7.8	8.1	7.8	
86080500	0.000	3.810	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	10.0	10.0		
84				2	2.4	6800	RIDE	8.4	8.5	8.5	7.8	7.7	7.7	7.5	7.7	7.6	7.7	7.5	8.3	8.3		
ARVIDA PKWY(0.0C)							FC5M															
				(2024)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.0	
							RIDE	8.1	7.9	8.1	8.0	8.0	7.9	7.8	7.8	7.7		8.4	8.4	8.4	8.3	
86080500	3.810	5.443	C	1	1	55	CRACKING	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0		
84				2	1.4	7200	RIDE	8.7	8.6	8.4	8.0	8.0	7.8	7.9	7.6	7.8	7.8	8.0	8.2	8.0		
SPUR FROM WESTON RD(3.8R)							FC5															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	7.9	6.5	
							RIDE	7.6	8.3	8.3	8.3	8.2	8.2	8.1	8.2		8.1	8.0	8.0	8.1	8.0	
86080500	5.443	10.434	C	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.0*				
84				2	3.5	20000	RIDE	8.4	8.4	8.3	7.6	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.5			
POINCIANA WAY(5.6R)							DGFC															
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
							RIDE		7.7	7.4	7.3	7.4	7.3	7.2	7.2	7.2	7.3	7.2	7.2	7.2	6.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP	SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
86090000	0.910	2.102	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
816				3	2.1	46000	RIDE	7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	6.9	6.8	6.6	6.5	6.4	6.2	
DENTISTRY(1.0R)																					
2281571	0.000	2.332	R	2005	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	8.4	8.1	6.5
PREFERRED MATERIALS, INC. (2008) SPRIDE																					
86090000	2.102	3.329	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
816				3	2.6	51500	RIDE	7.0	6.9	7.0	6.2*	6.1*	6.8	6.7	6.7	6.7	6.6	6.6	6.3	6.5	
NW 49 AVE(2.5R)																					
4476751	2.102	4.407	C	2027	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.4	7.0
(2006) RIDE																					
86090000	3.329	4.400	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	
816				3	3.9	60500	RIDE	7.0	6.8	6.8	6.1*	6.3*	6.0	6.1	5.9	5.5		7.4	7.6	7.2	
NW 36 TER(3.6C)																					
4138861	3.329	4.429	C	2008	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	8.5	7.5	6.0*
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
4476751	2.102	4.407	C	2027	0012	CRACKING	6.4	7.2	7.0	6.9	6.8	6.5	6.5	6.1	5.9	6.1	6.1	6.0	6.1	6.0	5.8
86090000	4.400	6.230	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5	
816				3	13.5	56500	RIDE	7.6	7.9	7.6	6.8	6.9	6.7	6.5	6.8	6.7	6.5	6.4	6.4	6.5	
NW 30 AVE(4.5R)																					
4287321	4.400	6.230	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
COMMUNITY ASPHALT CORP. (2018) SPRIDE																					
86090000	6.230	9.201	R	1	1	35	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	
816				3	13.5	38000	RIDE	7.3	7.3	7.0	6.5	6.4	6.6	6.1	6.1	6.1		7.2	6.8	6.9	
NW 9 AVE(6.4C)																					
4137951	6.233	8.672	C	2008	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	8.0	7.7	6.5
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
4484091	6.230	9.720	C	2028	0012	CRACKING	7.0	7.1	6.7	6.6	6.5	6.2	6.1	6.0	6.2	5.7	5.7	5.5	5.7	5.7	5.4*
86090000	9.201	9.720	R	1	1	35	CRACKING	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	
816				2	6.1	25500	RIDE	5.8*	5.8	6.0	5.2*	6.5	6.4	6.4	5.3*	6.5	6.5	5.1*	6.2	5.7	
ACCESS ROAD(9.3R)																					
2281561	9.239	9.720	C	2003	0012	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.0	6.6	5.0*
WEEKLEY ASPHALT PAVING, IN(2005) SPRIDE																					
4484091	6.230	9.720	C	2028	0012	CRACKING	5.8	5.5	5.4*	5.2*	5.1*	5.1*							4.7*	4.4*	
86090000	9.201	9.720	L	1	1	35	CRACKING	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
816				2	6.1	25500	RIDE	5.7*	5.5	6.1	5.6	6.8	6.4	6.3	5.0*	6.6	5.8	5.4*	5.6	5.4*	
ACCESS ROAD(9.3L)																					
2281561	9.239	9.720	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.0	7.8	6.0*
WEEKLEY ASPHALT PAVING, IN(2005) SPRIDE																					
4484091	6.230	9.720	C	2028	0012	CRACKING	6.1	5.9	4.8*	5.1*	4.3*	4.5*	4.4*	4.5*	4.5*	4.4*	4.2*	4.2*	4.2*	4.5*	4.2*
86090000	6.230	9.201	L	1	1	35	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	
816				3	13.5	38000	RIDE	7.1	6.7	6.6	6.4	6.3	6.2	5.8	5.5	5.9		7.2	7.0	6.9	
NW 9 AVE(6.4C)																					
4137951	6.233	8.672	C	2008	0012	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
4484091	6.230	9.720	C	2028	0012	CRACKING	6.8	6.8	6.3	6.0	6.1	5.8	5.7	5.7	5.7	5.5	5.4*	5.5	5.6	5.6	5.3*
86090000	4.400	6.230	L	1	1	45	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	9.0	9.0	7.5	7.5	
816				3	13.5	56500	RIDE	7.6	7.5	7.5	6.5	6.6	6.4	6.3	6.2	6.4	6.8	6.8	6.0	6.0	
THE SHOPPES OF OAK(4.5L)																					
4287321	4.400	6.230	C	2016	0012	CRACKING	7.5	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
COMMUNITY ASPHALT CORP. (2018) SPRIDE																					
86090000	3.329	4.400	L	1	1	45	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	
816				3	3.9	60500	RIDE	7.0	6.7	6.6	5.9*	6.1*	6.1	5.9	5.8	5.3*		7.4	7.4	7.3	
NW 36 TER(3.6C)																					
4138861	3.329	4.429	C	2008	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
4476751	2.102	4.407	C	2027	0012	CRACKING	7.2	7.1	6.9	7.0	7.1	6.9	6.8	6.6	6.4	5.9	6.0	6.0	5.7	5.7	5.4*
86090000	2.102	3.329	L	1	1	45	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
816				3	2.6	51500	RIDE	6.3*	6.3*	6.0*	5.9*	5.5*	6.9	6.5	6.5	6.7	6.7	6.5	6.6	6.5	
ROCK ISLAND RD(2.1L)																					
4476751	2.102	4.407	C	2027	0012	CRACKING	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
(2006) RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)
86090000	0.910	2.102	L	1	1	45	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
816				3	2.1	46000	RIDE	7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9	7.0	6.6	6.9	6.9	6.9	
LANDINGS DR(1.1C)																					
2281571	0.000	2.332	L	2005		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.2	7.0
PREFERRED MATERIALS, INC. (2008) SPRIDE																					
86090000	0.000	0.910	L	1	1	45	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
816				3	2.3	39000	RIDE	7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9	6.9	6.9	6.9	6.9	6.9	
SR 817(0.0C)																					
2281571	0.000	2.332	L	2005		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.7	7.5
PREFERRED MATERIALS, INC. (2008) SPRIDE																					
86095000	0.000	0.592	R	4	2	65	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0			
862	1595	0.0	5	8.5	112000		RIDE	8.4	8.4	8.4	7.8	7.8	7.8	7.5	7.9	7.7	7.8	7.7			
FC5M																					
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	5.0*	2.5*
							RIDE		8.0	8.1	8.1	8.0	8.0	8.0	8.1	8.1	8.1	7.9	7.8	7.5	7.4
(2015)																					
86095000	0.592	5.820	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0			
862	1595	0.6	4	8.5	112000		RIDE	8.4	8.4	8.4	7.8	7.8	7.8	7.9	7.7	7.8	7.7				
SR 84 EB(4.7R)																					
4208093	0.920	5.820	R	2011		0213	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.6*	3.5*
I 595 EXPRESS, LLC (2015)																					
4208098	0.592	10.407	C	2025		0012	RIDE		8.0	8.2	8.1	8.1	8.0	7.9	8.1	8.1	8.0	8.0	7.9	7.8	7.7
86095000	5.820	6.723	R	4	1	65	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	9.0	9.0			
862	1595	5.8	6	7.2	151609		RIDE	8.5	8.5	8.4	7.8	7.7	8.0	7.5	7.3	7.5	7.6	7.6			
FC5M																					
4208093	5.820	7.720	R	2011		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.2*	5.0*	2.5*
I 595 EXPRESS, LLC (2015)																					
4208098	0.592	10.407	C	2025		0012	RIDE		8.0	8.4	8.3	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.2	7.9	7.8
86095000	6.723	7.720	R	4	1	65	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0			
862	1595	6.7	4	7.2	223500		RIDE	8.5	8.5	8.4	7.8	7.7	7.7	7.7	7.5	7.9	7.9	7.9			
SR-84 EB 86080500(6.9R)																					
4208093	5.820	7.720	R	2011		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.2*	8.0	5.5*
I 595 EXPRESS, LLC (2015)																					
4208098	0.592	10.407	C	2025		0012	RIDE		8.0	8.4	8.3	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.2	8.2	8.1
86095000	7.720	9.056	R	4	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0			
862	1595	7.7	4	7.2	223500		RIDE	8.3	8.2	8.2	7.1	7.5	7.5	7.2	7.4	7.9	7.8	8.0			
FC5M																					
4208093	7.720	10.407	R	2011		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	4.0*
I 595 EXPRESS, LLC (2015)																					
4208098	0.592	10.407	C	2025		0012	RIDE		8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.7	7.7	7.7	7.7	7.6
86095000	9.960	10.407	R	4	8	65	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0				
862	1595	10.0	3	7.2	82000		RIDE	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3	7.5	7.3	7.3		10.0	7.9
FC5M																					
4208093	7.720	10.407	R	2011		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
I 595 EXPRESS, LLC (2013)																					
4208098	0.592	10.407	C	2025		0012	RIDE		7.4	7.8	8.0	8.0	7.9	7.9	8.1	8.1	8.0				
86095000	10.407	11.156	R	4	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
862	1595	10.4	3	7.2	82000		RIDE	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3	7.5	7.3	7.3	7.2	7.3	
FC5M																					
4202321	10.735	11.166	R	2009		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	6.9	4.0*
PAVEX CORPORATION (2010) SPRIDE																					
86095000	12.263	12.467	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	
862	1595	12.3	3	7.2	82000		RIDE	8.4	8.1	8.0	7.3	7.5	7.3	7.2	7.2	7.3	7.1	7.3	7.3	6.8	
OGFC																					
							CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.1	5.0*	3.0*
							RIDE		7.3	7.5	7.3	7.3	7.2	7.4	7.4	7.5	7.3	7.3	7.3	8.0	7.9
(2016)																					
86095000	12.467	12.860	R	4	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	
862	1595	12.5	2	37.3	7200		RIDE	8.4	8.1	8.0	7.3	7.5	7.3	7.2	7.2	7.3	7.1	7.3	7.3	6.8	
FC125M																					
							CRACKING			10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1	10.0	9.0
							RIDE			7.3	7.5	7.3	7.3	7.2	7.4	7.4	7.5	7.3	7.3	7.1	7.0
(2026)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																

86095000	12.467	12.860	L	4	1	65	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
862	I595	12.5	12.9	2	37.3	7200	RIDE	7.6	7.7	7.8	7.1	6.8	7.0	6.8	7.1	6.8	6.9	6.9	6.5	6.4*		
							OGFC															
							(2026)			10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	10.0	9.0	
86095000	12.263	12.467	L	4	1	65	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
862	I595	12.3	12.5	3	7.2	82000	RIDE	7.6	7.7	7.8	7.1	6.8	7.0	6.8	7.1	6.8	6.9	6.9	6.5	6.4*		
							OGFC															
							(2016)			10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	5.0*	3.0*	
86095000	9.960	11.156	L	4	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0		
862	I595	10.0	11.2	2	7.2	82000	RIDE	8.4	8.4	8.3	7.6	7.7	7.7	7.5	7.1	7.2	7.4	7.6	7.6	7.6		
							FC5M															
							(2010)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.9	7.3	4.5*	
86095000	6.825	9.056	L	4	2	65	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
862	I595	6.8	9.1	4	7.2	223500	RIDE	8.4	8.3	8.2	7.6	7.2	7.5	7.6	7.6	7.8	7.9	7.9				
							FC5M															
SR 84 WB(6.9L)																						
4208093	6.825	9.525	L	2011		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.6	7.0	5.0*	
I 595 EXPRESS, LLC							RIDE			8.2	8.2	8.2	8.1	8.0	8.2	8.2	8.1	8.1	8.0	7.9	7.8	
4208098	0.592	10.407	C	2025		0012																
86095000	0.592	6.825	L	4	1	65	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0			
862	I595	0.6	6.8	4	8.5	112000	RIDE	8.6	8.6	8.5	7.9	7.8	7.7	7.7	8.0	7.7	7.7	7.7	7.6			
							FC5M															
SR 84 WB(1.6L)																						
4208093	0.592	6.825	L	2011		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.8	5.5*	
I 595 EXPRESS, LLC							RIDE			8.2	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.1
4208098	0.592	10.407	C	2025		0012																
86095000	0.000	0.592	L	4	1	65	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
862	I595	0.0	0.6	5	8.5	112000	RIDE	8.6	8.6	8.5	7.9	7.8	7.7	7.4	8.0	7.7	7.7	7.6	7.4	7.1		
							FC5M															
							(2015)			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	9.0	6.5	
86095900	0.000	0.595	C	4	1	70	CRACKING															
862	I595			1	7.2	18800	RIDE															
							(2020)							10.0	10.0	10.0	10.0	10.0	8.9	8.2	6.5	
														7.6	7.4	7.4	7.3	7.3	7.2	7.0	6.9	
86095900	0.595	1.659	C	4	1	70	CRACKING															
862	I595			2	7.2	18800	RIDE															
							(2020)							10.0	10.0	10.0	10.0	10.0	9.6	9.0	7.5	
														7.8	7.7	7.7	7.6	7.7	7.4	7.5	7.4	
86095900	1.659	6.725	C	4	1	70	CRACKING															
862	I595			3	7.2	18800	RIDE															
							(2020)							10.0	10.0	10.0	10.0	10.0	8.5	8.3	6.5	
														8.0	8.1	8.1	8.0	8.1	8.0	8.0	7.9	
86095900	6.725	8.796	C	4	1	70	CRACKING															
862	I595			2	2.8	10747	RIDE															
							(2020)							10.0	10.0	10.0	10.0	10.0	9.0	8.3	6.5	
														8.0	8.1	8.0	8.0	8.1	8.1	8.1	8.0	
86100000	0.000	0.900	R	1	1	40	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*					10.0	10.0	
7	441			3	5.2	52500	RIDE	6.8	6.8	6.7	6.5	6.8	6.4	6.3	6.3					7.2	7.5	
							FC125															
NW 215 ST/COUNTY LIN(0.0R)																						
2277731	0.000	1.050	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.4	8.5	7.0	
RUSSELL ENGINEERING, INC							SPRIDE	7.4	7.5	6.8	6.7	6.5	6.3	6.8	6.8	6.8	6.6	6.7	6.7	6.6	6.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
86100000	0.900	4.957	R	1	1	40	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
7 441			3	3.7	55500		RIDE	7.3	7.3	7.2	6.5	6.7	6.4	6.3	6.3	6.3	6.6	6.5	6.3	6.2	
SW 26 ST(1.0R)					FC125M																
				(2020)			CRACKING	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.0
							RIDE	5.9	5.9	6.4				7.3	7.2	7.2	7.2	7.1	7.0	7.1	6.8
86100000	4.957	5.741	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	4.5	62000		RIDE	7.5	7.7	7.8	7.3	7.5	7.4	6.8	7.4	7.0	7.3	7.2	7.1	7.2	
OAK ST(5.0R)					DGFC																
2277762	4.968	5.568	C	2003	0213		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.3	6.5
				(2005)			RIDE	6.9	7.3	6.5	6.6	7.2	6.9	7.1	7.8	7.7	7.8	7.6	7.6	7.8	7.5
4476761	4.957	6.664	C	2025	0012																
86100000	5.741	6.573	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	4.5	62000		RIDE		6.3*	8.6	8.1	8.1	7.9	7.7	7.9	7.4	7.7	7.4	7.4	7.4	
AUTO AUCTION(5.8R)					DGFC																
				(2003)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.4	7.0
4476761	4.957	6.664	C	2025	0012		RIDE	6.8	7.3	7.2	7.3	7.3	7.2	7.2	7.2	7.2	7.0	7.0	7.0	7.2	6.9
86100000	6.573	7.401	R	1	1	45	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
7 441			3	6.1	53500		RIDE	8.3	8.2	8.1	7.4	7.4	7.2	6.9	7.1	7.1	7.0	7.0	7.2	8.4	
AT&T(6.7R)					FC125																
4168761	6.479	7.400	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.9	9.3	8.0
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.2	8.3	7.9	7.9	7.9	7.4	7.8	7.7	7.4	7.7	7.7	7.6	7.6	7.3
86100000	7.401	8.349	R	1	1	45	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
7 441			3	4.3	59000		RIDE	8.3	8.2	8.1	7.4	7.4	7.2	6.9	7.1	7.1	7.0	7.0	7.2	6.6	
				(2015)			CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.6	8.5
							RIDE	6.1	8.3	8.1	8.0	8.1	7.9	8.0	7.9	7.9	7.8	7.9	7.8	7.9	7.6
86100000	8.349	10.461	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	5.8	47500		RIDE		8.0	7.9	7.3	7.1	6.9	6.5	7.0	7.1	6.6	6.4	6.0	6.4	
RIVERLAND RD(8.5R)					FC3																
2277041	8.500	10.300	C	1998	0213		CRACKING	10.0	10.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.7	6.0*
TRIPLE R PAVING INC				(2002)			RIDE	6.3	6.4	6.5	6.6	6.3	6.3	6.6	6.3	6.3	6.2	6.1	6.2	6.2	5.9
4476771	8.349	10.461	C	2025	0012																
86100000	10.461	12.986	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	5.2	51500		RIDE	5.6*	7.0	6.9	6.3	6.5	6.1	5.9	8.2	8.1	7.8	7.9	7.1	7.1	
HOSPITAL DR N(10.6R)					FC95																
2281881	10.461	12.986	C	2006	0012		CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.1	6.5
PAVEX CORPORATION				(2008)			SPRIDE	6.8	6.9	7.1	7.0	6.9	6.9	6.4	6.5	6.3	6.3	6.2	6.3	6.4	6.1
4484101	10.461	12.986	C	2031	0012																
86100000	12.986	14.791	R	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	6.5	10.0	10.0	10.0	10.0	10.0	
7 441			3	2.5	55500		RIDE	8.0	7.6	8.0	7.0	7.2	7.1	6.9	5.3*	7.5	7.4	7.2	7.3	7.2	
NW 29 ST(13.1R)					FC95																
2281891	12.985	14.791	C	2007	0012		CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.4	8.4	7.0
COMMUNITY ASPHALT CORP.				(2009)			SPRIDE	7.3	7.3	6.9	7.0	6.6	6.6	6.6	6.2	5.9	6.4	6.1	6.2	6.4	6.1
86100000	14.791	15.796	R	1	1	45	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	3.8	46500		RIDE	7.4	7.4	6.8	7.2	7.0	7.0	6.7	6.3	6.7	6.8	6.8	6.9	6.6	
COMMERCIAL BLVD(14.8C)					FC125M																
4438451	14.791	15.796	R	2022	0012		CRACKING	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN				(2025)			RIDE	6.7	6.5	6.3	6.4	6.1	6.3	6.1	6.0	5.9	6.1	5.8	6.6	6.6	6.3
86100000	15.796	16.500	R	1	1	45	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	
7 441			3	3.4	46500		RIDE	7.4	7.4	6.8	7.6	7.7	7.3	7.2	7.4	7.4	7.5	7.4	8.1	8.0	
RAMP TO MCNAB RD(16.1R)					FC125																
4168771	15.796	16.389	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.9	9.0	7.5
COMMUNITY ASPHALT CORP.				(2012)			SPRIDE	7.7	7.5	7.3	7.3	7.2	6.8	6.5	6.8	6.7	6.6	6.8	7.0	6.8	6.5
86100000	16.500	17.900	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	
7 441			3	2.7	50000		RIDE	8.4	8.3	8.4	7.6	7.7	7.3	7.2	7.4	7.4	7.5	7.4	7.5	7.5	
SW 13 ST(16.5R)					DGFC																
				(2012)			CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	7.9	6.5
							RIDE	7.3	6.6	7.5	7.4	7.4	7.2	7.3	7.4	7.3	7.3	7.1	7.0	7.3	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****															
ITMSEG-P	(AGE_ONE	YEAR)	ASTYPE																			
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F																
ITMSEG-F																						
86100000	17.900	20.865	R	1	1	45	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	10.0		
7 441			3	3.4		53500	RIDE	7.4	7.5	7.4	7.0	7.0	6.9	6.8	6.8	6.7	6.7	6.5	5.8	8.3		
MARGATE CT(18.0R)																						
4168781	17.900	20.865	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.2	7.0
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	8.1	8.3	7.9	7.9	7.7	7.7	7.6	7.3	7.3	7.2	7.1	7.0	7.0	6.7	
FC95																						
86100000	20.865	23.290	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0			
7 441			3	3.0		58500	RIDE	8.2	8.1	8.2	7.7	7.7	7.6	7.5	7.7	7.5	7.5	7.5	7.3			
CULLUM RD(21.4R)																						
4216621	20.941	23.359	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
GENERAL ASPHALT CO., INC.				(2014)			SPRIDE	8.3	8.3	8.0	8.0	8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.8	7.5
FC95																						
86100000	23.290	24.597	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
7 441			3	4.6		54000	RIDE	8.5	8.3	8.4	7.4	7.9	7.7	7.5	7.8	7.7	7.8	7.7	7.5	7.6		
JOHNSON RD(23.5R)																						
4270101	23.290	24.591	C	2013		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5
COMMUNITY ASPHALT CORP.				(2015)			RIDE	7.4	8.7	8.1	8.4	8.4	8.3	8.3	8.0	8.0	7.9	7.9	7.9	7.9	8.0	7.7
FC125																						
86100000	23.290	24.597	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5		
7 441			3	4.6		54000	RIDE	8.4	8.4	8.5	7.7	7.7	7.5	7.5	7.8	7.7	7.6	7.5	7.3	7.4		
HOLMBERG RD(23.5L)																						
4270101	23.290	24.591	C	2013		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.6	9.7	8.5
COMMUNITY ASPHALT CORP.				(2015)			RIDE	7.3	8.6	8.1	8.2	8.2	8.1	8.0	7.7	7.8	7.8	7.5	7.8	7.8	7.8	7.5
FC125																						
86100000	20.865	23.290	L	1	1	45	CRACKING	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			
7 441			3	3.0		58500	RIDE	8.1	8.0	8.0	7.5	7.4	7.3	7.1	7.2	7.2	7.1	6.8	6.8			
CREEKSIDE DR(21.4L)																						
4216621	20.941	23.359	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
GENERAL ASPHALT CO., INC.				(2014)			SPRIDE	8.2	8.3	7.9	7.8	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.7	7.8	7.5
FC95																						
86100000	17.900	20.865	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5		10.0		
7 441			3	3.4		53500	RIDE	8.2	8.1	8.0	7.6	7.5	7.4	7.2	7.4	7.3	7.1	7.0		8.4		
NW 3RD ST(18.0L)																						
4168781	17.900	20.865	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	7.9	6.5
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	8.4	8.2	8.0	8.0	7.9	7.9	7.6	7.4	7.4	7.3	7.2	7.3	7.3	7.3	7.0
FC95																						
86100000	16.500	17.900	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	2.7		50000	RIDE	8.6	8.4	8.6	8.2	8.1	7.8	7.6	8.1	8.1	8.0	7.9	8.0	8.1		
KIMBERLY BLVD(16.8L)																						
2277721	16.374	17.850	C	1995		0213	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	8.1	7.8	6.0*
WALSH GROUP ARCHER-WESTER				(1999)			S RIDE	7.9	7.8	8.0	7.9	7.9	7.7	7.5	7.6	7.6	7.5	7.5	7.3	7.4	7.4	7.1
DGFC																						
86100000	15.796	16.500	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
7 441			3	3.4		46500	RIDE	7.3	7.0	6.9	6.4*	6.4*	6.2	6.1	5.7	5.7	6.0	5.9	8.1	8.0		
BROADVIEW BLVD/SW 17(16.1L)																						
4168771	15.796	16.389	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.2	8.0	6.5	
COMMUNITY ASPHALT CORP.				(2012)			SPRIDE	7.7	7.9	7.4	7.5	6.9	7.2	6.9	6.7	6.7	6.7	6.5	6.7	6.6	6.3	
FC125																						
86100000	14.791	15.796	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
7 441			3	3.8		46500	RIDE	6.8	7.1	7.1	7.2	7.2	7.2	7.0	7.1	7.0	7.0	7.2	7.1	7.0		
COMMERCIAL BLVD(14.8C)																						
4438451	14.791	15.796	L	2022		0012	CRACKING	9.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN				(2025)			RIDE	7.1	7.0	6.6	6.7	6.5	6.5	6.5	6.3	6.3	6.3	6.1	6.7	6.8	6.5	
FC125M																						
86100000	12.986	14.791	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5		
7 441			3	2.5		55500	RIDE	6.8	7.1	7.1	6.2	6.5	6.3	6.1	5.5	7.6	7.4	7.3	7.5	7.1		
WALMART(13.1L)																						
2281891	12.985	14.791	C	2007		0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	8.0	8.1	6.5
COMMUNITY ASPHALT CORP.				(2009)			SPRIDE	7.1	7.1	7.1	6.9	6.8	6.8	6.7	6.6	6.7	6.5	6.5	6.5	6.5	6.5	6.2
FC95																						
86100000	10.461	12.986	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.5		
7 441			3	5.2		51500	RIDE	7.3	7.1	7.3	6.8	6.7	6.5	6.2	7.6	7.4	7.3	6.9	7.3	7.2		
HOSPITAL DR S(10.6L)																						
2281881	10.461	12.986	C	2006		0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
PAVEX CORPORATION				(2008)			SPRIDE	7.2	7.2	7.3	7.3	7.2	7.1	7.1	7.1	6.9	7.0	6.9	6.8	6.9	6.6	
4484101	10.461	12.986	C	2031		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)		FY-F	WKM-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW																		
ITMSEG-F																					
86100000	9.065	10.461	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
7 441			3	5.8		47500	RIDE		8.0	8.0	7.7	7.7	7.6	7.1	7.1	7.5	7.0	7.3	7.0	7.2	
DAVIE BLVD(9.1L)																					
							FC3														
2277041	8.500	10.300	C	1998		0213	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
TRIPLE R PAVING INC				(2002)			S RIDE	6.4	6.8	6.8	6.5	6.8	6.9	6.9	6.8	6.8	6.8	6.9	6.7	6.8	6.5
4476771	8.349	10.461	C	2025		0012															
86100000	8.370	9.065	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
7 441			3	4.3		59000	RIDE	8.6	8.5	8.6	7.8	7.9	7.4	7.4	7.7	7.8	7.2	7.3	7.5	7.6	
SW 21 ST(8.4L)																					
							FC3														
2277041	8.500	10.300	C	1998		0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4
TRIPLE R PAVING INC				(2001)			S RIDE	7.6	6.2	7.1	7.1	6.9	6.9	6.8	6.9	6.9	6.9	6.9	6.9	6.8	6.9
4476771	8.349	10.461	C	2025		0012															
86100000	7.401	8.370	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5
7 441			3	4.3		59000	RIDE	8.1	8.0	8.1	7.6	7.7	7.5	7.4	7.4	7.4	7.4	7.3	7.6	7.0	
DGFC																					
				(2015)			CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7
							RIDE	6.6	8.6	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.0	8.0	8.0	8.1	7.8
86100000	6.640	7.401	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0
7 441			3	6.1		53500	RIDE	8.1	8.0	8.1	7.6	7.7	7.5	7.4	7.4	7.4	7.4	7.3	7.6	8.3	
U-PULL-IT(6.7L)																					
							FC125														
4168761	6.479	7.400	C	2010		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	9.0	9.4	8.0
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.3	8.3	8.0	7.9	8.0	7.8	8.0	7.9	7.8	7.8	7.9	7.5	7.6	7.3
86100000	5.741	6.640	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
7 441			3	4.5		62000	RIDE			7.6	6.9	7.1	6.8	6.2	6.7	7.1	7.3	7.3	7.1	7.0	
MANHEIM(5.8L)																					
				(2003)			CRACKING	9.5	9.0	9.0	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	5.5*
							RIDE	7.0	7.1	7.1	7.2	7.0	6.9	6.9	6.9	6.8	6.6	6.5	6.8	6.5	6.2
4476761	4.957	6.664	C	2025		0012															
86100000	4.957	5.741	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
7 441			3	4.5		62000	RIDE	8.0	7.7	7.8	6.7	7.5	7.1	7.0	7.1	7.2	7.2	6.9	7.0	7.1	
HOLLYWOOD CITY LIMITS(5.1C)																					
							DGFC														
2277762	4.968	5.568	C	2003		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.7	7.0
4476761	4.957	6.664	C	2025		0012	RIDE	7.1	6.8	5.9	5.9	6.3	6.5	6.2	7.1	6.7	6.8	6.6	6.6	6.7	6.4
86100000	0.900	4.957	L	1	1	40	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*
7 441			3	3.7		55500	RIDE	7.4	7.3	7.3	7.0	6.8	6.5	6.3	6.6	6.7	6.5	6.5	6.3	6.3	
SW 26 ST(1.0L)																					
				(2020)			CRACKING	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	6.3	5.6	6.5				7.3	7.2	7.1	7.2	7.1	7.1	7.1	6.8
86100000	0.000	0.900	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				10.0	10.0	
7 441			3	5.2		52500	RIDE	7.6	7.6	7.4	6.4	6.7	6.4	6.1	6.2				7.5	7.4	
COUNTY LINE RD(0.0C)																					
							FC125														
2277731	0.000	1.050	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.9	7.5
RUSSELL ENGINEERING, INC				(2012)			SPRIDE	6.7	7.5	6.7	6.8	6.7	6.5	6.9	6.7	6.8	6.6	6.6	6.7	6.6	6.3
86110000	0.000	2.706	R	1	1	45	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
838			3	4.7		33500	RIDE	6.3*	5.4*	8.2	7.8	7.5	7.7	7.3	7.5	7.3	7.5	7.4	7.3	7.3	
PLANTATION CITY LIMITS(0.0C)																					
							FC125														
2281171	0.000	3.156	C	2000		0012	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	8.2	8.2	6.5
COMMUNITY ASPHALT CORP.				(2003)			SPRIDE	7.2	7.2	7.1	7.2	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.5	6.4	6.1
86110000	2.706	3.371	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	8.5	8.5	8.5	8.5	
838			3	4.8		58000	RIDE	7.5	7.4	7.2	6.3*	6.4*	6.1	6.2	7.1	7.1	7.2	6.8	7.1	7.0	
FC125M																					
				(2021)			CRACKING	8.5	8.5	8.5					10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.0	7.1	6.4					7.1	7.1	7.0	7.0	6.9	6.9	6.6
86110000	3.371	3.565	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
838			3	3.7		57500	RIDE	8.2	8.0	8.0	7.7	7.6	7.6	7.4	7.1	7.1	7.2	6.8	7.1	7.0	
NW 47 AVE(3.4C)																					
							FC3														
				(2000)			CRACKING	8.5	8.5	8.5					7.0	7.0	7.0	7.0	7.0	7.0	5.0*
							RIDE	7.0	7.1	6.4					5.7	5.7	5.7	5.8	5.6	5.6	5.3*
4498211	3.371	5.977	C	2028		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR								(PMRS)														
ITMSEG-F																						
86120000	4.644	5.169	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5		
810				3	5.2	44000	RIDE	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.3	7.7	7.3	7.0	6.9	6.6		
GOOLSBY BLVD(4.8R)																						
4306021	4.635	5.343	R	2016	0012	FC95M	CRACKING	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
GENERAL ASPHALT CO., INC. (2020)																						
86120000	5.169	6.100	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	4.5*	
810				3	4.9	59500	RIDE	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.4	7.2	7.2	7.0	7.1	7.1		
NATURA BLVD(5.7R)																						
						FC95M	CRACKING	4.5*	4.5*	4.5*	4.5*			10.0	10.0	9.0	9.0	9.0	10.0	8.9	8.0	
(2020)																						
							RIDE	7.2	7.2	7.0	7.0			7.5	7.6	7.3	7.5	7.3	7.3	7.3	7.0	
86120000	6.100	6.897	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	4.5*	
810				3	3.6	28500	RIDE	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.4	7.2	7.2	7.0	7.1	7.1		
SW 1 TER(6.1R)																						
4306021	5.752	6.897	R	2016	0012	FC95M	CRACKING	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2020)																						
86120000	6.897	7.584	R	1	1	35	CRACKING	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*					10.0	
810				2	2.8	23500	RIDE	6.3*	6.4	6.2	5.8	5.5	5.3*	5.1*	5.2*	5.3*					6.8	
FEDERAL HWY(7.0C)																						
						DGFC	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.6	8.5
(2013)																						
							RIDE	7.0	6.9	6.3	5.9	6.2	5.9	5.9	5.9	6.0	6.0	5.9	5.9	5.9	5.9	5.6
86120000	7.584	7.823	C	1	1	35	CRACKING	10.0	10.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5					10.0	
810				4	2.8	23500	RIDE	7.0	6.5	6.3	5.8	6.5	4.9*	6.5	6.5	6.5					7.6	
NE 19 TER(7.8L)																						
						DGFC	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.4	8.0	7.0
(2013)																						
							RIDE	7.2	7.5	6.7	6.5	6.7	6.2	6.5	6.0	6.2				6.6	6.3	
86120000	6.897	7.584	L	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*					10.0	
810				2	2.8	23500	RIDE	5.6*	6.5	6.8	5.2*	5.1*	5.4*	4.9*	4.8*	4.4*					7.3	
FEDERAL HWY(7.0C)																						
						DGFC	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5
(2013)																						
							RIDE	6.7	6.8	6.4	6.2	6.6	6.3	6.0	5.9	5.8	5.9	5.7	5.7	5.7	5.9	5.6
86120000	6.383	6.897	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	
810				3	3.6	28500	RIDE	8.1	8.1	7.8	7.3	7.3	7.0	6.5	7.4	7.3	7.1	7.0	6.9	6.8	6.8	
NE 3 AVE(6.4L)																						
4306021	5.752	6.897	L	2016	0012	FC95M	CRACKING	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	
GENERAL ASPHALT CO., INC. (2020)																						
86120000	4.644	6.383	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	
810				3	4.9	59500	RIDE	8.1	8.1	7.8	7.3	7.3	7.0	6.5	7.4	7.3	7.1	7.0	6.9	6.8	6.8	
LOCK RD(4.8L)																						
						FC95M	CRACKING	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	9.0	8.7	9.6	8.5	
(2020)																						
							RIDE	6.9	6.8	6.4	6.3			7.3	7.2	7.2	7.1	6.7	7.2	7.3	7.0	
86120000	4.218	4.644	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
810				3	3.1	43000	RIDE	8.0	8.1	8.0	7.5	7.6	7.6	7.5	7.3	7.3	7.3	7.6	7.4	7.3		
CENTURY BLVD(4.5C)																						
						FC3	CRACKING	8.5	8.5	8.5		8.5	8.5	7.0	7.0	6.0*	6.0*	7.0	7.2	6.9	6.0*	
(2018)																						
4498231	3.079	4.631	C	2029	0012		RIDE	7.4	7.4	7.4		7.1	7.3	7.2	7.1	7.1	7.2	7.1	7.0	6.9	6.6	
86120000	3.080	4.218	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
810				3	3.1	43000	RIDE	8.0	8.1	8.0	7.5	7.6	7.6	7.5	7.3	7.3	7.3	7.6	7.4	7.3		
POWERLINE RD(3.1C)																						
2280771	3.108	4.614	C	1998	0012	FC3	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	
(2001)																						
4498231	3.079	4.631	C	2029	0012		RIDE	7.4	7.4	7.4	7.4	7.4	7.3	7.3	7.2	7.1	7.0	7.0	7.1	7.2	6.9	
PAVEX CORPORATION																						
86120000	0.000	3.080	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
810				3	3.0	40000	RIDE	8.3	8.2	8.0	7.6	7.6	7.6	7.5	7.6	7.5	7.5	7.6	7.5	7.5	7.5	
COCONUT CREEK CITY LIMIT(0.0C)																						
4476791	0.000	3.038	L	2024	0012	FC125M	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.5	
(2026)																						
							RIDE	7.5	7.5	7.3	7.3	7.1	7.1	7.1	6.9	6.9	7.1	6.9	6.9	7.6	7.3	
WEKLEY ASPHALT PAVING, IN																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****														
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	WKM	P	ASTYPE														
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	F	(PMRS)													
86130000	2.271	3.228	R	1	1	40	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	
849				2	8.1	12700	RIDE	8.3	8.3	8.2	7.5	7.6	7.3	7.0	7.3	7.4	7.6	7.4	7.2	7.8	
MISSING DESCRIPTION I (2.9R) FC95																					
4230061	2.278	3.175	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	8.9	7.5
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.8	7.9	7.1	6.8	6.6	6.5	6.2	6.6	6.3	6.1	6.3	6.1	6.3	6.0
86130000	3.228	3.591	R	1	1	45	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	3.5*	3.5*	7.0	6.0*	6.0*	6.0*	6.0*	
814				3	5.4	51000	RIDE	7.2	7.1	6.8	6.4*	6.3*	6.2	6.2	5.9	6.8	7.2	6.7	6.5	6.3	
FC125																					
4230021	3.228	3.525	R	2011		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.8	7.5
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.7	7.5	7.8	7.8	7.6	7.6	7.4	7.5	7.5	7.3	7.3	7.2	7.3	7.0
86130000	3.591	4.591	R	1	8	45	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
814				3	5.4	51000	RIDE	7.2	7.3	7.2	6.4*	6.2*	6.3	6.2	5.9	7.7	7.4	7.3	7.4	7.4	
FC95																					
SW 27 AVE(3.6R)																					
4035771	3.591	4.591	C	2007		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	8.5		
COMMUNITY ASPHALT CORP. (2009)							SPRIDE	7.3	7.4	7.2	7.2	7.1	7.2	7.2	7.0	6.8	7.0	6.6	6.6		
4476811	3.821	4.662	R	2025		0012															
86130000	4.591	4.816	R	1	2	45	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	7.0	10.0	10.0	10.0	10.0	
814				3	5.4	51000	RIDE	7.2	7.3	7.2	6.4*	6.2*	6.3	6.2	5.9	5.4*	8.3	8.0	7.6	7.4	
ANDREWS AVE(4.8C) DGFC																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	7.5
							RIDE	7.0	6.7	7.3	7.1	7.0	6.4	6.4						5.3*	5.0*
86130000	4.816	5.421	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
814				3	6.5	52000	RIDE	7.2	7.3	7.2	6.4*	6.2*	7.2	7.0	7.0	6.9	7.1	6.8	6.9	7.2	
DGFC																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5
							RIDE	7.2	6.8	6.7	6.9	6.8	6.8	7.2	7.1	7.2	7.1	6.8	7.1	6.8	6.5
86130000	4.816	5.421	L	1	1	45	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
814				3	6.5	52000	RIDE	7.6	7.3	7.1	6.4*	6.2*	7.7	7.4	7.6	7.5	7.5	7.6	7.6	7.6	
NW 7 AVE(5.4L) DGFC																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.2	9.2	7.5
							RIDE	7.4	7.4	6.8	7.1	7.1	6.9	7.3	7.3	7.0	7.1	7.3	7.1	6.6	6.3
86130000	4.591	4.816	L	1	2	45	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	7.0	10.0	10.0	10.0	10.0	
814				3	5.4	51000	RIDE	7.6	7.3	7.1	6.4*	6.2*	6.0	5.6	6.4	6.6	8.3	8.2	7.8	7.8	
SIDE ROAD(4.7L) DGFC																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.1	7.5
							RIDE	7.6	7.7	7.4	7.4	7.3	7.3	6.6	6.9	7.1	6.4	6.3	6.4	6.0	5.7
86130000	3.591	4.591	L	1	8	45	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
814				3	5.4	51000	RIDE	7.6	7.3	7.1	6.4*	6.2*	6.0	5.6	6.4	7.7	7.5	7.6	7.5	7.2	
FC95																					
NW 27 AVE(3.6L)																					
4035771	3.591	4.591	C	2007		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5		
COMMUNITY ASPHALT CORP. (2009)							SPRIDE	7.1	7.2	6.6	6.7	6.3	6.4	6.4	6.5	6.4	6.3	6.4	6.5		
4476811	3.591	4.662	L	2025		0012															
86130000	3.228	3.591	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	
814				3	5.4	51000	RIDE	6.9	6.6	6.7	6.1*	5.9*	6.1	5.7	5.1*	6.8	6.9	6.4	6.0	5.7	
FC125																					
NW 30 AVE(3.4L)																					
4230021	3.228	3.525	L	2011		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.1	8.0
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.9	8.1	7.5	7.5	7.5	7.7	7.6	7.4	6.8	6.5	6.9	7.1	7.0	6.7
86130000	2.271	3.228	L	1	1	40	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	
849				2	8.1	12700	RIDE	7.9	7.9	7.7	7.3	7.3	7.5	7.3	7.7	7.4	7.3	7.3	7.4	7.8	
FC95																					
CR 912(2.3L)																					
4230061	2.278	3.175	L	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.3	7.0
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.6	7.8	7.4	7.3	7.4	7.1	7.1	7.3	6.7	7.1	7.0	6.7	6.9	6.6
86170000	0.000	0.981	R	1	1	30	CRACKING	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5	
811				1	3.2	17500	RIDE	5.6*	5.7	5.3*	5.3*	5.0*	4.5*	4.7*	5.0*	6.0	6.3	6.1	6.0	5.8	
FC95M																					
FORT LAUDERDALE CITY LIM(0.0C)																					
							CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	9.2	9.2	8.5
							RIDE	5.7	5.0*	4.9*	4.8*	4.8*	4.7*	4.4*	6.6	6.7	6.4	6.3	6.2	6.2	5.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM	ASTYPE	=====														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	ASTYPE	=====														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	ASTYPE	=====														
86170000	0.981	1.800	R	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
811				1	4.2	12000	RIDE		7.1	7.0	6.0	6.5	6.0	5.9	6.4	6.1	6.1	6.0	5.9	5.8	
NE 19 ST(1.0R)						FC95M															
				(2021)			CRACKING	9.0	9.0	8.0	8.0	7.0	3.5*		10.0	10.0	10.0	10.0	9.5	9.6	8.5
							RIDE	5.7	5.7	5.4*	5.3*	5.1*	4.5*		7.3	7.3	7.1	7.1	6.8	6.7	6.4
86170000	1.800	2.771	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
811				2	2.8	20300	RIDE	7.5	7.3	7.1	6.8	6.8	6.4	6.5	6.6	6.4	6.0	6.5	6.3	6.3	6.2
SPUR TO DIXIE HWY(1.8R)						FC125															
4246711	1.800	2.858	C	2013	0012		CRACKING	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.6	7.4	6.5
COMMUNITY ASPHALT CORP.				(2016)			RIDE	6.0	5.9	6.2	6.1	5.9	5.9	5.8	5.9	5.8	5.7	5.3*	5.7	5.8	5.5
86170000	2.771	2.976	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	9.5	7.0	6.5	6.5	6.5	6.5
811				2	5.5	26000	RIDE	7.5	7.3	7.1	6.8	6.8	6.4	6.5	6.6	6.9	6.8	6.6	6.6	6.8	6.8
PARK LN E(2.8C)						FC2															
				(2009)			CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.5	7.5	8.3	8.2
							RIDE	6.7	6.4											5.7	5.6
86170000	2.976	5.144	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5
811				2	3.2	22500	RIDE	8.3	8.0	7.9	7.5	7.3	7.1	7.1	7.0	7.1	6.8	7.0	6.9	6.8	6.8
NE 40 CT(3.0R)						FC125															
4246711	2.864	5.440	R	2013	0012		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.9	8.3	7.0
COMMUNITY ASPHALT CORP.				(2016)			RIDE	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.8	6.7	6.6	6.7	6.6	6.3
86170000	10.021	12.100	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0
811				2	5.3	22000	RIDE	8.3	8.3	8.2	8.0	8.0	7.9	7.7	7.7	7.7	7.6	7.5	7.3	7.4	7.4
SAMPLE RD(10.0C)						FC3															
2281001	8.971	13.011	C	1995	0213		CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.8	8.6	7.0
TRIPLE R PAVING INC				(1999)			S RIDE	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	7.3	7.3	7.2	7.3	7.2	6.9
4481742	10.057	12.112	R	2028	9924																
86170000	12.100	13.120	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
811				2	5.0	15200	RIDE	8.5	8.3	8.3	7.8	7.9	7.2	7.6	7.8	7.2	7.8	7.4	7.0	7.3	7.3
SW 10 ST(12.1C)						FC3															
2281001	8.971	13.011	C	1995	0213		CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.0	8.7	7.0
TRIPLE R PAVING INC				(2000)			S RIDE	7.4	7.1	7.4	7.1	6.9	7.1	7.0	7.2	7.2	7.0	6.9	6.6	6.7	6.4
86170000	12.100	13.120	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
811				2	5.0	15200	RIDE	7.9	6.9	7.7	7.3	7.3	7.1	6.8	7.0	6.6	7.8	7.4	7.0	7.3	7.3
SW 10 ST(12.1C)						FC3															
2281001	8.971	13.011	C	1995	0213		CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.0*
TRIPLE R PAVING INC				(2000)			S RIDE	7.4	7.1	7.4	7.1	6.9	7.1	7.0	7.2	6.3	6.1	6.4	5.9	6.2	5.9
86170000	10.021	12.100	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0
811				2	5.3	22000	RIDE	8.4	8.3	8.2	7.7	7.5	7.7	7.1	7.4	7.0	7.6	7.5	7.3	7.4	7.4
SAMPLE RD(10.0C)						FC3															
2281001	8.971	13.011	C	1995	0213		CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.0*
TRIPLE R PAVING INC				(1999)			S RIDE	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	6.9	6.9	7.1	6.9	7.0	6.7
86170000	2.976	5.144	L	1	1	40	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
811				2	3.2	22500	RIDE	7.6	7.6	7.2	6.9	6.9	6.7	6.4	6.9	6.8	6.8	7.0	6.9	6.8	6.8
NE 39 DR(3.0L)						FC125															
4246711	2.864	5.440	L	2013	0012		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	8.0	7.0
COMMUNITY ASPHALT CORP.				(2016)			RIDE	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.5	6.5	6.3	6.4	6.3	6.0
86170000	2.771	2.976	L	1	1	35	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	9.5	7.0	6.5	6.5	6.5	6.5
811				2	5.5	26000	RIDE	7.3	7.0	6.9	6.4	6.2	6.1	6.0	6.6	6.9	6.8	6.6	6.6	6.8	6.8
NE 37 ST(2.8L)						DGFC															
				(2022)			CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0	9.0	9.0	8.8	8.7	8.0
							RIDE	6.7	6.4							4.6*	4.4*	4.7*	4.8*	4.8*	4.5*
86170000	1.800	2.771	L	1	1	35	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
811				2	2.8	20300	RIDE	7.3	7.0	6.9	6.4	6.2	6.1	6.0	6.6	6.4	6.0	6.5	6.3	6.3	6.2
WILTON DR/NE 26 ST(1.8C)						FC125															
4246711	1.800	2.858	C	2013	0012		CRACKING	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.4	6.5
COMMUNITY ASPHALT CORP.				(2016)			RIDE	6.0	5.9	6.2	6.1	5.9	5.9	5.8	5.9	5.9	5.9	5.6	5.9	5.9	5.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
86170000	0.981	1.800	L	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
811				1	4.2	12000	RIDE		7.1	7.0	6.5	6.4	6.3	6.1	6.7	6.3	6.1	6.0	5.9	5.8		
NE 20 ST(1.1L)						FC95M																
				(2021)			CRACKING	9.0	9.0	8.0	8.0	7.0	3.5*		10.0	10.0	10.0	10.0	9.1	9.0	9.0	8.0
							RIDE	5.7	5.7	5.4*	5.3*	5.1*	4.5*		7.3	7.0	6.9	6.7	6.6	6.7	6.4	
86170000	0.000	0.981	L	1	1	30	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.5	
811				1	3.2	17500	RIDE	5.8*	5.8	5.6	5.3*	5.3*	5.0*	4.6*	6.0	6.0	6.3	6.1	6.0	5.8		
FORT LAUDERDALE CITY LIM(0.0C)						FC95M																
				(2021)			CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	9.2	9.2	8.5	
							RIDE	5.7	5.0*	4.9*	4.8*	4.8*	4.7*	4.4*	6.6	6.9	6.5	6.8	6.8	6.5	6.2	
86180000	0.000	0.336	R	1	1	35	CRACKING	9.5	9.5	9.5	8.5	7.0	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA				3	4.6	44500	RIDE	7.2	6.9	6.6	6.1	6.6	6.1	6.0	7.1	6.9	6.9	6.6	6.7	6.8		
FEDERAL HWY(0.0C)						DGFC																
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	6.0*	
							RIDE	6.9	6.7	5.7	5.6	6.0	5.3*	5.2*	5.5	5.4*	5.7	5.2*	5.1*	5.1*	4.8*	
4498251	0.000	1.636	C	2031		0012																
86180000	0.336	0.754	R	1	1	35	CRACKING	9.5	9.5	9.5	8.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
ALA				3	4.6	44500	RIDE	7.2	6.9	6.6	6.1	6.6	6.1	6.0	6.0	6.1	6.1	6.1	6.1	5.8	6.0	
HARBOR SHOPS(0.4R)						FC95M																
4230071	0.330	0.678	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	7.5	
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE		7.5	7.4	7.1	6.9	7.3	6.7	6.5	6.6	6.5	6.2	6.4	6.5	6.5	6.2	
4498251	0.000	1.636	C	2031		0012																
86180000	0.754	0.912	R	1	1	35	CRACKING			9.5	8.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
ALA				3	3.3	35000	RIDE			6.6	6.1	6.6	6.1	6.0	6.0	6.0	6.1	6.1	5.8	6.0		
EISENHOWER BLVD(0.8C)						DGFC																
				(2014)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.8*	6.5	5.5*	
							RIDE														6.4	6.1
4498251	0.000	1.636	C	2031		0012																
86180000	1.290	1.535	R	1	1	35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0		
ALA				2	3.3	35000	RIDE			7.0	6.5	6.4	6.3	6.3	6.2	6.3	6.4	6.6	6.6	6.4		
HARBOUR INLET(1.4C)						FC125																
				(2003)			CRACKING	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	7.0	7.1	5.5*	
							RIDE	6.6	6.4	5.5	5.5	5.1*	5.4*	5.3*	5.3*	4.8*	4.4*			5.5	5.2*	
4498251	0.000	1.636	C	2031		0012																
86180000	1.535	2.535	R	1	1	30	CRACKING	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5		
ALA				2	3.3	35000	RIDE	5.6*	6.7	6.8	6.2	6.1	4.1*	5.4*	5.2*	5.3*	5.4*	5.4*	5.1*	5.1*		
SPUR(1.6R)						FC95A																
4306011	1.501	2.360	R	2016		0012	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.5	8.5	
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	5.1*	5.1*	4.4*	4.6*	7.1	7.0	6.7	6.8	6.7	6.5	6.5	6.5	6.3	6.0	
86180000	2.535	2.964	C	1	1	30	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.0	9.0	9.0		
ALA				2	2.0	16000	RIDE	6.4*	6.5	5.9	5.8	5.5	4.7*	6.0	6.3	6.1	5.7	5.4*	5.5	5.6		
BAHIA MAR(2.5L)						FC2																
4306011	2.535	2.960	C	2016		0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	8.5	
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	5.5	5.5	5.7	5.5	6.9	6.3	6.2	6.3	6.7	6.2	6.6	6.6	6.0	5.9	
86180000	1.535	2.535	L	1	1	30	CRACKING	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0		
ALA				2	3.3	35000	RIDE	6.0*	7.2	7.1	6.5	6.5	6.3	6.4	6.1	6.2	6.2	6.0	6.0	5.8		
HASKINS AVE(1.6L)						FC95A																
4306011	1.501	2.360	L	2016		0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.5	8.5	
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	6.1	5.8	5.4*	5.2*	7.4	7.1	6.9	6.9	6.4	6.5	6.6	6.1	6.1	5.8	
86180000	1.290	1.535	L	1	1	35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ALA				2	3.3	35000	RIDE			8.0	6.9	7.0	6.9	6.6	7.1	6.8	7.2	7.3	7.2	7.1		
HARBOUR INLET(1.4C)						FC125																
				(2003)			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.4	7.7	6.0*	
							RIDE	7.0	7.1	6.1	6.2	6.1	6.3	5.7	6.3	5.5	5.1*	5.2*	4.6*	5.5	5.2*	
4498251	0.000	1.636	C	2031		0012																
86180000	0.754	0.912	L	1	1	35	CRACKING			9.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		
ALA				3	3.3	35000	RIDE			7.0	6.6	6.6	6.4	6.0	6.3	6.3	7.0	5.8	6.0	5.2*		
EISENHOWER BLVD(0.8C)						DGFC																
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.1*	6.5	5.5*	
							RIDE														5.4*	5.1*
4498251	0.000	1.636	C	2031		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
86180000	0.336	0.754	L	1	1	35	CRACKING	9.5	9.5	9.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
ALA			3	4.6		44500	RIDE	7.5	6.6	7.0	6.6	6.6	6.4	6.0	6.3	6.3	7.0	5.8	6.0	5.2*		
CORDOVA RD(0.4L)																						
4230071	0.330	0.678	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5	6.5	
WEEKLEY ASPHALT PAVING, IN(2014)							SPRIDE	7.3	6.5	6.5	6.7	6.0	5.9	5.8	5.7	5.7	5.6	5.7	5.7	5.7	5.4*	
4498251	0.000	1.636	C	2031		0012																
86180000	0.000	0.336	L	1	1	35	CRACKING	9.5	9.5	9.5	8.5	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA			3	4.6		44500	RIDE	7.5	6.6	7.0	6.6	6.6	6.4	6.0	7.6	7.2	7.5	7.2	6.8	7.3		
FEDERAL HWY(0.0C)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	5.5*	
							RIDE	7.3	7.0											6.1	5.8	
4498251	0.000	1.636	C	2031		0012																
86190000	2.384	3.700	R	1	7	45	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
823			3	3.8		52500	RIDE	8.2	8.2	8.1	7.3	7.4	7.1	7.3	7.4	7.2	7.7	7.7	7.7	7.7	7.7	
MIRAMAR CITY LIMITS(2.5C)																						
4476801	2.626	3.502	R	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	9.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)							SPRIDE	7.6	7.7	7.4	7.5	7.5	7.4	7.3	7.3	7.2	7.3	7.3	7.1	7.4	7.1	
86190000	3.700	7.599	R	1	1	45	CRACKING	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	
823			3	3.1		40500	RIDE	8.5	8.4	8.3	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.4		8.1	
TAFT ST(4.5C)																						
4216701	3.700	7.599	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0	
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	8.1	8.2	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.6	
86190000	7.599	10.897	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	
823			3	3.2		35000	RIDE	8.7	8.5	8.5	8.0	8.0	8.0	8.0	8.0	7.8	7.7	7.9	7.8	7.6	7.5	
DAYSTAR(7.9R)																						
4270121	7.599	10.833	R	2016		0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
COMMUNITY ASPHALT CORP. (2018)							SPRIDE	7.4	7.8	7.9	7.9	8.7	8.6	8.6	8.6	8.6	8.6	8.5	8.5	8.6	8.3	
86190000	7.599	10.897	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	
823			3	3.2		35000	RIDE	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.7	7.8	7.9	7.8	7.7	7.5		
SW 38 ST(7.9L)																						
4270121	7.599	10.833	L	2016		0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
COMMUNITY ASPHALT CORP. (2018)							SPRIDE	7.4	7.8	7.8	7.8	8.5	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.0	
86190000	3.700	7.599	L	1	1	45	CRACKING	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	
823			3	3.1		40500	RIDE	8.5	8.4	8.4	7.7	7.7	7.6	7.5	7.5	7.4	7.4	7.4	7.3		8.0	
TAFT ST(4.5C)																						
4216701	3.700	7.599	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	8.0	8.1	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.8	7.8	7.9	7.6	
86190000	2.384	3.700	L	1	7	45	CRACKING	10.0	7.5	6.5	6.5	6.5	6.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
823			3	3.8		52500	RIDE	8.1	8.1	8.0	7.3	7.5	7.1	7.1	7.2	7.2	7.5	7.5	7.5	7.5	7.5	
MIRAMAR CITY LIMITS(2.5C)																						
4476801	2.625	3.502	L	2025		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)							SPRIDE	7.4	7.5	7.4	7.3	7.4	7.4	7.3	7.3	7.3	7.3	7.2	7.4	7.7	7.4	
86190500	0.000	1.925	R	1	1	45	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
823			3	2.7		41500	RIDE	8.4	8.5	8.4	7.7	7.6	7.5	7.4	7.1	8.4	8.6	8.5	8.4	8.4		
DADE CO LINE/BR# 550(0.0C)																						
4138371	0.000	2.032	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.5	8.0	
COMMUNITY ASPHALT CORP. (2009)							SPRIDE	8.4	8.4	7.9	7.8	7.9	7.8	7.9	7.7	7.8	7.7	7.6	7.6	7.8	7.5	
86190500	0.000	1.925	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
823			3	2.7		41500	RIDE	8.4	8.5	8.2	7.5	7.5	7.4	7.3	7.1	8.6	8.2	8.2	8.1	8.2		
DADE CO LINE/BR# 550(0.0C)																						
4138371	0.000	2.032	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.0	
COMMUNITY ASPHALT CORP. (2009)							SPRIDE	8.1	8.1	7.7	7.6	7.6	7.6	7.6	7.3	7.2	7.2	7.3	7.1	7.3	7.0	
86200000	0.000	2.166	R	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	
858			2	8.3		45500	RIDE	8.2	8.1	7.7	7.0	6.6	7.1	6.8	6.9	7.0	6.5	6.9	6.8	6.8	6.6	
SR 7(0.0C)																						
4287331	0.220	2.166	C	2017		0012	CRACKING	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	9.3	9.3	8.5	
COMMUNITY ASPHALT CORP. (2020)							SPRIDE	6.9	6.6	7.1	6.9	6.7		6.7	6.8	6.7	6.8	6.6	6.6	6.6	6.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
86200000	2.166	3.707	R	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
858			3	2.5	57390		RIDE	6.1*	6.3	6.0	5.4*	5.2*	5.3*	4.9*	5.6	5.4*	7.0	6.9	6.5	6.7		
HOLIDAY PARK(2.2C)																						
4137911	2.407	3.707	R	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.7	8.4	7.0	
WEEKLEY ASPHALT PAVING, INC							SPRIDE	6.5	6.7	6.3	6.2	6.2	6.1	6.0	5.9	5.7	5.7	5.4*	5.7	5.8	5.5	
FC95																						
86200000	3.707	5.000	R	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
858			3	6.9	42500		RIDE	6.1*	6.0	5.9	5.6	5.5	5.4*	4.6*	6.9	6.8	6.5	6.3	5.8	5.8		
SE 2 AVE(3.7R)																						
2281591	4.008	5.000	C	2004	0012		CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
COMMUNITY ASPHALT CORP.							SPRIDE	5.7	5.8	5.5	5.3*	5.1*	5.0*	5.1*	4.9*	5.0*	4.8*	4.9*	5.1*	4.6*	4.3*	
4484131	3.707	5.429	C	2030	0012																	
FC95																						
86200000	5.000	5.429	R	1	1	35	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
858			3	7.7	39500		RIDE				7.0	6.6	6.5	5.9	6.6	6.2	6.3	6.6	6.4	6.5		
DIANA DR(5.2R)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	
4484131	3.707	5.429	C	2030	0012		RIDE	6.6	6.6	6.0	6.0	6.3	6.2	5.7	5.7	5.7	5.3*			5.8	5.5	
FC95																						
86200000	5.000	5.429	L	1	1	35	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
858			3	7.7	39500		RIDE				6.5	6.1	5.7	6.1	5.9	6.0	6.2	6.1	5.7	6.0		
THREE ISLANDS BLVD(5.0L)																						
							CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
4484131	3.707	5.429	C	2030	0012		RIDE	6.0	5.9	5.5	5.5	5.7	5.1*	5.1*	5.0*	5.0*	4.7*	4.4*		6.3	6.0	
FC95																						
86200000	3.707	5.000	L	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
858			3	6.9	42500		RIDE	6.0*	5.8	5.9	5.5	5.5	5.1*	3.7*	7.3	7.3	6.9	6.8	6.8	6.4		
NE 2 AVE(3.7L)																						
2281591	4.008	5.000	C	2004	0012		CRACKING	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
COMMUNITY ASPHALT CORP.							SPRIDE	6.7	6.7	5.9	6.0	5.8	5.6	5.6	5.7	5.5	5.5	5.3*	5.6	5.3*	5.0*	
4484131	3.707	5.429	C	2030	0012																	
FC95																						
86200000	2.166	3.707	L	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.0	
858			3	2.5	57390		RIDE	6.0*	6.2	5.9	5.2*	5.4*	5.1*	5.1*	5.6	5.6	7.4	6.8	6.6	6.5		
HOLIDAY PARK(2.2C)																						
4137911	2.407	3.707	L	2008	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.5	
WEEKLEY ASPHALT PAVING, INC							SPRIDE	6.6	6.5	6.6	6.4	6.5	6.0	6.2	6.3	6.3	6.2	6.0	6.3	6.4	6.1	
FC95																						
86200000	0.000	2.166	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	6.5	6.5	
858			2	8.3	45500		RIDE	8.4	8.3	8.2	7.3	7.4	7.0	6.8	7.0	7.1	6.9	6.6	7.3	7.3		
SR 7(0.0C)																						
4287331	0.220	2.166	C	2017	0012		CRACKING	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
COMMUNITY ASPHALT CORP.							SPRIDE	7.0	7.2	7.1	7.1	6.4	6.2	7.3	7.1	7.1	7.1	7.0	7.0	6.9	6.6	
FC125M																						
86210000	0.000	1.720	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.5			10.0	10.0	10.0	10.0	10.0	
736			2	7.1	26500		RIDE	7.7	7.8	7.8	7.0	7.2	6.6	6.4			6.6	6.6	6.5	6.2		
SR 7(0.0C)																						
							CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
4484141	0.000	1.720	C	2030	0012		RIDE	6.2	6.4	6.0	5.8	5.9	5.8	5.7	5.7	5.6	5.7	5.5	5.6	5.3*	5.0*	
DGFC																						
86210000	1.720	2.350	R	1	1	40	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	6.5			10.0	10.0	10.0	10.0	10.0	
736			2	3.4	44000		RIDE	7.1	6.9	7.1	6.0	6.5	5.6	5.8			8.0	8.2	8.1	8.1		
FC125																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.5	8.9	7.5	
							RIDE	8.2	8.1	8.0	7.3	8.1	8.0	7.9	7.7	7.7	7.7	7.3	7.4	7.7	7.4	
FC125																						
86210000	2.350	2.698	R	1	1	40	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	6.5			9.5	9.0	9.0	9.0	9.0	
736			2	3.4	44000		RIDE	8.1	7.8	7.5	7.4	7.3	6.9	6.7			4.9*	4.6*	4.8*	4.3*		
SEVENTEENTH AVE SW R(2.4R)																						
4339671	2.355	2.620	C	2014	0226		CRACKING	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.4	7.5	
GENERAL ASPHALT CO., INC.							RIDE	4.6*	4.4*											4.7*	4.4*	
DGFC																						
86210000	2.698	4.033	R	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	
736			2	5.0	35500		RIDE	6.4*	6.3	5.8	5.3*	5.3*	5.2*	4.8*			6.9	6.5	6.6	6.6	6.1	
NINTH AVE SW(3.0C)																						
2281801	2.698	4.033	C	2007	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.2	7.8	6.5
WEEKLEY ASPHALT PAVING, INC							SPRIDE	6.5	6.6	5.9	5.7	5.5	5.2*	5.3*	5.3*	5.4*	5.2*	5.1*	5.2*	5.0*	4.7*	
FC95																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)								=====													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																					
CONTRACTOR (AGE_ONE YEAR) ASTYPE																					
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																					
86210000	2.698	4.033	L	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	
736			2	5.0		35500	RIDE	6.3*	6.1	6.3	5.6	4.8*	5.3*	5.5		6.6	6.6	6.4	6.3	6.3	
NINTH AVE SW(3.0C)								FC95													
2281801	2.698	4.033	C	2007		0012	CRACKING	9.5	9.5	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.5	7.7	6.5
WEEKLEY ASPHALT PAVING, IN(2009)								SPRIDE													
86210000	2.350	2.698	L	1	1	40	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0			9.0	9.0	9.0	9.0	
736			2	3.4		44000	RIDE	8.1	8.3	7.3	6.8	6.0	6.5	7.1			4.9*	4.7*	4.9*	4.7*	
SIXTEENTH AVE SW L(2.4L)								DGFC													
4339671	2.355	2.620	C	2014		0226	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.7	7.5
GENERAL ASPHALT CO., INC. (2016)								RIDE													
86210000	1.720	2.350	L	1	1	40	CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	6.5			10.0	10.0	10.0	10.0	
736			2	3.4		44000	RIDE	7.5	7.7	7.4	6.4	5.8	6.2	6.3			7.9	7.6	7.7	7.7	
SW 22 TERR(1.8L)								FC125													
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	8.7	7.5
							RIDE	7.7	7.5	7.5	7.5	7.5	7.5	7.4	7.2	7.1	7.0	7.0	7.1	7.2	6.9
							(2010)														
86210000	0.000	1.720	L	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	9.0	
736			2	7.1		26500	RIDE	8.0	7.6	7.3	7.1	6.3	6.5	6.2			6.1	6.1	6.0	5.8	
SR 7(0.0C)								DGFC													
							CRACKING	9.0	9.0	8.5	8.5	8.5	8.0	8.0	7.0	6.5	6.5	6.5	7.4	7.3	6.0*
							RIDE	5.7	5.8	5.6	5.7	5.7	5.5	5.6	5.3*	5.3*	5.2*	5.2*	5.1*	5.3*	5.0*
							(2010)														
4484141	0.000	1.720	C	2030		0012															
86220000	0.000	1.600	R	1	7	45	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
817			3	3.8		50000	RIDE	6.9		7.9	7.1	7.1	7.0	7.0	7.1	7.0	7.0	7.1	6.9	6.9	
MIRAMAR PKWY(0.7C)								FC125													
							CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			10.0	9.5
							RIDE	7.0	7.5	6.8	6.9	6.6	6.6	6.6	6.8	6.7	6.9			7.8	7.5
							(2026)														
86220000	1.600	2.432	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
817			3	3.2		52500	RIDE	6.9	7.0	6.8	6.6	6.5	8.1	7.6	7.8	7.7	7.7	7.6	7.6	7.5	
MISSING DESCRIPTION I(2.1R)								FC125													
4062781	1.347	2.572	C	2003		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.1	7.3	6.0*
PAVEX CORPORATION (2006)								SPRIDE													
86220000	2.432	6.468	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
817			3	3.6		50000	RIDE	7.7	7.6	7.6	6.8	7.0	6.9	6.9	6.7	6.6	6.8	8.1	8.0	7.9	
PINES BLVD(2.6C)								FC125													
4137961	2.432	6.394	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	8.4	8.4	7.0
COMMUNITY ASPHALT CORP. (2011)								SPRIDE													
86220000	6.468	8.035	R	1	1	45	CRACKING	10.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
817			3	3.3		46500	RIDE	7.9	7.8	7.7	7.5	7.3	7.2	7.2	7.1	7.1	7.1	7.0	6.8	8.4	
ORANGE DR(6.5R)								FC125													
4216721	6.468	7.744	C	2011		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.1	6.9	5.5*
GENERAL ASPHALT CO., INC. (2013)								SPRIDE													
86220000	8.035	8.460	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	1.0*	10.0	10.0	10.0	10.0	7.5	7.5	7.5	
817			3	7.8		61500	RIDE	8.0	8.1	7.9	7.6	7.6	7.4	7.3	7.5	7.6	7.6	7.4	7.4	7.3	
NOVA DR(8.2R)								FC125													
							CRACKING	7.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0
							RIDE	6.8	7.4		8.1	8.2	8.1	8.2	8.1	7.9	8.2	7.7	7.9	8.1	7.8
							(2017)														
86220000	8.460	8.662	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	1.0*	10.0	10.0	10.0	10.0	7.5	7.5	7.5	
817			3	7.8		61500	RIDE	8.0	8.1	7.9	7.6	7.6	7.4	7.3	7.5	7.6	7.6	7.4	7.4	7.3	
S 1900 BLOCK(8.7C)								FC125													
							CRACKING	7.5	7.0		7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.8	5.5*
							RIDE	6.8	7.4		6.8	6.9	6.7	6.6	6.6	6.7	6.5	6.5	6.3	6.0	
							(2007)														
86220000	8.662	8.896	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	1.0*	10.0	10.0	10.0	10.0	7.5	7.5	7.5	
817			3	3.4		73000	RIDE	8.0	8.1	7.9	7.6	7.6	7.4	7.3	7.5	7.6	7.6	7.4	7.4	7.3	
LEG 080500(8.8C)								FC125													
							CRACKING	7.5	7.0		7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.5	9.0
							RIDE	6.8	7.4		6.8	6.9	6.7	6.6	6.6	6.7	6.5	6.5	6.6	6.6	6.3
							(2026)														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
86220000	8.896	10.479	R	1	7	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
817			3	2.6	48500		RIDE	7.4	7.4	7.2	6.5	6.5		7.3	7.3	7.3	7.3	7.3	7.3	7.0	7.2	
PETERS RD(9.3C)							FC125															
				(2026)			CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.5
							RIDE	6.9	7.3	6.7	6.8	6.9	6.7	6.6	6.6	6.7	6.5	6.5			7.1	6.8
86220000	10.479	13.262	R	1	1	45	CRACKING	2.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
817			3	5.8	54500		RIDE	7.2	6.8		7.8	7.8	7.7	7.5	7.7	7.8	7.7	7.7	7.7	7.7	7.6	
SPUR(10.6R)							FC125															
2280801	10.205	13.537	C	2001	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.6	8.6	7.0
COMMUNITY ASPHALT CORP.				(2004)			SPRIDE	7.6	7.7	6.9	6.9	6.9	6.8	6.8	6.8	6.8	6.9	6.8	6.8	6.8	6.9	6.6
86220000	13.262	15.614	R	1	1	45	CRACKING	9.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	
817			3	1.7	59500		RIDE	7.8	7.9	7.7	7.2	7.2	7.1	7.0	6.8	7.0	7.1	7.9	7.9	7.9	7.9	
NW 30 PL(13.4R)							DGFC															
				(2021)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.8	7.8	7.4	7.5	7.3	7.3	7.3	7.6	7.6	7.5	7.6	7.5	7.5	7.5	7.2
86220000	15.614	18.000	R	1	1	45	CRACKING	8.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
817			3	2.5	48500		RIDE	7.5	7.4	7.1	6.8	6.8	6.6	6.5	6.7	6.7	6.6	6.7	7.9	7.9	7.9	
NW 58 ST(15.7C)							FC95															
4153221	13.408	18.002	C	2009	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	8.0	8.6	7.5
GENERAL ASPHALT CO., INC.				(2011)			SPRIDE	7.8	7.8	7.4	7.5	7.3	7.3	7.3	7.5	7.5	7.5	7.5	7.4	7.4	7.1	
86220000	18.000	21.003	R	1	1	45	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
817			3	17.7	38500		RIDE	6.5	6.3*	6.8	6.1*	6.0*	5.7	5.1*	5.6	5.2*	7.8	7.7	7.5	7.5		
SW 1 CT(18.1R)							FC125															
4137971	18.000	21.003	C	2008	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	7.5
PAVEX CORPORATION				(2010)			SPRIDE	7.7	7.8	7.3	7.4	7.4	7.3	7.2	7.1	7.2	6.9	7.1	7.1	7.1	7.1	6.8
86220000	18.002	21.003	L	1	1	45	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
817			3	17.7	38500		RIDE	6.5	6.3*	6.8	6.1*	6.0*	5.7	5.1*	5.6	5.2*	7.8	7.7	7.5	7.5		
FIRST CT SW(18.1L)							FC125															
4137971	18.000	21.003	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.7	7.5
PAVEX CORPORATION				(2010)			SPRIDE	7.4	7.5	7.0	7.1	7.2	7.0	6.9	6.8	6.8	6.5	6.7	6.8	6.8	6.8	6.5
86220000	15.614	18.002	L	1	1	45	CRACKING	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
817			3	2.5	48500		RIDE	7.6	7.5	7.4	6.7	6.7	6.5	6.4	6.6	6.4	6.5	8.1	8.0	7.9		
NW 58 ST(15.7C)							FC95															
4153221	13.408	18.002	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	8.8	7.5
GENERAL ASPHALT CO., INC.				(2011)			SPRIDE	7.9	7.9	7.5	7.5	7.4	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.1	7.2	6.9
86220000	13.262	15.614	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
817			3	1.7	59500		RIDE	6.7	6.7	6.7	6.4*	6.1*	6.2	6.0	6.1	6.2	6.3	8.1	8.0	7.9		
OAKLAND PARK(13.6L)							DGFC															
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.9	7.9	7.5	7.5	7.4	7.3	7.3	7.3	7.2	7.3	7.3	7.2	7.2	7.2	6.9
86220000	10.479	13.262	L	1	1	45	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
817			3	5.8	54500		RIDE	6.8	6.6		7.7	7.7	7.7	7.6	7.7	7.5	7.6	7.6	7.5	7.4		
FRONTAGE RD(10.6L)							FC125															
2280801	10.205	13.537	C	2001	0012		CRACKING	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	8.0	8.3	8.2	6.5
COMMUNITY ASPHALT CORP.				(2004)			SPRIDE	7.4	7.5	6.8	6.8	6.8	6.7	6.7	6.7	6.7	6.6	6.5	6.4	6.7	6.4	
86220000	8.655	10.479	L	1	7	45	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0		
817			3	2.6	48500		RIDE	6.9	6.9	6.7	6.1*	6.1*		7.1	7.0	7.1	7.0	7.1	6.9	7.0		
S 1900 BLOCK(8.7C)							FC125															
				(2026)			CRACKING	8.5	8.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.5
							RIDE	6.8	7.3	6.7	6.8	6.8	6.5	6.6	6.6	6.5	6.7	6.6			7.0	6.7
86220000	8.397	8.655	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		
817			3	7.8	61500		RIDE	7.3	7.3	7.2	7.0	7.1	6.9	6.9	7.0	7.0	7.0	6.9	6.9	7.0		
VALENCIA DR(8.5L)							FC125															
				(2001)			CRACKING	8.5	7.5		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		6.8	5.0*
							RIDE	7.0	7.1		6.8	6.8	6.5	6.6	6.6	6.5	6.7	6.6			6.4	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****																
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P	*****														(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****																
86220000	8.114	8.397	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5			
817			3	7.8		61500	RIDE	7.3	7.3	7.2	7.0	7.1	6.9	6.9	7.0	7.0	7.0	6.9	6.9	7.0			
EARL MORRALL PASS(8.2L)							FC125																
							CRACKING	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.2	7.0		
							RIDE	7.0	7.1		7.6	7.0	6.6	7.3	7.2	6.9	7.3	7.4	7.3	7.0	6.7		
(2017)																							
86220000	6.468	8.114	L	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0			
817			3	3.3		46500	RIDE	7.5	7.3	7.0	6.6	6.6	6.5	6.2	6.3	6.5	6.3	6.3	6.3	8.0			
ORANGE DR(6.5L)							FC125																
4216721	6.468	7.744	C	2011		0012	CRACKING	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	7.3	7.0	6.0*		
GENERAL ASPHALT CO., INC. (2013)							SPRIDE	7.9	7.9	7.9	7.5	7.4	7.5	7.4	7.2	7.2	7.2	7.1	7.2	7.3	7.0	7.0	
86220000	2.432	6.468	L	1	1	45	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0			
817			3	3.6		50000	RIDE	7.3	7.2	7.3	6.8	6.6	6.4	6.7	6.6	6.6	6.9	8.3	8.1	7.9			
PINES BLVD(2.6C)							FC125																
4137961	2.432	6.394	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	8.6	7.5		
COMMUNITY ASPHALT CORP. (2011)							SPRIDE	7.9	7.9	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.2	7.2	7.2	6.9	6.9
86220000	1.600	2.432	L	1	2	45	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
817			3	3.2		52500	RIDE	6.2*	6.2*	6.4*	5.9*	5.6*	8.0	7.6	7.7	7.7	7.7	7.7	7.5	7.5			
HOWARD FOREMAN(2.1L)							FC125																
4062781	1.347	2.572	C	2003		0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.5	7.2	5.5*		
PAVEX CORPORATION (2006)							SPRIDE	7.6	7.5	7.3	7.2	6.9	7.1	7.1	7.0	7.0	7.0	6.9	6.9	6.8	6.5	6.5	
86220000	0.000	1.600	L	1	7	45	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
817			3	3.8		50000	RIDE	6.2*		7.6	7.2	6.7	7.0	6.9	7.1	7.1	7.2	6.9	7.0	7.0			
MIRAMAR PINELAND(0.4L)							FC125																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0			10.0	9.5		
							RIDE	6.9	7.4	7.1	7.1	7.1	6.8	6.9	6.4	6.7	7.3			7.3	7.0		
(2026)																							
86230000	0.000	2.524	R	1	1	40	CRACKING	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
822			3	3.7		41500	RIDE	7.3	7.4	7.4	6.6	6.6	6.6	6.4	6.3	6.2	6.4	6.2	7.8	7.7			
HOLLYWOOD CITY LIMITS(0.0C)							FC95																
4168831	0.022	2.679	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5		
GENERAL ASPHALT CO., INC. (2012)							SPRIDE	7.6	7.8	7.6	7.5	7.5	7.4	7.1	7.4	7.4	7.3	7.3	7.3	7.3	7.0	7.0	
86230000	2.524	3.021	R	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*			
822			3	3.3		45500	RIDE	8.1	8.0	8.1	7.1	7.2	7.1	6.7	7.2	7.2	7.2	6.7	6.5	6.4			
N 29 AVE(2.7C)							FC125																
4246741	2.524	3.015	C	2013		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5		
RANGER CONSTRUCTION INDUST(2016)							SPRIDE	6.0	6.3	6.7	6.2	6.3	6.1	6.0	6.4	6.0	6.4	6.2	6.5	6.5	6.4	6.1	
86230000	3.021	3.500	R	1	1	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0			
822			3	3.8		43500	RIDE	8.1	8.0	8.1	7.1	7.2	7.1	6.7	7.2	7.2	7.2	7.2	6.8	7.0			
N 26 AVE(3.0R)							DGFC																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	8.4	7.0		
							RIDE	7.0	6.7	7.6	7.7	7.7	7.7	7.4	7.6	7.5	7.4	7.4	7.3	7.3	7.0		
(2011)																							
86230000	3.500	4.057	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0			
822			2	5.0		31000	RIDE	8.2	8.8	7.1	7.2	6.5	7.2	7.5	7.0	6.7	7.2	6.7	6.6	6.9			
N 22 AVE(3.5R)							FC125M																
4416291	3.547	4.050	R	2021		0012	CRACKING	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0		
WEEKLEY ASPHALT PAVING, IN(2023)							SPRIDE	6.7	7.0	6.5	6.3	6.4	6.2	5.8	5.8	5.9	6.2	5.7	6.0	5.9	5.6		
86230000	4.057	5.707	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
822			2	4.1		17000	RIDE	7.9	7.4	7.8	7.0	7.2		7.0	7.1	7.1	6.9	7.1	7.0	6.8			
HOLLYWOOD LINCOLN MERCUR(4.2R)							FC125																
2279381	4.057	5.639	C	2004		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.7	7.9	6.5		
PAVEX CORPORATION (2007)							SPRIDE	6.8	6.8	6.2	5.9	6.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.9	5.7	5.7	5.4*
86230000	5.707	5.792	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0		8.5	8.5	8.5	8.5	8.5	8.5	8.5			
822			3	4.1		17000	RIDE																
HOLLYWOOD CITY LIMITS(5.8C)							FC125																
							CRACKING	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.0	
							RIDE														5.0*	4.7*	
(2024)																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)	
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)																				
ITMSEG-F																						
86230000	5.707	5.792	L	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0		8.5	8.5	8.5	8.5	8.5	8.5	8.5		
822				2	4.1	17000	RIDE															
HOLLYWOOD CITY LIMITS(5.8C)						FC125																
						(2024)	CRACKING	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.0	
							RIDE														3.4*	
																					3.1*	
86230000	4.057	5.707	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
822				2	4.1	17000	RIDE	7.9	7.4	7.8	7.0	7.2		7.3	7.4	7.5	7.3	7.3	7.3	7.3	7.1	
SE 2 AVE(4.2L)						FC125																
2279381	4.057	5.639	C	2004	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.4	7.0
PAVEX CORPORATION						(2007)	SPRIDE	6.9	7.1	6.7	6.8	6.6	6.6	6.6	6.4	6.4	6.4	6.5	6.6	6.5	6.5	6.2
86230000	3.555	4.057	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
822				2	5.0	31000	RIDE	7.6	7.6	6.1	7.0	6.9	6.5	7.1	7.4	7.2	7.0	6.9	6.4	7.0		
CR 5A(3.6C)						FC125M																
4416291	3.547	4.050	L	2021	0012	CRACKING	9.5	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2023)						SPRIDE	6.9	6.7	6.8	6.4	6.0	6.4	6.5	6.3	6.4	6.3	5.7	5.7	6.0	6.0	5.7	
86230000	3.021	3.555	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
822				3	3.8	43500	RIDE	8.1	8.0	7.9	7.3	7.4	7.0	7.1	7.2	7.5	7.6	7.3	7.5	7.5		
OAKWOOD BLVD(3.0L)						DGFC																
2279471	3.067	4.084	C	1995	0220	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	6.5	
WEEKLEY ASPHALT PAVING, IN(1997)						S RIDE	7.4	7.5	7.4	7.5	7.3	7.1	7.1	6.9	7.1	7.1	6.8	7.0	7.1	7.1	6.8	
86230000	2.524	3.021	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*	4.5*	4.5*		
822				3	3.7	45500	RIDE	8.1	5.6	8.0	7.1	7.0	7.1	6.4	6.9	7.1	7.0	6.9	6.6	6.2		
N 29 AVE(2.7C)						FC125																
4246741	2.524	3.015	C	2013	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.2	8.0	
RANGER CONSTRUCTION INDUST(2016)						SPRIDE	6.4	6.1	7.5	7.3	7.0	7.2	7.1	7.2	7.1	7.0	6.7	7.1	7.0	7.0	6.7	
86230000	0.000	2.524	L	1	1	40	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
822				3	3.7	41500	RIDE	7.8	7.6	7.7	7.0	7.1	6.8	6.8	6.8	6.7	6.8	6.7	8.1	8.0		
HOLLYWOOD CITY LIMITS(0.0C)						FC95																
4168831	0.022	2.679	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5	
GENERAL ASPHALT CO., INC. (2012)						SPRIDE	8.0	8.1	7.7	7.8	7.7	7.6	7.6	7.4	7.5	7.5	7.4	7.5	7.4	7.5	7.1	
86470000	0.000	0.576	R	5	1	65	CRACKING	7.5	7.5	7.5	6.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		
91				3	10.1	150916	RIDE	8.7	8.6	8.6	7.9	7.9	7.6	7.6	7.5	7.3	7.2	7.8	7.9	7.8		
HEFT(0.4R)						FC5M																
4379901	0.000	0.465	R	2022	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	8.5	
RANGER CONSTRUCTION INDUST(2024)						SPRIDE	7.8		8.1	8.2	8.2	8.1	8.0	8.1	8.2	8.2	8.4	8.3	8.2	8.2	8.1	
86470000	0.576	2.590	R	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*	10.0	10.0		
91				3	10.1	150916	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6	7.7	7.9		
						FC5M																
4060958	0.749	2.590	C	2011	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	3.5*	4.5*	5.5*	4.5*	2.0*		
COMMUNITY ASPHALT CORP. (2012)						SPRIDE	7.8	7.8	8.0	7.9	7.9	7.8	7.6	7.9	7.9	7.7	7.7	7.5	7.5	7.5	7.4	
4462231	0.000	3.500	C	2024	0548																	
86470000	2.590	3.163	R	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*	10.0	10.0		
91				3	10.1	150916	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6	7.4	7.5		
						FC5M																
						(2012)	CRACKING	10.0	9.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	7.2	6.8	4.5*	
4462231	0.000	3.500	C	2024	0548				7.8	8.1	8.2	8.1	8.1	8.0	7.9	7.9	8.0	7.7	7.8	7.9	7.8	
86470000	3.163	6.418	R	5	8	65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*		10.0		
91				3	10.1	153800	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6		8.0		
						FC5M																
4060958	3.163	6.924	R	2011	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	4.5*	5.5*				
COMMUNITY ASPHALT CORP. (2013)						SPRIDE	7.9	7.6	8.1	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.8	7.8				
4462241	3.500	7.000	C	2024	0548																	
86470000	6.418	6.924	R	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*		10.0		
91				3	10.1	153800	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6		8.0		
						FC5M																
4060958	3.163	6.924	R	2011	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	4.5*	5.5*	6.5	4.0*		
COMMUNITY ASPHALT CORP. (2013)						SPRIDE	7.9	7.6	8.1	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.8	7.8	7.9	7.9	7.8	
4462241	3.500	7.000	C	2024	0548																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT	AT (MP	SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
86470000	6.924	9.450	R	5	1	65	CRACKING															
91	54.4	56.9	4	13.8	157100		RIDE	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*				
							FC5M															
				(2016)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	5.5*	5.5*	3.5*	
4513641	7.000	10.101	C	2026	0012		RIDE			8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.1	8.0	
86470000	9.450	10.115	R	5	1	65	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
91	56.9	57.5	4	13.8	159200		RIDE	8.5	8.5	8.5	7.7	7.7	7.7	7.7	7.6					7.9	8.1	
							FC5															
4060944	9.500	12.530	R	2009	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	6.0*
COMMUNITY ASPHALT CORP.	(2012)						SPRIDE	8.0	8.0	8.0	8.0	8.0	7.9	7.8	8.1	8.0	8.1	8.1	8.0	7.9	7.8	
4513641	7.000	10.101	C	2026	0012																	
86470000	10.115	11.189	R	5	1	65	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
91	57.5	58.6	4	13.8	159200		RIDE	8.5	8.5	8.5	7.7	7.7	7.7	7.7	7.6					7.9	8.1	
							FC5M															
4420611	10.099	11.175	R	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.0
GENERAL ASPHALT CO., INC.	(2025)						SPRIDE	8.0	8.0	8.0	8.0	8.0	7.9	7.8	8.1	8.0	8.1			8.1	8.3	8.2
86470000	11.189	11.862	R	5	1	65	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
91	58.6	59.3	4	13.8	159200		RIDE	8.5	8.5	8.5	7.7	7.7	7.7	7.7	7.6					7.9	8.1	
							FC5M															
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	9.8	10.0	8.5	8.4
							RIDE	8.0	8.0	8.0	8.0	8.0	7.9	7.8	8.4	8.6	8.3	8.3	8.3	8.3	8.5	8.4
86470000	11.862	16.762	R	5	1	65	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0							
91	59.3	64.2	4	13.8	148700		RIDE	8.4	8.4	8.4	7.7	7.7	7.7	7.7	7.6							
							FC5M															
4420611	11.845	15.007	R	2023	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC.	(2025)						SPRIDE	7.9	7.8	7.8	7.8	7.8	7.7	7.9	8.1	8.1	7.8	7.8	8.4	8.4	8.3	
86470000	16.762	17.480	R	5	1	65	CRACKING	10.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*						
91	64.2	64.9	4	13.8	130700		RIDE	8.2	8.2	8.1	7.1	6.9	7.4	7.0	7.2	7.2						
							OGFC															
				(2022)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	10.0	10.0	9.7	8.6	7.0	
							RIDE	7.9	7.8	7.8	7.8	7.8	7.7	7.9		8.4	8.2	8.4	8.4	8.4	8.3	
86470000	17.480	18.022	R	5	1	65	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*						
91	64.9	65.5	4	13.8	130700		RIDE	8.2	8.1	8.1	7.6	6.9	7.4	7.0	7.2	7.2						
							FC5M															
4420611	17.499	18.001	R	2023	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC.	(2025)						SPRIDE	7.9	7.8	7.8	7.8	7.8	7.7	7.9	8.1	8.2	8.0	8.0	8.0	8.2	8.5	8.4
86470000	18.022	24.048	R	5	7	65	CRACKING	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
91	65.5	71.5	3	13.8	111400		RIDE	8.5	8.4	8.4	8.0	7.9	7.8	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.6	
							FC5M															
4460241	18.427	23.811	R	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	7.0	10.0	9.0	
HALLEY ENGINEERING CONTRAC	(2026)						SPRIDE	8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.1	8.1	8.0	8.0	7.9
86470000	24.048	25.912	R	5	1	65	CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*			
91	71.5	73.3	3	13.8	118700		RIDE	8.7	8.4	8.5	7.8	7.7	7.5	7.5	7.6	7.5	7.4	7.1	7.2			
							FC5															
4061505	18.660	25.912	R	2012	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	7.0	5.9*	3.5*	
COMMUNITY ASPHALT CORP.	(2014)						SPRIDE	8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.1	8.1	8.0	8.0	7.9
4159274	24.335	25.912	C	2025	0548																	
86470000	24.048	25.912	L	5	1	65	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*			
91	71.5	73.3	3	13.8	118700		RIDE	8.4	8.4	8.2	7.8	7.6	7.5	7.2	7.3	7.2	7.2	7.1	7.0			
							FC5															
4061505	18.960	25.912	L	2012	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	4.5*	4.5*			5.9*	3.5*
COMMUNITY ASPHALT CORP.	(2014)						SPRIDE	8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0			8.0	7.9
4159274	24.335	25.912	C	2025	0548																	
86470000	18.774	24.048	L	5	7	65	CRACKING	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*			
91	66.2	71.5	3	13.8	111400		RIDE	8.2	8.2	8.2	7.6	7.4	7.4	7.3	7.3	7.2	7.2	7.2	7.2	7.1		
							FC5															
4460241	18.569	23.811	L	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	4.5*	4.5*			10.0	9.0
HALLEY ENGINEERING CONTRAC	(2026)						SPRIDE	8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0			7.9	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				*****															
ITMSEG-P	W_BMP	W_EMP	FW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)	RW	FY-F	WKM	F															(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
86470000	16.360	18.774	L	5	1	65	CRACKING	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*					10.0	10.0	
91		63.8	4	13.8	130700		RIDE	8.2	8.1	8.1	7.6	7.6	7.4	7.4	7.1					8.0	7.7	
							OGFC															
				(2022)			CRACKING	10.0	10.0	9.0	9.0	9.0	7.5			10.0	10.0	10.0	9.3	8.5	7.0	
							RIDE	7.6	7.8	7.9	7.9	7.9	7.8			8.2	8.1	8.2	8.1	8.2	8.1	
86470000	11.816	16.360	L	5	1	65	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
91		59.2	4	13.8	148700		RIDE	8.4	8.4	8.3	7.9	7.9	7.8	7.9	7.6					7.8	7.7	
							FC5M															
4420611	11.845	16.321	L	2023	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC.				(2025)			SPRIDE	7.6	7.8	7.9	7.9	7.9	7.8	7.6	7.9	7.9	7.7	7.1	8.5	8.5	8.4	
86470000	10.950	11.816	L	5	1	65	CRACKING	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					10.0		
91		58.4	4	13.8	159200		RIDE	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					7.8		
							FC5M															
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	10.0	10.0	10.0	10.0	9.5	8.8	7.0	
							RIDE	8.0	8.1	8.1	8.1	8.0	7.9	7.9	8.6	8.5	8.5	8.5	8.5	8.5	8.4	
86470000	10.068	10.950	L	5	1	65	CRACKING	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					10.0		
91		57.5	4	13.8	159200		RIDE	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					7.8		
							FC5M															
4420611	10.099	11.023	L	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.5	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC.				(2025)			SPRIDE	8.0	8.1	8.1	8.1	8.0	7.9	7.9	8.2	8.2	8.2	8.2	8.3	8.5	8.4	
86470000	6.899	10.068	L	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0		
91		54.3	4	13.8	157100		RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9					8.1		
							FC5M															
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.2	5.0*	
							RIDE		8.3	8.4	8.3	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.2	
4513641	7.000	10.101	C	2026	0012																	
86470000	6.396	6.899	L	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0		
91		53.8	4	10.1	153800		RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9					8.1		
							FC5															
				(2015)			CRACKING		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	8.3	8.2	6.0*
							RIDE		8.0	7.9	7.8	7.8	7.8	7.7	7.9	8.1	8.0	7.9	8.1	8.0	7.9	
4462241	3.500	7.000	C	2024	0548																	
86470000	3.099	6.396	L	5	8	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*		10.0		
91		50.5	4	10.1	153800		RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.6		8.2		
							FC5M															
4060958	3.163	5.711	L	2011	0226		CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	1.0*	1.0*	1.0*	4.5*			
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.2	8.2	8.3	8.2	8.2	8.1	7.9	8.2	8.1	8.0	8.0	7.8			
4462241	3.500	7.000	C	2024	0548																	
86470000	2.590	3.099	L	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*				
91		50.0	4	10.1	150916		RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.6				
							FC5M															
				(2016)			CRACKING			10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	7.0	6.7	4.5*	
							RIDE			8.1	8.1	8.0	7.9	7.9	8.0	8.0	7.9	7.9	7.7	8.0	7.9	
4462231	0.000	3.500	C	2024	0548																	
86470000	0.576	2.590	L	5	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*		10.0		
91		48.0	3	10.1	150916		RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.6		8.2		
							FC5M															
4060958	0.749	2.590	C	2011	0226		CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	5.0*	5.0*	2.5*	
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.2	8.1	8.2	8.1	8.0	7.9	7.9	8.0	8.0	7.9	7.9	7.8	7.7	7.6	
4462231	0.000	3.500	C	2024	0548																	
86470000	0.000	0.576	L	5	1	65	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		
91		3.3	3	10.1	150916		RIDE	8.7	8.6	8.6	7.9	7.8	7.8	7.7	7.6	7.6	7.4	8.1	8.0	8.2		
							FC5M															
HEFT(0.3L)																						
4379901	0.000	0.439	L	2022	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	8.5	
RANGER CONSTRUCTION INDUST				(2024)			SPRIDE	8.2	8.1	8.2	8.2	8.2	8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.1	8.0	
86471000	0.000	5.593	R	5	1	70	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	10.0	10.0	10.0		
821		40.2	4	7.3	105100		RIDE	8.7	8.7	8.6	8.3	8.2	8.2	8.1	8.2	7.9	8.1	8.1	8.2	8.4		
							FC5M															
				(2023)			CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5			10.0	10.0	9.5	8.9	7.5	
							RIDE	8.3	8.3	8.5	8.5	8.5	8.4	8.3			8.2	8.2	8.2	8.3	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	FC5M	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
86471000	5.593	6.818	R	5	1	70	CRACKING	8.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
821	45.7	47.0	3	7.3	91500		RIDE	8.1	7.9	7.8	7.8			8.0	8.1	8.1	8.1	8.1	7.9	8.1	8.1
							FC5M														
				(2023)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0				10.0	10.0	9.0	8.8	7.5
							RIDE	8.1	8.1	8.2	8.1	8.1	8.0				8.0	8.1	8.1	8.3	8.2
86471000	6.818	7.149	R	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			10.0
821	47.0	47.3	2	7.3	91500		RIDE	7.8	7.7	7.7	7.3	7.5	7.0	6.7	6.8	6.9	7.0	7.1			7.8
							FC5M														
				(2025)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0
							RIDE	7.6	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.5			8.4	8.5
86471000	7.149	7.706	R	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			10.0
821	47.3	47.9	1	7.3	91500		RIDE	7.8	7.7	7.7	7.3	7.5	7.0	6.7	6.8	6.9	7.0	7.1			7.4
							HFST														
				(2025)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0
							RIDE	7.2	7.0	7.8	7.7	7.9	7.6	7.3	7.4	7.3	7.3			7.7	7.8
86471000	7.207	7.706	L	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0			10.0
821	47.4	47.9	2	7.3	91500		RIDE	7.9	8.3	7.9	6.7	7.7	7.1	6.9	7.2	7.2	7.2	7.4			8.0
							FC5M														
				(2025)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0				10.0	10.0
							RIDE	7.8	8.0	7.7	7.9	7.5	7.8	7.4	7.6	7.4	7.6			7.7	7.7
86471000	6.973	7.207	L	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0			10.0
821	47.1	47.4	2	7.3	91500		RIDE	7.9	8.3	7.9	6.7	7.7	7.1	6.9	7.2	7.2	7.2	7.4			7.2
							FC5M														
				(2025)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0				9.0			10.0	10.0
							RIDE	7.2	7.3	7.6	7.4	7.8	7.2				7.4			8.0	8.2
86471000	6.102	6.973	L	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.0			10.0
821	46.3	47.1	3	7.3	91500		RIDE	7.9	8.3	7.9	6.7	7.7	7.1	6.9	7.2	7.2	7.2	7.4			7.2
							FC5M														
				(2023)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0				10.0	10.0	9.3	9.0	7.5
							RIDE	7.2	7.3	7.6	7.4	7.8	7.2				8.2	8.1	8.0	8.2	8.1
86471000	0.000	6.102	L	5	1	70	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5				10.0
821	40.2	46.3	4	7.3	105100		RIDE	8.8	8.8	8.8	8.5	8.5	8.3	8.4	8.3	8.4	8.3				8.4
							FC5M														
				(2023)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0				10.0	10.0	10.0	8.7	7.5
							RIDE	8.3	8.4	8.6	8.5	8.5	8.4	8.4			8.4	8.4	8.4	8.4	8.3
86472000	0.000	1.774	R	5	1	65	CRACKING	9.0	7.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
869	0.0	1.8	3	6.7	121900		RIDE	7.7	7.7	8.2				7.4	7.3	7.4	7.3	7.3	7.2	7.2	7.2
							FC5M														
				BEGIN SECTION(0.0C)																	
2323521	0.000	8.173	C	2002	0218		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.0*
BERGERON LAND DEVELOPMENT, (2006)							SPRIDE	7.3	8.1	8.3	8.3	8.2	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.3	8.2
4371551	0.500	4.100	C	2025	0213																
86472000	1.774	2.187	R	5	1	65	CRACKING	7.0	6.5	6.5				10.0	10.0	10.0				10.0	
869	1.8	2.2	3	6.7	107900		RIDE	8.2	8.3	7.7				7.4	7.3	7.3				7.7	
							FC5														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.3	7.3
							RIDE	7.6	7.5	7.6	7.6	7.3	7.5	7.6	7.6	7.6	7.1	7.1	7.1	7.5	7.4
4371551	0.500	4.100	C	2025	0213																
86472000	2.187	7.317	R	5	1	65	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	9.0	9.0	9.0	9.0	
869	2.2	7.3	3	6.7	105156		RIDE	8.6	8.6	8.5				7.9	7.9	7.9	8.0	8.1	7.9	7.9	
							FC5M														
4310893	2.852	8.174	C	2013	0012		CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0
THE DE MOYA GROUP INC. (2015)							SPRIDE	7.8	8.4	8.1	8.1	8.0	8.0	8.0	8.2	8.2	8.2	8.2	8.2	8.1	8.1
4371556	4.100	7.500@	C	2026	0213																
86472000	7.317	9.315	R	5	8	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0				10.0	10.0	10.0	10.0	
869	7.3	9.3	3	6.7	85600		RIDE	8.7	8.7	8.6	8.0	8.0	8.0	8.0	8.0	7.9	8.0	7.9	8.0	8.0	
							FC5M														
4061471	8.000	14.000	C	2006	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5		
				(2009)			RIDE	7.9	8.0	8.2	8.2	8.0	8.1	8.0	8.2	8.2	8.2	8.2	8.2	8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	
INTERSECT	AT	(MP		SIDE)	WT	ADT	RATINGS	*****														
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FW	FY-P	WKM-F	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FW	FY-F	WKM-F																
86472000	9.315	14.000	R	5	1	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0		
869	9.3	14.0	3	6.7	72500		RIDE	8.7	8.7	8.6	8.0	8.0	8.0	8.0		7.9	8.0	7.9	8.0	8.0		
							FC5M															
4061471	8.000	14.000	C	2006	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.8	4.0*	
				(2009)			RIDE	7.9	8.0	8.2	8.2	8.0	8.1	8.0	8.2	8.2	8.2	8.2	8.1	8.1	8.0	
4354611	9.000	12.000@	C	2024	0213																	
86472000	14.000	18.031	R	5	1	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0		
869	14.0	18.0	3	6.7	93900		RIDE	8.7	8.7	8.6	8.0	8.0	8.0			8.1	8.1	8.0	8.1	8.1		
							FC5															
4061531	14.000	21.800	C	2005	0213		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	9.0	6.5
				(2009)			RIDE	8.1	8.2	8.4	8.4	8.1	8.3	8.3	8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.5
4354615	14.800	18.400	C	2027	0213																	
86472000	18.031	20.777	R	5	7	65	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0		
869	18.0	20.8	3	6.7	94800		RIDE	8.7	8.7	8.6	8.0	8.0	8.0			8.1	8.1	8.0	8.1	8.1		
							FC5M															
				(2026)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	10.0	9.0
							RIDE	8.1	8.2	8.4	8.4	8.1	8.3	8.3	8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.1
86472000	20.777	21.248	R	5	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0		
869	20.8	21.2	3	6.7	43500		RIDE	8.3	8.3	8.0	7.7	7.5	7.5	7.3			7.4	7.5	7.5	7.5		
							FC5															
4061531	14.000	21.800	C	2005	0213		CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.2*	6.5	4.0*
				(2010)			RIDE	7.5	7.5	7.4	7.3	7.3	7.3	7.3	7.1	7.2	7.4	7.1	7.1	7.1	7.1	7.6
86472000	21.248	21.835	R	5	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	
869	21.2	21.8	3	6.7	43500		RIDE	8.3	8.3	8.0	7.7	7.5	7.5	7.3			7.6	7.4	7.5	7.5	7.5	
							FC3															
				(2026)			CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.2*	9.0
							RIDE	7.5	7.5	7.4	7.3	7.3	7.3	7.3	7.1	7.2	7.4	7.1	7.1	7.1	7.1	6.6
86472000	21.248	21.835	L	5	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	
869	21.2	21.8	3	6.7	43500		RIDE	8.1	8.4	8.3	7.5	7.5	7.5	7.6			7.3	7.3	7.2	7.3	7.3	
							FC3															
4061531	14.000	21.800	C	2005	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.5
				(2009)			RIDE	7.2	7.2	7.1	7.3	7.1	7.0	6.9	6.6	6.9	7.0	7.0	7.0	6.9	6.9	6.8
86472000	20.563	21.248	L	5	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0
869	20.6	21.2	2	6.7	43500		RIDE	8.1	8.4	8.3	7.5	7.5	7.5	7.6						7.8	7.8	7.8
							FC5															
4061531	14.000	21.800	C	2005	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.3	7.8	5.0*
				(2011)			RIDE	7.7	7.9	7.8	7.8	7.8	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.7	7.6
4372241	18.000	21.000	C	2030	0213																	
86472000	18.031	20.563	L	5	7	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	
869	18.0	20.6	2	6.7	92000		RIDE	8.6	8.5	8.3	8.0	7.7	7.8			8.0	8.0	7.9	8.0	8.0		
							FC5M															
				(2026)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	10.0
							RIDE	8.0	8.1	8.3	8.3	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2
86472000	14.000	18.031	L	5	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0				10.0	10.0	10.0	10.0	10.0	
869	14.0	18.0	3	6.7	93900		RIDE	8.5	8.5	8.5	7.9	7.9	7.8			8.0	8.0	7.9	8.0	8.0		
							FC5															
4061531	14.000	21.800	C	2005	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	7.6	5.0*
				(2009)			RIDE	8.0	8.1	8.3	8.3	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2
4354615	14.800	18.400	C	2027	0213																	
86472000	8.996	14.000	L	5	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	10.0	10.0	10.0	
869	9.0	14.0	3	6.7	72500		RIDE	8.5	8.5	8.5	7.9	7.9	7.8	7.7				8.0	8.0	8.0	8.0	
							FC5M															
4061471	8.000	14.000	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	7.6	5.0*
				(2010)			RIDE	8.0	8.1	8.2	8.2	8.2	8.1	8.1	8.2	8.3	8.2	8.2	8.2	7.5	8.3	8.2
4354611	9.000	12.000@	C	2024	0213																	
86472000	7.383	8.996	L	5	8	65	CRACKING	6.5	4.5*	3.5*								10.0	10.0	10.0	10.0	
869	7.4	9.0	3	6.7	85600		RIDE	8.1	8.1	8.0								7.6	7.6			
							FC5M															
4061471	8.000	14.000	C	2006	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	
				(2010)			RIDE	8.0	8.1	8.2	8.2	8.2	8.1	8.1	8.2	8.3	8.2	8.2	8.2	8.2	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

