

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

-----																			DISTRICT = 6 COUNTY = DADE		-----																		
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE										FUTURE																			
SR US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011																				
INTERSECT AT (MP SIDE)						*****																																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029																			
CONTRACTOR (AGE_ONE YEAR)					ASTYPE															(REG)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																																		
87001000	0.000	1.125	R	1	1	50	CRACKING	10.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0																			
94							RIDE	8.1	7.9	8.0	7.9	7.7	6.6	6.6	6.5	7.9	7.9	7.9	7.5	7.6																			
KROME AVE/SW 177 AVE(0.0C)																																							
							FC5																																
4124681	0.010	1.397	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8																			
COMMUNITY ASPHALT CORP.				(2007)			RIDE	7.7	7.5	7.6	7.6	7.9	7.7	7.5	7.8	7.9	7.8	7.8	7.7	7.7																			
87001000	1.125	1.617	R	1	1	45	CRACKING	10.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0																			
94							RIDE	8.1	7.9	8.0	7.9	7.7	6.6	6.6	6.5	7.9	7.9	7.9	7.5	7.6																			
DEVELOPMENT ENT R(1.1C)																																							
							DGFC																																
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0																			
							RIDE	7.7	7.5	7.6	7.6	7.9	7.7	7.5	7.8	7.9			6.4	6.6																			
87001000	1.617	2.716	R	1	1	45	CRACKING	10.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0																			
94							RIDE	8.1	7.9	8.0	7.9	7.7	6.6	6.6	6.5	6.5	6.4	6.3		8.4																			
SW 162 AVE(1.6C)																																							
							DGFC																																
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5																		
							RIDE	8.3	8.3	8.3	8.1	8.0	8.1	7.9	7.7	7.7	7.0	7.7	7.9	7.9	7.2																		
87001000	2.716	4.846	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0																			
94							RIDE	8.6	8.5	8.5	8.5	8.3	7.8	7.7	7.6	7.9	7.8	7.6	7.5	7.5																			
SW 149 AVE(2.9R)																																							
							FC95M																																
4332643	2.730	4.822	R	2021	0012		CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0																			
WEEKLEY ASPHALT PAVING, IN				(2023)			SPRIDE	7.4	7.4	7.4	7.2	7.4	7.1	7.3	6.7	7.3	7.4	7.1	7.6	7.6																			
87001000	4.846	5.488	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0																			
94							RIDE	8.6	8.4	8.2	8.5	8.0	7.5	7.4	7.5	7.6	7.7	7.6	7.6	7.3																			
SW 127 AV(5.0C)																																							
							FC95M																																
4332642	4.855	5.419	R	2020	0012		CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0																			
GENERAL ASPHALT CO., INC.				(2021)			SPRIDE	7.4	7.4	7.3	7.2	7.6	7.1	7.5	7.0	7.3	8.2	8.2	8.4	8.4																			
87001000	5.488	5.798	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*																			
94							RIDE	8.2	8.0	8.1	7.9	7.5	6.9	6.9	6.8	7.0	7.3	7.3	7.2	7.3																			
							FC125																																
				(2023)			CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0																			
							RIDE	6.8	6.9	7.9	7.8	7.7	7.1	7.6	6.8	6.8	6.5		8.3	8.3																			
87001000	5.798	7.630	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0																			
94							RIDE	8.5	8.4	8.3	8.3	8.1	7.4	7.4	7.3	7.5	7.9	7.9	7.7	7.6																			
SHOPPING CENTER ENT(5.9R)																																							
							DGFC																																
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0																			
							RIDE	7.7	7.7	7.6	7.6	7.8	7.6	7.7	7.6	7.7	7.8	7.7	7.9	7.8																			
87001000	7.630	10.700	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.5																			
94							RIDE	8.7	8.4	8.4	8.5	8.2	7.5	7.1	7.3	7.4	7.3	7.2	7.3	7.5																			
SW 97 AVE(8.1C)																																							
							FC125M																																
4311701	8.154	9.876	C	2018	0012		CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0																			
GENERAL ASPHALT CO., INC.				(2021)			RIDE	7.5	7.2	7.3	7.1	7.8	7.7	7.7	7.5	7.7	7.4	7.5	7.6	7.5																			
87001000	7.630	10.700	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5																			
94							RIDE	8.6	8.4	8.4	8.4	8.1	7.5	7.4	7.5	7.6	7.6	7.5	7.2	7.3																			
SW 102 AVE(7.6L)																																							
							FC125M																																
4311701	8.154	9.876	C	2018	0012		CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0																			
GENERAL ASPHALT CO., INC.				(2021)			RIDE	7.3	7.1	7.1	7.1	7.5	7.4	7.1	6.9	7.4	7.4	7.4	7.4	7.4																			
87001000	5.798	7.630	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0																			
94							RIDE	8.7	8.5	8.4	8.4	8.1	6.9	7.2	7.3	6.6	7.8	7.5	7.0	6.9																			
MILLS DR(5.9L)																																							
							DGFC																																
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0																			
							RIDE	6.5	6.4	6.5	6.5	7.0	7.0	6.8	6.7	7.2	7.2	7.1	7.1	7.1																			
87001000	5.488	5.798	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*																			
94							RIDE	7.9	7.6	7.5	7.3	7.2	6.5	6.5	6.5	6.8	6.8	7.0	6.7	6.7																			
							FC125																																
				(2023)			CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0																			
							RIDE	6.8	6.7	7.8	7.6	7.3	7.3	7.1	7.0	7.0	7.2	6.9	7.8	7.9																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

-----															DISTRICT = 6 COUNTY = DADE		-----														
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE										
SR US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011											
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029										
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F																(REG)										
CONTRACTOR																															
ITMSEG-F																															
87001000	4.716	5.488	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5											
94				4	4.8	54000	RIDE	7.9	7.5	7.4	7.8	7.7	6.7	6.6	6.0	6.7	6.8	6.7	6.1	5.9											
SIDE ROAD(4.8C)																															
4332642	4.967	5.419	L	2020		0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0										
GENERAL ASPHALT CO., INC. (2021)																															
FC95M																															
SPRIDE																															
87001000	2.716	4.716	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5											
94				3	4.8	37500	RIDE	8.3	8.3	8.1	8.2	8.1	7.7	7.6	7.2	7.4	7.4	7.4	7.4	7.4	7.2										
SW 149 AVE(2.9L)																															
4332643	2.730	4.828	L	2021		0012	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0										
WEEKLEY ASPHALT PAVING, IN(2023)																															
FC95M																															
SPRIDE																															
87001000	1.617	2.716	L	1	1	45	CRACKING	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	6.5	4.5*	4.5*		10.0											
94				3	4.8	37500	RIDE	8.1	8.1	8.1	8.1	7.7	6.9	6.9	6.8	7.1	7.0	6.9		8.5											
SW 162 AVE(1.6C)																															
DGFC																															
(2021)																															
CRACKING																															
RIDE																															
87001000	1.125	1.617	L	1	1	45	CRACKING	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0											
94				2	4.8	37500	RIDE	8.1	8.1	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9	7.8	7.7	7.7											
DEVELOPMENT ENT R(1.1C)																															
DGFC																															
(2023)																															
CRACKING																															
RIDE																															
87001000	0.000	1.125	L	1	1	50	CRACKING	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0											
94				2	6.6	20300	RIDE	8.1	8.1	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9	7.8	7.7	7.7											
KROME AVE/SW 177 AVE(0.0C)																															
4124681	0.010	1.397	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0										
COMMUNITY ASPHALT CORP. (2007)																															
FC5																															
RIDE																															
87002000	0.000	0.889	R	1	1	45	CRACKING	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*											
823				2	5.9	32000	RIDE	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9												
OKEECHOBEE RD(0.0C)																															
2499413	0.000	0.628	C	2009		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2										
ASTALDI CONSTRUCTION CORP. (2013)																															
SPRIDE																															
87002000	0.889	2.354	R	1	1	45	CRACKING	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*											
823				3	7.9	37500	RIDE	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9												
W 29 ST(1.3C)																															
2499415	0.889	2.354	C	2012		0213	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0										
MCM CORP. (2018)																															
SPRIDE																															
87002000	2.354	4.969	R	1	1	45	CRACKING	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*											
823				3	2.9	38500	RIDE	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9												
W 47 ST(2.4R)																															
FC95M																															
(2018)																															
CRACKING																															
RIDE																															
87002000	4.969	7.777	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0											
823				3	5.4	50500	RIDE	8.3	8.3	8.0	8.2	7.7	7.6	7.5	7.5	7.1	7.3	6.9	6.9	6.7											
NW 142 ST(5.0C)																															
4308031	4.969	7.777	C	2016		0012	CRACKING	7.0	7.0	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0										
H&R PAVING INC (2019)																															
SPRIDE																															
87002000	7.777	9.459	R	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0											
823				3	5.1	44500	RIDE	8.5	8.1	8.3	8.0	7.9	7.6	7.3	7.1	6.9	7.6	7.4	7.4	7.5											
NW 189 ST(7.9C)																															
4146171	7.781	9.699	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	7.5	7.5										
WEEKLEY ASPHALT PAVING, IN(2008)																															
4525671	7.752	9.399	C	2027		0012	CRACKING	7.4	7.4	7.4	7.3	7.3	7.1	7.0	7.0	6.8	7.1	7.0	7.0	6.8	6.6										
BRIDGE #550(9.7C)																															
DGFC																															
(2010)																															
CRACKING																															
RIDE																															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																										
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT	(MP)	(SIDE)					*****																													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																														
CONTRACTOR	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																														

87002000	9.459	9.699	L	1	6 45	CRACKING		9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0															
823			3	5.1	44500	RIDE		8.2	8.1	8.1	7.9	8.2	7.5	7.4	7.2	7.0	7.2	7.2	8.1	8.1																
BRIDGE #550(9.7C)																																				
(2010)																																				
OGFC																																				
CRACKING																																				
RIDE																																				
8.1 8.2 8.2 8.3 7.7 7.7 7.7																																				
87002000	7.777	9.459	L	1	1 45	CRACKING		9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0														
823			3	5.1	44500	RIDE		8.2	8.1	8.1	7.9	8.2	7.5	7.4	7.2	7.0	6.8	6.7	6.9	6.8																
NW 189 ST(7.9C)																																				
FC5																																				
4146171	7.781	9.699	C	2005	0012	CRACKING		10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	7.5	7.1															
WEEKLEY ASPHALT PAVING, INC(2008)																																				
SPRIDE																																				
6.7 6.7 6.6 6.7 6.6 6.6 6.5 6.5 6.4 6.6 6.4 6.5 6.5 6.5 6.3																																				
4525671 7.752 9.399 C 2027 0012																																				
87002000	4.969	7.777	L	1	1 45	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5																
823			3	5.4	50500	RIDE		8.3	8.1	8.1	8.0	7.9	7.5	7.2	6.9	6.7	6.7	6.6	6.3	6.6																
NW 142 ST(5.0C)																																				
FC95A																																				
4308031	4.969	7.777	C	2016	0012	CRACKING		6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.3					
H&R PAVING INC																																				
(2019)																																				
SPRIDE																																				
6.3 6.1 6.1 6.0 6.1 6.0																																				
87002000	2.354	4.969	L	1	1 45	CRACKING		4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*															
823			3	2.9	38500	RIDE		7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1	6.1																
SR 932(2.5C)																																				
FC95M																																				
CRACKING																																				
RIDE																																				
4.5* 5.3*																																				
10.0 10.0 10.0 10.0 10.0 10.0 10.0 6.7 6.6 6.4 6.0																																				
87002000	0.889	2.354	L	1	1 45	CRACKING		4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*															
823			3	7.9	37500	RIDE		7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1	6.1																
W 29 ST(1.3C)																																				
FC125M																																				
2499415	0.889	2.354	C	2012	0213	CRACKING			4.5*						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	5.7				
MCM CORP.																																				
(2018)																																				
SPRIDE																																				
5.3*																																				
87002000	0.000	0.889	L	1	1 45	CRACKING		4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*															
823			3	5.9	32000	RIDE		7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1	6.1																
OKEECHOBEE RD(0.0C)																																				
FC125M																																				
2499413	0.000	0.628	C	2009	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	5.0			
ASTALDI CONSTRUCTION CORP.(2013)																																				
SPRIDE																																				
7.3 7.2 6.8 6.3 6.4 6.4 6.3 6.1 5.9 5.9 5.9 5.8 5.8 5.0																																				
87003000	0.000	0.105	R	3	1 30	CRACKING		10.0	10.0	10.0	10.0		9.5	9.5	9.5	9.5	6.5	4.5*		7.5	7.5															
112			2	3.4	31000	RIDE		7.1	7.8	7.9	7.3		6.9	7.0	6.4	6.7	6.4	5.4*		6.1	5.8															
RAMP 87281225(0.0R)																																				
OGFC																																				
CRACKING																																				
RIDE																																				
7.5 6.5 6.5 6.3 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 5.6 5.6 5.6 4.6																																				
87003000	0.406	0.994	R	3	1 30	CRACKING		10.0	10.0	10.0	10.0		9.5	9.5	9.5	9.5	6.5	4.5*	6.5	6.5	6.5															
112			2	3.4	31000	RIDE		7.1	7.8	7.9	7.3		6.9	7.0	6.4	6.7	6.4	5.4*	7.2	7.2	6.8															
OGFC																																				
CRACKING																																				
RIDE																																				
6.5 6.5 6.5 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 8.1 8.1 8.1 7.4 7.4																																				
(2016)																																				
87003000	0.994	3.443	R	3	1 50	CRACKING		10.0	10.0	10.0	10.0		9.5	9.5	9.5	9.5	7.0	6.5	4.5*	4.5*	4.5*															
112			3	3.4	92500	RIDE		8.5	8.5	8.5	8.4		8.3	7.9	7.8	7.8	7.7	7.8	7.8	7.6	7.5	7.5														
OGFC																																				
CRACKING																																				
RIDE																																				
4.5* 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 8.0 8.1 8.1 8.0 8.0 7.9																																				
(2016)																																				
87003000	3.443	3.947	R	3	1 55	CRACKING		10.0	10.0	9.0	9.0		10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0															
112			4	3.4	114000	RIDE		8.7	8.5	8.4	7.9		8.3	8.2	7.8	7.8	7.7	7.0	7.0	6.9	6.9															
OFFICIAL USE RAMP(3.7R)																																				
OGFC																																				
CRACKING																																				
RIDE																																				
7.0 7.0 7.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 7.9 7.3 7.2 7.4																																				
(2017)																																				
87003000	3.947	4.132	R	3	6 55	CRACKING		6.5	5.9*	6.6	6.6		6.5	7.6	7.7	7.5	6.7	6.4*	9.2	9.1	8.8															
112			4	3.4	114000	RIDE		6.4*	6.6	6.4*	5.3*		6.1*	5.0*	5.7*	5.8*	5.1*	5.9*	5.9*	5.9*	5.3*															
CONC																																				
CRACKING																																				
RIDE																																				
8.7 8.7 8.2 8.2 7.9 8.2 8.3 7.6 8.9 8.2 9.0 9.1 9.0																																				
(2014)																																				
5.5* 6.0* 5.8* 5.6* 5.5*																																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																								
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE		
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW	FY-P	WKM-X-P	AADT	RATINGS	SURFTYPE	=====												
		(AGE_ONE YEAR)		YEAR)								FY-F	WKM-X-F											
87003000	112		3.947		4.132	L	3	6	55	CRACKING	7.8	7.3	7.2	6.8	6.8	8.4	8.3	8.3	7.8	7.8	8.5	8.7	8.8	
						4	3.4	114000		RIDE	6.7	6.7	6.8	7.0	6.5	5.6*	5.0*	5.2*	5.8*	6.6	6.4*	6.0*	5.6*	
							(2014)			CONC	8.7		8.6	8.7	8.6	8.4	8.3	8.4	8.2	8.5	7.5	8.8	8.3	8.0
										CRACKING	5.6*		5.1*	5.8*	4.9*	4.9*								
87003000	112		2.965		3.947	L	3	1	55	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
						4	3.4	92500		RIDE	7.9	7.8	8.1	8.4	8.5	7.9	7.9	7.9	6.5	6.5	6.5	6.5	6.5	
							(2016)			OGFC	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
										CRACKING	7.9	7.6	7.9		8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	8.1
										RIDE														
87003000	112		0.994		2.965	L	3	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
						3	5.2	111000		RIDE	8.7	8.8	8.8	8.7	8.7	8.1		7.6	7.5	7.9	7.6	7.7	7.2	
							(2016)			OGFC	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
										CRACKING	7.6	7.6	7.6		7.7	7.4	7.6	7.6	7.6	7.6	7.6	7.6	7.6	
										RIDE														
87003000	112		0.000		0.994	L	3	1	40	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5		7.5	7.5	
						2	3.4	31000		RIDE	8.2	8.3	8.1	8.3	7.9	7.2	6.8	7.3	6.9	7.0		7.9	7.6	
							(2016)			OGFC	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	
										CRACKING	7.2	7.1	7.0		7.8	7.4	7.6	7.2	7.1	7.2	7.5	7.3	7.3	
										RIDE														
87004000	112		0.000		0.486	R	3	4	55	CRACKING	7.6	7.4	7.8	7.6	7.3	7.8	7.8	8.0	7.7	7.7	8.6	8.1	8.1	
						2	3.4	114000		RIDE	7.2	7.2	7.2	6.8	6.6	6.2*	5.7*	5.2*	6.3*	6.4*	6.1*	6.4*	5.6*	
							(2014)			LGD	8.0		9.4	9.2	9.0	9.0	9.1	8.9	8.8	8.8	8.4	8.5	6.1*	
										CRACKING	6.0*		6.9	7.7	8.1	8.2	7.9	8.2	8.3	8.2	8.3	8.3	8.1	
										RIDE													6.1	
																							8.1	
87004000	112	I195	0.486		0.793	R	4	4	55	CRACKING	8.6	8.7	9.0	9.0	9.2	9.1	9.1	9.1	8.4	8.2	9.0	9.0	8.9	
						1	3.4	114000		RIDE	6.9	6.8	6.9	6.9	6.3*	6.2*	5.9*	5.9*	6.3*	6.0*	6.3*	5.6*	4.7*	
							(2014)			LGD	8.8		9.3	9.3	9.3	9.2	9.0	9.0	9.1	9.1	8.7	8.8	8.6	
										CRACKING	7.4	7.7	8.1	8.2	8.1	8.1	8.1	8.2	7.8	8.2	8.2	8.1	8.1	
										RIDE													8.1	
4055781	112		0.114		2.136	C	2010	0024		CRACKING	8.0		9.4	9.3	9.3	9.2	9.0	9.0	9.1	9.1	8.7	8.8	8.6	
							(2014)			RIDE	6.0*		6.9	7.7	8.1	8.2	7.9	8.2	8.3	8.2	8.3	8.3	8.1	
																							8.1	
87004000	112	I195	0.793		1.278	R	4	4	55	CRACKING	8.6	8.6	8.3	8.1	8.1	8.0	8.0	8.0	7.6	7.5	7.5	7.5	8.1	
						3	4.3	151500		RIDE	7.3	7.3	7.4	7.3	7.2	6.0*	6.1*	6.0*	6.2*	6.3*	5.9*	6.1*	5.8*	
							(2014)			LGD	8.0		9.3	9.2	9.1	9.0	9.2	9.1	9.0	9.2	8.8	8.9	9.1	
										CRACKING	6.0*		7.7	7.5	8.1	8.4	8.2	8.2	7.9	7.8	8.3	8.2	8.0	
										RIDE													8.0	
87004000	112	I195	1.583		1.805	R	4	4	55	CRACKING	8.1	7.7	8.7	8.5	8.2	8.3	7.6	7.6	6.5	6.4*	8.2	8.2	8.3	
						3	3.0	121000		RIDE	7.3	7.1	6.7	6.4*	6.6	5.5*	4.9*	5.1*	6.3*	5.1*	6.1*	6.0*	5.9*	
							(2014)			LGD	8.0		9.4	9.0	8.9	8.9	9.1	9.1	9.0	9.2	8.9	8.9	9.4	
										CRACKING	6.1*		7.6	7.0	7.8	7.8	7.6	7.9	8.0	8.2	8.0	8.2	7.7	
										RIDE													7.7	
87004000	112	I195	1.805		2.137	R	4	1	55	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	10.0	
						3	3.0	121000		RIDE	8.1	7.8	7.7	7.9	7.4	6.9	6.6	7.0	6.7	7.1	7.1	7.1	7.9	
							(2014)			FC5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5		
										CRACKING	7.9	7.9	7.9	7.9	8.1	8.1	7.4	7.3	7.4	7.7	7.8	7.7	7.4	
										SPRIDE													7.4	
87004000	112	I195	2.545		4.387	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	10.0	
						3	3.0	121000		RIDE	8.4	8.5	8.5	8.3	8.3	7.7	7.8	7.6	7.8	8.1	7.7	7.7	7.9	
							(2014)			FC5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
										CRACKING	7.9	7.9	7.9	7.9	8.1	8.1	8.2	8.2	8.3	8.3	8.2	8.2	8.3	
										SPRIDE													8.3	
87004000	112	I195	4.387		4.921	R	4	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	10.0	
						2	3.0	121000		RIDE	8.5	8.4	8.6	8.4	8.2	7.4	7.7	7.3	7.6	7.4	6.6	6.5	8.0	
							(2014)			FC5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
										CRACKING	7.4	7.0	7.4	7.1	7.5	7.8	7.7	8.0	7.2	7.1	7.8	7.5	7.9	
										SPRIDE													8.8	
										9924													7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

Table with columns: RDWYID, SR US, BMP, G_BMP, EMP LN, RW, SYS, TYP, SPD, DISTRESS RATINGS, SURVEYED YEAR (1999-2021), and FUTURE (2022-2029). Includes project details like INTERSECT AT, SIDE ROAD, CONTRACTOR, and ASPHALT GROUP, INC.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
*@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION
ALL SYSTEM PAVEMENT CONDITION FORECAST
PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE																
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
INTERSECT AT	(MP)	(SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_T	W_AADT	W_SURFTYPE	W_KMX-P	W_ASTYP																											
CONTRACTOR	(AGE_ONE	YEAR)	W_BMP	W_EMP	W_RW	W_LN	W_T	W_AADT	W_SURFTYPE	W_KMX-P	W_ASTYP																											
ITMSEG-F	W_BMP	W_EMP	W_RW	W_LN	W_T	W_AADT	W_SURFTYPE	W_KMX-P	W_ASTYP																													
87005000			3.690		4.301	R	3	1	60		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				9.5	9.5											
874					4	5.8	116500				RIDE	8.6	8.4	8.5	8.5	8.7	8.4	8.4	8.2	7.8	8.4						7.3	7.6										
	ON RAMP	87021211	(4.3R)							OGFC																											
					(2015)						CRACKING	9.5			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.3					
											RIDE	7.7			8.2	8.4	8.5	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.2	8.3	8.2	8.3	8.3	8.3					
87005000			4.301		6.629	R	3	1	60		CRACKING	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0			9.0	9.0										
874					3	5.6	103000				RIDE	7.9	8.0	7.9	7.8	8.7	8.3	8.3	8.2	7.7	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.0	8.0					
	SNAPPER	(4.3R)								OGFC																											
					(2015)						CRACKING	9.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	8.1					
											RIDE	8.2			8.3	8.4	8.3	8.2	8.2	8.3	8.2	8.3	8.2	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.2	8.1						
87005000			6.629		7.010	R	3	1	60		CRACKING	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0			9.0	9.0										
874					3	5.6	103000				RIDE	7.9	8.0	7.9	7.8	8.7	8.3	8.3	8.2	7.7	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.0	8.0							
	SR 826 NB	(7.0R)								OGFC																											
					(2014)						CRACKING			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0				
											RIDE			7.9	7.7	8.1	8.0	7.2	8.0	8.1	8.0	7.9	8.0	7.9	8.0	7.9	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1				
87005000			3.690		7.010	L	3	1	60		CRACKING	8.0	7.0	6.0*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5					
874					3	5.6	103000				RIDE	7.3	7.5	7.3	7.3	8.6	8.1	7.8	8.2	7.7	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	8.1						
	SNAPPER CREEK	(3.9L)								OGFC																											
					(2015)						CRACKING	9.5			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.3				
											RIDE	8.2			8.3	8.4	8.4	8.3	8.3	8.4	8.3	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3			
87005000			2.550		3.690	L	3	1	60		CRACKING	10.0	9.5	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5				
874					4	5.8	116500				RIDE	8.7	8.6	8.7	8.6	8.4	8.2	8.2	8.2	8.1	7.5	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1			
					(2014)						OGFC																											
											CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.2		
											RIDE			8.1	8.2	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2			
87005000			1.342		2.550	L	3	1	60		CRACKING	8.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5				
874					3	6.1	118000				RIDE	8.3	8.5	8.5	8.4	8.5	8.0	8.1	8.1	7.4	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1			
					(2014)						OGFC																											
											CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.2		
											RIDE			8.1	8.1	8.2	8.1	8.2	8.1	8.2	8.1	8.2	8.1	8.2	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2		
87005000			0.000		1.342	L	3	1	60		CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
874					3	6.1	118000				RIDE	8.5	8.5	8.5	8.5	8.3	8.2	7.8	8.1	7.4	7.9	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7		
	SR 821/HEFT	(0.0L)								OGFC																											
					(2023)						CRACKING			10.0	10.0																							
											RIDE			8.1	8.2																							
87006000			0.496		0.563	R	1	6	55		CRACKING									0.9*	5.4*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*				
5					2	3.4	32000				RIDE																											
					(1979)						CONC																											
											CRACKING	4.8*	4.5*	4.7*	4.1*	4.1*	3.9*	3.7*	3.8*	4.2*	5.5*	1.8*	2.2*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1*	1.1	
											RIDE																											
4438901			0.496		0.563	C	2023				0227																											
87006000			0.496		0.563	L	1	6	55		CRACKING									0.0*	1.1*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*	0.3*			
5					2	3.4	32000				RIDE																											
					(1991)																																	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR										FUTURE			
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)				SURFTYPE		=====																
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	WKM-X-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)				ASTYPE																		
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87008000	2.045	3.114	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0		
916				2	4.0	28000	RIDE	8.6	8.6	8.3	8.3	7.9	7.5	7.0	7.5	7.2	7.5	7.1	7.2	7.1		
RED RD(2.0C)																						
4311711	2.090	3.133	C	2015	0226	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	7.5	7.1	7.1	7.1	7.9	7.6	7.7	7.7	7.3	7.6	7.7	7.7	7.5	7.4	
87008000	3.114	4.888	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0		
916				2	5.3	19000	RIDE	7.3	7.1	7.0	6.5	6.2	5.6	5.7	5.6	5.9	5.7	5.7	5.5	5.5	7.2	
NW 47 AVE(3.1R)																						
4198561	3.288	4.979	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	
COMMUNITY ASPHALT CORP. (2011)							SPRIDE	6.8	6.0	6.6	6.6	6.4	6.1	6.1	6.2	5.8	6.0	5.9	5.6	5.7	5.1	
4499471	3.114	4.826	R	2026	0012																	
87008000	4.888	5.102	C	1	6	40	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
916				5	4.0	11500	RIDE	7.1	5.0*	5.4*	4.9*	6.0	5.2*	4.9*	7.8	6.8	6.3	10.0	7.1	7.1		
END 87008001 ONE-WAY(4.9L)																						
4077241	4.826	5.073	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.1	
PREFERRED MATERIALS, INC. (2006)							SPRIDE	6.1	6.1	6.6	6.4	5.8	6.2	5.7	5.7	6.0	5.7	5.3*	6.2			
4478051	4.812	5.130	C	2024	0012																	
87008000	5.102	7.114	C	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5		
916				3	4.0	12500	RIDE	8.1	7.7	7.6	7.6	7.2	6.7	6.4	6.5	6.4	6.6	6.4	6.1	6.4		
NW 26 CT(5.1R)																						
4291461	5.102	7.007	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2016)							SPRIDE	6.4	5.7	5.7	5.5	7.5	7.4	7.4	7.4	7.2	7.3	7.0	7.3	7.0	6.8	
87008000	7.114	7.614	C	1	8	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5		
916				2	4.0	12500	RIDE	8.4	8.5	8.3	8.4	8.1	7.8	7.6	6.3	7.3	6.8	7.1	6.4	6.3		
SR 7(7.1C)																						
2495821	5.294	7.383	C	1993	0213	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*			
P J CONSTRUCTORS INC (1998)							S RIDE	6.4	6.9	6.8	6.8	7.1	7.0	6.7	7.1	6.9	6.4	5.5	5.9			
4293461	7.245	10.253	C	2020	0012																	
87008000	7.614	8.150	R	1	8	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
916				2	2.8	45500	RIDE	7.9	7.7	7.6	7.6	7.4	6.9	7.1	6.6	6.6	6.6	6.3	6.3	6.5		
NW 2 AVE(7.6C)																						
2498841	7.596	10.253	C	1996	0012	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.0*	5.5*	5.5*			
AMERICAN LIGHTING & (1998)							S RIDE	6.6	6.4	6.2	6.2	6.0	6.0	5.9	6.2	5.9	5.9	5.8	5.7			
4293461	7.245	10.253	C	2020	0012																	
87008000	8.150	10.253	R	1	2	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
916				2	4.0	23000	RIDE	7.9	7.7	7.6	7.6	7.4	6.9	7.1	6.6	6.6	6.6	6.3	6.3	6.5		
MEMORIAL HIGHWAY(8.2C)																						
2498841	7.596	10.253	C	1996	0012	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.0*	5.5*	5.5*	5.5*	5.3	
AMERICAN LIGHTING & (1998)							S RIDE	6.6	6.4	6.2	6.2	6.0	6.0	5.9	6.2	5.9	5.9	5.8	5.7	5.1*	4.9	
4293461	7.245	10.253	C	2020	0012																	
87008000	8.150	10.253	L	1	2	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
916				2	4.0	23000	RIDE	8.0	7.6	7.6	7.6	6.8	6.4	6.3	6.1	6.3	6.1	6.3	5.8	6.1		
MEMORIAL HIGHWAY(8.2C)																						
2498841	7.596	10.253	C	1996	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5	
AMERICAN LIGHTING & (1998)							S RIDE	6.3	6.0	5.8	5.9	5.9	5.9	6.2	6.4	5.9	5.6	5.9	5.8	5.1*	4.9	
4293461	7.245	10.253	C	2020	0012																	
87008000	7.614	8.150	L	1	8	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
916				2	2.8	45500	RIDE	8.0	7.6	7.6	7.6	6.8	6.4	6.3	6.1	6.3	6.1	6.3	5.8	6.1		
BEGIN 87008001 *(7.6L)																						
2498841	7.596	10.253	C	1996	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*			
AMERICAN LIGHTING & (1998)							S RIDE	6.3	6.0	5.8	5.9	5.9	5.9	5.0*	5.4*	5.9	5.6	5.9	5.8			
4293461	7.245	10.253	C	2020	0012																	
87008000	3.114	4.888	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	10.0		
916				2	5.3	19000	RIDE	7.5	7.3	7.2	7.1	6.7	6.3	6.1	6.0	6.1	6.6	6.4	5.9	7.2		
NW 42 AVE/LEJEUNE RD(3.6L)																						
4198561	3.288	4.979	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	
COMMUNITY ASPHALT CORP. (2011)							SPRIDE	6.8	6.0	6.6	6.6	6.4	6.1	6.1	6.2	5.8	6.3	6.4	6.2	6.0	5.7	
87008000	2.045	3.114	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0		
916				2	4.0	28000	RIDE	8.7	8.7	8.1	8.7	8.4	7.4	7.2	7.1	7.3	7.4	7.4	7.0	7.1		
RED RD(2.0C)																						
4311711	2.090	3.133	C	2015	0226	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	7.5	7.2	7.1	7.1	7.8	7.6	7.6	7.7	7.6	7.7	7.7	7.4	7.3	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)		
87008000 916 NW 60 AVE(1.7L)	1.025	2.045	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
4077181	0.981	2.036	C	2010	21200	DGFC	RIDE	6.1*	5.5*	5.3*	5.4*	5.3*	5.6	5.2*	5.3*	5.3*	5.3*	5.3*	5.4*	5.4*			
4459971	1.105	2.077	C	2025	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5	8.5	8.2
87008001 916 LEG 001(0.0C)	0.000	0.301	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	
4311721	0.043	0.301	C	4.0	11500	DGFC	RIDE	8.2	8.3	7.9	8.0	8.1	7.7	7.6	7.0	8.0	7.7	7.7	7.7	7.5	7.0		
COMMUNITY ASPHALT CORP.				2016	0012		CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				(2018)			RIDE	7.2	6.5	7.6	7.6	7.9	7.8	8.2	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.7	
87008001 916 NW 5 CT(0.3L)	0.301	0.533	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	10.0	7.0			
4525591	0.301	0.490	C	3	4.0	11500	RIDE	7.8	7.7	7.8	8.1	7.4	6.5	6.5	6.2	6.3	6.4	6.2	7.3	7.0			
				(2014)			CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	
				2027	0012		RIDE	7.2	6.5	6.7	6.6	6.4	6.2	6.3	6.4	6.4	5.7	5.0*	6.4	6.2	7.3	7.0	
87008001 916 NW 8 AVE(0.7R)	0.533	2.779	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	10.0	10.0			
4146181	0.519	2.522	C	3	4.0	11500	RIDE	7.8	7.7	7.8	8.1	7.4	6.5	6.5	6.2	6.3	6.4	6.2	7.3	7.0			
THE DE MOYA GROUP INC.				2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	
				(2010)			SPRIDE	7.0	7.0	7.0	7.0	7.1	7.0	7.0	6.9	6.9	6.8	6.8	6.6	6.5	6.5	6.5	
87010000 5 1	0.000	3.285	C	1	1	55	CRACKING	2.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0		10.0			
				2	5.2	28000	RIDE	7.3		8.3	8.6	8.2	7.9	7.7	7.8	8.0	7.4			7.8			
				(2011)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.8		
							RIDE	7.8	7.8	7.7	7.8	7.6	7.6	7.5	7.4	7.5	7.5	7.5	7.4	7.4	7.4	7.2	
87010000 5 1	3.285	13.679	C	1	1	55	CRACKING	2.0*		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.0	6.5					
OFFICIAL USE RAMP(3.5R)				2	5.2	28000	RIDE	8.0		8.4	8.4	8.3	7.9	7.7	7.7	7.9	7.8	7.7					
2498564	3.371	13.947	C	2008	0005	FC5	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.6		
				(2012)			RIDE	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.9	7.9	7.9	7.9	7.8	
87010000 5 1	13.679	13.947	R	1	1	45	CRACKING	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
				2	5.2	28000	RIDE	7.0		7.9	7.9	7.8	7.6	7.5	7.2	7.2	7.2	7.2					
2498564	3.371	13.947	C	2008	0005	FC5	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6		
				(2012)			RIDE	7.8	7.7	7.8	8.0	7.6	7.6	7.7	7.4	7.5	7.5	7.5	7.4	7.2	7.1		
87010000 5 1	13.679	13.947	L	1	6	45	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
				2	5.2	28000	RIDE	5.9*		7.6	7.6	7.6	7.3	7.5	7.0	7.6	7.3	7.3					
2498564	3.371	13.947	C	2008	0005	FC5	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	
				(2012)			RIDE	6.8	6.9	6.8	6.7	7.5	6.8	6.7	6.6								
87012000 847 MIAMI GARDENS DR(0.0C)	0.000	2.144	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
				2	5.6	14300	RIDE	6.8	6.5	6.4*	6.5	6.6	6.1	6.0	5.9	5.8	6.1	6.0	6.0	6.0	6.0	6.0	
				(2023)			CRACKING	6.5	6.5	6.5	6.5	6.0*	4.5*	3.5*	3.5*	3.5*			10.0	10.0			
							RIDE	5.8	5.8	5.5	5.8	6.0	6.0	6.1	5.8	5.7			6.3	6.1			
87012000 847 MIAMI GARDENS DR(0.0C)	0.000	2.144	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
				2	5.6	14300	RIDE	6.8	6.5	6.4*	6.5	6.6	6.1	6.0	5.9	5.8	6.1	6.0	6.0	6.0	6.0	6.0	
				(2023)			CRACKING	6.5	6.5	6.5	6.5	6.0*	4.5*	3.5*	3.5*	3.5*			10.0	10.0			
							RIDE	5.8	5.8	5.5	5.8	6.0	6.0	6.1	5.8	5.7			6.6	6.4			
87015000 989 ON RAMP 87471235(0.0R)	0.000	0.388	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	
				2	11.5	31000	RIDE	7.7	7.5	7.3	7.1	6.9	6.3*	6.3*	6.0	6.3	6.8	6.9	6.4	6.4	6.0		
				(2020)			CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	6.1					8.3	7.9		7.9	7.6	7.3	7.4	7.1	6.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																(REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
87015000	0.388	1.746	C	1	1	40	CRACKING	8.5	8.5	8.5	8.5	7.5	8.5	8.5	8.5	8.5	8.5	6.5	5.5*	5.5*	10.0		
989			4	11.5	31000		RIDE	7.6	7.8	7.7	7.6	6.9	6.6	6.3	6.4	6.2	6.4	6.1	6.0	7.3			
COCONUT PALM DR (0.4C)							DGFC																
				(2011)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5		
							RIDE	7.1	7.6	7.5	7.3	7.1	7.1	7.2	6.9	6.9	6.8	6.6	6.5	6.4	6.1		
87015000	1.746	2.051	C	1	6	35	CRACKING	8.5	8.5	8.5	8.5	7.5	8.5	8.5	8.5	8.5	10.0	10.0	9.5	9.5			
989			4	2.0	35500		RIDE	7.6	7.8	7.7	7.6	6.9	6.6	6.3	6.4	6.2	6.3	6.5	6.3	6.1			
SW 227 ST(1.7L)							FC5																
				(2024)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.5	9.0			
							RIDE	6.0	6.4	6.4	6.7	6.4	5.8										
87015000	2.051	3.032	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	7.5	7.0	8.0	6.5	6.5	5.5*	3.5*	10.0	10.0			
989			4	2.0	35500		RIDE	7.5	7.1	7.4	7.5	6.4	6.4	6.3	5.7	5.9	5.2*	5.8	7.7	7.5			
TRN LN TO OLD CUTLER(2.1R)							FC5																
4146211	2.051	3.032	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8		
GENERAL ASPHALT CO., INC. (2010)							SPRIDE	7.5	7.2	7.2	6.8	7.2	7.0	7.0	6.7	6.8	6.2	6.1	6.0	6.2	5.5		
87015000	0.000	0.388	L	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0			
989			2	11.5	31000		RIDE	7.6	7.8	7.3	7.2	7.3	7.1	6.8	6.7	6.6	6.7	6.5	6.2	6.3			
NB EXIT TO NB SR 821 R(0.0C)							FC95A																
				(2020)			CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	6.2	6.1	5.6						7.6	6.6	7.1	7.3	6.9	6.6		
87016000	0.000	0.814	C	1	1	30	CRACKING	9.5	10.0	10.0	9.0	9.5	9.0	9.0	8.0	8.0	7.0	6.5	7.0	7.0			
112			4	3.4	41000		RIDE	5.2*	5.4*	5.4*	5.9	5.5	5.0*	4.4*	4.1*	4.0*	4.1*	4.0*	4.1*	4.1*			
ALTON RD(0.0C)							DGFC																
4198241	0.000	0.677	C	2012	0012		CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	8.0	6.6		
GENERAL ASPHALT CO., INC. (2014)							SPRIDE	3.8*	3.7*	6.5	5.7	4.3*								4.1*	4.4*	3.2	
87017000	0.000	0.145	C	1	6	30	CRACKING	10.0	9.5	9.5	9.5	9.5	9.0	9.5	9.5	9.0	9.0	9.5	9.5	9.0			
913			4	3.2	20500		RIDE	6.0*	6.7	5.9*	4.3*	5.7	5.0*	4.6*	4.7*	5.1*	5.5						
SW 1 AVE(0.0C)																							
4291491	0.000	0.161	C	2015	0015		CRACKING	9.0	9.0	9.0	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
THE STOUT GROUP LLC (2017)																							
4459951	0.010	0.363	C	2024	0012		RIDE																
87017000	0.145	0.373	R	1	6	30	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
913			4	3.2	27000		RIDE	6.6	6.7	6.4*	5.4*	5.4*	5.0*	4.5*	5.4*	5.1*	5.5	5.4*	5.5				
MIAMI AVE S(0.1C)																							
				(2017)			CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE																
4459951	0.010	0.363	C	2024	0012																		
87017000	0.145	0.373	L	1	6	35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	9.5	9.5	7.0	6.5	9.5	9.5			
913			2	3.2	27000		RIDE	6.2*	6.1*	6.6	6.1	5.8	5.1*	5.1*	5.8	5.4*	5.8	5.4*	5.4*				
RAMP 87270500(0.1L)																							
				(2010)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5		
							RIDE				5.9	4.9*	5.3*	5.4*	5.4*	5.0*					8.3		
4459951	0.010	0.363	C	2024	0012																		
87018000	0.000	0.775	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5			
852			2	5.7	29000		RIDE	8.3	8.1	8.0	7.8	8.1	7.5	7.8	7.3	7.0	7.5	7.8	7.8	7.8			
BROWARD COUNTY LINE(0.0C)							DGFC																
				(1976)			CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5		
4439061	0.000	0.762	C	2023	0012		RIDE	7.7	7.7	7.5	7.4	7.6	7.7	7.6	7.6	7.4	7.6	7.5	7.5	7.5	7.3		
87018000	0.775	2.534	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0			
852			2	3.1	30000		RIDE	8.3	8.1	8.0	7.8	8.1	7.5	7.8	7.3	7.8	7.8	8.1	7.5	7.5			
NW 1700 BLK(0.8C)							FC125																
4083012	0.759	2.534	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.7		
COMMUNITY ASPHALT CORP. (2007)							SPRIDE	7.8	7.9	7.9	7.8	7.7	7.7	7.8	7.8	7.6	7.6	7.6	7.6	7.5	7.5	7.5	
4478261	0.759	2.526	C	2026	0012																		
87018000	0.775	2.534	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0			
852			2	3.1	30000		RIDE	8.0	7.9	7.9	7.9	8.0	7.5	7.1	7.0	7.7	7.8	8.1	7.7	7.3			
NW 1700 BLK(0.8C)							FC125																
4083012	0.759	2.534	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.7		
COMMUNITY ASPHALT CORP. (2007)							SPRIDE	7.7	7.7	7.7	7.6	7.6	7.5	7.6	7.6	7.5	7.6	7.6	7.6	7.7	7.7	7.7	
4478261	0.759	2.526	C	2026	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
87018000	0.000	0.775	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
852				2	5.7	29000	RIDE	8.0	7.9	7.9	7.9	8.0	7.5	7.1	7.0	7.5	7.7	7.7	7.9	7.6	
BROWARD COUNTY LINE(0.0C)																					
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
							RIDE	7.7	7.5	7.4	7.6	7.9	7.5	7.6	7.8	7.7	7.5	7.8	7.7	7.7	8.5
4439061	0.000	0.762	C	2023		0012															

87019000	0.178	2.977	R	1	1	45	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0
817				3	4.6	37000	RIDE	7.7	7.5	7.4	7.4	7.2	6.5	6.6	6.7	6.6	6.7	6.7	7.7	7.8	7.6
SR 9 SB(0.2R)																					
							FC5														
4124701	0.164	2.977	C	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.0
THE DE MOYA GROUP INC. (2009)																					
4439371	0.178	1.847@	C	2023	0012			7.7	7.6	7.5	7.5	7.9	7.8	7.8	7.7	7.6	7.8	7.7	7.7	7.7	7.7

87019000	2.977	4.007	R	1	2	45	CRACKING	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*
817				3	3.3	48000	RIDE	8.5	8.3	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4	7.4	7.6	7.6	7.4
NW 187 ST(3.0R)																					
							FCA														
4291861	2.977	4.007	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2016)																					
							SPRIDE	7.4	7.4	7.3	7.3	8.3	8.2	8.2	8.0	8.0	8.0	8.1	8.0	7.7	7.6

87019000	4.007	4.866	R	1	7	45	CRACKING	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0
817				3	3.3	48000	RIDE	8.5	8.3	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4	7.4	7.1	7.3	7.0
NW 203 ST(4.1R)																					
							FC2														
4291863	4.007	4.853	C	2022	0012	CRACKING	10.0	10.0	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*		10.0	
WEEKLEY ASPHALT PAVING, IN(2024)																					
							SPRIDE	7.0	7.2	7.1	7.1	7.1	7.2	7.0	6.9	6.8	7.2	7.0		7.0	

87019000	4.007	4.866	L	1	7	45	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0
817				3	3.3	48000	RIDE	8.4	8.3	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0	7.1	7.1	7.1	6.7
NW 207 ST(4.4C)																					
							FC95M														
4291863	4.007	4.853	C	2022	0012	CRACKING	10.0	10.0	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*		10.0	
WEEKLEY ASPHALT PAVING, IN(2024)																					
							SPRIDE	6.8	7.1	7.2	7.0	7.1	7.1	6.6	6.8	5.7	6.7	6.7		7.2	

87019000	2.977	4.007	L	1	2	45	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*
817				3	3.3	48000	RIDE	8.4	8.3	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0	7.2	7.0	7.2	7.2
NW 191 ST(3.2C)																					
							FC95A														
4291861	2.977	4.007	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2016)																					
							SPRIDE	7.1	6.9	7.1	6.8	8.5	8.4	8.4	8.1	8.3	8.3	8.3	8.3	7.9	7.9

87019000	0.178	2.977	L	1	1	45	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0
817				3	4.6	37000	RIDE	7.7	7.6	7.7	7.7	7.6	7.0	6.9	6.9	6.9	6.9	6.9	7.8	7.8	7.8
BURLINGTON ST(0.2L)																					
							FC5														
4124701	0.164	2.977	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.0
THE DE MOYA GROUP INC. (2009)																					
4439371	0.178	1.847@	C	2023	0012			7.8	7.5	7.6	7.4	7.9	7.8	7.9	7.7	7.7	7.9	7.8	7.7	7.7	7.7

87019001	0.000	0.178	R	1	6	35	CRACKING														10.0
817				3	4.0	43500	RIDE														8.0
SR 9 NB/87240(0.0R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	7.9	8.0	7.9										
4439141	0.000	0.158	C	2023	0012																

87019001	0.000	0.178	L	1	6	35	CRACKING														10.0
817				3	4.0	43500	RIDE														8.3
SR 9 NB(0.0C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.2	8.3	7.9	7.9										
4439141	0.000	0.158	C	2023	0012																

87020000	0.000	2.696	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5				2	4.3	30000	RIDE	8.2	8.2	8.1	8.1	8.0	7.4	7.4	7.3	7.4	7.4	7.4	7.4	7.3	7.2
CARD SOUND RD(0.0R)																					
							FC2														
4418271	1.368	2.679	R	2021	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0
OHLIA USA, INC. (2024)																					
							SPRIDE	7.3	7.3	7.3	7.3	7.1	6.8	6.7	6.5	6.7	6.6	6.6	6.6	6.6	7.2

87020000	2.696	3.277	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5				3	4.5	32000	RIDE	8.2	8.2	8.1	8.1</										

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
87020000	3.277	5.278	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	7.0	
5 1				2	5.2	28500	RIDE	8.1	8.1	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	7.1	7.0	7.2	
SW 308 ST/NE 11 ST(3.4C)							FC5														
4106251	3.620	5.278	C	2011		0005	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2
ATLANTIC CIVIL INC				(2014)			SPRIDE			8.0	7.9	8.0	8.0	8.0	7.8	7.9	7.9	7.8	7.7	7.5	7.5
87020000	5.278	7.001	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	7.0	
5 1				2	4.0	43000	RIDE	8.1	8.1	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	7.1	7.0	7.2	
SW 284 ST(5.4R)							FC5														
4106252	5.278	7.001	C	2010		0005	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
TRANS FLORIDA DEVELOPMENT				(2013)			SPRIDE			7.5	7.5	7.6	7.7	7.7	7.7	7.4	7.7	7.6	7.4	7.6	7.4
87020000	7.001	8.387	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	4.0	43000	RIDE	8.3	8.6	8.6	8.4	8.3		7.1	7.0	7.0	6.9	6.9	6.8	6.7	
BAUER DR(7.1C)							OGFC														
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	5.6
				(2005)			RIDE	6.7	6.8	6.8	6.7	6.6	6.6	6.3	6.2	6.6	6.4	6.0	5.7	5.7	5.7
4477981	7.001	9.730	C	2024		0012															
87020000	8.387	9.730	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	5.2	36000	RIDE	8.3	8.6	8.6	8.4	8.3			7.1	7.1	7.2	7.2	7.2	7.2	
SW 135 AVE(8.4R)							OGFC														
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.3
				(2006)			RIDE	7.2	7.2	7.2	7.0	7.0	7.0	6.6	6.7	6.8	6.8	6.8	6.6	6.6	6.5
4477981	7.001	9.730	C	2024		0012															
87020000	9.730	12.014	R	1	1	45	CRACKING	8.0	8.0	8.0	7.5				10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	5.2	36000	RIDE	8.0	8.2	8.1	8.1				7.7	7.8	8.0	7.9	7.9	7.9	
BURR RD(9.7R)							OGFC														
2502051	9.717	12.021	C	2003		0217	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5
				(2006)			RIDE	7.8	7.8	7.8	7.6	7.6	7.3	7.5	7.2	7.4	7.4	7.4	7.3	7.0	7.0
4478021	9.730	11.911	C	2024		0012															
87020000	12.014	14.123	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	
5 1				3	6.4	51500	RIDE		8.7	8.7	8.5	8.4	8.1	7.9	7.9	8.1	8.1	8.0	8.0	7.9	
ALLPATH(12.0R)							FC95A														
4291881	12.014	14.123	C	2014		0012	CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2016)			SPRIDE	7.7	7.7	7.6	7.3	8.4	8.4	8.2	8.1	8.1	8.2	8.1	8.0	8.0	7.7
87020000	14.123	15.240	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5	
5 1				3	5.3	28500	RIDE		8.7	8.7	8.7	8.5	8.2	8.1	8.1	8.2	8.3	8.2	8.1	8.0	
SW 183 ST(14.1R)							FC2														
4284872	14.139	15.151	C	2018		0012	CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2020)			RIDE	7.5	7.0	7.1	7.0	7.5	7.1	7.1	7.4	7.4	7.5	7.5	7.2	7.2	6.9
87020000	15.240	17.386	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	
5 1				3	5.2	62000	RIDE	8.7	8.6	8.6	8.6	8.4	7.9	7.8	7.7	7.8	7.9	7.8	7.7	7.6	
COLONIAL DR(15.5C)							FC95														
4253481	15.265	17.408	R	2012		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN				(2014)			SPRIDE	7.5	7.3	8.0	7.9	7.9	7.8	7.8	7.5	7.6	7.7	7.6	7.6	7.7	7.4
87020000	17.386	19.709	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	
5 1				3	3.5	64500	RIDE	8.7	8.6	8.6	8.6	8.4	7.9	7.8	7.7	7.8	7.9	7.8	7.7	7.6	
HOWARD DR(17.4C)							FC125														
4255131	17.386	19.550	C	2012		0012	CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2015)			SPRIDE	7.5	7.3	7.2	8.4	8.3	8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.0	7.8
87020000	19.709	20.042	R	1	1	45	CRACKING	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				3	3.7	77500	RIDE	8.1	8.3	7.9	7.9	7.7	7.1	7.5	7.5	7.5	7.7	7.7	7.4	7.5	
FLAGLER BLVD(19.8R)							FC5														
2500721	19.605	20.042	C	1999		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST				(2001)			RIDE	7.3	7.3	7.6	7.4	7.7	7.6	7.6	7.7	8.0	7.9	8.1	7.8	8.1	7.9
4439081	19.807	20.042	C	2025		0012															
87020000	19.709	20.042	L	1	6	45	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
5 1				3	3.7	77500	RIDE	8.2	8.1	8.7	8.2	8.5	7.5	7.7	7.6	7.6	7.8	7.8	7.8	7.7	7.7
PALMETTO EXP(19.9L)							FC5														
2500721	19.605	20.042	C	1999		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0
RANGER CONSTRUCTION INDUST				(2001)			RIDE	7.7	7.7	7.5	7.8	7.5	7.6	7.7	7.5	7.7	7.7				
4439081	19.807	20.042	C	2025		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	ITMSEG-F																				(REG)
87020000	17.386	19.709	L	1	1	45	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	
5	1		3	3.5		64500	RIDE	8.7	8.7	8.6	8.3	8.3	7.8	7.7	7.6	7.6	7.7	7.6	7.5	7.3	
HOWARD DR(17.4C) FC125																					
4255131	17.386	19.550	C	2012		0012	CRACKING	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4
GENERAL ASPHALT CO., INC. (2015) SPRIDE 7.0 6.9 6.6 8.2 8.3 8.1 8.0 7.8 8.0 7.9 7.9 7.9 7.9 7.9																					
87020000	15.240	17.386	L	1	1	45	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	
5	1		3	5.2		62000	RIDE	8.7	8.7	8.6	8.3	8.3	7.8	7.7	7.6	7.6	7.7	7.6	7.5	7.3	
BEG SECTION 87020001(15.3L) FC95																					
4253481	15.265	17.408	L	2012		0012	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.6
WEEKLEY ASPHALT PAVING, IN(2014) SPRIDE 7.0 6.9 8.0 7.9 7.9 7.9 7.9 7.8 7.4 7.7 7.6 7.6 7.6 7.5 7.2																					
87020000	12.014	14.123	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	
5	1		3	6.4		51500	RIDE		8.6	8.5	8.5	8.2	7.7	7.7	7.5	7.6	7.7	7.6	7.4	7.4	
SW 208 DR(12.0L) FC95A																					
4291881	12.014	14.123	C	2014		0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016) SPRIDE 7.3 7.4 7.1 7.0 8.3 8.2 8.1 7.7 8.0 8.0 7.8 8.0 7.8 8.0 7.6																					
87020000	9.730	12.014	L	1	1	45	CRACKING	4.0*	3.5*	4.0*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	5.2		36000	RIDE	7.4	7.1	7.0	6.7				7.5	7.6	7.7	7.8	7.6	7.7	
SW 232 ST(9.7L) OGFC																					
2502051	9.717	12.021	C	2003		0217	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5
(2006) RIDE 7.6 7.5 7.6 7.3 7.2 7.2 7.2 7.1 7.1 7.1 7.0 7.0 6.9 6.7																					
4478021	9.730	11.911	C	2024		0012															
87020000	8.387	9.730	L	1	1	45	CRACKING	2.5*	2.3*	2.3*	3.0*	3.2*			10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	5.2		36000	RIDE	6.6	6.5	6.6	6.5	6.2*			7.5	7.6	7.8	7.7	7.6	7.6	
COCONUT PALM DR(8.4C) OGFC																					
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5
(2006) RIDE 7.5 7.5 7.5 7.5 7.4 7.3 7.3 7.0 7.3 7.4 7.3 7.3 7.2 7.1																					
4477981	7.001	9.730	C	2024		0012															
87020000	7.001	8.387	L	1	1	45	CRACKING	5.4*	4.6*	4.5*	4.8*	5.4*			10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	4.0		43000	RIDE	6.5	6.4*	6.4*	6.3*	6.0*			7.4	7.5	7.5	7.6	7.6	7.4	7.4
BAUER DR(7.1C) OGFC																					
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.2
(2005) RIDE 7.3 7.4 7.3 7.3 7.0 7.0 6.9 6.6 6.8 6.7 6.7 6.7 6.4 6.3																					
4477981	7.001	9.730	C	2024		0012															
87020000	5.278	7.001	L	1	1	45	CRACKING	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*		
5	1		2	4.0		43000	RIDE	8.5	8.5	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	6.9	6.8		
SW 284 ST(5.4L) FC5																					
4106252	5.278	7.001	C	2010		0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5
TRANS FLORIDA DEVELOPMENT(2013) SPRIDE 7.5 7.6 7.6 7.8 7.8 7.8 7.8 7.3 7.7 7.5 7.6 7.5 7.4 7.4																					
87020000	3.277	5.278	L	1	1	45	CRACKING	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*	3.5*	
5	1		2	5.2		28500	RIDE	8.5	8.5	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	6.9	6.8	6.6	
SW 308 ST/NE 11 ST(3.4C) FC5																					
4106251	3.620	5.278	C	2011		0005	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.6
ATLANTIC CIVIL INC (2014) SPRIDE 8.0 7.9 8.0 7.9 7.8 7.5 7.8 7.5 7.7 7.6 7.6 7.3 7.2																					
87020000	2.696	3.277	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		3	4.5		32000	RIDE	8.2	8.1	8.0	7.9	7.9	7.5	7.4	7.3	7.4	7.5	7.5	7.4	7.4	
SHOPPING CENTER(2.9L) DGFC																					
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0		10.0	10.0	10.0	10.0
(2022) RIDE 7.4 7.5 7.4 7.4 7.2 7.1 7.1 6.9 7.2 7.7 7.6 7.4 6.7																					
87020000	1.800	2.696	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		3	4.3		30000	RIDE	8.2	8.1	7.9	8.0	7.8	7.3	7.4	7.4	7.4	7.5	7.5	7.4	7.4	
FLORIDA CITY CITY LIMITS(1.9C) FC2																					
4418271	1.871	2.443	L	2021		0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	
OHLA USA, INC. (2023) SPRIDE 7.4 7.4 7.4 7.3 7.5 7.4 7.4 7.2 7.3 7.2 7.3 7.2 7.7 7.6																					
87020000	0.000	1.800	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	4.3		30000	RIDE	8.5	8.4	8.4	8.4	8.3	7.8	7.8	7.8	7.8	7.9	7.8	7.7	7.6	
CARD SOUND RD(0.0C) FC2																					
4418121	0.000	0.862	C	2021		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	
OHLA USA, INC. (2023) SPRIDE 7.5 7.4 7.3 7.3 7.4 7.1 7.2 7.1 7.1 6.8 6.8 6.9 7.0																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-M		*****											
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		FY-F		WKM-M		*****													
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-M		*****											
87020001	0.000	0.543	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.5			
5	1			3	5.2	25500	RIDE		8.4	8.4	8.3	8.0	7.8	7.8	7.8	7.5	7.9	7.8	7.8	7.7			
AUTOPARTS(0.0R)						FC125M																	
4284871	0.000	0.560	C	2013	0012		CRACKING	7.5	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST(2014)								RIDE		7.7		6.4		8.3		8.1		8.1		8.0		7.5	
87020001	0.543	1.080	C	1	6	45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.5			
5	1			3	5.2	25500	RIDE		8.4	8.4	8.3	8.0	7.8	7.8	7.8	7.5	7.9	7.8	7.8	7.7			
DATURA ST *(0.6L)						DGFC																	
						(2013)		CRACKING		7.5		9.0		9.0		9.0		9.0		9.0		8.0	
								RIDE		7.7		6.4		7.6		5.4*						6.9	
87021000	0.000	0.645	R	3	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
878				2	2.7	37500	RIDE	8.4	8.1	8.2	8.2	8.4	8.1	8.0	8.0	8.0	7.9	8.1	7.5	8.0			
MISSING DESCRIPTION I(0.0C)						OGFC																	
						(2015)		CRACKING		9.5		10.0		10.0		10.0		10.0		10.0		8.5	
								RIDE		7.9		7.6		8.0		7.7		7.7		7.6		7.2	
87021000	0.645	2.169	R	3	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0			
878				2	2.6	34512	RIDE	8.4	8.1	8.2	8.2	8.4	8.1	8.0	8.0	8.0	7.6	7.6	7.6	7.6			
						OGFC																	
						(2008)		CRACKING		9.5		9.5		9.5		9.5		9.0		8.0		7.7	
								RIDE		7.6		7.5		7.3		7.4		7.6		7.3		7.5	
87021000	2.476	2.621	R	3	6	45	CRACKING						9.5	10.0	10.0	10.0	10.0	10.0	10.0				
878				3	2.7	26000	RIDE																
SO DIXIE HWY(2.6C)						OGFC																	
						(2005)		CRACKING		10.0		10.0		10.0		10.0		10.0		9.0		9.0	
								RIDE		10.0		10.0		10.0		10.0		10.0		9.0		9.0	
87021000	2.476	2.621	L	3	6	45	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0				
878				2	2.7	26000	RIDE																
SO DIXIE HWY(2.6C)						OGFC																	
						(2005)		CRACKING		10.0		10.0		10.0		10.0		10.0		9.0		8.9	
								RIDE		10.0		10.0		10.0		10.0		10.0		9.0		9.0	
87021000	0.645	2.169	L	3	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.5	10.0	10.0	10.0	10.0			
878				2	2.6	34512	RIDE	8.2	8.1	8.2	8.3	8.3	7.7	7.8	7.7	7.7	7.6	7.7	7.4	7.4			
						OGFC																	
						(2008)		CRACKING		10.0		10.0		9.5		9.5		9.0		9.0		8.5	
								RIDE		7.6		7.6		7.5		7.3		7.5		7.6		7.6	
87021000	0.000	0.645	L	3	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5			
878				2	2.7	37500	RIDE	8.2	8.1	8.2	8.3	8.3	7.7	7.8	7.7	7.7	7.1	7.3	7.0	7.3			
MISSING DESCRIPTION I(0.0C)						OGFC																	
						(2015)		CRACKING		9.5		10.0		10.0		10.0		10.0		10.0		10.0	
								RIDE		7.4		7.3		7.9		8.0		8.1		8.1		8.1	
87021011	0.000	0.419	C	1	1	50	CRACKING						10.0	10.0	10.0	9.0	9.0	9.0	9.0				
878				3	2.7	31500	RIDE						7.4	7.4	7.5	7.3	7.7	7.5	7.4	7.2			
87021003 SB ON(0.0R)						OGFC																	
						(2015)		CRACKING		9.0		10.0		10.0		10.0		10.0		10.0		10.0	
								RIDE		7.3		7.7		8.0		7.9		7.9		7.9		8.0	
87026000	0.000	2.829	R	1	1	45	CRACKING	9.0	7.5	7.5	7.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0				
860				3	5.7	29000	RIDE	6.7	6.4*	6.5	6.1*		7.0	6.8	6.5	6.3	5.5	5.4*	5.3*	5.2*			
RED RD(0.0C)						FC95M																	
4275182	1.185	2.829	C	2021	0012		CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0			
GENERAL ASPHALT CO., INC. (2023)								RIDE		5.0*		5.1*		4.8*		5.2*		4.6*		4.5*		4.5*	
87026000	2.829	5.529	R	1	1	40	CRACKING	6.0*	5.5*	5.5*	5.0*	5.0*	5.0*	3.5*		10.0	10.0	10.0	10.0				
860				3	6.2	35500	RIDE	6.9	6.6	6.7	6.6	6.4	5.3*	4.8*		7.3	7.4	7.3	7.3	7.0			
SR 817(3.0C)						FC95																	
2498871	1.110	4.424	C	2001	0218		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	5.8		
COMMUNITY ASPHALT CORP. (2007)						S		RIDE		6.8		7.1		6.9		7.0		6.6		6.5		5.7	
4478001	2.828	5.505	C	2025	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE																
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE																								
		(AGE_ONE YEAR)		(YEAR)						(REG)																										
87026005	0.767	3.664	L	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
860			2	5.7		39000	RIDE	6.8	6.8	6.6	6.5	6.4	6.0	6.1	6.0	5.7	5.9	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
IBIS VILLA S ENT(0.8L)								FC95																												
4077361	0.767	2.543	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.8
WEEKLEY ASPHALT PAVING, IN(2012)								SPRIDE																												
87026005	0.312	0.767	L	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860			3	3.2		47500	RIDE	6.8	6.8	6.6	6.5	6.4	6.0	6.1	8.3	7.9	7.0	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1
NW 87 AVE(0.6C)								DGFC																												
4165901	0.307	0.799	C	2005		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
ATLANTIC CIVIL INC (2006)								SPRIDE																												
4388642	0.439	1.316	C	2025		0218		7.9	7.8	7.9	7.7	7.9	7.8	7.7	7.8	7.7	7.6	7.7	7.8	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4
87026005	0.000	0.312	L	1	6	40	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
860			2	3.2		47500	RIDE	8.4	8.4	8.2	8.1	8.2	7.2	7.2	7.0	7.0	7.4	6.9	7.3	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
OFF RAMP 87075626(0.0L)								DGFC																												
4274511	0.000	0.187	L	2013		0226	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2014)								SPRIDE																												
87027000	0.000	0.479	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
969			3	7.7		24200	RIDE	6.5	8.0	7.2	7.4	5.4*	5.2*	5.2*	5.5	5.5	5.6	5.8	7.7	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	
FLAGLER ST(0.0C)								FC125M																												
4293453	0.019	0.436	C	2021		0012	CRACKING	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
THE STOUT GROUP LLC (2023)								RIDE																												
87027000	0.857	1.183	R	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
969			3	7.0		35000	RIDE	4.8*	4.7*	4.7*	4.6*	4.4*	5.6	5.5	5.9	5.9	5.2*	5.3*	5.0*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	4.9*	
								DGFC																												
								CRACKING																												
								RIDE																												
87027000	1.183	2.491	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
969			3	9.6		26500	RIDE	7.8	6.8	6.5	7.6	7.3	7.0	6.8	6.2	6.7	6.7	6.6	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
MILITARY RD R(1.9R)								FC5																												
4146221	1.225	2.361	C	2008		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5
GENERAL ASPHALT CO., INC. (2010)								SPRIDE																												
4525681	1.212	2.491	C	2027		0012		7.1	7.4	7.2	7.4	7.2	7.3	6.9	7.4	7.2	7.0	7.3	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	
87027000	2.491	5.406	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
969			3	9.5		33500	RIDE	8.2	7.8	7.1	6.9	6.7	6.7	6.5	6.0	5.8	6.2	6.3	6.3	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	
NW 30 ST(2.7R)								FC95M																												
4293451	2.491	4.303	C	2016		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
GENERAL ASPHALT CO., INC. (2018)								SPRIDE																												
87027000	2.491	5.406	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
969			3	9.5		33500	RIDE	7.9	7.7	7.8	7.5	7.2	6.7	6.1*	6.7	6.7	6.8	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	
NW 31 ST(2.8L)								FC95M																												
4293451	2.491	4.303	C	2016		0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.7	
GENERAL ASPHALT CO., INC. (2018)								SPRIDE																												
87027000	1.183	2.491	L	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
969			3	9.6		26500	RIDE	7.5	7.8	7.6	7.3	6.8	6.5	6.4*	5.8	6.0	6.5	6.4	7.7	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	
TRN LN TO NW 12 ST(1.2L)								FC5																												
4146221	1.225	2.361	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.4
GENERAL ASPHALT CO., INC. (2010)								SPRIDE																												
4525681	1.212	2.491	C	2027		0012		7.5	7.4	7.3	7.4	7.5	7.1	7.3	7.4	7.4	7.2	7.4	7.1	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	
87027000	0.857	1.183	L	1	6	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
969			3	7.0																																

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	=====																
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
CONTRACTOR																							
ITMSEG-F																							
87027003	0.000	0.502	R	1	1	40	CRACKING																
969				3	5.6	37000	RIDE																
HOTEL ENTRANCE(0.0R)							DGFC																
					(2018)		CRACKING							10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.7	
							RIDE							6.9							6.2		

87027003	0.000	0.502	L	1	1	40	CRACKING																
969				3	5.6	37000	RIDE																
NW 7 ST/RALPH RENICK(0.0L)							DGFC																
					(2018)		CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE							6.3							6.1		

87030000	0.000	0.840	R	1	1	45	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
5				3	4.8	43500	RIDE	7.8	7.8	8.7	8.6	8.1	7.7	7.8	7.8	8.0	8.0	8.0	8.0	7.9	7.9		
JOHNSON DR(0.0C)							FC5																
2499781	0.000	0.840	C	1999		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	5.8		
RANGER CONSTRUCTION INDUST(2001)							SPRIDE	7.7	8.0	7.7	6.4	7.6	7.8	7.6	7.6	7.6	7.6	7.5	7.6	7.2	7.1		
4439081	0.000	0.791	C	2025		0012																	

87030000	0.840	1.628	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5		
5				3	3.2	52500	RIDE	7.8	7.8	8.0	8.0	7.8	7.2	7.2	7.0	7.2	7.2	7.2	7.1	7.1			
SW 68 CT(1.1R)							DGFC																
4274191	0.840	1.442	C	2012		0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1		
GENERAL ASPHALT CO., INC.(2015)							SPRIDE	6.9	6.8	6.2	8.3	8.0	8.0	7.8	8.0	7.9	7.9	8.0	8.0	7.8	7.7		

87030000	1.628	4.347	R	1	1	40	CRACKING	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0			
5				3	4.1	79000	RIDE	6.8	6.8	6.5	6.5	8.1	7.6	7.6	7.6	7.6	7.6	7.8	7.7	7.3	7.5		
SOUTH MIAMI CITY LIMITS(1.6R)							FC5																
2501881	1.713	4.347	C	2000		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.2		
APAC-FLORIDA INC(2003)							SPRIDE	7.5	7.4	7.5	7.3	7.6	7.7	7.6	7.7	7.6	7.7	7.7	7.6	7.7	7.6		
4439161	1.651	4.387	C	2022		0012																	

87030000	4.347	6.639	R	1	1	45	CRACKING	8.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0			
5				3	3.2	73500	RIDE	7.2	8.4	8.3	8.2	8.1	7.6	7.5	7.5	7.2	7.6	7.6	7.3	7.5			
RIVIERA DR(4.4R)							FC95M																
					(2022)		CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0		
							RIDE	7.4	7.3	7.3	7.1	7.3	7.2	6.9	7.1	7.1	7.1	7.1	7.0	7.1	6.9		

87030000	6.639	8.293	R	1	1	45	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0			
5				3	3.2	82000	RIDE	7.2	7.5	8.8	8.7	8.4	8.0	8.1	8.0	8.0	8.1	8.0	7.9	8.0			
SECOFFEE TER(6.7R)							FC95M																
4334554	7.131	8.293	C	2019		0012	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0			
H&R PAVING INC(2021)							SPRIDE	7.9	7.5	7.2	7.4	7.5	7.6	7.3	7.4	7.5	6.9	6.8	6.9	6.9	6.9		

87030000	10.221	10.389	R	1	6	30	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5			
90				3	3.2	30500	RIDE	7.7	7.6	7.6	6.5	6.5	5.7	5.5	6.2	6.1	6.2	5.6	5.1*	5.3*			
ICON BRICKELL(10.4R)							DGFC																
					(2015)		CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0			
							RIDE	4.9*	5.2*	4.5*											8.2		

87030000	10.389	10.556	R	1	8	30	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5			
90				3	3.2	30500	RIDE	7.7	7.6	7.6	6.5	6.5	5.7	5.5	6.2	6.1	6.2	5.6	5.1*	5.3*			
							DGFC																
4124738	10.396	10.556	C	2016		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	3.5*	9.0									
HALLEY ENGINEERING CONTRAC(2018)							SPRIDE	4.9*	5.2*	4.5*													

87030000	10.556	10.834	C	1	8	30	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0			
5				3	3.2	22000	RIDE	6.6	6.5	6.6	5.9	6.2	5.1*	3.5*	2.6*	3.4*	4.5*	4.2*		5.4*			
BISCAYNE BLVD WAY(10.6L)							DGFC																
					(2010)		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5									
							RIDE	5.6	4.8*	4.4*	3.9*	3.4*	3.6*										

87030000	10.834	11.368	R	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	10.0			
5				4	3.0	29000	RIDE	6.9	6.9	7.1	7.3	6.9	6.5	6.3	5.8	6.3	6.9	6.4	5.9	8.2			
SIDE ROAD(11.0C)							FC95																
4146231	10.816	11.283	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
COMMUNITY ASPHALT CORP.(2011)							SPRIDE	7.9	7.7	7.8	7.9	6.1	6.5	6.8	6.9	6.6	6.5	6.0	6.4	6.0	6.4	6.0	5.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----

RDWYID	SR	US	BMP	G_BMP	EMP LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
											1999	2000	2001										
INTERSECT AT	(MP)		(SIDE)																				
ITMSEG-P	W_BMP	W_EMP	W_RW	FY-P	WKM-M	WKM-P																	
CONTRACTOR	(AGE_ONE)	YEAR			ASTYPE																	2029	
ITMSEG-F	W_BMP	W_EMP	W_RW	FY-F	WKM-M	WKM-F																(REG)	
87030000	5	1	11.368	11.789	R	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			10.0	10.0	10.0	
NE 8 ST(11.5C)																							
DGFC																							
2498352	5	1	11.280	11.856	C	2005	0005	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.8
COMMUNITY ASPHALT CORP. (2009)																							
4439111	5	1	11.283	11.713	C	2024	0012	SPRIDE	6.0	5.8	5.6	5.4*	5.9	5.4*	5.3*	5.1*	5.2*	5.4*	5.5				
CRACKING RIDE																							
87030000	5	1	11.789	12.067	R	1	6	30	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0			10.0	10.0	10.0	
NE 13 ST(11.8C)																							
DGFC																							
(2008)																							
CRACKING RIDE																							
87030000	5	1	12.067	13.605	R	1	1	30	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5		
HILTON MIAMI DOWNTOW(12.1R)																							
FC95																							
4146241	5	1	12.067	13.482	C	2009	0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	
AMERICAN ENGINEERING & DEV(2013)																							
SPRIDE																							
87030000	5	1	13.605	15.048	R	1	1	35	CRACKING	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0	
BAY POINT ENT(14.0R)																							
DGFC																							
2502241	5	1	13.635	15.405	C	2005	0005	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
CENTRAL FLORIDA EQUIPMENT (2009)																							
4478301	5	1	13.588	15.048	C	2026	0012	SPRIDE	6.8	6.6	6.7	6.7	6.9	6.9	6.7	6.6	6.6	6.5	6.3	6.3	6.0	6.0	
CRACKING RIDE																							
87030000	5	1	15.048	16.686	R	1	1	35	CRACKING	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	3.5*		10.0	10.0	10.0	
NE 62 ST(15.1C)																							
DGFC																							
(2009)																							
4459961	5	1	15.036	16.724	C	2024	0015	SPRIDE	6.7	6.6	6.7	6.2	5.6	5.2*	4.8*	4.7*	4.7*	4.7*	4.8*	4.8*	4.7*	3.4	
CRACKING RIDE																							
87030000	5	1	16.686	18.057	R	1	1	35	CRACKING	4.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	
NE 88 TER(16.7R)																							
FC95																							
2502221	5	1	16.620	18.057	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.3	
M. VILA & ASSOCIATES INC. (2008)																							
4478271	5	1	16.676	18.042	C	2026	0012	SPRIDE	7.1	7.1	7.1	6.9	6.7	6.5	6.6	6.4	6.2	6.3	6.2	6.4	6.4	5.7	
CRACKING RIDE																							
87030000	5	1	18.057	19.267	R	1	1	35	CRACKING	9.0	7.5	7.5	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	
NE 107 ST(18.1R)																							
FC95																							
2501331	5	1	18.017	19.267	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5	
HORIZON CONTRACTORS, INC. (2008)																							
4439121	5	1	18.042	19.307	C	2024	0012	SPRIDE	6.8	6.8	6.7	6.8	5.7	5.6	5.5	5.5	5.5	5.5	5.3*	5.4*	5.2*	5.1*	
CRACKING RIDE																							
87030000	5	1	19.267	21.350	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.5	
MIAMI BLVD N(19.3C)																							
FC95M																							
4291901	5	1	19.553	21.225	C	2014	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9	
GENERAL ASPHALT CO., INC. (2017)																							
SPRIDE																							
87030000	5	1	21.350	24.278	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0		
NE 156 ST(21.4R)																							
FC95A																							
4308081	5	1	21.255	24.278	R	2016	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
HALLEY ENGINEERING CONTRAC(2019)																							
SPRIDE																							
87030000	5	1	24.278	24.907	R	1	1	45	CRACKING		7.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0		
AVENTURA BLVD(24.3R)																							
FC95A																							
4146243	5	1	24.354	24.927	R	2015	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2018)																							
SPRIDE																							
87030000	5	1	24.907	25.402	R	1	1	45	CRACKING	9.0	7.0	7.0	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	
NE 209 ST(25.0C)																							
FC95A																							
4146243	5	1	24.927	25.464	R	2015	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2018)																							
SPRIDE																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																														
RDWYID	BMP		RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR	FUTURE																					
	SR	US							1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029 (REG)								
	AT (MP SIDE)								RATINGS		=====																			
W_BMP	W_EMP	LN	#T	ADT	RATINGS	*****																								
CONTRACTOR	(AGE_ONE YEAR)	YEAR	RY-P	WKM-M	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029 (REG)						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																								
87030000	24.278	25.402	L	1	2	45	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0										
5 1					3	3.6	55500 RIDE	8.1	8.2			7.8	7.4	7.5	7.5	7.4	7.4	7.7	7.6	7.2										
SPUR(24.6L)																														
4146243	24.278	25.464	L	2015		0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, INC(2018) SPRIDE																														
87030000	23.965	24.278	L	1	6	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0											
5 1					3	4.2	80500 RIDE	7.6	7.6	7.8	7.4	6.8	6.6	6.3	6.8	6.6	6.4	6.4	6.8	6.7										
FC95A																														
4308081	24.077	24.278	L	2016		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
HALLEY ENGINEERING CONTRAC(2019) SPRIDE																														
87030000	21.350	23.965	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5					
5 1					4	2.0	62000 RIDE	8.6	8.5	8.4	8.1	7.6	7.3	7.4	7.5	7.5	7.4	7.0	7.2											
SR 826(21.9C) FC95A																														
4308081	21.225	24.077	L	2016		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
HALLEY ENGINEERING CONTRAC(2019) SPRIDE																														
87030000	19.370	21.350	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.5										
5 1					3	3.0	42000 RIDE	7.7	7.8	8.4	7.7	7.2	6.8	6.6	6.3	6.1	6.4	6.2	6.2	6.3										
NE 124 ST(19.4L) FC95M																														
4291901	19.553	21.225	C	2014		0012	CRACKING	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.9										
GENERAL ASPHALT CO., INC. (2017) SPRIDE																														
87030000	18.057	19.370	L	1	1	35	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0										
5 1					2	2.0	41500 RIDE	7.0	7.2	6.6	7.6	7.5	6.9	6.1			7.0	7.0	6.6	6.9										
PLAZA(18.1L) FC95																														
2501331	18.017	19.267	C	2004		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5					8.5					
HORIZON CONTRACTORS, INC. (2008) SPRIDE																														
4439121	18.042	19.307	C	2024		0012		6.8	6.8	6.9	6.7	5.9	6.1	5.9	5.7	5.3*	5.7	5.7	5.5	5.4*	4.7									
87030000	16.686	18.057	L	1	1	35	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*			10.0	10.0	10.0	10.0										
5 1					2	3.0	51500 RIDE	7.2	7.2	7.1	6.8	6.2	5.9	5.6			7.6	7.6	7.5	7.0										
SR 915(16.7L) FC95																														
2502221	16.620	18.057	C	2004		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.1									
M. VILA & ASSOCIATES INC. (2008) SPRIDE																														
4478271	16.676	18.042	C	2026		0012		7.3	7.3	7.0	7.1	6.8	6.6	6.6	6.5	6.4	6.4	6.4	6.4	6.3	5.7									
87030000	15.048	16.686	L	1	1	35	CRACKING	9.0	9.0	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0										
5 1					2	5.3	36500 RIDE	6.6	6.5	6.5	6.2	5.6	5.1*	5.3*	5.0*	5.2*		7.5	7.3	7.2										
NE 62 ST(15.1C) DGFC																														
(2009) CRACKING RIDE																														
4459961	15.036	16.724	C	2024		0015		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3									
(2009) CRACKING RIDE																														
87030000	13.605	15.048	L	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	7.0	1.0*	1.0*	1.0*			10.0	10.0	10.0										
5 1					2	3.0	36500 RIDE	8.1	8.2	8.3	7.9	5.6	6.8	6.5	6.3			7.2	7.1	7.0										
NE 39 ST(13.7L) DGFC																														
2502241	13.635	15.405	C	2005		0005	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.6									
CENTRAL FLORIDA EQUIPMENT (2009) SPRIDE																														
4478301	13.588	15.048	C	2026		0012		7.0	6.7	6.8	6.6	7.0	6.8	6.6	6.4	6.5	6.2	6.5	6.4	6.2	5.9									
87030000	12.067	13.605	L	1	1	30	CRACKING	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.5	6.5	6.5	6.5											
5 1					2	3.0	47500 RIDE	6.4*	6.5	6.4*	6.2	6.0	5.2*	5.0*	4.6*	4.3*	4.7*	4.8*	4.3*											
NE 16 ST(12.1L) FC95																														
4146241	12.067	13.482	C	2009		0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7									
AMERICAN ENGINEERING & DEV(2013) SPRIDE																														
87030000	11.789	12.067	L	1	6	30	CRACKING	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0			10.0	10.0	10.0										
5 1					2	3.0	32500 RIDE	6.4*	6.5	6.4*	6.2	6.0	5.2*	5.0*	4.6*			4.1*	3.7*											
NE 12 ST(11.8L) DGFC																														
(2008) CRACKING RIDE																														
87030000	11.368	11.789	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			10.0	10.0	10.0									
5 1					3	8.2	33000 RIDE	7.3	7.2	7.6	7.3	6.6	5.3*	5.7	5.3*	4.7*			6.2	5.6	5.9									
NE 7 ST(11.4L) DGFC																														
2498352	11.280	11.856	C	2005		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0								
COMMUNITY ASPHALT CORP. (2009) SPRIDE																														
4439111	11.283	11.713	C	2024		0012		6.3	6.0	5.8	5.6	4.5*	4.6*	4.0*	4.3*	3.9*	4.0*	3.9*	3.8*	3.8*	2.5									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWIDYD MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----

RDWIDYD	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE												
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)																						
ITMSEG-P W_BMP W_EMP RW FY-P WKM-KP																						
CONTRACTOR (AGE_ONE YEAR) ASTYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKM-KF																						
								=====														
87030000	10.834	11.368	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		6.5	6.5	10.0		
5	1		4	3.0	29000	RIDE	7.3	7.2	7.3	6.6	6.5	5.5	5.7	5.7	5.0*			5.5	4.8*	7.2		
SE 1 ST(10.9L)								FC95														
4146231	10.816	11.283	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.7
COMMUNITY ASPHALT CORP.								(2011) SPRIDE 7.1 7.0 5.6 6.7 6.0 5.7 5.9 6.1 5.9 5.5 5.1* 5.2* 5.1*														
87030000	10.221	10.556	L	1	6	30	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.5		
90	41		3	3.2	30500	RIDE	6.5	7.3	7.4	7.0	6.3	5.4*	4.9*	5.5	6.3	4.6*	5.3*	5.7	5.6			
SR 90 *(10.3L)								DGFC														
4124738	10.396	10.556	C	2016		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.9	
HALLEY ENGINEERING CONTRAC								(2018) SPRIDE 5.8 4.8* 4.5* 4.5*														
87030000	6.646	8.293	L	1	1	45	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5	1		3	3.2	82000	RIDE	6.1*	6.2*	8.6	8.6	8.3	7.8	8.1	7.9	8.0	8.1	8.1	7.9	7.9			
SW 24 AVE(6.8L)								FC95M														
4334554	7.131	8.293	C	2019		0012	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC								(2021) SPRIDE 7.8 7.8 7.8 7.7 7.7 7.8 7.3 7.7 7.6 7.2 7.0 7.0 7.0 6.8 6.2														
87030000	4.376	6.646	L	1	1	45	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0		
5	1		3	3.2	73500	RIDE	7.5	8.3	8.2	8.2	8.1	7.6	7.5	7.5	7.4	7.7	7.5	7.4	7.4			
RIVIERA DR(4.4L)								FC95M														
								CRACKING RIDE 8.0 8.0 8.0 7.0 6.5 6.5 6.5 6.5 6.5 5.5* 10.0 10.0 10.0 10.0														
								(2022) 7.4 7.3 7.2 7.2 7.1 7.1 7.2 7.1 7.1 7.1 7.3 7.2 7.1 7.1 6.6														
87030000	1.635	4.376	L	1	1	45	CRACKING	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		3	4.1	79000	RIDE	7.5	7.5	7.4	7.5	8.0	7.4	7.4	7.4	7.3	7.4	7.5	7.3	7.5	7.5		
SW 62 AV/PAUL TEVIS(2.1C)								FC5														
2501881	1.713	4.347	C	2000		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5
APAC-FLORIDA INC								(2003) SPRIDE 7.3 7.4 7.4 7.2 7.5 7.5 7.4 7.4 7.3 7.3 7.4 7.1 7.0 7.0														
4439161	1.651	4.387	C	2022		0012																
87030000	0.840	1.635	L	1	1	45	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*			
5	1		3	3.2	52500	RIDE	8.1	8.0	8.1	7.9	7.9	7.3	7.2	7.2	7.3	7.4	7.3	7.2	7.1			
KENDALL DR(0.8L)								DGFC														
4274191	0.840	1.442	C	2012		0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	
GENERAL ASPHALT CO., INC.								(2015) SPRIDE 6.9 6.9 6.9 8.3 8.2 8.0 7.7 7.9 8.0 7.9 7.8 7.5 7.6 7.2														
87030000	0.000	0.840	L	1	1	45	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
5	1		3	4.8	43500	RIDE	8.1	8.0	8.7	8.6	8.4	7.7	7.9	7.5	7.8	7.7	7.7	7.9	7.7			
JOHNSON DR(0.0C)								FC5														
2499781	0.000	0.840	C	1999		0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	7.4	
RANGER CONSTRUCTION INDUST								(2001) SPRIDE 7.6 7.6 7.6 7.6 7.8 7.8 7.4 7.6 7.5 7.6 7.6 7.7 7.4 7.0 7.0														
4439081	0.000	0.791	C	2025		0012																
87030001	0.000	0.286	C	1	6	30	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5			
5	1		3	3.2	20000	RIDE	3.3*	5.1*	3.2*	4.3*	3.8*	3.5*	3.5*	3.4*	3.8*	3.4*	3.7*	3.5*				
BISCAYNE BLVD(0.0C)								CRACKING RIDE 10.0 10.0 10.0 9.0 9.0 9.0 10.0 9.5 9.5 9.5 9.5 8.9														
								(2020) 5.5 5.4* 4.7*														
87034000	0.000	2.185	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
915			4	2.5	19400	RIDE	8.2	8.1	7.8	8.1	7.2	6.6	6.9	6.2	6.0	6.3	6.0	6.4	6.6			
SR 5/BISCAYNE BLVD(0.0R)								FC95A														
								CRACKING RIDE 9.5 9.5 8.5 8.5 8.5 10.0 10.0 10.0 9.0 9.0 9.0 6.6 6.6 6.5 6.5 6.5 6.5 6.5 6.5 7.9														
								(2017) 6.0 6.2 6.0 6.1 5.8 7.2 7.2 7.1 6.9 6.8 6.7 6.6 6.5 5.9														
87034000	2.185	3.641	C	1	1	30	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0		10.0	10.0	10.0	8.5		
915			4	2.0	24039	RIDE	7.4	7.3	7.4	7.2	7.7	6.6	6.6	6.3		6.5	6.4	6.3	6.2			
NE 123 ST(2.2C)								FC95														
4146871	2.369	3.641	C	2005		0008	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.7	
PETRO HYDRO, INC								(2008) SPRIDE 6.3 6.3 5.7 6.1 5.6 5.4* 5.3* 5.1* 4.8* 4.7* 4.6* 4.5* 4.4* 3.7														
4439321	2.557	3.668	C	2023		0012																
87034000	3.641	5.867	C	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5		
915			4	1.8	24000	RIDE	8.2	7.3	8.0	7.2	7.7	6.6	6.6	6.3	6.6	6.2	6.1	6.2	6.0			
NE 147 ST(3.7L)								FC95														
4226201	3.641	5.867	C	2013		0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.1	
WEEKLEY ASPHALT PAVING, IN								(2015) RIDE 6.0 6.0 5.7 6.9 6.7 6.4 6.5 6.1 6.2 6.1 6.2 6.1 6.2 5.9 5.7 5.2														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

													DISTRICT = 6		COUNTY = DADE																				
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR					FUTURE																	
													1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
													INTERSECT AT (MP SIDE)		CONTRACTOR																				
													ITMSEG-P		CONTRACTOR																				
													ITMSEG-F		CONTRACTOR																				
87037000			0.000		0.183	R	1	6	30		CRACKING	6.5	6.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*									
907								2	4.8		26000	RIDE	5.3*	5.3*	5.2*	4.5*	5.2*	4.4*	4.2*	4.2*	4.2*	4.2*	4.2*	3.9*	4.4*	3.9*									
SR A1A(0.0C)																																			
2499111													0.028	0.183	R	2013	0005	CRACKING	9.5	9.5	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	
BERGERON LAND DEVELOPMENT, (2017)																																			
87037000			0.183		1.539	R	1	6	30		CRACKING	6.5	6.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*									
907								2	4.8		26000	RIDE	5.3*	5.3*	5.2*	4.5*	5.2*	4.4*	4.2*	4.2*	4.2*	4.2*	4.2*	3.9*	4.4*	3.9*									
8 ST(0.3C)																																			
																			4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.9					
(2017)																																			
87037000			1.539		2.590	R	1	1	30		CRACKING	6.5	6.5	6.5	4.5*	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.5	8.5										
907								2	2.8		44500	RIDE	6.0*	5.8*	5.5*	5.9	7.1	6.3	4.8*	6.4	6.3	5.6	5.9	5.8	5.3*										
MICHIGAN AVE(1.5R)																																			
4075712													1.524	2.700	C	2004	0012	CRACKING	8.5	8.5	8.5	8.0	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.4			
H & J ASPHALT, INC																			5.5	5.3*	5.2*	5.1*	4.1*	4.1*	4.0*	3.9*	3.7*	3.8*	3.8*	3.8*	3.6*	2.5			
4291931													1.519	2.914	C	2025	0005	SPRIDE																	
87037000			2.590		2.780	R	1	2	30		CRACKING	6.5	6.5	6.5	4.5*	9.5	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5											
907								2	2.8		44500	RIDE	6.0*	5.8*	5.5*	5.9	7.1	6.3	4.8*	5.8	6.3	5.7	5.9	5.8	5.2*										
NAUTILUS AVE(2.6R)																																			
																			6.5	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*	2.5*	0.0*	0.0*	0.0					
(2003)																																			
4291931													1.519	2.914	C	2025	0005	CRACKING	5.9	5.5	5.4*	5.5	5.0*	5.0*	4.8*	4.8*	4.6*	4.6*	4.7*				4.3*	3.9	
87037000			2.780		2.981	R	1	6	30		CRACKING	6.5	6.5	6.5	4.5*	9.5	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5											
907								2	2.2		37500	RIDE	6.0*	5.8*	5.5*	5.9	7.1	6.3	4.8*	5.8	6.3	5.7	5.9	5.8	5.2*										
BAY DR R(2.9R)																																			
																			6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.2					
(2015)																																			
4291931													1.519	2.914	C	2025	0005	CRACKING	5.9	5.5	5.4*	7.2													
87037000			2.981		3.750	R	1	1	30		CRACKING	6.5	6.5	6.5	4.5*	9.5	9.5	9.5	10.0	10.0	10.0	9.0	7.0	7.0											
907								2	2.2		37500	RIDE	6.0*	5.8*	5.5*	5.9	7.1	6.3	4.8*	6.4	6.3	5.6	5.9	5.8	5.4*										
ALTON BYPASS(3.0R)																																			
4075711													2.700	5.659	C	2003	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*	5.0*	3.6					
H&R PAVING INC																			5.9	6.0	5.9	5.6	4.8*	4.7*	4.7*	4.6*	4.5*	4.6*	4.5*	4.4*	3.7				
(2006)																																			
87037000			3.750		4.125	R	1	2	30		CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	5.5*	5.5*											
907								2	2.2		37500	RIDE	6.0*	5.8*	5.5*	5.9	4.4*	3.9*	2.1*	6.0	4.6*	4.0*	3.7*	3.6*	3.2*										
LAKEVIEW DR(3.8R)																																			
4075711													2.700	5.659	C	2003	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	5.0*	5.0*	2.7				
H&R PAVING INC																			3.3*	5.7	5.5	5.8	4.4*	4.5*	4.4*	4.1*	4.1*	4.1*	4.0*	4.0*	4.4*	4.1			
(2006)																																			
87037000			4.125		5.440	R	1	1	30		CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	5.5*	5.5*											
907								2	2.2		37500	RIDE	6.0*	5.8*	5.5*	5.9	4.4*	3.9*	2.1*	6.0	4.6*	4.0*	3.7*	3.6*	3.2*										
W 53 ST(4.2C)																																			
4075711													2.700	5.659	C	2003	0012	CRACKING	5.5*	5.5*	5.5*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0		
H&R PAVING INC																			3.3*	6.3	6.3	5.3*	3.9*	3.6*	3.4*	3.1*	3.1*	3.0*	2.9*	2.6*	2.5*	2.2			
(2006)																																			
87037000			5.440		5.659	C	1	6	30		CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*		3.5*	3.5*	3.5*											
907								2	2.2		37500	RIDE	6.4*	6.4*	5.5*	5.9	5.7	5.0*	5.0*																
ALLISON ISLAND RD(5.5L)																																			
																			3.5*	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.2			
(2013)																																			
87037000			3.750		5.440	L	1	1	30		CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	5.5*	5.5*											
907								2	2.2		37500	RIDE	6.4*	6.4*	6.2*	6.2	5.7	5.0*	5.0*	6.2	5.9	5.3*	6.0	5.9	5.4*										
NORTH BAY RD(3.8L)																																			
4075711													2.700	5.659	C	2003	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.3			
H&R PAVING INC																			5.7	5.6	5.7	5.4*	4.5*	4.5*	4.5*	4.3*	4.2*	4.3*	4.2*	4.1*	4.1*	3.3			
(2006)																																			
87037000			2.957		3.750	L	1	1	30		CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	7.0	7.0											
907								2	2.2		37500	RIDE	6.4*	6.4*	6.2*	6.2	5.8	5.7	5.4*	5.8	5.4*	5.0*	5.0*	5.1*	4.8*										
ED SULLIVAN DR(3.0L)																																			
																			7.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	0.7			
(2013)																																			
																			5.0*	5.4*	5.4*	5.2*	4.4*	4.3*	4.3*	4.0*	3.9*	3.9*	3.9*	3.7*	3.8*	2.7			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

-----																DISTRICT = 6 COUNTY = DADE		-----															
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE										FUTURE													
SR US	G_BMP	G_EMP	LN	WT	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011													
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMXP	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029												
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RY	FY-F	WKMXP			(REG)																									
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMXP																												
ITMSEG-F																																	
87037000	2.583	2.957	L	1	6	30	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5											
907				1	2.2	37500	RIDE	6.4*	6.4*	6.2*	6.2	5.8	5.7	5.4*	7.2	7.1	6.8	7.2	7.2	7.0													
3600 BLOCK(2.7C) DGFC																																	
4075711	2.700	5.659	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5											
H&R PAVING INC	(2006)							6.8	6.9	6.4	6.5	6.9	6.9	6.9	6.3																		
4291931 1.519 2.914 C 2025 0005																																	
87037000	1.539	2.583	L	1	1	30	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.5												
907				2	2.8	44500	RIDE	6.4*	6.4*	6.2*	6.2	5.8	5.7	5.4*	6.5	6.4	6.0	6.3	6.2	5.7													
MICHIGAN AVE(1.5L) FC125																																	
4075712	1.524	2.700	C	2004	0012	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	3.3												
H & J ASPHALT, INC	(2006)							5.9	6.0	5.8	5.7	5.1*	5.0*	5.0*	4.8*	4.7*	4.6*	4.9*	4.6*	4.4*	3.8												
4291931 1.519 2.914 C 2025 0005																																	
87037000	0.183	1.539	L	1	6	30	CRACKING	10.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*													
907				2	4.8	26000	RIDE	6.4*	5.8*	5.6*	5.0*	4.4*	4.2*	3.6*	3.6*	4.0*	3.9*	4.2*	4.4*	3.8*													
8 ST(0.3C) FC95M																																	
								4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8												
(2017) CRACKING RIDE 3.8* 3.8* 3.7*																																	
87037000	0.000	0.183	L	1	6	30	CRACKING	10.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*													
907				2	4.8	26000	RIDE	6.4*	5.8*	5.6*	5.0*	4.4*	4.2*	3.6*	3.6*	4.0*	3.9*	4.2*	4.4*	3.8*													
SR A1A(0.0C) FC95M																																	
2499111	0.028	0.402	L	2013	0005	CRACKING	9.5	9.5	9.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
BERGERON LAND DEVELOPMENT,	(2017)																																

87037001	0.000	0.181	C	1	6	30	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0													
907				2	3.5	5800	RIDE								5.0*	5.2*	5.5	5.4*	5.4*														
W 34 ST/MERIDIAN AV(0.0R) DGFC																																	
								10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	8.0	8.0												
(2006) CRACKING RIDE																																	
87037001	0.181	0.345	R	1	6	30	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0													
907				2	3.5	5800	RIDE								5.6	5.8	5.9	5.7	6.1														
ARTHUR GODFREY RD(0.2C) DGFC																																	
								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0												
(2006) CRACKING RIDE																																	
87037001	0.345	0.408	C	1	6	30	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0													
907				2	3.5	3900	RIDE								5.6	5.8	5.9	5.7	5.8														
TURNOUT SB SR 907(0.3L) DGFC																																	
								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0												
(2006) CRACKING RIDE																																	
87037001	0.181	0.345	L	1	1	30	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0													
907				2	3.5	5800	RIDE								5.1*	4.9*	5.5	5.5	5.8														
ARTHUR GODFREY RD(0.2C) UNKW																																	
								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0											
(2006) CRACKING RIDE																																	
87038000	0.000	1.178	R	1	1	40	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0												
932				2	3.8	16000	RIDE	7.7	6.8	7.2	6.8	8.0	6.8	6.8	6.7	6.8	7.0	6.8	6.7	6.6													
OKEECHOBEE RD(0.0C) FC125																																	
4075771	0.000	3.421	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4											
COMMUNITY ASPHALT CORP.	(2005)							5.8	6.0	6.0	6.2	5.6	5.8	5.6	5.6	5.3*	5.7	5.6	5.9	5.6	5.6	5.0											
4459931 0.579 2.942 R 2024 0012																																	
87038000	1.178	1.341	R	1	6	40	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0												
932				3	3.5	48500	RIDE	8.2	8.1	7.9	7.9		7.4	7.0	7.0	7.1	7.3	7.2	7.1	7.2													
W 19 CT(1.2R) FC125																																	
4075771	0.000	3.421	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.1											
COMMUNITY ASPHALT CORP.	(2004)							7.1	7.1	7.1	6.7	6.6																					
4459931 0.579 2.942 R 2024 0012																																	
87038000	1.341	3.381	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5												
932				3	3.5	48500	RIDE	8.2	8.1	7.9	7.9	8.3	7.2	8.1	7.9	8.0	7.9	7.7	7.6														
MALL ENT(1.5R) FC125																																	
								9.0	9.0		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.9											
(2015) CRACKING RIDE 7.4 7.4 6.7 7.1 7.5 7.4 7.4 7.1 7.3 7.1 7.2 7.1 7.1																																	
4459931 0.579 2.942 R 2024 0012																																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE																			
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029				
INTERSECT AT (MP SIDE)														=====																								
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	WKM-X-P																																
CONTRACTOR		(AGE_ONE	YEAR)	ASTYPE																																		
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKM-X-F																																
87038000		3.381	4.911	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																	
932				2	3.6		42500	RIDE	8.5	8.3	7.4	7.6	6.9	6.9	6.6	6.4	6.3	6.2	7.5	7.3	7.4																	
W 2 AVE(3.4R)																																						
4179141		3.381	4.911	C	2007		0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5															4.5	
H&R PAVING INC					(2009)			RIDE	7.3	6.9	7.0	7.0	6.5	6.6	6.5	6.6	6.4	6.4	6.5	6.3	6.3																5.8	
4347683		3.276	4.907	C	2022		0012																															
87038000		4.911	8.199	R	1	1	40	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5																	
932				3	3.8		39500	RIDE	6.5	8.1	8.1	7.8	7.7	7.3	7.4	7.2	7.2	7.4	7.3	7.4	7.3																	
E 10 CT(4.9R)																																						
4311761		5.240	8.150	C	2015		0012	CRACKING	8.5	8.5	8.5	8.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
H&R PAVING INC					(2017)			SPRIDE	7.2	7.2	7.2	7.1	7.3	7.8	7.8	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.4		
87038000		8.199	9.209	C	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0																
932				4	3.8		26000	RIDE	6.8	6.3*	6.0*	6.0	5.8	5.2*	5.3*			6.2	6.6	6.5	6.4	6.3																
SR 7(8.2C)																																						
					(2007)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4		
4439031		8.293	9.219	C	2023		0012	RIDE	6.4	6.4	6.1	6.3	5.4*	5.5	5.5	5.4*	5.2*	4.9*	5.1*	5.0*	5.0*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	5.1*	4.4		
87038000		9.209	9.700	C	1	1	30	CRACKING	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0																
932				2	3.8		11300	RIDE	5.7*	5.3*	5.5*	5.7	5.1*	4.7*	4.6*			7.1	6.4	6.8	6.6	7.0																
NE 2 AVE(9.2C)																																						
4083031		8.843	9.700	C	2004		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
COMMUNITY ASPHALT CORP.					(2007)			SPRIDE	6.5	6.6	6.6	6.6	5.7	5.9	5.7	5.6	6.0	5.4*	5.4*	5.4*	5.4*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	5.3*	4.8		
4478181		9.219	9.683	C	2025		0012																															
87038000		4.911	8.199	L	1	1	40	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.0	8.5	8.5																
932				3	3.8		39500	RIDE	5.7*	7.7	7.4	7.2	6.9	6.5	6.5	6.3	6.2	6.2	6.2	6.6	6.5	6.5																
E 10 CT(4.9L)																																						
4311761		5.240	8.150	C	2015		0012	CRACKING	8.5	8.5	8.5	8.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.8	
H&R PAVING INC					(2017)			SPRIDE	6.3	6.1	6.3	6.3	6.2	7.2	7.3	7.0	6.8	7.1	6.8	6.8	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.3	
87038000		3.381	4.911	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0																
932				2	3.6		42500	RIDE	7.7	7.7	7.6	7.2	7.2	6.7	5.9	6.2	5.8	6.3	7.0	6.3	6.5																	
W 2 AVE(3.4L)																																						
4179141		3.381	4.911	C	2007		0012	CRACKING	10.0	9.0	9.0	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.2		
H&R PAVING INC					(2009)			RIDE	6.5	6.4	6.3	6.3	6.5	6.4	6.5	6.3	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	5.9		
4347683		3.276	4.907	C	2022		0012																															
87038000		1.341	3.381	L	1	1	40	CRACKING	10.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
932				3	3.5		48500	RIDE	7.8	6.5	7.6	7.7	7.2	7.1	7.8	7.1	7.6	6.8	7.2	7.1	7.1																	
W 16 AVE(1.6C)																																						
4075771		0.000	3.421	C	2002		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.8	
COMMUNITY ASPHALT CORP.					(2005)			SPRIDE	7.0	6.6	6.9	7.1	7.1	7.2	7.2	6.9	6.4	7.2	6.9	7.2	6.9	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.8	
4459931		1.017	2.942	L	2024		0012																															
87038000		1.178	1.341	L	1	1	40	CRACKING	10.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																	
932				3	3.5		48500	RIDE	7.8	6.5	7.6	7.7		7.5	7.7	7.1	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8		
TN LN TO W 20 AVE(1.3L)																																						
4075771		0.000	3.421	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.					(2004)			SPRIDE	7.4	7.4	7.6	7.4	7.4	7.5	7.4	7.3	6.8	7.1	6.6	7.0	7.3	6.9	7.0	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	6.9	
4459931		1.017	2.942	L	2024		0012																															
87038000		0.000	1.178	L	1	2	40	CRACKING	10.0	10.0	10.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
932				2	3.8		16000	RIDE	7.3	6.0*	6.5	7.2	7.4	6.3	6.8	6.4	5.8	6.6	6.7	6.4	6.5																	
OKEECHOBEE RD(0.0C)																																						
4075771		0.000	3.421	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7		
COMMUNITY ASPHALT CORP.																																						

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																												
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE								
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011								

INTERSECT AT (MP SIDE)							SURFTYPE																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMخ-P	ASTYPE																						
CONTRACTOR (AGE_ONE YEAR)																												
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMخ-F																							
87040101	0.000	0.565	C	1	1	30	CRACKING																					
925			2	2.7		9500	RIDE																					
FLAGLER ST W(0.0C)							FC95M																					
			(2022)				CRACKING																					
							RIDE			9.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
								4.2*	4.4*	4.6*	4.0*	4.4*	4.1*	4.9*	4.8*	4.6*	3.9											

87040102	0.000	0.506	C	1	1	30	CRACKING																					
925			4	2.2		15000	RIDE																					
MIAMI CITY LIMITS(0.0C)							FC95M																					
4293004	0.138	0.403	C	2020	0012	CRACKING																						
WEEKLEY ASPHALT PAVING, IN(2022)							SPRIDE				4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
								3.7*	3.5*	3.9*	3.5*	3.4*	3.3*	5.2*	4.4*	4.6*	2.9											

87044000	0.000	0.280	R	1	1	40	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
976			3	6.8		49500	RIDE	8.0	7.9	8.2	8.1	7.6	7.2	7.4	6.7	6.9	6.8	7.2	7.2	6.5								
SR 821 ENT(0.0C)							DGFC																					
			(2022)				CRACKING	9.0	8.0	8.0	8.0	6.5	6.5								10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	6.5	6.5	6.2	6.3	6.0	6.2								7.6	7.2	7.0	5.5				

87044000	0.280	1.727	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
976			3	6.8		49500	RIDE	8.8	8.7	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2	7.9	7.5	7.3								
SW 112 AVE(0.6C)							FC95M																					
4363552	0.282	1.727	C	2020	0012	CRACKING																						
ROADWAY CONSTRUCTION LLC (2023)							SPRIDE			8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0		
								7.4	7.7	7.5	7.5	7.8	7.7	7.7	7.7	7.7	7.8	7.6	8.5	8.5								

87044000	1.727	3.265	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
976			3	5.0		47000	RIDE	8.8	8.7	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2	7.9	7.5	7.3								
SW 100 AVE(1.8R)							FC95M																					
4363551	1.739	3.265	C	2018	0012	CRACKING																						
HALLEY ENGINEERING CONTRAC (2020)							SPRIDE			8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
								7.4	7.7	7.5	7.5	7.8	7.7	7.7	7.7	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0			

87044000	3.265	6.218	R	1	1	40	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
976			3	5.0		50000	RIDE	7.2	7.1	6.7	7.1	6.8	5.6			6.7	7.4	6.5	7.4	7.3	7.1							
SW 84 AVE(3.4C)							FC125																					
4056481	3.182	6.218	C	2002	0012	CRACKING																						
COMMUNITY ASPHALT CORP. (2006)							SPRIDE			10.0	10.0	9.5	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5					
4459911	4.341	6.064@	C	2024	0012					7.1	7.2	7.3	7.0	7.0	6.6	7.1	7.1	7.2	7.0	7.1	6.9	6.9	6.9	6.9	6.9			

87044000	6.218	7.800	R	1	1	35	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
976			2	2.2		47500	RIDE	8.1	8.1	7.4	7.9	7.3	6.8	6.5	6.2	6.2	5.3*	6.0	5.9	5.9								
ALAHAMBRA CIR(6.3C)							FC95																					
4180931	6.218	8.100	C	2009	0012	CRACKING																						
H & J ASPHALT, INC (2012)							SPRIDE			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2	
								8.0	8.0	7.5	7.6	7.4	7.4	7.4	7.5	7.4	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.7			

87044000	7.800	8.098	R	1	1	35	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
976			2	5.0		37500	RIDE	8.1	8.1	7.4	7.9	7.3	6.8	6.5	6.2	6.2	5.3*	6.0	5.9	5.9								
ESTANCIA ST R(7.8R)							FC95																					
			(2017)				CRACKING	10.0	10.0	10.0	10.0																	
							RIDE	8.0	8.0	7.5	7.6			9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
4460011	7.800	8.086	R	2025	0012									5.7	5.6	5.3*	5.9	6.3	6.0	6.0	5.8	5.8						

87044000	8.098	8.466	C	1	1	35	CRACKING	7.0	9.5	7.5	9.5	5.5*	9.0	5.5*	7.5	7.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
976			2	5.0		37500	RIDE	7.0	5.5*	7.1	5.9	7.4	5.7	5.2*	6.2	6.2	5.4*	5.1*	5.1*	4.7*								
SW 38 AVE(8.1C)							FC125																					
4284792	8.100	8.432	C	2018	0015	CRACKING																						
GENERAL ASPHALT CO., INC. (2020)							RIDE			4.9*	4.8*	5.3*	5.1*	3.7*	4.1*													
								7.6	7.4	7.0	6.7	6.5	6.5	6.7	7.0	6.5	6.8	6.6	6.4	5.9								

87044000	7.800	8.098	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	9.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*			
976			2	5.0		37500	RIDE	7.9	7.7	7.5	7.6	7.3	6.3	5.9	5.9	5.9	5.4*	5.4*	5.4*	5.6								
SALZEDO ST(7.9L)							FC95																					
4180931	6.218	8.100	C	2009	0012	CRACKING																						
H & J ASPHALT, INC (2012)							SPRIDE			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
4460011	7.782	8.086	L	2025	0012					7.6	7.4	7.0	6.7	6.5	6.7	4.8*	5.0*	4.8*	5.0*	5.1*	5.0*	5.0*	5.0*	5.0*	3.3			

87044000	6.218	7.800	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	9.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*			
976			2	2.2		47500	RIDE	7.9	7.7	7.5	7.6	7.3	6.3	5.9	5.9	5.9	5.4*	5.4*	5.4*	5.6								
ALAHAMBRA CIR(6.3C)							FC95																					
			(2020)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
							RIDE	7.6	7.4	7.0	6.7	6.5	6.5	6.7				9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
ITMSEG-F																					
87052000	0.132	1.999	R	1	7 40	CRACKING		6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
924			3	5.5	35000	RIDE		7.3	7.1	7.0	7.3	7.1	7.9	7.4	7.2	7.3	7.6	7.3	7.4	7.3	
NW 24 AVE(0.3C)	0.395	1.999	C	2022	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0			10.0
GENERAL ASPHALT CO., INC.				(2024)		SPRIDE		7.4	7.1	7.2	7.3	7.5	7.4	7.3	7.3	7.0	7.1	7.1			8.2
87052000	1.999	3.112	R	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5
924			2	3.8	20300	RIDE		7.8	8.0	7.6	7.4	7.7	7.3	7.1	7.1	7.2	6.6	6.5	6.6	6.6	6.7
SR 7(2.0C)	2.084	3.112	C	2015	0012	CRACKING		6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9
COMMUNITY ASPHALT CORP.				(2017)		SPRIDE		6.6	6.5	6.2	6.2	6.1	7.4	6.9	7.0	6.9	6.8	6.8	6.5	6.4	5.9
87052000	1.999	3.112	L	1	1 30	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5
924			2	3.8	20300	RIDE		7.1	7.1	7.5	7.1	7.5	7.2	6.6	6.7	6.6	6.2	6.1	6.8	6.7	
SR 7(2.0C)	2.084	3.112	C	2015	0012	CRACKING		6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.1
COMMUNITY ASPHALT CORP.				(2017)		SPRIDE		6.6	6.4	6.2	6.2	6.2	7.2	6.6	6.9	6.5	6.8	6.7	6.3	6.4	5.9
87052000	0.000	1.999	L	1	7 40	CRACKING		10.0	7.0	7.0	7.0	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
924			2	5.5	35000	RIDE		7.0	6.6	6.6	6.6	6.5	7.7	7.5	7.0	7.0	6.8	6.7	6.9	6.9	
NW 27 AVE(0.0C)	0.395	1.999	C	2022	0012	CRACKING		9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0			10.0
GENERAL ASPHALT CO., INC.				(2024)		SPRIDE		6.8	6.9	6.7	6.8	7.1	7.1	6.6	6.8	6.8	6.8	6.6			8.0
87053000	0.000	1.183	R	1	1 40	CRACKING		9.0	9.0	9.0	9.0	8.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*
968			3	4.4	50000	RIDE		7.6	7.1	7.4	7.6	7.1	6.9	6.3	6.1	6.4	6.5	6.4	6.4	6.3	4.5*
GALLOWAY RD(0.0C)	0.000	1.119	C	2010	0015	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5
WEEKLEY ASPHALT PAVING, IN				(2013)		RIDE			6.9	6.7	6.6	7.5	7.1	7.2	7.4	7.4	7.3	7.2	6.9	7.0	7.0
87053000	1.183	1.572	R	1	6 40	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	
968			3	5.4	48500	RIDE		7.6	7.4	7.7	7.4	7.2	7.5	7.1	7.1	7.1	7.5	7.3	7.4	7.2	
FLORIDA BLVD(1.3R)	1.183	1.498	C	2017	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2019)		SPRIDE		6.5	6.1	6.9	6.2	6.9	6.3								
87053000	1.572	1.774	R	1	6 40	CRACKING		9.0	9.5	9.5	8.0	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	
968			2	7.0	42000	RIDE		5.9*	5.9*	6.0*	5.7	5.6	6.6	5.5	5.3*	4.8*	5.5	7.2	7.1	6.3	
SW 71 AVE(1.6R)	1.577	1.782	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0
GENERAL ASPHALT CO., INC.				(2009)		SPRIDE															
87053000	1.774	5.900	R	1	1 40	CRACKING		9.0	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0		
968			2	5.4	35000	RIDE		5.9*	5.9*	6.0*	5.7	7.1	6.7	7.0	6.8	6.9	6.8	6.9	6.6	6.3	
CR 962(1.8C)	1.774	4.534	C	2017	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6
GENERAL ASPHALT CO., INC.				(2019)		RIDE		6.3	6.2	6.2	5.9	6.3	5.9	6.4	6.9	6.7	6.6	6.7	6.6	6.5	6.2
87053000	5.900	6.348	R	1	1 40	CRACKING		7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	
968			2	5.7	27500	RIDE		2.8*	5.2*	5.1*	5.7	3.1*	2.5*	3.0*	2.2*	2.6*	2.9*	3.0*	2.9*	2.9*	
SW 29 AVE(5.9R)	6.022	6.324	C	2016	0005	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		10.0	10.0	10.0	9.5	9.5	8.8	
RUSSELL ENGINEERING, INC				(2020)		SPRIDE		2.9*	2.7*	2.6*					5.0*	4.9*	4.8*	5.1*	4.6*	4.5	
87053000	8.155	8.680	C	1	1 30	CRACKING		9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*		
968			3	4.8	12500	RIDE		6.5	6.6	6.8	6.7	6.2	5.1*	4.7*	4.6*	4.4*	4.4*	4.7*	5.1*		
NW 7 AVE(8.2L)				(2023)		CRACKING										10.0	10.0	10.0	10.0		
						RIDE										4.1*	4.8*	6.6	6.3		
87053000	5.900	6.348	L	1	6 40	CRACKING		7.0	7.0	7.0	7.0	8.5	8.5	8.5	8.5	8.0	6.5	3.5*	3.5*	3.5*	
968			2	5.7	27500	RIDE		5.2*	4.9*	5.3*	4.9*	3.5*	3.1*	2.4*	2.4*	2.8*	2.4*	2.8*	2.4*	2.2*	
NW 27 CT(6.0L)	6.022	6.324	C	2016	0005	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC				(2020)		SPRIDE		2.7*	2.0*	2.0*					5.0*						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	
INTERSECT AT (MP SIDE)												=====														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																										
CONTRACTOR (AGE_ONE YEAR) ASTYPE																										
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						(REG)				
87053000			1.774		5.900	L	1	1	40		CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0
968							2	5.4		35000	RIDE	5.2*	4.9*	5.3*	4.9*	7.1	6.7	6.5	6.2	6.2	6.2	6.2	6.2	6.4	5.9	5.5
CR 962(1.8C)												FC95M														
4252713			1.774		4.534	C	2017		0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6
GENERAL ASPHALT CO., INC. (2019)												RIDE										6.1				
87053000			1.572		1.774	L	1	6	40		CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0
968							2	7.0		42000	RIDE	7.3	7.6	7.3	4.9*	4.2*	4.7*	5.0*	4.3*	5.2*	5.3*	6.7	6.7	7.1	6.9	
SHOPPING CENTER ENT(1.6L)												DGFC														
4146291			1.577		1.782	C	2008		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5
GENERAL ASPHALT CO., INC. (2009)												SPRIDE										7.5				
87053000			1.183		1.572	L	1	6	40		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0
968							3	5.4		48500	RIDE	7.3	7.6	7.3	7.6	7.4	7.1	6.7	6.5	6.8	6.2	6.2	6.2	6.7	5.6	
NW 75 AVE(1.2L)												DGFC														
4291941			1.183		1.498	C	2017		0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2019)												SPRIDE										10.0				
87053000			0.000		1.183	L	1	1	40		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
968							3	4.4		50000	RIDE	8.4	8.3	8.2	7.8	8.1	7.4	7.2	7.1	6.5	7.1	7.0	7.0	6.5	6.6	
GALLOWAY RD(0.0C)												DGFC														
4198501			0.000		1.119	C	2010		0015		CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
WEEKLEY ASPHALT PAVING, IN(2013)												RIDE										7.3				
87053001			0.000		0.780	C	1	1	30		CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
968							3	4.0		22000	RIDE	7.4	7.6	7.7	7.5	7.0	6.1	6.0	6.0	5.6	7.4	7.9	7.6	7.5	7.5	
SR 968/W FLAGLER ST(0.0L)												FC95A														
4146332			0.270		0.737	C	2016		0005		CRACKING	9.0	9.0	8.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
J V A ENGINEERING CONTRACT(2019)												RIDE										4.2				
87053001			0.780		1.948	C	1	1	30		CRACKING	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	
968							3	5.2		14500	RIDE	7.1	6.2*	6.3*	6.0	6.0	6.9	6.2	5.8	5.9	5.6	5.2*	5.2*	5.0*		
SW 16 AVE(0.9C)												FC95M														
4183122			0.791		1.954	C	2017		0005		CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J V A ENGINEERING CONTRACT(2020)												SPRIDE										5.4				
87053001			1.948		2.351	C	1	1	30		CRACKING	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5
968							3	3.4		10500	RIDE	7.1	6.2*	6.3*	6.0	6.0	6.9	6.2	5.8	5.9	5.6	5.2*	5.2*	5.0*		
SW 5 AVE(2.0C)												DGFC														
(2023)												CRACKING														
												RIDE										6.8				
87053003			0.000		1.807	C	1	1	30		CRACKING															
968							3	5.7		11000	RIDE															
NW 7 AVE(0.0R)												FC95M														
(2020)												CRACKING														
												RIDE										5.6				
87054000			0.508		3.019	R	1	1	35		CRACKING	7.0	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	
972							2	2.2		32500	RIDE	6.1*	6.0*	5.9*	5.4*		5.6	5.4*	5.2*	5.0*	5.4*	5.3*	5.1*	5.0*		
SW 36 AVE(0.7C)												FC95														
4275131			0.500		2.954	R	2013		0012		CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.7	
COMMUNITY ASPHALT CORP. (2016)												RIDE										4.9				
87054000			3.019		4.190	R	1	1	40		CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	
972							2	2.3		21700	RIDE	7.9	7.9	7.8	7.7	7.4	6.6	6.5	6.2	6.2	6.3	6.2	6.0	7.9		
MISSING DESCRIPTION I(3.0R)												FC95														
4124751			2.943		4.591	C	2008		0012		CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.3	
GENERAL ASPHALT CO., INC. (2011)												SPRIDE										5.6				
4459981			2.953		4.672	C	2025		0012			7.8	7.7	7.5	7.7	7.2	7.0	6.8	6.8	6.8	6.6	6.7	6.4	6.3	5.6	
87054000			4.190		4.672	C	1	6	35		CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0		
972							4	2.2		17900	RIDE	7.1	7.2	4.5*	4.4*	4.3*	2.8*	3.7*	3.6*	3.7*	4.5*	3.9*	3.6*	7.4		
SW 15 RD/BROADWAY(4.2C)												DGFC														
4124751			2.943		4.591	C	2008		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.6	
GENERAL ASPHALT CO., INC. (2011)												SPRIDE														
4459981			2.953		4.672	C	2025		0012			7.2	6.8	6.2	6.4	5.8	5.3*	5.2*	5.0*							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																															
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE								
													1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	2029				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR						
CONTRACTOR	(AGE_ONE	YEAR)	FW-P	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F	WKM-F						
ITMSEG-P	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F						
87054000	972		3.019		4.190	L	1	2	40		CRACKING	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0				
SR 933(3.0L)															7.4	7.3	7.4	7.4	6.8	5.4*	5.3*	4.7*	4.9*	4.8*	4.8*	4.8*	4.8*	7.3			
															FC95																
															(2023)	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0		
4459981			2.953		4.672	C	2025		0012		CRACKING	7.2	7.0	6.9	6.9	6.5	6.1	6.5	6.3	6.2	6.2	6.3	6.3	5.9	5.8						
87054000	972		1.021		3.019	L	1	2	32500		CRACKING	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5							
SW 32 AVE(1.0C)															5.7*	5.9*	5.9*	5.8*													
															FC95																
4275131			1.086		2.943	L	2013		0012		CRACKING	6.5	6.5	6.5	6.5	10.0	9.5	9.5	9.0	9.0	8.0	6.5	4.5*	4.5*	1.2						
COMMUNITY ASPHALT CORP.															4.6*	4.1*	4.7*	4.6*	6.3*	6.1*	5.5*	5.9*	5.6*	5.7*	5.5*	5.4*	5.1*	4.6			
87054000	972		0.508		1.021	L	1	3	34000		CRACKING	9.0	9.0	7.5	6.5		10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0							
SW 36 AVE(0.7C)															6.6	6.6	6.7	6.5		6.3	6.0	5.8	5.8	5.8	6.2	5.8	6.2				
															FC95																
															(2016)	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1		
															CRACKING	6.1	6.4	6.1	6.2	7.4	7.1	6.8	7.1	6.6	6.1	6.2	5.7	5.5	4.4		
87055000	986		0.905		1.124	R	1	2	37000		CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5				
SW 117 AVE(1.0C)															7.3	7.0	7.1	6.8	7.2	6.5	6.3	5.8	6.0	6.1	5.5	5.7	5.7				
															DGFC																
															(1989)	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.3		
87055000	986		1.124		1.689	R	1	2	37000		CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0						
SW 113 PL(1.4C)															7.3	7.0	7.1	6.8	7.2	6.5	6.3	5.8	6.0	6.1	7.0	7.2	7.2				
															DGFC																
4124761			1.124		1.883	C	2007		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0						
H & J ASPHALT, INC															7.0	6.9	6.9	5.9	6.6	6.2	6.9	6.9	6.7	6.7	6.8	6.6	6.4	6.3			
87055000	986		1.689		3.978	R	1	2	43		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5						
SW 109 PL(1.7C)															7.9	7.5	7.2	7.5	7.3	7.1	6.5	6.0	6.4	5.9	6.0	6.1	5.9				
															FC125																
4276511			1.697		4.018	R	2013		0012		CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	6.6					
GENERAL ASPHALT CO., INC.															5.9	5.7	5.6	6.3	6.5	6.9	7.0	7.0	7.0	6.9	6.8	6.9	6.9	6.9			
87055000	986		3.978		5.800	R	1	2	38		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5						
SR 973(4.0C)															7.9	7.5	7.2	7.5	7.3	7.1	6.5	6.0	6.4	5.9	6.0	6.1	7.0				
															FC95																
4226141			4.179		5.812	C	2011		0012		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
GENERAL ASPHALT CO., INC.															7.2	7.1	8.3	7.9	7.5	7.4	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7		
87055000	986		3.978		5.800	L	1	2	38		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*					
SR 973(4.0C)															7.7	7.3	6.9	7.2	7.3	6.5	6.6	6.0	6.4	6.4	6.5	6.4	6.0	6.2	6.2		
															FC95																
4226141			4.179		5.812	C	2011		0012		CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
GENERAL ASPHALT CO., INC.															6.0	6.0	8.0	7.3	7.3	7.3	7.4	7.4	7.3	7.2	7.3	7.3	7.3	7.3	7.0		
87055000	986		1.689		3.978	L	1	2	43		CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	3.5*	3.5*	3.5*							
SW 109 PL(1.7C)															7.6	7.5	7.5	7.4	7.2	6.6	6.6	6.3	6.4	6.1	6.2	6.1	6.0				
															FC125																
4276511			1.697		3.838	L	2013		0012		CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0					
GENERAL ASPHALT CO., INC.															5.6	5.7	5.6	7.2	6.7	6.9	6.9	6.8	6.9	6.7	6.6	6.8	6.6	6.4			
87055000	986		1.124		1.689	L	1	2	47		CRACKING	9.0	9.0	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0						
SUNSET ST PLAZA(1.2L)															8.2	7.7	7.9	8.0	7.5	6.8	6.8	6.2	6.5	6.5	7.4	7.3	7.3				
															DGFC																
4124761			1.124		1.883	C	2007		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
H & J ASPHALT, INC															7.5	7.5	7.1	6.8	7.0	7.3	7.4	7.2	7.3	7.3	7.2	7.3	7.3	7.2	7.2		
87055000	986		0.905		1.124	L	1	2	47		CRACKING	9.0	9.0	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*						
SW 117 AVE(1.0C)															8.2	7.7	7.9	8.0	7.5	6.8	6.8	6.2	6.5	6.5	6.5	6.5	6.5				
															DGFC																
															(2023)	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	
															CRACKING														7.1	6.9	
															RIDE																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	X-P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(REG)	
87059000	0.000	1.003	R	1	4	35	CRACKING															
887				2	23.9	13030	RIDE															
SRA1A/MACARTHUR CSWY(0.0C)							CONC															
2511563	0.000	0.496	C	2011	0002		CRACKING					9.4	9.3	9.3	9.2	9.1	9.2	9.1	9.3	9.3	9.1	
				(2016)			RIDE					7.9	7.9	7.7	7.8	7.6	7.7	7.7	7.6	7.5	7.3	
87059000	0.000	1.003	L	1	4	35	CRACKING															
887				2	23.9	13030	RIDE															
SRA1A/MACARTHUR CSWY(0.0C)							CONC															
2511563	0.000	0.496	C	2011	0002		CRACKING					9.4	9.4	9.4	9.4	9.3	9.3	9.2	9.4	9.4	9.3	
				(2016)			RIDE					7.8	7.9	8.0	7.9	7.6	7.7	7.7	7.6	7.5	7.3	
87060000	0.464	1.082	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*		
A1A 41				3	5.3	78000	RIDE	8.4	8.3	8.1	8.0	7.9	7.4	7.4	7.3	7.2	7.3	7.2	6.9	7.0		
POM TUNNEL EXIT(0.5R)							DGFC															
				(2016)			CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE					7.4	7.3	7.3	7.1	7.1	7.1	7.1	7.0	7.1	6.8	
87060000	1.082	2.715	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0		
A1A 41				3	5.3	78000	RIDE	8.7	8.7	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.9	7.8	7.7	7.8		
SIDE ROAD(1.4C)							FC2															
4146351	1.082	2.717	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.9	
COMMUNITY ASPHALT CORP.				(2011)			SPRIDE	7.8	7.8	7.9	7.8	8.1	8.1	7.9	8.1	8.1	8.1	8.0	8.0	8.1	8.1	
87060000	3.114	3.670	R	1	6	35	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
A1A 41				3	4.5	32500	RIDE	7.6	7.2	7.2	7.0	6.3	5.5	5.7	5.3*	5.2*	5.2*	5.1*	5.1*	4.8*		
ALTON RD(3.2R)							FC95															
4146361	3.175	3.670	C	2011	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	
H & J ASPHALT, INC				(2013)			RIDE	5.0*	7.0	7.0	6.9	6.0	5.9	5.6	5.4*	4.6*						
87060000	3.670	4.663	C	1	6	30	CRACKING	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
A1A				2	4.5	14600	RIDE	4.9*	5.2*	4.9*	4.7*	5.2*	4.5*	4.4*	4.0*	3.9*	4.1*	4.2*	4.1*	4.5*		
6 ST(3.7C)							DGFC															
2502361	3.673	4.550	C	2013	0012		CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2016)			RIDE	4.3*	4.3*	3.9*												
87060000	4.663	4.814	C	1	6	30	CRACKING	7.5	7.5	7.5	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0		
A1A				4	6.2	19500	RIDE	3.6*	5.5*	4.5*	5.1*	4.9*	5.4*	4.8*	4.5*	5.1*	4.3*	4.5*	3.9*	5.4*		
HOTEL ENTRANCE(4.7R)							FC95															
4180671	4.584	4.800	C	2009	0015		CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.4	
WEEKLEY ASPHALT PAVING, IN				(2011)			SPRIDE	6.0	5.8	5.4*												
87060000	4.814	5.490	C	1	1	30	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
A1A				4	6.2	19500	RIDE	3.6*	5.5*	4.5*		5.8	6.4	5.1*	5.0*	3.9*	5.3*	5.5	5.2*	5.5		
17 ST(4.9C)							FC95															
4255041	4.814	5.649	C	2012	0012		CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.2	
GENERAL ASPHALT CO., INC.				(2014)			SPRIDE	4.8*	4.5*	7.3	6.7	6.1	6.1	5.3*	5.6	5.2*	5.5	5.6	5.4*	5.6	4.4	
87060000	5.490	5.750	C	1	8	30	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
A1A				4	6.2	19500	RIDE	6.3*	6.5	6.1*	5.9		6.3	5.8	5.8	5.6	5.0*	5.0*	4.9*	4.6*		
25 ST(5.6R)							FC95															
4255041	4.814	5.649	C	2012	0012		CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.				(2014)			SPRIDE	4.4*	4.5*	7.3	6.7	6.1	6.1									
87060000	5.750	6.686	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5		
A1A				3	4.5	10000	RIDE	6.7	7.0	6.7	6.3	5.6	5.6	5.4*	5.1*	5.2*	5.2*	5.0*	4.8*	4.4*		
28 ST(5.8L)							FC95															
4439021	5.657	6.644	C	2023	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0		
FLORIDA ENGINEERING & DEVE				(2024)			SPRIDE		7.7	7.3	6.6	5.3*	5.4*	4.9*	4.6*	4.0*	2.8*				3.7*	
87060000	6.686	8.080	R	1	1	35	CRACKING	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	
A1A				3	6.3	34500	RIDE	7.9	8.1	7.9	7.8	7.6	7.1	7.0	6.9	8.4	8.3	7.9	7.4	7.2		
FOUNTAINBLEAU HOTEL(6.7R)							DGFC															
4106451	6.713	8.692	C	2004	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5	5.5*	5.5*	4.9
PREFERRED MATERIALS, INC.				(2007)			RIDE	7.5	7.3	7.4	7.4	7.4	7.5	7.3	7.3	7.3	7.3	7.3	7.0	7.4	6.8	
4499461	7.149	8.406	C	2027	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT	AT	(MP)	(SIDE)				*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
87060000	8.080	8.406	R	1	7	35	CRACKING	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.5	
ALA							RIDE	7.9	8.1	7.9	7.8	7.6	7.1	7.0	6.9	8.4	8.3	7.9	7.4	7.2		
5600	BLK(8.1R)						DGFC															
				(2024)			CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5	5.5*	10.0		
4499461	7.149	8.406	C	2027			RIDE	7.5	7.3	7.4	7.4	7.4	7.5	7.3	7.3	7.3	7.3	7.3	7.0	6.0		
87060000	8.406	8.658	C	1	7	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0		
ALA							RIDE		7.1	6.7	7.0	6.7	5.8	5.5	5.0*	7.5	6.7	6.0	6.0	5.6		
TRN LN FR	INDIAN	CRK(8.4L)					FC95															
4308132	8.411	8.643	C	2022			CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0		
FLORIDA ENGINEERING & DEVE	(2024)						SPRIDE	5.5	5.6	4.9*	5.0*	4.8*	4.6*	4.3*	4.3*	4.3*	4.6*	4.2*	4.4*	3.6*		
87060000	8.658	9.775	C	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5		
ALA							RIDE		7.1	6.7	7.0	6.7	5.8	5.5	5.0*	4.6*	5.1*	5.5	5.3*	5.2*		
65 ST(8.9L)							FC95															
4245791	8.658	9.579	R	2010			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	6.5	6.5	6.5	5.4	
GENERAL ASPHALT CO., INC.	(2012)						SPRIDE	7.4	7.0	6.1	6.1	6.4	5.8	6.1	5.8	5.6	5.2*	4.6*	5.1*	5.0*	3.8	
4499441	8.640	9.782	C	2027			0012															
87060000	9.775	11.691	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	4.5*		
ALA							RIDE	7.9	8.1	7.6	7.1	7.2	6.3	5.9	6.1	6.1	6.2	6.0	6.0	6.0		
76 ST(9.8C)							FC95															
4198581	9.775	11.769	C	2012			CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	8.0	7.0		
WEEKLEY ASPHALT PAVING, IN	(2014)						SPRIDE	5.7		7.1	7.1	6.6	6.4	6.3	6.1	5.7	5.9	5.8	5.7	5.6	4.7	
87060000	11.691	12.386	R	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	7.0	7.0	7.0		
ALA							RIDE	8.2	8.2	8.2	8.1	8.0	7.4	6.4	5.9	5.7	5.6	5.5	5.8	5.8		
SAINT REGIS(11.7R)							FC95															
4291441	11.750	12.302	R	2013			CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.2	
WEEKLEY ASPHALT PAVING, IN	(2015)						SPRIDE	5.5	5.0*	5.3*	6.6	6.3	5.7	5.8	5.8	5.6	5.5	5.4*	5.3*	5.2*	4.4	
87060000	12.627	14.047	R	1	1	40	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5		
ALA							RIDE	6.2*	6.1*		8.2	7.8	7.2	7.3	7.3	7.3	7.6	7.5	7.5	7.4		
2501851	12.659	14.073	C	2000			CRACKING	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.0*	3.0*	2.9	
BREWER CO OF FLORIDA INC	(2002)						SPRIDE	7.3	7.2	7.2	7.3	7.1	6.9	6.8	6.8	6.6	6.4	6.3	6.2	6.1	6.0	
4309492	12.631	14.024	C	2022			0012															
87060000	14.047	16.052	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.5		
ALA							RIDE	8.4	8.3	8.0	7.5	6.6	6.1	6.8	6.4	6.3	6.3	6.0	6.0	5.8		
SUNNY ISLES/SR 826(14.6R)							FC95M															
4309491	14.046	16.052	R	2017			CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.	(2020)						RIDE	5.6	5.3*	5.7	5.7	5.6	5.2*	4.2*	4.0*	7.0	7.0	6.9	6.7	6.5	5.9	
87060000	16.052	17.717	R	1	1	30	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		
ALA							RIDE	7.7	7.7	7.7	7.6	7.6	6.8	6.7	6.4	6.8	6.8	7.0	6.7	6.4		
SIDE ROAD(16.7C)							FC125															
4295231	16.288	17.714	R	2013			CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	
RANGER CONSTRUCTION INDUST	(2015)						SPRIDE	6.3	6.2	5.0*	7.2	7.1	7.3	6.8	6.5	6.7	6.5	6.6	6.4	6.3	5.8	
87060000	16.191	17.717	L	1	1	35	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
ALA							RIDE	7.0	7.0	7.0	7.3	7.0	6.8	6.7	6.2	6.6	6.6	6.5	6.3	6.1		
SR 856 EB(16.2L)							FC125															
4295231	16.487	17.714	L	2013			CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	
RANGER CONSTRUCTION INDUST	(2015)						SPRIDE	5.9	5.9	5.7	7.2	7.3	7.3	7.1	7.0	7.0	6.6	6.6	6.2	6.3	5.7	
87060000	14.047	16.191	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	6.5	6.5	
ALA							RIDE	8.5	8.3	8.2	7.5	7.2	7.5	7.6	7.4	7.4	7.5	7.4	7.3	7.2		
BAYVIEW DR/158 ST(14.1L)							FC95M															
4309491	14.046	16.275	L	2017			CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	9.5	9.5	8.8	
GENERAL ASPHALT CO., INC.	(2020)						SPRIDE	7.1	6.9	6.9	6.9	6.8	6.4	5.5	5.4*	7.6	7.4	7.4	7.1	7.1	6.4	
87060000	12.627	14.047	L	1	1	40	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5		
ALA							RIDE	6.4*	6.4*		8.1	7.6	7.0	7.2	6.8	7.0	7.1	7.4	7.5	7.4		
2501851	12.659	14.073	C	2000			CRACKING	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	5.5*	3.5*	1.0*	0.0*	0.0*	0.0	
BREWER CO OF FLORIDA INC	(2002)						SPRIDE	7.3	7.1	7.0	6.8											

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																										
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE					
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029					
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE														
		(AGE_ONE YEAR)		YEAR		RW		FY-F		WKM-F																
		W_BMP		W_EMP		RW		FY-F		WKM-F																
87060000	11.691	12.386	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5	6.5						
ALA			3	3.9		44500	RIDE	8.5	8.6	8.5	8.5	8.3	7.7	7.7	7.5	7.2	7.6	7.5	7.5	7.3						
BAL HARBOUR(11.7L)																										
4291441	11.750	12.302	L	2013		0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
WEEKLEY ASPHALT PAVING, INC(2015) SPRIDE																										
87060000	7.214	8.406	L	1	1	35	CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	8.5						
ALA			3	6.3		34500	RIDE	7.9	6.9	6.8	7.1	6.4	5.8	5.8	5.7	8.2	7.8	8.0	7.8	7.8						
INDIAN CREEK DR(8.4L)																										
4106451	6.713	8.692	C	2004		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.3					
PREFERRED MATERIALS, INC.(2007) RIDE																										
4499461	7.149	8.406	C	2027		0012		8.0	7.8	8.0	7.3	7.6	7.6	7.6	7.4	7.4	7.3	7.4	6.9	7.0	6.8					
(1996) CRACKING																										
87060000	6.686	7.214	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5						
ALA			3	6.3		34500	RIDE	7.8	7.6	7.7	7.8	7.1	6.9	6.8	6.0	6.7	7.3	6.7	6.6	6.2						
DGFC																										
4439311	6.647	7.149	C	2024		0012	RIDE	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5					
(1996) CRACKING																										
87060000	3.114	3.670	L	1	1	35	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	3.5*	3.5*	3.5*						
ALA	41		3	4.5		32500	RIDE	7.1	6.8	6.6	5.9	5.6	4.8*	4.8*	4.4*	4.5*	4.5*	4.6*	4.0*	4.4*						
WEST AVE(3.1L)																										
4146361	3.175	3.670	C	2011		0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5					
H & J ASPHALT, INC(2013) RIDE																										
87060000	1.082	2.715	L	1	1	45	CRACKING	9.5	9.5	9.0	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0						
ALA	41		3	5.3		78000	RIDE	8.5	8.3	8.4	8.6	8.2	7.5	7.4	7.3	7.2	7.2	7.2	6.8	8.0						
SIDE ROAD(1.4C)																										
4146351	1.082	2.717	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0					
COMMUNITY ASPHALT CORP.(2011) SPRIDE																										
87060000	0.464	1.082	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*						
ALA	41		3	5.3		78000	RIDE	8.1	8.1	8.1	8.0	7.8	7.2	7.1	7.0	7.5	7.5	7.4	7.1	6.8						
POM TUNNEL ENTRANCE(0.5L)																										
(2016) CRACKING																										
RIDE																										
87060001	0.000	1.947	C	1	1	30	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0	10.0						
ALA	41		3	4.1		25000	RIDE	7.8	7.7	7.6	7.3	6.8	6.3	6.3	5.9	6.8	6.5	6.7	6.8	6.6						
BAL HARBOUR SHOPS EN(0.0R)																										
DGFC																										
4438991	0.045	2.476	C	2023		0012	RIDE	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	2.7					
(2007) CRACKING																										
87060001	1.947	2.498	C	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0						
ALA			3	4.1		25000	RIDE		7.6	7.5	6.9	6.7	6.1	5.7	5.6	6.0	6.3	5.9	6.2	5.6						
74 ST(2.0C)																										
4198581	1.855	2.590	C	2012		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.3					
WEEKLEY ASPHALT PAVING, INC(2014) RIDE																										
4438991	0.045	2.476	C	2023		0012		5.7	5.5	7.0	6.5	6.2	6.1	5.7	5.0*	4.4*	4.6*	4.4*	4.2*	3.8*	2.1					
87060001	2.498	3.014	R	1	1	30	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0						
ALA			3	6.3		34500	RIDE	6.5	6.2*	5.9*	5.6	5.7	5.6	5.8	6.0	5.3*		6.6	6.0	6.1						
CONDO ENTRANCE(2.6R)																										
4308131	2.498	2.831	R	2019		0015	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0					
ROADWAY CONSTRUCTION LLC(2021) SPRIDE																										
87060001	3.014	3.231	C	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
ALA			3	4.1		25000	RIDE	6.9	7.4	6.7	6.5	6.5	5.5	5.2*	4.5*	5.9	5.6	5.5	5.9	6.3						
SR 907 *(3.0C)																										
DGFC																										
4308132	3.029	3.218	C	2022		0015	RIDE	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	6.0*	6.0*	6.0*	5.5*	5.5					
(1996) CRACKING																										
87060001	2.498	3.014	L	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0						
ALA			3	6.3		34500	RIDE	6.6	6.5	6.5	6.4	5.8	5.5	5.4*	5.2*	5.4*		7.1	6.9	6.9						
67 ST(2.6L)																										
4308131	2.616	3.014	L	2019		0015	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0					
ROADWAY CONSTRUCTION LLC(2021) SPRIDE																										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE

Table with columns: RDWYID, SR US, G_BMP, EMP LN, RW, SYS, TYP, SPD, DISTRESS RATINGS, SURVEYED YEAR (1999-2011), and FUTURE (2012-2029). Rows list various pavement projects with their details and forecasts.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS		1999	2000	2001											
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
87066000	5.245	5.548	C	1	6 30	CRACKING		9.0	9.0	9.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	
922				4	11.8	31500 RIDE		5.7*	4.9*	5.3*		5.5	5.3*	4.2*	4.3*	4.2*	4.2*	4.2*	3.9*	3.2*	
BAY DR(5.3R)																					
4274211	5.176	5.480	C	2013	0012	CRACKING		7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.2	
WEEKLEY ASPHALT PAVING, IN(2015) SPRIDE																					
87066000	4.546	5.245	L	1	6 30	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	
922				2	11.8	31500 RIDE		6.5	5.0*	5.8*	6.1	5.6	5.6	5.7	5.6	5.7	5.6	5.5	5.5	5.1*	
BAY VIEW DR W(4.6L)																					
4291372	4.546	5.245	C	2014	0012	CRACKING		6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	5.3
H & J ASPHALT, INC (2017) SPRIDE																					
87066000	2.926	3.741	L	1	1 30	CRACKING		10.0	10.0	9.5	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5		10.0	
922				2	7.8	24500 RIDE		7.2	7.3	6.7	7.1	7.0	6.2	5.9	5.9	5.5	5.4*	5.2*		6.3	
BISCAYNE BLVD(3.0C)																					
4180711	2.920	3.684	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.6
BUDGET CONSTRUCTION CO., I(2011) SPRIDE																					
4439351	3.201	3.741	C	2024	0015			6.3	6.0	6.4	5.7	4.7*	4.5*	4.4*	4.2*	4.0*	5.2*	5.1*	5.0*	4.8*	3.7
87066000	1.650	2.926	L	1	1 35	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5		6.5	6.5	6.5	6.5	6.5	
922				2	7.8	30500 RIDE		6.8	6.5	6.7	6.7	6.2	5.7	6.0		5.5	5.4*	5.2*	5.1*	5.1*	
NE 8 AVE(1.8C)																					
4291371	1.650	2.926	C	2015	0012	CRACKING		6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.2
GENERAL ASPHALT CO., INC. (2017) SPRIDE																					
87070000	0.000	0.780	R	1	1 55	CRACKING		9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	
997				2	17.8	19600 RIDE		8.2	7.9	7.7	7.7	8.1		7.2	6.5	7.2	7.1	6.9	7.0	7.2	
SR 90/US-41(0.0C)																					
2496143	0.000	0.657	C	2015	0213	CRACKING		8.5	8.5	8.5	8.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0
ODEBRECHT CONSTRUCTION, IN(2020) SPRIDE																					
87070000	0.780	8.151	R	1	1 55	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	
997				2	17.8	19600 RIDE		7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.1	7.2	6.7
SIDE ROAD(6.7R)																					
				(2018)		CRACKING		6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE		6.5	6.5	8.8	8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.9	7.6
87070000	8.151	10.733	R	1	1 55	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	
997				2	17.8	19600 RIDE		7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	
SIDE ROAD(10.2C)																					
2496158	8.151	10.935	C	2015	0213	CRACKING		6.0*	6.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.9
GENERAL ASPHALT CO., INC. (2018) SPRIDE																					
87070000	10.733	14.030	R	1	1 55	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	
997				2	17.8	19600 RIDE		7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	
NW 122 AVE(12.0R)																					
2496155	10.935	13.841	C	2016	0213	CRACKING		6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2018) SPRIDE																					
87070000	14.030	14.275	R	1	8 40	CRACKING		9.5	9.5	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	
997				2	18.7	16200 RIDE		8.5	8.3	8.4	8.2	8.2	7.5	7.4	6.9	7.3	7.2	6.8	6.9	7.1	
OKEECHOBEE RD(14.3C)																					
2496159	1.141	14.150	C	2012	0226	CRACKING		3.5*	3.5*		10.0	10.0	10.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*		
ASPHALT GROUP, INC. (2015) SPRIDE																					
87070000	14.030	14.275	L	1	8 45	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	
997				2	18.7	16200 RIDE		7.7	7.9	7.8	8.0	7.6	7.0	7.3	6.7	6.2	6.9	6.7	6.8	6.6	
OKEECHOBEE RD(14.3C)																					
2496159	1.141	14.150	C	2012	0226	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ASPHALT GROUP, INC. (2015) SPRIDE																					
87070000	10.733	14.030	L	1	1 55	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	
997				2	17.8	19600 RIDE		7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	
NW 130 ST/NW 122 AVE(12.0L)																					
2496155	10.935	13.841	C	2016	0213	CRACKING		6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2018) SPRIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																									
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	ASTYPE	*****																												
ITMSEG-P								2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)														
ITMSEG-F																																			
87070000		8.151	10.733	L	1	1	55 CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*															
997					2	17.8	19600 RIDE	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.1	7.2	6.7														
SIDE ROAD(10.2C)																																			
2496158		8.151	10.935	C	2015		0213 CRACKING	6.0*	6.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													10.0	
GENERAL ASPHALT CO., INC. (2018)																																			
87070000		0.780	8.151	L	1	1	55 CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*															
997					2	17.8	19600 RIDE	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.1	7.2	6.7														
SIDE ROAD(1.1L)																																			
					(2018)		CRACKING RIDE	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0														
87070000		0.000	0.780	L	1	1	55 CRACKING	9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5														
997					2	17.8	19600 RIDE	8.2	7.9	7.7	7.7	8.1		7.2	6.5	7.2	7.1	6.9	7.0	7.2															
SR 90/US-41(0.0C)																																			
2496143		0.000	0.657	C	2015		0213 CRACKING	8.5	8.5	8.5	8.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0														
ODEBRECHT CONSTRUCTION, IN(2020)																																			
87072000		0.000	0.736	C	1	1	35 CRACKING	9.0	10.0	10.0	9.0	10.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*															
985					4	2.0	24000 RIDE	7.1	6.3*	7.0	7.1	6.1	5.7	4.9*	5.7	5.8	5.6	5.8	6.3	6.4															
KILLIAN PKWY(0.0C)																																			
4259131		0.163	0.940	C	2013		0012 CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
GENERAL ASPHALT CO., INC. (2015)																																			
87072000		0.736	1.117	C	1	1	35 CRACKING	10.0	9.0	10.0	9.0	10.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*															
985					4	2.0	24000 RIDE	6.7	7.1	7.0	7.1	6.1	5.7	4.9*	5.1*	5.8	5.6	5.8	6.3	6.4															
SPANISH TRACE(0.8L)																																			
					(2020)		CRACKING RIDE	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
87072000		1.117	3.084	C	1	1	40 CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
985					4	3.3	22500 RIDE	6.7	6.0*	6.7	6.8	6.4	6.3	6.4	6.3	6.4	6.9	6.3	6.8	7.0															
SW 86 ST(1.2C)																																			
4076061		0.000	3.004	C	2003		0012 CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.7														
COMMUNITY ASPHALT CORP. (2005)																																			
4499481		1.109	3.084	R	2027		0012	6.5	6.8	6.7	6.6	6.3	6.3	6.1	5.8	6.2	6.1	5.9	5.7	5.8	5.7														
87072000		3.084	4.189	C	1	1	40 CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0															
985					4	3.2	22500 RIDE	7.2	7.2	7.4	6.7	6.3	6.2	5.9	6.4	5.9	6.2	6.1	6.9	6.8															
SW 55 TER(3.1L)																																			
4146421		3.004	4.142	C	2008		0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.9														
H&R PAVING INC (2010)																																			
4525691		3.084	5.148	C	2027		0012	6.8	6.7	6.7	6.8	6.4	6.4	6.4	6.0	6.1	5.9	5.9	5.9	6.0	7.9														
87072000		4.189	5.139	C	1	1	40 CRACKING	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.5*	6.5	10.0															
985					4	2.6	31000 RIDE	7.2	7.0	7.4	6.7	6.3	6.2	5.9	6.1	5.9	6.1	6.1	5.9	7.4															
SW 38 ST(4.3C)																																			
2495932		4.189	5.185	C	2009		0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5														
H&R PAVING INC (2011)																																			
4525691		3.084	5.148	C	2027		0012	7.0	7.0	7.1	7.2	6.9	7.1	6.9	6.9	7.0	6.7	6.4	6.0	6.3	6.0														
87072000		5.139	5.931	R	1	1	40 CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0															
985					3	3.2	40000 RIDE	6.8	6.7	6.8	6.7	6.4	6.0	6.0	5.6	5.8	6.0	6.0	6.1	6.0															
SW 24 ST/CORAL WAY(5.2C)																																			
4311771		5.161	5.931	C	2015		0012 CRACKING	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
RANGER CONSTRUCTION INDUST(2017)																																			
87072000		5.931	6.821	R	1	1	40 CRACKING	8.0	8.0	8.0	8.0	7.0		9.0	8.0	8.0	10.0	10.0	10.0	10.0															
985					2	3.2	31500 RIDE	6.7	6.2*	6.1*	5.9	6.6		5.3*	4.8*	4.8*	5.4*	5.2*	5.0*	5.1*															
ELEVENTH ST SW(6.0C)																																			
					(2020)		CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0														
87072000		6.821	7.154	R	1	1	40 CRACKING	8.0	8.0	8.0	8.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0															
985					3	5.5	62000 RIDE	6.7	6.2*	6.1*	5.9	6.6		7.8	7.5	6.6	7.6	6.4	6.7	6.4															
FOUNTAIN BLEU BLVD(7.2C)																																			
					(2020)		CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.5	9.5														
4525601		6.827	7.604	C	2027		0012	6.2	6.2	6.3	6.7	6.1	5.9			6.8	6.8	6.6	6.8	6.6															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE

Table with columns: RDWYID, SR US, BMP, G_BMP, EMP LN, RW, SYS TYP SPD, DISTRESS RATINGS, SURVEYED YEAR (1999-2021), 2002-2029, FUTURE (2029). Rows include project details such as 'E 22 ST(34.3R)', 'NW 10 AVE(38.2R)', and 'E 5 AVE(34.6C)' with associated pavement condition forecasts.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR												FUTURE
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMXX-P	ASTYPE															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMXX-P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2029 (REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMXX-F																
ITMSEG-F	W_BMP	W_EMP	RW																		
87085000	0.000	0.659	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	
933			2	4.4		7700	RIDE	7.5	7.6	7.4	7.5	7.2	6.3	6.3	6.4	6.0	6.1	6.0	5.9	5.5	
SR 972(0.0C)							FC125A														
4291451	0.138	0.659	L	2014	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1
H & J ASPHALT, INC				(2016)			RIDE	5.7	5.5	5.5	5.1*		6.6	6.6	6.4	6.3	6.2	6.6	6.3	6.2	6.0
87085000	0.659	2.002	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5			10.0
933			4	2.1		20100	RIDE	7.4	7.2	7.1	6.5	5.9	5.9	5.9	5.4*	5.5	5.3*	5.0*			6.6
SW 12 ST(0.7C)							FC95														
4327482	0.667	1.449	C	2017	0015		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	9.0	8.0	8.0	8.0	8.0	6.8
H&R PAVING INC				(2020)			RIDE	6.3	6.3	5.7	4.7*	4.7*	4.5*	4.5*	5.4*	4.7*	4.4*	4.3*	4.4*	4.2*	3.7
87085000	2.002	3.014	R	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	
933			2	6.8		20300	RIDE	5.4*	6.0*	5.9*	5.9	5.7	4.7*	4.7*	4.3*	4.8*	6.4	7.0	7.6	7.3	
NW 8 ST(2.1R)							DGFC														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6
							RIDE	7.0	6.8	6.8	6.8	6.6	6.2	5.9	6.3	6.2	5.5	6.1	6.4	6.3	5.3
87085000	3.014	3.603	R	1	1	35	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	
933			2	6.8		20300	RIDE	4.2*	4.0*	4.6*	4.1*	4.0*	3.5*	3.8*	6.0	6.0	5.6	5.6	5.2*	5.0*	
NW 20 ST(3.0C)							DGFC														
4077381	3.078	3.591	C	2004	0012		CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.2
COMMUNITY ASPHALT CORP.				(2006)			SPRIDE	5.6	5.5	5.7	5.3*	4.9*	4.5*	3.8*	4.5*	4.6*	3.9*	4.4*	4.0*	4.0*	3.3
4327484	2.994	3.603	C	2022	0015																
87085000	3.603	4.245	R	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	
933			2	6.8		20300	RIDE	7.1	7.2	7.5	7.3	7.1	6.3	6.5	5.8	6.1	6.3	6.0	6.0	6.0	5.8
MISSING DESCRIPTION I(3.7R)							FC125A														
4308161	3.603	4.245	C	2015	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
Ferreira Construction Co., (2016)				(2016)			SPRIDE	5.8	5.6	5.8	5.7		6.4	5.6	6.0	5.9	5.4*	5.9	5.9	6.0	5.7
87085000	3.603	4.245	L	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
933			2	6.8		20300	RIDE	7.2	7.2	7.4	7.1	6.9	6.2	6.3	5.8	6.4	6.3	6.4	5.7	6.2	
NW 29 TER(3.7L)							FC125A														
4308161	3.603	4.245	C	2015	0012		CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
Ferreira Construction Co., (2016)				(2016)			SPRIDE	5.7	5.7	4.9*	5.4*		5.6	5.5	5.5	5.6	5.3*	5.4*	5.2*	5.5	5.2
87085000	3.014	3.603	L	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.5	9.5	
933			2	6.8		20300	RIDE	5.3*	4.0*	4.8*	4.2*	3.8*	3.7*	3.5*	7.1	6.6	6.4	6.3	5.8	6.2	
NW 20 ST(3.0C)							DGFC														
4077381	3.078	3.591	C	2004	0012		CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.2
COMMUNITY ASPHALT CORP.				(2006)			SPRIDE	5.9	5.8	5.8	6.2	4.7*	5.0*	4.8*	4.7*	4.8*	4.3*	4.8*	4.6*	4.6*	3.6
4327484	2.994	3.603	C	2022	0015																
87085000	2.002	3.014	L	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	
933			3	6.8		20300	RIDE	4.8*	5.0*	5.1*	5.5	5.3*	4.7*	5.1*	4.8*	5.1*	6.9	6.9	6.9	6.6	
NW 11 ST(2.3C)							DGFC														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.2
							RIDE	6.4	5.9	5.7	5.4*	6.1	5.5	6.0	5.9	6.3	6.1	6.2	5.7	6.1	5.7
87090000	0.000	4.540	R	1	7	55	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	
25 27			2	32.5		31000	RIDE	7.9	7.7	7.8	7.6	7.1	6.6	6.5	6.3*	6.3*	6.3*	6.2*	6.1*	5.7*	
KROME AVE(0.4R)							FC5M														
4232512	0.000	4.591	C	2022	0213		CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	10.0	
HALLEY ENGINEERING CONTRAC				(2024)			SPRIDE	5.7*	5.8*	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.5	8.5	8.4	8.0	
87090000	4.540	5.280	R	1	1	55	CRACKING	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
25 27			2	32.5		31000	RIDE	7.9	7.7	7.8	7.5		7.9	8.0	7.7	7.8	7.8	7.8	7.6	7.7	
							FC5M														
				(2014)			CRACKING	9.5	9.5	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.7
							RIDE	7.7	7.7	8.0	8.1	8.2	8.2	8.2	8.1	7.6	7.8	7.7	7.8	7.3	7.2
4355423	4.591	5.377	C	2020	0213																
87090000	5.280	7.300	R	1	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	
25 27			3	16.9		32442	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	
NW 138 ST(5.7C)							FC2														
2497581	5.166	10.187	C	1998	0012		CRACKING	8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0
COMMUNITY ASPHALT CORP.				(2000)			RIDE	8.0	7.9	7.8	7.9	8.1	8.0	8.0	8.1	8.0	7.9	7.9	7.9	7.8	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE														
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-M	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR																					(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	P															
87090000	0.000	4.540	L	1	7	55	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*
25 27				2	32.5		RIDE	8.4	8.3	8.2	8.1	7.7	7.0	6.9	6.8	6.8	6.9	6.5	6.5	6.5	6.2*
NW 186 ST(1.0L)							FC5M														
4232512	0.000	4.591	C	2022		0213	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	10.0
HALLEY ENGINEERING CONTRAC(2024)							SPRIDE	6.1*	6.1*	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.4	8.5	8.2	8.2	8.2
87090002	0.000	0.513	C	1	1	40	CRACKING														
25F				2	22.3		RIDE														
							DGFC														
							(2024)														9.0
							CRACKING														7.1
							RIDE														
87090002	0.513	1.308	C	1	8	40	CRACKING														
25F				2	22.3		RIDE														
							DGFC														
							CRACKING														
							RIDE														
							CRACKING														
							RIDE														
87091000	0.000	4.075	C	1	1	45	CRACKING	6.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
994				2	15.3		RIDE	6.4*		8.4	8.2	8.1	7.5	7.2	7.3	7.5	7.3	7.3	7.3	7.3	7.2
KROME AVE(0.0C)							FC125														
2498991	0.000	4.325	C	1999		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5			7.0	7.0
THE BREWER COMPANY OF FLOR(2001)							SPRIDE	7.0	7.0	6.8	7.0	7.2	7.2	7.3	7.3	7.3	7.3			7.2	7.1
4439071	0.111	4.048	C	2023		0012															6.8
87091000	4.075	5.000	C	1	1	40	CRACKING	8.0		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
994				2	7.0		RIDE	7.8		8.3	8.0	7.6	7.1	7.2	7.3	7.5	7.3	7.3	7.3	7.3	7.2
SW 135 AVE(4.2L)							FC125														
							(2001)														
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	8.0
							RIDE	7.0	7.0	6.8	7.0	7.2	7.2	6.3	6.2	6.1	6.0	6.1	6.1	6.1	5.6
87091000	5.000	6.811	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
994				2	6.7		RIDE	8.4	8.3	8.3	8.4	8.1	7.6	7.6	7.4	7.4	7.4	7.4	7.5	7.3	7.2
SW 127 AVE(5.1C)							FC95M														
4293413	5.416	6.825	C	2021		0012	CRACKING	10.0	9.5	9.5	9.5	9.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0
HALLEY ENGINEERING CONTRAC(2023)							RIDE	7.0	6.8	7.2	7.2	7.3	7.3	7.2	7.0	7.3	7.2	7.1	7.7	7.6	7.6
87091000	6.811	7.142	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
994				2	3.3		RIDE	7.2	7.0	6.9	7.0	6.7	5.9	5.5	5.4*	6.1	6.1	5.9	6.1	5.9	5.9
AMERICAN BANKERS WAY(6.8R)							FC125														
							(2018)														
							CRACKING	8.0	8.0	10.0	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
							RIDE	5.7	5.9	7.9	7.9	7.2		6.6	6.6	6.1	6.0	6.1	6.1	5.8	4.9
87091000	7.142	7.952	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
994				2	3.3		RIDE	7.9	7.8	7.8	7.8	7.1	7.3	7.2	7.2	7.0	6.5	6.7	6.3	6.3	6.3
MARLIN RD(7.5R)							FC95M														
4293412	7.120	7.943	C	2021		0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0
HALLEY ENGINEERING CONTRAC(2023)							SPRIDE	6.5	6.6	6.4	6.4	6.6	6.2	6.3	5.8	6.1	6.2	6.3	6.6	6.6	7.2
87091000	7.952	8.058	R	1	6	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
994				2	3.3		RIDE	7.9	7.8	7.8	7.8	7.1	7.3	7.2	7.2	7.0	6.5	6.7	6.3	6.3	6.3
DIXIE HWY S(8.1C)							FC2														
							(2024)														
							CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0
							RIDE	6.5	6.6	6.4	6.4	6.6	6.2	6.3	5.8	6.1	6.2	6.3	3.2*	3.2*	3.2*
87091000	7.952	8.058	L	1	6	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
994				2	3.3		RIDE	8.4	8.3	8.3	8.0	7.4	6.6	6.2	6.4	6.4	5.9	6.4	6.0	6.0	6.1
DIXIE HWY S(8.1C)							DGFC														
							(2024)														
							CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0
							RIDE	6.3	6.0	5.9	5.9	6.6	6.1	6.3	6.1	5.9	6.1	6.0	6.0	4.5*	4.5*
87091000	7.142	7.952	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
994				2	3.3		RIDE	8.4	8.3	8.3	8.0	7.4	6.6	6.2	6.4	6.4	5.9	6.4	6.0	6.0	6.1
SW 109 AVE(7.3L)							FC95M														
4293412	7.120	7.943	C	2021		0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0
HALLEY ENGINEERING CONTRAC(2023)							SPRIDE	6.3	6.0	5.9	5.9	6.6	6.1	6.3	6.1	5.9	6.1	6.0	7.3	7.2	7.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT	(MP)	(SIDE)					SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															(REG)	
87091000	6.811	7.142	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5		
994				2	3.3	20500	RIDE	6.2*	6.0*	5.8*	6.0	5.7	5.5	4.8*	4.8*	5.4*	5.5	5.5	5.6	5.4*		
SW 113 AVE(6.8L)							FC125															
				(2018)			CRACKING	7.5	7.5	10.0	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
							RIDE	5.3*	5.0*	7.6	7.6	7.0		5.7					4.9*	5.0*	9.0	
																					4.2	
87091000	5.000	6.811	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
994				2	6.7	29500	RIDE	8.4	8.3	8.2	8.2	8.0	7.2	7.2	6.9	7.1	7.1	6.9	6.8	6.6		
SW 127 AVE(5.1C)							FC95M															
4293413	5.416	6.825	C	2021	0012		CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	
HALLEY ENGINEERING CONTRAC							RIDE	6.6	6.7	6.7	6.8	7.1	6.9	6.9	6.2	6.8	6.6	6.6	6.6	7.3	7.3	
				(2023)																		
87110000	0.000	3.967	C	1	1	55	CRACKING	8.0	8.0	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
90 41				2	11.5	5900	RIDE	6.9	7.0	6.7	6.6	6.5		7.3	6.8	6.7	6.5	6.4*	6.3*	6.6		
							FC95															
				(2020)			CRACKING	8.5	8.5	10.0	10.0	10.0	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	6.4*	6.2*	8.1	7.3	7.1	7.2	7.3	7.2	7.3	6.9	6.9	6.7	6.8	6.1	
87110000	3.967	13.928	C	1	1	55	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.5		
90 41				2	11.5	5900	RIDE	8.8	8.9	8.6	8.7	8.6	7.9	7.8	7.1	7.0	7.1	7.0	7.1	7.3		
LOOP RD(4.1R)							FC95M															
4291622	8.118	13.131	C	2016	0012		CRACKING	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST							SPRIDE	7.1	7.0	6.9	6.7	7.5	7.5	8.5	8.4	8.3	8.1	8.1	8.1	8.1	8.1	7.7
87110000	13.928	15.107	C	1	1	45	CRACKING	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*		
90 41				2	11.5	5900	RIDE	8.5	8.3	8.2	8.1	8.1	7.1	6.7	6.3	6.2	6.2	6.0	6.2	5.7		
							OGFC															
4444442	13.850	14.818	C	2020	0005		CRACKING	1.0*		10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	
							RIDE	5.7		7.9	8.0	8.0					7.9	7.9	7.8	7.8	7.6	
87110000	16.540	16.892	C	1	1	45	CRACKING	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*		
90 41				2	11.5	5900	RIDE	8.5	8.3	8.2	8.1	8.1	7.1	6.7	6.3	6.2	6.2	6.0	6.2	5.7		
							DGFC															
				(2021)			CRACKING	1.0*		10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	
							RIDE	5.7		7.9	8.0	8.0					7.8	7.8	7.9	7.6	7.5	
87110000	17.774	22.403	C	1	8	55	CRACKING	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*		
90 41				2	11.5	5900	RIDE	8.5	8.3	8.2	8.1	8.1	7.1	6.7	6.3*	6.2*	6.2*	6.0*	6.2*	5.7*		
SIDE ROAD(18.4C)							OGFC															
4056361	13.868	24.618	C	2015	0012		CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	5.7*		7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
4444442	18.039	22.239	C	2020	0005																	
87110000	23.407	24.704	C	1	1	55	CRACKING	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*		
90 41				2	11.5	5900	RIDE	8.5	8.3	8.2	8.1	8.1	7.1	6.7	6.3*	6.2*	6.2*	6.0*	6.2*	5.7*		
							OGFC															
4056361	13.868	24.618	C	2015	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE			7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
4444442	23.750	24.420	C	2020	0005																	
87110000	24.704	25.210	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.5		
90 41				2	11.5	5900	RIDE	8.5	8.3	8.5	8.2	8.2	7.6	7.6	6.7	6.8	7.1	6.8	6.7	7.2		
							FC95M															
				(2020)			CRACKING	6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	6.9	6.9	6.7	6.2*				7.4	7.4	7.3	7.3	7.3	7.4	7.3	
87110000	25.210	25.715	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.5		
90 41				4	11.5	5900	RIDE	8.5	8.3	8.5	8.2	8.2	7.6	7.6	6.7	6.8	7.1	6.8	6.7	7.2		
KROME AVE(25.7C)							FC5M															
2496143	25.207	25.548	C	2015	0213		CRACKING	6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ODEBRECHT CONSTRUCTION, IN							SPRIDE	6.9	6.9	6.7	6.2*				7.5	7.5	7.6	7.7	7.5	7.5	7.5	7.5
				(2020)																		
87120000	0.000	0.297	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
90 41				2	8.8	23500	RIDE	8.4	8.2	8.3	8.3	8.3		7.7	7.0	7.5	7.2	6.7	6.5	6.6		
KROME AVENUE(0.0C)							FC5M															
2496143	0.000	0.305	C	2015	0213		CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ODEBRECHT CONSTRUCTION, IN							SPRIDE	7.0	6.9	7.1	7.2				7.0	7.1	7.3	7.0	6.8	6.7	6.7	
				(2020)																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
87120000	0.297	2.440	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	
90 41				2	8.8	23500	RIDE	8.4	8.2	8.3	8.3	8.3	7.6	7.6	6.9	7.4	7.3	7.2	7.4	7.2	
SW 157 AV(2.0R)																					
4231341	0.243	2.440	C	2011		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8
COMMUNITY ASPHALT CORP. (2013) SPRIDE																					
87120000	2.440	5.481	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41				3	7.0	40500	RIDE	8.4	8.2	8.3	8.3	8.3		6.5	6.8	6.9	6.8	6.8	7.3	7.1	
SW 152 AV(2.5R)																					
2497042	2.152	4.022	C	2002		0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2
MASTEC CIVIL, LLC (2006) SPRIDE																					
87120000	5.481	6.000	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	
90 41				4	7.0	47500	RIDE	8.0	8.6	8.4	8.5	8.4	7.6	7.8	7.2	7.7	7.6	7.1	7.6	7.6	
SW 122 AV(5.5C)																					
				(2023)			CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5				10.0	10.0	
							RIDE	7.5	7.3	7.3	6.7	7.2	7.4	7.5	7.5				8.0	7.9	
87120000	6.000	6.840	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	
90 41				3	5.2	64000	RIDE	8.8	8.6	8.4	8.5	8.4	7.6	7.8	7.2	7.7	7.6	7.1	7.6	7.6	
SW 117 AVE(6.4R)																					
				(2015)			CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	7.8		7.0	7.5	7.2	7.7	7.9	7.7	7.8	7.9	8.0	8.0	8.0
87120000	6.840	7.195	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*	
90 41				3	5.2	64000	RIDE	8.3	8.2	8.2	8.3	8.2	7.5	7.5	7.0	6.5	7.3	7.3	6.8	7.3	7.1
SR 985(7.0C)																					
				(2020)			CRACKING	3.5*	3.5*		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.0	6.8		7.0	7.5	7.2			8.1	8.1	8.1	8.1	8.1	8.1
87120000	7.195	9.755	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*	
90 41				4	2.5	53500	RIDE	8.3	8.2	8.2	8.3	8.2	7.5	7.5	7.0	7.3	7.3	6.8	7.3	7.1	
SW 105 AVE(7.2R)																					
4251451	7.045	9.056	C	2012		0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.7
H&R PAVING INC (2015) SPRIDE																					
87120000	9.755	10.370	R	1	1	35	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	
90 41				2	1.9	46000	RIDE	6.8	6.6	7.3	7.2	7.4	6.9	6.7	6.4		4.0*	7.4	7.3	7.2	
SW 79 AV(9.8R)																					
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.2	7.1	7.0	6.4	5.9	6.0	5.7	5.8	6.1	6.1	6.0	6.2	6.4	5.3
87120000	10.370	15.195	C	1	1	35	CRACKING	3.0*		10.0	10.0	9.5	10.0	9.5	10.0	9.5	9.5	9.5	9.5	9.5	
90 41				2	2.1	45500	RIDE	5.7*		7.5	7.2	6.9	6.0	6.5	6.6	6.2	6.0	5.9	5.7	5.6	
SW 73 CT(10.4L)																					
4088801	10.244	15.677	C	2001		9924	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0
MARKS BROTHERS, INC. (2001) RIDE																					
87120000	15.195	17.501	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	10.0	10.0	
90 41				3	2.5	20000	RIDE	7.3	7.2	7.0	7.3	7.0	6.0	5.8	5.4*	5.6	5.6	5.4*	7.3	7.1	
SW 25 AV(15.2C)																					
4146461	15.195	17.501	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.6
H & J ASPHALT, INC (2010) SPRIDE																					
4460001	15.157	17.475	C	2024		0015		6.5	6.5	6.2	5.9	5.9	5.5	5.8	5.7	5.3*	5.0*	4.9*	5.0*	4.9*	3.8
87120000	17.501	18.121	C	1	6	30	CRACKING	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	9.0	9.0	9.0	
90 41				3	2.5	10500	RIDE	5.7*	6.0*	7.3	7.0	7.0	6.0	5.8	5.4*	5.6	5.6	4.8*	5.4*	5.3*	
SW 3 AV(17.6C)																					
				(2018)			CRACKING	9.0	9.0					9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
							RIDE	5.0*	5.2*												
87120000	9.755	10.370	L	1	1	35	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	
90 41				2	1.9	46000	RIDE	4.5*	5.8*	8.3	8.4	7.9	7.2	7.1	6.8		4.3*	7.6	7.7	6.8	
TAMIAMI CANAL DR(10.2L)																					
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2
							RIDE	6.7	6.7	6.6	6.2	6.3	5.5	6.2	6.3	6.1	5.9	6.0	6.1	6.2	5.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87120000	7.195	9.755	L	1	1	45	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	8.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	
90 41				4	2.5	53500	RIDE	8.5	8.5	8.5	8.5	8.3	7.5	7.6	7.0	7.4	7.2	7.1	7.2	7.0	
RUBEN DARIO AV/SW97A(8.0C)																					
4251451	7.045	9.056	C	2012	0012	CRACKING		3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5
H&R PAVING INC				(2015)		SPRIDE		6.9	6.6		7.4	7.9	7.5	7.9	7.9	7.8	7.9	7.8	7.7	7.8	7.8
87120000	6.840	7.195	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	3.5*	3.5*	3.5*	
90 41				3	5.2	64000	RIDE	7.5	8.2	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.5	7.4	7.2	
SR 985(7.0C)																					
						FC95															
							CRACKING	3.5*	3.5*		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.8	7.0		7.4	7.9	7.5			8.0	7.9	7.9	7.9	8.1	8.1
87120000	6.372	6.840	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	
90 41				3	5.2	64000	RIDE	7.5	8.2	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.6	7.6	7.7	
SIDE ROAD(6.7C)																					
4251451	6.558	7.045	C	2012	0012	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
H&R PAVING INC				(2015)		SPRIDE		7.1	7.1		7.4	7.9	7.5	7.9	7.8	7.8	7.8	7.8	8.0	7.6	7.6
87120000	5.481	6.372	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	
90 41				4	7.0	47500	RIDE	8.5	8.2	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.6	7.6	7.7	
SW 122 AV(5.5C)																					
						DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	
							RIDE	8.1	8.0	7.8	7.7	8.0	7.7	7.9	7.8				7.8	8.1	
87120000	2.440	5.481	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	
90 41				3	7.0	40500	RIDE	8.6	8.3	8.5	8.2	7.8			6.3	7.2	7.3	7.3	7.4	7.4	
TN LN FR SW 137 AVE(4.0L)																					
2497042	2.152	4.022	C	2002	0213	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
MASTEC CIVIL, LLC				(2006)		SPRIDE		7.3	7.2	7.3	7.0	6.6	6.3	6.7	6.5	6.7	6.8	6.8	6.9	7.0	6.6
87120000	0.390	2.440	L	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	
90 41				2	8.8	23500	RIDE	8.6	8.3	8.5	8.2	7.8	7.5	7.4	6.6	7.1	6.8	7.2	6.3*	6.2*	
FC5																					
4231341	0.243	2.440	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.5
COMMUNITY ASPHALT CORP.				(2013)		SPRIDE		8.3	8.3	8.1	8.1	8.2	8.3	8.3	8.3	8.3	8.2	8.0	8.2	8.2	8.1
87120000	0.000	0.390	L	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	
90 41				2	8.8	23500	RIDE	8.6	8.3	8.5	8.2	7.8			7.4	6.4*	6.6	6.4*	6.6	6.8	6.8
KROME AVENUE(0.0C)																					
2496143	0.000	0.305	C	2015	0213	CRACKING		10.0	10.0	10.0	10.0	10.0			10.0	10.0	9.0	9.0	9.0	7.3	
ODEBRECHT CONSTRUCTION, IN				(2020)		SPRIDE		7.1	6.9	6.9	6.4*	10.0			7.8	7.9	7.7	7.7	7.8	7.6	7.4
87120001	0.000	0.452	C	1	6	30	CRACKING	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	2.0*		10.0	10.0	10.0	
90 41				3	11.5	10000	RIDE	6.8	6.9	6.6	6.3	6.1	4.8*	4.7*	4.6*	4.4*		6.7	6.7	6.4	
BRICKELL AVE(0.0C)																					
						FC95															
4439051	0.000	0.452	C	2026	0012	CRACKING		10.0	10.0	9.5	9.0	9.0			9.0	9.0	9.0	9.0	5.5*	5.5*	5.5*
						RIDE		6.3	6.1	5.8	5.5	5.4*									1.5
87120001	0.452	2.998	C	1	1	30	CRACKING	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	2.0*		10.0	10.0	10.0	
90 41				3	2.5	15000	RIDE	6.8	6.9	6.6	6.3	6.1	4.8*	4.7*	4.6*	4.4*		6.7	6.7	6.4	
FC95																					
4124811	0.000	2.933	C	2006	0012	CRACKING		10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.3
H & J ASPHALT, INC				(2009)		SPRIDE		6.3	6.1	5.8	5.5	5.4*	5.6	5.7	5.7	5.7	5.5	5.6	5.5	5.5	4.9
4478081	0.452	2.998	C	2026	0012	CRACKING															
87133000	0.000	2.544	R	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	
825				3	2.5	40500	RIDE	8.5	8.5	8.2	8.4	8.2	7.8	7.7	7.5	7.3	7.4	7.5	7.1	7.4	
FC95A																					
4293471	0.022	2.531	C	2014	0226	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.2
COMMUNITY ASPHALT CORP.				(2016)		RIDE		7.1	6.9	7.2	6.9	8.1	8.0	7.8	7.8	7.9	7.9	7.9	7.8	7.9	7.7
87133000	0.000	2.544	L	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	
825				3	2.5	40500	RIDE	8.2	8.4	8.2	8.4	8.0	7.4	7.2	7.3	7.6	7.4	7.4	7.4	7.4	7.3
FC95A																					
4293471	0.022	2.531	C	2014	0226	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2016)		RIDE		7.3	7.0	7.1	7.0	8.1	7.9	7.8	7.8	7.9	7.7	7.7	7.7	7.7	7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(REG)
87140000	11.087	11.896	C	1	1	40	CRACKING	8.5	8.5	8.5	7.5	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
7 441				2	4.8	30500	RIDE	6.8	7.0	6.9	7.0	7.1	6.2	6.2	5.9		6.0	5.6	6.2	6.1	
BEGIN SEC	87140001	(11.9L)					DGFC														
4077391	11.087	12.283	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.8
H&R PAVING INC				(2008)		SPRIDE	6.3	6.1	6.3	6.0	5.9	6.3	6.3	6.3	6.2	6.1	6.0	5.9	6.0	6.0	6.0
87140000	11.896	12.147	R	1	1	40	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
7 441				3	3.1	60000	RIDE	6.5	6.3*	6.7	6.8	7.0	6.2	6.2	5.9		6.4	6.3	6.4	6.2	
NW 176 ST(12.1R)							DGFC														
				(2021)			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	10.0	10.0	9.0	9.0	6.9
							RIDE	6.2	6.3	6.2	6.2	6.0	5.2*	5.6	5.5	5.7	7.1	6.2	7.3	7.1	7.1
87140000	12.147	14.453	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5
7 441				3	4.8	56500	RIDE	8.2	8.0	8.1	8.1	7.9	7.2	7.3	7.2	7.1	7.0	6.4	6.7	6.5	
FRONTAGE DR(12.2R)							FC95														
4180941	12.147	14.453	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
ASPHALT GROUP, INC.				(2013)		SPRIDE	8.3	8.3	7.7	7.7	7.7	7.7	8.0	7.8	7.9	7.7	7.6	7.7	7.7	7.7	7.4
87140000	14.453	14.680	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	
7 441				3	4.7	59500	RIDE	8.2	8.0	8.1	8.1	7.9	7.2	7.3	7.2	7.1	7.0	6.4	6.7	6.5	
NW 21200 BLK(14.5C)							DGFC														
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.7	7.9	7.7	7.7	7.1	6.5	7.0	6.4	6.8	6.6	7.1	6.6	6.9	6.0
87140000	14.453	14.680	L	1	1	45	CRACKING	9.0	9.0	9.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
7 441				3	4.7	59500	RIDE	7.8	7.8	7.5	7.8	7.6	6.8	6.8	6.8	6.7	6.8	6.6	6.7	6.6	6.6
NW 21200 BLK(14.5C)							DGFC														
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.2	8.1	7.5	7.3	7.7	7.8	7.7	7.8	7.7	7.7	7.7	7.7	7.7	7.5
87140000	12.147	14.453	L	1	1	45	CRACKING	9.0	9.0	9.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
7 441				3	4.8	56500	RIDE	7.8	7.8	7.5	7.8	7.6	6.8	6.8	6.8	6.7	6.8	6.6	6.7	6.6	6.6
NW 181 ST(12.5L)							FC95														
4180941	12.147	14.453	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	6.4
ASPHALT GROUP, INC.				(2013)		SPRIDE	8.3	8.2	7.3	7.7	6.9	7.6	7.6	7.5	7.4	7.4	7.4	7.4	7.4	7.3	6.9
87140000	11.896	12.147	L	1	6	40	CRACKING	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0		10.0	10.0	10.0	10.0	
7 441				2	3.1	60000	RIDE	6.8	7.0	6.9	7.0	7.1	6.4	6.4	6.2		6.2	6.4	6.1	6.4	
NW 7 AVE(12.0L)							DGFC														
				(2021)			CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.2	6.3	6.3	6.2	5.7	5.8	5.7	5.9	6.0	7.4	7.3	7.4	7.4	10.0
87140000	10.431	10.718	L	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441				2	3.3	25500	RIDE	6.9	6.5	6.4*	6.1	8.1	7.6	7.5	7.3	7.4	7.4	7.3	7.4	7.3	
NW 155 LN(10.5L)							FC125														
				(2023)			CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*			10.0	10.0	
							RIDE	7.2	7.2	7.3	6.9	6.1	5.7	5.9	5.7	5.7			5.5	5.7	
87140000	8.062	10.431	L	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441				2	3.3	25500	RIDE	6.9	6.5	6.4*	6.1	8.1	7.6	7.5	7.3	7.4	7.4	7.3	7.4	7.3	
NW 117 ST(8.1L)							FC95M														
4308174	8.062	10.431	C	2020	0012	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*				10.0	10.0	
ROADWAY CONSTRUCTION LLC				(2023)		SPRIDE	7.2	7.2	7.3	6.9	6.1	5.7	5.9	5.7	5.7				7.5	7.3	
87140000	6.211	8.062	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
7 441				2	4.2	28500	RIDE	5.5*	5.3*	5.2*	4.5*	6.9	6.3	6.3	6.3	6.4	6.3	6.3	6.3	6.4	
SIDE ROAD(6.2C)							FC95M														
4308173	6.211	8.062	C	2020	0012	CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*			10.0	10.0	
ROADWAY CONSTRUCTION LLC				(2023)		SPRIDE	6.5	6.4	6.3	5.9	5.2*	4.8*	4.9*	4.8*	4.7*	4.7*			6.6	6.6	
87140000	5.610	6.211	L	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441				3	3.9	30500	RIDE	5.5*	5.3*	5.2*	4.5*	3.5*		6.3	6.1	6.1	6.1	6.0	6.0	6.0	
SR 934(5.6C)							FC95M														
4308172	5.657	6.214	C	2018	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN				(2022)		SPRIDE	5.8	5.8	5.4*	5.3*	5.3*	5.6	5.3*	5.1*				6.2	6.2	5.7	4.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****														
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR																					(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
87140000	3.091	5.610	L	1	1	30	CRACKING	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	
7 441				3	9.2	26000	RIDE	6.1*	5.8*	5.6*	5.5	5.2*	6.5	6.2	6.0	6.8	6.6	6.3	6.2	5.9	
NW 7 AVE(3.5L)						FC95A															
4308171	3.460	5.649	C	2015	0012		CRACKING	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2018)			SPRIDE	5.3*	5.7	5.7	5.4*	4.4*		6.6	6.5	6.1	5.8	5.3*	5.2*	5.1*	3.5
87140000	1.104	3.091	L	1	1	30	CRACKING	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	
7 441				3	4.8	26000	RIDE	6.1*	5.8*	5.6*	5.5	5.2*	6.5	6.2	6.0	6.8	6.6	6.3	6.2	5.9	
NW 9 ST(1.2L)						FC95M															
				(2020)			CRACKING	6.5	6.5	6.5	6.5	5.5*				10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	5.3*	5.7	5.7	5.4*	4.4*						6.6	6.3	6.3	5.5
87140001	0.000	0.687	C	1	1	45	CRACKING								6.5	6.5	4.5*	3.5*	3.5*	9.5	
7 441				2	4.8	25000	RIDE								6.5	5.8	6.1	5.9	6.4	5.8	
SR-7 NB(0.0L)						FC95M															
				(2021)			CRACKING	9.5	9.0	9.0	9.0	9.0	8.0	8.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0
							RIDE	5.7	5.8	5.8	5.8	5.3*	5.1*	5.2*	5.1*	5.2*	7.5	7.6	7.5	7.5	7.5
87140001	0.687	0.965	C	1	1	45	CRACKING								6.5		10.0	10.0	10.0	3.5*	
7 441				1	4.8	25000	RIDE								6.5		5.8	5.9	5.9	6.3	
I 95(0.8R)						DGFC															
				(2014)			CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1
							RIDE	6.1	6.1	7.2	6.6	6.6	6.8	6.9	6.7	6.8	6.8	6.7	6.9	6.9	6.8
87140352	0.000	0.358	C	1	1	30	CRACKING														10.0
7F A441				1	4.5	1250	RIDE														5.9
				(2024)			CRACKING														
							RIDE														
87150000	2.813	8.027	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	7.0	7.0	
997				2	13.3	26500	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.7	7.7	7.6	7.4	
NE 9 ST(2.9R)						FC125M															
4273691	3.825	7.499	C	2019	0213		CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0		10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC				(2022)			SPRIDE	7.5	7.5	7.3	7.4	7.2	7.2	8.1	7.9	8.0		6.8	6.7	6.7	6.4
87150000	8.027	13.278	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0			10.0	10.0	
997				2	11.1	16900	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7			7.5	7.5	
HAINLINE MILL DR(8.9C)						FC5M															
4273692	7.499	10.750	C	2018	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC				(2021)			SPRIDE	7.6	7.5	7.4	7.4	7.3	7.2	6.9	6.9	7.0	7.9	7.9	7.8	7.8	7.6
87150000	13.278	13.799	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	6.5	6.5		
997				2	14.0	31000	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.9	7.9	8.0	7.9	7.8	7.7	7.4	
						FC5M															
4273693	11.702	13.702	C	2018	0213		CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC				(2020)			SPRIDE	7.5	7.3	7.2	7.2	7.3	8.4	8.5		7.8	7.8	7.7	7.8	7.9	7.9
87150000	13.799	17.492	R	1	4	50	CRACKING	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*	
997				2	14.0	31000	RIDE	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5	
HOWARD DR(13.9R)						LGD															
2496147	13.789	17.310	C	2016	0213		CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0			9.4	9.9	9.4	9.5	9.4	9.2
GENERAL ASPHALT CO., INC.				(2020)			RIDE	6.3*	6.1*	6.0*	8.8	8.4	8.3			8.5	8.5	8.5	8.5	8.5	8.5
87150000	17.492	22.388	R	1	1	55	CRACKING	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*	
997				2	15.6	27000	RIDE	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5	
SR 90(22.4C)						FC5M															
2496143	17.333	22.253	C	2015	0213		CRACKING	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0
ODEBRECHT CONSTRUCTION, IN				(2020)			SPRIDE	6.3*	6.1*	6.0*	6.2*	5.7*	5.3*			8.2	8.2	8.0	8.0	8.0	7.7
87150000	17.492	22.388	L	1	1	55	CRACKING	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*	
997				2	15.6	27000	RIDE	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5	
SW 58 ST(18.8L)						FC5M															
2496143	17.333	22.253	C	2015	0213		CRACKING	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0
ODEBRECHT CONSTRUCTION, IN				(2020)			SPRIDE	6.3*	6.1*	6.0*	6.2*	5.7*	5.3*			8.2	8.2	8.1	8.0	8.0	7.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====														
ITMSEG-P	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87150000	13.799	17.492	L	1	4	50	CRACKING	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*	
997				2	14.0		RIDE	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5	
HOWARD DR(13.9L)																					
2496147	13.789	17.310	C	2016		0213	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0		9.4	10.0	9.4	9.4	9.4	9.4	9.1
GENERAL ASPHALT CO., INC. (2020)																					
87150000	8.027	13.799	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	6.5	6.5	
997				2	14.0		RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.9	7.8	7.7	7.4	
SW 224 ST(8.4L)																					
4273692	7.499	10.750	C	2018		0213	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)																					
87150000	2.813	8.027	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	7.0	7.0	
997				2	13.3		RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.7	7.7	7.6	7.4	
NW 9 ST(2.9L)																					
4273691	3.825	7.499	C	2019		0213	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0		10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2022)																					
87160000	0.000	5.068	C	1	1	45	CRACKING	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9336				2	11.8		RIDE	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8	7.6	7.6	7.5	
DIRT RD(1.4C)																					
4056582	0.000	7.066	C	2003		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.1
GENERAL ASPHALT CO., INC. (2005)																					
4459871	0.000	5.068	C	2023		0012	SPRIDE	7.4	7.4	7.3	7.2	7.5	7.5	7.5	7.7	7.6	7.7	7.3	7.5	7.4	
87160000	5.068	6.103	C	1	1	45	CRACKING	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9336				2	11.8		RIDE	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8	7.6	7.6	7.5	
SW 372 ST(5.3R)																					
4056582	0.000	7.066	C	2003		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.3
GENERAL ASPHALT CO., INC. (2005)																					
4459891	5.068	7.057	C	2023		0012	SPRIDE	6.7	7.1	7.0	7.1	7.8	7.8	7.7	7.9	7.9	7.8	7.6	7.7	7.7	7.7
87160000	6.103	7.066	C	1	1	45	CRACKING	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9336				2	11.8		RIDE	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8	7.6	7.6	7.5	
SW 358 ST(6.2R)																					
4459891	5.068	7.057	C	2023		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2018)																					
87160000	7.066	8.041	C	1	1	45	CRACKING	9.0	4.5*	4.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9336				2	7.5		RIDE	7.6	7.9	7.5	7.7	7.2	6.0*	8.0	8.1	8.1	8.1	8.1	8.0	8.0	
FLORIDA CITY CITY LIMITS(7.1L)																					
4106402	7.066	8.013	C	2003		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0
GENERAL ASPHALT CO., INC. (2005)																					
4459921	7.057	8.705	C	2023		0012	SPRIDE	7.9	7.9	7.9	7.7	7.6	7.7	7.4	7.4	7.6	7.7	7.4	7.5	7.3	7.2
87160000	8.041	8.745	R	1	1	30	CRACKING	9.0	7.5	7.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9336				2	7.5		RIDE	5.9*	7.7	7.7	7.2	6.7	6.3	7.2	7.5	7.0	6.8	6.8	7.2	7.1	
CAVES AVE(8.1C)																					
4056591	8.041	8.735	R	2003		0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
APAC-FLORIDA INC (2005)																					
4459921	7.057	8.705	C	2023		0012	SPRIDE	6.9	7.1	7.0	6.6	6.7	6.6	7.0	6.7	6.4	6.8	6.3	6.8	6.3	6.3
87160000	8.041	8.745	L	1	1	30	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9336				2	7.5		RIDE	6.5	7.4	7.1	7.2	6.8	5.4*	7.6	7.0	7.4	7.5	7.2	7.2	7.6	
CAVES AVE(8.1C)																					
4459921	7.057	8.705	C	2023		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0
(2005)																					
87170000	0.000	0.373	R	1	6	35	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	
826				2	3.9		RIDE	6.4*	7.1	7.1	7.7	7.2	6.8	6.2	5.9	6.3	6.6	6.7	6.6	6.5	
OGFC																					
4283588	0.000	0.489	C	2024		0213	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*
(2003)																					
87170000	0.373	3.701	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0
826				3	4.1		RIDE	8.0	8.1	8.2	8.1	8.1	7.4	7.3	7.2	7.4	8.1	7.8	7.9	7.7	
TN LN TO NW 2 AVE(0.5R)																					
4126372	2.015	3.557	C	2006		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5
WEKLEY ASPHALT PAVING, IN(2008)																					
4525611	0.512	3.667	C	2027		0012	SPRIDE	7.7	7.5	7.4	7.1	7.1	6.8	7.0	7.0	6.8	7.0	6.9	6.8	6.7	6.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87170000 826	3.701	4.935	R	1	1 45	CRACKING		9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	
INTERRAMA BLVD(4.8R)																					
4076302	3.701	5.085	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.2
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
4525621	3.720	5.105	C	2027	0012			7.8	7.6	7.4	7.1	7.8	7.5	7.7	7.6	7.8	7.6	7.7	7.1	7.3	7.3
87170000 826	4.935	5.100	C	1	2 45	CRACKING		10.0	10.0	8.0	6.5	6.5	4.5*	4.5*	6.5	4.5*		10.0	10.0	10.0	
NE 35 AVE(4.9L)																					
4076302	3.701	5.085	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.8
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
4525621	3.720	5.105	C	2027	0012			7.6	7.6	7.4	7.1	7.6	7.5	7.6	7.6	7.7	7.6	7.6	7.8	7.6	7.6
87170000 826	5.364	5.727	C	1	8 35	CRACKING		10.0	10.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0
COLLINS AVE(5.7C)																					
					26000	RIDE		7.6	7.1	4.9*	7.1	7.4	7.6	7.5	6.3	6.5	7.3				6.6
					DGFC																
4365252	5.234	5.718	C	(2011) 2021	0012	CRACKING		10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5
RIDE 5.8 5.4* 5.5 5.5 5.5 4.7* 4.6* 4.6* 4.5* 4.2* 4.4* 4.2*																					
87170000 826	3.701	4.935	L	1	1 45	CRACKING		9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	
TRN LN TO SR 5/US-1(3.7L)																					
					57500	RIDE		8.0	8.2	8.4	8.1	7.9	7.3	7.1	7.0	7.0		7.9	7.7	7.5	
					FC5																
4525621	3.720	5.105	C	(2024) 2027	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	9.0
RIDE 7.6 7.6 7.4 7.6 7.6 7.5 7.7 7.3 7.1 7.6 7.5 7.3 7.3																					
87170000 826	0.373	3.701	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	
TRN LN TO NW 2 AVE(0.5L)																					
					61500	RIDE		7.9	8.0	8.0	7.6	8.0	7.3	7.0	7.2	7.0	7.8	7.7	7.8	7.8	7.7
					DGFC																
4126372	2.015	3.557	C	2006	0012	CRACKING		10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.5	6.5
WEEKLEY ASPHALT PAVING, IN(2008) SPRIDE																					
4525611	0.512	3.667	C	2027	0012			7.7	7.6	7.4	7.3	7.3	6.8	6.8	6.9	6.6	6.9	6.7	6.6	6.5	6.0
87170000 826	0.000	0.373	L	1	1 35	CRACKING		9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	
UNKW 60500 RIDE 6.6 7.1 6.4* 6.7 7.3 6.6 6.9 7.0 6.7 7.4 6.6 6.8 6.7																					
						CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	1.7
						RIDE		6.7	6.6	6.8	6.5	6.9	6.6	6.8	6.4	6.5	6.5	6.6	6.4	6.4	6.3
4283588	0.000	0.489	C	(2003) 2024	0213																
87170001 826	0.000	0.377	C	1	8 35	CRACKING											9.5	9.5	9.5	9.5	
COLLINS AVE SB(0.0C)																					
					24000	RIDE											6.3	5.9	5.7	5.9	
					DGFC																
4365252	0.000	0.505	C	(2008) 2021	0012	CRACKING		9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*		
RIDE 5.6 5.7 5.7 5.5 5.1* 4.8* 4.9* 4.7* 4.6* 4.6* 4.8*																					
87170001 826	0.645	0.813	C	1	6 35	CRACKING												10.0	10.0	10.0	
INTERCOSTAL MALL(0.7R)																					
					24000	RIDE												8.1	7.9	7.9	
					FC5																
4525621	0.644	0.813	C	(2009) 2027	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0
RIDE 7.7 7.7 7.6 7.8 7.4																					
87190000 909	0.000	0.513	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	
NE 118 TER(0.0R)																					
					18900	RIDE		7.6	7.4	7.1	7.2	7.2	6.2	6.0	6.0	5.8	6.9	5.7	5.9	6.2	
					FC95MR																
4127542	0.000	0.237	C	2005	0008	CRACKING		10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.8
COMMUNITY ASPHALT CORP. (2008) SPRIDE																					
4399761	0.000	0.513	C	2022	0012			6.0	5.9	5.8	5.8	5.6	5.3*	5.7	5.6	5.1*	5.2*	4.9*	4.9*	4.7*	4.3
87190000 909	0.597	2.869	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	
SR 915(0.6C)																					
					18900	RIDE		7.8	7.5	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.7	6.5	6.4	6.3	
					DGFC																
2499451	0.000	3.767	C	1994	0012	CRACKING		10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7
PAVEX CORP. (1996) S RIDE																					
4439361	0.866	2.858	C	2023	0012			6.2	6.3	6.3	6.1	5.5	5.4*	5.5	5.4*	5.3*	5.3*	5.2*	5.2*	5.2*	4.3
87190000 909	2.869	3.767	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	
NE 153 ST(3.0R)																					
					16500	RIDE		7.8	7.5	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.1	6.1	5.8	5.6	
					FC95A																
4308191	2.854	3.767	C	2015	0012	CRACKING		6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC (2017) SPRIDE 5.8 5.4* 5.5 5.6 6.9 6.8 6.4 6.6 6.5 6.4 6.2 6.2 5.7																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(REG)
87200000	6.229	9.850	R	3	1	45	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0		
836			4	3.8	221000		RIDE						8.1	8.4	8.4	8.5	7.9	8.5	8.4		
EB EXIT TO SR 953(7.3R)							OGFC														
					(2021)		CRACKING		10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0
							RIDE		7.9	7.9	7.9	8.1					8.0	8.0	7.9	7.9	7.7
87200000	9.850	10.596	R	3	8	45	CRACKING	4.0*	4.0*	4.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836			4	3.8	104500		RIDE	8.1	6.3*	7.7				7.2	7.2	7.3	7.1	7.3	7.3	7.2	
					(2016)		OGFC														
							CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	6.8	7.1	7.3		8.1	8.0	7.4	7.6	7.7	7.6				
87200000	11.158	11.618	R	3	8	55	CRACKING	8.6	8.5	8.0	7.9	7.8	8.2	7.9	7.6	7.2	7.1	7.0	6.8	6.4*	
836			2	3.8	111500		RIDE	6.8	7.6	7.2	6.9	7.1	5.4*	6.2*	6.4*	6.4*	6.3*	6.6	6.7	6.7	
SIDE ROAD(11.2C)					(1992)		CONC														
							CRACKING	5.8*	5.8*	6.0*	5.8*	5.7*	5.8*	6.7	5.6*	5.2*	6.3*	4.9*	4.7*		
							RIDE	6.4*	6.3*	5.9*	6.5	6.5	6.6	6.3*	6.5	6.2*	5.7*	5.9*	6.1*		
87200000	11.893	12.055	R	4	6	55	CRACKING	7.5	7.5	8.6	7.4	7.3	7.2	6.9	6.5	5.5*	5.0*	6.5	5.1*	4.8*	
836 I395			2	3.8	143000		RIDE	8.3	8.2	7.5	8.2	7.6	7.8	7.0	7.5	7.2	7.7	7.0	7.0	6.4*	
					(1992)		CONC														
							CRACKING	4.4*	4.8*	4.6*	5.2*	4.7*	5.3*	7.8	5.7*	5.5*	5.8*	6.6	6.4*	6.1*	4.2
							RIDE	6.1*						7.2	7.4	7.4	7.4	6.3*			
87200000	12.823	12.936	R	4	6	55	CRACKING	6.8	6.8	8.3	7.8	7.9	7.3	7.5	7.2	5.4*	4.5*	3.5*	3.4*	4.3*	
836 I395			2	3.8	143000		RIDE	6.7	6.0*	6.0*											
					(2016)		CONC														
							CRACKING	4.8*	6.8				8.9	7.0	8.2	7.6	7.5	7.4	7.6	7.0	8.4
							RIDE														7.2
2516883	12.621	13.048	R	2013	0213		CRACKING														
ODEBRECHT CONSTRUCTION, IN					(2016)		RIDE														
87200000	12.936	13.048	R	4	6	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	
836 I395			3	3.8	143000		RIDE	7.1	6.1*	7.3	6.0*	6.1*									
BEG SEC 060(13.0C)					(2015)		OGFC														
2516883	12.621	13.048	R	2013	0213		CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ODEBRECHT CONSTRUCTION, IN					(2015)		SPRIDE														
87200000	12.936	13.048	L	4	6	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	
836 I395			2	3.8	143000		RIDE	6.6	6.9	7.6	7.7	7.0									
BEG SEC 060(13.0C)					(2015)		OGFC														
2516883	12.755	13.048	L	2013	0213		CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					(2015)		RIDE														
87200000	12.823	12.936	L	4	6	45	CRACKING	8.6	8.5	8.4	7.9	8.5	8.1	8.1	7.7	6.3*	5.5*	7.3	8.5	8.6	
836 I395			2	3.8	143000		RIDE		5.5*	5.1*	5.9*										
					(1998)		CONC														
							CRACKING	8.7	7.4			8.3	7.8	8.7	8.6	8.4	7.7	7.5	7.1	7.8	7.7
							RIDE														
87200000	11.158	11.618	L	3	6	50	CRACKING	7.5	7.5	7.5	7.9	7.5	8.3	8.2	8.2	7.8	7.7	8.4	7.0	6.7	
836			3	3.8	111500		RIDE	7.0	7.4	6.9	7.2	7.3	5.1*	5.1*	6.0*	6.3*	6.1*	6.1*	6.4*	6.1*	
SIDE ROAD(11.2C)					(1992)		CONC														
							CRACKING	6.6	6.3*	6.1*	5.8*	5.7*	6.1*	7.6	5.6*	5.1*	7.5	4.0*	4.0*	4.4*	4.4
							RIDE	6.5	6.0*	6.0*	6.3*	6.3*	6.3*	5.7*	6.4*	6.3*	6.2*	5.4*			
87200000	7.960	10.596	L	3	1	45	CRACKING	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836			4	3.8	104500		RIDE	7.7	7.6	7.4				7.7	7.6	7.4	7.8	7.4	7.5	7.5	
FROM RAMP 200162(10.1L)					(2021)		OGFC														
							CRACKING	9.5	9.5	9.5	9.5	8.0						10.0	10.0	10.0	10.0
							RIDE	7.7	7.4	7.2	7.5	7.8					7.9	7.7	7.5	7.6	7.0
87200000	6.530	7.960	L	3	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836			5	3.8	221000		RIDE	8.6	8.6	8.5	8.6	8.4	8.3	8.4	8.0	8.4	8.4	8.4	7.8	8.0	
					(2021)		OGFC														
							CRACKING	9.5	9.5	8.5	7.0	6.5						10.0	10.0	10.0	10.0
							RIDE	8.2	8.2	8.2	8.1	8.3					8.2	8.3	8.2	8.2	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP		SIDE)			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
87200000	5.721	6.530	L	3	1	45	CRACKING	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	10.0
836			4	3.8	210000		RIDE	8.7	8.8	8.8	8.5	8.3	7.4	7.1	7.0	7.0	7.9	7.9	7.5	7.8	
					OGFC																
					(2021)		CRACKING	10.0	10.0	10.0							10.0	10.0	10.0	10.0	10.0
							RIDE	7.8	7.6	7.7							8.0	8.1	8.0	8.0	8.0
87200000	4.765	5.721	L	3	1	55	CRACKING	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	10.0
836			5	3.8	210000		RIDE	8.7	8.8	8.8	8.5	8.3	7.4	7.1	7.0	7.0	7.9	7.9	7.5	7.8	
					FC5M																
					(2017)		CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.8					8.3	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.1
87200000	4.250	4.765	L	3	1	55	CRACKING	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	10.0
836			4	3.8	85500		RIDE	8.7	8.8	8.8	8.5	8.3	7.4	7.1	7.0	7.0	7.9	7.9	7.5	7.8	
					FC5M																
					(2017)		CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.8					8.3	8.2	8.2	8.3	8.0	8.0	7.9	7.9	7.6
87200000	2.146	4.250	L	3	1	55	CRACKING	8.0	8.0	8.0	7.0	7.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0
836			4	3.8	168500		RIDE	8.7	8.8	8.8	8.5	8.3	8.3	8.4	8.3	8.4	8.3	8.4	7.9	8.2	
					OGFC																
					(2021)		CRACKING	7.0					9.0				10.0	10.0	10.0	10.0	10.0
							RIDE	8.1					7.8				8.2	8.3	8.1	8.2	8.1
87200000	0.966	2.146	L	3	1	55	CRACKING	8.0	8.0	8.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
836			3	3.8	168500		RIDE	8.7	8.8	8.8	9.0	8.9	8.2			7.7	7.4	7.9	7.2	7.1	
					OGFC																
					(2007)		CRACKING	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.0
							RIDE	7.0	7.0	7.1	7.0	7.2	7.5	7.3	7.2	7.5	7.4	7.4	7.3	7.2	7.2
87200000	0.383	0.966	L	3	1	55	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0
836			4	3.8	120500		RIDE	8.7	8.8	8.8	8.8	8.6	8.1			7.4	7.6	8.1	7.5	7.6	
					OGFC																
					(2007)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5
							RIDE	7.6	7.8	7.8	7.7	7.6	7.6	7.7	7.6	7.6	7.6	7.6	7.7	7.7	7.7
87200000	0.000	0.383	L	3	1	50	CRACKING	8.0	8.0	8.0	7.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0
836			3	3.8	120500		RIDE	8.2	8.2	8.1	8.7	8.4	8.0	7.7		7.7	7.5	7.7	7.2	7.8	
					FC5M																
					(2007)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.7	7.7	7.7	7.7	7.7	7.8	7.7	7.7	7.7	7.7	7.8	7.9	8.0	7.9
87201000	0.000	0.830	C	3	1	55	CRACKING														10.0
836			1	3.8	15500		RIDE														7.6
					OGFC																
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.5
							RIDE	7.6	7.5	7.4	7.5	7.3	6.6	6.7	6.7	6.6	6.6	6.7	6.5	6.7	5.9
87201000	0.830	1.480	C	3	1	55	CRACKING														10.0
836			3	3.8	15500		RIDE														7.6
					OGFC																
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
							RIDE	7.6	7.5	7.4	7.5	7.3	7.5	7.8	7.8	7.8	7.8	8.0	7.8	7.6	7.6
87201000	1.480	3.156	C	3	1	55	CRACKING														10.0
836			2	3.8	15500		RIDE														7.6
					OGFC																
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.6
							RIDE	7.6	7.5	7.4	7.5	7.3	7.2	7.2	7.2	7.3	7.2	7.3	7.1	7.1	6.9
87202000	0.000	3.430	C	3	1	55	CRACKING														10.0
836			2	3.8	15500		RIDE														7.8
					OGFC																
					(2011)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.9
							RIDE	7.8	7.7	7.8	7.6	7.8	7.6	7.7	7.7	7.8	7.7	7.8	7.7	7.7	7.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
87240000	2.985	4.894	R	1	1	35	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
9				3	6.4	35500	RIDE	8.4	8.3	8.1	8.0	7.7	7.2	7.2	6.7	6.5	6.5	6.4	6.3	6.3	
NW 14 ST(3.2C)																					
4226121	2.985	4.894	C	2011		0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ASPHALT GROUP, INC. (2014) SPRIDE																					
87240000	4.894	7.227	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
9				2	6.9	32000	RIDE	6.9	6.6	6.6	6.4	6.3	5.9	5.7	5.7	6.9	6.6	6.7	6.8	6.7	
NW 38 ST(4.9C)																					
4076501	4.956	7.311	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	5.4
PAVEX CORPORATION (2007) SPRIDE																					
4291852	4.950	7.233	C	2021		0012		6.5	6.4	6.3	6.3	5.9	5.8	5.9	5.6	5.6	5.6	5.7	5.5	4.8*	4.7
FC125																					
87240000	7.227	8.834	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	
9				2	6.9	33500	RIDE	8.0	7.9	7.9	7.8	7.4	7.2	6.9	6.8	6.6	6.7	6.7	6.8	6.7	
SR 934(7.3C)																					
4291851	7.227	8.741	R	2014		0012	CRACKING	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9
GENERAL ASPHALT CO., INC. (2017) SPRIDE																					
87240000	8.834	9.648	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
9				3	6.9	35000	RIDE	8.2	8.2	8.2	8.2	7.9	7.6	7.5	7.2	7.1	7.3	7.1	6.9	7.1	
SR 932(8.9C)																					
4256591	8.873	9.687	C	2012		0226	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.9
GENERAL ASPHALT CO., INC. (2014) SPRIDE																					
87240000	9.648	10.028	R	1	7	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	
9				3	8.0	48000	RIDE	7.0	7.3	6.9	6.9	7.4	6.3*	6.1*	6.3	6.0	6.7	6.2	6.2	6.2	
NW 116 ST(9.7R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	
							RIDE	6.1	6.2	6.1	6.1	6.1	6.2	6.2	6.1	6.1	6.4	6.6	6.5	6.4	
(2024)																					
87240000	10.028	10.823	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
9				3	8.0	48000	RIDE	7.8	8.0	7.5	7.7	7.5	7.3	7.0	6.7	6.3	6.6	6.6	6.4	6.7	
NW 122 ST(10.0C)																					
4284761	10.006	10.818	C	2013		0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2
H & J ASPHALT, INC (2015) SPRIDE																					
87240000	10.823	11.113	R	1	6	45	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	
9				3	6.9	49500	RIDE	7.8	8.0	7.5	7.7	7.5	7.3		7.3	6.9	7.4	7.5	7.6	7.0	
OPA LOCKA CITY LIMITS(10.9C)																					
4068041	10.859	13.690	C	2003		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.7
ATLANTIC CIVIL INC (2006) S RIDE																					
4439141	10.941	11.239	C	2023		0012		6.5	6.6	5.7	6.1					6.3	6.3				
87240000	11.113	11.345	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	7.5			9.0	9.0	7.5	7.5	10.0	10.0	
9				2	6.9	27000	RIDE	8.1	8.0	8.3	8.6	8.5	7.3		7.4	7.4	7.3	7.1	7.6	7.3	
NW 139 ST(11.1R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6
							RIDE	7.1	7.3	7.1	7.2	6.8	6.8	6.5	6.6	7.3	7.3	6.3	7.3	6.4	6.4
(2010)																					
4439141	10.941	11.239	C	2023		0012															
87240000	11.345	13.110	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	
9				2	8.7	28322	RIDE	8.5	8.4	8.5	8.5	8.3	7.8	7.8	7.7	7.7	7.7	7.8	7.2	7.5	
NW 22 AVE(11.8C)																					
4291841	11.237	13.318	C	2014		0012	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7
COMMUNITY ASPHALT CORP. (2016) SPRIDE																					
87240000	13.110	13.690	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	5.5*	5.5*	
9				2	9.5	30000	RIDE	8.5	8.4	8.5	8.5	8.3	7.8	7.8	7.7	7.7	6.9	6.7	7.0	6.7	
SR 7 / US 441 SB(13.7R)																					
4284762	13.281	13.690	C	2012		0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6
COMMUNITY ASPHALT CORP. (2014) SPRIDE																					
87240000	13.110	13.690	L	1	1	50	CRACKING	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	
9				2	9.5	30000	RIDE	6.8	8.2	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4	7.3	7.6	7.3	
OGFC																					
4284762	13.281	13.690	C	2012		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.9
COMMUNITY ASPHALT CORP. (2014) SPRIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
87240000	11.345	13.110	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5
9			2	8.7	28322		RIDE	8.7	8.2	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4	7.3	7.6	7.3	
NW 22 AVE(11.8C)																					
4291841	11.237	13.318	C	2014	0012		CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.2
COMMUNITY ASPHALT CORP.		(2016)			SPRIDE			7.3	7.3	7.2	7.2	8.2	8.1	8.2	8.1	8.0	8.1	8.1	8.0	8.0	7.9
87240000	10.823	11.113	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	8.0	10.0	10.0	
9			3	6.9	49500		RIDE	8.1	8.2	8.6	8.4	8.0	7.7		8.0	7.4	7.5	7.6	7.6	7.9	
OPA LOCKA CITY LIMITS(10.9C)					FC95																
4439141	10.941	11.239	C	2023	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5
		(2010)			RIDE			7.9	7.4	7.6	7.7	6.9	6.9	6.7	7.1	6.6	6.5	6.4	6.6	6.5	5.8
87240000	10.028	10.823	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	
9			3	8.0	48000		RIDE	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	7.6	7.4	
NW 122 ST(10.0C)					FC125																
4284761	10.006	10.818	C	2013	0012		CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
H & J ASPHALT, INC		(2015)			SPRIDE			7.4	7.1	6.8	8.0	7.8	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.3	6.9
87240000	9.648	10.028	L	1	7	45	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	10.0	9.5	
9			3	8.0	48000		RIDE	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	7.2	7.2	6.0
SR 924(9.9C)					DGFC																
		(2024)			CRACKING			9.5	9.5	9.5	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0
					RIDE			5.9	5.9	6.1	5.9	6.2	5.8	5.9	6.3	5.9	6.4	6.3	6.4	6.8	
87240000	8.834	9.648	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
9			2	6.9	35000		RIDE	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	6.9	7.2	
SR 932(8.9C)					FC95																
4256591	8.873	9.687	C	2012	0226		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.4
GENERAL ASPHALT CO., INC.		(2014)			SPRIDE			7.0	7.0	8.1	8.0	7.7	7.8	7.7	7.8	7.6	7.5	7.4	7.4	7.3	6.9
87240000	7.227	8.834	L	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	
9			2	6.9	33500		RIDE	7.6	7.6	7.7	7.6	7.7	7.1	7.1	7.1	6.8	7.0	6.9	6.9	7.2	
SR 934(7.3C)					FC95A																
4291851	7.701	8.834	L	2014	0012		CRACKING	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9
GENERAL ASPHALT CO., INC.		(2017)			SPRIDE			7.0	7.0	6.7	6.9		8.0	7.8	7.9	7.8	7.4	7.1	7.0	6.8	5.9
87240000	4.894	7.227	L	1	1	35	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0
9			2	6.9	32000		RIDE	6.2*	6.2*	6.2*	5.5	5.6	5.2*	4.9*	5.3*	6.8	6.8	6.8	6.8	6.8	
NW 38 ST(4.9C)					FC125																
4076501	4.956	7.311	C	2005	0012		CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.2
PAVEX CORPORATION		(2007)			SPRIDE			6.7	6.5	6.2	6.4	5.7	5.7	5.6	5.5	5.5	5.3*	5.4*	5.3*	5.2*	4.5
4291852	4.950	7.233	C	2021	0012																
87240000	2.985	4.894	L	1	2	35	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
9			3	6.4	35500		RIDE	8.2	8.2	7.7	7.7	7.9	6.8	6.6	6.6	6.4	6.0	5.5	5.2*	6.0	
NW 14 ST(3.2C)					FC125M																
4226121	2.985	4.894	C	2011	0012		CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2
ASPHALT GROUP, INC.		(2014)			SPRIDE			6.1	6.0	7.9	7.7	7.7	7.6	7.6	7.5	7.1	7.0	7.1	6.9	6.4	6.0
87240000	1.739	2.985	L	1	1	35	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
9			3	4.7	39500		RIDE	7.7	7.8	7.9	7.8	7.2	6.2	6.3	6.3	6.0	5.3*	5.6	7.1	6.7	
SEVENTH ST SW(1.8C)					FC95																
4198471	1.739	2.975	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	8.0	7.0
WEEKLEY ASPHALT PAVING, IN		(2010)			SPRIDE			6.8	6.4	6.6	6.7	6.4	6.2	6.4	6.3	6.3	6.3	6.2	6.2	6.1	5.8
87240000	0.000	1.739	L	1	1	40	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0	
9			2	4.8	34500		RIDE	7.9	6.9	7.7	7.5	7.7	7.1	6.8	6.3	6.5	7.5	7.5	6.8	7.3	
DIXIE HWY S(0.0C)					DGFC																
4146881	0.056	1.739	C	2005	0008		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5
H & J ASPHALT, INC		(2008)			SPRIDE			7.4	6.6	7.1	7.0	7.1	6.6	6.6	6.4	6.5	6.3	6.3	6.5	6.3	5.9
87240101	0.000	0.098	C	1	6	45	CRACKING														10.0
9			2	6.9	9100		RIDE														
87240124 SB OFF(0.0L)																					
		(2011)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE																
4439141	0.000	0.090	C	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)							*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																	
87250000	0.000	0.691	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		
944			4	6.1	19700		RIDE	7.5	7.7	7.6	7.2	7.0	6.5	6.3	6.2	6.1	6.2	6.1	6.1	6.1	5.8		
OKEECHOBEE RD(0.0C)							FC95R																
				(2017)			CRACKING	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8		
							RIDE	5.4*	5.7	4.3*	5.1*	4.0*					6.4	6.0	6.2	6.0	6.3		
87250000	0.691	1.192	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		
944			2	8.1	24500		RIDE	7.9	7.7	7.8	7.5	7.0	6.5	6.5	6.4	6.3	6.4	6.3	6.1	6.1	6.1		
SE 7 AVE(0.8R)							DGFC																
4182391	0.436	1.192	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	5.2		
GENERAL ASPHALT CO., INC. (2013)							SPRIDE		8.2	7.9	8.0	7.8	7.5	7.4	7.7	6.9	7.0	6.5	6.5	6.3	6.3	5.5	
87250000	1.192	4.526	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		
944			2	4.9	21500		RIDE	7.9	7.7	7.1	7.5	7.0	6.5	6.5	6.4	6.3	6.4	6.3	6.1	6.1	6.1		
NW 37 AVE(1.4C)							FC95A																
				(2017)			CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0		
							RIDE	6.3	6.2	6.0	6.0	6.1	6.5	6.1	6.3	6.1	6.1	6.1	6.0	5.9	5.6		
87250000	4.526	5.822	C	1	1	40	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0		10.0	10.0	10.0	8.5	8.5	8.5	8.5		
944			4	4.9	14500		RIDE	6.3*	6.1*	5.7*	6.5	5.5	5.4*		6.6	6.5	6.7	6.6	6.1	5.8	5.8		
ENT FROM SR 9A(4.6C)							FC95M																
4282782	4.517	5.761	C	2018	0012		CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, IN(2021)							SPRIDE	6.0	5.5	5.2*	5.1*	5.5	5.1*	5.2*	5.0*	4.6*	6.4	6.2	6.2	6.2	5.9	5.2	
87250000	1.192	4.526	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		
944			2	4.9	21500		RIDE	7.8	7.6	6.8	7.2	7.0	6.3	6.3	6.2	6.1	6.2	6.1	5.7	5.7	5.8		
E 10 CT(1.2L)							FC95A																
				(2017)			CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	5.5		
							RIDE	5.9	5.6	5.5	5.7	5.9	6.5	6.1	6.3	6.1	5.8	5.7	5.6	5.4*	4.7		
87250000	0.691	1.192	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		
944			2	8.1	24500		RIDE	7.8	7.6	7.5	7.2	7.0	6.3	6.3	6.2	6.1	6.2	6.1	5.7	5.7	5.8		
E 7 AVE(0.8L)							DGFC																
4182391	0.436	1.192	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5		
GENERAL ASPHALT CO., INC. (2013)							SPRIDE		7.8	7.2	6.9	7.8	7.4	7.6	7.5	7.3	7.4	7.1	6.7	6.7	6.7	6.6	
87260000	0.000	1.063	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0		
826			2	4.1	56000		RIDE	8.5	8.4	8.3	8.4	8.0	7.7	7.5	7.6	7.7	7.5	7.6	7.6	7.7	7.7		
SOUTH DIXIE HWY(0.0C)							FC5M																
4327431	0.000	0.957	R	2016	0012		CRACKING	7.0	7.0	7.0	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7		
HALLEY ENGINEERING CONTRAC(2018)							SPRIDE	7.2	7.4	7.5	7.5	7.5		8.0	8.2	8.2	8.1	8.1	8.1	8.0	8.0	8.0	8.0
87260000	1.063	2.271	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0		
826			3	3.8	101000		RIDE	8.5	8.4	8.3	8.4	8.5	7.9	7.9	7.9	7.8	8.0	7.7	7.9	7.9	7.9		
FC5M																							
4308212	1.343	2.271	R	2016	0012		CRACKING	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7		
HALLEY ENGINEERING CONTRAC(2018)							SPRIDE	7.9	7.8	7.7	7.7	7.9		7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8
87260000	2.271	2.860	R	1	1	55	CRACKING	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
826			4	5.4	125500		RIDE	7.6	7.5	7.5	7.6	6.9	6.6	6.5	6.7	6.7	6.4*	6.5					
FC5																							
4240591	0.000	7.981	C	2009	0547		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0		
(2013)							RIDE		7.8	7.6	7.6	8.0	7.7	7.6	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
87260000	2.860	3.641	R	1	6	55	CRACKING	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
826			3	5.4	156500		RIDE	7.6	7.5	7.5	7.6	6.9	6.6	6.5	6.7	6.7	6.4*	6.5					
FC5																							
4240591	0.000	7.981	C	2009	0547		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.0		
(2013)							RIDE		7.8	7.6	7.6	8.0	7.7	7.6	7.4	7.6							
87260000	3.641	4.851	R	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*				
826			6	5.4	214000		RIDE	8.6	8.6	8.7	8.6	8.4	7.7	7.6	7.3	7.3	7.7	7.5					
FC5																							
4240591	0.000	7.981	C	2009	0547		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	7.5	5.3		
(2013)							RIDE		7.6	7.7	7.8	7.8	7.8	7.7	7.7	7.9	8.0	8.0	8.0	8.0	8.0	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT	AT	(MP	SIDE)				=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																	
87260000	4.851	6.504	R	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5						10.0	10.0	10.0
826			6	5.4	286000		RIDE	8.6	8.6	8.7	8.6	8.4	7.7	7.6	7.3						7.8	7.7	7.7
4240591	0.000	7.981	C	2009	0547		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.3
				(2009)			RIDE	7.7	7.6	7.6	7.6	7.6	7.4	7.3	7.4	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.3
87260000	6.504	7.500	R	1	1	55	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
826			5	5.2	161500		RIDE	7.9	7.9	7.9	7.7	7.3	6.4*	6.4*	6.3*	6.1*	6.4*	6.6	6.5	6.5	6.5	6.5	
4326871	6.290	9.065	R	2014	0234		CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2018)			RIDE							7.7	7.6	7.7	7.6	7.8	7.6	7.6	7.6	7.6	7.6
87260000	7.500	8.050	R	1	1	55	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
826			5	5.2	285000		RIDE	8.7	8.5	8.4	8.4	8.3	7.6	7.6	7.3	7.4	7.4	7.4	7.4	7.1	7.2		
4326871	6.290	9.065	R	2014	0234		CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2018)			RIDE							7.7	7.7	7.6	7.6	7.7	7.6	7.6	7.6	7.6	7.5
87260000	8.050	12.232	R	1	1	55	CRACKING	9.5	9.5	9.5		10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0
826			5	8.1	259000		RIDE	8.7	8.5	8.4		8.7	8.0					7.9	7.9	7.8	7.8	7.8	7.8
				(2020)			CRACKING	10.0	10.0	9.5	9.5							10.0	10.0	10.0	10.0	10.0	10.0
4471651	8.355	17.950	C	2022	0213		RIDE	7.8	7.7	7.6	7.7							8.5	8.5	8.5	8.5	8.5	8.5
87260000	12.232	13.218	R	1	1	55	CRACKING	9.5	9.5	9.5	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0
826			4	5.4	226000		RIDE	8.7	8.5	8.4	8.9	8.7	8.0					7.9	7.9	7.8	7.8	7.8	7.8
				(2021)			CRACKING	10.0	10.0	9.5	9.5							10.0	10.0	10.0	10.0	10.0	10.0
4471651	8.355	17.950	C	2022	0213		RIDE	7.8	7.7	7.6	7.7							8.5	8.4	8.4	8.4	8.4	8.2
87260000	13.218	15.051	R	1	1	55	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0
826			4	10.2	226000		RIDE	8.8	8.5			7.7	7.7	7.7	7.6	7.7	7.7	7.5	7.5	7.5	7.6	7.6	7.6
				(2020)			CRACKING	7.0	6.5	6.5	6.5	6.5						10.0	10.0	10.0	10.0	10.0	10.0
4471651	8.355	17.950	C	2022	0213		RIDE	7.5	7.4	7.3	7.2	7.7						8.5	8.5	8.5	8.4	8.4	8.3
87260000	15.051	15.757	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
826			4	6.3	191500		RIDE	8.8	8.6	8.5	8.8	8.7	8.0	7.8	8.0	7.9	8.0	8.0	7.8	7.8	7.8	7.8	7.8
				(2020)			CRACKING	6.5	6.5	6.5	6.5	6.5						10.0	10.0	10.0	10.0	10.0	10.0
4471651	8.355	17.950	C	2022	0213		RIDE	7.7	7.5	7.7	7.3	8.1						8.4	8.3	8.4	8.3	8.3	8.2
87260000	15.757	16.379	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
826			3	6.3	191500		RIDE	8.8	8.6	8.5	8.8	8.7	8.0	7.8	8.0	7.9	8.0	8.0	7.8	7.8	7.8	7.8	7.8
				(2020)			CRACKING	6.5	6.5	6.5	6.5	6.5						10.0	10.0	10.0	10.0	10.0	10.0
4471651	8.355	17.950	C	2022	0213		RIDE	7.7	7.5	7.7	7.3	8.1						8.3	8.2	8.2	8.2	8.2	8.1
87260000	16.379	19.053	R	1	1	55	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0
826			3	5.5	129000		RIDE	8.4	8.3		8.2	8.5	8.1	7.9	8.0	8.0	8.0	8.0	8.0	7.8	7.9	7.9	7.9
				(16.9C)			FC5M																
4291351	16.417	19.063	C	2014	0012		CRACKING	7.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.4	6.4
COMMUNITY ASPHALT CORP.	(2017)						SPRIDE	7.7	7.8	7.7	7.7			8.2	8.2	8.2	8.2	8.2	8.2	8.3	8.2	8.1	8.1
4471651	8.355	17.950	C	2022	0213																		
87260000	19.053	22.273	R	1	1	55	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0
826			3	5.4	115500		RIDE	8.4	8.3	8.3	8.9	8.7	8.0	7.3	7.9	8.1	8.2	8.2	8.0	8.0	8.0	8.0	8.0
				(FC5M)																			
4327432	19.053	21.623	C	2016	0012		CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.7
COMMUNITY ASPHALT CORP.	(2018)						SPRIDE	7.9	7.8	7.7	7.6	7.9	7.9	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
87260000	22.273	23.014	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
826			4	4.2	149000		RIDE	8.5	8.3	8.3	8.8	8.6	8.2	8.1	8.0	7.6	8.2	8.1	7.8	8.0	8.0	8.0	8.0
				(FC5M)																			
4327433	22.220	23.046	C	2016	0012		CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.3
COMMUNITY ASPHALT CORP.	(2018)						SPRIDE	7.7	8.0	8.0	7.9	8.2	8.1	8.4	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)	
87260902 826	0.000	1.122	C	3	1		CRACKING RIDE															
							CRACKING RIDE										10.0	10.0	10.0	10.0	10.0	10.0
							(2021)										8.2	8.1	8.1	8.1	8.1	7.9
87260902 826	1.122	6.741	C	3	1		CRACKING RIDE															
							CRACKING RIDE										10.0	10.0	10.0	10.0	10.0	10.0
							(2021)										8.3	8.3	8.2	8.2	8.2	8.0
87260902 826	6.741	9.029	C	3	1		CRACKING RIDE															
							CRACKING RIDE										10.0	10.0	10.0	10.0	10.0	10.0
							(2021)										7.9	7.8	7.7	7.7	7.7	7.3
87270000 5 I95	0.000	0.145	C	4	4	45	CRACKING RIDE	8.8	8.8	9.0	8.5	9.0	8.2	8.5	8.5	8.3	8.2	9.5	9.2	9.3		
BRICKELL AVE NB(0.0R)							CONC	6.9	7.3	7.9	7.4	7.7	6.7	6.7	6.3	5.9	6.2	7.9	7.8	7.7		
25151111	0.000	5.000	C	1983	9917		CRACKING RIDE	9.1	9.1	9.1	9.0	8.7	9.0	9.3	9.0	9.0	9.0	9.1	8.8	8.8	8.8	8.8
							(1983)	8.2	8.0	7.9	8.0	8.5	8.4	8.3	8.3	8.2	8.3	8.3	8.6	8.2	8.2	8.2
4439421	0.000	1.547	C	2023	0227																	
87270000 5 I95	0.145	0.975	R	4	4	45	CRACKING RIDE	7.6	7.9	6.9	8.5	8.2	8.2	8.5	8.4	8.1	8.0	9.3	9.1	9.0		
BRICKELL AVE SB(0.1R)							LGD	7.2	7.2	7.6	7.4	7.4	6.7	6.7	6.3	6.4	7.0	8.0	8.2	8.2	7.9	
2516621	0.070	13.440	C	1999	0217		CRACKING RIDE	8.9	8.8	8.8	8.8	8.7	8.7	9.0	8.8	8.8	8.6	9.1	8.8	8.9	8.9	8.9
GILBERT SOUTHERN CORP							(2002)	8.2	8.3	8.3	8.3	8.5	8.4	8.4	8.3	8.5	8.4	8.5	8.4	8.4	8.4	8.4
4439421	0.000	1.547	C	2023	0227																	
87270000 5 I95	0.975	1.494	R	4	4	55	CRACKING RIDE	7.6	7.9	9.4	8.1	8.1	7.8	8.0	7.9	7.2	7.0	9.3	8.0	8.2		
							LGD	7.2	7.2	6.4*	6.4*	6.1*	4.7*	4.7*	4.7*	4.6*	5.1*	8.2	8.1	8.4		
2516623	0.000	2.900	C	2007	0217		CRACKING RIDE	8.3	8.3	8.3	8.2	8.2	8.2	8.6	8.2	8.2	8.3	8.5	8.1	8.3	8.1	8.1
KIWIT INFRASTRUCTURE SOUT(2009)								8.4	8.4	8.4	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.5	8.4	8.1	8.1	8.1
4439421	0.000	1.547	C	2023	0227																	
87270000 9A I95	2.671	3.086	R	4	4	55	CRACKING RIDE	8.8	8.9	8.9	9.0	9.0	9.0	9.3	9.2	9.2	9.1	9.0	9.1	9.1		
							LGD	7.2	7.2	8.2	7.8	7.0	7.2	7.6	6.8	7.0	6.9	7.5	7.7	7.7		
25151111	0.000	5.000	C	1983	9917		CRACKING RIDE	8.5	8.1	7.7	7.7	7.7	7.8	9.1	8.9	8.9	8.9	9.5	9.0	9.3	8.7	7.8
							(1983)	7.4	7.0	7.5	6.9	7.8	7.9	8.6	8.6	8.6	8.6	8.4	8.1	8.0	8.0	7.8
87270000 9A I95	3.420	4.259	R	4	4	55	CRACKING RIDE	8.8	8.9	8.9	9.0	9.0	9.0	9.3	9.2	9.2	9.1	9.0	9.1	9.1		
SIDE ROAD(4.0C)							LGD	7.2	7.2	8.2	7.8	7.0	7.2	7.6	6.8	7.0	6.9	7.5	7.7	7.7		
4293002	3.540	4.253	R	2017	0217		CRACKING RIDE	8.5	8.1	7.7	7.7	7.7	7.8	8.1	7.3	7.3			9.4	9.4		
							(2023)	7.4	7.0	7.5	6.9	7.8	7.9	8.1	8.1	7.9			7.8	7.7		
87270000 9A I95	4.259	5.084	R	4	4	55	CRACKING RIDE	8.8	8.9	8.9	9.0	9.0	9.0	9.3	9.2	9.2	9.1	9.0	9.1	9.1		
							LGD	7.2	7.2	8.2	7.8	7.0	7.2	7.6	6.8	7.0	6.9	7.5	7.7	7.7		
4293003	4.261	5.171	R	2017	0217		CRACKING RIDE	8.5	8.1	7.7	7.7	7.7	7.8	8.1	7.3	7.3	9.8	9.5	9.4	9.2	8.2	
							(2021)	7.4	7.0	7.5	6.9	7.8	7.9	8.1	8.1	7.9	8.1	7.9	7.6	7.3	6.0	
87270000 9A I95	5.084	6.707	R	4	4	60	CRACKING RIDE	8.6	8.6	8.6	8.4	8.5	8.5	9.2	8.9	8.7	8.7	8.9	8.5	8.4		
SIDE ROAD(5.6C)							LGD	6.1*	6.6	8.5	8.1	7.6	7.9	7.5	7.4	7.2	7.0	7.5	7.3	7.0		
4293003	5.171	10.511	R	2017	0217		CRACKING RIDE	8.1	7.8	7.7	7.3	6.8	7.3	7.7	7.3		10.0	9.5	9.4	9.3	8.1	
							(2021)	7.1	7.3	6.9	7.1	7.6	7.9	7.7	7.8		7.7	7.9	7.8	8.1	8.1	
87270000 9A I95	7.039	8.792	R	4	2	60	CRACKING RIDE	8.4	8.5	8.5	8.8	8.8	8.8	9.2	8.9	8.8	8.7	8.1	7.7	7.9		
							LGD	7.0	7.1	8.8	8.8	8.8	7.7	8.0	7.8	6.8	8.1	7.6	7.7	7.2		
4293003	5.171	10.511	R	2017	0217		CRACKING RIDE	7.7	6.5	5.6*	5.2*		9.3	9.2	8.9	9.0	9.0	9.0	8.8	7.5	7.4	
							(2017)	7.4	7.7	7.4	7.5		8.3	8.2	8.1	8.0	8.4	8.4	8.3	7.9	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT	AT	(MP		SIDE)			=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
87270000	8.792	10.170	R	4	2	60	CRACKING	8.4	8.4	8.0	8.1	8.3	9.1	8.9	8.4	8.2	8.1	8.0	7.5	7.3		
9A	I95			4	4.3	264000	RIDE	6.7	6.8	8.7	8.8	8.6	8.1	8.1	7.8	7.2	7.8	5.8*	7.5	7.3		
							LGD															
4293003	5.171	10.511	R	2017	0217		CRACKING	7.2	6.3*	5.4*	4.8*		9.3	9.3	9.1	9.0	8.9	8.8	8.7	7.9	7.5	
				(2017)			RIDE	7.6	7.3	7.1	7.2		7.8	8.0	7.9	8.1	8.1	8.1	8.0	8.0	7.7	7.7
87270000	10.170	12.167	R	4	4	60	CRACKING	5.9*	8.7	8.7	8.8	8.8	8.9	8.7	8.2	8.0	8.1	9.0	7.8	7.8	7.8	
9A	I95			4	4.3	206500	RIDE	6.9	7.6	8.6	8.6	8.6	8.1	8.1	7.8	7.8	7.0	7.8	5.6*	5.7*		
							LGD															
4307902	8.823	12.091	R	2015	0227		CRACKING	7.2	5.4*	4.6*	2.7*		9.3	9.3	9.2	9.1	9.0	9.1	8.9	8.8	8.5	
GOSALIA	CONCRETE	CONSTRUCT		(2017)			RIDE	5.8*	6.1*	6.4*	5.6*		7.9	8.1	7.9	8.3	8.2	8.2	8.0	8.0	8.0	
4370533	10.791	12.087	R	2024	0213																	
87270000	12.167	13.354	R	4	4	55	CRACKING	8.8	8.4	8.3	7.9	7.8	9.2	9.0	9.0	8.7	8.6	7.9	7.6	7.6		
9A	I95			3	4.3	175000	RIDE	7.2	6.9	8.8	8.0	7.8	8.1	8.2	7.9	7.7	7.7	7.8	7.7	7.3		
							LGD															
4293011	12.131	13.368	R	2014	0227		CRACKING	7.4	7.1	7.0	6.3*		9.4	9.3	9.4	9.3	9.3	9.0	9.2	8.7	8.5	
PCL CIVIL	CONSTRUCTORS,	IN		(2017)			RIDE	7.9	7.3	7.1	6.8		8.3	8.4	8.4	8.6	8.5	8.3	8.5	8.3	8.3	
4370534	11.300	13.360	R	2024	0213																	
87270000	13.354	14.315	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5		
9	I95			4	4.3	175000	RIDE	8.8	8.3	7.9	8.4	8.2	8.2	8.1	8.1	8.1	7.8	8.2	8.0	8.0		
							OGFC															
				(2017)			CRACKING	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
							RIDE	8.0	7.9				8.3	8.0	8.0	8.2	8.5	8.0	8.1	8.1	8.1	
87270000	14.315	17.199	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5		
9	I95			5	4.3	186000	RIDE	8.8	8.8	8.6	8.8	8.6	8.2	8.1	8.1	8.1	7.8	8.2	8.0	8.0		
							OGFC															
				(2017)			CRACKING	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	
							RIDE	8.0	7.9				8.3	8.2	8.2	8.4	8.3	8.4	8.3	8.3	8.3	
87270000	15.429	17.199	L	4	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5		
9	I95			5	4.3	186000	RIDE	8.8	8.7	8.5	8.8	8.6	8.0	7.9	7.9	7.5	8.1	8.2	8.1	8.0		
							OGFC															
				(2017)			CRACKING	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	
							RIDE	7.8	7.7				8.4	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	
87270000	13.354	15.429	L	4	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5		
9	I95			3	4.3	175000	RIDE	8.8	8.7	8.5	8.8	8.6	8.0	7.9	7.9	7.5	8.1	8.2	8.1	8.0		
							OGFC															
				(2017)			CRACKING	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.8	7.7				8.4	8.1	8.1	8.5	8.1	8.1	8.1	8.1	7.9	
87270000	12.091	13.354	L	4	4	55	CRACKING	8.5	7.2	9.3	8.7	8.1	8.6	9.0	7.8	7.5	7.5	7.5	5.6*	5.1*		
9A	I95			3	4.3	175000	RIDE	6.6	6.3*	8.6	8.5	8.6	7.6	7.5	7.4	7.7	7.7	7.6	7.2	6.8		
							LGD															
4293011	12.131	13.172	L	2014	0227		CRACKING	4.6*	4.6*	4.1*	2.7*	4.8*	9.2	9.3	9.2	8.9	9.1	8.3	8.3	8.8	7.9	
PCL CIVIL	CONSTRUCTORS,	IN		(2017)			RIDE	7.1	6.7	6.2*	6.2*	7.4	8.1	8.1	8.0	7.8	8.2	8.1	8.1	8.3	8.3	
87270000	10.202	12.091	L	4	4	60	CRACKING	6.6	7.6	9.4	8.8	8.7	8.7	8.6	7.3	7.0	7.0	6.1*	5.9*	4.1*		
9A	I95			4	4.3	206500	RIDE	6.9	7.1	8.6	8.7	7.8	7.6	7.4	7.2	7.1	6.6	6.5	6.4*	5.4*		
							LGD															
4275151	10.985	11.938	L	2013	0227		CRACKING	3.7*	2.9*	3.3*	8.9	8.9	8.8	8.8	8.7	8.6	8.3	8.4	8.3	7.6	7.4	
RUSSELL	ENGINEERING, INC			(2015)			RIDE	5.7*	5.4*	5.2*	4.6*	7.7	7.8	7.9	7.7	8.0	7.9	7.9	7.8	7.7	7.7	
87270000	8.823	10.202	L	4	4	60	CRACKING	8.1	8.2	9.4	9.3	9.2	9.1	9.1	8.2	8.0	8.0	7.6	7.6	7.1		
9A	I95			4	4.3	264000	RIDE	6.9	6.9	8.7	8.8	8.7	7.9	7.8	7.9	6.4*	6.9	7.4	7.3	6.2*		
							LGD															
4307901	8.823	10.163	L	2015	0227		CRACKING	6.6	6.0*	5.6*	5.2*	8.5	9.1	9.3	9.1	8.9	8.8	8.2	7.8	8.0	7.4	
GOSALIA	CONCRETE	CONSTRUCT		(2016)			RIDE	6.2*	5.9*	5.8*	5.4*	8.2	8.0	8.1	7.9	8.2	8.2	8.1	8.0	7.8	7.8	
87270000	7.039	8.823	L	4	4	60	CRACKING	7.9	7.8	9.1	9.1	8.9	9.1	9.1	7.8	7.4	7.3	7.4	6.6	5.9*		
9A	I95			4	4.3	268000	RIDE	7.0	6.9	8.7	8.8	7.8	8.1	8.0	7.8	7.9	7.0	7.9	7.9	5.7*		
							LGD															
4293003	5.671	10.511	L	2017	0217		CRACKING	5.0*	4.6*	3.7*	3.4*		9.2	9.1	9.1	8.7	8.6	7.7	7.2	7.4	5.7	
				(2017)			RIDE	7.0	6.4*	6.7	7.2		8.0	8.1	8.0	7.9	8.1	8.0	7.9	8.0	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP		SIDE)		SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
87270901	10.097	12.137	C	4	1		CRACKING														
9 I95				1	2.9	11500	RIDE														
DADE/BROWARD CO LINE(12.1C)																					
				(2020)			CRACKING									10.0	10.0	10.0	10.0	10.0	10.0
							RIDE									8.5	8.5	8.5	8.5	8.5	8.5
87270902	0.000	1.767	C	4	1		CRACKING														
9 I95				1	2.0	13500	RIDE														
DADE/BROWARD CO LINE(0.0C)																					
				(2020)			CRACKING									10.0	10.0	10.0	10.0	10.0	10.0
							RIDE									8.6	8.6	8.6	8.6	8.6	8.6
87270902	1.767	2.968	C	4	1		CRACKING														
9 I95				1	3.1	34500	RIDE														
				(2020)			CRACKING									10.0	10.0	10.0	10.0	10.0	10.0
							RIDE									8.4	8.4	8.3	8.3	8.3	8.1
87270902	2.968	3.903	C	4	1		CRACKING														
9 I95				1	3.1	34500	RIDE														
				(2020)			CRACKING									10.0	10.0	10.0	10.0	10.0	10.0
							RIDE									8.3	8.3	8.3	8.3	8.3	8.3
87270902	5.100	5.675	C	4	4		CRACKING														
9A I95				1	3.1	34500	RIDE														
						CONC															
				(2020)			CRACKING									4.7*	4.6*	6.6	5.7*	6.2*	
							RIDE									7.2	7.4	7.5	7.7	7.8	
87270902	5.675	10.255	C	4	4		CRACKING														
9A I95				2	3.1	34500	RIDE														
						CONC															
				(2020)			CRACKING									9.1	9.1	8.9	8.8	8.9	8.5
							RIDE									8.1	8.4	8.4	8.3	8.3	8.3
87270902	10.548	12.154	C	4	4		CRACKING														
9A I95				2	4.1	39500	RIDE														
I 95(12.2C)						CONC															
				(2021)			CRACKING									9.3	9.9	9.5	9.4	9.5	8.7
							RIDE									6.9	8.1	8.0	8.1	8.1	8.1
87281000	0.000	0.400	R	1	1	40	CRACKING	9.5	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	6.5	6.5	6.5	6.5	
953				2	2.8	26000	RIDE	7.4	7.3	7.6	7.5	6.9	6.8	6.4	6.2	6.7	5.1*	5.6	5.3*	5.5	
DIXIE HWY S(0.0C)						FC95															
4284821	0.213	0.397	C	2011	0012		CRACKING	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
H & J ASPHALT, INC				(2013)			RIDE	5.3*	5.9	5.8	5.5	5.4*	5.2*	5.5	5.3*	5.3*	5.1*	5.0*	5.1*	4.8*	4.5
4460021	0.097	0.462	C	2025	0012																
87281000	0.400	2.600	R	1	1	40	CRACKING	9.5	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	
953				2	6.7	37000	RIDE	7.4	7.3	7.6	7.5	6.9	6.8	6.4	6.2	6.7		7.6	7.5	7.3	
ALTARA AVE(0.5R)						FC95															
				(2019)			CRACKING	10.0	9.5	9.5	9.5	9.5	9.5		9.0	8.0	8.0	8.0	8.0	8.0	7.1
							RIDE	7.1	7.2	7.2	6.8	6.9	6.8		7.1	6.9	6.8	6.9	6.8	6.6	6.3
4478291	0.453	2.559	C	2029	0012																
87281000	2.600	4.060	R	1	1	40	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	
953				3	6.7	46500	RIDE	7.1	7.7	7.6	7.6	7.5	6.5	6.4	6.0		7.1	7.0	7.0	6.9	
SR 90(2.6C)						DGFC															
				(2008)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.1
							RIDE	6.8	6.8	6.7	6.3	6.6	6.4	6.6	6.6	6.7	6.8	6.8	6.9	6.7	6.5
4478091	2.636	3.837	C	2025	0012																
87281000	4.060	5.494	R	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5			10.0	10.0	
953				3	4.8	55500	RIDE	6.6	6.1*	6.4*	6.1	6.7	7.0	6.7	5.6	5.8			7.8	7.7	
FOURTEENTH ST NW(4.1C)						DGFC															
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
							RIDE	7.6	7.6	7.5	7.2	6.8	6.6	7.2	7.1	7.0	7.2	7.1	6.9	6.9	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AA	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	-P	=====															
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	FW	FY-F	ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR																					(REG)	
ITMSEG-F																						
87281000	0.000	0.400	L	1	6	40	CRACKING	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
953			2	2.8	26000		RIDE	6.8	6.3*	6.1*	6.5	6.1	5.7	5.0*	5.5	4.9*	4.8*	5.8	5.1*	5.3*		
DIXIE HWY S(0.0C)																						
4284821	0.213	0.397	C	2011	0012		CRACKING	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	
H & J ASPHALT, INC (2013)																						
4460021	0.097	0.462	C	2025	0012		RIDE	5.6	5.8	5.9	5.2*	4.0*										

87290000	0.000	0.774	R	1	1	30	CRACKING															
998			2	4.9	24000		RIDE															
FC95M																						
				(2022)			CRACKING									8.0		10.0	10.0	10.0	10.0	
							RIDE									5.4*		7.1	7.0	6.4	4.7	

87290000	0.000	0.774	L	1	1	30	CRACKING															
998			2	4.9	24000		RIDE															
FC95M																						
				(2022)			CRACKING									7.5		10.0	10.0	10.0	10.0	
							RIDE									4.0*		7.0	6.5	6.5	5.2	

87300000	0.000	1.340	R	3	1	60	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	
924			3	7.1	68000		RIDE	8.2	8.2	8.3	8.8	8.4	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3	
EAST END OF SR 93 BRIDGE(0.0C) OGFC																						
				(2020)			CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	7.3	
							RIDE	8.0	8.1	8.0	8.1	8.3	8.3	8.3	8.2	8.0	8.3	8.3	8.1	8.1	8.1	

87300000	1.340	4.851	R	3	1	60	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	4.5*	
924			3	5.5	58000		RIDE	8.7	8.6	8.3	8.2	8.4	8.1	8.0	7.8	7.8	7.7	7.7	7.7	7.8	7.7	
TN LN TO NW 119 ST(4.6R) FC2																						
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
							RIDE	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.3	8.2	8.3	8.3	8.2	8.2	8.2	

87300000	4.851	5.378	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
924			4	5.5	40500		RIDE	7.4	7.2	7.6	7.3	7.2	6.6	7.5	7.3	7.4	7.2	7.2	7.1	7.1		
NW 32 AVE(4.9C) FC125																						
				(2016)			CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	8.3	8.3	8.3		7.4	7.8	7.6	7.4	7.4	7.6	7.6	7.4	7.6	7.5	

87300000	4.851	5.378	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	7.0	
924			4	5.5	40500		RIDE	6.4*	7.5	7.4	7.1	7.3	6.4*	7.1	6.8	7.0	6.8	6.8	6.5	6.4		
NW 32 AVE(4.9C) FC125																						
				(2016)			CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	5.0	
							RIDE	8.3	8.0	8.2		7.4	7.1	7.5	7.3	7.3	7.3	7.3	7.3	7.0	6.8	

87300000	1.340	4.851	L	3	1	60	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
924			4	5.5	58000		RIDE	8.7	8.3	8.6	8.6	8.5	7.8	7.8	7.7	7.8	7.6	7.5	7.6	7.6	7.6	
SR924 OPERATIONS CTR(3.4L) FC2																						
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	
							RIDE	8.3	8.0	8.2	8.3	8.5	8.4	8.4	8.3	8.3	8.4	8.4	8.3	8.2	8.2	

87300000	0.000	1.340	L	3	1	60	CRACKING	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
924			3	7.1	68000		RIDE	8.5	8.4	8.4	8.8	8.8	8.3	8.2	8.2	8.3	8.1	8.2	8.2	8.1		
EAST END OF SR 93 BRIDGE(0.0C) OGFC																						
				(2020)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	9.0	9.0	9.0	9.0	7.8	
							RIDE	8.0	8.0	7.9	7.9	8.2	8.2	8.2	8.0	8.2	8.3	8.3	8.3	8.3	8.2	

87470000	0.000	0.392	R	5	6	55	CRACKING			10.0	9.0	10.0	10.0		9.5	9.5	9.5	7.0	7.0	7.0		
91			2	9.8	104900		RIDE			8.2	7.0	8.0	8.0		7.3	7.5	7.4	7.7	7.6	7.3		
BRIDGE #38(0.0C) FC5M																						
				(2016)			CRACKING	7.0	7.0					9.0	9.0	9.0	8.0	8.0	6.5	6.5	5.2	
							RIDE	7.2	7.3													

4370535	0.096	1.222	C	2024	0213																	

87470000	0.392	1.148	R	5	1	65	CRACKING			10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0		
91			3	9.8	104900		RIDE			8.2	8.5	8.0	8.0		7.7	7.9	7.8	7.7	7.6			
FC5M																						
				(2016)			CRACKING	10.0	10.0					10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	
							RIDE	7.7	7.5					8.2	8.2	8.1	8.1	7.9	7.9	7.8	7.5	

4370535	0.096	1.222	C	2024	0213																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)	
ITMSEG-P																						
ITMSEG-F																						
87470000	1.148	3.342	R	5	1	65	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0		9.5	7.5	7.5	7.5	7.5	7.5	7.5	
91				3	9.8	104900	RIDE	8.6	8.5	8.6	8.5	8.5	7.8		7.6	7.7	7.7	7.8	7.6	7.6		
BROWARD CO	LINE(3.3C)					FC5M															
4232041	1.797	2.864	R	2011		0226	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.6	
				(2013)			RIDE	7.6	8.4	8.4	8.4	8.5	8.5	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.4
4233735	0.400	3.342	R	2027		0213																
87470000	1.148	3.342	L	5	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0		9.5	7.5	7.5	7.5	7.5	7.5	7.5	
91				3	9.8	104900	RIDE	8.6	8.7	8.7	8.4	8.3	7.6		7.6	7.5	7.6	7.5	7.5	7.3	7.3	
STADIUM ACCESS ROAD(2.5L)						FC5M															
				(2013)			CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.6	
				L	2027	0213	RIDE	7.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.2
4233735	0.803	3.342	L	2027		0213																
87470000	0.202	1.148	L	5	1	55	CRACKING			10.0	10.0	10.0	10.0		9.5	10.0	10.0	10.0	10.0	10.0	10.0	
91				3	9.8	104900	RIDE			8.6	8.5	8.2	8.0		7.6	7.7	8.0	7.9	7.6	7.7		
				(2016)			FC5M															
				C	2024	0213	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	5.5	
4370535	0.096	1.222	C	2024		0213	RIDE	7.8	7.4			7.9	7.8	7.7	7.6	7.7	7.6	7.5	7.6	7.5	7.3	
87470000	0.000	0.202	L	5	6	55	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	9.5		
91				1	9.8	104900	RIDE	8.2	8.0	8.0	8.1	7.1	7.0	6.3*	6.0*	5.8*	6.1*	7.3	6.8	7.0		
BRIDGE #38(0.0C)						FC5M															
4146471	0.086	0.324	C	2008		0012	CRACKING	9.5	9.5			6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	2.0	
H & J ASPHALT, INC	(2009)						SPRIDE	7.3	7.1													
4370535	0.096	1.222	C	2024		0213																
87471000	0.284	0.538	C	5	1	65	CRACKING	9.5	8.0	8.0	9.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821				2	5.8	23900	RIDE	8.9	8.8	8.9	8.4	8.0	7.4	7.1	7.7	7.0	7.3	7.1	7.1	6.9		
							FC5M															
4404231	0.284	0.538	C	2020		0012	CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0	
HALLEY ENGINEERING CONTRAC	(2022)						SPRIDE	7.8	7.6	7.6	7.5			7.2	7.4	7.4		8.0	8.0	8.0	8.0	
87471000	0.538	2.371	R	5	1	65	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821				2	5.8	47800	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			
							FC5M															
4404231	0.538	2.500	C	2020		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5		10.0	10.0	10.0	10.0	
HALLEY ENGINEERING CONTRAC	(2022)						SPRIDE	7.9	7.8	7.8	7.7	8.2	8.1	8.1	8.2	8.3		8.4	8.4	8.4	8.4	
87471000	2.371	3.163	R	5	1	65	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821				2	5.8	47800	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			
							OGFC															
				(2020)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.9	7.8	7.8	7.7	8.2	8.1		8.1	8.8	8.2	8.1	8.1	8.1	7.8	
87471000	3.163	3.759	R	5	1	65	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821				2	5.8	75600	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			
							OGFC															
				(2020)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.9	7.8	7.8	7.7	8.2	8.1		8.3	9.1	8.3	8.2	8.2	8.2	7.7	
4441111	3.289	6.824	C	2025		0213																
87471000	3.759	5.112	R	5	1	65	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821				2	5.8	75600	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			
							FC5M															
4404231	3.800	5.100	C	2020		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0		9.0	7.5	10.0	10.0	10.0	10.0	10.0	
HALLEY ENGINEERING CONTRAC	(2022)						SPRIDE	7.9	7.8	7.8	7.7	8.2	8.1		8.2	8.5	8.4	8.4	8.4	8.4	8.4	
4441111	3.289	6.824	C	2025		0213																
87471000	5.112	11.940	R	5	1	65	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821				3	5.8	106300	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			
SIDE ROAD(6.2C)						FC5M															
4233722	5.290	9.945	R	2015		0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	
				(2021)			RIDE	7.9	7.8	7.8	7.7	8.2	8.1				9.0	8.1	8.1	8.1	6.6	
87471000	11.940	12.571	R	5	1	65	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
821				3	5.8	172000	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	7.7	7.5	7.8		
							FC5M															
4154881	11.767	12.300	R	2013		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
MASTEC CIVIL, LLC	(2018)						SPRIDE	7.9	7.8	7.8				8.1	8.0	8.2	7.9	8.2	8.0	8.1	8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																										
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P		ASTYPE																								
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		FY-F		WKMX-F																												
		W_BMP		W_EMP		RW		FY-F		WKMX-F																										
87471000	12.571	14.100	R	5	1	60	CRACKING	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0															
821				5	5.8	172000	RIDE	8.5	8.4	8.4	8.3	8.2	7.4	7.3	7.2	7.2	7.2	7.4	7.2	7.7	7.7															
						FC5M																														
4154881	12.300	14.473	R	2013	0213	CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
MASTEC CIVIL, LLC				(2018)		SPRIDE	7.9	7.7	7.7					7.5	7.6	7.6	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7		
87471000	14.100	17.482	R	5	1	60	CRACKING	8.0	8.0		8.0	8.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	10.0															
821				6	5.8	191100	RIDE	8.5	8.4		8.3	8.1	7.2	7.2	7.2	7.2	7.3	7.2	7.0	7.8	7.8															
						FC5M																														
							CRACKING	10.0	10.0	10.0												10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	7.8	7.7	7.6											8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3		
87471000	17.482	18.750	R	5	1	60	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*															
821				4	5.8	220400	RIDE	8.6	8.6	8.7	8.5	8.5	7.7	7.6	7.5	7.4	7.6	7.6	7.6	7.2	7.3	7.2	7.0	7.8												
						FC5M																														
							CRACKING	4.5*	4.5*	4.5*	4.5*											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	7.3	7.2	6.9	7.0										8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
87471000	18.750	19.907	R	5	1	60	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*															
821				4	5.8	126900	RIDE	8.8	8.6	8.7	8.5	8.5	7.7	7.6	7.5	7.4	7.6	7.6	7.6	7.2	7.3	7.2	7.0	7.8												
						FC5M																														
							CRACKING	3.5*	3.5*	10.0	10.0	10.0										10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	7.3	7.2	7.9	8.0	8.3									8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	
87471000	19.907	21.569	R	5	1	60	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0															
821				5	5.8	143400	RIDE	8.9	8.9	8.9	8.8	8.5	7.7	7.6	7.5	7.4	7.6	7.6	7.6	7.6	7.6	7.9	7.9													
						FC5M																														
							CRACKING	10.0	10.0	10.0	10.0	10.0										10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	8.1	7.7	7.7	7.8	7.9									8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
87471000	21.569	23.742	R	5	1	60	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	10.0	10.0													
821				5	5.8	143400	RIDE	8.9			8.6	8.4	8.1	8.0	7.6	7.5	7.6	7.6	7.6	7.6	7.6	7.9	7.9													
						FC5M																														
							CRACKING	10.0	10.0	10.0	10.0	10.0										10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	8.1	7.7	7.7	7.8	7.9									8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	
87471000	23.742	26.500	R	5	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5													
821				5	5.8	156200	RIDE	8.8	8.8	8.8	8.8	8.6	8.3	8.2	7.6	7.5	7.6	7.6	7.6	7.6	7.6	7.7	7.9													
SR 836(26.5R)						FC5M																														
							CRACKING		10.0	10.0	10.0	10.0	10.0									10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE		7.7	7.8	7.9	8.1	8.1									8.3	8.3	8.2												
87471000	26.500	32.404	R	5	7	60	CRACKING	9.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
821				4	5.8	109600	RIDE	8.9	8.7	8.8				7.8	7.7	7.8	8.1	8.1	8.1	8.1	8.1	7.6	7.8													
						FC2																														
							CRACKING	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5													
							RIDE	7.9	7.8	7.7	7.8	8.2	8.2	8.0	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.5													
87471000	32.404	33.000	R	5	8	60	CRACKING	9.0	8.0	8.0				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0													
821				3	5.8	109600	RIDE	8.9	8.7	8.8				7.7	7.7	7.7	7.7	7.8	7.8	7.8	7.8	7.4	7.6													
						FC2																														
4276851	31.543	33.275	R	2013	0548	CRACKING	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
HALLEY ENGINEERING CONTRAC																																				

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
87471000	35.445	38.580	R	5	8	60	CRACKING	9.0	8.0	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
821				3	5.8	97000	RIDE	8.9	8.7	8.8			7.7	7.7	7.7	7.7	7.8	7.8	7.4	7.6	
							FC2														
2519291	31.747	39.623	C	2000	0218		CRACKING	9.0	9.0	9.0	6.5	6.5		3.5*	3.5*	6.5	6.5				
COMMUNITY ASPHALT CORP.	(2004)						SPRIDE	7.6	7.5	7.4	7.4	7.7		8.3	8.3	8.5	8.4				
4355421	33.273	39.438	C	2020	0213																
87471000	38.580	39.500	R	5	1	60	CRACKING	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
821				3	5.8	97000	RIDE	8.9	8.7	8.8			7.7	7.7	7.8	7.9	7.9	7.4	7.6		
							FC5M														
4355421	38.764	39.438	R	2020	0213		CRACKING	9.5	9.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0
AGI DE MOYA JOINT VENTURE	(2020)						SPRIDE	7.6	7.4	7.4	7.3	7.7				8.2	7.9	8.1	8.1	8.1	8.1
87471000	39.500	40.150	R	5	1	60	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	
821				4	5.8	76800	RIDE	8.9	8.7	8.8	8.6	8.6	8.1	8.0	8.0	8.0	8.2	8.2	7.7	8.0	
							FC5M														
							CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0
							RIDE	8.2	8.2	8.2	8.2	8.5	8.5	8.5	8.5	8.1			8.2	8.2	
							(2023)														
87471000	39.326	40.150	L	5	1	60	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	
821				2	5.8	76800	RIDE	9.0	8.8	8.9	8.9	8.8	8.4	8.3	7.9	8.1	8.4	8.3	8.2	8.0	
							FC5M														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
							RIDE	8.3	8.3	8.3	8.3	8.5	8.6	8.6	8.7	8.4			8.2	8.3	
							(2023)														
87471000	38.524	39.326	L	5	2	60	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	
821				3	5.8	97000	RIDE	9.0	8.8	8.9			7.6	7.6	7.6	7.7	7.8	7.8	7.6	8.0	
							OGFC														
4355421	33.273	39.095	L	2020	0213		CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0
AGI DE MOYA JOINT VENTURE	(2020)						SPRIDE	8.3	8.3	8.3	8.3	8.5				8.2	8.1	8.0	8.1	7.7	7.3
87471000	34.689	38.524	L	5	8	60	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	
821				3	5.8	97000	RIDE	9.0	8.8	8.9			7.6	7.6	7.6	7.7	7.8	7.8	7.6	7.6	
							FC2														
							CRACKING	8.0	8.0	8.0	6.5	6.5		9.0	9.0	9.0	7.5				
							RIDE	7.6	7.5	7.5	7.5	7.7		7.7	7.8	8.0	7.8				
4355421	33.273	39.438	C	2020	0213																
87471000	26.500	33.142	L	5	7	60	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
821				4	5.8	109600	RIDE	9.0	8.8	8.9			7.9	7.8	7.9	8.2	8.2	8.1	8.0		
							FC2														
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5			10.0	
							RIDE	8.0	8.0	7.9	8.0	8.3	8.3	8.2	8.3	8.3	8.1			8.5	
							(2024)														
87471000	23.618	26.500	L	5	1	60	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	6.5	6.5	
821				5	5.8	156200	RIDE	8.7	8.6	8.9	8.8	8.7	8.1	8.0	7.9	7.9	7.9	7.9	7.8	7.8	
							FC5M														
							CRACKING		10.0	10.0	10.0	10.0	10.0	9.0						10.0	10.0
							RIDE		7.5	7.6	7.8	7.9	8.0	7.9						8.5	8.3
							(2023)														
87471000	21.522	23.618	L	5	1	60	CRACKING	10.0			9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	10.0	10.0	
821				5	5.8	143400	RIDE	8.9			8.8	8.7	8.0	7.8	7.9	7.8	7.9	7.8	7.6	7.7	
							FC5M														
							CRACKING		10.0	10.0	10.0	9.0									
							RIDE		7.6	7.6	7.4	8.1									
							(2021)														
87471000	19.170	21.522	L	5	1	60	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	10.0	10.0	
821				5	5.8	126900	RIDE	8.9	8.9	8.7	8.8	8.7	8.0	7.8	7.9	7.8	7.9	7.8	7.6	7.7	
							FC5M														
							CRACKING	10.0	10.0	10.0	10.0	10.0									
							RIDE	7.9	7.6	7.6	7.4	8.5									
							(2022)														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																2029
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																	(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87471000	17.630	19.170	L	5	1	60	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	6.5	6.5	6.5	6.5	
821				4	5.8	126900	RIDE	8.5	8.5	8.5	8.4	8.2	7.9	7.9	7.8	7.9	7.9	7.8	7.7	7.6	
							FC5M														
					(2021)		CRACKING	6.5	6.5	10.0	10.0						10.0	10.0	10.0	10.0	10.0
							RIDE	7.8	7.8	8.0	8.1						8.4	8.4	8.3	8.4	8.3
87471000	14.100	17.630	L	5	1	60	CRACKING	8.0	8.0		8.0	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*		10.0	
821				6	5.8	191100	RIDE	8.6	8.5		8.5	8.3	7.5	7.3	7.3	7.1	7.2	7.5		7.9	
							FC5M														
					(2021)		CRACKING	10.0	10.0	10.0							10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	7.9	7.9							8.5	8.5	8.3	8.3	7.9
87471000	12.864	14.100	L	5	1	60	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*		10.0	
821				5	5.8	172000	RIDE	8.6	8.5	8.5	8.4	8.2	7.5	7.4	7.3	7.3	7.4	7.5		7.9	
							FC5M														
4154881	12.571	14.473	L	2013		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASTEC CIVIL, LLC				(2018)			SPRIDE	8.0	8.0	8.0				7.8	8.1	8.1	7.8	7.8	7.8	7.8	7.6
87471000	11.767	12.864	L	5	1	65	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5		10.0	
821				3	5.8	172000	RIDE	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.6		7.6	
							FC5M														
4154881	11.767	12.571	L	2013		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASTEC CIVIL, LLC				(2018)			SPRIDE	7.8	7.7	7.7				7.7	7.9	8.0	7.9	7.9	7.8	7.9	7.9
87471000	5.120	11.767	L	5	1	65	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5		6.5	
821				3	5.8	106300	RIDE	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9		7.8	
							FC5M														
SIDE ROAD(6.2C)																				
4233722	5.290	11.767	L	2015		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0
				(2021)			RIDE	8.3	8.2	8.1	8.0	8.3	8.3				8.2	8.2	8.1	8.1	7.9
87471000	3.485	5.120	L	5	1	65	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5		6.5	
821				2	5.8	75600	RIDE	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9		7.8	
							FC5M														
4404231	3.800	5.100	C	2020		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			7.5		10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2022)							SPRIDE	8.3	8.2	8.1	8.0	8.3	8.3			8.4		8.4	8.4	8.4	8.4
4441111	3.289	6.824	C	2025		0213															
87471000	2.350	3.485	L	5	1	65	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5		6.5	
821				2	5.8	47800	RIDE	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9		7.8	
							OGFC														
					(2020)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.3	8.2	8.1	8.0	8.3	8.3			8.3	8.1	8.2	8.2	8.1	8.0
87471000	0.538	2.350	L	5	1	65	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5		6.5	
821				2	5.8	47800	RIDE	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9		7.8	
							FC5M														
4404231	0.538	2.500	C	2020		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	3.5*	3.5*		10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2022)							SPRIDE	8.3	8.2	8.1	8.0	8.3	8.3	8.1	8.0	8.2		8.5	8.4	8.4	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).