

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM	P	*****															
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****															
87001000	5.798	7.630	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
94			3	4.4	54000		RIDE	8.4	8.4	8.1	6.9	7.2	7.3	6.6	7.8	7.5	7.0	6.9	6.5	6.4		
MILLS DR (5.9L)							DGFC															
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.1	8.9	7.5	
							RIDE	6.5	6.5	7.0	7.0	6.8	6.7	7.2	7.2	7.1	7.1	7.1	7.1	7.0	6.6	
87001000	5.488	5.798	L	1	1	45	CRACKING	10.0	10.0	9.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	
94			3	3.0	90500		RIDE	7.5	7.3	7.2	6.5	6.5	6.5	6.8	7.0	6.7	6.7	6.8	6.7			
							FC125															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.8	7.6	7.3	7.3	7.1	7.0	7.0	7.2	6.9	7.8	7.9	7.9	8.0	7.6	
87001000	4.716	5.488	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0		
94			4	3.0	90500		RIDE	7.4	7.8	7.7	6.7	6.6	6.0	6.7	6.8	6.7	6.1	5.9	6.6	6.5		
SIDE ROAD(4.8C)							FC95M															
4332642	4.967	5.419	L	2020	0012		CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.7	10.0	9.0	
GENERAL ASPHALT CO., INC. (2021)							SPRIDE	6.5	6.4	6.8	6.8	6.8	6.0	6.8	8.2	7.9	8.1	8.0	7.8	8.0	7.6	
87001000	2.716	4.716	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0		
94			3	3.2	58500		RIDE	8.1	8.2	8.1	7.7	7.6	7.2	7.4	7.4	7.4	7.4	7.2	7.2	7.2		
SW 149 AVE(2.9L)							FC95M															
4332643	2.730	4.828	L	2021	0012		CRACKING	8.0	7.0	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0	9.6	10.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2023)							SPRIDE	7.1	7.1	7.1	6.9	6.9	6.8	6.9	6.9	6.8	7.4	7.5	7.4	7.4	7.0	
87001000	1.617	2.716	L	1	1	45	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	6.5	4.5*	4.5*		10.0	10.0	10.0		
94			3	4.3	38000		RIDE	8.1	8.1	7.7	6.9	6.9	6.8	7.1	7.0	6.9		8.5	8.4	8.4		
SW 162 AVE(1.6C)							DGFC															
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
							RIDE	8.3	8.3	8.1	7.9	7.4	7.9	7.8	7.9	7.8	7.9	7.9	7.6	7.8	7.4	
87001000	1.125	1.617	L	1	1	45	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
94			2	4.3	38000		RIDE	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9	7.8	7.7	7.7	7.6	7.6		
DEVELOPMENT ENT R(1.1C)							DGFC															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0			10.0	10.0	10.0	10.0	9.0	
							RIDE	7.6	7.6	7.8	7.8	7.3	7.6	7.7			7.1	7.0	6.8	7.1	6.7	
87001000	0.000	1.125	L	1	1	50	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
94			2	5.8	23500		RIDE	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9	7.8	7.7	7.7	7.6	7.6		
KROME AVE/SW 177 AVE(0.0C)							FC5															
4124681	0.010	1.397	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.3	8.4	6.0*	
COMMUNITY ASPHALT CORP. (2007)							RIDE	7.6	7.6	7.8	7.8	7.3	7.6	7.7	7.8	7.9	7.7	7.7	7.5	7.8	7.7	
87002000	0.000	0.889	R	1	1	45	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*				10.0	
823			2	9.1	34500		RIDE	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9				6.7	
OKEECHOBEE RD(0.0C)							FC125M															
2499413	0.000	0.628	C	2009	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.9	8.0	
ASTALDI CONSTRUCTION CORP. (2013)							SPRIDE	7.0	6.5	5.9	5.9	5.7	5.4*	5.6	5.6	5.5	5.3*	5.4*	5.6	5.4*	5.0*	
87002000	0.889	2.354	R	1	1	45	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*				4.5*	
823			3	10.1	39000		RIDE	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9				5.6	
W 29 ST(1.3C)							FC125M															
2499415	0.889	2.354	C	2012	0213		CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.1	8.0	
MCM CORP. (2018)							SPRIDE					6.7	6.3	6.4	6.3	6.3	6.2	5.9	6.1	6.2	5.8	
87002000	2.354	4.969	R	1	1	45	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*				4.5*	
823			3	16.0	42000		RIDE	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9				5.6	
W 47 ST(2.4R)							FC95M															
				(2018)			CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0	
							RIDE					7.2	6.9	6.9	6.9	6.8	6.6	6.4	6.4	6.4	6.0	
87002000	4.969	7.777	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0		
823			3	8.4	49000		RIDE	8.0	8.2	7.7	7.6	7.5	7.5	7.1	7.3	6.9	6.9	6.7	6.6	6.6		
NW 142 ST(5.0C)							FC95A															
4308031	4.969	7.777	C	2016	0012		CRACKING	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.9	8.0	
H&R PAVING INC (2019)							SPRIDE	6.5	6.2	6.3	6.3		7.1	7.0	7.0	6.9	6.8	6.8	6.8	6.8	6.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F																						
87002000	7.777	9.459	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
823			3	5.7		49000	RIDE	8.3	8.0	7.9	7.6	7.3	7.1	6.9	7.6	7.4	7.4	7.5	7.4	7.4		
NW 189 ST(7.9C)																						
4146171	7.781	9.699	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	7.5	6.9	6.9	5.0*	
WEEKLEY ASPHALT PAVING, INC(2008)																						
4525671	7.752	9.399	C	2028		0012	SPRIDE	7.4	7.3	7.3	7.1	7.0	7.0	6.8	7.1	7.0	7.0	6.8	6.9	7.0	6.9	
BRIDGE #550(9.7C)																						
87002000	9.459	9.699	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	
823			3	5.7		49000	RIDE	8.3	8.0	7.9	7.6	7.3	7.1	6.9	7.0	6.7	6.5	8.2	8.6	8.2	8.6	
BRIDGE #550(9.7C)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.7	8.5
							RIDE	8.2	8.0	7.3	7.3	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.6	7.2	

87002000	9.459	9.699	L	1	1	45	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
823			3	5.7		49000	RIDE	8.1	7.9	8.2	7.5	7.4	7.2	7.0	7.2	7.2	8.1	8.1	8.1	8.1	8.2	
BRIDGE #550(9.7C)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.6	10.0	8.5	
							RIDE	8.2	8.3	7.7	7.7	7.7	10.0	10.0	10.0	10.0	10.0	10.0	7.4	7.0		

87002000	7.777	9.459	L	1	1	45	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
823			3	5.7		49000	RIDE	8.1	7.9	8.2	7.5	7.4	7.2	7.0	6.8	6.7	6.9	6.8	6.7	6.7	6.7	
NW 189 ST(7.9C)																						
4146171	7.781	9.699	C	2005		0012	CRACKING	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	7.5	6.5	6.5	4.5*	
WEEKLEY ASPHALT PAVING, INC(2008)																						
4525671	7.752	9.399	C	2028		0012	SPRIDE	6.6	6.7	6.6	6.6	6.5	6.5	6.4	6.6	6.4	6.5	6.5	6.4	6.6	6.5	
BRIDGE #550(9.7C)																						
87002000	4.969	7.777	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	
823			3	8.4		49000	RIDE	8.1	8.0	7.9	7.5	7.2	6.9	6.7	6.7	6.6	6.3	6.6	6.3	6.3	6.1	
NW 142 ST(5.0C)																						
4308031	4.969	7.777	C	2016		0012	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	8.0	
H&R PAVING INC																						
							SPRIDE	6.1	6.0	6.1	6.0		6.5	6.4	6.5	6.4	6.4	6.4	6.3	6.4	6.0	

87002000	2.354	4.969	L	1	1	45	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			4.5*	
823			3	16.0		42000	RIDE	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1				5.3*	
SR 932(2.5C)																						
							CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	
							RIDE					7.1	6.8	6.8	6.8	6.7	6.6	6.4	6.2	6.4	6.0	

87002000	0.889	2.354	L	1	1	45	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			4.5*	
823			3	10.1		39000	RIDE	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1				5.3*	
W 29 ST(1.3C)																						
2499415	0.889	2.354	C	2012		0213	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	
MCM CORP.																						
							SPRIDE					6.8	6.7	6.8	6.3	6.4	6.3	6.3	6.3	6.3	8.0	

87002000	0.000	0.889	L	1	1	45	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*				10.0	
823			3	9.1		34500	RIDE	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1				7.3	
OKEECHOBEE RD(0.0C)																						
2499413	0.000	0.628	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	
ASTALDI CONSTRUCTION CORP.(2013)																						
							SPRIDE	7.2	6.8	6.3	6.4	6.4	6.3	6.1	5.9	5.9	5.9	5.8	5.9	6.2	5.8	

87003000	0.000	0.105	R	3	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	6.5	4.5*		7.5	7.5	7.5	6.5		
112			2	2.8		32000	RIDE	7.9	7.3	6.9	7.0	6.4	6.7	6.4	5.4*		6.1	5.8	6.5	6.1		
RAMP 87281225(0.0R)																						
							CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.0	7.5	
							RIDE	6.3		7.2	5.7	5.4*	5.3*	5.5	5.4*	5.6	5.6	5.5	5.7	5.7	5.6	

87003000	0.406	0.994	R	3	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	6.5	4.5*	6.5	6.5	6.5	6.5	6.5	6.5	
112			2	2.8		32000	RIDE	7.9	7.3	6.9	7.0	6.4	6.7	6.4	5.4*	7.2	7.2	6.8	6.2	6.1		
OGFC																						
							CRACKING	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.0	
							RIDE	6.3		7.2	7.5	7.7	7.7	7.6	7.6	7.7	7.4	7.4	7.5	7.4	7.4	

87003000	0.994	3.443	R	3	1	50	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
112			3	2.8		114000	RIDE	8.5	8.4	8.3	7.9	7.8	7.8	7.7	7.8	7.8	7.6	7.5	7.4	7.4	7.6	
OGFC																						
							CRACKING	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.4	9.2	7.5	
							RIDE	7.4		8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.9	7.8	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****															
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
ITMSEG-F																						
87003000	3.443	3.947	R	3	1	55	CRACKING	9.0	9.0		10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
112			4	2.8	119000		RIDE	8.4	7.9		8.3	8.2	7.8	7.8	7.7	7.0	6.9	6.9	7.3	7.2		
OFFICIAL USE RAMP(3.7R)							OGFC															
							CRACKING	7.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.8	9.2	7.5	7.4
							RIDE	7.4		7.8	7.8	7.7	7.6	7.5	7.6	7.6	7.6	7.5	7.5	7.5	7.5	7.4
							(2017)															
87003000	3.947	4.132	R	3	4	55	CRACKING	6.6	6.6	6.5	7.6	7.7	7.5	6.7	6.4*	9.2	9.1	8.8	8.7			
112			4	2.8	119000		RIDE	6.4*	5.3*	6.1*	5.0*	5.7*	5.8*	5.1*	5.9*	5.9*	5.9*	5.3*	5.5*			
							CONC															
							CRACKING	8.7	8.2	8.2	7.9	8.2	8.3	7.6	8.9	8.2	9.0	9.1	9.0	8.9	8.5	
							RIDE	6.0*	5.8*	5.6*	5.5*								5.6*	5.5*		
							(2014)															
87003000	3.947	4.132	L	3	4	55	CRACKING	7.2	6.8	6.8	8.4	8.3	8.3	7.8	7.8	8.5	8.7	8.8	8.7			
112			4	2.8	119000		RIDE	6.8	7.0	6.5	5.6*	5.0*	5.2*	5.8*	6.6	6.4*	6.0*	5.6*	5.6*			
							CONC															
							CRACKING	8.6	8.7	8.6	8.4	8.3	8.4	8.2	8.5	7.5	8.8	8.3	8.6	8.3	7.5	7.4
							RIDE	5.1*	5.8*	4.9*	4.9*									4.7*	4.6*	
							(2014)															
87003000	2.965	3.947	L	3	1	55	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
112			4	2.8	114000		RIDE	8.1	8.4	8.5	7.9	7.9	7.9	7.7	8.0	7.9	8.0	8.1	7.9	7.6		
SIDE ROAD(3.9C)							OGFC															
							CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	9.0	7.5	
							RIDE	7.9		8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	7.9	8.1	8.0	
							(2016)															
87003000	0.994	2.965	L	3	1	55	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
112			3	5.2	107500		RIDE	8.8	8.7	8.7	8.1		7.6	7.5	7.9	7.6	7.7	7.2	7.6	7.6	7.6	
							OGFC															
							CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.4	9.0	7.5	
							RIDE	7.6		7.7	7.4	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.3	7.2	
							(2016)															
87003000	0.000	0.994	L	3	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5		7.5	7.5	7.5	6.5		
112			2	2.8	32000		RIDE	8.1	8.3	7.9	7.2	6.8	7.3	6.9	7.0		7.9	7.6	7.2	7.1		
EB EXIT TO NB SR 953(0.0C)							OGFC															
							CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	8.8	7.0	
							RIDE	7.0		7.8	7.4	7.6	7.2	7.1	7.2	7.5	7.3	7.3	7.5	7.2	7.1	
							(2016)															
87004000	0.000	0.486	R	3	4	55	CRACKING	7.8	7.6	7.3	7.8	7.8	8.0	7.7	7.7	8.6	8.1	8.1	8.0			
112			2	2.8	119000		RIDE	7.2	6.8	6.6	6.2*	5.7*	5.2*	6.3*	6.4*	6.1*	6.4*	5.6*	6.0*			
NW 11 AVE(0.0C)							LDG															
							CRACKING	9.4	9.2	9.0	9.0	9.1	8.9	8.8	8.8	8.4	8.5	6.1*	9.0	8.8	8.5	
							RIDE	6.9	7.7	8.1	8.2	7.9	8.2	8.3	8.3	8.3	8.3	8.1	8.2	7.9	7.8	
							(2025)															
87004000	0.486	0.793	R	4	4	55	CRACKING	9.0	9.0	9.2	9.1	9.1	9.1	8.4	8.2	9.0	9.0	8.9	8.8			
112 I195	0.0	0.3	1	2.8	119000		RIDE	6.9	6.9	6.3*	6.2*	5.9*	5.9*	6.3*	6.0*	6.3*	5.6*	4.7*				
							LDG															
4055781	0.114	2.136	C	2010	0024		CRACKING	9.3	9.3	9.3	9.2	9.0	9.0	9.0	9.1	9.1	8.7	8.8	8.3	8.6	8.0	
MASTEC CIVIL, LLC							RIDE	7.4	7.7	8.1	8.2	8.1	8.1	8.2	7.8	8.2	8.2	8.1	8.2	8.2	8.1	
							(2014)															
87004000	0.793	1.278	R	4	4	55	CRACKING	8.3	8.1	8.1	8.0	8.0	8.0	7.6	7.5	7.5	7.5	8.1	8.0			
112 I195	0.3	0.8	3	3.3	147500		RIDE	7.4	7.3	7.2	6.0*	6.1*	6.0*	6.2*	6.3*	5.9*	6.1*	5.8*	6.0*			
							LDG															
4055781	0.114	2.136	C	2010	0024		CRACKING	9.3	9.2	9.1	9.0	9.2	9.1	9.0	9.2	8.8	8.9	9.1	9.0	8.8	8.0	
MASTEC CIVIL, LLC							RIDE	7.7	7.5	8.1	8.4	8.2	8.2	7.9	7.8	8.3	8.2	8.0	8.3	8.1	8.0	
							(2014)															
87004000	1.583	1.805	R	4	4	55	CRACKING	8.7	8.5	8.2	8.3	7.6	7.6	6.5	6.4*	8.2	8.2	8.3	8.0			
112 I195	1.1	1.3	3	4.2	114500		RIDE	6.7	6.4*	6.6	5.5*	4.9*	5.1*	6.3*	5.1*	6.1*	6.0*	5.9*	6.1*			
							LDG															
4055781	0.114	2.136	C	2010	0024		CRACKING	9.4	9.0	8.9	8.9	9.1	9.1	9.0	9.2	8.9	8.9	9.4	9.4	9.1	8.5	
MASTEC CIVIL, LLC							RIDE	7.6	7.0	7.8	7.8	7.6	7.9	8.0	8.2	8.0	8.2	7.7	7.8	8.1	8.0	
							(2014)															
87004000	1.805	2.137	R	4	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0		
112 I195	1.3	1.7	3	4.2	114500		RIDE	7.7	7.9	7.4	6.9	6.6	7.0	6.7	7.1	7.1	7.1	7.9	7.9	7.9		
							FC5M															
4481752	1.805	4.350	R	2022	9924		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	9.0	
							RIDE	7.9	7.9	8.1	8.1	7.										

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
87004000	2.545	4.921	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	10.0	10.0	10.0	
112 I195	2.1	4.4	3	4.2	114500		RIDE	8.5	8.3	8.3	7.7	7.8	7.6	7.8	8.1	7.7	7.7	7.9	7.9	7.9	
SIDE ROAD(4.6C)					FC5M																
4446221	1.898	4.350	R	2022	9924		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.0
ASPHALT GROUP, INC.				(2025)	SPRIDE		RIDE	7.9	7.9	8.1	8.1	8.2	8.2	8.3	8.3	8.2	8.2	8.3	8.5	8.4	8.3
87004000	2.545	4.921	L	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	10.0	10.0	10.0	
112 I195	2.1	4.4	3	4.2	114500		RIDE	8.4	8.4	8.3	7.9	7.8	7.7	7.8	7.9	7.8	7.8	7.9	8.1	8.2	
SIDE ROAD(4.6C)					FC5M																
4446221	1.898	4.796	L	2022	9924		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	9.0	10.0	10.0	9.0
ASPHALT GROUP, INC.				(2025)	SPRIDE		RIDE	8.1	8.1	8.3	8.3	8.0	8.3	8.3	8.3	8.4	8.4	8.3	8.1	8.4	8.3
87004000	1.805	2.137	L	4	1	55	CRACKING	10.0	9.5	9.5	9.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
112 I195	1.3	1.7	3	4.2	114500		RIDE	8.6	8.5	8.4	7.9	7.8	7.6	7.4	7.7	7.6	7.6	7.9	8.1	8.2	
					FC5M																
4446221	1.898	4.796	L	2022	9924		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	9.0
ASPHALT GROUP, INC.				(2025)	SPRIDE		RIDE	8.1	8.1	8.3	8.3	8.3	8.3	8.3	8.5	8.4	8.3	8.3	8.3	8.4	8.2
87004000	1.583	1.805	L	4	4	55	CRACKING	7.8	6.2*	7.3	7.0	5.9*	6.0*	5.1*	4.9*	6.3*	6.3*	6.9	6.7		
112 I195	1.1	1.3	3	4.2	114500		RIDE	5.7*	5.7*	6.5	4.8*	5.6*	5.0*	5.6*	6.1*	5.7*	5.8*	5.4*	6.0*		
					LDG																
4055781	0.114	2.136	C	2010	0024		CRACKING	9.1	8.9	8.7	8.6	9.0	8.9	8.1	8.1	8.1	8.2	8.3	9.4	8.6	8.8
MASTEC CIVIL, LLC				(2014)	RIDE		RIDE	7.7	7.7	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.2	8.3	8.1	8.0	7.9
87004000	0.793	1.278	L	4	4	55	CRACKING	9.3	8.5	8.6	8.6	8.0	8.1	7.7	7.6	8.1	7.9	7.7	7.6		
112 I195	0.3	0.8	3	3.3	147500		RIDE	7.1	7.2	7.1	6.3*	6.2*	6.2*	5.7*	6.1*	6.0*	5.9*	5.9*	5.9*		
					LDG																
4055781	0.114	2.136	C	2010	0024		CRACKING	9.2	9.2	9.1	9.1	9.3	9.2	9.2	8.8	8.6	9.1	9.4	9.2	9.2	8.5
MASTEC CIVIL, LLC				(2014)	RIDE		RIDE	7.9	8.2	8.2	8.4	8.4	8.2	8.4	8.4	8.4	8.2	8.4	8.4	8.1	8.0
87004000	0.486	0.793	L	4	4	55	CRACKING	8.8	8.3	8.3	8.3	7.9	8.1	7.8	7.6	8.3	8.3				
112 I195	0.0	0.3	2	2.8	119000		RIDE	6.8	7.0	6.6	6.1*	6.0*	5.8*	6.2*	6.4*	6.1*	6.2*				
					LDG																
4055781	0.114	2.136	C	2010	0024		CRACKING	9.1	8.9	8.8	8.8	9.2	9.1	9.1	9.3	8.7	8.6	9.4	9.2	8.9	8.5
MASTEC CIVIL, LLC				(2014)	RIDE		RIDE	7.6	7.9	8.0	8.2	8.2	7.9	8.1	8.2	7.8	7.9	8.1	8.2	7.8	7.7
87004000	0.363	0.486	L	3	4	55	CRACKING	4.0*	6.2*	6.0*	8.7	7.1	6.7	5.4*	4.8*	5.1*	6.4*				
112			2	2.8	119000		RIDE	7.5	7.2	7.5	6.7	6.1*	6.8	6.4*	6.6	6.1*	6.1*				
					LDG																
4055781	0.114	2.136	C	2010	0024		CRACKING	9.2	8.8	8.8	8.4	9.4	9.1	9.0	8.9	8.4	8.7	8.6	8.7	8.6	8.7
MASTEC CIVIL, LLC				(2014)	RIDE		RIDE	7.4	7.2	8.0	8.1	8.0	8.1	8.2	8.3	8.2	8.1	8.1	8.3	8.0	9.4
87004000	0.000	0.363	L	3	4	55	CRACKING	9.0	8.0	8.5	9.1	8.8	8.2	7.8	7.9	8.2	7.8	8.2	8.0		
112			1	2.8	119000		RIDE	6.6	6.8	6.8	5.5*	5.9*	5.9*	6.0*	6.2*	6.0*	6.0*	5.1*			
NW 11 AVE(0.0C)					LDG																
4055781	0.114	2.136	C	2010	0024		CRACKING	9.2	8.8	8.5	8.4	8.8	8.8	8.7	9.0	8.3	8.7	9.1	9.2	8.9	8.5
MASTEC CIVIL, LLC				(2014)	RIDE		RIDE	7.4	7.7	7.8	8.2	8.3	8.2	8.3	8.4	8.4	8.1	8.3	8.2	8.3	8.2
87005000	0.000	1.186	R	3	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0			
874			3	5.8	106000		RIDE	8.2	8.1	8.3	8.0	7.9	8.1	7.1	7.8	7.6	7.3	7.3			
HEFT(0.0C)					OGFC																
							CRACKING		6.5								10.0	10.0	9.6	10.0	9.0
							RIDE		7.6								8.1	8.0	8.0	8.1	8.0
87005000	1.186	1.854	R	3	1	60	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
874			3	5.8	106000		RIDE	8.5	8.4	8.4	8.1	8.1	8.1	7.6	8.3	8.2					
					OGFC																
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5
							RIDE	8.0	8.1	8.2	8.1	7.7	8.0	8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.1
87005000	1.854	2.700	R	3	1	60	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
874			4	5.9	111000		RIDE	8.5	8.4	8.4	8.1	8.1	8.1	7.6	8.3	8.2					
					OGFC																
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	9.7	10.0
							RIDE	8.0	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.5	8.5	8.5	8.5	8.5	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP)	SIDE	SURFTYPE		=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P	ASTYPE																	
CONTRACTOR	(AGE_ONE	YEAR)																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F																		
87005000	2.700	3.690	R	3	1	60	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5							
874			4	5.9	111000		RIDE	8.8	8.6	8.7	8.4	8.4	8.2	7.8	8.4	8.4	8.4							
					OGFC		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7	7.0			
					(2014)		RIDE	8.1	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.1	8.2	8.1	8.0	7.9			
87005000	3.690	4.301	R	3	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		9.5	9.5	9.5					
874			4	5.9	111000		RIDE	8.5	8.5	8.7	8.4	8.4	8.2	7.8	8.4		7.3	7.6	7.7					
ON RAMP 87021211(4.3R)				OGFC		CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	9.1	7.5			
					(2015)		RIDE		8.2	8.4	8.5	8.3	8.4	8.4	8.4	8.3	8.2	8.3	8.4	8.4	8.3			
87005000	4.301	6.629	R	3	1	60	CRACKING	9.0	8.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0					
874			3	6.5	108500		RIDE	7.9	7.8	8.7	8.3	8.3	8.2	7.7	8.4	8.3	8.3	8.0	8.2					
SNAPPER(4.3R)					OGFC		CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	9.2	8.8	7.0			
					(2015)		RIDE		8.3	8.4	8.3	8.2	8.2	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.1			
87005000	6.629	7.010	R	3	1	60	CRACKING	9.0	8.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0						
874			3	6.5	108500		RIDE	7.9	7.8	8.7	8.3	8.3	8.2	7.7	8.4	8.3	8.3	8.0						
SR 826 NB(7.0R)					OGFC		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.8	7.5	6.0*			
					(2014)		RIDE	7.9	7.7	8.1	8.0	7.2	8.0	8.1	8.0	7.9	8.0	8.1	8.1	7.9	7.8			
87005000	3.690	7.010	L	3	1	60	CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5					
874			3	6.5	108500		RIDE	7.3	7.3	8.6	8.1	7.8	8.2	7.7	8.2	8.2	8.2	8.1	8.2					
SNAPPER CREEK(3.9L)					OGFC		CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.3	6.5			
					(2015)		RIDE		8.3	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.2	8.3	8.2			
87005000	2.550	3.690	L	3	1	60	CRACKING	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5								
874			4	5.9	111000		RIDE	8.7	8.6	8.4	8.2	8.2	8.1	7.5	8.1	8.2								
					OGFC		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.9	6.0*			
					(2014)		RIDE	8.1	8.2	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.2	8.2	8.0	8.2	8.1			
87005000	1.342	2.550	L	3	1	60	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5								
874			3	5.8	106000		RIDE	8.5	8.4	8.5	8.0	8.1	8.1	7.4	8.2	8.1								
					OGFC		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.1	6.5			
					(2014)		RIDE	8.1	8.1	8.2	8.1	8.2	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1			
87005000	0.000	1.342	L	3	1	60	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
874			3	5.8	106000		RIDE	8.5	8.5	8.3	8.2	7.8	8.1	7.4	7.9	7.6	7.7	7.4						
SR 821/HEFT(0.0L)					OGFC		CRACKING	10.0	10.0															
					(2023)		RIDE	8.1	8.2															
87006000	0.496	0.563	R	1	2	55	CRACKING											0.9*	5.4*	5.1*	5.1*	4.8*	4.5*	
5			2	2.8	37000		RIDE																	
					CONC		CRACKING	4.7*	4.1*	4.1*	3.9*	3.7*	3.8*	4.2*	5.5*	1.8*	2.2*	1.1*	4.1*	9.3	9.0			
4438901	0.496	0.563	C	2023	0227		RIDE															4.1*	4.0*	
OHLA USA, INC.				(2026)																				
87006000	0.496	0.563	L	1	2	55	CRACKING											0.0*	1.1*	0.3*	0.3*	0.1*	0.0*	
5			2	2.8	37000		RIDE																	
					CONC		CRACKING	0.2*	0.0*	0.0*	2.2*	2.2*	3.7*	3.7*	3.0*	0.0*	4.7*	4.4*	6.9	9.3	9.0			
4438901	0.496	0.563	C	2023	0227		RIDE															7.1	7.0	
OHLA USA, INC.				(2026)																				
87008000	0.000	1.025	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5			
916			2	2.6	21900		RIDE	6.9	6.5	6.3	5.9	6.2	5.5	5.8	5.9	5.4*	5.4*	5.2*	4.9*	5.1*				
BRIDGE #467(0.0C)					FC125		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	8.9	8.0			
					(2014)		RIDE	7.4	7.5	6.8	6.9	6.6	6.8	6.6	6.4	6.6	6.5	6.2	5.9	6.3	5.9			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	WKM	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RY	FY-F	ASTYPE	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																					(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM																
87008000	1.025	2.045	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	
916			2	2.6		21900	RIDE	5.3*	5.4*	5.3*	5.6	5.2*	5.3*	5.3*	5.3*	5.4*	5.4*				6.8	
NW 62 AVE/W 8 AVE(1.5R)																						
4077181	0.981	2.036	C	2010		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.0
(2013) DGFC RIDE																						
4459971	1.105	2.077	C	2025		0012		6.8	6.7	5.6	5.6	5.6	5.4*	5.2*	5.2*	5.1*	5.1*	5.2*	5.0*	4.9*	4.5*	
87008000	2.045	3.114	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
916			2	7.0		30500	RIDE	8.3	8.3	7.9	7.5	7.0	7.5	7.2	7.5	7.1	7.2	7.1	7.1	7.5	7.1	
RED RD(2.0C) FC125A																						
4311711	2.090	3.133	C	2015		0226	CRACKING	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.7	10.0	9.0	
(2016) SPRIDE																						
GENERAL ASPHALT CO., INC.																						
87008000	3.114	4.804	R	1	1	40	CRACKING	9.0	9.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0	10.0	10.0		
916			2	6.0		21500	RIDE	7.0	6.5	6.2	5.6	5.7	5.6	5.9	5.7	5.7	5.5	7.2	6.8	6.0		
NW 47 AVE(3.1R) FC125M																						
4198561	3.288	4.979	C	2009		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.3	8.5	7.5	
(2011) SPRIDE																						
4499471	3.099	4.812	C	2026		0012		6.6	6.6	6.4	6.1	6.1	6.2	5.8	6.0	5.9	5.6	5.7	5.6	5.7	5.3*	
87008000	4.804	5.102	C	1	7	40	CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
916			5	7.0		12500	RIDE	5.4*	4.9*	6.0	5.2*	4.9*	7.8	6.8	6.3		7.1	7.1	6.1	6.1		
SIDE ROAD(4.8C) FC125M																						
4478051	4.888	5.032	C	2024		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
(2026) EN(2026) SPRIDE																						
BACALLAO CONSTRUCTION &																						
87008000	5.102	7.114	C	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5		
916			3	7.0		18000	RIDE	7.6	7.6	7.2	6.7	6.4	6.5	6.4	6.6	6.4	6.1	6.4	6.4	6.4	5.7	
NW 26 CT(5.1R) FC95A																						
4291461	5.102	7.007	C	2014		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
(2016) IN(2016) SPRIDE																						
WEEKLEY ASPHALT PAVING,																						
87008000	7.114	7.231	C	1	7	40	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	6.5	6.5		
916			3	7.0		18000	RIDE	8.3	7.6	8.1	7.8	7.6	6.3	7.3	6.8	7.1	6.4	6.3	6.4	6.9		
SR 7(7.1C) DGFC																						
(2026) CRACKING																						
4525591	7.125	7.234	C	2027		0012	RIDE	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*		5.3*	10.0	9.5	
(2027) RIDE																						
87008000	7.231	7.614	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	6.5	6.5		
916			2	7.0		18000	RIDE	8.3	8.4	8.1	7.8	7.6	6.3	7.3	6.8	7.1	6.4	6.3	6.4	6.9		
NW 5 AVE(7.4C) FC2																						
(2025) CRACKING																						
(2025) RIDE																						
87008000	7.614	10.253	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0		
916			2	8.9		37000	RIDE	7.6	7.6	7.4	6.9	7.1	6.6	6.6	6.6	6.3	6.3	6.5	6.6	6.4		
NW 2 AVE(7.6C) DGFC																						
(2025) CRACKING																						
(2025) RIDE																						
87008000	7.614	10.253	L	1	1	40	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
916			2	8.9		37000	RIDE	7.6	7.6	6.8	6.4	6.3	6.1	6.3	6.1	6.3	5.8	6.1	6.3	6.0		
BEGIN 87008001 *(7.6L) DGFC																						
(2025) CRACKING																						
(2025) RIDE																						
87008000	3.114	4.804	L	1	1	40	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0		
916			2	6.0		21500	RIDE	7.2	7.1	6.7	6.3	6.1	6.0	6.1	6.6	6.4	5.9	7.2	6.8	6.0		
NW 42 AVE/LEJEUNE RD(3.6L) FC125M																						
4198561	3.288	4.979	C	2009		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.5	7.5	
(2011) SPRIDE																						
4499471	3.099	4.812	C	2026		0012		6.6	6.6	6.4	6.1	6.1	6.2	5.8	6.3	6.4	6.2	6.0	6.1	6.1	5.7	
87008000	2.045	3.114	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
916			2	7.0		30500	RIDE	8.1	8.7	8.4	7.4	7.2	7.1	7.3	7.4	7.4	7.0	7.0	7.1	7.5	7.2	
RED RD(2.0C) FC125A																						
4311711	2.090	3.133	C	2015		0226	CRACKING	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	10.0	10.0	9.0	
(2016) SPRIDE																						
GENERAL ASPHALT CO., INC.																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-P	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
87008000	1.025	2.045	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0
916			2	2.6		21900	RIDE	5.3*	5.4*	5.3*	5.6	5.2*	5.3*	5.3*	5.3*	5.4*	5.4*				6.8
NW 60 AVE(1.7L)						DGFC														
4077181	0.981	2.036	C	2010		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5	8.5	8.9	8.9	8.0
				(2013)			RIDE	6.8	6.7	5.6	5.6	5.6	5.4*	5.2*	5.2*	5.3*	5.1*	5.0*	5.1*	5.0*	4.6*
4459971	1.105	2.077	C	2025		0012															
87008001	0.000	0.301	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0
916			3	7.0		14500	RIDE	7.9	8.0	8.1	7.7	7.6	7.0	8.0	7.7	7.7	7.5	7.0	7.0	7.2	6.5
LEG 001(0.0C)						DGFC														
4311721	0.043	0.301	C	2016		0012	CRACKING	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.4	8.5
COMMUNITY ASPHALT				(2018)			RIDE	7.6	7.6	7.9	7.8	8.2	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.4	7.0
87008001	0.301	0.533	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	10.0	7.0	7.0	7.0	7.0
916			3	7.0		14500	RIDE	7.8	8.1	7.4	6.5	6.5	6.2	6.3	6.4	6.2	7.3	7.0	7.2	6.5	6.5
NW 5 CT(0.3L)						DGFC														
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
4525591	0.301	0.490	C	2027		0012	RIDE	6.7	6.6	6.4	6.2	6.3	6.4	6.4	5.7	5.0*	6.4	6.2	6.2	6.0	5.6
87008001	0.533	2.522	C	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0
916			3	7.0		14500	RIDE	7.8	8.1	7.4	6.5	6.5	6.2	6.3	6.4	6.2	7.3	7.0	7.0	7.0	7.0
NW 8 AVE(0.7R)						DGFC														
4146181	0.519	2.522	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.2	7.0
THE DE MOYA GROUP				(2010)			SPRIDE	7.0	7.0	7.1	7.0	7.0	6.9	6.9	6.8	6.8	6.6	6.5	6.5	6.9	6.5
87008001	2.522	2.779	C	1	7	35	CRACKING	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
916			2	7.0		14500	RIDE	6.5	5.8	5.4*	5.7	5.2*	6.1	6.5	6.4	5.9	6.2	7.0	7.0	7.0	7.0
OPA LOCKA BLVD(2.6R)						DGFC														
4478051	2.626	2.779	C	2024		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	10.0	9.5
BACALLAO CONSTRUCTION & EN				(2026)			SPRIDE	7.0	7.0	7.1	7.0	7.0	6.9	6.9	6.8	6.8	6.6	6.5	6.5	6.5	6.9
87010000	0.000	3.285	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0				10.0	10.0	10.0
5			2	6.8		26000	RIDE	8.3	8.6	8.2	7.9	7.7	7.8	8.0	7.4				7.8	7.8	7.8
							FC5														
				(2011)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.9	7.6	5.5*
							RIDE	7.7	7.8	7.6	7.6	7.5	7.4	7.5	7.5	7.4	7.4	7.4	7.4	7.3	7.2
87010000	3.285	9.356	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.0	6.5			10.0	10.0	10.0
5			2	6.8		26000	RIDE	8.4	8.4	8.3	7.9	7.7	7.7	7.9	7.8	7.7			8.1	8.0	8.0
OFFICIAL USE RAMP(3.5R)						FC5														
2498564	3.371	13.947	C	2008		0005	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.8	7.3	5.5*
				(2012)			RIDE	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	8.0	7.9
87010000	9.356	13.679	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0				10.0	10.0
5			2	6.8		26000	RIDE	8.4	8.5	8.3	7.9	7.7	7.8	7.9	7.8	7.6				8.0	8.0
FRONTAGE RD(9.5L)						FC5														
2498562	8.750	11.610	C	2010		0005	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.9	6.5	4.5*
CENTRAL FLORIDA EQUIPMENT				(2013)			SPRIDE	8.0	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.6
87010000	13.679	13.947	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0
5			2	6.8		26000	RIDE	7.9	7.9	7.8	7.6	7.5	7.2	7.2	7.2	7.2			7.8	7.7	7.7
							FC5														
2498564	3.371	13.947	C	2008		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	7.2	5.5*
				(2012)			RIDE	7.8	8.0	7.6	7.6	7.7	7.4	7.5	7.5	7.5	7.4	7.2	7.3	7.5	7.4
87010000	13.679	13.947	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0
5			2	6.8		26000	RIDE	7.6	7.6	7.6	7.3	7.5	7.0	7.6	7.3	7.3			6.8	6.9	6.9
							FC5														
2498564	3.371	13.947	C	2008		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	9.0	7.0
				(2012)			RIDE	6.8	6.7	7.5	6.8	6.7	6.6						6.8	6.8	6.7
87010100	0.000	0.240	C	1	1	30	CRACKING														
963			2	5.1		140	RIDE														
							CRACKING													8.3	7.8
							RIDE													6.7	6.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****														(PMRS)	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F																						
87012000	0.000	2.144	R	1	1	40	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
847			2	7.5	16900		RIDE	6.4*	6.5	6.6	6.1	6.0	5.9	5.8	6.1	6.0	6.0	6.0	5.8	5.8		
MIAMI GARDENS DR(0.0C)					FC95M																	
					(2023)		CRACKING	6.5	6.5	6.0*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	9.7	10.0	9.0	9.0	
							RIDE	5.5	5.8	6.0	6.0	6.1	5.8	5.7		6.3	6.1	5.9	6.0	5.6		
87012000	0.000	2.144	L	1	1	40	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
847			2	7.5	16900		RIDE	6.4*	6.5	6.6	6.1	6.0	5.9	5.8	6.1	6.0	6.0	6.0	5.8	5.8		
MIAMI GARDENS DR(0.0C)					FC95M																	
					(2023)		CRACKING	6.5	6.5	6.0*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	
							RIDE	5.5	5.8	6.0	6.0	6.1	5.8	5.7		6.6	6.4	6.1	6.1	5.7		
87015000	0.000	0.388	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
989			2	9.9	35000		RIDE	7.3	7.1	6.9	6.3*	6.3*	6.0	6.3	6.8	6.9	6.4	6.0	6.1			
ON RAMP 87471235(0.0R)					FC95A																	
					(2020)		CRACKING	7.0	7.0	7.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.6	8.8	8.0	8.0
							RIDE				8.3	7.9		7.9	7.6	7.3	7.4	7.1	7.2	7.4	7.0	
87015000	0.388	1.746	R	1	1	40	CRACKING	8.5	8.5	7.5	8.5	8.5	8.5	8.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0
989			2	9.9	35000		RIDE	7.7	7.6	6.9	6.6	6.3	6.4	6.2	6.4	6.1	6.0	7.3	7.1	7.6		
COCONUT PALM DR(0.4C)					DGFC																	
					(2011)		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.3	7.8	6.5	6.5
							RIDE	7.5	7.3	7.1	7.1	7.2	6.9	6.9	6.8	6.6	6.5	6.4	6.5	6.3	5.9	5.9
87015000	1.746	2.051	R	1	1	35	CRACKING	8.5	8.5	7.5	8.5	8.5	8.5	8.5	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
989			2	2.0	37500		RIDE	7.7	7.6	6.9	6.6	6.3	6.4	6.2	6.3	6.5	6.3	6.1	6.0	6.4		
SW 226 TER(1.8R)					FC5																	
					(2024)		CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.5	9.0	8.0	9.0	8.0	8.0
							RIDE	6.4	6.7	6.4	5.8									5.4*	5.3*	5.3*
87015000	2.051	2.672	R	1	1	35	CRACKING	10.0	10.0	10.0	7.0	8.0	7.0	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
989			2	2.0	37500		RIDE	7.4	7.5	6.9	6.4	6.3	6.5	5.9	6.2	5.9	7.7	7.5	7.5	7.2		
TRN LN TO OLD CUTLER(2.1R)					FC5																	
4146211	2.051	3.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	9.0	7.0	7.0
GENERAL ASPHALT CO., INC. (2010)					SPRIDE			7.2	6.8	7.2	7.0	7.0	6.7	6.8	6.2	6.1	6.0	6.2	6.0	6.1	6.0	6.0
87015000	2.672	3.032	R	1	1	35	CRACKING	10.0	10.0	10.0	7.0	8.0	7.0	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
989			2	2.0	37500		RIDE	7.4	7.5	6.9	6.4	6.3	6.5	5.9	6.2	5.9	7.7	7.5	7.5	7.2		
SW 211 ST(2.7C)					DGFC																	
					(2026)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	10.0	9.5	9.5
							RIDE	7.2	6.8	7.2	7.0	7.0	6.7	6.8	6.2	6.1	6.0	6.2	6.0	6.1	6.1	5.7
87015000	2.672	3.032	L	1	1	35	CRACKING	10.0	10.0	7.5	8.0	8.0	6.5	6.5	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
989			2	2.0	37500		RIDE	6.8	6.7	6.4	6.2	6.3	5.7	5.9	5.2*	5.8	7.7	7.5	7.5	7.2		
SW 211 ST(2.7C)					DGFC																	
4146211	2.051	3.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	8.5	8.5
GENERAL ASPHALT CO., INC. (2010)					SPRIDE			7.2	6.8	7.2	7.0	7.0	6.7	6.8	6.2	6.1	6.0	6.2	5.9	5.7	5.3*	5.3*
87015000	2.051	2.672	L	1	1	35	CRACKING	10.0	10.0	7.5	8.0	8.0	6.5	6.5	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
989			2	2.0	37500		RIDE	6.8	6.7	6.4	6.2	6.3	5.7	5.9	5.2*	5.8	7.7	7.5	7.5	7.2		
SW 220 ST/OLD CUTLER(2.2L)					FC5																	
4146211	2.051	3.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0
GENERAL ASPHALT CO., INC. (2010)					SPRIDE			7.2	6.8	7.2	7.0	7.0	6.7	6.8	6.2	6.1	6.0	6.2	5.9	6.6	6.5	6.5
87015000	1.746	2.051	L	1	1	35	CRACKING	8.5	8.5	7.5	8.5	8.5	8.5	8.5	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
989			2	2.0	37500		RIDE	7.7	7.6	6.9	6.6	6.3	6.4	6.2	5.5	5.7	6.3	6.1	6.0	6.4		
SW 227 ST(1.7L)					FC5																	
					(2024)		CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.5	9.0	9.0	9.0	8.0	8.0
							RIDE	6.4	6.7	6.4	5.8									6.4	4.7*	4.6*
87015000	0.388	1.746	L	1	1	40	CRACKING	8.5	8.5	7.5	8.5	8.5	8.5	8.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0
989			2	9.9	35000		RIDE	7.7	7.6	6.9	6.6	6.3	6.4	6.2	6.6	6.5	6.0	7.3	7.1	7.6		
COCONUT PALM DR(0.4C)					DGFC																	
					(2011)		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	9.0	9.0	8.0	8.0
							RIDE	7.5	7.3	7.1	7.1	7.2	6.9	6.9	6.8	6.6	6.5	6.4	6.9	6.8	6.4	6.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87015000	0.000	0.388	L	1	1 45	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0
989				2	9.9	35000	RIDE	7.3	7.2	7.3	7.1	6.8	6.7	6.6	6.7	6.5	6.2	6.3	6.2	6.1	
NB EXIT TO NB SR 821 R(0.0C)	FC95A															
					(2020)		CRACKING	7.0	7.0	7.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.5	8.4	7.5
							RIDE	5.6			8.2	8.1		7.6	6.6	7.1	7.3	6.9	6.9	6.5	
87016000	0.000	0.814	C	1	1 30	CRACKING		9.5	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	7.0	7.0	7.0	7.0
112				4	2.8	41000	RIDE	5.5*	5.9	5.5	5.0*	4.4*	4.1*	4.0*	4.1*	3.7*	3.7*	4.1*	3.8*	3.7*	
ALTON RD(0.0C)						DGFC															
4198241	0.000	0.677	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	8.0	8.4	7.4	6.5
GENERAL ASPHALT CO., INC.					(2014)	SPRIDE		6.5	5.7	4.3*							4.1*	4.4*	4.6*	4.6*	4.2*
87017000	0.000	0.145	C	1	1 30	CRACKING		9.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
913				4	3.6	17500	RIDE	6.4*	4.3*	5.7	4.7*	4.6*	5.4*	5.1*	5.5	5.4*	5.5		9.0	9.0	9.0
SW 1 AVE(0.0C)																					
4291491	0.000	0.161	C	2015	0015	CRACKING		9.0	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.1	7.0
THE STOUT GROUP LLC					(2017)															3.7*	3.3*
4459951	0.010	0.363	C	2024	0012																
87017000	0.145	0.373	R	1	1 30	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
913				4	3.6	22600	RIDE	6.4*	5.4*	5.4*	5.0*	4.5*	5.4*	5.1*	5.5	5.4*	5.5				
MIAMI AVE S(0.1C)																					
					(2017)		CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.6	7.8	7.0
4459951	0.010	0.363	C	2024	0012															4.7*	4.3*
87017000	0.145	0.373	L	1	1 35	CRACKING		9.0	9.0	8.0	8.0	8.0	9.5	9.5	7.0	6.5	9.5	9.5	9.5	9.5	9.5
913				2	3.6	22600	RIDE	6.6	6.1	5.8	5.1*	5.1*	5.8	5.4*	5.8	5.4*	5.4*				
RAMP 87270500(0.1L)																					
					(2010)		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0
4459951	0.010	0.363	C	2024	0012					4.9*	5.3*	5.4*	5.4*	5.0*						5.6	5.2*
87018000	0.000	0.775	R	1	7 45	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5
852				2	3.7	30000	RIDE	8.0	7.8	8.1	7.5	7.8	7.3	7.0	7.5	7.8	7.8	7.8	7.7	7.7	
BROWARD COUNTY LINE(0.0C)						FC125M															
4439061	0.000	0.762	R	2023	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	10.0	9.5
OHLA USA, INC.					(2026)	SPRIDE		7.5	7.4	7.6	7.7	7.6	7.6	7.4	7.6	7.5	7.5	7.5	7.5	7.5	7.1
87018000	0.775	2.534	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
852				2	4.4	27000	RIDE	8.0	7.8	8.1	7.5	7.8	7.3	7.8	7.8	8.1	7.5	7.5	7.8	7.9	
NW 1700 BLK(0.8C)						FC125															
4083012	0.759	2.534	C	2004	0012	CRACKING		10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.6	7.0
COMMUNITY ASPHALT CORP.					(2007)	SPRIDE		7.9	7.8	7.7	7.7	7.8	7.8	7.6	7.6	7.6	7.5	7.5	7.5	7.5	7.7
4478261	0.766	2.430	R	2026	0226																
87018000	0.775	2.534	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
852				2	4.4	27000	RIDE	7.9	7.9	8.0	7.5	7.1	7.0	7.7	7.8	8.1	7.7	7.3	7.7	7.7	
NW 1700 BLK(0.8C)						FC125															
4083012	0.759	2.534	C	2004	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.0	8.9
COMMUNITY ASPHALT CORP.					(2007)	SPRIDE		7.7	7.6	7.6	7.5	7.6	7.6	7.5	7.6	7.6	7.7	7.7	7.7	7.4	7.5
4478261	0.772	2.516	L	2026	0226																
87018000	0.000	0.775	L	1	7 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
852				2	3.7	30000	RIDE	7.9	7.9	8.0	7.5	7.1	7.0	7.5	7.7	7.9	7.6	7.7	7.5		
BROWARD COUNTY LINE(0.0C)						FC125M															
4439061	0.000	0.762	L	2023	0012	CRACKING		9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	9.5
OHLA USA, INC.					(2026)	SPRIDE		7.4	7.6	7.9	7.5	7.6	7.8	7.7	7.7	7.5	7.8	7.7		8.2	7.8
87019000	0.178	2.977	R	1	7 45	CRACKING		9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
817				3	9.9	36000	RIDE	7.4	7.4	7.2	6.5	6.6	6.7	6.6	6.7	7.7	7.8	7.6	7.7	7.6	
SR 9 SB(0.2R)						FC95M															
4439371	0.178	1.562	R	2023	0012	CRACKING		10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.5
GENERAL ASPHALT CO., INC.					(2026)	SPRIDE		7.5	7.5	7.9	7.8	7.8	7.7	7.6	7.8	7.7	7.7	7.7	7.6	8.0	7.6
87019000	2.977	4.007	R	1	1 45	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*
817				3	5.0	43000	RIDE	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4	7.6	7.6	7.4	7.4	7.4	7.4
NW 187 ST(3.0R)						FCA															
4291861	2.977	4.007	C	2014	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	9.0
WEEKLEY ASPHALT PAVING, IN					(2016)	SPRIDE		7.3	7.3	8.3	8.2	8.2	8.0	8.0	8.0	8.0	8.1	8.0	7.7	7.7	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
87019000	4.007	4.866	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0		
817				3	5.0		43000 RIDE	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4	7.1	7.3	7.0	7.0	7.2		
NW 203 ST(4.1R)							FC95M															
4291863	4.007	4.853	C	2022			0012 CRACKING	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0*		10.0	9.6	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC.							SPRIDE	7.1	7.1	7.1	7.2	7.0	6.9	6.8	7.2	7.0		7.0	6.9	7.1	6.7	
87019000	4.007	4.866	L	1	1	45	CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0		
817				3	5.0		43000 RIDE	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0	7.1	7.1	6.7	6.8	7.1		
NW 207 ST(4.4C)							FC95M															
4291863	4.007	4.853	C	2022			0012 CRACKING	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0*		10.0	9.5	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC.							SPRIDE	7.2	7.0	7.1	7.1	6.6	6.8	5.7	6.7	6.7		7.2	6.8	7.1	6.7	
87019000	2.977	4.007	L	1	1	45	CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		
817				3	5.0		43000 RIDE	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0	7.2	7.0	7.2	7.1	6.9		
NW 191 ST(3.2C)							FC95A															
4291861	2.977	4.007	C	2014			0012 CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
WEEKLEY ASPHALT PAVING, INC.							SPRIDE	7.1	6.8	8.5	8.4	8.4	8.1	8.3	8.3	8.3	8.3	7.9	7.9	8.0	7.6	
87019000	0.178	2.977	L	1	7	45	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
817				3	9.9		36000 RIDE	7.7	7.7	7.6	7.0	6.9	6.9	6.9	6.9	7.8	7.8	7.8	7.8	7.5		
BURLINGTON ST(0.2L)							FC95M															
4439371	0.178	1.716	L	2023			0012 CRACKING	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.5	
GENERAL ASPHALT CO., INC.							SPRIDE	7.6	7.4	7.9	7.8	7.9	7.7	7.7	7.9	7.8	7.7	7.7	7.6	7.9	7.5	
87019001	0.000	0.178	R	1	7	35	CRACKING											10.0	10.0	10.0		
817				3	7.4		46000 RIDE											8.0	8.0	7.9		
SR 9 NB/87240(0.0R)							FC95M															
4439141	0.000	0.158	C	2023			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	10.0	9.5	
GENERAL ASPHALT CO., INC.							SPRIDE	8.0	7.9											7.3	6.9	
87019001	0.000	0.178	L	1	7	35	CRACKING												10.0	10.0	10.0	
817				3	7.4		46000 RIDE												8.3	8.2	8.3	
SR 9 NB(0.0C)							FC95M															
4439141	0.000	0.158	C	2023			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	10.0	9.5	
GENERAL ASPHALT CO., INC.							SPRIDE	7.9	7.9											7.4	7.0	
87020000	0.000	2.696	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5				2	6.8		30000 RIDE	8.1	8.1	8.0	7.4	7.4	7.3	7.4	7.4	7.4	7.3	7.2	7.3	7.3		
CARD SOUND RD(0.0R)							DGFC															
4418271	1.368	2.679	R	2021			0012 CRACKING	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.6	6.6	10.0	9.5
OHLA USA, INC.							SPRIDE	7.3	7.3	7.1	6.8	6.7	6.5	6.5	6.7	6.7	6.6	6.6	6.6	7.2	7.2	10.0
87020000	2.696	3.277	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5				3	3.2		33000 RIDE	8.1	8.1	8.0	7.4	7.4	7.3	7.4	7.4	7.4	7.3	7.2	7.3	7.3		
HARRIS FIELD(2.9R)							FC125M															
							CRACKING	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	
							RIDE	7.3	7.3	7.1	6.8	6.7	6.5	6.7	6.7	6.7	8.0	7.8	7.8	7.4	7.9	
87020000	3.277	3.639	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5				2	6.8		35000 RIDE	8.1	8.1	8.0	7.4	7.4	7.3	7.4	7.4	7.4	7.3	7.2	7.3	7.3		
SW 308 ST/NE 11 ST(3.4C)							FC125M															
4418271	3.259	3.620	R	2021			0012 CRACKING	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	8.9	10.0	
OHLA USA, INC.							SPRIDE	7.3	7.3	7.1	6.8	6.7	6.5	6.7	6.7	7.8	7.7	7.5	7.6	6.2	5.8	
87020000	3.639	5.278	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	7.0			
5				2	6.8		35000 RIDE	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	7.1	7.0	7.2				
NE 12 AVE(3.6R)							FC5															
4106251	3.620	5.278	C	2011			0005 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	9.0	
ATLANTIC CIVIL INC							SPRIDE	8.0	7.9	8.0	8.0	8.0	10.0	7.8	7.9	7.9	7.8	7.7	7.5	7.6	7.9	
87020000	5.278	7.001	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5				10.0	
5				2	4.6		40500 RIDE	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	7.1	7.0				7.5	
SW 284 ST(5.4R)							FC5															
4106252	5.278	7.001	C	2010			0005 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	
TRANS FLORIDA DEVELOPMENT							SPRIDE	7.5	7.6	7.7	7.7	7.7	7.4	7.7	7.6	7.4	7.6	7.4	7.6	7.4	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE																		
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031				
INTERSECT AT (MP)	(SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	*****																															
CONTRACTOR	(AGE_ONE YEAR)					ASTYPE																											(PMRS)					
ITMSEG-P																																						
ITMSEG-F																																						
87020000	7.001	8.387	R	1	1	45	CRACKING	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
5	1			2	4.6	40500	RIDE	8.6	8.4	8.3			7.1	7.0	7.0	6.9	6.9	6.8	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.8				
BAUER DR(7.1C)																																						
2500601	6.930	9.717	C	2001		0217	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*					
(2005)																																						
OGFC																																						
4477981	7.001	9.730	C	2024		0012	RIDE	6.8	6.7	6.6	6.6	6.3	6.2	6.6	6.4	6.0	5.7	5.7	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.4*				
87020000	8.387	9.730	R	1	1	45	CRACKING	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5	1			2	6.8	37500	RIDE	8.6	8.4	8.3			7.1	7.1	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2				
SW 135 AVE(8.4R)																																						
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.0*				
(2006)																																						
OGFC																																						
4477981	7.001	9.730	C	2024		0012	RIDE	7.2	7.0	7.0	7.0	6.6	6.7	6.8	6.8	6.8	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.5				
87020000	9.730	10.400	R	1	1	45	CRACKING	8.0	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5	1			2	6.8	37500	RIDE	8.1	8.1				7.7	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9				
BURR RD(9.7R)																																						
2502051	9.717	12.021	C	2003		0217	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	4.0*			
(2006)																																						
OGFC																																						
4478021	9.730	11.911	C	2024		0012	RIDE	7.8	7.6	7.6	7.3	7.5	7.2	7.4	7.4	7.4	7.4	7.4	7.3	7.0	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.5				
87020000	10.400	11.380	R	1	1	45	CRACKING	8.0	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5	1			2	6.8	37500	RIDE	8.1	8.1				7.7	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9			
SW 224 ST(10.5R)																																						
4478021	9.730	11.911	C	2024		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	9.5			
BACALLAO CONSTRUCTION & EN(2025)																																						
SPRIDE																																						
87020000	11.380	14.123	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5			
5	1			3	10.0	51500	RIDE	8.7	8.5	8.4	8.1	7.9	7.9	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.7			
AUBURN AVE(11.4R)																																						
4291881	12.014	14.123	C	2014		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5		
(2016)																																						
GENERAL ASPHALT CO., INC.																																						
SPRIDE																																						
87020000	14.123	15.240	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
5	1			3	6.9	26500	RIDE	8.7	8.7	8.5	8.2	8.1	8.1	8.2	8.3	8.2	8.1	8.0	7.5	7.0																		
END SECTION 87020001(14.1L)																																						
4284872	14.139	15.151	C	2018		0012	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.5			
(2020)																																						
GENERAL ASPHALT CO., INC.																																						
RIDE																																						
87020000	15.240	17.386	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
5	1			3	6.8	64500	RIDE	8.6	8.6	8.4	7.9	7.8	7.7	7.8	7.9	7.8	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
COLONIAL DR(15.5C)																																						
4253481	15.265	17.408	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		
(2014)																																						
WEEKLEY ASPHALT PAVING, IN																																						
SPRIDE																																						
87020000	17.386	19.709	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
5	1			3	3.9	65500	RIDE	8.6	8.6	8.4	7.9	7.8	7.7	7.8	7.9	7.8	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.3	
HOWARD DR(17.4C)																																						
4255131	17.386	19.550	C	2012		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		
(2015)																																						
GENERAL ASPHALT CO., INC.																																						
SPRIDE																																						
87020000	19.709	20.042	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1			3	7.2	79000	RIDE	7.9	7.9	7.7	7.1	7.5	7.5	7.5	7.7	7.7	7.4	7.5	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3		
FLAGLER BLVD(19.8R)																																						
2500721	19.605	20.042	C	1999		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.0*		
(2001)																																						
RANGER CONSTRUCTION INDUST																																						

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																	
87020000	15.240	17.386	L	1	1	45	CRACKING	8.5	8.5	7.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*		
5 1					3	6.8	64500 RIDE	8.6	8.3	8.3	7.8	7.7	7.6	7.6	7.7	7.6	7.5	7.3	7.0	6.9		
BEG SECTION 87020001(15.3L) FC95																						
4253481	15.265	17.408	L	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.4	7.5	
WEEKLEY ASPHALT PAVING, IN(2014) SPRIDE 8.0 7.9 7.9 7.9 7.8 7.4 7.7 7.6 7.6 7.5 7.6 7.5 7.6 7.4 7.4 7.0 7.0 7.0 7.0 7.0 7.0																						
87020000	12.000	14.123	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5		
5 1					3	10.0	51500 RIDE	8.5	8.5	8.2	7.7	7.7	7.5	7.6	7.7	7.6	7.4	7.4	7.3	7.4		
SW 208 DR(12.0L) FC95A																						
4291881	12.014	14.123	C	2014		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.0	8.0	
GENERAL ASPHALT CO., INC. (2016) SPRIDE 7.1 7.0 8.3 8.2 8.1 7.7 8.0 8.0 7.8 8.0 7.8 8.0 7.8 7.4 7.6 7.2 7.2 7.2 7.4 7.6 7.2																						
87020000	11.380	12.000	L	1	1	45	CRACKING	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1					2	6.8	37500 RIDE	7.0	7.0				7.5	7.6	7.7	7.8	7.6	7.7	7.6	7.5		
SW 117 AVE(11.7L) OGFC																						
4478021	9.730	11.911	C	2024		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	8.9	6.5	5.5*	
BACALLAO CONSTRUCTION & EN(2025) SPRIDE 7.6 7.3 7.2 7.2 7.2 7.1 7.1 7.1 7.0 7.0 6.9 7.4 6.2 6.1																						
87020000	10.400	11.380	L	1	1	45	CRACKING	4.0*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1					3	6.8	37500 RIDE	7.0	6.7				7.5	7.6	7.7	7.8	7.6	7.7	7.6	7.5		
MIAMI AVE(10.5L) DGFC																						
4478021	9.730	11.911	C	2024		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	9.5	
BACALLAO CONSTRUCTION & EN(2025) SPRIDE 7.6 7.3 7.2 7.2 7.2 7.1 7.1 7.1 7.0 7.0 6.9 7.3 7.2 6.8																						
87020000	9.730	10.400	L	1	1	45	CRACKING	4.0*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1					2	6.8	37500 RIDE	7.0	6.7				7.5	7.6	7.7	7.8	7.6	7.7	7.6	7.5		
SW 232 ST(9.7L) OGFC																						
2502051	9.717	12.021	C	2003		0217	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.0*	
(2006) RIDE 7.6 7.3 7.2 7.2 7.2 7.1 7.1 7.1 7.0 7.0 6.9 7.1 7.1 7.1																						
4478021	9.730	11.911	C	2024		0012															7.0	
87020000	8.387	9.730	L	1	1	45	CRACKING	2.3*	3.0*	3.2*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1					2	6.8	37500 RIDE	6.6	6.5	6.2*			7.5	7.6	7.8	7.7	7.6	7.6	7.5	7.5		
COCONUT PALM DR(8.4C) FC5																						
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	8.1	7.6	5.5*	
(2006) RIDE 7.5 7.5 7.4 7.3 7.3 7.0 7.0 7.0 7.0 7.0 6.9 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.1																						
4477981	7.001	9.730	C	2024		0012															7.1	
87020000	7.001	8.387	L	1	1	45	CRACKING	4.5*	4.8*	5.4*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1					2	4.6	40500 RIDE	6.4*	6.3*	6.0*			7.4	7.5	7.5	7.6	7.6	7.4	7.4	7.3	7.4	
BAUER DR(7.1C) FC5																						
2500601	6.930	9.717	C	2001		0217	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.0*
(2005) RIDE 7.3 7.3 7.0 7.0 7.0 6.9 6.6 6.8 6.8 6.7 6.7 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.3																						
4477981	7.001	9.730	C	2024		0012															6.3	
87020000	5.278	7.001	L	1	1	45	CRACKING	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*			10.0		
5 1					2	4.6	40500 RIDE	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	6.9	6.8			7.5		
SW 284 ST(5.4L) FC5																						
4106252	5.278	7.001	C	2010		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	8.3	7.7	6.0*	
(2013) SPRIDE 7.6 7.6 7.8 7.8 7.8 7.3 7.7 7.5 7.6 7.5 7.4 7.2 7.0 7.0 6.9																						
87020000	3.639	5.278	L	1	1	45	CRACKING	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*	3.5*				
5 1					2	6.8	35000 RIDE	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	6.9	6.8	6.6				
KINGS HWY(3.7C) FC5																						
4106251	3.620	5.278	C	2011		0005	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	8.7	8.1	6.5		
(2014) SPRIDE 8.0 7.9 8.0 7.9 7.8 7.5 7.8 7.5 7.8 7.7 7.6 7.6 7.3 7.4 7.7 7.6 7.6 7.3 7.4 7.7 7.6																						
87020000	3.277	3.639	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
5 1					2	6.8	35000 RIDE	8.0	7.9	7.9	7.5	7.4	7.3	7.4	7.5	7.5	7.4	7.4	7.4	7.5		
SW 308 ST/NE 11 ST(3.4C) FC125M																						
4418271	3.259	3.614	L	2021		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	7.0		9.0	7.5	7.5	8.7	10.0	9.0	
(2022) SPRIDE 7.4 7.4 7.2 7.1 7.1 6.9 7.2 7.6 7.6 7.3 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 5.2*																						
87020000	2.696	3.277	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
5 1					3	3.2	33000 RIDE	8.0	7.9	7.9	7.5	7.4	7.3	7.4	7.5	7.5	7.4	7.4	7.4	7.5		
SHOPPING CENTER(2.9L) FC125M																						
							CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0	
(2022) RIDE 7.4 7.4 7.2 7.1 7.1 6.9 7.2 7.4 7.4 7.2 7.7 7.6 7.4 7.5 7.5 7.4 7.4 7.5 7.5 7.5 7.1																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F																						
87020000	1.800	2.696	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1			3	6.8	30000	RIDE	7.9	8.0	7.8	7.3	7.4	7.4	7.4	7.5	7.5	7.4	7.4	7.4	7.4	7.4	
FLORIDA CITY CITY LIMITS(1.9C) FC125M																						
4418271	1.871	2.443	L	2021	0012	CRACKING	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.0	
OHLA USA, INC. (2023) SPRIDE 7.4 7.3 7.5 7.4 7.4 7.2 7.3 7.2 7.3 7.7 7.6 7.3 7.4 7.0																						
87020000	0.000	1.800	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1			2	6.8	30000	RIDE	8.4	8.4	8.3	7.8	7.8	7.8	7.8	7.9	7.8	7.7	7.6	7.5	7.4	7.4	
CARD SOUND RD(0.0C) DGFC																						
4418121	0.000	0.862	C	2021	0012	CRACKING	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	
OHLA USA, INC. (2023) SPRIDE 7.3 7.3 7.4 7.1 7.2 7.1 7.1 7.1 6.8 6.8 6.9 7.0 7.0 6.8 6.4																						
87020001	0.000	0.543	C	1	2	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	9.0	
5	1			3	6.8	26500	RIDE	8.4	8.3	8.0	7.8	7.8	7.8	7.5	7.9	7.8	7.8	7.7	7.7	7.7	6.4	
AUTOPARTS(0.0R) FC125M																						
4284871	0.000	0.560	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.7	7.5	
RANGER CONSTRUCTION INDUST(2014) RIDE 8.3 8.1 8.1 8.0 8.0 8.0 8.0 8.0 7.8 8.0 7.6 7.8 7.7 7.0 6.6																						
87020001	0.543	1.104	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	9.0	
5	1			3	6.8	26500	RIDE	8.4	8.3	8.0	7.8	7.8	7.8	7.5	7.9	7.8	7.8	7.7	7.7	7.7	6.4	
DATURA ST *(0.6L) DGFC																						
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.2	7.0	6.0*	
							RIDE	7.6	5.4*											6.4	6.0	
87021000	0.000	0.645	R	3	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
878				2	2.3	38000	RIDE	8.2	8.2	8.4	8.1	8.0	8.0	8.0	8.0	8.1	7.5	8.0	7.9			
MISSING DESCRIPTION I(0.0C) OGFC																						
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	
							RIDE		7.6	8.0	7.7	7.7	7.7	7.6	7.3	7.6	7.4	7.5	7.3	7.3	7.2	
87021000	0.645	2.169	R	3	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
878				2	1.8	36639	RIDE	8.2	8.2	8.4	8.1	8.0	8.0	8.0	7.6	7.6	7.6	7.6	7.6	7.6	7.5	
OGFC																						
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0	7.7	7.5	5.5*	
							RIDE	7.3	7.4	7.6	7.4	7.6	7.6	7.7	7.6	7.6	7.3	7.6	7.6	7.6	7.5	
87021000	2.476	2.621	R	3	1	45	CRACKING					9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
878				3	2.3	24000	RIDE					8.2	8.0	8.0	8.0	8.1	7.5	8.0	7.9			
SO DIXIE HWY(2.6C) OGFC																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	4.5*	
							RIDE													5.8	5.7	
87021000	2.476	2.621	L	3	1	45	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
878				2	2.3	24000	RIDE					8.2	8.0	8.0	8.0	8.1	7.5	8.0	7.9			
SO DIXIE HWY(2.6C) OGFC																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6	7.5	5.0*	
							RIDE													7.9	7.8	
87021000	0.645	2.169	L	3	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
878				2	1.8	36639	RIDE	8.2	8.3	8.3	7.7	7.8	7.7	7.7	7.6	7.7	7.4	7.4	7.6	7.6	7.6	
OGFC																						
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.6	7.4	5.5*	
							RIDE	7.5	7.3	7.5	7.4	7.6	7.6	7.6	7.5	7.7	7.6	7.6	7.6	7.6	7.5	
87021000	0.000	0.645	L	3	1	55	CRACKING	9.0	9.0	9.0	9.0	9.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
878				2	2.3	38000	RIDE	8.2	8.3	8.3	7.7	7.8	7.7	7.7	7.1	7.3	7.0	7.3	7.4			
MISSING DESCRIPTION I(0.0C) OGFC																						
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	9.0	7.5
							RIDE		7.3	7.9	8.0	8.1	8.0	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.0	
87021011	0.000	0.419	C	1	1	50	CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
878				3	2.3	32000	RIDE				7.4	7.4	7.5	7.3	7.7	7.5	7.4	7.2	7.3			
87021003 SB ON(0.0R) OGFC																						
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5
							RIDE		7.7	8.0	7.9	7.9	7.9	8.0	7.6	7.9	7.9	8.1	8.0	8.0	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)		FY-F	WKM-X-F																(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87026000	0.000	2.829	R	1	1	45	CRACKING	7.5	7.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
860				3	3.7	34000	RIDE	6.5	6.1*		7.0	6.8	6.5	6.3	5.5	5.4*	5.3*	5.2*	5.0*	5.1*	
RED RD(0.0C)																					
4275182	1.185	2.829	C	2021		0012	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.6	10.0	9.0
GENERAL ASPHALT CO., INC. (2023)																					
87026000	2.829	5.529	R	1	1	40	CRACKING	5.5*	5.0*	5.0*	5.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860				3	5.6	36500	RIDE	6.7	6.6	6.4	5.3*	4.8*		7.3	7.4	7.3	7.3	7.0	6.8	7.1	
SR 817(3.0C)																					
2498871	1.110	4.424	C	2001		0218	CRACKING	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP. (2007)																					
4478001	2.828	5.505	C	2025		0012	S RIDE	6.9	7.0	6.6	6.5	6.5	6.3	6.3	6.3	6.3	6.2	6.3	6.0	6.0	5.6
FC95																					
87026000	5.529	6.470	R	1	1	40	CRACKING	8.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860				3	3.7	40500	RIDE	7.2	5.7	5.7	6.9	6.9	6.4	7.0	7.1	6.4	6.6	6.7	6.3	6.5	
END FRONTAGE RD(5.6R)																					
4124721	5.561	6.601	C	2005		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.3	8.0	6.5
WEEKLEY ASPHALT PAVING, IN(2007)																					
4478011	5.505	6.474	C	2025		0012	SPRIDE	6.0	6.3	6.4	6.3	6.0	6.1	6.2	6.0	5.8	6.2	5.9	6.0	6.3	5.9
FC95																					
87026000	6.470	8.848	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	
860				2	3.7	48000	RIDE	8.2	8.2	8.2	7.8	7.6	7.6	7.6	7.6	7.6	7.7	7.5	7.7	7.4	
NORTH MIAMI BEACH CITY L(6.6R)																					
4308051	6.584	7.818	C	2014		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.7	8.6	7.5
H&R PAVING INC (2016)																					
87026000	8.848	9.311	R	1	6	40	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	
860				3	2.2	38500	RIDE	7.9	7.4	7.5	6.8	6.9	6.5	6.5	6.6	6.6	6.8	6.5	6.7	6.5	
NE 23 CT(8.9R)																					
4308051	8.865	9.225	R	2014		0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	7.5
H&R PAVING INC (2017)																					
87026000	8.848	9.311	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	
860				2	2.2	38500	RIDE	7.6	7.9	7.6	7.2	7.3	7.2	6.9	7.1	7.0	7.0	6.8	6.9	6.6	
NE 23 CT(8.9L)																					
4308052	8.792	9.225	L	2014		0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	8.5	7.5	
H&R PAVING INC (2017)																					
87026000	6.470	8.848	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	
860				2	3.7	48000	RIDE	7.6	7.9	7.6	7.2	7.3	7.2	6.9	7.1	7.0	7.0	6.8	6.9	6.6	
NE 5 AV(6.5L)																					
4308051	6.584	7.818	C	2014		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.5	7.5
H&R PAVING INC (2016)																					
87026000	5.529	6.470	L	1	2	40	CRACKING	10.0	10.0	10.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860				3	3.7	40500	RIDE	8.1	7.9	7.9	7.0	6.9	6.6	7.7	7.9	8.0	8.0	7.9	7.7	7.6	
MIAMI GARDENS DR(5.6L)																					
4124721	5.561	6.601	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.6	8.4	7.0
WEEKLEY ASPHALT PAVING, IN(2007)																					
4478011	5.505	6.474	C	2025		0012	SPRIDE	7.5	7.4	7.5	7.4	7.5	6.9	7.3	7.2	7.0	7.0	6.4	7.0	6.6	
FC95																					
87026000	2.829	5.529	L	1	1	40	CRACKING	6.0*	6.0*	6.0*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860				3	5.6	36500	RIDE	7.1	7.1	6.8	4.8*	4.3*		7.6	7.7	7.7	7.7	7.4	7.1	7.2	
NW 28 PL(2.8L)																					
2498871	1.110	4.424	C	2001		0218	CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP. (2007)																					
4478001	2.828	5.505	C	2025		0012	S RIDE	7.2	7.0	7.1	7.0	6.9	6.9	6.8	6.5	6.5	6.5	6.6	6.3	6.4	6.0
FC95																					
87026000	0.000	2.829	L	1	1	45	CRACKING	9.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860				3	3.7	34000	RIDE	5.6*	5.0*		6.9	6.9	6.6	6.5	6.7	6.7	6.8	6.7	6.6	6.5	
RED RD(0.0C)																					
4275182	1.185	2.829	C	2021		0012	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	9.6	10.0	9.0
GENERAL ASPHALT CO., INC. (2023)																					
87026005	0.000	0.312	R	1	1	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
860				2	3.0	47500	RIDE	8.7	8.2	7.8	6.6	6.8	6.7	7.1	7.3	6.6	6.6	6.7	6.7	6.4	
ON RAMP 87075617(0.0R)																					
4274511	0.000	0.187	R	2013		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP. (2014)																					
DGFC																					
SPRIDE																					
7.7 7.6																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																
87026005	0.312	0.767	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
860			2	3.0		47500	RIDE	6.9	6.7	6.4	6.3	6.0	7.8	7.4	7.4	7.5	7.4	7.5	7.5	7.4	
NW 87 AVE(0.6C)							DGFC														
4165901	0.307	0.799	C	2005		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.7	8.4	7.0
ATLANTIC CIVIL INC				(2006)			SPRIDE	7.4	7.2	7.3	7.0	7.1	7.1	7.2	6.8	6.8	7.1	6.9	7.0	7.0	6.6
4388642	0.439	1.316	C	2029		0218															
87026005	0.767	3.664	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	
860			2	3.7		36500	RIDE	6.7	6.3	6.0	6.0	6.0	5.8	5.2*	5.7	5.8	5.8	5.7	7.4	7.5	
NW 84 CT(0.8R)							FC95														
4077361	0.767	2.543	C	2010		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	9.0	9.0	8.0
WEEKLEY ASPHALT PAVING, IN				(2012)			SPRIDE	7.4	7.3	7.0	7.1	7.0	6.9	7.0	6.9	6.8	6.8	6.8	6.4	6.8	6.4
87026005	0.767	3.664	L	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
860			2	3.7		36500	RIDE	6.6	6.5	6.4	6.0	6.1	6.0	5.7	5.9	6.0	6.0	6.0	7.6	7.5	
IBIS VILLA S ENT(0.8L)							FC95														
4077361	0.767	2.543	C	2010		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	8.7	8.6	7.5
WEEKLEY ASPHALT PAVING, IN				(2012)			SPRIDE	7.5	7.3	7.1	7.1	7.0	6.9	6.9	6.9	6.9	6.9	6.9	6.4	6.8	6.4
87026005	0.312	0.767	L	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860			3	3.0		47500	RIDE	6.6	6.5	6.4	6.0	6.1	8.3	7.9	7.0	8.1	8.2	8.1	7.9	7.8	
NW 87 AVE(0.6C)							DGFC														
4165901	0.307	0.799	C	2005		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.6	7.0
ATLANTIC CIVIL INC				(2006)			SPRIDE	7.9	7.7	7.9	7.8	7.7	7.8	7.7	7.6	7.7	7.8	7.4	7.7	7.8	7.4
4388642	0.439	1.316	C	2029		0218															
87026005	0.000	0.312	L	1	1	40	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
860			2	3.0		47500	RIDE	8.2	8.1	8.2	7.2	7.2	7.0	7.0	7.4	6.9	7.3	6.9	6.9	6.8	
OFF RAMP 87075626(0.0L)							DGFC														
4274511	0.000	0.187	L	2013		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	8.1	7.5												7.6
87027000	0.000	0.479	R	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	
969			3	9.0		25000	RIDE	7.2	7.4	5.4*	5.2*	5.2*	5.5	5.5	5.6	5.8	7.7	7.2	7.5	7.7	
FLAGLER ST(0.0C)							FC125M														
4293453	0.019	0.436	C	2021		0012	CRACKING	10.0	10.0	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	9.2	10.0	9.0
THE STOUT GROUP LLC				(2023)			RIDE	7.7	7.7	7.4	6.9	7.1	7.2	6.8	6.9	7.6	6.9	7.2	7.5	7.4	7.0
87027000	0.857	1.183	R	1	1	40	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*		10.0	10.0	
996			3	10.1		39500	RIDE	4.7*	4.6*	4.4*	5.6	5.5	5.9	5.2*	5.3*	5.0*	4.9*		7.4	7.1	
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.3	7.5
							RIDE	7.0	6.9	7.1	6.8	7.4	7.3	7.5	7.0	7.1	7.0	6.7	6.9	6.8	6.4
87027000	1.183	2.491	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
969			3	11.2		28000	RIDE	6.5	7.6	7.3	7.0	6.8	6.2	6.7	6.7	6.6	7.6	7.5	7.1	7.4	
MILITARY RD R(1.9R)							FC5														
4146221	1.225	2.361	C	2008		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.1	7.0	5.0*
GENERAL ASPHALT CO., INC.				(2010)			SPRIDE	7.2	7.4	7.2	7.3	6.9	7.4	7.2	7.0	7.3	6.9	6.9	7.1	7.0	6.9
4525681	1.212	2.491	C	2028		0012															
87027000	2.491	5.406	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	7.0	7.0	7.0	7.0	7.0	
969			3	9.1		36500	RIDE	7.1	6.9	6.7	6.7	6.5	6.0	5.8	6.2	6.3	6.3	6.2	5.7	5.7	
NW 30 ST(2.7R)							FC95M														
4293451	2.491	4.303	C	2016		0012	CRACKING	7.0	7.0	6.5	6.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	9.0	8.0
GENERAL ASPHALT CO., INC.				(2018)			SPRIDE	5.9	5.9	6.8	6.8	7.8	7.7	7.7	7.6	7.5	7.5	7.3	7.4	7.3	6.9
87027000	2.491	5.406	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
969			3	9.1		36500	RIDE	7.8	7.5	7.2	6.7	6.1*	6.7	6.7	6.8	6.6	6.6	6.3	6.2	6.6	
NW 31 ST(2.8L)							FC95M														
4293451	2.491	4.303	C	2016		0012	CRACKING	7.0	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.2	8.0
GENERAL ASPHALT CO., INC.				(2018)			SPRIDE	6.4	6.3	6.9	6.9	7.6	7.4	7.4	7.3	7.4	7.2	7.1	7.1	7.1	6.7
87027000	1.183	2.491	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
969			3	11.2		28000	RIDE	7.6	7.3	6.8	6.5	6.4*	5.8	6.0	6.5	6.5	6.4	7.7	7.3	7.5	7.4
TRN LN TO NW 12 ST(1.2L)							FC5														
4146221	1.225	2.361	C	2008		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	8.3	7.9	6.0*
GENERAL ASPHALT CO., INC.				(2010)			SPRIDE	7.3	7.4	7.5	7.1	7.3	7.4	7.4	7.2	7.4	7.1	7.4	7.4	7.3	7.2
4525681	1.212	2.491	C	2028		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****																	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)		
ITMSEG-P	ITMSEG-F																							
87027000	0.857	1.183	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*		10.0	10.0				
996			3	10.1	39500		RIDE	5.2*	4.9*	5.0*	4.8*	4.9*	4.3*	4.3*	4.4*	4.1*	4.6*		7.7	7.1				
LEG 87027001(1.2L)							DGFC																	
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.4	8.1	7.0		
							RIDE	6.1	7.2	7.5	7.8	7.4	7.3	7.5							7.3	6.9		
87027000	0.000	0.479	L	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	10.0	10.0	10.0	10.0				
969			3	9.0	25000		RIDE	7.6	7.2	7.5	5.7	6.0	5.7	6.5	6.2	6.6	7.1	7.6	7.0	7.0	7.6			
FLAGLER ST(0.0C)							FC125M																	
4293453	0.019	0.436	C	2021	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0		
THE STOUT GROUP LLC							SPRIDE	7.6	7.6	7.8	7.0	7.3	7.5	7.3	7.2	7.6	7.9	7.7	7.8	7.8	7.8	7.4		
87027003	0.000	0.502	R	1	1	40	CRACKING																	
969			3	10.1	39500		RIDE						10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.5	9.1	8.0		
HOTEL ENTRANCE(0.0R)							DGFC																	
				(2018)			CRACKING						10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.5	9.1	8.0		
							RIDE						6.9							6.2	5.9	6.4	6.0	
87027003	0.000	0.502	L	1	1	40	CRACKING																	
969			3	10.1	39500		RIDE																	
NW 7 ST/RALPH RENICK(0.0L)							DGFC																	
				(2018)			CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.5	8.5		
							RIDE						6.3							6.1	5.6	5.7	5.3*	
87030000	0.000	0.840	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
5			3	6.8	37500		RIDE	8.7	8.6	8.1	7.7	7.8	7.8	8.0	8.0	8.0	7.9	7.9	7.9	7.7	7.7	8.0		
JOHNSON DR(0.0C)							FC5																	
2499781	0.000	0.840	C	1999	0012		CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*		
RANGER CONSTRUCTION INDUST(2001)							SPRIDE	7.7	6.4	7.6	7.8	7.8	7.6	7.6	7.6	7.5	7.6	7.2	7.5	7.4	7.3			
4439081	0.000	0.791	C	2025	0012																			
87030000	0.840	1.650	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
5			3	3.6	48000		RIDE	8.0	8.0	7.8	7.2	7.2	7.0	7.2	7.2	7.2	7.1	7.1	6.9	6.8				
SW 68 CT(1.1R)							DGFC																	
4274191	0.840	1.442	C	2012	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.6	9.5	8.5			
GENERAL ASPHALT CO., INC. (2015)							SPRIDE	6.2	8.3	8.0	8.0	7.8	8.0	7.9	7.9	8.0	8.0	7.8	7.5	7.8	7.4			
87030000	1.650	4.347	R	1	1	40	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0				
5			3	5.7	69000		RIDE	6.5	6.5	8.1	7.6	7.6	7.6	7.6	7.8	7.7	7.3	7.5	7.5	7.4				
SW 63 AVE(1.9R)							FC125M																	
4439161	1.651	4.387	R	2022	0012		CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	9.5			
GENERAL ASPHALT CO., INC. (2025)							SPRIDE	7.5	7.3	7.6	7.7	7.6	7.7	7.6	7.7	7.6	7.7	7.6	7.7	7.7	7.9	8.0	7.6	
87030000	4.347	6.639	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0				
5			3	3.6	73500		RIDE	8.3	8.2	8.1	7.6	7.5	7.5	7.2	7.6	7.6	7.3	7.5	7.4	7.3				
RIVIERA DR(4.4R)							FC95M																	
				(2022)			CRACKING	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
							RIDE	7.3	7.1	7.3	7.2	6.9	7.1	7.1	7.1	7.0	7.1	6.9	7.0	7.0	7.0	6.6		
87030000	6.639	8.293	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0				
5			3	3.6	86000		RIDE	8.8	8.7	8.4	8.0	8.1	8.0	8.0	8.1	8.0	7.9	8.0	7.9	7.5				
SECOFFEE TER(6.7R)							FC95M																	
4334554	7.131	8.293	C	2019	0012		CRACKING	8.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
H&R PAVING INC (2021)							SPRIDE	7.2	7.4	7.5	7.6	7.3	7.4	7.5	6.9	6.8	6.9	6.9	6.8	6.9	6.8	6.9	6.5	
87030000	10.221	10.389	R	1	1	30	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			
90			3	3.6	37000		RIDE	7.6	6.5	6.5	5.7	5.5	6.2	6.1	6.2	5.6	5.1*	5.3*	4.9*	5.2*				
ICON BRICKELL(10.4R)							DGFC																	
				(2015)			CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	8.5	7.5		
							RIDE	4.5*													3.8*	3.4*		
87030000	10.389	10.556	R	1	2	30	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			
90			3	3.6	37000		RIDE	7.6	6.5	6.5	5.7	5.5	6.2	6.1	6.2	5.6	5.1*	5.3*	4.9*	5.2*				
							DGFC																	
				(2026)			CRACKING	6.5	6.5	6.5	3.5*	9.0									9.5	9.0		
							RIDE	4.5*													4.0*	3.6*		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****																
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM	P	*****																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****																
87030000	10.556	10.834	C	1	7	30	CRACKING	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0			
5 1				3	5.2	19500	RIDE	6.6	5.9	6.2	5.1*	3.5*	2.6*	3.4*	4.5*	4.2*		5.4*	5.6	4.8*			
BISCAYNE BLVD WAY(10.6L)							DGFC																
					(2026)		CRACKING	10.0	9.5	9.5	9.5	9.5								10.0	9.5		
							RIDE	4.4*	3.9*	3.4*	3.6*									4.3*	3.9*		
87030000	10.834	11.368	R	1	1	30	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0			
5 1				4	4.0	41500	RIDE	7.1	7.3	6.9	6.5	6.3	5.8	6.3	6.9	6.4	6.5	5.9	8.2	7.9	7.7		
SIDE ROAD(11.0C)							FC95																
4146231	10.816	11.283	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.3	8.5	7.5		
COMMUNITY ASPHALT CORP.							SPRIDE	7.8	7.9	6.1	6.5	6.8	6.9	6.6	6.5	6.0	6.4	6.0	6.3	6.3	6.3	6.3	5.9
87030000	11.368	11.789	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0			10.0	10.0	10.0	10.0	10.0			
5 1				3	4.3	35500	RIDE	7.9	5.4*	6.1	5.7	5.2*	5.1*			6.9	6.6	6.0	6.0	5.8			
NE 8 ST(11.5C)							DGFC																
2498352	11.280	11.856	C	2005	0005	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.3	7.0		
COMMUNITY ASPHALT CORP.							SPRIDE	5.6	5.4*	5.9	5.4*	5.3*	5.1*	5.2*	5.4*	5.5						5.2*	4.8*
4439111	11.283	11.713	C	2024	0012																		
87030000	11.789	12.067	R	1	1	30	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0			
5 1				2	4.0	35000	RIDE	6.4*	6.0	6.2	5.3*	5.2*	5.2*		4.3*	3.9*							
NE 13 ST(11.8C)							DGFC																
					(2008)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.0*	6.0*	5.5*	5.3*	4.0*		
							RIDE													3.0*	2.6*		
87030000	12.067	13.605	R	1	1	30	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5				10.0		
5 1				2	4.0	40000	RIDE	6.4*	6.0	6.2	5.3*	5.2*	5.2*	4.2*	5.4*	5.2*	5.0*				7.8		
HILTON MIAMI DOWNTOW(12.1R)							FC95																
4146241	12.067	13.482	C	2009	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	8.5	7.5		
AMERICAN ENGINEERING & DEV(2013)							SPRIDE	7.4	7.3	6.1	6.2	6.0	6.1	5.9	6.1	5.7	5.8	5.3*	5.0*	5.2*	4.8*		
87030000	13.605	15.048	R	1	1	35	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0			
5 1				2	4.0	35000	RIDE	5.5*	5.6	4.9*	4.4*	4.2*	4.3*			7.2	6.9	7.0	6.8	6.6			
BAY POINT ENT(14.0R)							DGFC																
2502241	13.635	15.405	C	2005	0005	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.2	7.0		
CENTRAL FLORIDA EQUIPMENT(2009)							SPRIDE	6.7	6.7	6.9	6.9	6.7	6.6	6.6	6.5	6.3	6.3	6.0	6.3	6.2	6.2	5.8	
4478301	13.568	15.025	C	2026	0012																		
87030000	15.048	16.686	R	1	1	35	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	3.5*		10.0	10.0	10.0	10.0	10.0			
5 1				2	3.1	41500	RIDE	5.5*	5.6	4.9*	4.4*	4.2*	4.3*	4.4*		6.9	6.7	6.8	6.7	6.6			
NE 62 ST(15.1C)							DGFC																
					(2009)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.4	8.2	7.0		
							RIDE	6.7	6.2	5.6	5.2*	4.8*	4.7*	4.7*	4.7*	4.8*	4.8*	4.7*	4.5*	4.7*	4.3*		
4459961	15.025	16.710	C	2025	0015																		
87030000	16.686	18.057	R	1	1	35	CRACKING	3.5*	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0			
5 1				2	4.0	55000	RIDE	7.0	6.8	6.4	5.9	5.7			7.5	7.5	7.3	7.3	7.1	7.1			
NE 88 TER(16.7R)							FC95																
2502221	16.620	18.057	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.8	8.6	7.5		
M. VILA & ASSOCIATES, INC.(2008)							SPRIDE	7.1	6.9	6.7	6.5	6.6	6.4	6.2	6.3	6.2	6.4	6.4	6.3	6.3	6.3	5.9	
4478271	16.676	18.042	C	2026	0012																		
87030000	18.057	19.267	R	1	1	35	CRACKING	7.5	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0			
5 1				2	2.3	37000	RIDE	5.8*	7.4	7.0	6.8	6.5			7.0	7.1	6.8	6.6	6.8	6.8			
NE 107 ST(18.1R)							FC95																
2501331	18.017	19.267	C	2004	0005	CRACKING	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*		
HORIZON CONTRACTORS, INC.(2008)							SPRIDE	6.7	6.8	5.7	5.6	5.5	5.5	5.5	5.3*	5.4*	5.2*	5.1*	5.2*	5.0*	4.6*		
4439121	18.042	19.307	C	2024	0012																		
87030000	19.267	21.350	R	1	1	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5			
5 1				3	4.0	48500	RIDE	7.3	7.3	7.0	6.5	6.7	5.8	6.3	5.9	6.4	5.8	5.4*	6.2	6.0			
MIAMI BLVD N(19.3C)							FC95M																
4291901	19.553	21.225	C	2014	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.2	9.1	8.0			
GENERAL ASPHALT CO., INC.(2017)							SPRIDE	5.8	5.6	6.4	8.0	7.9	7.8	7.4	7.4	7.1	7.1	6.9	7.1	7.1	7.1	6.7	
87030000	21.350	24.278	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5			
5 1				4	2.3	61000	RIDE	8.6	8.6	8.3	7.8	7.7	7.5	7.4	7.6	7.5	7.3	7.2	7.2	7.2			
NE 156 ST(21.4R)							FC95A																
4308081	21.255	24.278	R	2016	0012	CRACKING	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
HALLEY ENGINEERING CONTRAC(2019)							SPRIDE	7.1	6.8	7.2	7.3		8.4	8.3	8.2	8.2	8.0	8.2	8.0	8.2	8.0	8.0	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F																					(PMRS)
87030000	24.278	24.907	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	
5 1				4	2.7		53500 RIDE			8.1	7.3	7.1	7.1	7.2	7.6	7.5	7.4	7.2	7.0	6.9	
AVENTURA BLVD(24.3R)																					
4146243	24.354	24.927	R	2015			0012 CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2018)							SPRIDE	7.1	6.9	6.5	5.9	7.9	7.7	7.7	7.7	7.4	7.7	7.7	7.5	7.3	6.9
87030000	24.907	25.402	R	1	1	45	CRACKING	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5 1				3	2.7		53500 RIDE	8.0	8.5	7.9	7.4	7.3		8.1	7.8	8.0	7.5	7.7	7.6	7.6	
NE 209 ST(25.0C)																					
4146243	24.927	25.464	R	2015			0012 CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
WEEKLEY ASPHALT PAVING, IN(2018)							SPRIDE	7.3	7.3	7.2	7.3	7.8	7.7	7.2	7.6	7.7	7.7	7.6	6.8	6.7	6.3
87030000	24.278	25.402	L	1	2	45	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0		
5 1				3	2.7		53500 RIDE			7.8	7.4	7.5	7.5	7.4	7.4	7.7	7.6	7.2	6.9	6.8	
SPUR(24.6L)																					
4146243	24.278	25.464	L	2015			0012 CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
WEEKLEY ASPHALT PAVING, IN(2018)							SPRIDE	6.6	6.6	7.2	6.5	8.1	8.1	8.1	7.8	8.1	8.3	7.8	7.9	7.2	6.8
87030000	23.965	24.278	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	
5 1				3	4.2		74500 RIDE	7.6	7.8	7.4	6.8	6.6	6.3	6.8	6.6	6.4	6.8	6.7	6.4	6.7	
FC95A																					
4308081	24.077	24.278	L	2016			0012 CRACKING	7.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
HALLEY ENGINEERING CONTRAC(2019)							SPRIDE	6.5	6.5	6.9	6.4		8.0	8.1	8.1	7.9	7.9			7.5	7.1
87030000	21.350	23.965	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	6.5	6.5	
5 1				4	2.3		61000 RIDE	8.5	8.4	8.1	7.6	7.3	7.4	7.5	7.5	7.4	7.0	7.2	7.1	7.0	
SR 826(21.9C)																					
4308081	21.225	24.077	L	2016			0012 CRACKING	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
HALLEY ENGINEERING CONTRAC(2019)							SPRIDE	7.1	6.8	7.2	7.2		8.2	8.1	8.1	8.1	7.8	8.0	7.7	7.8	7.4
87030000	19.370	21.350	L	1	2	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.5	7.5	7.5	
5 1				3	4.0		48500 RIDE	8.4	7.7	7.2	6.8	6.6	6.3	6.1	6.4	6.2	6.2	6.3	6.3	6.0	
FC95A																					
4291901	19.553	21.225	C	2014			0012 CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	8.9	8.0
GENERAL ASPHALT CO., INC. (2017)							SPRIDE	6.0	5.9	6.1	7.0	7.2	7.2	6.8	6.6	7.7	6.6	6.3	5.8	6.3	5.9
87030000	18.057	19.370	L	1	1	35	CRACKING	6.5	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	2.3		37000 RIDE	6.6	7.6	7.5	6.9	6.1			7.0	7.0	6.6	6.9	6.8	6.8	
PLAZA(18.1L)																					
2501331	18.017	19.267	C	2004			0005 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.2	7.0
HORIZON CONTRACTORS, INC. (2008)							SPRIDE	6.9	6.7	5.9	6.1	5.9	5.7	5.3*	5.7	5.5	5.5	5.4*	5.5	5.3*	4.9*
4439121	18.042	19.307	C	2024			0012														
87030000	16.686	18.057	L	1	1	35	CRACKING	4.5*	3.5*	3.5*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	4.0		55000 RIDE	7.1	6.8	6.2	5.9	5.6			7.6	7.6	7.5	7.0	7.3	7.3	
FC95A																					
2502221	16.620	18.057	C	2004			0005 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	8.7	7.5
M. VILA & ASSOCIATES, INC. (2008)							SPRIDE	7.0	7.1	6.8	6.6	6.6	6.5	6.4	6.4	6.4	6.4	6.3	6.3	6.1	5.7
4478271	16.676	18.042	C	2026			0012														
87030000	15.048	16.686	L	1	1	35	CRACKING	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	
5 1				2	3.1		41500 RIDE	6.5	6.2	5.6	5.1*	5.3*	5.0*	5.2*		7.5	7.3	7.2	7.1	7.1	
DGFC																					
NE 62 ST(15.1C)							CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	8.8	7.5
							RIDE	7.1	6.9	6.2	6.0	5.7	5.9	4.7*	4.9*	5.1*	5.0*	5.1*	4.8*	4.9*	4.5*
4459961	15.025	16.710	C	2025			0015														
87030000	13.605	15.048	L	1	1	35	CRACKING	3.5*	3.5*	7.0	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	
5 1				2	4.0		35000 RIDE	8.3	7.9	5.6	6.8	6.5	6.3			7.2	7.1	7.0	7.0	6.7	
DGFC																					
NE 39 ST(13.7L)							0005 CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.0	6.5
2502241	13.635	15.405	C	2005			SPRIDE	6.8	6.6	7.0	6.8	6.6	6.4	6.5	6.2	6.5	6.4	6.2	6.3	6.3	5.9
CENTRAL FLORIDA EQUIPMENT (2009)																					
4478301	13.568	15.025	C	2026			0012														
87030000	12.067	13.605	L	1	1	30	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.5	6.5	6.5	6.5			10.0	
5 1				2	4.0		40000 RIDE	6.4*	6.2	6.0	5.2*	5.0*	4.6*	4.3*	4.7*	4.8*	4.3*			7.2	
FC95A																					
NE 16 ST(12.1L)							0005 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	8.5	7.5
4146241	12.067	13.482	C	2009			SPRIDE	6.7	6.3	6.3	5.9	5.6	5.8	5.9	5.5	5.4*	5.2*	5.4*	5.2*	5.0*	4.6*
AMERICAN ENGINEERING & DEV(2013)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW		FY-P WKMX-P		=====													
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW		FY-F WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
								(PMRS)													
87030000	11.789	12.067	L	1	1	30	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	8.5	8.5	
5	1				2	4.0	35000	RIDE	6.4*	6.2	6.0	5.2*	5.0*	4.6*		4.1*	3.7*				
NE 12 ST(11.8L)						DGFC															
				(2008)		CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.0	9.0	9.0	9.0	7.8	8.0	6.5
						RIDE															
87030000	11.368	11.789	L	1	1	30	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0
5	1				3	4.3	35500	RIDE	7.6	7.3	6.6	5.3*	5.7	5.3*	4.7*		6.2	5.6	5.9	6.3	6.0
NE 7 ST(11.4L)						DGFC															
2498352	11.280	11.856	C	2005	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.9	9.0	7.5
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE		5.8	5.6	4.5*	4.6*	4.0*	4.3*	3.9*	4.0*	3.9*	3.8*	3.8*	3.7*	3.8*	3.4*
4439111	11.283	11.713	C	2024	0012																
87030000	10.834	11.368	L	1	1	30	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5		6.5	6.5	10.0	10.0	10.0	10.0
5	1				4	4.0	41500	RIDE	7.3	6.6	6.5	5.5	5.7	5.7	5.0*		5.5	4.8*	7.2	7.1	7.0
SE 1 ST(10.9L)						FC95															
4146231	10.816	11.283	C	2008	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.3	8.1	7.0
COMMUNITY ASPHALT CORP.				(2011)		SPRIDE		5.6	6.7	6.0	5.7	5.9	6.1	5.9	5.5	5.1*	5.2*	5.1*	5.0*	5.2*	4.8*
87030000	10.221	10.556	L	1	1	30	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.5	6.5	6.5
5	1				3	3.6	37000	RIDE	7.4	7.0	6.3	5.4*	4.9*	5.5	6.3	4.6*	5.3*	5.7	5.6	5.8	4.8*
SR 90 *(10.3L)						DGFC															
4124738	10.396	10.556	C	2016	0012	CRACKING	6.5	6.5	6.5	5.5*	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.1	8.7	7.5
HALLEY ENGINEERING CONTRAC				(2018)		SPRIDE		4.5*	4.5*												3.7*
87030000	6.646	8.293	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0
5	1				3	3.6	86000	RIDE	8.6	8.6	8.3	7.8	8.1	7.9	8.0	8.1	8.1	7.9	7.9	7.8	7.8
SW 24 AVE(6.8L)						FC95M															
4334554	7.131	8.293	C	2019	0012	CRACKING	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0
H&R PAVING INC				(2021)		SPRIDE		7.8	7.7	7.7	7.8	7.3	7.7	7.6	7.2	7.0	7.0	7.0	6.8	7.0	6.8
87030000	4.376	6.646	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0
5	1				3	3.6	73500	RIDE	8.2	8.2	8.1	7.6	7.5	7.5	7.4	7.7	7.5	7.4	7.4	7.4	7.3
RIVIERA DR(4.4L)						FC95M															
							CRACKING	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	9.2	10.0	9.0
							RIDE	7.2	7.2	7.1	7.1	7.2	7.1	7.1	7.1	7.3	7.2	7.1	7.2	7.3	6.9
87030000	1.650	4.376	L	1	1	45	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1				3	5.7	69000	RIDE	7.4	7.5	8.0	7.4	7.4	7.3	7.4	7.5	7.3	7.5	7.5	7.3	7.4
SW 62 AV/PAUL TEVIS(2.1C)						FC125M															
4439161	1.651	4.387	L	2022	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	10.0	10.0	9.5
GENERAL ASPHALT CO., INC.				(2025)		SPRIDE		7.4	7.2	7.5	7.5	7.4	7.4	7.3	7.3	7.4	7.1	7.0	8.0	7.8	7.4
87030000	0.840	1.650	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5	1				3	3.6	48000	RIDE	8.1	7.9	7.9	7.3	7.2	7.2	7.3	7.4	7.3	7.2	7.1	6.9	6.9
KENDALL DR(0.8L)						DGFC															
4274191	0.840	1.442	C	2012	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	7.5
GENERAL ASPHALT CO., INC.				(2015)		SPRIDE		6.9	8.3	8.2	8.0	7.7	7.9	8.0	7.9	7.8	7.5	7.6	7.4	7.3	6.9
87030000	0.000	0.840	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
5	1				3	6.8	37500	RIDE	8.7	8.6	8.4	7.7	7.9	7.5	7.8	7.7	7.7	7.9	7.7	7.6	7.6
JOHNSON DR(0.0C)						FC5															
2499781	0.000	0.840	C	1999	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.4	8.2	5.5*
RANGER CONSTRUCTION INDUST(2001)						SPRIDE		7.6	7.6	7.8	7.8	7.4	7.6	7.5	7.6	7.7	7.4	7.0	6.9	7.0	6.9
4439081	0.000	0.791	C	2025	0012																
87030001	0.000	0.286	C	1	1	30	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5				10.0
5	1				3	3.6	30500	RIDE	3.2*	4.3*	3.8*	3.5*	3.5*	3.4*	3.4*	3.8*	3.7*	3.5*			5.5
BISCAYNE BLVD(0.0C)																					
							CRACKING	10.0	10.0	9.0	9.0	9.0		10.0	9.5	9.5	9.5	9.5	8.6	9.5	8.5
							RIDE	5.4*	4.7*											4.6*	4.2*
87034000	0.000	1.700	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
5	1				4	1.9	10100	RIDE	7.8	8.1	7.2	6.6	6.9	6.2	6.0	6.3	6.0	6.4	6.6	6.0	6.2
SR 5/BISCAYNE BLVD(0.0R)						FC95A															
							CRACKING	8.5	8.5	8.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.9	8.0
							RIDE	6.0	6.1	5.8	7.2	7.2	7.1	6.9	6.8	6.7	6.6	6.5	6.4	6.5	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	F	*****														(PMRS)
ITMSEG-P																					
ITMSEG-F																					
87034000	3.641	5.867	L	1	1	40	CRACKING	10.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
915				2	1.8	26500	RIDE	7.4	7.2	7.0	6.6	6.5	6.5	6.1	6.2	6.1	6.2	6.0	6.0	6.0	
NE 147 ST(3.7L)						FC95															
4226201	3.641	5.867	C	2013	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	8.7	8.6	7.5
WEEKLEY ASPHALT PAVING, IN(2015)							RIDE	5.7	6.9	6.7	6.4	6.5	6.1	6.2	6.1	6.2	5.9	5.7	5.8	6.0	5.6
87034000	2.185	3.641	L	1	7	30	CRACKING	10.0	9.0	9.0	9.0	8.0	7.0		10.0	10.0	10.0	8.5	8.5	8.5	
915				2	1.9	25062	RIDE	7.4	7.2	7.0	6.6	6.5	6.5		6.4	6.4	6.3	6.2	6.3	6.3	
NE 123 ST(2.2C)						FC95															
							CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	7.8	10.0	9.5
							RIDE	5.7	6.1	5.6	5.4*	5.3*	5.1*	4.8*	4.7*	4.6*	4.5*	4.4*	4.3*	5.6	5.2*
87034000	1.700	2.185	L	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	
915				2	2.6	20800	RIDE		7.3	7.1	6.5	6.6	6.4	6.0	6.0	5.9	5.8	5.9	5.8	5.5	
NE 115 ST(1.7C)						FC95A															
4311751	1.423	2.180	C	2015	0012		CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.9	8.0
GENERAL ASPHALT CO., INC. (2017)							SPRIDE	5.8	5.6	5.0*	7.2	7.2	7.1	6.9	6.8	6.7	6.6	6.5	6.4	6.7	6.3
87037000	0.000	0.183	R	1	1	30	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	9.5	9.5	
907				2	3.0	28000	RIDE	5.2*	4.5*	5.2*	4.4*	4.2*	4.2*	4.2*	4.2*	3.9*	4.4*	3.9*			
SR A1A(0.0C)						FC95M															
2499111	0.028	0.183	R	2013	0005		CRACKING	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.6	7.5
BERGERON LAND DEVELOPMENT, (2017)							RIDE													4.0*	3.6*
87037000	0.183	1.539	R	1	1	30	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	
907				2	3.0	28000	RIDE	5.2*	4.5*	5.2*	4.4*	4.2*	4.2*	4.2*	4.2*	3.9*	4.4*	3.9*	4.5*	4.5*	
8 ST(0.3C)						FC95M															
							CRACKING	4.5*			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7	7.5
							RIDE	3.2*												4.1*	3.7*
87037000	1.539	2.590	R	1	1	30	CRACKING	6.5	4.5*	9.5	9.5	9.5	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	
907				2	3.1	44500	RIDE	5.5*	5.9	7.1	6.3	4.8*	6.4	6.3	5.6	5.9	5.8	5.3*	5.5	5.3*	
MICHIGAN AVE(1.5R)						FC125															
4075712	1.524	2.700	C	2004	0012		CRACKING	8.5	8.0	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.0*
H & J ASPHALT, INC (2006)							SPRIDE	5.2*	5.1*	4.1*	4.1*	4.0*	3.9*	3.7*	3.8*	3.8*	3.8*	3.6*	3.5*	3.5*	3.1*
4291931	1.519	2.914	C	2027	0005																
87037000	2.590	2.780	R	1	2	30	CRACKING	6.5	4.5*	9.5	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	
907				2	3.1	44500	RIDE	5.5*	5.9	7.1	6.3	4.8*	5.8	6.3	5.7	5.9	5.8	5.2*	5.9	5.5	
NAUTILUS AVE(2.6R)						DGFC															
							CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*	2.5*	0.0*	0.0*	0.0*	0.0*	0.0*
							RIDE	5.4*	5.5	5.0*	5.0*	4.8*	4.8*	4.6*	4.6*	4.7*				5.1*	4.7*
4291931	1.519	2.914	C	2027	0005																
87037000	2.780	2.981	R	1	1	30	CRACKING	6.5	4.5*	9.5	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	
907				2	3.4	38500	RIDE	5.5*	5.9	7.1	6.3	4.8*	5.8	6.3	5.7	5.9	5.8	5.2*	5.9	5.5	
BAY DR R(2.9R)						DGFC															
							CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	8.3	7.0
							RIDE	5.4*	7.2											5.1*	4.7*
4291931	1.519	2.914	C	2027	0005																
87037000	2.981	3.750	R	1	1	30	CRACKING	6.5	4.5*	9.5	9.5	9.5	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	
907				2	3.4	38500	RIDE	5.5*	5.9	7.1	6.3	4.8*	6.4	6.3	5.6	5.9	5.8	5.4*	5.9	6.0	
ALTON BYPASS(3.0R)						FC125															
4075711	2.700	5.659	C	2003	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*	5.0*	5.0*	5.0*	3.5*
H&R PAVING INC (2006)							SPRIDE	5.9	5.6	4.8*	4.7*	4.7*	4.6*	4.5*	4.5*	4.6*	4.5*	4.4*	4.4*	4.2*	3.8*
4560221	2.965	5.524	C	2027	0012																
87037000	3.750	4.125	R	1	2	30	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	5.5*	5.5*	5.5*	5.5*	
907				2	3.4	38500	RIDE	5.5*	5.9	4.4*	3.9*	2.1*	6.0	4.6*	4.0*	3.7*	3.6*	3.2*	3.3*	5.7	
LAKEVIEW DR(3.8R)						FC125															
4075711	2.700	5.659	C	2003	0012		CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	5.0*	5.0*	5.0*	5.0*	3.5*
H&R PAVING INC (2006)							SPRIDE	5.5	5.8	4.4*	4.5*	4.4*	4.1*	4.1*	4.1*	3.9*	4.0*	4.4*	3.9*	3.8*	3.4*
4560221	2.965	5.524	C	2027	0012																
87037000	4.125	5.440	R	1	1	30	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	5.5*	5.5*	5.5*	5.5*	
907				2	3.4	38500	RIDE	5.5*	5.9	4.4*	3.9*	2.1*	6.0	4.6*	4.0*	3.7*	3.6*	3.2*	3.3*	6.3	
W 53 ST(4.2C)						FC125															
4075711	2.700	5.659	C	2003	0012		CRACKING	5.5*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*
H&R PAVING INC (2006)							SPRIDE	6.3	5.3*	3.9*	3.6*	3.4*	3.1*	3.1*	3.0*	2.9*	2.6*	2.5*	2.6*	2.6*	2.2*
4560221	2.965	5.524	C	2027	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****														
87037000	5.440	5.659	C	1	1	30	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*		3.5*	3.5*	3.5*	3.5*	9.0	
907			2	3.4		38500	RIDE	6.2*	5.9	4.4*	3.9*	5.0*									
ALLISON ISLAND RD(5.5L)							FC125														
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	8.1	7.8	6.5
							RIDE												2.0*	1.6*	
(2013)																					
87037000	3.750	5.440	L	1	1	30	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	5.5*	5.5*	5.5*	5.5*	
907			2	3.4		38500	RIDE	6.2*	6.2	5.7	5.0*	5.0*	6.2	5.9	5.3*	6.0	5.9	5.4*	5.7	5.6	
NORTH BAY RD(3.8L)							FC125														
4075711	2.700	5.659	C	2003	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.0*
H&R PAVING INC							SPRIDE	5.7	5.4*	4.5*	4.5*	4.5*	4.3*	4.2*	4.3*	4.2*	4.1*	4.1*	4.0*	4.1*	3.7*
4560221	2.965	5.524	C	2027	0012																
87037000	2.957	3.750	L	1	1	30	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	8.5
907			2	3.4		38500	RIDE	6.2*	6.2	5.8	5.7	5.4*	5.8	5.4*	5.0*	5.0*	5.1*	4.8*	5.0*	5.4*	
ED SULLIVAN DR(3.0L)							FC125														
							CRACKING	8.5	6.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.5*
							RIDE	5.4*	5.2*	4.4*	4.3*	4.3*	4.0*	3.9*	3.9*	3.9*	3.7*	3.8*	3.7*	3.7*	3.3*
(2013)																					
4560221	2.965	5.524	C	2027	0012																
87037000	2.583	2.957	L	1	1	30	CRACKING	6.5	6.5	6.5	6.5	6.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
907			1	3.4		38500	RIDE	6.2*	6.2	5.8	5.7	5.4*	7.2	7.1	6.8	7.2	7.2	7.0	6.8	6.9	
3600 BLOCK(2.7C)							DGFC														
4075711	2.700	5.659	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	7.9	8.1	6.5	
H&R PAVING INC							SPRIDE	6.4	6.5	6.9	6.9	6.9	6.3						6.6	6.2	
4291931	1.519	2.914	C	2027	0005																
87037000	1.539	2.583	L	1	2	30	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	
907			2	3.1		44500	RIDE	6.2*	6.2	5.8	5.7	5.4*	6.5	6.4	6.0	6.3	6.2	5.7	5.9	6.0	
MICHIGAN AVE(1.5L)							FC125														
4075712	1.524	2.700	C	2004	0012	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.0*
H & J ASPHALT, INC							SPRIDE	5.8	5.7	5.1*	5.0*	5.0*	4.8*	4.7*	4.6*	4.9*	4.6*	4.4*	4.4*	4.0*	3.6*
4291931	1.519	2.914	C	2027	0005																
87037000	0.183	1.539	L	1	1	30	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	
907			2	3.0		28000	RIDE	5.6*	5.0*	4.4*	4.2*	3.6*	3.6*	4.0*	3.9*	4.2*	4.4*	3.8*	3.8*	3.8*	
8 ST(0.3C)							FC95M														
							CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	8.7	7.5
							RIDE	3.7*											3.8*	3.4*	
(2017)																					
87037000	0.000	0.183	L	1	2	30	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	9.5	9.5	
907			2	3.0		28000	RIDE	5.6*	5.0*	4.4*	4.2*	3.6*	3.6*	4.0*	3.9*	4.2*	4.4*	3.8*			
SR A1A(0.0C)							FC95M														
2499111	0.028	0.402	L	2013	0005	CRACKING	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	9.0
BERGERON LAND DEVELOPMENT, (2017)							SPRIDE													3.3*	2.9*
87037001	0.000	0.181	C	1	2	30	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
907			2	3.2		7000	RIDE						5.0*	5.2*	5.5	5.4*	5.4*				
W 34 ST/MERIDIAN AV(0.0R)							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	8.0	7.7	8.0	6.5
							RIDE												3.8*	3.4*	
(2006)																					
87037001	0.181	0.345	R	1	1	30	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
907			2	3.2		7000	RIDE						5.6	5.8	5.9	5.7	6.1				
ARTHUR GODFREY RD(0.2C)							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	8.0
							RIDE													4.3*	6.5
																					3.9*
(2006)																					
87037001	0.345	0.408	C	1	1	30	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
907			2	3.2		4600	RIDE						5.1*	5.8	5.9	5.5	5.8				
TURNOUT SB SR 907(0.3L)							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5
							RIDE														4.4*
																					4.0*
(2006)																					
87037001	0.181	0.345	L	1	1	30	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
907			2	3.2		7000	RIDE						5.1*	4.9*	5.5	5.5	5.8				
ARTHUR GODFREY RD(0.2C)																					

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW																			
87038000	0.000	1.178	R	1	1	40	CRACKING	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
932			2	5.6		16600	RIDE	7.2	6.8	8.0	6.8	6.8	6.7	6.8	7.0	6.8	6.7	6.6	5.8	6.0		
OKEECHOBEE RD(0.0C)																						
4075771	0.000	3.421	C	2002		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.4	7.0	
COMMUNITY ASPHALT CORP.	(2005)						SPRIDE	6.0	6.2	5.6	5.8	5.6	5.6	5.3*	5.7	5.6	5.9	5.6	5.4*	5.5	5.1*	
4459931	0.579	2.942	R	2024		0012																
87038000	1.178	1.341	R	1	1	40	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
932			3	9.2		47000	RIDE	7.9	7.9		7.4	7.0	7.0	7.1	7.3	7.2	7.1	7.2	7.1	7.1		
W 19 CT(1.2R)																						
4075771	0.000	3.421	C	2002		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	9.5	8.7	7.0	
COMMUNITY ASPHALT CORP.	(2004)						SPRIDE	7.1	6.7	6.6										5.5	5.1*	
4459931	0.579	2.942	R	2024		0012																
87038000	1.341	3.278	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0		
932			3	9.2		47000	RIDE	7.9	7.9	8.3	7.2	8.1	7.9	8.0	7.9	7.7	7.6	7.6	7.4	7.4		
MALL ENT(1.5R)																						
				(2015)			CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.7	7.5
4459931	0.579	2.942	R	2024		0012	RIDE		6.7	7.1	7.5	7.4	7.4	7.1	7.3	7.1	7.2	7.1	7.2	7.2	6.8	
87038000	3.278	4.911	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
932			2	4.1		44500	RIDE	7.4	7.6	6.9	6.9	6.6	6.4	6.3	6.2	7.5	7.3	7.4	7.3	6.9		
5TH AVE W(3.3C)																						
4347683	3.392	4.907	C	2022		0012	CRACKING	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.5	
BACALLAO CONSTRUCTION & EN	(2025)						SPRIDE	7.0	7.0	6.5	6.6	6.5	6.6	6.4	6.4	6.5	6.3	6.3	6.8	6.6	6.2	
87038000	4.911	8.320	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
932			3	5.6		46000	RIDE	8.1	7.8	7.7	7.3	7.4	7.3	7.2	7.2	7.4	7.3	7.3	8.5	8.5	8.5	
E 10 CT(4.9R)																						
4311761	5.240	8.150	C	2015		0012	CRACKING	8.5	8.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.7	8.5	
H&R PAVING INC	(2017)						SPRIDE	7.2	7.1	7.3	7.8	7.8	7.6	7.6	7.6	7.6	7.6	7.6	7.4	7.4	7.0	
87038000	8.320	9.209	C	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
932			4	5.6		28500	RIDE	6.0*	6.0	5.8	5.2*	5.3*		6.2	6.6	6.5	6.4	6.3	6.4	6.4		
NW 6 AVE(8.4L)																						
				(2025)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	9.5	
							RIDE	6.1	6.3	5.4*	5.5	5.5	5.4*	5.2*	4.9*	5.1*	5.0*	5.1*	5.8	5.8	5.4*	
87038000	9.209	9.700	C	1	1	30	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
932			2	5.6		11800	RIDE	5.5*	5.7	5.1*	4.7*	4.6*		7.1	6.4	6.8	6.6	7.0	6.5	6.6		
NE 2 AVE(9.2C)																						
4083031	8.843	9.700	C	2004		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	8.0	6.5	
COMMUNITY ASPHALT CORP.	(2007)						SPRIDE	6.6	6.6	5.7	5.9	5.7	5.6	6.0	5.4*	5.4*	5.4*	5.3*	5.5	5.6	5.2*	
4478181	9.219	9.683	C	2025		0012																
87038000	4.911	8.320	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5	
932			3	5.6		46000	RIDE	7.4	7.2	6.9	6.5	6.5	6.3	6.2	6.2	6.6	6.5	6.5	6.3	6.1		
E 10 CT(4.9L)																						
4311761	5.240	8.150	C	2015		0012	CRACKING	8.5	8.5	6.5	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.9	
H&R PAVING INC	(2017)						SPRIDE	6.3	6.3	6.2	7.2	7.3	7.0	6.8	7.1	6.8	6.8	6.7	6.6	6.8	6.4	
87038000	3.278	4.911	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	9.0	
932			2	4.1		44500	RIDE	7.6	7.2	7.2	6.7	5.9	6.2	5.8	6.3	7.0	6.3	6.5	6.5	6.4		
W 3 AVE(3.3L)																						
4347683	3.392	4.907	C	2022		0012	CRACKING	9.0	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	
BACALLAO CONSTRUCTION & EN	(2025)						SPRIDE	6.3	6.3	6.5	6.4	6.5	6.3	6.2	6.2	6.2	6.2	5.9	6.5	6.3	5.9	
87038000	1.341	3.278	L	1	1	40	CRACKING	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
932			3	9.2		47000	RIDE	7.6	7.7	7.2	7.1	7.8	7.1	7.6	6.8	7.2	7.1	7.1	7.0	6.6		
W 16 AVE(1.6C)																						
4075771	0.000	3.421	C	2002		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	8.7	8.6	7.0	
COMMUNITY ASPHALT CORP.	(2005)						SPRIDE	6.9	7.1	7.1	7.2	7.2	6.9	6.4	7.2	6.9	7.1	7.1	7.1	7.2	6.8	
4459931	1.017	2.942	L	2024		0012																
87038000	1.178	1.341	L	1	1	40	CRACKING	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
932			3	9.2		47000	RIDE	7.6	7.7		7.5	7.7	7.1	7.8	7.8	7.8	7.6	7.8	7.4	7.4		
TN LN TO W 20 AVE(1.3L)																						
4075771	0.000	3.421	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5	
COMMUNITY ASPHALT CORP.	(2004)						SPRIDE	7.6	7.4	7.4	7.5	7.4	7.3	6.8	7.1	6.6	7.0	7.3	7.3	7.2	6.8	
4459931	1.017	2.942	L	2024		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)																			(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
87038000	0.000	1.178	L	1	1	40	CRACKING	10.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
932				2	5.6	16600	RIDE	6.5	7.2	7.4	6.3	6.8	6.4	5.8	6.6	6.7	6.4	6.5	6.1	6.0	
OKEECHOBEE RD(0.0C)																					
FC125																					
4075771	0.000	3.421	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.3	7.0
COMMUNITY ASPHALT CORP. (2005) SPRIDE																					
87039000	0.000	2.462	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5
992				2	5.1	31500	RIDE	7.6	7.9	7.6	7.2	7.0	7.1	7.1	7.1	7.2	7.0	7.1	6.8	6.9	
SW 113 AVE(0.2R)																					
FC95A																					
4332862	0.155	2.190	R	2017	0012	CRACKING	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.0	8.8	8.0	
HALLEY ENGINEERING CONTRAC(2020) SPRIDE																					
87039000	0.000	2.462	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
992				2	5.1	31500	RIDE	7.7	7.9	7.6	7.1	7.1	7.2	7.3	7.1	7.1	6.9	6.8	6.8	6.6	
FRONTAGE RD(0.4C)																					
FC95A																					
4332862	0.330	2.190	L	2017	0012	CRACKING	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0	
HALLEY ENGINEERING CONTRAC(2020) SPRIDE																					
87040101	0.000	0.565	C	1	1	30	CRACKING														
925				2	2.9	9800	RIDE														
FLAGLER ST W(0.0C)																					
FC95M																					
							CRACKING			9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE			4.2*	4.4*	4.6*	4.0*	4.4*	4.1*	4.9*	4.8*	4.6*	4.9*	4.3*	3.9*
87040102	0.000	0.506	C	1	1	30	CRACKING														
925				4	1.9	15000	RIDE														
MIAMI CITY LIMITS(0.0C)																					
FC95M																					
4293004	0.138	0.403	C	2020	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.9	10.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2022) SPRIDE																					
								3.7*	3.5*	3.9*	3.5*	3.4*	3.3*	5.2*	4.4*	4.6*	4.4*	4.9*	4.5*		
87044000	0.000	0.280	R	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0
976				3	8.6	45000	RIDE	8.2	8.1	7.6	7.2	7.4	6.7	6.9	6.8	7.2	7.2	6.5	6.5	6.5	
SR 821 ENT(0.0C)																					
DGFC																					
							CRACKING	8.0	8.0	6.5	6.5					10.0	10.0	10.0	9.6	10.0	9.0
							RIDE	6.2	6.3	6.0	6.2					7.6	7.2	7.0	7.5	7.5	7.1
87044000	0.280	1.727	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
976				3	8.6	45000	RIDE	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2	7.9	7.5	7.3	7.4	7.7	
SW 112 AVE(0.6C)																					
FC95M																					
4363552	0.282	1.727	C	2020	0012	CRACKING	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	10.0	9.0
ROADWAY CONSTRUCTION LLC (2023) SPRIDE																					
								7.5	7.5	7.8	7.7	7.7	7.7	7.8	7.6	8.5	8.5	8.5	8.5	8.5	8.1
87044000	1.727	3.265	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
976				3	3.0	49000	RIDE	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2	7.9	7.5	7.3	7.4	7.7	
SW 100 AVE(1.8R)																					
FC95M																					
4363551	1.739	3.265	C	2018	0012	CRACKING	8.0	8.0	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
HALLEY ENGINEERING CONTRAC(2020) SPRIDE																					
								7.5	7.5	7.8	7.7	7.7	7.7	8.2	8.1	8.1	8.1	8.1	8.1	8.0	7.6
87044000	3.265	6.218	R	1	1	40	CRACKING	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
976				3	3.5	51500	RIDE	6.7	7.1	6.8	5.6		6.7	7.4	6.5	7.4	7.3	7.1	7.1	7.2	
SW 84 AVE(3.4C)																					
FC125																					
4056481	3.182	6.218	C	2002	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP. (2006) SPRIDE																					
4459911	4.341	6.064@	C	2024	0012			7.3	7.0	7.0	6.6	7.1	7.1	7.2	7.0	7.1	6.9	6.9	6.8	6.8	6.4
87044000	6.218	7.800	R	1	1	35	CRACKING	9.5	8.0	8.0	8.0	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	
976				2	3.5	45000	RIDE	7.4	7.9	7.3	6.8	6.5	6.2	6.2	5.3*	6.0	5.9	5.9	8.0	8.0	
ALAHAMBRA CIR(6.3C)																					
FC95																					
4180931	6.218	8.100	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.9	8.8	7.5
H & J ASPHALT, INC (2012) SPRIDE																					
								7.5	7.6	7.4	7.4	7.7	7.5	7.4	7.1	7.1	7.1	7.1	7.2	7.1	6.7
87044000	7.800	8.098	R	1	1	35	CRACKING	9.5	8.0	8.0	8.0	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	
976				2	6.4	42500	RIDE	7.4	7.9	7.3	6.8	6.5	6.2	6.2	5.3*	6.0	5.9	5.9	8.0	8.0	
ESTANCIA ST R(7.8R)																					
FC95																					
4460011	7.782	8.086	R	2025	0012	CRACKING	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.7	9.5	9.0
AUM CONSTRUCTION INC (2026) RIDE																					
								7.5	7.6		5.7	5.6	5.3*	5.9	6.3	6.0	6.0	5.8	4.6*	5.1*	4.7*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	FW	FY-F	WKM-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW																		
ITMSEG-F																					
87044000	8.098	8.466	C	1	1	35	CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	7.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0
976				2	6.4	42500	RIDE	7.1	7.4	7.4	5.2*	5.2*	6.2	5.9	5.4*	5.1*	5.1*	4.7*	4.9*	4.8*	
SW 38 AVE(8.1C)																					
4284792	8.100	8.432	C	2018		0015	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.8	8.6	7.5
GENERAL ASPHALT CO., INC. (2020)																					
87044000	7.800	8.098	L	1	1	35	CRACKING	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	9.0	6.5	5.5*	10.0	10.0	
976				2	6.4	42500	RIDE	7.5	7.6	7.3	6.3	5.9	5.9	5.9	5.4*	5.4*	5.4*	5.6	7.6	7.4	
SALZEDO ST(7.9L)																					
4180931	6.218	8.100	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	9.5	8.5
H & J ASPHALT, INC (2012)																					
4460011	7.782	8.086	C	2025		0012	SPRIDE	7.0	6.7	6.5	6.5	6.7	4.8*	5.0*	4.8*	5.0*	5.1*	5.0*	4.4*	4.4*	4.0*
87044000	6.218	7.800	L	1	1	35	CRACKING	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	9.0	6.5	5.5*	10.0	10.0	
976				2	3.5	45000	RIDE	7.5	7.6	7.3	6.3	5.9	5.9	5.9	5.4*	5.4*	5.4*	5.6	7.6	7.4	
ALAHAMBRA CIR(6.3C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	8.9	8.7	8.0
							RIDE	7.0	6.7	6.5	6.5	6.7		7.0	6.5	6.8	6.6	6.4	6.5	6.3	5.9
87044000	3.265	6.218	L	1	1	40	CRACKING	9.0	9.0	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
976				3	3.5	51500	RIDE	6.8	7.1	5.0*	5.8		6.2	6.8	6.2	6.7	6.7	6.4	6.4	6.8	
SW 84 AVE(3.4C)																					
4056481	3.182	6.218	C	2002		0012	CRACKING	9.5	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.6	8.5	7.0
COMMUNITY ASPHALT CORP. (2006)																					
4459911	4.341	6.064	C	2024		0012	SPRIDE	6.6	6.7	6.4	6.5	6.8	6.8	6.7	6.8	6.7	6.8	6.7	6.8	6.7	6.3
87044000	1.727	3.265	L	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
976				3	3.0	49000	RIDE	8.6	8.7	8.6	8.0	7.9	7.9	7.2	7.7	7.8	7.8	7.7	7.6	7.6	7.4
SW 99 CT(1.8L)																					
4363551	1.739	3.265	C	2018		0012	CRACKING	7.5	7.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
HALLEY ENGINEERING CONTRAC(2020)																					
							SPRIDE	7.3	7.4	7.6	7.6	7.6	7.6	8.0	8.0	7.9	8.0	8.0	7.9	7.9	7.5
87044000	0.280	1.727	L	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5
976				3	8.6	45000	RIDE	8.6	8.7	8.6	8.0	7.9	7.2	7.7	7.8	7.8	7.7	7.6	7.6	7.4	
SW 11500 BLOCK(0.3L)																					
4363552	0.282	1.727	C	2020		0012	CRACKING	7.5	7.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	9.5	10.0	9.0
ROADWAY CONSTRUCTION LLC (2023)																					
							SPRIDE	7.3	7.4	7.6	7.6	7.6	7.6	7.8	7.7	7.8	8.3	8.3	8.3	8.3	7.9
87044000	0.000	0.280	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5
976				3	8.6	45000	RIDE	7.9	7.6	7.5	7.1	7.9	7.2	7.7	7.8	7.8	7.7	7.6	7.6	7.4	
OFF RAMP 87471261(0.0L)																					
							CRACKING	7.5	7.5	6.5	6.5										9.0
							RIDE	7.3	7.4	6.2	6.2										6.9
87046000	0.000	0.445	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0
990				2	4.6	14600	RIDE	7.3	7.2	7.0	6.6	6.7	6.8	6.9	6.6	6.7	6.6	6.7			7.9
SW 107 CT(0.0C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.7	8.5	7.5
							RIDE	7.7	7.3	6.7	6.8	5.8									5.8
87046000	0.445	1.292	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
990				2	4.6	14600	RIDE	7.3	7.2	7.0	6.6	6.7	6.8	6.9	6.6	6.7	6.6	6.7	6.6	6.5	
KENDALE BLVD (S)(0.5C)																					
4363431	0.445	1.232	R	2018		0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP. (2020)																					
							SPRIDE	6.3	6.2	6.7	6.3	6.6	6.3	7.8	7.8	7.7	7.7	7.7	7.3	7.7	7.3
87046000	1.292	2.970	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	
990				2	3.5	14000	RIDE	8.5	8.1	8.2	7.7	7.1	7.2	7.4	7.2	7.3	7.4	7.4	7.2	7.0	
SW 95 CT(1.4R)																					
4363421	1.258	2.196	C	2018		0012	CRACKING	8.0	7.0	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	9.6	10.0	9.0
COMMUNITY ASPHALT CORP. (2020)																					
							RIDE	7.0	7.1	7.3	7.4	7.2	7.2	7.5	7.6	7.8	7.7	7.8	7.3	7.7	7.3
87046000	0.445	1.292	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
990				2	4.6	14600	RIDE	7.2	7.2	6.7	7.1	6.7	6.5	6.4	6.4	6.4	6.4	6.2	6.5	6.4	
KENDALE BLVD (S)(0.5C)																					
4363431	0.476	1.232	L	2018		0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.7	9.5	8.5
COMMUNITY ASPHALT CORP. (2020)																					
							SPRIDE	6.5	6.4	6.9	6.8	6.4	6.2	7.7	7.6	7.6	7.6	7.7	7.1	7.5	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																																		
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE														
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
INTERSECT	AT	(MP)	(SIDE)				*****																											
ITMSEG-P	W_BMP	W_EMP	FW	FY-P	WKM	W-P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031													
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F-F																												
87046000	0.000	0.445	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0													
990				2	4.6	14600	RIDE	7.2	7.2	6.7	7.1	6.7	6.5	6.4	6.4	6.4	6.4	6.4	6.2		8.0													
SW 107 CT(0.0C)						DGFC																											
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
							RIDE	7.6	7.7	6.9	6.8	6.6									9.0													
																					6.4													
87047000	0.000	0.362	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0													
973				4	2.3	13400	RIDE	5.9*	5.9	5.6	6.1	6.1	4.8*	5.2*	4.9*	5.3*	5.3*	6.0	6.1	6.1	5.9													
SOUTH DIXIE HIGHWAY(0.0C)						FC125																											
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.1													
							RIDE	6.5	6.7	6.4	6.8	6.3									6.5													
																					6.1													
																					5.7													
4525631	0.039	2.903	C	2028		0012																												
87047000	0.362	2.399	C	1	1	40	CRACKING	6.0*	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
973				2	2.3	13400	RIDE	6.7	7.0	6.5	5.9	7.1	7.0	7.1	7.2	7.1	6.9	7.3	7.1	7.2														
SW 128 ST(0.4C)						FC125																											
2502251	0.399	2.430	C	2003		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.4	8.3													
H & J ASPHALT, INC							SPRIDE	7.1	7.0	6.7	6.6	6.6	6.1	6.3	6.2	5.9	6.0	6.0	5.5	5.8	7.0													
4525631	0.039	2.903	C	2028		0012															5.4*													
87047000	2.399	2.920	C	1	1	40	CRACKING	6.0*	7.0	7.0	7.0	9.0	9.0	7.5	8.0	6.5	10.0	10.0	10.0	10.0	10.0													
973				2	3.0	18800	RIDE	6.7	7.0	6.5	5.9	6.5	6.6	6.8	5.9	6.1	6.3	6.6	6.5	6.6														
SW 94 ST(2.5C)						FC125																											
4146271	2.399	2.920	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	7.5	7.4	6.0*													
H & J ASPHALT, INC							SPRIDE	6.3	6.6	6.5	5.9	5.5	5.2*	5.8	5.7	5.6	5.7	5.7	5.3*	5.4*	5.0*													
4525631	0.039	2.903	C	2028		0012																												
87047000	2.920	5.945	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0													
973				2	2.8	22500	RIDE	6.7	6.7	6.2	5.7	5.5	5.5	5.5	4.5*	5.3*	7.2	6.8	6.7	7.0														
KENDALL DR(2.9C)						FC95																											
4146271	2.920	5.945	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.6	7.5													
H & J ASPHALT, INC							SPRIDE	6.8	6.8	6.6	6.3	6.6	6.4	6.4	6.4	6.2	6.2	6.2	6.2	6.3	5.9													
87047000	5.945	8.128	R	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0													
973				2	4.5	27000	RIDE	6.4*	6.5	6.2	5.6	5.4*	5.3*		7.2	7.1	6.8	6.8	6.7	6.7														
BIRD RD(6.0C)						FC95																											
4075871	7.086	8.154	C	2004		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.4	8.4	7.0													
MASTEC CIVIL, LLC							SPRIDE	6.3	6.3	6.3	5.9	6.1	6.0	6.1	6.2	5.9	6.0	5.9	5.9	6.0	5.6													
87047000	8.128	8.678	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0													
973				2	1.5	35500	RIDE	7.7	7.6	7.2	6.9	6.4	5.9	6.8	6.8	6.8	6.7	6.6			7.9													
POINCIANA CONDO(8.2R)						FC125M																											
4198521	8.128	8.472	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.3													
COMMUNITY ASPHALT							SPRIDE	7.8	7.6	6.9	7.0	6.8	6.8	6.5	6.6	6.4	6.6	6.4	6.4	6.5	7.0													
87047000	8.678	9.505	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0													
973				3	10.7	48000	RIDE	7.3	7.3	7.0	6.5	6.5	6.5	6.6	6.6	6.7	6.5	8.4	8.0	8.0														
PARK BLVD(8.8C)						FC95																											
4180901	8.665	9.482	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7													
COMMUNITY ASPHALT							SPRIDE	8.2	7.8	8.2	8.0	8.0	7.5	7.9	7.8	7.9	7.9	7.9	7.9	7.7	8.0													
87047000	8.678	9.505	L	1	1	40	CRACKING	8.0	8.0	7.0	6.0*	6.5	5.0*	5.0*	5.0*	5.0*	5.0*	10.0	10.0	10.0	10.0													
973				3	10.7	48000	RIDE	7.4	7.3	6.7	6.5	6.7	6.1	6.6	6.5	6.1	6.4	8.2	8.2	8.1														
PARK BLVD(8.8C)						FC95																											
4180901	8.665	9.482	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
COMMUNITY ASPHALT							SPRIDE	8.1	8.1	8.0	8.0	7.6	7.8	7.5	7.9	7.9	7.9	7.8	7.7	7.9	7.5													
87047000	8.128	8.678	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0													
973				2	1.5	35500	RIDE	7.5	7.6	7.3	6.6	6.2	6.8	5.8	6.4	6.4	6.3	6.0	5.7	7.8														
SW 4 ST(8.3C)						FC125M																											
4198521	8.128	8.472	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.4	9.5	8.5													
COMMUNITY ASPHALT							SPRIDE	7.6	7.7	7.6	6.8	7.3	7.0	7.1	7.3	7.0	7.1	7.1	7.1	7.0	6.6													
87047000	5.945	8.128	L	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0													
973				2	4.5	27000	RIDE	6.7	6.5	6.2	5.9	5.2*	5.6		7.6	7.2	7.0	6.9	6.8	6.6														
BIRD RD(6.0C)						FC95																											
4075871	7.086	8.154	C	2004		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.4	7.0													
MASTEC CIVIL, LLC							SPRIDE	6.8	6.8	6.7																								

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	X-P	*****														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(PMRS)	
87047000	2.920	5.945	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	10.0	10.0	10.0	10.0		
973			2	2.8	22500		RIDE	6.4*	6.7	6.2	5.9	6.0	5.9	5.8	5.8	5.3*	6.7	6.9	6.8	6.7		
KENDALL DR(2.9C)																						
4146271	2.920	5.945	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0
H & J ASPHALT, INC (2010) SPRIDE																						

87048000	0.000	0.671	C	1	1	30	CRACKING															
960			3	6.8	5400		RIDE															
OFF RAMP 87200098(0.0L)																						
							DGFC															
				(2021)			CRACKING			8.5					10.0	10.0	10.0	10.0	9.6	9.5	8.5	
							RIDE			5.7					5.1*	5.3*	4.9*	4.9*	4.9*	4.8*	4.4*	

87052000	0.000	0.132	R	1	2	40	CRACKING	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
924			3	7.3	39500		RIDE	7.0	7.3	7.1	7.9	7.4	7.2	7.3	7.6	7.3	7.4	7.3	7.4	7.1		
NW 27 AVE(0.0C)																						
							FC125															
				(2004)			CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.7	7.6	6.0*	
							RIDE	7.2	7.3	7.5	7.4	7.3	7.3	7.0	7.1	7.1	6.9	7.3	7.1	4.3*	3.9*	

87052000	0.132	1.999	R	1	1	40	CRACKING	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
924			3	4.0	44000		RIDE	7.0	7.3	7.1	7.9	7.4	7.2	7.3	7.6	7.3	7.4	7.3	7.4	7.1		
NW 24 AVE(0.3C)																						
4399811	0.395	1.999	C	2022	0012		CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	9.5	
GENERAL ASPHALT CO., INC. (2024) SPRIDE																						

87052000	1.999	3.112	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	
924			2	4.0	17800		RIDE	7.6	7.4	7.7	7.3	7.1	7.1	7.2	6.6	6.5	6.6	6.7	6.6	6.5	6.5	
SR 7(2.0C)																						
4308091	2.084	3.112	C	2015	0012		CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.5	7.5	
COMMUNITY ASPHALT CORP. (2017) SPRIDE																						

87052000	1.999	3.112	L	1	1	30	CRACKING	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*		
924			2	4.0	17800		RIDE	7.5	7.1	7.5	7.2	6.6	6.7	6.6	6.2	6.1	6.8	6.7	6.6	6.4		
SR 7(2.0C)																						
4308091	2.084	3.112	C	2015	0012		CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.8	8.6	7.5	
COMMUNITY ASPHALT CORP. (2017) SPRIDE																						

87052000	0.000	1.999	L	1	1	40	CRACKING	7.0	7.0	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
924			3	4.0	44000		RIDE	6.6	6.6	6.5	7.7	7.5	7.0	7.0	6.8	6.7	6.9	6.9	6.8	6.9		
NW 27 AVE(0.0C)																						
4399811	0.395	1.999	C	2022	0012		CRACKING	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	9.5	
GENERAL ASPHALT CO., INC. (2024) SPRIDE																						

87053000	0.000	1.183	R	1	1	40	CRACKING	9.0	9.0	8.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0		
968			3	8.0	47500		RIDE	7.4	7.6	7.1	6.9	6.3	6.1	6.4	6.5	6.4	6.4	6.3		6.9		
GALLOWAY RD(0.0C)																						
4198501	0.000	1.119	C	2010	0015		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.5	7.5	
WEEKLEY ASPHALT PAVING, IN(2013) RIDE																						

87053000	1.183	1.572	R	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
968			3	4.8	51000		RIDE	7.7	7.4	7.2	7.5	7.1	7.1	7.1	7.5	7.3	7.4	7.2	6.5	6.1		
FLORIDA BLVD(1.3R)																						
4291941	1.183	1.498	C	2017	0012		CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	8.0	
GENERAL ASPHALT CO., INC. (2019) SPRIDE																						

87053000	1.572	1.774	R	1	1	40	CRACKING	9.5	8.0	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0		
968			2	4.7	43500		RIDE	6.0*	5.7	5.6	6.6	5.5	5.3*	4.8*	5.5	7.2	7.1	6.3				
SW 71 AVE(1.6R)																						
4146291	1.577	1.782	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.7	7.4	6.0*	
GENERAL ASPHALT CO., INC. (2009) SPRIDE																						

87053000	1.774	5.900	R	1	1	40	CRACKING	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0		
968			2	3.0	37500		RIDE	6.0*	5.7	7.1	6.7	7.0	6.8	6.9	6.8	6.9	6.6	6.3	6.3	6.2		
CR 962(1.8C)																						
4252713	1.774	4.534	C	2017	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	8.0	
GENERAL ASPHALT CO., INC. (2019) RIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****														
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE																			
CONTRACTOR	CONTRACT	CONTRACT																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
87053000	5.900	6.348	R	1	1	40	CRACKING	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
968				2	5.9	31500	RIDE	5.1*	5.7	3.1*	2.5*	3.0*	2.2*	2.6*	2.9*	3.0*	2.9*	2.9*	2.9*	2.9*	2.7*
SW 29 AVE(5.9R)																					
4180911	6.022	6.324	C	2016	0005	FC95M	CRACKING	3.5*	3.5*	3.5*	0.0*			10.0	10.0	10.0	9.5	9.5	8.9	8.8	8.0
RUSSELL ENGINEERING, INC (2020) SPRIDE																					
87053000	8.155	8.680	C	1	1	30	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*				
968				3	3.2	15000	RIDE	6.8	6.7	6.2	5.1*	4.7*	4.6*	4.4*	4.4*	4.7*	5.1*				
SW 7 AVE(8.2R)																					
						FC95M	CRACKING								10.0	10.0	10.0	10.0	10.0	9.3	8.5
							RIDE								4.1*	4.8*	6.6	6.3	5.8	6.4	6.0
(2023)																					
87053000	5.900	6.348	L	1	1	40	CRACKING	7.0	7.0	8.5	8.5	8.5	8.5	8.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
968				2	5.9	31500	RIDE	5.3*	4.9*	3.5*	3.1*	2.4*	2.4*	2.8*	2.4*	2.8*	2.4*	2.2*	2.7*	2.0*	
NW 27 CT(6.0L)																					
4180911	6.022	6.324	C	2016	0005	FC95M	CRACKING	3.5*	3.5*	3.5*	0.0*			10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0
RUSSELL ENGINEERING, INC (2020) SPRIDE																					
87053000	1.774	5.900	L	1	1	40	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0
968				2	3.0	37500	RIDE	5.3*	4.9*	7.1	6.7	6.5	6.2	6.2	6.2	6.4	5.9	5.5	5.6	5.5	
CR 962(1.8C)																					
4252713	1.774	4.534	C	2017	0012	FC95M	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.6	7.5
GENERAL ASPHALT CO., INC. (2019) SPRIDE																					
87053000	1.572	1.774	L	1	1	40	CRACKING	10.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
968				2	4.7	43500	RIDE	7.3	4.9*	4.2*	4.7*	5.0*	4.3*	5.2*	5.3*	6.7	7.1	6.9			
SHOPPING CENTER ENT(1.6L)																					
4146291	1.577	1.782	C	2008	0012	DGFC	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.8	7.8	6.5	6.5
GENERAL ASPHALT CO., INC. (2009) SPRIDE																					
87053000	1.183	1.572	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0
968				3	4.8	51000	RIDE	7.3	7.6	7.4	7.1	6.7	6.5	6.8	6.2	6.2	6.7	5.6	6.2	6.6	
NW 75 AVE(1.2L)																					
4291941	1.183	1.498	C	2017	0012	DGFC	CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	8.0
GENERAL ASPHALT CO., INC. (2019) SPRIDE																					
87053000	0.000	1.183	L	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	4.5*	4.5*	4.5*			10.0
968				3	8.0	47500	RIDE	8.2	7.8	8.1	7.4	7.2	7.1	6.5	7.1	7.0	6.5	6.6			7.1
GALLOWAY RD(0.0C)																					
4198501	0.000	1.119	C	2010	0015	DGFC	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.8	7.5
WEEKLEY ASPHALT PAVING, IN(2013) RIDE																					
87053001	0.000	0.780	C	1	1	30	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
968				3	4.9	20500	RIDE	7.7	7.5	7.0	6.1	6.0	5.6	7.4	7.9	7.6	7.5	6.8	7.2		
SR 968/W FLAGLER ST(0.0L)																					
4146332	0.270	0.737	C	2016	0005	FC95A	CRACKING	8.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	8.8	10.0	9.0
J V A ENGINEERING CONTRACT(2019) RIDE																					
4507331	0.000	1.933	C	2027	0234			6.6	6.4	6.3	5.9		7.3	6.2	5.9	5.8	5.9	5.7	6.0	5.3*	4.9*
87053001	0.780	1.948	C	1	1	30	CRACKING	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5
968				3	3.5	16500	RIDE	6.3*	6.0	6.0	6.9	6.2	5.8	5.9	5.6	5.2*	5.2*	5.0*	4.6*	4.5*	
SW 16 AVE(0.9C)																					
4183122	0.791	1.954	C	2017	0005	FC95M	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.2	8.5
J V A ENGINEERING CONTRACT(2020) SPRIDE																					
4507331	0.000	1.933	C	2027	0234			4.3*	4.1*	4.1*	4.1*			6.6	6.3	6.5	6.0	6.1	6.1	6.0	5.6
87053001	1.948	2.351	C	1	1	30	CRACKING	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5
968				3	2.8	12500	RIDE	6.3*	6.0	6.0	6.9	6.2	5.8	5.9	5.6	5.2*	5.2*	5.0*	4.6*	4.5*	
SW 5 AVE(2.0C)																					
						DGFC	CRACKING	6.5	6.5	6.5	6.5		8.5	8.5			10.0	10.0	10.0	10.0	9.0
							RIDE	4.3*	4.1*	4.1*	4.1*		4.1*				6.8	6.8	7.1	5.5	5.1*
(2023)																					
87053003	0.000	1.807	C	1	1	30	CRACKING													3.5*	3.5*
968				3	7.2	20500	RIDE													5.3*	5.4*
NW 7 AVE(0.0R)																					
						FC95M	CRACKING	3.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
							RIDE	5.2*	5.1*	5.1*				5.7	5.8	5.9	5.6	5.7	5.6	5.4*	5.0*
(2020)																					
4507331	0.000	1.807	C	2027	0234																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
87054000	0.508	3.019	R	1	1	35	CRACKING	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	
972				2	6.3	38500	RIDE	5.9*	5.4*		5.6	5.4*	5.2*	5.0*	5.4*	5.3*	5.1*	5.0*	5.0*	4.8*	
SW 36 AVE(0.7C)																					
4275131	0.500	2.954	R	2013	0012		CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.4	8.1	7.0
COMMUNITY ASPHALT CORP. (2016)																					
87054000	3.019	4.190	R	1	1	40	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0
972				2	6.2	18500	RIDE	7.8	7.7	7.4	6.6	6.5	6.2	6.2	6.3	6.2	6.0	7.9	7.8	7.7	
MISSING DESCRIPTION I(3.0R)																					
4124751	2.943	4.591	C	2008	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.0	8.9	7.5
GENERAL ASPHALT CO., INC. (2011)																					
4459981	2.953	4.672	C	2025	0012		SPRIDE	7.5	7.7	7.2	7.0	6.8	6.8	6.8	6.6	6.7	6.4	6.3	6.3	6.0	5.6
87054000	4.190	4.672	C	1	1	35	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
972				4	6.3	19600	RIDE	4.5*	4.4*	4.3*	2.8*	3.7*	3.6*	3.7*	4.5*	3.9*	3.6*	7.4	7.2	6.8	
SW 15 RD/BROADWAY(4.2C)																					
4124751	2.943	4.591	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.2	7.7	6.5
GENERAL ASPHALT CO., INC. (2011)																					
4459981	2.953	4.672	C	2025	0012		SPRIDE	6.2	6.4	5.8	5.3*	5.2*	5.0*							3.4*	3.0*
87054000	3.019	4.190	L	1	1	40	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0
972				2	6.2	18500	RIDE	7.4	7.4	6.8	5.4*	5.3*	4.7*	4.9*	4.8*	4.8*	4.8*	7.3	7.2	7.0	
SR 933(3.0L)																					
							CRACKING	10.0	10.0	8.5	8.5	8.5	6.5	6.5	6.5	6.5	10.0	10.0	8.9	8.8	8.0
							RIDE	6.9	6.9	6.5	6.1	6.5	6.3	6.2	6.2	6.3	5.9	5.8	5.6	5.6	5.2*
4459981	2.953	4.672	C	2025	0012																
87054000	1.021	3.019	L	1	1	38500	CRACKING	6.0*	6.0*		10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	
972				2	6.3		RIDE	5.9*	5.8*		5.7*	5.6*	5.3*	5.6*	5.6*	5.5*	4.9*	4.5*	4.6*	4.1*	
SW 32 AVE(1.0C)																					
4275131	1.086	2.943	L	2013	0012		CRACKING	6.5	6.5	10.0	9.5	9.5	9.0	9.0	8.0	6.5	4.5*	4.5*	6.0*	4.5*	3.5*
COMMUNITY ASPHALT CORP. (2016)																					
							RIDE	4.7*	4.6*	6.3*	6.1*	5.5*	5.9*	5.6*	5.7*	5.5*	5.4*	5.1*	5.2*	5.0*	4.6*
87054000	0.508	1.021	L	1	1	30	CRACKING	7.5	6.5		10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
972				3	6.4	37000	RIDE	6.7	6.5		6.3	6.0	5.8	5.8	5.8	6.2	5.8	6.2	6.1	6.4	
SW 36 AVE(0.7C)																					
							CRACKING	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.3	7.5
							RIDE	6.1	6.2	7.4	7.1	6.8	7.1	6.6	6.1	6.2	5.7	5.5	5.7	5.5	5.1*
87055000	0.905	1.124	R	1	1	40	CRACKING	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
986				2	3.8	37500	RIDE	7.1	6.8	7.2	6.5	6.3	5.8	6.0	6.1	5.5	5.7	5.7	5.4*	7.5	
SW 117 AVE(1.0C)																					
							CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	9.5
							RIDE									6.0				7.0	6.6
87055000	1.124	1.689	R	1	1	40	CRACKING	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	
986				2	3.8	37500	RIDE	7.1	6.8	7.2	6.5	6.3	5.8	6.0	6.1	7.0	7.2	7.0	7.0	6.9	
SW 113 PL(1.4C)																					
4124761	1.124	1.883	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.3	7.3	6.0*
H & J ASPHALT, INC (2009)																					
							SPRIDE	6.9	5.9	6.6	6.2	6.9	6.9	6.7	6.7	6.8	6.6	6.4	6.7	6.7	6.3
87055000	1.689	3.978	R	1	1	40	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
986				2	3.0	39000	RIDE	7.2	7.5	7.3	7.1	6.5	6.0	6.4	5.9	6.0	6.1	5.9	5.9	5.7	
SW 109 PL(1.7C)																					
4276511	1.697	4.018	R	2013	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.7	8.8	7.5
GENERAL ASPHALT CO., INC. (2015)																					
							SPRIDE	5.6	6.3	6.5	6.9	7.0	7.0	7.0	6.9	6.8	6.9	6.9	6.9	6.8	6.4
87055000	3.978	5.800	R	1	1	40	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
986				2	2.2	39000	RIDE	7.2	7.5	7.3	7.1	7.2	6.6	7.1	7.3	7.0	7.0	7.0	7.2	7.1	
SR 973(4.0C)																					
4226141	4.179	5.812	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.1	8.0
GENERAL ASPHALT CO., INC. (2014)																					
							SPRIDE	8.3	7.9	7.5	7.4	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.7	7.7	7.3
87055000	3.978	5.800	L	1	1	40	CRACKING	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	
986				2	2.2	39000	RIDE	6.9	7.2	7.3	6.5	6.6	6.0	6.4	6.4	6.0	6.2	6.2	6.0	6.0	6.0
SR 973(4.0C)																					
4226141	4.179	5.812	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	8.0
GENERAL ASPHALT CO., INC. (2014)																					
							SPRIDE	8.0	7.3	7.3	7.3	7.4	7.4	7.3	7.2	7.3	7.3	7.3	7.3	7.4	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****														
ITMSEG-P	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F															
ITMSEG-F																					
87055000	1.689	3.978	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	
986				2	3.0	39000	RIDE	7.5	7.4	7.2	6.6	6.6	6.3	6.4	6.1	6.2	6.1	6.0	5.6	5.7	
SW 109 PL(1.7C)																					
4276511	1.697	3.838	L	2013	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.7	7.5
GENERAL ASPHALT CO., INC. (2015) SPRIDE																					
87055000	1.124	1.689	L	1	1	40	CRACKING	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
986				2	3.8	37500	RIDE	7.9	8.0	7.5	6.8	6.8	6.2	6.5	6.5	7.4	7.3	7.3	7.5	7.5	
SUNSET ST PLAZA(1.2L)																					
4124761	1.124	1.883	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.5
H & J ASPHALT, INC (2009) SPRIDE																					
87055000	0.905	1.124	L	1	1	40	CRACKING	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
986				2	3.8	37500	RIDE	7.9	8.0	7.5	6.8	6.8	6.2	6.5	6.5						
SW 117 AVE(1.0C)																					
							CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0
(2023) RIDE																					
87059000	0.000	1.003	R	1	4	35	CRACKING														
887				2	24.2	14393	RIDE														
SRA1A/MACARTHUR CSWY(0.0C)																					
2511563	0.000	0.496	C	2011	0002	CRACKING			9.4	9.3	9.3	9.2	9.1	9.2	9.1	9.3	9.3	9.3	9.2	9.3	8.5
(2016) RIDE																					
87059000	0.000	1.003	L	1	4	35	CRACKING														
887				2	24.2	14393	RIDE														
SRA1A/MACARTHUR CSWY(0.0C)																					
2511563	0.000	0.496	C	2011	0002	CRACKING			9.4	9.4	9.4	9.4	9.3	9.3	9.2	9.4	9.4	9.4	9.4	9.4	9.0
(2016) RIDE																					
87060000	0.464	1.082	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*			
A1A 41				3	5.3	78000	RIDE	8.1	8.0	7.9	7.4	7.4	7.3	7.2	7.3	7.2	6.9	7.0			
POM TUNNEL EXIT(0.5R)																					
							CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
(2016) RIDE																					
87060000	1.082	2.715	R	1	1	45	CRACKING	10.0	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	
A1A 41				3	5.3	78000	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.9	7.8	7.7	7.8	7.8	7.8	
SIDE ROAD(1.4C)																					
4146351	1.082	2.717	C	2008	0012	CRACKING	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.7	8.5	6.5
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
87060000	3.114	3.670	R	1	1	35	CRACKING	9.5	9.5	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	
A1A 41				3	8.7	35000	RIDE	7.2	7.0	6.3	5.5	5.7	5.3*	5.2*	5.2*	5.1*	5.1*	4.8*	5.0*	7.0	
ALTON RD(3.2R)																					
4146361	3.175	3.670	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	8.4	7.5
H & J ASPHALT, INC (2013) RIDE																					
87060000	3.670	4.663	R	1	1	30	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
A1A				1	9.2	13400	RIDE	4.9*	4.7*	5.2*	4.5*	4.4*	4.0*	3.9*	4.1*	4.2*	4.1*	4.5*	4.3*	4.3*	
6 ST(3.7C)																					
2502361	3.673	4.550	C	2013	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.0	7.0
COMMUNITY ASPHALT CORP. (2016) RIDE																					
87060000	4.663	4.814	C	1	1	30	CRACKING	7.5	10.0	9.5	9.5	10.0	9.5	8.0	7.0	6.5	6.5	10.0	10.0	8.5	
A1A				4	22.6	21300	RIDE	4.5*	5.1*	4.9*	5.4*	4.7*	4.5*	5.1*	4.3*	4.5*	3.9*	5.4*	6.0	5.8	
HOTEL ENTRANCE(4.7R)																					
4180671	4.584	4.800	C	2009	0015	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.3*	6.0*	5.0*
WEEKLEY ASPHALT PAVING, IN(2011) SPRIDE																					
87060000	4.814	5.490	C	1	1	30	CRACKING	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
A1A				4	22.6	21300	RIDE	4.5*		5.8	5.1*	5.7	4.2*	3.9*	5.3*	5.5	5.2*	5.5	4.8*	4.5*	
17 ST(4.9C)																					
4255041	4.814	5.649	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	9.5	8.5
GENERAL ASPHALT CO., INC. (2014) SPRIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****															
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
CONTRACTOR				FY-F	WKM-X-F																	
ITMSEG-F																						
87060000	5.490	5.640	C	1	1	30	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
ALA				4	22.6	21300	RIDE	6.1*	5.9		5.9	5.8	5.8	5.6	5.0*	5.0*	4.9*	4.6*	4.4*	4.5*		
25 ST(5.6R)							FC95															
							CRACKING	10.0	10.0	10.0	10.0										10.0	9.5
							RIDE	7.3	6.7	6.1	6.1										5.5	5.1*
							(2026)															
87060000	5.640	6.686	C	1	7	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5			10.0	
ALA				3	9.2	10500	RIDE	6.7	6.3	5.6	5.6	5.4*	5.1*	5.2*	5.2*	4.8*	4.4*				7.7	
27 ST(5.7C)							FC125M															
4439021	5.657	6.644	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	9.5	10.0	9.5
FLORIDA ENGINEERING & DEVE							SPRIDE	7.3	6.6	5.3*	5.4*	4.9*	4.6*	4.0*	2.8*				3.7*	3.9*	4.5*	4.1*
							(2026)															
87060000	6.686	8.080	R	1	1	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
ALA				3	7.4	35500	RIDE	7.9	7.8	7.6	7.1	7.0	6.9	8.4	8.3	7.9	7.4	7.2	7.5	7.3		
FOUNTAINBLEAU HOTEL(6.7R)							DGFC															
4106451	6.713	8.692	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.0*	
PREFERRED MATERIALS, INC.							RIDE	7.4	7.4	7.4	7.5	7.3	7.3	7.3	7.3	7.0	7.4	7.2	7.2	7.2	6.8	
4499461	7.149	8.410	C	2028	0012																	
							(2024)															
87060000	8.080	8.406	R	1	1	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
ALA				3	7.4	35500	RIDE	7.9	7.8	7.6	7.1	7.0	6.9	8.4	8.3	7.9	7.4	7.2	7.5	7.3		
5600 BLK(8.1R)							DGFC															
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5	5.5*	10.0	10.0	10.0	9.5	
							RIDE	7.4	7.4	7.4	7.5	7.3	7.3	7.3	7.3	7.0	6.0	5.4*	5.7	5.3*		
							(2024)															
4499461	7.149	8.410	C	2028	0012																	
87060000	8.406	8.658	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ALA				3	7.6	17000	RIDE	6.7	7.0	6.7	5.8	5.5	5.0*	7.5	6.7	6.0	6.0	5.6	5.5	5.6		
TRN LN FR INDIAN CRK(8.4L)							FC95															
4308132	8.411	8.643	C	2022	0015	CRACKING	9.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	
FLORIDA ENGINEERING & DEVE							SPRIDE	4.9*	5.0*	4.8*	4.6*	4.3*	4.3*	4.3*	4.6*	4.2*	4.4*	3.6*	4.6*	4.7*	4.3*	
							(2024)															
87060000	8.658	9.775	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	10.0	10.0		
ALA				3	7.6	17000	RIDE	6.7	7.0	6.7	5.8	5.5	5.0*	4.6*	5.1*	5.5	5.3*	5.2*	7.4	7.0		
65 ST(8.9L)							FC95															
4245791	8.658	9.579	R	2010	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	
GENERAL ASPHALT CO., INC.							SPRIDE	6.1	6.1	6.4	5.8	6.1	5.8	5.6	5.2*	4.6*	5.1*	5.0*	4.9*	4.7*	4.3*	
4499441	8.640	9.782	C	2028	0012																	
							(2026)															
87060000	9.775	11.691	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*			
ALA				3	9.2	21500	RIDE	7.6	7.1	7.2	6.3	5.9	6.1	6.1	6.2	6.0	6.0	6.0	6.0	5.7		
76 ST(9.8C)							FC95															
4198581	9.775	11.769	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	8.0	8.5	8.3	7.0	
WEEKLEY ASPHALT PAVING, IN							SPRIDE	7.1	7.1	6.6	6.4	6.3	6.1	5.7	5.9	5.8	5.7	5.6	5.5	5.7	5.3*	
							(2014)															
87060000	11.691	12.386	R	1	1	30	CRACKING	9.5	9.5	9.5	9.5	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0		
ALA				3	5.2	49000	RIDE	8.2	8.1	8.0	7.4	6.4	5.9	5.7	5.6	5.5	5.8	5.8	5.5	5.0*		
SAINT REGIS(11.7R)							FC95															
4291441	11.750	12.302	R	2013	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.1	8.5	7.5	
WEEKLEY ASPHALT PAVING, IN							SPRIDE	5.3*	6.6	6.3	5.7	5.8	5.8	5.6	5.5	5.4*	5.3*	5.2*	4.9*	5.1*	4.7*	
							(2015)															
87060000	12.627	14.047	R	1	7	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5		
ALA				2	5.2	49000	RIDE		8.2	7.8	7.2	7.3	7.3	7.6	7.5	7.5	7.4	7.3	7.2			
							FC95M															
4309492	12.631	13.990	C	2022	0012	CRACKING	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.0*	3.0*		10.0	9.5	
GENERAL ASPHALT CO., INC.							SPRIDE	7.2	7.3	7.1	6.9	6.8	6.8	6.6	6.4	6.3	6.2	6.1		7.3	6.9	
							(2026)															
87060000	14.047	16.052	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
ALA				3	9.2	58500	RIDE	8.0	7.5	6.6	6.1	6.8	6.4	6.3	6.3	6.0	6.0	5.8	5.6	5.3*		
SUNNY ISLES/SR 826(14.6R)							FC95M															
4309491	14.046	16.052	R	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.0	8.0	
GENERAL ASPHALT CO., INC.							RIDE	5.7	5.7	5.6	5.2*	4.2*	4.0*	7.0	7.0	6.9	6.7	6.5	6.5	6.5	6.1	
							(2020)															
87060000	16.052	17.717	R	1	1																	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
87060000	16.191	17.717	L	1	1	35	CRACKING	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
ALA				2	1.7	35000	RIDE	7.0	7.3	7.0	6.8	6.7	6.2	6.6	6.6	6.5	6.3	6.1	5.9	5.9	
SR 856 EB(16.2L)							FC125														
4295231	16.487	17.714	L	2013		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.6	9.0	8.0
RANGER CONSTRUCTION INDUST(2015)							SPRIDE	5.7	7.2	7.3	7.3	7.1	7.0	7.0	6.6	6.6	6.2	6.3	5.9	5.7	5.3*
4578241	16.052	17.717	C	2031		0012															
87060000	14.047	16.191	L	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	6.5	6.5	6.5	6.5	6.5
ALA				3	9.2	58500	RIDE	8.2	7.5	7.2	7.5	7.6	7.4	7.4	7.5	7.4	7.3	7.2	7.1	6.9	
BAYVIEW DR/158 ST(14.1L)							FC95M														
4309491	14.046	16.275	L	2017		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	9.5	9.5	9.6	9.5	8.5
GENERAL ASPHALT CO., INC. (2020)							SPRIDE	6.9	6.9	6.8	6.4	5.5	5.4*	7.6	7.4	7.4	7.1	7.1	6.9	6.9	6.5
87060000	12.627	14.047	L	1	7	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	
ALA				2	5.2	49000	RIDE		8.1	7.6	7.0	7.2	6.8	7.0	7.1	7.4	7.5	7.4	7.3	7.1	
							FC95M														
4309492	12.631	13.990	C	2022		0012	CRACKING	8.5	8.5	7.5	6.0*	6.0*	6.0*	5.5*	3.5*	1.0*	0.0*	0.0*		10.0	9.5
GENERAL ASPHALT CO., INC. (2026)							SPRIDE	7.0	6.8	6.7	6.4	6.6	6.2	6.3	6.1	6.3	6.2	5.9		7.4	7.0
87060000	11.691	12.386	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
ALA				3	5.2	49000	RIDE	8.5	8.5	8.3	7.7	7.7	7.5	7.2	7.6	7.5	7.5	7.3	7.0	7.1	
BAL HARBOUR(11.7L)							FC95														
4291441	11.750	12.302	L	2013		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.5	8.5
WEEKLEY ASPHALT PAVING, IN(2015)							SPRIDE	7.0	7.2	6.9	6.9	6.5	6.2	6.0	5.9	6.1	5.8	5.6	5.8	5.6	5.2*
87060000	7.214	8.406	L	1	1	35	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5
ALA				3	7.4	35500	RIDE	6.8	7.1	6.4	5.8	5.8	5.7	8.2	7.8	8.0	7.8	7.8	8.0	7.8	
INDIAN CREEK DR(8.4L)							DGFC														
4106451	6.713	8.692	C	2004		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.9	5.5*
PREFERRED MATERIALS, INC. (2007)							RIDE	8.0	7.3	7.6	7.6	7.6	7.4	7.4	7.3	7.4	6.9	7.0	7.0	6.9	6.5
4499461	7.149	8.410	C	2028		0012															
87060000	6.686	7.214	L	1	1	35	CRACKING	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
ALA				3	7.4	35500	RIDE	7.7	7.8	7.1	6.9	6.8	6.0	6.7	7.3	6.7	6.6	6.2	6.8	6.5	
							DGFC														
							CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
4439311	6.647	7.149	C	(1996) 2025		0012	RIDE	6.5	6.6	6.5	6.8	6.4	6.4	6.7	6.3	6.6	6.0	6.2	6.6	6.5	6.1
87060000	3.114	3.670	L	1	1	35	CRACKING	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	
ALA 41				3	8.7	35000	RIDE	6.6	5.9	5.6	4.8*	4.8*	4.4*	4.5*	4.5*	4.6*	4.0*	4.4*	4.4*	7.2	
WEST AVE(3.1L)							FC95														
4146361	3.175	3.670	C	2011 (2013)		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	9.0	8.0
H & J ASPHALT, INC							RIDE	7.1	7.1	6.1	5.9	5.9	5.8	5.5	5.4*	5.4*	5.2*	5.3*	5.2*	5.0*	4.6*
87060000	1.082	2.715	L	1	1	45	CRACKING	9.0	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
ALA 41				3	5.3	78000	RIDE	8.4	8.6	8.2	7.5	7.4	7.3	7.2	7.2	6.8	8.0	7.9	8.0	8.0	
SIDE ROAD(1.4C)							FC2														
4146351	1.082	2.717	C	2008 (2011)		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.4	7.8	6.0*
COMMUNITY ASPHALT CORP.							SPRIDE	8.1	8.1	8.4	8.3	8.3	8.3	8.3	8.2	8.2	8.2	7.8	8.1	8.2	8.1
87060000	0.464	1.082	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*			
ALA 41				3	5.3	78000	RIDE	8.1	8.0	7.8	7.2	7.1	7.0	7.5	7.5	7.4	7.1	6.8			
POM TUNNEL ENTRANCE(0.5L)							DGFC														
							CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6
							RIDE			8.0	8.0	7.9	7.9	7.8	7.8	7.9	7.6	7.2		7.8	7.4
87060001	0.000	2.498	C	1	7	30	CRACKING	10.0	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
ALA				3	7.5	24000	RIDE	7.6	7.3	6.8	6.3	6.3	5.9	6.8	6.5	6.7	6.8	6.6	6.5	5.9	
BAL HARBOUR SHOPS EN(0.0R)							FC125M														
4438991	0.045	2.476	C	2023		0012	CRACKING	9.0	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.5
FLORIDA ENGINEERING & DEVE(2026)							SPRIDE	5.7	6.1	5.9	5.7	5.5	4.7*	4.6*	4.5*	4.4*	4.3*	4.2*	4.2*	6.9	6.5
87060001	2.498	3.014	R	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	9.0	9.0	
ALA				3	7.4	35500	RIDE	5.9*	5.6	5.7	5.6	5.8	6.0	5.3*		6.6	6.0	6.1	5.2*	5.4*	
CONDO ENTRANCE(2.6R)							DGFC														
4308131	2.498	2.831	R	2019		0015	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	9.6	10.0	9.0
ROADWAY CONSTRUCTION LLC (2021)							SPRIDE	5.3*	5.5	4.8*	4.5*	4.5*	4.6*	4.2*	6.2	6.2	6.3	6.1	6.1	5.9	5.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT	(MP)	(SIDE)					*****															(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
87060001	3.014	3.231	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
A1A					3	7.5	24000	RIDE	6.7	6.5	6.5	5.5	5.2*	4.5*	5.9	5.6	5.5	5.9	6.3	6.4	6.0	
SR 907 *(3.0C)							DGFC															
4308132	3.029	3.218	C	2022			0015	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	6.0*	6.0*	6.0*	5.5*	10.0	8.9	8.0
FLORIDA ENGINEERING & DEVE							(2025)	SPRIDE	5.7	6.0											5.6	5.2*
87060001	2.498	3.014	L	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	9.5	9.5	
A1A					3	7.4	35500	RIDE	6.5	6.4	5.8	5.5	5.4*	5.2*	5.4*		7.1	6.9	6.9	7.0	7.3	
67 ST (2.6L)							DGFC															
4308131	2.616	3.014	L	2019			0015	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0
ROADWAY CONSTRUCTION LLC							(2021)	SPRIDE	7.0	6.9	5.7	6.6	5.9	5.3*		7.4	7.3	7.5	7.5	7.0	6.8	6.4
87060002	0.000	0.198	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5					7.5
A1A					2	2.8	41000	RIDE	7.5	7.0	7.6	5.4*	5.4*	5.2*	4.9*	5.4*	5.8	5.7				5.5
COLLINS AV AT 44 ST(0.0C)							DGFC															
4275051	0.007	0.154	C	2014			0012	CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.9	7.0	6.0*
CENTRAL CIVIL CONSTRUCTION							(2017)	SPRIDE	5.6	5.1*		5.6	5.1*	5.0*							3.4*	3.0*
4439311	0.000	0.215	C	2025			0012															
87060002	0.198	0.875	C	1	1	35	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5				10.0
A1A					2	9.2	15500	RIDE		5.7	5.2*	5.3*	4.8*	5.1*	4.7*	4.5*	4.9*	4.7*				6.9
TN LN FR 41 ST(0.2R)							DGFC															
							(2023)	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	9.2	10.0	9.0	
								RIDE	6.7	6.5	5.7	5.6	5.1*				4.3*	4.3*	4.3*	4.4*	4.0*	
87060002	0.875	1.034	C	1	1	35	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5				10.0
A1A					2	9.2	15500	RIDE		5.7	5.2*	5.3*	4.8*	5.1*	4.7*	4.5*	4.9*	4.7*				6.9
27 ST(0.9L)							DGFC															
							(2025)	CRACKING	10.0	10.0	10.0	10.0					10.0		10.0	9.6	9.0	
								RIDE	6.7	6.5	5.7	5.6					4.3*		10.0	4.2*	3.8*	
87060002	0.000	0.198	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5					7.5
A1A					2	2.8	41000	RIDE	7.5	6.3	6.3	7.2	6.4	5.9	6.5	5.9	5.7	5.5				5.5
SR A1A(0.0L)							DGFC															
4275051	0.007	0.154	C	2014			0012	CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.4	8.0	7.0
CENTRAL CIVIL CONSTRUCTION							(2017)	SPRIDE	5.1*	5.1*		5.6	5.1*	5.0*							4.7*	4.3*
4439311	0.000	0.215	C	2025			0012															
87061000	0.000	0.209	R	1	4	40	CRACKING	8.9	8.8	8.5	8.5	8.5	8.6	8.2	8.1	8.9	8.3	7.5	7.7	7.8		
886					3	8.3	11200	RIDE	5.5*	5.9	5.6	4.8*	4.1*	4.2*	4.6*	4.3*	4.8*	5.4*	5.0*	5.4*	5.4*	
BISCAYNE BLVD(0.0C)							CONC															
								CRACKING	8.1	7.6	7.6	7.5	8.2	8.0	7.2	8.4	8.7	8.6	8.5	8.3	8.1	
								RIDE	5.1*	5.1*	4.4*	4.6*	4.1*	4.4*	3.7*	4.0*	4.1*	3.9*	4.0*	3.9*	3.8*	
4439131	0.000	0.785	C	2026			0227															
87061000	0.683	0.826	R	1	4	40	CRACKING	7.3	8.3	8.6	8.5		9.5	9.5	9.5	9.3	9.3	9.3	9.1	9.2		
886					3	8.3	11200	RIDE	6.3*	6.6	6.4	6.0		6.0	5.6	5.1*	5.7	6.0	5.7	5.8	5.4*	
CARIBBEAN WAY(0.8R)							CONC															
4057131	0.000	0.826	C	2003			0008	CRACKING	9.0	9.0	9.0	8.9	9.0	9.2	8.1	9.2	9.4	9.2	9.3	9.3	9.3	8.5
4439131	0.000	0.785	C	2026			0227	RIDE	5.3*	6.0	5.5	5.3*	5.0*	5.1*	5.0*	5.1*	5.1*				4.4*	4.3*
87061000	0.683	0.826	L	1	4	40	CRACKING	8.9	9.0	9.3	8.9		9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
886					3	8.3	11200	RIDE	6.1*	5.8	5.7	4.8*		4.4*								
NORTH AMERICA WAY(0.8L)							CONC															
							(2017)	CRACKING	10.0	10.0		8.8	8.8	8.8	8.8	9.1	9.1	9.0	9.0	9.1	8.7	8.0
								RIDE												4.7*	4.6*	
4439131	0.000	0.785	C	2026			0227															
87061000	0.000	0.209	L	1	4	40	CRACKING	8.5	8.3	8.2	8.3	8.2	7.9	7.7	7.6	8.5	7.7	7.2	7.0	6.9		
886					3	8.3	11200	RIDE	6.5	5.8	5.8	4.7*	4.8*	4.1*	4.1*	4.3*	5.7	5.0*	5.3*	4.5*	5.2*	
BISCAYNE BLVD(0.0C)							CONC															
								CRACKING	6.8	6.8	6.5	6.3*	6.4*	6.9	6.5	7.5	6.9	7.6	7.1	7.6	8.1	
								RIDE	5.0*	4.6*	4.7*	4.6*	4.4*	5.0*						4.8*		
4439131	0.000	0.785	C	2026			0227															
87062000	0.217	2.038	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	6.0*	6.0*	6.0*	6.0*		
959					2	3.4	16100	RIDE	7.8	7.7	7.5	6.7	6.4	6.6	6.6	6.9	6.9	6.9	6.5	6.7	6.6	
DIXIE HWY S(0.2C)							FC125															
							(2016)	CRACKING	6.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.5	8.5
								RIDE	6.5		7.6	7.5	7.4	7.2	7.1	7.1	7.2	7.1	7.0	7.1	7.0	6.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****															
87062000	2.038	3.024	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5		
959				2	3.2	14100	RIDE	7.8	7.6	7.5	7.1	7.0	6.8	7.1	7.1	7.0	6.7	6.7	6.7	6.6		
BIRD RD(2.0C)																						
4227232	2.063	2.997	C	2013		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.6	9.5	8.5	
RANGER CONSTRUCTION INDUST(2015) SPRIDE																						
87062000	3.024	3.678	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5		
959				2	3.4	20000	RIDE	7.8	7.6	7.5	7.1	7.0	6.8	7.1	7.1	7.0	6.7	6.7	6.7	6.6		
SW 22 ST(3.2L)																						
4227231	3.087	3.497	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.6	7.5
SOUTHEASTERN ENGINEERING C(2015) SPRIDE																						
87062000	3.678	4.072	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	6.5	6.5		
959				3	3.4	20000	RIDE	6.5	6.4	6.0	5.7	6.0	6.8	5.7	5.6	6.3	6.9	5.7	5.8			
SW 14 ST(3.7L)																						
4227231	3.737	4.012	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	8.8	7.5	
SOUTHEASTERN ENGINEERING C(2015) SPRIDE																						
87062000	4.072	5.064	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
959				2	3.4	23500	RIDE	6.1*	5.8	5.6	5.3*	5.1*	5.0*	7.6	7.5	7.2	6.6	6.8	6.8	6.5		
SEVENTH ST SW(4.1C)																						
4124781	4.082	5.540	C	2004		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
PREFERRED MATERIALS, INC. (2007) RIDE																						
4478041	4.088	5.393	C	2025		0012		6.5	5.9	5.7	5.9	5.7	6.0	5.7	5.7	5.6	5.5	5.6	5.5	5.4*	5.0*	
87062000	5.064	5.424	R	1	1	40	CRACKING	9.0	9.0	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
959				3	5.2	38000	RIDE	7.5	7.7	7.4	7.0	6.8	6.7	7.6	7.9	8.0	7.5	7.8	7.7	7.7		
BLUE LAGOON DR(5.3C)																						
4124781	4.082	5.540	C	2004		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.3	8.3	7.0	
PREFERRED MATERIALS, INC. (2007) RIDE																						
4478041	4.088	5.393	C	2025		0012		7.7	7.8	7.6	7.4	7.1	7.3	7.3	7.3	7.2	7.1	7.2	6.8	6.8	6.4	
87062000	5.424	5.598	R	1	1	40	CRACKING	9.0	9.0	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
959				2	5.2	38000	RIDE	7.5	7.7	7.4	7.0	6.8	6.7	7.6	7.9	8.0	7.5	7.8	7.7	7.7		
PERIMETER RD(5.6C)																						
							DGFC															
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	9.0	10.0	9.0	
							RIDE	7.7	7.8	7.6	7.4	7.1	7.3						4.2*	3.8*		
87062000	5.424	5.598	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
959				2	5.2	38000	RIDE	8.0	7.5	7.6	5.5	5.8	5.2*	8.1	7.7	7.3	7.1	7.3	7.1	7.0		
PERIMETER RD(5.6C)																						
							DGFC															
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	9.2	10.0	9.0	
							RIDE	6.7	6.7	6.8	6.2	6.1	7.0						5.5	5.1*		
87062000	5.064	5.424	L	1	2	40	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
959				3	5.2	38000	RIDE	8.0	7.5	7.6	5.5	5.8	5.2*	8.1	7.7	7.3	7.1	7.3	7.1	7.0		
BLUE LAGOON DR(5.3C)																						
4124781	4.082	5.540	C	2004		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*	
PREFERRED MATERIALS, INC. (2007) RIDE																						
4478041	4.088	5.393	C	2025		0012		6.7	6.7	6.8	6.2	6.1	7.0	6.5	6.7	6.8	6.6	6.1	5.7	6.8	6.4	
87062000	4.072	5.064	L	1	1	40	CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
959				3	3.4	23500	RIDE	6.2*	6.2	4.8*	5.0*	5.2*	5.0*	6.7	7.6	7.2	6.5	7.0	7.1	7.0		
SEVENTH ST SW(4.1C)																						
4124781	4.082	5.540	C	2004		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.0*	
PREFERRED MATERIALS, INC. (2007) RIDE																						
4478041	4.088	5.393	C	2025		0012		6.5	5.9	5.7	5.9	5.7	6.0	5.7	6.5	6.6	6.3	6.2	6.4	6.0	5.6	
87066000	0.000	0.610	C	1	1	35	CRACKING	9.5	9.5	9.5	7.0	9.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5		
922				4	4.0	32000	RIDE	6.8	6.7	6.2	6.0	6.0		6.9	6.8	6.7	6.5	6.6	6.7	6.4		
NW 7 AVE(0.0C)																						
4075911	0.133	1.886	C	2004		0012	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.5	6.5	7.9	8.4	7.0	
COMMUNITY ASPHALT CORP. (2007) SPRIDE																						
87066000	0.610	1.360	C	1	7	35	CRACKING	9.5	9.5	9.5	7.0	6.5		10.0	10.0	10.0	9.5	9.5	9.5	9.5		
922				4	4.8	32500	RIDE	6.8	6.7	6.2	6.0	6.1		6.9	6.8	6.9	6.5	6.6	6.7	6.4		
NW 1 AVE(0.6R)																						
4439331	0.859	1.363	C	2023		0015	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.5	6.5	7.9	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) SPRIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====															
87070000	10.733	14.275	R	1	1	55	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		
997				2	15.1	24000	RIDE	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	6.5	6.5		
NW 122 AVE(12.0R)																						
2496155	10.935	13.841	C	2016		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0	
HALLEY ENGINEERING CONTRAC(2018)																						
FC5A																						
87070000	10.733	14.275	L	1	1	55	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		
997				2	15.1	24000	RIDE	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	6.5	6.5		
NW 130 ST/NW 122 AVE(12.0L)																						
2496155	10.935	13.841	C	2016		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.8	9.7	8.0	
HALLEY ENGINEERING CONTRAC(2018)																						
FC5A																						
87070000	8.151	10.733	L	1	1	55	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		
997				2	15.1	24000	RIDE	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	6.5	6.5		
SIDE ROAD(10.2C)																						
2496158	8.151	10.935	C	2015		0213	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	8.5	
GENERAL ASPHALT CO., INC. (2018)																						
FC5M																						
87070000	0.780	8.151	L	1	1	55	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*		
997				2	15.1	24000	RIDE	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	6.5	6.5		
SIDE ROAD(1.1L)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	9.1	7.5	
(2018)																						
RIDE																						
87070000	0.000	0.780	L	1	1	55	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
997				2	15.1	24000	RIDE	7.7	7.7	8.1		7.2	6.5	7.2	7.1	6.9	7.0	7.2	7.0	6.9		
SR 90/US-41(0.0C)																						
2496143	0.000	0.657	C	2015		0213	CRACKING	8.5	8.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	9.1	10.0	8.5	
ODEBRECHT CONSTRUCTION, IN(2020)																						
FC5M																						
87072000	0.000	0.736	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		
985				2	2.2	27500	RIDE	6.8	7.1	6.9	5.7	6.3	5.7	6.2	6.4	6.2	6.3	6.4	6.1	6.1		
KILLIAN PKWY(0.0C)																						
4259131	0.163	0.940	C	2013		0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.5	8.5	
GENERAL ASPHALT CO., INC. (2015)																						
DGFC																						
87072000	0.736	1.117	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		
985				2	2.2	27500	RIDE	6.8	7.1	6.9	5.7	6.3	5.7	6.2	6.4	6.2	6.3	6.4	6.1	6.1		
SR 94/SW 88 ST(1.0C)																						
							CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.1	8.0	
(2020)																						
RIDE																						
87072000	1.117	3.084	R	1	1	40	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
985				4	4.0	24500	RIDE	6.7	6.8	6.4	6.3	7.2	7.0	7.1	6.9	6.9	6.8	7.0	6.5	6.8		
SW 86 ST(1.2C)																						
4076061	0.000	3.004	C	2003		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.3	8.1	6.5	
COMMUNITY ASPHALT CORP. (2005)																						
4499481	1.109	3.084	C	2027		0012	SPRIDE	6.7	6.6	6.3	6.3	6.1	5.8	6.2	6.1	5.9	5.7	5.8	5.5	5.9	5.5	
87072000	3.084	4.189	R	1	1	40	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0		
985				2	3.8	26000	RIDE	7.4	6.8	6.3	6.2	6.5	6.4	5.9	6.2	6.1	6.9	6.8	6.8	6.7		
SW 52 ST(3.3R)																						
4146421	3.004	4.142	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.9	7.6	6.5	
H&R PAVING INC (2010)																						
4525691	3.084	5.148	C	2029		0012	RIDE	6.7	6.8	6.4	6.4	6.4	6.0	6.1	5.9	5.9	6.0	5.9	6.0	5.9	5.6	
87072000	4.189	5.139	R	1	1	40	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.5*	6.5	10.0	10.0	10.0		
985				2	2.1	26500	RIDE	7.4	6.8	6.3	6.2	6.5	6.4	5.9	6.2	6.1	5.9	7.4	7.0	7.0		
SW 38 ST(4.3C)																						
2495932	4.189	5.185	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1	7.8	6.5	
H&R PAVING INC (2011)																						
4525691	3.084	5.148	C	2029		0012	SPRIDE	7.1	7.2	6.9	7.1	6.9	6.9	7.0	6.7	6.4	6.0	6.3	6.0	6.4	6.0	
87072000	5.139	5.931	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0		
985				3	3.8	45500	RIDE	6.8	6.7	6.4	6.0	6.0	5.6	5.8	6.0	6.0	6.1	6.0	5.8	6.0		
SW 24 ST/CORAL WAY(5.2C)																						
4311771	5.161	5.931	C	2015		0012	CRACKING	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	9.0
RANGER CONSTRUCTION INDUST(2017)																						
FC125A																						
							SPRIDE	5.9	5.7	6.3	8.2	8.0	7.6	8.0	7.7	8.0	8.1	8.0	7.6	7.7	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

															DISTRICT = 6		COUNTY = DADE																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											FUTURE																
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	W_KMX-P	ASTYPE	*****																														
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)	CONTRACTOR	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F																													
ITMSEG-F																																					
87072000	5.931	6.821	R	1	1	40	CRACKING	8.0	8.0	7.0																											
985																																					
ELEVENTH ST SW(6.0C)																																					
							FC95A	6.1*	5.9	6.6		5.3*	4.8*	4.8*	5.4*	5.2*	5.0*	5.1*	4.9*	5.2*																	
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.6		
87072000	6.821	7.154	R	1	1	40	CRACKING	8.0	8.0	7.0																											
985																																					
FOUNTAIN BLEU BLVD(7.2C)																																					
							FC125	6.1*	5.9	6.6		7.8	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
4525601	6.827	7.604	C	2027		0012		6.3	6.7	6.1	5.9			6.8	6.8	6.6	6.8	6.6	7.1	6.8	6.4	6.2	6.2														
87072000	7.154	7.604	R	1	1	40	CRACKING	8.0	8.0	7.0																											
985																																					
FOUNTAIN BLEU BLVD(7.2C)																																					
							DGFC	6.1*	5.9	6.6		8.0	7.9	8.0	7.8	7.8	7.7	7.8	7.8	7.7	7.8	7.8	7.7														
							(2025)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
4525601	6.827	7.604	C	2027		0012		7.6	7.6	7.4	7.3			7.3	7.0	7.3	7.3	7.2	6.2	6.5	7.0	7.3	6.9														
87072000	7.118	7.604	L	1	1	40	CRACKING	10.0	9.0	7.5																											
985																																					
FOUNTAIN BLEU BLVD(7.2C)																																					
							FC125	6.6	6.7	6.3		8.0	8.0	8.0	7.8	7.8	7.6	7.7	7.5	7.7	7.5	7.4															
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
2497712	7.154	7.604	C	2002		0213	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
4311771																																					
M. VILA & ASSOCIATES, INC.(2005)																																					
							SPRIDE	7.3	7.2	6.9	6.9			6.8	6.9	6.7	6.3	6.4	6.3	6.6	5.9	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
4525601	6.827	7.604	C	2027		0012		7.0	7.0	7.0	7.0			7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
87072000	6.821	7.118	L	1	1	40	CRACKING	8.0		10.0	10.0																										
985																																					
FOUNTAIN BLEU BLVD(7.2C)																																					
							FC125	4.7*		7.9	6.8			7.6	7.7	7.6	7.8	7.7	7.2	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
4525601	6.827	7.604	C	2027		0012		6.8	6.2	6.7	6.7			7.0	7.1	6.8	6.9	6.9	6.8	6.3	7.4	7.4	6.5														
87072000	5.931	6.821	L	1	1	40	CRACKING	8.0	8.0	8.0	8.0																										
985																																					
ELEVENTH ST SW(6.0C)																																					
							FC95A	4.7*	4.1*	3.7*	4.0*			4.3*	3.7*	5.3*	5.0*	5.1*	4.8*	4.8*	4.7*	4.7*															
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
87072000	5.139	5.931	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0																										
985																																					
SW 24 ST/CORAL WAY(5.2C)																																					
							FC125A	7.0	6.9	6.9	6.1			5.7	6.5	6.5	6.5	6.5	6.2	6.4	6.4	6.4															
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
4311771	5.161	5.931	C	2015		0012	CRACKING	7.0	7.0	7.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2017)																																					
							SPRIDE	6.4	6.4	6.7	8.2			7.8	7.5	8.0	8.0	8.2	8.2	8.0	9.6	8.0	9.6	8.2													
87072000	4.189	5.139	L	1	1	40	CRACKING	9.0	9.0	8.0	7.5																										
985																																					
SW 38 ST(4.3C)																																					
							FC125M	6.6	6.7	6.5	6.1			5.9	6.1	6.5	6.1	6.1	6.1	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							(2020)	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
2495932	4.189	5.185	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC																																					
							(2011)	7.1	7.2	6.9	7.1			6.9	6.9	7.0	6.7	6.4	6.0	6.3	6.2	6.3	6.3	6.3	6.2	6.3	6.3	6.2	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
4525691	3.084	5.148	C	2029		0012		7.0	7.0	7.0	7.0			7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
87072000	3.084	4.189	L	1	1	40	CRACKING	9.0	9.0	8.0	7.5																										
985																																					
SW 55 TER(3.1L)																																					
							FC95	6.6	6.7	6.5	6.1			5.9	6.																						

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																						
CONTRACTOR (AGE_ONE YEAR) ASTYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						
87072000	0.000	0.736	L	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		
985				2	2.2	27500	RIDE	7.0	6.9	6.1	5.7	4.9*	5.1*	5.8	5.6	5.8	6.3	6.4	6.1	6.1		
KILLIAN PKWY(0.0C)								DGFC														
4259131	0.163	0.940	C	2013		0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0	
GENERAL ASPHALT CO., INC. (2015)								SPRIDE														
87075000	0.000	0.490	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	0.0	0.5	2	10.4		163000	RIDE	8.7	8.5	7.9	7.3	7.8	7.7	7.7	7.9	8.0	8.1	8.1	8.0	8.2		
E END OF BR OVR 826(0.0C)								FC5M														
2516301	0.000	5.458	C	1991		0210	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.4	7.6	2.5*		
GENERAL ASPHALT CO (1992)								S RIDE														
4459881	0.000	0.490	C	2024		0012																
87075000	0.490	5.455	R	4	1	70	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0		
93 I75	0.5	5.5	4	7.9		163500	RIDE	8.9	8.8	8.8	8.1	8.0	7.9	7.9	7.9	7.9	8.0	8.1	8.1	8.1		
BROWARD COUNTY LINE(5.5C)								FC5M														
				(2020)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.3	9.7	8.0	
				(2020)			RIDE	7.9	7.9	8.1	8.0	7.9	7.9	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.2	
87075000	0.490	5.455	L	4	1	70	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	6.5	10.0	10.0	10.0	10.0		
93 I75	0.5	5.5	3	10.4		163500	RIDE	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.1	8.1	7.9	8.0	7.9	7.9		
BROWARD COUNTY LINE(5.5C)								FC5M														
				(2020)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5	
				(2020)			RIDE	7.9	7.9	8.0	8.0	7.9	7.7	8.3	8.5	8.5	8.5	8.4	8.4	8.5	8.4	
87075000	0.000	0.490	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	0.0	0.5	3	10.4		163000	RIDE	7.9	8.0	7.7	8.2	7.9	7.6	7.7	8.1	7.7	8.0	8.1	7.9	8.0		
E END OF BR OVR 826(0.0C)								FC5M														
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	10.0	8.5	
				(2021)			RIDE	7.8	7.8	7.9	6.6	6.9	6.8	5.7*	7.5	7.4	7.1	7.0	7.0	7.1	7.0	
4459881	0.000	0.490	C	2024		0012																
87075701	0.000	1.059	C	1	1	35	CRACKING															
923				2	5.3	7600	RIDE															
								DGFC														
				(2025)			CRACKING													10.0	9.6	9.0
				(2025)			RIDE													6.5	6.7	6.3
87075702	0.000	0.408	C	1	1	30	CRACKING															
918				2	5.2	23500	RIDE															
								DGFC														
				(2025)			CRACKING													10.0	10.0	9.5
				(2025)			RIDE													6.4	6.9	6.5
87075703	0.000	0.913	C	1	1	30	CRACKING															
928				2	5.7	11400	RIDE															
								FC125M														
				(2025)			CRACKING													9.6	9.6	9.0
				(2025)			RIDE													6.5	6.8	6.4
87075704	0.000	0.811	C	1	1	30	CRACKING															
938				2	5.3	13600	RIDE															
								DGFC														
				(2025)			CRACKING													10.0	9.6	9.0
				(2025)			RIDE													6.5	6.6	6.2
87075901	0.000	5.773	C	4	1		CRACKING															
93 I75				1	2.6	13500	RIDE															
				(2021)			CRACKING							10.0	10.0	10.0	10.0	8.6	9.0	7.5		
				(2021)			RIDE							8.4	8.4	8.4	8.3	8.3	8.3	8.4	8.3	
87075902	0.000	5.744	C	4	1		CRACKING															
93 I75				1	3.1	12000	RIDE															
				(2021)			CRACKING							10.0	10.0	10.0	10.0	9.2	9.0	7.5		
				(2021)			RIDE							8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	FW	FY-F	WKM	-P															(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW																		
ITMSEG-F																					
87080000	0.000	0.676	C	1	1	35	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.0	7.0	
934				4	9.6	27200	RIDE	7.0	7.1	6.4		7.0	6.5	6.0	7.5	6.3	6.6	6.4	6.6	6.4	
BISCAYNE BLVD(0.0C)																					
4274521	0.000	0.662	C	2014		0012	CRACKING	7.0	6.0*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	8.8	8.0
WEEKLEY ASPHALT PAVING, IN				(2017)			SPRIDE	6.2	6.0		7.9	7.8	7.8	6.9	6.9	7.2	6.8	6.7	6.7	6.5	6.1
87080000	0.676	2.678	R	1	1	30	CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	
934				3	3.6	44000	RIDE	7.8	7.5	7.4	6.8	6.7	6.6	6.3	6.8	6.6	6.5	6.4	6.3	6.2	
EB EXIT TO BAYSHORE CT(0.7R)																					
4311801	0.676	2.678	C	2015		0012	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	8.8	8.5	7.5
WEEKLEY ASPHALT PAVING, IN				(2017)			RIDE	6.2	6.3	6.0	8.0	7.6	7.8	7.5	7.6	7.7	7.6	7.3	7.4	7.4	7.0
87080000	2.678	3.718	C	1	1	35	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	
934				3	9.6	18500	RIDE	8.0	7.6	7.4	6.9	6.5	5.9	6.3	6.2	5.9	5.9	5.8	6.0	8.1	
BAY DR W(2.7L)																					
4226171	2.678	3.718	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	8.2	8.1	7.0
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	7.4	7.3	7.6	7.6	7.3	7.2	7.3	6.9	7.1	7.1	6.9	6.9	6.9	6.5
87080000	3.718	4.175	C	1	2	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	10.0	
934				2	9.6	10800	RIDE	6.5	5.6	5.8	5.5	4.5*	3.9*	4.4*	4.1*	4.6*	4.4*	3.7*	3.7*	7.2	
BAY DR E(3.7C)																					
4198251	3.718	4.175	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.6	6.5
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	6.4	6.7	5.1*	4.9*	4.7*	4.4*	4.2*						3.1*	2.7*
4439261	3.692	4.165	C	2026		0012															
87080000	0.676	2.678	L	1	1	35	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	
934				3	3.6	44000	RIDE	7.7	7.7	7.3	6.9	6.7	6.5	6.5	6.6	6.0	6.3	6.1	5.7	5.7	
TRN LN TO BAYSHORE(0.7L)																					
4311801	0.676	2.678	C	2015		0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	8.6	7.5
WEEKLEY ASPHALT PAVING, IN				(2017)			RIDE	5.5	5.5	5.7	7.9	7.6	7.7	7.0	7.5	7.5	7.0	7.3	7.4	7.3	6.9
87080001	0.000	0.761	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	10.0	
934				2	9.6	15500	RIDE	7.6	7.6	7.3	6.3	6.5	6.3	6.6	6.6	6.9	6.3	6.3	5.9	8.3	
SR 934(0.0L)																					
4106463	0.000	0.680	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	8.4	7.5
GENERAL ASPHALT CO., INC.				(2013)			RIDE	8.1	7.4	7.5	7.1	7.0	7.0	6.8	6.7	6.4	6.5	6.8	6.6	6.6	6.2
87080001	0.761	3.034	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
934				2	9.6	19500	RIDE	7.6	7.6	7.3	6.3	6.5	6.3	6.6	6.6	6.9	6.3	6.3	5.9	6.2	
FOURTH PL NE(0.9C)																					
				(2015)			CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	6.5
							RIDE	6.2	7.0	6.6	6.7	6.5	6.5	6.4	6.4	6.6	6.3	6.2	6.2	6.0	5.6
87080347	0.000	1.042	C	1	1	35	CRACKING	10.0	10.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	
934				3	9.6	19500	RIDE	6.6	6.6	6.8	6.4	6.1	6.0	6.2	6.5	6.3	6.3	5.2*	5.7	7.0	
BAY DR E(0.0C)																					
4226161	0.312	1.042	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.3	7.0
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	6.8	6.5	6.8	6.3	6.2	6.0	5.9	5.7	5.6	5.8	5.5	5.7	5.6	5.2*
4525571	0.122	1.042	C	2027		0012															
87080900	31.090	33.196	R	1	1	45	CRACKING	8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
934				3	9.6	50000	RIDE	6.7	6.9	6.2*	5.7*			7.9	7.8	8.1	7.9	7.8	7.9	7.7	
EB ENT FROM SR 826 SB L(31.1C)																					
2499851	31.281	33.248	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	9.0	8.8	7.5
MCM CORP.				(2007)			S RIDE	7.7	7.7	7.1	7.0	6.9	6.9	6.9	7.0	6.9	6.8	6.8	6.9	6.6	6.2
4525661	31.090	33.196	C	2027		0012															
87080900	33.196	33.627	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	
934				2	9.5	29500	RIDE	6.4*	6.4	6.3	5.6	5.8	5.3*	5.4*	5.5		6.7	7.0	6.4	6.1	
W 3 AVE(33.3R)																					
4180661	33.196	34.211	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	5.5*
WEEKLEY ASPHALT PAVING, IN				(2010)			SPRIDE	6.3	5.9	5.4*	5.6	5.7	5.3*	5.0*	5.1*	5.0*	4.9*	4.5*	5.2*	5.1*	4.7*
4439091	33.196	34.211	C	2024		0012															
87080900	33.627	34.211	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	8.5	
934				2	9.5	29500	RIDE	7.6	7.5	7.0	7.2	7.3	7.1	6.5	7.2		7.3	7.3	7.3	6.8	
SIDE ROAD(33.6C)																					
4180661	33.196	34.211	C	2008		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
WEEKLEY ASPHALT PAVING, IN				(2010)			SPRIDE	6.8	6.4	6.5	6.6	6.1	6.2	5.9	6.0	6.0	5.8	5.3*	5.7	5.7	5.3*
4439091	33.196	34.211	C	2024		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE																			(PMRS)	
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
87080900	34.211	34.448	C	1	1	30	CRACKING	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.0		
934			4	9.6	17700		RIDE	4.8*	4.1*	5.9	5.0*	4.5*	5.7	4.4*	4.1*	4.5*	4.2*	4.0*	4.0*	3.9*		
E 22 ST(34.3R)																						
4284831	34.264	34.435	C	2013	0226		CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9	9.5	8.5	
H & J ASPHALT, INC (2015) DGFC RIDE 4.2*																						
87080900	34.448	36.311	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0		
934			2	9.6	32500		RIDE	7.2	7.3	7.1	6.3	6.7	6.5	6.5	6.2	6.3	6.6	6.6	6.5	6.3		
E 5 AVE(34.6C)																						
4311781	34.458	36.311	C	2015	0012		CRACKING	8.0	8.0	7.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.9	8.7	7.5		
H & J ASPHALT, INC (2017) SPRIDE 6.4 5.8 6.1 7.0 6.7 6.8 6.6 6.4 6.9 6.4 6.4 6.2 6.4 6.0																						
87080900	36.311	37.987	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5		
934			3	4.8	36500		RIDE	7.5	7.6	7.4	7.1	7.1	7.0	7.0	7.1	7.1	6.9	7.2	7.2	7.1		
SR 9(36.4C)																						
4291471	36.330	37.754	C	2014	0012		CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.0	8.0	8.0	9.1	8.9	8.0	
GENERAL ASPHALT CO., INC. (2017) SPRIDE 6.8 6.9 7.2 8.2 8.2 8.1 8.1 8.1 8.0 7.9 7.9 7.8 7.6 7.2																						
87080900	37.987	38.617	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5		10.0	10.0	8.5		
934			2	9.6	25000		RIDE	6.3*	6.3	5.0*	4.7*	5.4*	5.2*	5.2*	5.4*	5.7		6.4	6.1	6.3		
NW 10 AVE(38.2R)																						
4274521	38.069	38.557	C	2014	0012		CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.6	7.5	
WEEKLEY ASPHALT PAVING, IN(2017) RIDE 6.3 6.1 6.9																						
87080900	38.617	40.027	C	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
934			4	9.6	30200		RIDE	7.0	7.2	6.0	5.7	5.7	5.1*	5.2*	5.9	5.5	5.7	5.5	5.4*	5.2*		
FIFTH CT NW(38.6R)																						
4274521	38.557	40.027	C	2014	0012		CRACKING	3.5*	2.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.8	8.6	7.5	
WEEKLEY ASPHALT PAVING, IN(2017) RIDE 5.3* 5.4*																						
87080900	37.987	38.617	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0		10.0	10.0	8.5		
934			2	9.6	25000		RIDE	6.3*	6.4	6.4	4.9*	6.8	6.2	6.8	6.7	6.2		6.4	6.1	6.3		
ELEVANTH CT NW(38.0L)																						
4274521	38.069	38.557	C	2014	0012		CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.4	8.0	7.0	
WEEKLEY ASPHALT PAVING, IN(2017) RIDE 6.3 6.1 6.9																						
87080900	36.311	37.987	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	
934			3	4.8	36500		RIDE	8.1	8.0	7.7	7.2	7.2	7.2	7.2	7.4	7.4	7.3	7.1	6.9	7.0		
SR 9(36.4C)																						
4291471	36.330	37.754	C	2014	0012		CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	7.5
GENERAL ASPHALT CO., INC. (2017) SPRIDE 6.8 6.7 6.7 7.9 8.1 8.0 7.9 7.9 8.0 7.9 7.9 7.7 7.1 7.4 7.0																						
87080900	34.448	36.311	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0		
934			2	9.6	32500		RIDE	8.1	8.0	7.8	7.0	6.9	6.7	7.0	7.0	6.7	6.7	6.6	6.6	6.4		
E 5 AVE(34.6C)																						
4311781	34.458	36.311	C	2015	0012		CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	9.0	8.0	
H & J ASPHALT, INC (2017) SPRIDE 6.2 6.3 6.1 7.4 7.4 7.4 6.8 7.0 7.1 6.6 6.6 6.9 6.7 6.3																						
87080900	33.627	34.211	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	8.5		
934			2	9.5	29500		RIDE	5.9*	5.7	5.4*	4.9*	5.3*	5.0*	4.7*	5.4*		7.5	7.4	6.7	6.6		
SIDE ROAD(33.6C)																						
4180661	33.196	34.211	C	2008	0012		CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
WEEKLEY ASPHALT PAVING, IN(2010) SPRIDE 6.6 6.9 5.8 5.7 5.9 6.1 5.9 5.5 5.6 5.4* 5.5 5.2* 5.2* 4.8*																						
4439091	33.196	34.211	C	2024	0012																	
87080900	33.196	33.627	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0		
934			2	9.5	29500		RIDE	7.2	6.8	6.7	4.5*	5.1*	4.7*	5.4*	5.3*		5.8	5.9	5.1*	5.7		
W 3 AVE(33.3L)																						
4180661	33.196	34.211	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.5	7.0	
WEEKLEY ASPHALT PAVING, IN(2010) SPRIDE 5.9 5.9 5.8 5.6 4.9* 5.5 4.7* 4.8* 5.3* 4.9* 5.0* 4.9* 4.3* 3.9*																						
4439091	33.196	34.211	C	2024	0012																	
87080900	31.090	33.196	L	1	1	45	CRACKING	9.0	9.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
934			3	9.6	50000		RIDE	6.5	6.5	6.0*	5.7*		8.3	8.2	8.1	8.0	8.1	8.0	7.9			
OFF RAMP 87260399(31.1L)																						
2499851	31.281	33.248	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	7.5	
MCM CORP. (2007) S RIDE 7.9 7.8 7.4 7.0 7.4 6.9 6.8 6.8 7.0 6.9 6.8 6.7 6.7 6.3																						
4525661	31.090	33.196	C	2027	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR	(AGE_ONE YEAR)				ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(PMRS)
87085000	0.000	0.659	R	1	1 30	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
933			2	3.9	8600	RIDE		7.4	7.5	7.2	6.3	6.3	6.4	6.0	6.1	6.0	5.9	5.5	5.7	5.5	
SR 972(0.0C)					FC125A																
4291451	0.138	0.659	R	2014	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.4	6.5
H & J ASPHALT, INC				(2016)		RIDE		5.5	5.1*		6.6	6.6	6.4	6.3	6.2	6.6	6.3	6.2	6.2	6.2	5.8
87085000	0.659	2.002	C	1	1 30	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5		10.0	10.0	10.0	
933			4	2.1	19500	RIDE		7.1	6.7	5.9	5.9	5.9	5.4*	5.5	5.3*	5.0*		6.6	6.3	6.3	
SW 12 ST(0.7C)					FC95																
4327482	0.667	1.449	C	2017	0015	CRACKING		10.0	9.0	9.0	9.0	6.5	6.5	9.0	8.0	8.0	8.0	8.0	8.5	8.4	7.5
H&R PAVING INC				(2020)		RIDE		5.7	4.7*	4.7*	4.5*	4.5*	5.4*	4.7*	4.4*	4.3*	4.4*	4.2*	4.2*	3.9*	3.5*
87085000	2.002	2.692	R	1	1 30	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.0			10.0	10.0	10.0	10.0	
933			2	3.9	27500	RIDE		5.9*	5.9	5.7	4.7*	4.7*	4.3*	4.8*			7.6	7.3	7.0	6.8	
NW 8 ST(2.1R)					DGFC																
				(2010)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	8.2	7.0
						RIDE		6.8	6.8	6.6	6.2	5.9	6.3	6.2	5.5	6.1	6.4	6.3	6.0	6.2	5.8
87085000	2.692	3.014	R	1	1 35	CRACKING		9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
933			3	5.7	22500	RIDE		5.0*	5.2*	5.0*	4.5*	3.8*	5.9	6.9	6.4	7.0	6.6	5.9	6.1	6.4	
NW 16 ST(2.7C)					DGFC																
				(2026)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	10.0	9.5
						RIDE		6.1	5.9	6.0	5.9	6.2	6.3	6.2	5.5	6.1	6.4	6.3	6.0	6.6	6.2
87085000	3.014	3.603	R	1	1 35	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
933			2	5.7	22500	RIDE		4.6*	4.1*	4.0*	3.5*	3.8*	6.0	6.0	5.6	5.6	5.2*	5.0*	5.6	5.5	
NW 20 ST(3.0C)					DGFC																
4327484	3.014	3.603	C	2022	0015	CRACKING		9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.5
ROADWAY CONSTRUCTION LLC				(2025)		SPRIDE		5.7	5.3*	4.9*	4.5*	3.8*	4.5*	4.6*	3.9*	4.4*	4.0*	4.0*	4.9*	5.1*	4.7*
87085000	3.603	4.245	R	1	1 35	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5	
933			2	5.7	22500	RIDE		7.5	7.3	7.1	6.3	6.5	5.8	6.1	6.3	6.0	6.0	5.8	5.8	5.6	
MISSING DESCRIPTION I(3.7R)					FC125A																
4308161	3.603	4.245	C	2015	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.9	8.0	
FERREIRA CONSTRUCTION CO.,(2016)						SPRIDE		5.8	5.7		6.4	5.6	6.0	5.9	5.4*	5.9	5.9	6.0	5.5	5.5	5.1*
87085000	3.603	4.245	L	1	1 35	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	
933			2	5.7	22500	RIDE		7.4	7.1	6.9	6.2	6.3	5.8	6.4	6.3	6.4	5.7	6.2	5.7	5.7	
NW 29 TER(3.7L)					FC125A																
4308161	3.603	4.245	C	2015	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.7	8.8	7.5
FERREIRA CONSTRUCTION CO.,(2016)						SPRIDE		4.9*	5.4*		5.6	5.5	5.5	5.6	5.3*	5.4*	5.2*	5.5	5.3*	5.1*	4.7*
87085000	3.014	3.603	L	1	1 35	CRACKING		9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
933			2	5.7	22500	RIDE		4.8*	4.2*	3.8*	3.7*	3.5*	7.1	6.6	6.4	6.3	5.8	6.2	5.9	5.8	
NW 20 ST(3.0C)					DGFC																
4327484	3.014	3.603	C	2022	0015	CRACKING		9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.5
ROADWAY CONSTRUCTION LLC				(2025)		SPRIDE		5.8	6.2	4.7*	5.0*	4.8*	4.7*	4.8*	4.3*	4.8*	4.6*	4.6*	4.9*	5.1*	4.7*
87085000	2.002	3.014	L	1	1 35	CRACKING		9.0	9.0	9.0	9.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	
933			3	5.7	22500	RIDE		5.1*	5.5	5.3*	4.7*	5.1*	4.8*	5.1*	6.9	6.9	6.9	6.6	6.4	5.9	
NW 11 ST(2.3C)					FC95																
				(2010)		CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.8	8.9	7.5
						RIDE		5.7	5.4*	6.1	5.5	6.0	5.9	6.3	6.1	6.2	5.7	6.1	5.6	5.9	5.5
87090000	0.000	4.450	R	1	1 60	CRACKING		8.0	8.0	7.0	7.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
25 27			2	13.2	34000	RIDE		7.8	7.6	7.1	6.6	6.5	6.3*	6.3*	6.2*	6.1*	5.7*	5.7*	5.7*	5.8*	
KROME AVE(0.4R)					FC5M																
4232512	0.000	4.591	C	2022	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	10.0	9.3	10.0	9.0
HALLEY ENGINEERING CONTRAC(2024)						SPRIDE		8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.5	8.5	8.4	8.0	8.0	7.9	7.8
87090000	4.450	5.280	R	1	8 55	CRACKING		8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
25 27			2	13.2	34000	RIDE		7.8	7.5		7.9	8.0	7.7	7.8	7.8	7.6	7.7	7.7	7.7	7.7	
					FC5M																
				(2014)		CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.9		
						RIDE		8.0	8.1	8.2	8.2	8.2	8.1	7.6	7.8	7.7	7.8	7.3	7.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87090000	5.280	7.300	R	1	8 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	
25 27				3	3.8	31500 RIDE		8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	8.0	7.9	
NW 138 ST(5.7C)						FC2															
2497581	5.166	10.187	C	1998	0012	CRACKING		8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
COMMUNITY ASPHALT CORP. (2000)						S RIDE		7.8	7.9	8.1	8.0	8.0	8.1	8.0	7.9	7.9	7.9	7.9	7.8		
87090000	7.300	8.200	R	1	8 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	
25 27				3	3.8	31500 RIDE		8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	8.0	7.9	
NW 116 WAY(7.5R)						FC2															
2497581	5.166	10.187	C	1998	0012	CRACKING		8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
COMMUNITY ASPHALT CORP. (2000)						S RIDE		7.8	7.9	8.1	8.0	8.0	8.1	8.0	7.9	7.9	7.9				
4232515	6.346	8.114	C	2022	0218																
87090000	8.200	9.037	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	
25 27				3	17.9	40000 RIDE		8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	8.0	7.9	
NW 105 WAY(8.5R)						FC5M															
						CRACKING		8.5	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	8.6	9.0	7.5
4232514	8.114	9.502	C	2031	0218	RIDE		7.8	7.9	8.1	8.0	8.0	8.1		8.0	8.1	7.9	7.9	7.7	7.9	7.8
87090000	9.037	10.027	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	
25 27				3	17.9	40000 RIDE		8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	8.0	7.9	
						FC5															
2497581	5.166	10.187	C	1998	0012	CRACKING		8.5	8.0	6.5	6.5	6.5	6.5	7.0	7.0	7.0	6.5	6.5	7.2	7.0	4.5*
COMMUNITY ASPHALT CORP. (2000)						S RIDE		7.8	7.9	8.1	8.0	8.0	8.1	7.9	8.1	8.2	7.9	7.8	8.0	7.9	7.8
4232513	9.502	10.169	C	2024	0213																
87090000	10.027	12.125	R	1	1 40	CRACKING		9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	19.2	57000 RIDE		6.4*	6.2	6.1	5.9	5.6		8.0	8.2	8.1	8.0	8.0	8.1	7.9	
NW 79 AVE(10.0R)						DGFC															
2501052	10.442	11.575	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.9	8.8	7.5
THE DE MOYA GROUP INC. (2007)						SPRIDE		8.0	8.0	7.8	7.7	7.6	7.6	6.9	7.0	7.0	7.0	7.0	7.1	6.8	6.4
4525651	10.562	12.133	C	2030	0012																
87090000	12.125	13.493	R	1	1 40	CRACKING		2.0*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	18.8	59000 RIDE		4.7*	4.6*			7.4	7.2	7.1	7.0	6.6	7.2	7.2	7.3	6.9	
SIDE ROAD(12.1C)						DGFC															
2498391	11.818	13.486	C	2001	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	8.6	7.0
THE DE MOYA GROUP INC. (2005)						SPRIDE		6.9	6.9	7.2	7.1	7.1	7.0	6.9	6.9	6.8	6.7	6.9	6.6	6.8	6.4
4478281	12.133	14.665	C	2026	0012																
87090000	13.493	14.902	R	1	1 40	CRACKING		6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	6.4	65500 RIDE		5.5*	5.2*	4.0*		7.3	6.9	7.1	7.0	6.4	6.8	6.8	6.7	6.7	
CURTISS PKWY(13.6R)						DGFC															
2498392	13.486	14.774	C	2001	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	7.5	6.0*
THE DE MOYA GROUP INC. (2005)						SPRIDE		6.8	6.8	6.3	6.3	6.1	6.0	5.8	6.2	6.2	6.2	5.9	6.0	6.0	5.6
4478281	12.133	14.665	C	2026	0012																
87090000	14.902	15.254	R	1	1 40	CRACKING		7.5	7.5	7.0	7.0	7.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
25 27				2	6.4	65500 RIDE		6.2*	6.2	6.1	5.6	5.4*	6.9	6.4	6.4	6.2	6.9	6.4	6.9	6.1	
TN LN FR LEJEUNE RD(15.0R)						FC125M															
4259792	15.031	15.193	R	2018	0012	CRACKING		7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.3	10.0	9.0
H & J ASPHALT, INC (2021)						RIDE		6.3	6.3	5.7	5.6	6.2							6.5	6.1	
87090000	15.254	16.871	C	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
25 27				4	4.2	27500 RIDE		8.1	7.6	7.3	7.4	6.5	6.4	6.5	7.1	7.2	6.6	7.2	7.0	7.5	
N RIVER DR(15.3R)						FC95A															
						CRACKING		8.5	8.5	8.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	9.6	8.5
						RIDE		7.2	7.2	7.1	7.9	7.6	7.4	7.1	6.8	7.0	7.1	7.0	6.7	6.5	6.1
87090000	16.871	17.514	C	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
25 27				4	3.5	21100 RIDE		8.1	7.6	7.3	6.6	6.5	7.1	6.5	7.1	7.2	6.6	7.2	7.0	7.5	
NW 23 AV(16.9C)						FC3															
2494891	15.236	17.473	C	1997	0005	CRACKING		8.5	8.5	8.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	9.2	8.6	7.0
PAN AMERICAN CONSTRUCTION (2001)						S RIDE		7.2	7.2	7.1	7.6	7.4	7.6	7.6	7.4	7.2	7.3	6.8	7.1	6.6	6.2
87090000	17.514	18.527	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.5	6.5	
25 27				2	4.2	18800 RIDE		7.8	7.8	7.5	7.0	6.7	6.4	6.2	6.1	5.7	6.1	6.0	5.5	5.2*	
NW 17 AVE(17.5C)						FC95															
4291591	17.594	18.527	C	2013	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.4	8.2	7.0
GENERAL ASPHALT CO., INC. (2016)						SPRIDE		5.9		7.7	7.4	7.2	7.3	7.0	6.8	6.8	6.2	6.3	6.2	5.6	5.2*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****															(PMRS)
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F																						
87090000	18.527	19.288	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					2	4.9	18200	RIDE	7.2	7.3	7.0	6.1	5.9	5.6		7.2	7.7	7.4	7.3	6.8	6.9	
SEVENTH AVE NW(18.5C)																						
4439101	18.773	19.253	R	2023	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.5
FLORIDA ENGINEERING & DEVE(2025)																						
87090000	19.288	19.674	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					4	4.9	18200	RIDE	5.7*	6.2	6.2	5.5	5.1*	4.3*		6.6	6.0	6.5	5.7	6.2	5.5	
MIAMI AVE N(19.3C)																						
4291592	19.317	19.653	C	2017	0015		CRACKING	10.0	10.0	9.0	10.0		3.5*	10.0	10.0	10.0	9.0	9.0	8.9	8.8	8.0	
H & J ASPHALT, INC (2020)																						
87090000	19.674	19.882	C	1	1	30	CRACKING						9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					2	4.9	18200	RIDE					4.3*		6.6	6.0	5.5	6.8	6.2	5.5		
BISCAYNE BLVD(19.7C)																						
							CRACKING	10.0	10.0	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	7.5	
(2008) RIDE 6.4 6.5 6.0 10.0 10.0 10.0 4.6* 4.5* 5.7 5.3*																						
87090000	14.732	15.254	L	1	1	40	CRACKING	9.5	6.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					2	6.4	65500	RIDE	6.5	5.2*	5.9	6.0	4.9*	6.5	6.5	6.5	6.4	6.0	5.6	6.3	5.9	
SE 7 AV(14.7L)																						
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.4	8.6	7.0
(2006) RIDE 10.0 10.0 9.0 9.0 9.0 9.0 5.8 6.0 5.9 5.9 6.1 6.4 6.0																						
87090000	13.493	14.732	L	1	1	40	CRACKING	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					3	6.4	65500	RIDE	5.5*	5.2*	4.3*		7.3	7.1	7.2	6.9	6.9	7.0	6.9	6.9	6.8	
PALM AVE(13.6L)																						
2498392	13.486	14.774	C	2001	0213		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.9	8.7	7.5	
THE DE MOYA GROUP INC. (2005) SPRIDE 6.9 6.9 6.0 5.9 6.1 5.9 5.8 5.7 5.9 5.8 5.5 5.7 5.7 5.7 5.3*																						
4478281	12.133	14.665	C	2026	0012																	
87090000	12.125	13.493	L	1	1	40	CRACKING	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					3	18.8	59000	RIDE	7.0	7.2		7.4	7.4	7.4	7.6	7.0	7.3	7.4	7.3	7.2		
SIDE ROAD(12.1C)																						
2498391	11.818	13.486	C	2001	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.1	8.9	7.5	
THE DE MOYA GROUP INC. (2005) SPRIDE 7.1 7.3 6.8 6.8 6.7 6.8 6.8 6.7 6.4 6.6 6.5 6.6 6.6 6.2																						
4478281	12.133	14.665	C	2026	0012																	
87090000	10.027	12.125	L	1	1	50	CRACKING	6.5	6.5	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27					3	19.2	57000	RIDE	7.0	7.2	6.9	6.3*		8.2	8.1	8.0	7.9	7.9	7.8	7.7		
FRONTAGE RD(10.4L)																						
2501052	10.442	11.575	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.2	9.1	7.5	
THE DE MOYA GROUP INC. (2007) SPRIDE 7.6 7.7 7.1 7.1 7.1 7.1 7.0 6.8 6.8 6.7 6.4* 6.8 6.8 6.7 6.3*																						
4525651	10.562	12.133	C	2030	0012																	
87090000	9.037	10.027	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
25 27					3	17.9	40000	RIDE	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9	7.9	7.8	
JOHN HILL RD(9.6L)																						
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	8.2	7.8	5.0*	
COMMUNITY ASPHALT CORP. (2000) S RIDE 7.8 7.7 7.7 7.5 7.7 7.8 7.9 7.9 8.0 8.0 8.0 8.0 7.9 8.0 7.9 8.0 7.9																						
4232513	9.502	10.169	C	2024	0213																	
87090000	8.572	9.037	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
25 27					3	17.9	40000	RIDE	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9	7.9	7.8	
SIDE ROAD(8.7C)																						
							CRACKING	9.5	9.5	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	8.9	8.2	7.0	
(2021) RIDE 7.8 7.7 8.2 8.1 8.0 8.1 7.8 7.7 7.6 7.5 7.5 7.6 7.5 7.5 7.6 7.5																						
4232514	8.114	9.502	C	2031	0218																	
87090000	8.200	8.572	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
25 27					3	3.8	31500	RIDE	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9	7.9	7.8	
COMMUNITY ASPHALT CORP. (2000) 0012 CRACKING 9.5 9.5 9.0 9.0 9.0 9.0 7.5 4.5* 4.5* 3.5* 3.5* 7.0 6.5 4.0*																						
4232514 8.114 9.502 C 2031 0218 RIDE 7.8 7.7 8.2 8.1 8.0 8.1 8.2 8.2 8.1 8.1 8.0 7.9 7.8 7.7																						
87090000	7.054	8.200	L	1	8	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
25 27					3	3.8	31500	RIDE	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9	7.9	7.8	
HIALEAH GDNS BLVD(7.5L)																						
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	3.5*	3.5*	7.0	6.5	4.0*	
COMMUNITY ASPHALT CORP. (2000) S RIDE 7.8 7.7 8.2 8.1 8.0 8.1 8.2 8.2 8.1 8.1 8.0 7.9 7.8 7.7																						
4232515	6.346	8.114	C	2022	0218																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-M	P	*****																	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	P	*****																	
87090000	4.540	7.054	L	1	8	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5			
25 27				2	13.2	31000	RIDE	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9	7.9	7.8				
NW 138 ST(5.7C)							FC2																	
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	3.5*	6.5						
COMMUNITY ASPHALT CORP.					(2000)		S RIDE	7.8	7.7	8.2	8.1	8.0	8.1	8.2	8.2	8.1	8.1	8.1						
87090000	0.000	4.540	L	1	1	60	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
25 27				2	13.2	34000	RIDE	8.2	8.1	7.7	7.0	6.9	6.8	6.8	6.5	6.5	6.5	6.2*	6.1*	6.1*				
NW 186 ST(1.0L)							FC5M																	
4232512	0.000	4.591	C	2022	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	10.0	9.1	9.7	8.5			
HALLEY ENGINEERING CONTRAC					(2024)		SPRIDE	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.4	8.5	8.2	8.2	8.0	8.1	8.0			
87090002	0.000	0.513	C	1	1	40	CRACKING																	
25F				2	30.0	700	RIDE																	
							DGFC																	
					(2024)		CRACKING																	
							RIDE												9.0	10.0	10.0	9.5		
																			7.1	6.8	6.9	6.5		
87090002	0.513	1.308	C	1	1	40	CRACKING																	
25F				2	30.0	700	RIDE																	
							DGFC																	
					(2025)		CRACKING																	
							RIDE														10.0	10.0	9.5	
																					7.4	7.3	6.9	
87090004	0.000	0.297	C	1	1	30	CRACKING																	
927				2	30.1	750	RIDE																	
					(2025)		CRACKING																	
							RIDE															10.0	9.7	9.0
																						6.7	6.3	5.9
87090005	0.000	0.717	C	1	1	40	CRACKING																	
25F				2	3.1	6100	RIDE																	
							DGFC																	
					(2025)		CRACKING																	
							RIDE															10.0	10.0	9.5
																						7.6	7.6	7.2
87091000	0.000	4.075	C	1	1	45	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0			
994				2	12.6	8200	RIDE	8.4	8.2	8.1	7.5	7.2	7.3	7.5	7.3	7.3	7.3	7.2	7.0	7.0				
KROME AVE(0.0C)							FC125M																	
4439071	0.175	2.460	C	2023	0012		CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5		7.0	7.0	10.0	10.0	9.5			
GENERAL ASPHALT CO., INC.					(2025)		SPRIDE	6.8	7.0	7.2	7.2	7.3	7.3	7.3	7.3		7.2	7.1	7.3	7.1	6.7			
87091000	4.075	5.000	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0				
994				2	8.0	18400	RIDE	8.3	8.0	7.6	7.1	7.2	7.3	7.5	7.3	7.3	7.3	7.2	7.0	7.0				
SW 135 AVE(4.2L)							FC125																	
					(2001)		CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	8.0	8.7	8.6	7.0		
							RIDE	6.8	7.0	7.2	7.2	6.3	6.2	6.1	6.0	6.1	6.1	6.1	6.4	6.4	6.0			
87091000	5.000	6.811	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5				
994				2	6.8	26000	RIDE	8.3	8.4	8.1	7.6	7.6	7.4	7.4	7.4	7.5	7.3	7.2	7.0	6.8				
SW 127 AVE(5.1C)							FC95M																	
4293413	5.416	6.825	C	2021	0012		CRACKING	9.5	9.5	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0			
HALLEY ENGINEERING CONTRAC					(2023)		RIDE	7.2	7.2	7.3	7.3	7.2	7.0	7.3	7.2	7.1	7.7	7.6	7.5	7.5	7.1			
87091000	6.811	7.142	R	1	6	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0				
994				2	3.6	18000	RIDE	6.9	7.0	6.7	5.9	5.5	5.4*	6.1	6.1	5.9	6.1	5.9	5.7	5.9				
AMERICAN BANKERS WAY(6.8R)							FC125																	
					(2018)		CRACKING	10.0	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.5	7.5			
							RIDE	7.9	7.9	7.2		6.6				5.8	5.7	5.6						
87091000	7.142	7.952	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0				
994				2	3.6	18000	RIDE	7.8	7.8	7.1	7.3	7.2	7.2	7.0	6.5	6.7	6.3	6.3	6.5	6.6				
MARLIN RD(7.5R)							FC95M																	
4293412	7.120	7.943	C	2021	0012		CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.6	10.0	9.0			
HALLEY ENGINEERING CONTRAC					(2023)		SPRIDE	6.4	6.4	6.6	6.2	6.3	5.8	6.1	6.2	6.3	6.6	7.2	7.4	7.0	6.6			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	W_KMX-P	ASTYPE	*****																	
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
CONTRACTOR								(PMRS)																
ITMSEG-F																								
87091000	7.952	8.058	R	1	6	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
994			2	3.6	18000		RIDE	7.8	7.8	7.1	7.3	7.2	7.2	7.0	6.5	6.7	6.3	6.3	6.5	6.6				
DIXIE HWY S(8.1C)																								
					(2024)		CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0	8.9	8.8	7.5		
							RIDE	6.4	6.4	6.6	6.2	6.3	5.8	6.1	6.2	6.3	3.2*							
87091000	7.952	8.058	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
994			2	3.6	18000		RIDE	8.3	8.0	7.4	6.6	6.2	6.4	6.4	5.9	6.4	6.0	6.1	6.3	6.0				
DIXIE HWY S(8.1C)																								
					(2024)		CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.0	8.9	8.5	8.0			
							RIDE	5.9	5.9	6.6	6.1	6.3	6.1	5.9	6.1	6.0	4.5*			3.7*	3.3*			
87091000	7.142	7.952	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
994			2	3.6	18000		RIDE	8.3	8.0	7.4	6.6	6.2	6.4	6.4	5.9	6.4	6.0	6.1	6.3	6.0				
SW 109 AVE(7.3L)																								
4293412	7.120	7.943	C	2021	0012		CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.6	10.0	9.0			
HALLEY ENGINEERING CONTRAC(2023)								5.9	5.9	6.6	6.1	6.3	6.1	5.9	6.1	6.0	7.3	7.2	7.1	6.8	6.4			
87091000	6.811	7.142	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5			
994			2	3.6	18000		RIDE	5.8*	6.0	5.7	5.5	4.8*	4.8*	5.4*	5.5	5.5	5.6	5.4*	5.3*	5.0*				
SW 113 AVE(6.8L)																								
					(2018)		CRACKING	10.0	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.6	9.5	8.5			
							RIDE	7.6	7.6	7.0		5.7					4.9*	5.0*	5.1*	5.2*	4.8*			
87091000	5.000	6.811	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
994			2	6.8	26000		RIDE	8.2	8.2	8.0	7.2	7.2	6.9	7.1	7.1	6.9	6.8	6.6	6.6	6.6	6.7			
SW 127 AVE(5.1C)																								
4293413	5.416	6.825	C	2021	0012		CRACKING	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	9.5	10.0	9.0		
HALLEY ENGINEERING CONTRAC(2023)								6.7	6.8	7.1	6.9	6.9	6.2	6.8	6.6	6.6	7.3	7.3	7.2	7.3	7.2	7.3	6.9	
87110000	0.000	3.967	C	1	1	55	CRACKING	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5			
90 41			2	13.8	6300		RIDE	6.7	6.6	6.5		7.3	6.8	6.7	6.5	6.4*	6.3*	6.6	6.4*	6.2*				
					(2020)		CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.9	8.0		
							RIDE	8.1	7.3	7.1	7.2	7.3	7.2	7.3	6.9	6.9	6.7	6.8	6.6	6.5	6.1*			
87110000	3.967	13.728	C	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	5.5*				
90 41			2	13.8	6300		RIDE	8.6	8.7	8.6	7.9	7.8	7.1	7.0	7.1	7.0	7.1	7.3	7.1	7.0				
LOOP RD(4.1R)																								
4291622	8.118	13.131	C	2016	0012		CRACKING	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	9.0		
RANGER CONSTRUCTION INDUST(2018)								6.9	6.7	7.5	7.5	8.5	8.4	8.3	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.7
87110000	13.728	15.107	C	1	8	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*	1.0*					
90 41			2	13.8	6300		RIDE	8.2	8.1	8.1	7.1	6.7	6.3	6.2	6.2	6.0	6.2	5.7	5.7					
4444442	13.850	14.818	C	2020	0005		CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0					
(2021)								7.9	8.0	8.0					7.9	7.9	7.8	7.8	7.9					
87110000	16.540	16.892	C	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*	1.0*					
90 41			2	13.8	6300		RIDE	8.2	8.1	8.1	7.1	6.7	6.3	6.2	6.2	6.0	6.2	5.7	5.7					
					(2021)		CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0			
							RIDE		7.9	8.0	8.0				7.8	7.8	7.9	7.6	7.8	7.8	7.4			
87110000	17.774	22.403	C	1	8	55	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*	1.0*					
90 41			2	13.8	6300		RIDE	8.2	8.1	8.1	7.1	6.7	6.3*	6.2*	6.2*	6.0*	6.2*	5.7*	5.7*					
SIDE ROAD(18.4C)																								
4056361	13.868	24.618	C	2015	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0							
(2015)								7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0							
87110000	23.407	24.704	C	1	8	55	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*						
90 41			2	13.8	6300		RIDE	8.2	8.1	8.1	7.1	6.7	6.3*	6.2*	6.2*	6.0*	6.2*	5.7*						
4056361	13.868	24.618	C	2015	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
(2015)								7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87110000	24.704	25.210	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	
90 41			2	13.8		6300	RIDE	8.5	8.2	8.2	7.6	7.6	6.7	6.8	7.1	6.8	6.7	7.2	6.9	6.9	
						FC95M															
				(2020)			CRACKING	6.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
							RIDE	6.7	6.2*					7.4	7.4	7.3	7.3	7.4	7.4	7.4	7.0
87110000	25.210	25.715	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	
90 41			4	13.8		6300	RIDE	8.5	8.2	8.2	7.6	7.6	6.7	6.8	7.1	6.8	6.7	7.2	6.9	6.9	
						FC5M															
							CRACKING	6.5	6.5					10.0	10.0	10.0	10.0	10.0	8.9	8.9	7.5
							SPRIDE	6.7	6.2*					7.5	7.5	7.6	7.7	7.5	7.5	7.5	7.4
87120000	0.000	0.297	R	1	1	55	CRACKING	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41			2	10.4		26500	RIDE	8.3	8.3	8.3			7.7	7.0	7.5	7.2	6.7	6.5	6.6	7.0	6.9
						FC5M															
							CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
							SPRIDE	7.1	7.2					7.0	7.1	7.3	7.0	6.8	7.0	6.9	6.8
87120000	0.297	2.440	R	1	1	55	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5			10.0
90 41			2	10.4		26500	RIDE	8.3	8.3	8.3	7.6	7.6	6.9	7.4	7.3	7.2	7.4	7.2			8.4
						FC5															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.4	8.1	6.5
							SPRIDE	8.4	8.4	8.4	8.4	8.4	8.5	8.5	8.4	8.3	8.3	8.3	8.4	8.3	8.2
87120000	2.440	5.481	R	1	1	45	CRACKING	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41			3	8.9		40000	RIDE	8.3	8.3	8.3			6.5	6.8	6.9	6.8	7.3	7.1	6.8	7.1	
						DGFC															
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.4	8.4	7.0
							SPRIDE	7.1	6.5	6.6	6.3	6.7	6.7	6.9	6.8	6.8	6.8	6.9	6.6	7.0	6.6
87120000	5.481	6.000	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	
90 41			4	8.9		54500	RIDE	8.4	8.5	8.4	7.6	7.8	7.2	7.7	7.6	7.1	7.6	7.6	7.5	7.3	
						DGFC															
							CRACKING	6.5	6.5	6.5	6.5	6.5	6.5				10.0	10.0	9.4	10.0	9.0
							RIDE	7.3	6.7	7.2	7.4	7.5	7.5				8.0	7.9	7.9	7.8	7.4
87120000	6.000	6.840	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	
90 41			3	7.4		57000	RIDE	8.4	8.5	8.4	7.6	7.8	7.2	7.7	7.6	7.1	7.6	7.6	8.0	7.8	
						FC95															
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.9	8.0
							RIDE		7.0	7.5	7.2	7.7	7.9	7.7	7.8	7.9	8.0	8.0	8.0	7.9	7.5
87120000	6.840	7.195	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
90 41			3	7.4		57000	RIDE	8.2	8.3	8.2	7.5	7.5	7.0	7.3	6.8	7.3	6.8	7.1	7.0	6.8	
						FC95															
							CRACKING		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE		7.0	7.5	7.2			8.1	8.1	8.1	8.1	8.1	8.0	8.0	7.6
87120000	7.195	9.755	R	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
90 41			4	6.3		53000	RIDE	8.2	8.3	8.2	7.5	7.5	7.0	7.3	7.3	6.8	7.3	7.1	7.0	6.8	
						FC95															
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.8	8.5	7.5
							SPRIDE		7.0	7.5	7.2	7.9	7.9	7.8	7.7	7.7	7.7	7.7	7.6	7.6	7.2
87120000	9.755	10.258	R	1	1	35	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
90 41			3	11.4		65500	RIDE	7.3	7.2	7.4	6.9	6.7	6.4		4.0*	7.4	7.3	7.2	7.2	7.1	
						DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	8.5
							RIDE	7.0	6.4	5.9	6.0	5.7	5.8	6.1	6.1	6.0	6.2	6.4	6.4	6.4	6.0
87120000	10.258	14.453	R	1	7	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
90 41			2	9.5		38500	RIDE	7.5	7.2	7.1	6.0	7.0	6.6	7.1	6.9	5.7	6.9	5.6	5.5	5.4*	
						FC95M															
							CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0		10.0	9.5
							RIDE	5.7	5.5	5.6	5.5	5.7	5.4*	5.6	5.5	5.3*	5.3*	5.4*		6.8	6.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)																			(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
87120000	14.453	15.071	C	1	7	35	CRACKING	10.0	10.0	9.5	10.0	9.5	10.0	9.5	9.5	10.0	9.5	9.5	9.5	9.5	9.5
90 41				4	2.1	32500	RIDE	7.1	7.2	6.9	6.0	6.5	6.6	6.2	6.0	5.7	5.7	5.6	5.5	5.4*	
SW 33 AV(14.5L)																					
4439171	14.640	15.144	L	2022		0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0		10.0	9.5
LEAD ENGINEERING CONTRACTO(2026)																					
87120000	15.071	17.501	C	1	1	30	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	10.0	10.0	10.0	10.0	10.0
90 41				3	6.3	19500	RIDE	7.0	7.3	7.0	6.0	5.8	5.4*	5.6	5.6	5.4*	7.3	7.1	6.5	6.5	6.5
SR 9(15.1C)																					
4146461	15.195	17.501	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.6	8.0	6.5
H & J ASPHALT, INC (2010)																					
4460001	15.157	17.475	C	2024		0015	SPRIDE	6.2	5.9	5.9	5.5	5.8	5.7	5.3*	5.0*	4.9*	5.0*	4.9*	4.8*	4.8*	4.4*
87120000 17.501 18.121 C 1 1 30 CRACKING 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 6.5 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0																					
90 41 3 6.3 12500 RIDE 7.3 7.0 7.0 6.0 5.8 5.4* 5.6 5.6 4.8* 5.4* 5.3* 5.0* 5.2*																					
SW 3 AV(17.6C)																					
(2018) CRACKING RIDE 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 8.2 7.9 7.0 3.8* 3.4*																					
87120000	9.755	10.258	L	1	1	35	CRACKING	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
90 41				2	11.4	65500	RIDE	8.3	8.4	7.9	7.2	7.1	6.8		4.3*	7.6	7.7	6.8	6.7	6.7	
TAMIAMI CANAL DR(10.2L)																					
(2009) CRACKING RIDE 10.0 10.0 10.0 10.0 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5																					
87120000	7.195	9.755	L	1	1	45	CRACKING	9.5	9.0	9.0	9.0	8.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
90 41				4	6.3	53000	RIDE	8.5	8.5	8.3	7.5	7.6	7.0	7.4	7.2	7.1	7.2	7.0	6.9	6.6	6.6
RUBEN DARIO AV/SW97A(8.0C)																					
4251451	7.045	9.056	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3	8.1	7.0
H&R PAVING INC (2015) SPRIDE 7.4 7.9 7.5 7.9 7.9 7.8 7.9 7.8 7.9 7.8 7.7 7.8 7.7 7.6 7.2																					
87120000	6.840	7.195	L	1	1	45	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
90 41				3	7.4	57000	RIDE	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.5	7.4	7.2	6.8	7.0	
SR 985(7.0C)																					
(2020) CRACKING RIDE 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.6 8.5 7.5																					
87120000	6.372	6.840	L	1	1	45	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5
90 41				3	7.4	57000	RIDE	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.6	7.6	7.7	7.1	7.1	
SIDE ROAD(6.7C)																					
4251451	6.558	7.045	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.4	7.3	6.0*
H&R PAVING INC (2015) SPRIDE 7.4 7.9 7.5 7.9 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.6 7.6 7.5 7.1																					
87120000	5.481	6.372	L	1	1	45	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0
90 41				4	8.9	54500	RIDE	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.6	7.6	7.7	8.1	8.0	
SW 122 AV(5.5C)																					
(2023) CRACKING RIDE 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.5 10.0 9.0 7.6																					
87120000	2.440	5.481	L	1	1	45	CRACKING	10.0	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
90 41				3	8.9	40000	RIDE	8.5	8.2	7.8			6.3	7.2	7.3	7.3	7.4	7.4	7.3	7.2	
TN LN FR SW 137 AVE(4.0L)																					
2497042	2.152	4.022	C	2002		0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	9.0	7.5
MASTEC CIVIL, LLC (2006) SPRIDE 7.3 7.0 6.6 6.3 6.7 6.5 6.7 6.8 6.8 6.9 7.0 6.9 6.8 6.8 6.4																					
4525641	2.333	5.538	C	2028		0012															
87120000	0.390	2.440	L	1	1	55	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	8.3
90 41				2	10.4	26500	RIDE	8.5	8.2	7.8	7.5	7.4	6.6	7.1	6.8	7.2	6.3*	6.2*			
FC5																					
4231341	0.243	2.440	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.7	8.7	7.0
COMMUNITY ASPHALT CORP. (2013) SPRIDE 8.3 8.1 8.1 8.2 8.3 8.3 8.3 8.3 8.2 8.0 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.1																					
87120000	0.000	0.390	L	1	1	55	CRACKING	10.0	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
90 41				2	10.4	26500	RIDE	8.5	8.2	7.8			7.4	6.4*	6.6	6.4*	6.6	6.8	6.8	7.1	6.9
KROME AVENUE(0.0C)																					
2496143	0.000	0.305	C	2015		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	9.0	9.0	9.0	8.8	9.4	8.0
ODEBRECHT CONSTRUCTION, IN(2020) SPRIDE 6.9 6.4* 7.8 7.9 7.7 7.8 7.6 7.2 7.3 7.2																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)			FY-F	WKM-M	P															(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
87120001	0.000	0.452	C	1	1	30	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	2.0*		10.0	10.0	10.0	10.0	10.0	
90 41			3	13.8		11000	RIDE	6.6	6.3	6.1	4.8*	4.7*	4.6*	4.4*		6.7	6.7	6.4	6.3	6.1	
BRICKELL AVE(0.0C)						FC95															
				(2018)			CRACKING	9.5	9.0	9.0		9.0	9.0	9.0	9.0	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*
4439051	0.000	0.452	C	2026		0012	RIDE	5.8	5.5	5.4*										2.2*	1.8*
87120001	0.452	2.998	C	1	1	30	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	2.0*		10.0	10.0	10.0	10.0	10.0	
90 41			3	6.3		14500	RIDE	6.6	6.3	6.1	4.8*	4.7*	4.6*	4.4*		6.7	6.7	6.4	6.3	6.1	
SW 3 AV(0.5C)						FC95															
4124811	0.000	2.933	C	2006		0012	CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	5.0*
H & J ASPHALT, INC				(2009)			SPRIDE	5.8	5.5	5.4*	5.6	5.7	5.7	5.7	5.5	5.6	5.5	5.5	5.3*	5.3*	4.9*
4478081	0.452	2.989	C	2026		0012															
87133000	0.000	2.544	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
825			3	5.5		39000	RIDE	8.2	8.4	8.2	7.8	7.7	7.5	7.3	7.4	7.5	7.1	7.4	7.1	6.9	
SW 128 ST(0.0C)						FC95A															
4293471	0.022	2.531	C	2014		0226	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.6	9.6	8.5
COMMUNITY ASPHALT CORP.				(2016)			RIDE	7.2	6.9	8.1	8.0	7.8	7.8	7.9	7.9	7.9	7.8	7.9	7.6	7.9	7.5
87133000	0.000	2.544	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	
825			3	5.5		39000	RIDE	8.2	8.4	8.0	7.4	7.2	7.3	7.6	7.4	7.4	7.4	7.3	7.3	7.0	
SW 128 ST(0.0C)						FC95A															
4293471	0.022	2.531	C	2014		0226	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.7	8.5
COMMUNITY ASPHALT CORP.				(2016)			RIDE	7.1	7.0	8.1	7.9	7.8	7.8	7.9	7.7	7.7	7.7	7.7	7.7	7.8	7.4
87134000	0.000	1.470	R	1	1	40	CRACKING										10.0	10.0	10.0		
825			3	10.2		54500	RIDE										7.6	7.5	7.4		
SR 90(0.0C)						DGFC															
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.3	8.8	7.5
							RIDE	7.4	7.4	7.2	7.2	7.1	7.2	7.1	7.1	7.1	7.2	7.1	7.2	6.9	6.5
87134000	0.000	1.470	L	1	1	40	CRACKING										10.0	10.0	10.0		
825			3	10.2		54500	RIDE										7.6	7.2	7.5		
SR 90(0.0C)						DGFC															
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9	8.9	7.5
							RIDE	7.2	7.2	7.3	7.3	7.1	7.2	7.1	7.2	7.2	7.1	7.2	7.1	7.2	6.7
87140000	0.000	0.734	C	1	1	30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	
7 441			2	5.5		8800	RIDE		7.2	6.8	5.9	5.9	5.9	5.8	5.8	5.3*	5.4*	5.2*	5.2*	5.2*	
SW 8 ST(0.0C)						FC95A															
				(2020)			CRACKING	7.0	7.0	7.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.4	7.5
							RIDE	4.8*	4.6*	4.1*		4.9*								4.0*	3.6*
87140000	0.734	1.104	C	1	1	30	CRACKING	6.5	4.5*	4.5*	10.0	10.0	8.0				10.0	10.0	10.0		
7 441			4	7.6		23000	RIDE	5.6*	6.0	5.6	6.5	6.2	6.7				6.6	6.5	6.1		
S RIVER DR(0.8R)						FC125															
				(2018)			CRACKING	10.0	10.0	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.1	7.0
4459991	0.737	1.094	C	2025		0012	RIDE	5.8	5.9	4.5*		4.2*	4.0*	4.2*	4.1*	3.8*	4.0*		4.3*	3.9*	
87140000	1.104	3.091	R	1	1	30	CRACKING	6.5	4.5*	4.5*	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	
7 441			4	5.1		27500	RIDE	5.7*	6.0	5.6	7.1	6.8	6.7	6.5	6.2	6.3	6.2	5.9	5.3*	5.7	
APARTMENT BUILDING(1.2R)						FC95M															
				(2020)			CRACKING	6.5	6.5	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.5	8.5
							RIDE	5.7	5.4*	4.4*						6.1	5.9	5.9	5.8	5.7	5.3*
87140000	3.091	5.610	R	1	1	35	CRACKING	6.5	4.5*	4.5*	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	
7 441			4	3.7		27500	RIDE	5.7*	6.0	5.6	7.1	6.8	6.7	6.5	6.2	6.3	6.2	5.9	5.3*	5.7	
43RD ST NW(3.5R)						FC95A															
4308171	3.460	5.649	C	2015		0012	CRACKING	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.6	7.5
COMMUNITY ASPHALT CORP.				(2018)			SPRIDE	5.7	5.4*	4.4*		6.6	6.5	6.1	5.8	5.8	5.5	5.6	5.7	5.8	5.4*
87140000	5.610	6.211	R	1	1	35	CRACKING	6.5	4.5*	4.5*		10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
7 441			3	2.9		31500	RIDE	6.8	4.8*	7.3		6.9	6.4	7.1	6.4	6.2	6.4	6.2	6.1	6.1	
SR 934(5.6C)						FC95M															
4308172	5.657	6.214	C	2018		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0			10.0	10.0	10.0	9.1	9.6	9.0
WEEKLEY ASPHALT PAVING, IN				(2022)			SPRIDE	6.1	6.1	5.0*	5.1*	5.4*	5.2*			6.7	6.4	6.3	6.4	6.5	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	WKM-F	ASTYPE														(PMRS)
CONTRACTOR	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	WKM-F	ASTYPE														(PMRS)
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	WKM-F	ASTYPE														(PMRS)
87140000	6.211	8.062	R	1	1	35	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
7 441				2	6.2	28000	RIDE	6.8	4.8*	7.5	7.0	6.8	6.9	6.9	6.9	6.4	6.9	6.8	6.7	6.7	
SIDE ROAD(6.2C)						FC95M															
4308173	6.211	8.062	C	2020	0012		CRACKING	9.5	9.0	9.0	9.0	9.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	9.0
ROADWAY CONSTRUCTION LLC				(2023)			SPRIDE	6.6	6.5	5.3*	5.0*	5.3*	5.1*	5.1*	4.9*		7.1	7.1	7.1	7.1	6.7
87140000	8.062	10.431	R	1	1	35	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
7 441				2	2.6	25500	RIDE	5.9*	5.8	7.5	7.0	6.8	6.9	6.9	6.9	6.4	6.9	6.8	6.7	6.7	
NW 117 ST(8.1R)						FC95M															
4308174	8.062	10.431	C	2020	0012		CRACKING	9.5	9.0	9.0	9.0	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	9.0
ROADWAY CONSTRUCTION LLC				(2023)			SPRIDE	6.6	6.5	5.7	5.6	5.7	5.6	5.6			7.3	7.2	7.0	7.2	6.8
87140000	10.431	10.718	R	1	2	35	CRACKING	4.5*	3.5*	10.0	4.5*	4.5*	4.5*	4.5*	9.0	9.0	9.0	9.0	9.0	9.0	
7 441				2	2.6	25500	RIDE	5.9*	5.8	7.5	6.2	6.2	5.9	6.2	7.1	6.2	6.8	6.9	6.9	6.7	
N BISCAYNE DR(10.5R)						DGFC															
				(2008)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.2	7.0
							RIDE	6.5	6.6	5.3*	5.1*	5.5	4.8*	5.0*	5.0*	5.7	6.3	6.3	6.5	7.4	7.0
87140000	10.718	11.087	C	1	1	40	CRACKING	4.5*	4.5*	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0
7 441				2	5.5	34500	RIDE	6.7	6.8	7.1	6.2	6.2	5.9	6.2	5.9	5.5	5.7	5.6	5.5	6.4	
NW 16000 BLK/GG PKG(10.8C)						DGFC															
4154564	10.718	11.087	R	2010	0221		CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	4.0*
				(2013)			RIDE	6.4													4.7*
87140000	11.087	11.896	C	1	1	40	CRACKING	4.5*	4.5*	7.5	4.5*	7.0	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
7 441				2	5.5	34500	RIDE	6.7	6.8	7.1	6.2	6.4	5.9		6.0	5.6	6.2	6.1	6.3	6.1	
BEGIN SEC 87140001(11.9L)						DGFC															
4077391	11.087	12.283	C	2005	0012		CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.0*
H&R PAVING INC				(2008)			SPRIDE	6.3	6.0	5.9	6.3	6.3	6.3	6.2	6.1	6.0	5.9	6.0	6.0	6.4	6.0
87140000	11.896	12.147	R	1	1	40	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
7 441				3	10.1	55500	RIDE	6.7	6.8	7.0	6.2	6.2	5.9		6.4	6.3	6.4	6.2	6.2	6.3	
NW 176 ST(12.1R)						DGFC															
				(2021)			CRACKING	10.0	10.0	8.5	8.5	7.0	6.5	6.5	10.0	10.0	9.0	9.0	10.0	9.6	9.0
							RIDE	6.2	6.2	6.0	5.2*	5.6	5.5	5.7	7.1	6.2	7.3	7.1	7.1	7.3	6.9
87140000	12.147	14.453	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5		10.0	
7 441				3	5.5	59000	RIDE	8.1	8.1	7.9	7.2	7.3	7.2	7.1	7.0	6.4	6.7	6.5		8.3	
FRONTAGE DR(12.2R)						FC95															
4180941	12.147	14.453	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.0	8.0
ASPHALT GROUP, INC.				(2013)			SPRIDE	8.3	7.7	7.7	7.7	8.0	7.8	7.9	7.7	7.6	7.7	7.7	7.6	7.8	7.4
87140000	14.453	14.680	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5		10.0		
7 441				3	8.2	61500	RIDE	8.1	8.1	7.9	7.2	7.3	7.2	7.1	7.0	6.4	6.7	6.5		7.7	
NW 21200 BLK(14.5C)						DGFC															
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8
							RIDE	7.9	7.7	7.1	6.5	7.0	6.4	6.8	7.1	6.6	6.9	6.3	6.7	6.3	6.3
87140000	14.453	14.680	L	1	1	45	CRACKING	9.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	
7 441				3	8.2	61500	RIDE	7.5	7.8	7.6	6.8	6.8	6.8	6.7	6.8	6.6	6.7	6.6		8.2	
NW 21200 BLK(14.5C)						DGFC															
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.1
							RIDE	8.1	7.5	7.3	7.7	7.8	7.7	7.8	7.7	7.7	7.7	7.7	7.3	7.7	7.3
87140000	12.147	14.453	L	1	1	45	CRACKING	9.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	
7 441				3	5.5	59000	RIDE	7.5	7.8	7.6	6.8	6.8	6.8	6.7	6.8	6.6	6.7	6.6		8.3	
NW 181 ST(12.5L)						FC95															
4180941	12.147	14.453	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	8.7	8.5	7.5
ASPHALT GROUP, INC.				(2013)			SPRIDE	8.2	7.3	7.7	6.9	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.3	6.9
87140000	11.896	12.147	L	1	1	40	CRACKING	8.5	7.5	7.5	7.5	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
7 441				2	10.1	55500	RIDE	6.9	7.0	7.1	6.4	6.4	6.2		6.2	6.4	6.1	6.4	6.2	6.3	
NW 7 AVE(12.0L)						DGFC															
				(2021)			CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	6.3	6.2	5.7	5.8	5.7	5.9	6.0	7.4	7.3	7.4		7.4	7.0	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)								=====													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																					
CONTRACTOR (AGE_ONE YEAR) ASTYPE																					
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																					
87140000	10.431	10.718	L	1	8	35	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0
7 441			2	2.6		25500	RIDE	6.4*	6.1	8.1	7.6	7.5	7.3	7.4	7.4	7.3	7.4	7.3	7.2	7.2	
NW 155 LN(10.5L)																					
							DGFC														
							CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.0*			10.0	10.0	7.9		
							RIDE	7.3	6.9	6.1	5.7	5.9	5.7	5.7			5.5	5.7	5.9		
							(2023)														
87140000	8.062	10.431	L	1	1	35	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0
7 441			2	2.6		25500	RIDE	6.4*	6.1	8.1	7.6	7.5	7.3	7.4	7.4	7.3	7.4	7.3	7.2	7.2	
NW 117 ST(8.1L)																					
							FC95M														
4308174	8.062	10.431	C	2020	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*			10.0	10.0	10.0	10.0	9.0
ROADWAY CONSTRUCTION LLC																					
							SPRIDE	7.3	6.9	6.1	5.7	5.9	5.7	5.7			7.5	7.3	7.3	7.3	6.9
							(2023)														
87140000	6.211	8.062	L	1	1	40	CRACKING	4.5*	4.5*	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0
7 441			2	6.2		28000	RIDE	5.2*	4.5*	6.9	6.3	6.3	6.3	6.4	6.3	6.3	6.3	6.3	6.4	6.5	6.4
SIDE ROAD(6.2C)																					
							FC95M														
4308173	6.211	8.062	C	2020	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*		10.0	10.0	9.6	10.0	9.0
ROADWAY CONSTRUCTION LLC																					
							SPRIDE	6.3	5.9	5.2*	4.8*	4.9*	4.8*	4.7*	4.7*		6.6	6.6	6.5	6.7	6.3
							(2023)														
87140000	5.610	6.211	L	1	1	35	CRACKING	4.5*	4.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
7 441			3	2.9		31500	RIDE	5.2*	4.5*	3.5*		6.3	6.1	6.1	6.1	6.0	6.0	6.0	6.0	5.8	5.8
SR 934(5.6C)																					
							FC95M														
4308172	5.657	6.214	C	2018	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.0*	6.0*		10.0	10.0	10.0	9.0	10.0
WEEKLEY ASPHALT PAVING, IN(2022)																					
							SPRIDE	5.4*	5.3*	5.3*	5.6	5.3*	5.1*			6.2	6.2	5.7	5.9	5.9	5.5
							(2022)														
87140000	3.091	5.610	L	1	1	30	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5
7 441			3	3.7		27500	RIDE	5.6*	5.5	5.2*	6.5	6.2	6.0	6.8	6.6	6.3	6.2	5.9	5.9	5.3*	5.7
NW 7 AVE(3.5L)																					
							FCA														
4308171	3.460	5.649	C	2015	0012	CRACKING	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.5
COMMUNITY ASPHALT CORP.																					
							SPRIDE	5.7	5.4*	4.4*		6.6	6.5	6.1	5.8	5.3*	5.2*	5.1*	5.1*	5.3*	4.9*
							(2018)														
87140000	1.104	3.091	L	1	1	30	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5
7 441			3	5.1		27500	RIDE	5.6*	5.5	5.2*	6.5	6.2	6.0	5.2*	4.9*	6.3	6.2	5.9	5.3*	5.7	
NW 9 ST(1.2L)																					
							FC95M														
							CRACKING	6.5	6.5	5.5*				10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
							RIDE	5.7	5.4*	4.4*						6.6	6.3	6.3	6.2	5.7	5.3*
							(2020)														
87140001	0.000	0.687	C	1	1	45	CRACKING						6.5	6.5	4.5*	3.5*	3.5*	9.5	9.5	9.0	
7 441			2	5.5		27500	RIDE						6.5	5.8	6.1	5.9	6.4	5.8	5.7	5.8	
SR-7 NB(0.0L)																					
							FC95M														
							CRACKING	9.0	9.0	9.0	8.0	8.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	5.8	5.8	5.3*	5.1*	5.2*	5.1*	5.2*	7.5	7.6	7.5	7.5	7.5	7.4	7.0
							(2021)														
87140001	0.687	0.965	C	1	1	45	CRACKING						6.5		10.0	10.0	10.0	3.5*	3.5*	3.5*	
7 441			1	5.5		27500	RIDE						6.5		5.8	5.9	5.9	6.3	6.1	6.1	
I 95(0.8R)																					
							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.5	7.5
							RIDE	7.2	6.6	6.6	6.8	6.9	6.7	6.8	6.8	6.7	6.9	6.9	6.9	6.5	6.1
							(2014)														
87140352	0.000	0.358	C	1	1	30	CRACKING														
7F			1	3.4		1050	RIDE														
							CRACKING														
							RIDE														
							(2024)														
87150000	2.813	8.027	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
997			2	12.8		28000	RIDE	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.7	7.7	7.6	7.4	7.5	7.5	
NE 9 ST(2.9R)																					
							FC125M														
4273691	3.825	7.499	C	2019	0213	CRACKING	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	10.0	9.0
HALLEY ENGINEERING CONTRAC(2022)																					
							SPRIDE	7.3	7.4	7.2	7.2	8.1	7.9	8.0			6.8	6.7	6.7	6.5	6.8
							(2022)														
87150000	8.027	13.278	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.0			10.0	10.0	10.0	10.0	
997			2	4.3		30500	RIDE	8.5	8.5	8.2	7.8	7.6	7.6	7.7			7.5	7.5	7.6	7.5	
HAINLINE MILL DR(8.9C)																					
							FC5M														
4273692	7.499	10.750	C	2018	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	8.5
HALLEY ENGINEERING CONTRAC(2021)																					
							SPRIDE	7.4	7.4	7.3	7.2	6.9	6.9	7.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6
							(2021)														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	(AGE_ONE YEAR)	EN	FY-F	WKM-F	WKM-F															(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
87160000	8.041	8.745	L	1	7	30	CRACKING	5.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
9336				2	8.6	26000	RIDE	7.1	7.2	6.8	5.4*	7.6	7.0	7.4	7.5	7.2	7.2	7.6	7.4	7.6	
CAVES AVE(8.1C)																					
4459921	8.184	8.579	L	2023	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0	10.0	9.5
BACALLAO CONSTRUCTION & EN(2026) SPRIDE																					
87170000	0.000	0.373	R	1	2	35	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	6.5	6.5	6.5
826				2	4.6	57500	RIDE	7.1	7.7	7.2	6.8	6.2	5.9	6.3	6.6	6.7	6.6	6.5	6.6	6.4	6.4
OGFC																					
(2003)																					
4283588	0.000	0.489	C	2024	0213	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*
RIDE																					
(2003)																					
87170000	0.373	3.701	R	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5
826				3	4.6	55500	RIDE	8.2	8.1	8.1	7.4	7.3	7.2	7.4	8.1	7.8	7.9	7.7	7.7	7.5	
TG LN TO NW 2 AVE(0.5R)																					
4126372	2.015	3.557	C	2006	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.1	7.0
WEEKLEY ASPHALT PAVING, IN(2008) SPRIDE																					
4525611	0.512	3.667	C	2030	0012		7.4	7.1	7.1	6.8	7.0	7.0	6.8	7.0	6.9	6.8	6.7	6.6	6.6	6.2	
87170000	3.701	4.935	R	1	1	45	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
826				4	4.8	60000	RIDE	8.1	8.0	7.4	6.8	6.9	6.7	6.6		8.0	7.6	7.9	7.8	7.6	
INTERAMA BLVD(4.8R)																					
4076302	3.701	5.085	C	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.2	8.1	6.0*
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
4525621	3.720	5.105	C	2030	0012		7.4	7.1	7.8	7.5	7.7	7.6	7.8	7.6	7.6	7.7	7.1	7.1	7.1	7.0	
87170000	4.935	5.100	C	1	1	45	CRACKING	10.0	6.5	4.5*	4.5*	4.5*	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	
826				4	4.4	25500	RIDE	6.7	8.0	7.4	6.8	6.9	7.0	6.6		8.0	7.6	7.5	7.8	7.6	
NE 35 AVE(4.9L)																					
(2025)																					
4525621	3.720	5.105	C	2030	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	10.0	10.0	9.0
RIDE																					
87170000	5.364	5.727	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	
826				4	4.4	25500	RIDE	6.7	7.1	7.4	7.6	7.5	6.3	6.5	7.3			6.6	5.8	5.4*	
COLLINS AVE(5.7C)																					
4365252	5.234	5.663	C	2021	0012	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	9.5
SEACOAST INC. (2025) RIDE																					
87170000	3.701	4.935	L	1	1	45	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	
826				4	4.8	60000	RIDE	8.4	8.1	7.9	7.3	7.1	7.0	7.0		7.9	7.7	7.5	7.6	7.6	
TRN LN TO SR 5/US-1(3.7L)																					
(2024)																					
4525621	3.720	5.105	C	2030	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	9.0	8.7	8.3
RIDE																					
87170000	0.373	3.701	L	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0
826				3	4.6	55500	RIDE	8.0	7.6	8.0	7.3	7.0	7.2	7.0	7.8	7.7	7.8	7.7	7.7	7.6	
TRN LN TO NW 2 AVE(0.5L)																					
4126372	2.015	3.557	C	2006	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.5	8.6	8.5	7.0
WEEKLEY ASPHALT PAVING, IN(2008) SPRIDE																					
4525611	0.512	3.667	C	2030	0012		7.4	7.3	7.3	6.8	6.8	6.9	6.6	6.9	6.7	6.6	6.5	6.5	6.5	6.7	6.3
87170000	0.000	0.373	L	1	2	35	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	
826				2	4.6	57500	RIDE	6.4*	6.7	7.3	6.6	6.9	7.0	6.7	7.4	6.6	6.8	6.7	6.7	6.6	
UNKW																					
(2003)																					
4283588	0.000	0.489	C	2024	0213	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.0*
RIDE																					
87170001	0.000	0.377	C	1	1	35	CRACKING								9.5	9.5	9.5	9.5	9.5	9.5	
826				2	4.4	23500	RIDE								6.3	5.9	5.7	5.9	5.6	5.7	
COLLINS AVE SB(0.0C)																					
(2025)																					
87170001	0.645	0.813	C	1	1	35	CRACKING									7.0	7.0	6.0*		10.0	10.0
826				4	4.4	23500	RIDE									8.1	7.9	7.9	7.7	7.7	
INTERCOSTAL MALL(0.7R)																					
(2025)																					
4525621	0.644	0.813	C	2030	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	10.0	10.0	9.0
RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														
87190000	0.000	0.513	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
909			2	3.1	23500		RIDE	7.1	7.2	7.2	6.2	6.0	6.0	5.8	6.9	5.7	5.9	6.2	6.0	5.9	
NE 118 TER(0.0R)																					
							FC95MR														
4399761	0.000	0.270	R	2022	0012		CRACKING	10.0	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2025)																					
							RIDE	5.8	5.8	5.6	5.3*	5.7	5.6	5.1*	5.2*	4.9*	4.9*	4.7*	4.9*	5.2*	4.8*
87190000	0.597	2.869	R	1	7	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
909			2	3.1	23500		RIDE	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.7	6.5	6.4	6.3	6.2	6.3	
SR 915(0.6C)																					
							DGFC														
4439361	1.432	2.858	C	2023	0012		CRACKING	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
BACALLAO CONSTRUCTION & EN(2026)																					
							SPRIDE	6.3	6.1	5.5	5.4*	5.5	5.4*	5.3*	5.3*	5.2*	5.2*	5.2*	5.2*	6.3	5.9
87190000	2.869	3.767	R	1	2	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5	
909			2	2.5	15900		RIDE	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.1	6.1	5.8	5.6	5.8	5.4*	
NE 153 ST(3.0R)																					
							FC95A														
4308191	2.854	3.767	C	2015	0012		CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.0	8.0
H&R PAVING INC (2017)																					
							SPRIDE	5.5	5.6		6.9	6.8	6.4	6.6	6.5	6.4	6.2	6.2	6.0	6.5	6.1
87190000	2.869	3.767	L	1	1	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5	
909			2	2.5	15900		RIDE	7.7	7.3	7.3	6.6	6.5	6.4	6.5	6.3	6.2	6.0	6.1	6.3	6.0	
NE 153 ST(3.0L)																					
							FC95A														
4308191	2.854	3.767	C	2015	0012		CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.3	7.9	7.0
H&R PAVING INC (2017)																					
							SPRIDE	6.1	6.0	6.7	6.8	6.2	6.2	6.2	6.2	6.2	6.5	6.3	6.1	6.1	5.7
87190000	0.597	2.869	L	1	7	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	
909			2	3.1	23500		RIDE	7.7	7.3	7.3	6.6	6.5	6.4	6.5	7.4	7.4	7.2	7.2	6.9	7.2	
SR 915(0.6C)																					
							DGFC														
4439361	1.432	2.858	C	2023	0012		CRACKING	9.0	9.0	8.5	8.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	9.5
BACALLAO CONSTRUCTION & EN(2026)																					
							SPRIDE	6.9	6.5	6.1	5.8	6.1	5.8	5.8	5.9	5.8	5.7	5.5	5.5	6.5	6.1
87190000	0.000	0.513	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
909			2	3.1	23500		RIDE	7.1	7.2	7.2	6.2	6.0	6.0	5.8	7.5	6.8	7.4	6.9	6.6	6.7	
SR-924/NE 119 ST(0.0L)																					
							FC95MR														
4399761	0.000	0.415	L	2022	0012		CRACKING	9.0	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2025)																					
							SPRIDE	6.4	6.4	5.8	5.5	5.6	5.2*	5.3*	5.0*	5.1*	4.7*	4.5*	5.4*	5.9	5.5
87200000	0.000	0.785	R	3	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	
836			3	4.0	131000		RIDE	8.2	8.5	8.3	7.7	7.6	7.5	7.8	8.0	7.8	7.7	7.6	7.9	7.7	
HEFT(0.0C)																					
							FC5M														
							CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*				10.0	10.0	10.0	10.0	9.0
							RIDE	7.5	7.6	7.9	7.8	7.8	7.7				8.1	8.1	8.1	8.0	7.9
87200000	0.785	1.266	R	3	1	55	CRACKING	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*				10.0	10.0	10.0	10.0	
836			4	4.0	131000		RIDE	8.6	8.3	8.3	7.3	7.6	7.5				7.6	7.7	7.6	7.5	
OGFC																					
							CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.2	6.0*
							RIDE	7.5	7.5	7.6	7.3	7.3	7.0	7.2	7.0	6.8	7.0	6.9	6.9	6.9	6.8
87200000	1.266	2.275	R	3	1	55	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	
836			4	4.0	172500		RIDE	8.6	9.0	8.9	8.3	8.5	8.4				7.6	7.7	7.6	7.5	
SR 836 WB EXT/87202(1.9R)																					
							OGFC														
							CRACKING	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.2	7.5
							RIDE	7.5	7.5	7.6	8.3	8.2	8.2	8.4	8.2	8.2	8.3	8.3	8.3	8.2	8.1
87200000	2.275	2.900	R	3	1	55	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836			4	4.0	172500		RIDE	8.6	9.0	8.9	8.3	8.5	8.4	8.1	7.6	7.7	7.6	7.6	7.5	7.5	
OGFC																					
							CRACKING	10.0	10.0	9.0	9.0						10.0	10.0	10.0	9.7	8.5
							RIDE	7.5	7.5	7.6	7.3						8.1	8.2	8.2	8.2	8.1
87200000	2.900	3.800	R	3	1	55	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836			4	4.0	86500		RIDE	8.6	8.5	8.2	7.8	8.4	8.3	8.4	7.9	8.1	8.3	8.1			
OGFC																					
							CRACKING		10.0	9.0							10.0	10.0	10.0	10.0	9.8
							RIDE		7.7	8.1							7.6	7.7	7.6	7.6	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP	SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P															
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															(PMRS)
87200000	3.800	4.800	R	3	1	55	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836				4	4.0	86500	RIDE	8.6	8.5	8.2	7.8	8.4	8.3	8.4	7.9	8.1	8.3	8.1			
						FC5M															
						(2018)	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.4	8.0
							RIDE					7.9	7.8	7.9	7.9	8.0	8.0	8.0	8.0	8.0	7.9
87200000	4.800	5.158	R	3	1	55	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836				6	4.0	220000	RIDE	8.6	8.5	8.2	7.8	8.4	8.3	8.4	7.9	8.1	8.3	8.1			
						FC5M															
						(2018)	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	7.5
							RIDE					7.7	7.6	7.6	7.5	7.7	7.6	7.4	7.6	7.5	7.4
87200000	5.158	6.229	R	3	1	55	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0		
836				5	4.0	220000	RIDE	8.6	9.1	9.0	8.6	8.8	8.7	8.7	8.1	8.7	8.5	8.3	8.4		
						FC5M															
						(2021)	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	8.5
							RIDE					7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.5
87200000	6.229	9.850	R	3	1	45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	
836				4	4.0	219000	RIDE				8.1	8.4	8.4	8.5	7.9	8.5	8.4			7.9	
						OGFC															
						(2021)	CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	9.2	10.0	8.5
							RIDE	7.9	7.9	8.1					8.0	8.0	7.9	7.9	8.0	7.9	7.8
87200000	9.850	10.596	R	3	8	45	CRACKING	4.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
836				4	4.0	188000	RIDE	7.7				7.2	7.2	7.3	7.1	7.3	7.3	7.2	6.8	7.1	
						OGFC															
						(2016)	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	7.3		8.1	8.0	7.4	7.6	7.7	7.6						
87200000	11.158	11.618	R	3	8	55	CRACKING	8.0	7.9	7.8	8.2	7.9	7.6	7.2	7.1	7.0	6.8	6.4*	5.8*	5.8*	
836				2	4.0	146000	RIDE	7.2	6.9	7.1	5.4*	6.2*	6.4*	6.4*	6.3*	6.6	6.7	6.7	6.4*	6.3*	
						CONC															
						SIDE ROAD(11.2C)	CRACKING	6.0*	5.8*	5.7*	5.8*	6.7	5.6*	5.2*	6.3*	4.9*	4.7*				
							RIDE	5.9*	6.5	6.5	6.6	6.3*	6.5	6.2*	5.7*	5.9*	6.1*				
87200000	11.893	12.055	R	4	8	55	CRACKING	8.6	7.4	7.3	7.2	6.9	6.5	5.5*	5.0*	6.5	5.1*	4.8*	4.4*	4.8*	
836 I395		0.1		2	4.0	168500	RIDE	7.5	8.2	7.6	7.8	7.0	7.5	7.2	7.7	7.0	7.0	6.4*	6.1*		
						CONC															
						(1992)	CRACKING	4.6*	5.2*	4.7*	5.3*	7.8	5.7*	5.5*	5.8*	6.6	6.4*	6.1*			
							RIDE	7.2	7.4	7.4	7.4	7.4	7.4	7.4	6.3*	6.3*					
87200000	12.823	12.936	R	4	8	55	CRACKING	8.3	7.8	7.9	7.3	7.5	7.2	5.4*	4.5*	3.5*	3.4*	4.3*	4.8*	6.8	
836 I395		1.1		2	4.0	168500	RIDE	6.0*	6.0*												
						OGFC															
2516883	12.621	13.048	R	2013	0213		CRACKING			8.9	7.0	8.2	7.6	7.5	7.4	7.6	7.0	8.4	7.5		
ODEBRECHT	CONSTRUCTION,					IN(2016)	RIDE														
87200000	12.936	13.048	R	4	8	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
836 I395		1.2		3	4.0	168500	RIDE	7.3	6.0*	6.1*											
						OGFC															
						BEG SEC 060(13.0C)															
2516883	12.621	13.048	R	2013	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
ODEBRECHT	CONSTRUCTION,					IN(2015)	SPRIDE														
87200000	12.936	13.048	L	4	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
836 I395		1.2		2	4.0	168500	RIDE	7.6	7.7	7.0											
						OGFC															
						BEG SEC 060(13.0C)															
2516883	12.755	13.048	L	2013	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6		
						(2015)	RIDE														
87200000	12.823	12.936	L	4	8	45	CRACKING	8.4	7.9	8.5	8.1	8.1	7.7	6.3*	5.5*	7.3	8.5	8.6	8.7	7.4	
836 I395		1.1		2	4.0	168500	RIDE	5.1*	5.9*												
						OGFC															
						(1998)	CRACKING			8.3	7.8	8.7	8.6	8.4	7.7	7.5	7.1	7.8	8.0		
							RIDE														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
87200000	11.158	11.618	L	3	8	50	CRACKING	7.5	7.9	7.5	8.3	8.2	8.2	7.8	7.7	8.4	7.0	6.7	6.6	6.3*	
836				3	4.0	146000	RIDE	6.9	7.2	7.3	5.1*	5.1*	6.0*	6.3*	6.1*	6.1*	6.4*	6.1*	6.5	6.0*	
						CONC															
						(1992)	CRACKING	6.1*	5.8*	5.7*	6.1*	7.6	5.6*	5.1*	7.5	4.0*	4.0*	4.4*	4.5*		
							RIDE	6.0*	6.3*	6.3*	6.3*	5.7*	6.4*	6.3*	6.2*	5.4*					
87200000	7.960	10.596	L	3	1	45	CRACKING	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
836				4	4.0	188000	RIDE	7.4				7.7	7.6	7.4	7.8	7.4	7.5	7.5	7.7	7.4	
						OGFC															
						(2021)	CRACKING	9.5	9.5	8.0					10.0	10.0	10.0	10.0	9.7	10.0	8.5
							RIDE	7.2	7.5	7.8					7.9	7.7	7.5	7.6	7.6	7.4	7.3
87200000	6.530	7.960	L	3	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
836				5	4.0	219000	RIDE	8.5	8.6	8.4	8.3	8.4	8.0	8.4	8.4	8.4	7.8	8.0	8.2	8.2	
						OGFC															
						(2021)	CRACKING	8.5	7.0	6.5					10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	8.2	8.1	8.3					8.2	8.3	8.2	8.2	8.2	8.2	8.1
87200000	5.721	6.530	L	3	1	45	CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	
836				4	4.0	220000	RIDE	8.8	8.5	8.3	7.4	7.1	7.0	7.0	7.9	7.9	7.5	7.8	7.8	7.6	
						OGFC															
						(2021)	CRACKING	10.0							10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	7.7							8.0	8.1	8.0	8.0	8.0	8.0	7.9
87200000	4.765	5.721	L	3	1	55	CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	10.0		
836				5	4.0	220000	RIDE	8.8	8.5	8.3	7.4	7.1	7.0	7.0	7.9	7.9	7.5	7.8	7.8		
						FC5M															
						(2017)	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.0
							RIDE				8.3	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.0
87200000	4.250	4.765	L	3	1	55	CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	10.0		
836				4	4.0	86500	RIDE	8.8	8.5	8.3	7.4	7.1	7.0	7.0	7.9	7.9	7.5	7.8	7.8		
						FC5M															
						(2017)	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	10.0	8.5
							RIDE				8.3	8.2	8.2	8.3	8.0	8.0	7.9	7.9	8.0	8.0	7.9
87200000	2.146	4.250	L	3	1	55	CRACKING	8.0	7.0	7.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0		
836				4	4.0	172500	RIDE	8.8	8.5	8.3	8.3	8.4	8.3	8.4	8.3	8.4	7.9	8.2	8.1		
						OGFC															
						(2021)	CRACKING				9.0				10.0	10.0	10.0	10.0	9.6	9.0	7.5
							RIDE				7.8				8.2	8.3	8.1	8.2	8.1	8.0	7.9
87200000	1.591	2.146	L	3	1	55	CRACKING	8.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0		
836				3	4.0	172500	RIDE	8.8	9.0	8.9	8.2			7.7	7.4	7.9	7.2	7.1	7.0	7.0	
						OGFC															
						(2007)	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.9	8.3	6.0*
							RIDE	7.1	7.0	7.2	7.5	7.3	7.2	7.5	7.4	7.4	7.3	7.2	7.3	7.8	7.7
87200000	1.279	1.591	L	3	1	55	CRACKING	8.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0		
836				3	4.0	131000	RIDE	8.8	9.0	8.9	8.2			7.7	7.4	7.9	7.2	7.1	7.0	7.0	
						OGFC															
						(2007)	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.9	4.5*	2.5*
							RIDE	7.1	7.0	7.2	7.5	7.3	7.2	7.5	7.4	7.4	7.3	7.2	7.3	6.4*	6.3*
87200000	0.966	1.279	L	3	1	55	CRACKING	8.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0		
836				3	4.0	131000	RIDE	8.8	9.0	8.9	8.2			7.7	7.4	7.9	7.2	7.1	7.0	7.0	
						OGFC															
						(2026)	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.9	8.8	8.0
							RIDE	7.1	7.0	7.2	7.5	7.3	7.2	7.5	7.4	7.4	7.3	7.2	7.3	6.9	6.8
87200000	0.383	0.966	L	3	1	55	CRACKING	8.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0		
836				4	4.0	131000	RIDE	8.8	8.8	8.6	8.1			7.4	7.6	8.1	7.5	7.6	7.6	7.8	
						OGFC															
						(2007)	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.5	6.5
							RIDE	7.8	7.7	7.6	7.6	7.7	7.6	7.6	7.6	7.6	7.7	7.7	7.4	7.7	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
87200000	0.000	0.383	L	3	1	50	CRACKING	8.0	7.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
836			3	4.0	131000		RIDE	8.1	8.7	8.4	8.0	7.7		7.7	7.5	7.7	7.2	7.8	7.7	7.7	7.7	
HEFT(0.0C)					FC5M																	
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.3	7.0	
							RIDE	7.7	7.7	7.7	7.8	7.7	7.7	7.7	7.8	7.9	8.0	7.9	8.0	8.0	7.9	
87201000	0.000	0.830	C	3	1	55	CRACKING											10.0	10.0	10.0		
836			1	4.0	17000		RIDE											7.6	7.6	7.5		
NW 137 AVE(0.0C)					OGFC																	
				(2011)			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.3	8.3	6.5
							RIDE	7.4	7.5	7.3	6.6	6.7	6.7	6.6	6.6	6.7	6.5	6.7	6.7	6.6	6.5	
87201000	0.830	1.480	C	3	1	55	CRACKING											10.0	10.0	10.0		
836			3	4.0	17000		RIDE											7.6	7.6	7.5		
					OGFC																	
				(2011)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	9.0	7.0
							RIDE	7.4	7.5	7.3	7.5	7.8	7.8	7.8	7.8	8.0	7.8	7.6	7.7	7.9	7.8	
87201000	1.480	2.173	C	3	1	55	CRACKING											10.0	10.0	10.0		
836			2	4.0	17000		RIDE											7.6	7.6	7.5		
					OGFC																	
				(2011)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.4	8.3	6.5	
							RIDE	7.4	7.5	7.3	7.2	7.2	7.2	7.3	7.2	7.3	7.1	7.1	6.9	7.1	7.0	
87201000	2.173	2.778	C	3	7	55	CRACKING											10.0	10.0	10.0		
836			3	4.0	17000		RIDE											7.6	7.6	7.5		
					OGFC																	
				(2026)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.4	10.0	9.0	
							RIDE	7.4	7.5	7.3	7.2	7.2	7.2	7.3	7.2	7.3	7.1	7.1	6.9	7.7	7.6	
87201000	2.778	3.156	C	3	1	55	CRACKING											10.0	10.0	10.0		
836			2	4.0	17000		RIDE											7.6	7.6	7.5		
SR- 836 / EB(3.2R)					OGFC																	
				(2011)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.4	8.3	6.5	
							RIDE	7.4	7.5	7.3	7.2	7.2	7.2	7.3	7.2	7.3	7.1	7.1	6.9	5.6*	5.5*	
87202000	0.000	3.430	C	3	1	55	CRACKING											10.0	10.0	10.0		
836			2	4.0	20000		RIDE											7.8	7.8	7.7		
SR 836 WB(0.0R)					OGFC																	
				(2011)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.3	7.7	6.0*	
							RIDE	7.8	7.6	7.8	7.6	7.7	7.7	7.8	7.7	7.8	7.7	7.7	7.8	7.8	7.7	
87202000	3.430	4.220	C	3	1	35	CRACKING											10.0	10.0	10.0		
836			2	4.0	20000		RIDE											7.5	6.9	7.5		
SIDE ROAD(4.0R)					OGFC																	
				(2011)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.5	8.2	6.5	
							RIDE	7.1	7.4	7.5	7.3	7.2	6.3	6.4	6.2	6.4	6.4	6.3	6.3	6.2	6.1	
87210000	0.000	1.704	R	1	1	55	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
856			3	2.9	42500		RIDE	6.5	7.6	8.1	7.0	7.3	7.1	7.3	6.8	7.0	7.0	6.9	6.9	7.3		
BISCAYNE BLVD(0.0C)					FC5																	
4284861	0.000	1.125	C	2013	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	9.0	7.5	
COMMUNITY ASPHALT CORP.				(2015)		SPRIDE	6.8	7.5	7.9	7.7	7.6	7.8	7.5	7.7	7.6	7.7	7.7	7.4	7.7	7.6		
87210000	0.000	1.704	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		
856			3	2.9	42500		RIDE	7.8	7.8	7.5	7.1	7.3	7.3	7.2	7.1	6.8	7.4	7.3	6.8	6.9		
BISCAYNE BLVD(0.0C)					FC5																	
4284861	0.000	1.125	C	2013	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	9.0	7.5	
COMMUNITY ASPHALT CORP.				(2015)		SPRIDE	6.8	8.1	7.7	8.1	8.0	8.1	8.0	8.0	7.9	7.8	7.7	7.8	7.7	7.9	7.8	
87210101	0.000	0.613	C	1	1	35	CRACKING															
856F			2	2.1	16500		RIDE															
					DGFC																	
				(2025)			CRACKING													9.6	10.0	
							RIDE													7.4	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****																
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F																	
ITMSEG-F																							
87210102	0.000	0.623	C	1	1	35	CRACKING																
856F				2	2.0	15500	RIDE																
							DGFC																
							CRACKING														10.0	10.0	9.5
							RIDE														7.0	6.3	5.9
							(2025)																
87220000	0.000	3.352	R	1	1	40	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
948				3	4.6	70500	RIDE	8.5	8.5	8.2	7.5	7.7	7.6	7.7	7.8	7.6	7.6	7.6	7.5	7.5	7.3	7.3	7.3
87260391	NB ON(0.0R)						FC95A																
4291361	1.167	3.352	C	2014	0012	CRACKING	RIDE	7.0	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.7	7.5	7.5	
H&R PAVING INC							SPRIDE	7.1	7.1	7.7	7.6	7.4	7.4	7.2	7.3	7.2	7.2	7.1	7.0	6.9	6.5	6.5	6.5
87220000	3.352	3.799	R	1	2	40	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
948				3	3.3	45500	RIDE	7.4	6.3	5.8	4.7*	5.2*	4.6*	4.7*	4.9*	4.3*	4.3*	4.7*	4.7*	4.5*	4.5*	4.5*	4.5*
SKYLEASE CARGO(3.4R)							DGFC																
4259791	3.370	3.679	R	2014	0012	CRACKING	RIDE	9.5	9.5	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	9.0	8.0	8.0
								4.6*	4.5*	5.1*					5.4*	5.3*	5.4*	4.9*	5.1*	5.5	5.5	5.1*	5.1*
87220000	3.799	3.982	R	1	1	40	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
948				3	3.3	45500	RIDE	5.9*	6.5	6.3	3.8*												
TN LN TO N RIVER DR(4.0R)							DGFC																
							CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	8.0	8.0	8.0
							RIDE														4.3*	3.9*	3.9*
							(2017)																
87220000	3.799	3.982	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
948				3	3.3	45500	RIDE	7.2															
SR25/US27 OKEECHOBEE(4.0L)							DGFC																
							CRACKING	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.5	8.5	8.5	8.5
							RIDE														5.9	5.5	5.5
							(2017)																
87220000	3.352	3.799	L	1	2	40	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
948				3	3.3	45500	RIDE	7.9	7.9	7.4	6.6	6.7	6.6	6.5	6.7	6.5	6.4	6.4	6.4	6.4	6.3	6.3	6.3
LEE DR(3.4L)							DGFC																
4259791	3.370	3.679	L	2014	0012	CRACKING	RIDE	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	9.1	8.0	8.0	8.0
								6.0	6.0	5.4*					6.8	6.6	6.2	6.3	6.3	5.7	5.3*	5.3*	5.3*
87220000	0.000	3.352	L	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
948				3	4.6	70500	RIDE	8.3	8.2	7.9	7.4	7.3	7.4	7.1	7.5	7.3	7.3	7.3	7.3	7.3	7.1	7.1	7.1
EB EXIT TO SR 826(0.0C)							FC95A																
							CRACKING	6.5	6.5	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	9.0	8.9	8.5	8.0	8.0	8.0
							RIDE	7.1	7.1	7.8	7.6	7.5	7.4	7.1	7.2	7.2	7.1	7.0	7.0	6.9	6.9	6.5	6.5
							(2024)																
87240000	0.000	1.739	R	1	1	40	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9				2	4.0	36500	RIDE	7.2	7.4	7.4	6.8	7.0	6.6	6.5	7.5	7.7	7.2	7.4	6.7	6.8	6.8	6.8	6.8
DIXIE HWY S(0.0C)							DGFC																
4146881	0.056	1.739	C	2005	0008	CRACKING	RIDE	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.3	8.2	7.0	7.0	7.0
H & J ASPHALT, INC							SPRIDE	6.3	6.7	6.8	6.6	6.5	6.1	6.1	6.0	6.1	6.1	6.4	6.0	6.1	5.7	5.7	5.7
87240000	1.739	2.985	R	1	1	40	CRACKING	10.0	10.0	8.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9				3	5.1	41500	RIDE	8.3	8.3	8.1	7.0	6.7	6.6	6.6	6.3	6.4	7.1	6.9	6.7	6.6	6.6	6.6	6.6
SEVENTH ST SW(1.8C)							FC95																
4198471	1.739	2.975	C	2009	0012	CRACKING	RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.6	8.4	7.0	7.0	7.0
WEEKLEY ASPHALT PAVING, IN(2010)							SPRIDE	6.5	6.4	6.7	6.6	6.5	6.3	6.0	5.9	6.2	5.8	6.3	6.2	6.4	6.0	6.0	6.0
87240000	2.985	4.962	R	1	1	35	CRACKING	9.0	9.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
9				3	7.2	37500	RIDE	8.1	8.0	7.7	7.2	7.2	6.7	6.5	6.5	6.4	6.3	6.3	6.2	6.0	6.0	6.0	6.0
NW 14 ST(3.2C)							FC125M																
4226121	2.985	4.894	C	2011	0012	CRACKING	RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	10.0	9.0	9.0
ASPHALT GROUP, INC.							SPRIDE	8.0	7.9	7.8	7.6	7.5	7.4	7.1	7.2	7.1	6.9	6.9	7.0	7.0	6.6	6.6	6.6
4575111	2.985	4.894	C	2029	0012																		
87240000	4.962	7.227	R	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
9				2	7.2	32000	RIDE	6.6	6.4	6.3	5.9	5.7	5.7	6.9	6.6	6.7	6.8	6.7	6.5	6.4	6.4	6.4	6.4
NB EXIT TO SR 112 R(5.0R)							FC95M																
4291852	5.019	7.184	C	2021	0012	CRACKING	RIDE	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	9.5	9.5	9.5
GENERAL ASPHALT CO., INC. (2025)							SPRIDE	6.3	6.3	5.9	5.8	5.9	5.6	5.6	5.6								

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
87240000	7.227	8.834	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	
9				2	7.2	31500	RIDE	7.9	7.8	7.4	7.2	6.9	6.8	6.6	6.7	6.7	6.8	6.7	6.6	6.6	
SR 934(7.3C)																					
4291851	7.227	8.741	R	2014	0012	CRACKING	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	8.0
GENERAL ASPHALT CO., INC. (2017) SPRIDE																					
87240000	8.834	9.648	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
9				3	7.2	37000	RIDE	8.2	8.2	7.9	7.6	7.5	7.2	7.1	7.3	7.1	6.9	7.1	6.8	6.7	
SR 932(8.9C)																					
4256591	8.873	9.687	C	2012	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.7	8.5	7.5	
GENERAL ASPHALT CO., INC. (2014) SPRIDE																					
87240000	9.648	10.028	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	
9				3	9.9	47500	RIDE	6.9	6.9	7.4	6.3*	6.1*	6.3	6.0	6.7	6.2	6.2	6.2	6.1	6.2	
NW 116 ST(9.7R)																					
							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	9.5
							RIDE	6.1	6.1	6.1	6.2	6.2	6.1	6.1	6.4	6.6	6.5	6.4	6.0	6.4	6.0
(2024)																					
87240000	10.028	10.823	R	1	1	45	CRACKING	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
9				3	9.9	47500	RIDE	7.5	7.7	7.5	7.3	7.0	6.7	6.3	6.6	6.6	6.4	6.7	6.6	6.7	
NW 122 ST(10.0C)																					
4284761	10.006	10.818	C	2013	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.5
H & J ASPHALT, INC (2015) SPRIDE																					
87240000	10.823	11.113	R	1	7	45	CRACKING	10.0	10.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9				3	7.2	55500	RIDE	7.5	7.7	7.5	7.3		7.3	6.9	7.4	7.5	7.6	7.0	6.5	6.6	
OPA LOCKA CITY LIMITS(10.9C)																					
4439141	10.941	11.113	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	9.5
GENERAL ASPHALT CO., INC. (2026) SPRIDE																					
87240000	11.113	11.286	C	1	7	45	CRACKING	10.0	10.0	10.0	7.5		9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	
9				2	7.2	29000	RIDE	8.3	8.2	8.5	7.3		7.3	7.2	7.3	7.1	7.6	7.3	7.1	7.3	
NW 139 ST(11.1R)																					
4439141	11.113	11.239	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6	10.0	9.5
GENERAL ASPHALT CO., INC. (2026) SPRIDE																					
87240000	11.286	11.345	C	1	1	45	CRACKING	10.0	10.0	10.0	7.5		9.0	7.5	9.0	9.0	10.0	10.0	10.0	10.0	
9				2	7.2	29000	RIDE	8.3	8.2	8.5	7.3		7.3	7.2	7.6	8.2	7.8	7.3	7.1	7.3	
(2008) FC5A																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6	8.3	6.0*
							RIDE	7.1	7.2	6.8	6.8	6.5	6.6	7.3	7.3	6.3	7.3	6.4	6.7	7.2	7.1
87240000	11.345	13.110	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	
9				2	8.3	27211	RIDE	8.5	8.5	8.3	7.8	7.8	7.7	7.7	7.7	7.8	7.2	7.5	7.4	7.4	
NW 22 AVE(11.8C)																					
4291841	11.237	13.318	C	2014	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	9.0	7.5
COMMUNITY ASPHALT CORP. (2016) SPRIDE																					
87240000	13.110	13.690	R	1	2	50	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	
9				2	7.8	32500	RIDE	8.5	8.5	8.3	7.8	7.8	7.7	7.7	6.9	6.7	7.0	6.7	6.4*	6.7	
SR 7 / US 441 SB(13.7R)																					
4284762	13.281	13.690	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9	9.0	7.5
COMMUNITY ASPHALT CORP. (2014) SPRIDE																					
87240000	13.110	13.690	L	1	1	50	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	
9				2	7.8	32500	RIDE	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4	7.3	7.6	7.3	7.3	7.3	
(2014) OGFC																					
4284762	13.281	13.690	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.0*
COMMUNITY ASPHALT CORP. (2014) SPRIDE																					
87240000	11.345	13.110	L	1	1	50	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	
9				2	8.3	27211	RIDE	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4	7.3	7.6	7.3	7.3	7.3	
NW 22 AVE(11.8C)																					
4291841	11.237	13.318	C	2014	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.0*
COMMUNITY ASPHALT CORP. (2016) SPRIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE) SURFTYPE =====																							
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																							
CONTRACTOR (AGE_ONE YEAR) ASTYPE																							
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																							
87240000	10.823	11.113	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	8.0	10.0	10.0	10.0	10.0	10.0		
9			3	7.2		55500	RIDE	8.6	8.4	8.0	7.7		8.0	7.4	7.5	7.6	7.6	7.9	7.9	7.4			
OPA LOCKA CITY LIMITS(10.9C) FC95																							
4439141	10.941	11.113	C	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	10.0	9.5		
GENERAL ASPHALT CO., INC. (2026) SPRIDE																							
								7.6	7.7	6.9	6.9	6.7	7.1	6.6	6.5	6.4	6.6	6.5	6.5	6.8	6.8	6.4	
87240000	10.028	10.823	L	1	1	45	CRACKING	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*			
9			3	9.9		47500	RIDE	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	7.6	7.4	7.4	7.1			
NW 122 ST(10.0C) FC125																							
4284761	10.006	10.818	C	2013		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.6	7.5		
H & J ASPHALT, INC (2015) SPRIDE																							
								6.8	8.0	7.8	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.3	7.3	6.9	
87240000	9.648	10.028	L	1	1	45	CRACKING	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	10.0	9.5	9.5	9.5			
9			3	9.9		47500	RIDE	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	7.2	6.0	5.9	5.9			
SR 924(9.9C) DGFC																							
								9.5	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.5		
(2024) CRACKING RIDE 6.1 5.9 6.2 5.8 5.9 6.3 5.9 6.4 6.3 6.4 6.8 6.6 6.8 6.4																							
87240000	8.834	9.648	L	1	1	45	CRACKING	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5			
9			2	7.2		37000	RIDE	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	6.9	7.2	7.0	7.0			
SR 932(8.9C) FC95																							
4256591	8.873	9.687	C	2012		0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.7	8.4	7.5		
GENERAL ASPHALT CO., INC. (2014) SPRIDE																							
								8.1	8.0	7.7	7.8	7.7	7.8	7.6	7.5	7.4	7.4	7.3	7.0	7.1	6.7		
87240000	7.227	8.834	L	1	1	40	CRACKING	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5			
9			2	7.2		31500	RIDE	7.7	7.6	7.7	7.1	7.1	7.1	6.8	7.0	6.9	6.9	7.2	7.0	7.0			
SR 934(7.3C) FC95A																							
4291851	7.701	8.834	L	2014		0012	CRACKING	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.6	8.5		
GENERAL ASPHALT CO., INC. (2017) SPRIDE																							
								6.7	6.9		8.0	7.8	7.9	7.8	7.4	7.1	7.0	6.8	6.8	6.7	6.3		
87240000	4.962	7.227	L	1	1	35	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
9			2	7.2		32000	RIDE	6.2*	5.5	5.6	5.2*	4.9*	5.3*	6.8	6.8	6.8	6.8	6.8	6.7	6.5			
NB ENT FROM SR 112 R(5.0C) FC95M																							
4291852	5.019	7.184	C	2021		0012	CRACKING	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.5		
GENERAL ASPHALT CO., INC. (2025) SPRIDE																							
								6.2	6.4	5.7	5.7	5.6	5.5	5.5	5.3*	5.4*	5.3*	5.2*	6.6	6.9	6.5		
87240000	4.536	4.962	L	1	2	35	CRACKING	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
9			3	7.2		37500	RIDE	7.7	7.7	7.9	6.8	6.6	6.6	6.4	6.0	5.5	5.2*	6.0	6.1	6.0			
NW 34 ST(4.6C) FC125M																							
								10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	8.9	8.0	
(2026) CRACKING RIDE 7.9 7.7 7.7 7.6 7.6 7.5 7.1 7.0 7.1 6.9 6.4 6.0 6.1 6.0																							
4575111	2.985	4.894	C	2029		0012																	
87240000	4.025	4.536	L	1	7	35	CRACKING	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
9			3	7.2		37500	RIDE	7.7	7.7	7.9	6.8	6.6	6.6	6.4	6.0	5.5	5.2*	6.0	6.1	6.0			
NW 24 ST(4.1C) FC125M																							
								10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	10.0	9.5	
(2026) CRACKING RIDE 7.9 7.7 7.7 7.6 7.6 7.5 7.1 7.0 7.1 6.9 6.4 4.6* 5.5 5.1*																							
4575111	2.985	4.894	C	2029		0012																	
87240000	2.985	4.025	L	1	2	35	CRACKING	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
9			3	7.2		37500	RIDE	7.7	7.7	7.9	6.8	6.6	6.6	6.4	6.0	5.5	5.2*	6.0	6.1	6.0			
NW 14 ST(3.2C) FC125M																							
								10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	9.0	8.5	
(2026) CRACKING RIDE 7.9 7.7 7.7 7.6 7.6 7.5 7.1 7.0 7.1 6.9 6.4 4.6* 6.0 5.6																							
4575111	2.985	4.894	C	2029		0012																	
87240000	1.739	2.985	L	1	1	35	CRACKING	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0			
9			3	5.1		41500	RIDE	7.9	7.8	7.2	6.2	6.3	6.3	6.0	5.3*	5.6	7.1	6.7	6.8	6.4			
SEVENTH ST SW(1.8C) FC95																							
4198471	1.739	2.975	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	8.0	8.7	8.6	7.5		
WEEKLEY ASPHALT PAVING, IN(2010) SPRIDE																							
								6.6	6.7	6.4	6.2	6.4	6.3	6.3	6.3	6.2	6.2	6.1	6.0	6.1	6.1	5.7	
87240000	0.000	1.739	L	1	1	40	CRACKING	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0			
9			2	4.0		36500	RIDE	7.7	7.5	7.7	7.1	6.8	6.3	6.5	7.5	7.5	6.8	7.3	7.4	6.6			
DIXIE HWY S(0.0C) DGFC																							
4146881	0.056	1.739	C	2005		0008	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	7.0		
H & J ASPHALT, INC (2008) SPRIDE																							
								7.1	7.0	7.1	6.6	6.6	6.4	6.5	6.3	6.3	6.5	6.3	6.4	6.4	6.4	6.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP)	SIDE	SURFTYPE		=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR	(AGE_ONE YEAR)	ASTYPE																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			
87240101	0.000	0.098	C	1	7	45	CRACKING												10.0	10.0	10.0			
944			2	7.2		8300	RIDE																	
87240124	SB OFF(0.0L)																							
4439141	0.000	0.071	C	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	10.0	9.5	
GENERAL ASPHALT CO., INC.	(2026)						SPRIDE													6.3		5.9		
87250000	0.000	0.691	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
944			4	4.9		22000	RIDE	7.6	7.5	7.0	6.5	6.3	6.4	6.1	6.4	6.1	6.1	5.8	4.8*	5.7				
QKEECHOBEE RD(0.0C)						FC95R																		
						(2017)	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.4	7.9	7.0		
							RIDE	4.3*	5.1*	4.7*				6.4	6.0	6.2	6.0	6.3	5.8	5.6	5.2*			
87250000	0.691	1.192	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0			
944			2	8.1		25000	RIDE	7.8	7.5	7.0	6.5	6.5	6.4	6.3	6.4	6.3	6.1	6.1			8.2			
SE 7 AVE(0.8R)						DGFC																		
4182391	0.436	1.192	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.3	6.7	5.5*		
GENERAL ASPHALT CO., INC.	(2013)						SPRIDE	7.9	8.0	7.8	7.5	7.4	7.7	6.9	7.0	6.5	6.5	6.3	6.5	6.4	6.4	6.0		
87250000	1.192	4.526	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
944			2	4.9		25000	RIDE	7.1	7.5	7.0	6.5	6.5	6.4	6.3	6.4	6.3	6.1	6.1	6.3	6.2	6.2	6.2		
NW 37 AVE(1.4C)						FC95A																		
						(2017)	CRACKING	7.0	6.5	6.5	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.8	8.6	7.5		
							RIDE	6.0	6.0	6.1	6.5	6.1	6.3	6.1	6.1	6.1	6.0	5.9	5.9	5.8	5.8	5.4*		
87250000	4.526	5.822	C	1	1	40	CRACKING	10.0	8.0	8.0	9.0		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
944			4	0.6		21000	RIDE	5.7*	5.9	5.5	5.6		6.6	6.5	6.7	6.6	6.1	5.8	6.0	6.0	5.5			
ENT FROM SR 9A(4.6C)						FC95M																		
4282782	4.517	5.761	C	2018		0012	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.8	8.5	7.5		
WEEKLEY ASPHALT PAVING, IN	(2021)						SPRIDE	5.2*	5.1*	5.5	5.1*	5.2*	5.0*	4.6*	6.4	6.2	6.2	5.9	5.7	5.7	5.7	5.3*		
87250000	1.192	4.526	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
944			2	4.9		25000	RIDE	6.8	7.2	7.0	6.3	6.3	6.2	6.1	6.2	6.1	5.7	5.8	5.9	5.6				
E 10 CT(1.2L)						FC95A																		
						(2017)	CRACKING	7.0	6.5	6.5	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	8.4	8.1	7.0			
							RIDE	5.5	5.7	5.9	6.5	6.1	6.3	6.1	5.8	5.7	5.6	5.4*	5.4*	5.4*	5.0*			
87250000	0.691	1.192	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0		10.0			
944			2	8.1		25000	RIDE	7.5	7.2	7.0	6.3	6.3	6.2	6.1	6.2	6.1	5.7	5.8			7.8			
E 7 AVE(0.8L)						DGFC																		
4182391	0.436	1.192	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.4	7.5		
GENERAL ASPHALT CO., INC.	(2013)						SPRIDE	7.2	6.9	7.8	7.4	7.6	7.5	7.3	7.4	7.1	6.7	6.7	6.7	6.7	6.8	6.4		
87260000	0.000	1.063	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0		
826	0.0	1.1	2	5.4		57000	RIDE	8.3	8.4	8.0	7.7	7.5	7.6	7.7	7.5	7.6	7.6	7.7	7.2	7.4				
SOUTH DIXIE HWY(0.0C)						FC5M																		
4327431	0.000	0.957	R	2016		0012	CRACKING	7.0	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.7	9.6	8.0		
HALLEY ENGINEERING CONTRAC	(2018)						SPRIDE	7.5	7.5	7.5			8.0	8.2	8.2	8.1	8.0	8.0	8.0	8.0	8.0			
4566201	0.000	2.271	C	2029		0012																		
87260000	1.063	2.271	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	6.5				
826	1.1	2.3	3	5.3		107500	RIDE	8.3	8.4	8.5	7.9	7.9	7.9	7.8	8.0	7.7	7.9	7.9	7.9	7.9	7.8			
4308212	1.343	2.271	R	2016		0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.8	9.7	8.0		
HALLEY ENGINEERING CONTRAC	(2018)						SPRIDE	7.7	7.7	7.9			7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.6			
4566201	0.000	2.271	C	2029		0012																		
87260000	2.271	2.860	R	1	1	55	CRACKING	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*				10.0			
826	2.3	2.9	4	6.2		125500	RIDE	7.5	7.6	6.9	6.6	6.5	6.7	6.7	6.4*	6.5					7.8			
						FC5																		
4240591	0.000	7.981	C	2009		0547	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	5.0*			
			(2013)				RIDE	7.6	7.6	8.0	7.7	7.6	7.9	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.8			
87260000	2.860	3.641	R	1	1	55	CRACKING	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*					10.0			
826	2.9	3.6	3	6.2		114500	RIDE	7.5	7.6	6.9	6.6	6.5	6.7	6.7	6.4*	6.5					7.8			
SR 874 SB(3.4R)						FC5																		
4240591	0.000	7.981	C	2009		0547	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	5.5*	3.5*			
			(2013)				RIDE	7.6	7.6	8.0	7.7	7.6	7.4	7.6						7.1	7.0			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																										
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	
INTERSECT	AT	(MP	SIDE)	W_BMP	W_EMP	W_YEAR	W_YEAR	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)	YEAR)	W_BMP	W_EMP	W_YEAR	W_YEAR	FY-F	WKM-F	WKM-F	ASTYPE														(PMRS)	
87260000			3.641		4.851	R	1	1	55	CRACKING		9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*					10.0	
826			3.6		4.9	6	6.2	213000		RIDE		8.7	8.6	8.4	7.7	7.6	7.3	7.3	7.7	7.5					7.6	
								FC5																		
4240591			0.000		7.981	C	2009	0547		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	7.5	7.0	7.0	5.0*	
							(2013)			RIDE		7.7	7.8	7.8	7.8	7.7	7.7	7.9	8.0	8.0	8.0	8.0	8.0	7.9	7.8	
87260000			4.851		6.504	R	1	1	55	CRACKING		9.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	
826			4.9		6.5	6	6.2	267000		RIDE		8.7	8.6	8.4	7.7	7.6	7.3			7.8	7.7	7.7	7.7	7.7	7.6	
								FC5																		
4240591			0.000		7.981	C	2009	0547		CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	7.5	7.5	7.2	5.0*	
							(2009)			RIDE		7.6	7.6	7.6	7.4	7.3	7.4	7.5	7.5	7.5	7.5	7.5	7.6	7.5	7.4	
87260000			6.504		7.500	R	1	1	55	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*				
826			6.5		7.5	5	8.0	173500		RIDE		7.9	7.7	7.3	6.4*	6.4*	6.3*	6.1*	6.4*	6.6	6.5	6.5	6.5			
								FC5M																		
4326871			6.290		9.065	R	2014	0234		CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	
							(2018)			RIDE					7.7	7.6	7.7	7.6	7.8	7.6	7.6	7.6	7.6	7.6	7.5	
87260000			7.500		8.050	R	1	1	55	CRACKING		9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
826			7.5		8.1	5	6.2	287000		RIDE		8.4	8.4	8.3	7.6	7.6	7.3	7.4	7.4	7.4	7.4	7.1	7.2			
								FC5M																		
4326871			6.290		9.065	R	2014	0234		CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.7	8.0	
							(2018)			RIDE					7.7	7.7	7.6	7.6	7.7	7.6	7.6	7.6	7.6	7.7	7.6	
87260000			8.050		12.299	R	1	1	55	CRACKING		9.5		10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	
826			8.1		12.3	5	7.2	256000		RIDE		8.4		8.7	8.0					7.9	7.9	7.8	7.8	7.8	7.7	
								FC5M																		
							(2020)			CRACKING		9.5	9.5							10.0	10.0	10.0	10.0	9.1	9.1	8.0
										RIDE		7.6	7.7							8.5	8.5	8.5	8.5	8.4	8.4	8.3
4471651			8.355		17.950	C	2022	0213																		
87260000			12.299		13.331	R	1	7	55	CRACKING				10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5			
826			12.3		13.3	4	9.4	219000		RIDE				7.7	7.7	7.7	7.6	7.7	7.7	7.5	7.6	7.5	7.4			
								FC5M																		
4471651			12.781		15.646	R	2022	0213		CRACKING		6.5	6.5							10.0	10.0	10.0	10.0	9.4	10.0	9.0
							(2026)			RIDE		7.3	7.2							8.5	8.4	8.4	8.4	8.4	8.4	8.3
87260000			13.331		15.051	R	1	1	55	CRACKING				10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5			
826			13.3		15.1	4	10.2	251000		RIDE				7.7	7.7	7.7	7.6	7.7	7.7	7.5	7.6	7.5	7.4			
								FC5M																		
							(2020)			CRACKING		6.5	6.5	6.5						10.0	10.0	10.0	10.0	9.5	9.5	8.0
										RIDE		7.3	7.2	7.7						8.5	8.5	8.5	8.4	8.4	8.5	8.4
4471651			8.355		17.950	C	2022	0213																		
87260000			15.051		15.757	R	1	1	55	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
826			15.1		15.8	4	6.3	192000		RIDE		8.5	8.8	8.7	8.0	7.8	8.0	8.0	7.9	8.0	8.0	7.8	7.8	7.7	7.5	
								FC5M																		
							(2020)			CRACKING		6.5	6.5	6.5						10.0	10.0	10.0	10.0	10.0	10.0	8.5
										RIDE		7.7	7.3	8.1						8.4	8.3	8.4	8.3	8.3	8.3	8.2
4471651			8.355		17.950	C	2022	0213																		
87260000			15.757		16.379	R	1	1	55	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
826			15.8		16.4	3	6.3	192000		RIDE		8.5	8.8	8.7	8.0	7.8	8.0	7.9	8.0	8.0	7.8	7.8	7.7	7.5		
								FC5M																		
							(2020)			CRACKING		6.5	6.5	6.5						10.0	10.0	10.0	10.0	10.0	10.0	8.0
										RIDE		7.7	7.3	8.1						8.3	8.2	8.2	8.2	8.2	8.2	8.1
4471651			8.355		17.950	C	2022	0213																		
87260000			16.379		19.053	R	1	1	55	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.0	7.0	6.5		
826			16.4		19.1	3	5.9	147500		RIDE			8.2	8.5	8.1	7.9	8.0	8.0	8.0	8.0	7.8	7.9	7.7	7.8		
								FC5M																		
							(2017																			

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P		ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
87260000	22.273	23.014	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	
826	22.3	23.0	4	4.2	143000		RIDE	8.3	8.8	8.6	8.2	8.1	8.0	7.6	8.2	8.1	7.8	8.0	7.7	8.0		
							FC5M															
4327433	22.220	23.046	C	2016	0012		CRACKING	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	8.5	7.0
COMMUNITY	ASPHALT	CORP.		(2018)	SPRIDE		RIDE	8.0	7.9	8.2	8.1	8.4	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3
87260000	23.014	23.870	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0		
826	23.0	23.9	4	6.2	146000		RIDE	8.6	8.8	8.6	8.2	8.1	8.0	7.6	8.2	8.1	7.8	8.0	7.7	8.0		
							FC5															
				(1987)			CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	6.9	7.2	3.5*
							RIDE	8.0	7.9	8.2	8.1	8.1	8.0	8.2	8.1	8.2	8.1	8.1	8.1	8.1	8.2	8.1
87260000	23.870	24.200	R	1	8	55	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
826	23.9	24.2	3	6.2	162000		RIDE	8.3	8.0	7.7	6.8	6.6	7.0	7.0	7.3	7.1	7.1	7.1	6.6	6.9	6.9	
							OGFC															
				(1988)			CRACKING	3.5*	3.5*	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	
							RIDE	6.5	6.6	7.3	7.0	7.1	6.8	7.2	6.8	6.7	7.0	6.8	6.8			
87260000	24.200	24.708	R	1	1	40	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0		
826	24.2	24.7	2	6.2	52500		RIDE	8.3	8.0	7.7	6.8	6.6	7.0	7.0	7.3	7.1	7.1	7.1	7.0	6.9		
							FC95															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	8.1	7.0
							RIDE	6.5	6.5	5.9	5.9	5.5	5.1*	6.1	6.5	6.4	6.0	5.9	5.6	5.8	5.8	5.4*
							SPRIDE															
87260000	24.209	24.708	L	1	1	40	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
826	24.2	24.7	2	6.2	52500		RIDE	7.6	7.6	7.9	6.1	6.0	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	
							FC95															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7	7.5
							RIDE	6.8	6.9	6.5	6.2	5.7	6.4	6.3	6.4	5.7	5.7	5.9	5.7	5.6	5.2*	
							SPRIDE															
87260000	23.814	24.209	L	1	2	45	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
826	23.8	24.2	3	6.2	162000		RIDE	7.6	7.6	7.5	7.7	7.2	6.5	6.5	6.6	6.7	6.3	6.8	6.6	6.6	6.6	
							UNKW															
							CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	5.5*	5.5*	4.0*
							RIDE	6.6	6.6	6.9	7.2	7.1	6.7	7.0	7.4	7.3	7.3	7.4	7.7	7.4	7.4	7.0
87260000	23.046	23.814	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	6.5		
826	23.0	23.8	4	6.2	146000		RIDE	8.3	8.9	8.3	8.1	8.2	8.1	7.8	8.2	8.1	8.0	7.8	7.9	7.8		
							FC5															
							CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	5.5*	5.5*	1.5*	
							RIDE	7.6	7.6	8.2	8.2	8.2	8.1	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.1	
87260000	22.273	23.046	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	6.5		
826	22.3	23.0	4	4.2	143000		RIDE	8.3	8.9	8.3	8.1	8.2	8.1	7.8	8.2	8.1	8.0	7.8	7.9	7.8		
							FC5M															
4327433	22.220	23.046	C	2016	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.7	9.7	8.0
COMMUNITY	ASPHALT	CORP.		(2018)	SPRIDE		RIDE	7.6	7.6	8.2	8.2	8.5	8.6	8.7	8.8	8.8	8.6	8.8	8.8	8.8	8.7	8.6
87260000	19.053	22.273	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	6.5		
826	19.1	22.3	3	6.2	132000		RIDE	8.3	8.8	8.7	8.0	8.2	8.1	7.7	8.2	8.2	8.0	7.9	7.8	7.7		
							FC5M															
4327432	19.053	21.623	C	2016	0012		CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.8	10.0	8.5
COMMUNITY	ASPHALT	CORP.		(2018)	SPRIDE		RIDE	7.7	7.6	7.9	7.8	8.6	8.5	8.7	8.6	8.6	8.7	8.6	8.6	8.6	8.6	8.5
87260000	16.379	19.053	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5
826	16.4	19.1	3	5.9	147500		RIDE		8.2	8.1	7.6	7.7	7.6	7.0	7.8	7.8	7.7	7.5	7.5	7.5		
							FC5M															
							CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.2	6.5
							RIDE	7.4	7.3		8.5	8.4	8.5	8.6	8.5	8.6	8.5	8.5	8.5	8.5	8.4	8.3
							SPRIDE															
87260000	15.025	16.379	L	1	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	
826	15.0	16.4	3	6.3	192000		RIDE	8.4	8.6	8.6	8.1	8.0	7.9	7.4	8.0	7.9	7.8	7.8	7.8	7.6	7.6	
							FC5M															
							CRACKING	5.5*	3.5*					10.0	10.0	10.0	10.0	10.				

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
87260000	13.890	15.025	L	1	1	55	CRACKING	10.0		9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*
826		13.9	4	9.3	221000		RIDE	8.4		8.6	8.1	8.0	7.9	7.4	8.0	7.9	7.8	7.8	7.6	7.6	
					FC5M																
				(2020)			CRACKING		10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
4471651	8.355	17.950	C	2022	0213		RIDE		8.3					8.3	8.3	8.3	8.0	8.2	8.2	8.3	8.2
87260000	12.559	13.890	L	1	8	55	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	
826		12.6	4	10.2	251000		RIDE			8.0	7.6	7.6	7.6	7.3	7.3	7.4	7.4	7.3	7.2	7.2	
				(2020)			CRACKING		9.5					10.0	10.0	10.0	10.0	10.0	10.0		
4471651	8.355	17.950	C	2022	0213		RIDE		7.5					8.3	8.3	8.3	8.0	8.2	8.2		
87260000	11.318	12.559	L	1	7	55	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	
826		11.3	5	8.7	252000		RIDE	8.6	8.8	8.7	8.2	8.0			7.8	7.9	7.7	7.7	7.7	7.7	
				(2020)			CRACKING														
4471651	9.086	12.948	L	2022	0213		CRACKING	10.0	9.5					10.0	10.0	10.0	10.0	10.0	9.7	10.0	9.0
				(2026)			RIDE	7.6	7.5					8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.3
87260000	9.430	11.318	L	1	1	55	CRACKING	10.0		10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
826		9.4	5	7.9	265000		RIDE	8.6		8.4	7.8				7.8	7.8	7.7	7.6	7.6	7.5	
				(2020)			CRACKING		9.5	9.5				10.0	10.0	10.0	10.0	10.0	9.7	9.7	8.5
4471651	8.355	17.950	C	2022	0213		RIDE		7.4	7.5				8.4	8.4	8.4	8.3	8.4	8.4	8.2	8.1
87260000	8.050	9.430	L	1	1	55	CRACKING	9.5			10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	
826		8.1	5	7.0	280000		RIDE	8.4			8.0	7.9			7.8	7.8	7.7	7.6	7.6	7.5	
				(2020)			CRACKING		9.5	9.5											
4471651	8.355	9.086	L	2022	0213		CRACKING	9.5	9.5					10.0	10.0		10.0	10.0	9.7	10.0	9.0
				(2023)			RIDE	7.4	7.5					8.4	8.4		8.2	8.2	8.2	8.2	8.1
87260000	7.458	8.050	L	1	1	55	CRACKING	9.5		7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5			
826		7.5	5	6.2	287000		RIDE	8.4		8.0	7.6	7.5	7.5	6.8	7.4	7.2	7.0	7.1			
				(2018)			CRACKING														
4326871	6.290	9.065	L	2014	0234		CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.8	10.0	8.5
				(2018)			RIDE						8.2	8.1	8.2	8.2	8.1	8.1	8.2	8.1	8.0
87260000	6.800	7.458	L	1	1	55	CRACKING	9.5	7.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5			
826		6.8	5	8.0	173500		RIDE	8.4	8.6	8.0	7.6	7.5	7.5	6.8	7.4	7.2	7.0	7.1			
				(2018)			CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.8	9.6	8.0
4326871	6.290	9.065	L	2014	0234		RIDE			7.6	7.4	7.5	7.5	7.6	7.5	7.0	7.4	7.5	7.4	7.4	7.3
87260000	5.947	6.800	L	1	1	55	CRACKING	9.5	7.0	6.0*	6.0*	6.0*	4.5*	6.5	6.5	6.5	6.5	6.5			
826		5.9	6	6.2	234000		RIDE	8.4	8.6	8.3	7.6	7.2	7.3	6.6	6.9	6.7	6.5	6.6			
				(2018)			CRACKING														
4326871	6.290	9.065	L	2014	0234		CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.0	7.5
				(2018)			RIDE			7.8	7.5	7.7	7.6	7.6	7.6	7.4	7.7	7.6	7.5	7.4	7.4
87260000	3.641	5.947	L	1	1	55	CRACKING	9.5	7.0	6.0*	6.0*	6.0*	4.5*			10.0	10.0	10.0	10.0	10.0	
826		3.6	6	6.2	213000		RIDE	8.4	8.6	8.3	7.6	7.2	7.3			7.8	7.6	7.7	7.7	7.7	
				(2009)			CRACKING														
4240591	0.000	7.981	C	2009	0547		CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	6.5	6.5	6.5	7.1	6.7	4.5*
				(2009)			RIDE	7.7	7.7	7.6	7.6	7.6	7.5	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.7
87260000	2.039	3.641	L	1	1	55	CRACKING	7.0	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*				10.0	
826		2.0	4	6.2	114500		RIDE	7.6	7.4	7.1	6.1*	6.6	6.8	6.1*	6.6	6.4*				8.0	
SR 874 NB	(3.4L)				FC5																
4240591	0.000	7.981	C	2009	0547		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	7.8	6.0*
				(2013)			RIDE	8.1	8.0	8.0	8.0	8.0	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9
87260000	1.343	2.039	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	6.5	6.5	
826		1.3	3	5.3	107500		RIDE	8.3	8.4	8.4	7.6	7.9	7.8	7.3	8.0	8.0	7.9	7.8	7.4	7.6	
				(2018)			CRACKING														
4308212	1.343	1.879	L	2016	0012		CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.7	9.6	8.0
HALLEY ENGINEERING CONTRAC	(2018)				SPRIDE			7.4	7.5	7.6		8.2	8.1	8.2	8.2	8.1	8.1	8.2	8.2	8.1	8.0
4566201	0.000	2.271	C	2029	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																	
87260527	0.000	1.008	C	1	1	40	CRACKING																
826F			2	1.9		3300	RIDE																
							DGFC																
				(2025)			CRACKING													10.0	9.1	8.5	
							RIDE													6.6	6.4	6.0	
87260528	0.000	1.028	C	1	1	40	CRACKING																
826F			2	2.9		3100	RIDE																
							DGFC																
				(2025)			CRACKING														8.9	8.8	8.0
							RIDE														6.4	6.3	5.9
87260529	0.000	1.029	C	1	1	40	CRACKING																
826F			2	5.8		5600	RIDE																
							DGFC																
				(2025)			CRACKING														9.2	9.1	8.5
							RIDE														6.8	7.0	6.6
87260530	0.000	0.982	C	1	1	40	CRACKING																
826F			2	7.3		2700	RIDE																
							DGFC																
				(2025)			CRACKING														8.9	8.7	8.0
							RIDE														6.2	6.2	5.8
87260531	0.000	1.002	C	1	1	40	CRACKING																
826F			2	8.0		4400	RIDE																
							DGFC																
				(2025)			CRACKING														8.8	8.5	8.0
							RIDE														6.8	6.9	6.5
87260532	0.000	1.000	C	1	1	40	CRACKING																
826F			2	2.8		3100	RIDE																
							DGFC																
				(2025)			CRACKING														9.1	8.8	8.0
							RIDE														6.3	6.5	6.1
87260533	0.000	1.000	C	1	1	40	CRACKING																
826F			2	5.1		2900	RIDE																
							DGFC																
				(2025)			CRACKING														8.9	8.9	8.0
							RIDE														7.1	7.1	6.7
87260536	0.000	0.989	C	1	1	30	CRACKING																
826F			2	4.8		4100	RIDE																
							DGFC																
				(2025)			CRACKING														8.8	8.7	8.0
							RIDE														6.5	6.4	6.0
87260600	0.000	1.007	C	1	1	40	CRACKING																
826F			2	4.3		1100	RIDE																
							DGFC																
				(2025)			CRACKING														8.6	8.4	7.5
							RIDE														6.4	6.0	5.6
87260901	0.000	7.872	C	3	1		CRACKING																
826			1	1.0		23500	RIDE																
				(2021)			CRACKING														10.0	10.0	10.0
							RIDE														8.3	8.2	8.2
																					10.0	10.0	10.0
																					8.3	8.3	8.3
																					10.0	10.0	10.0
																					8.1	8.1	8.1
																					10.0	10.0	10.0
																					8.0	8.0	8.0
87260902	0.000	1.550	C	3	1		CRACKING																
826			1	3.4		21000	RIDE																
				(2021)			CRACKING														10.0	10.0	10.0
							RIDE														8.2	8.1	8.1
																					10.0	10.0	10.0
																					8.2	8.1	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
87260902 826	1.550	3.725	C	3	7	CRACKING															
				2	3.4	21000	RIDE														
							CRACKING									10.0	10.0	10.0	10.0	8.7	10.0
							RIDE									8.3	8.3	8.2	8.2	8.2	8.5
																					9.5
																					8.1
87260902 826	3.725	5.600	C	3	1	CRACKING															
				2	2.1	18500	RIDE														
							CRACKING									10.0	10.0	10.0	10.0	8.7	9.0
							RIDE									8.3	8.3	8.2	8.2	8.2	8.3
																					8.0
																					7.9
87260902 826	5.600	7.920	C	3	1	CRACKING															
				1	2.1	18500	RIDE														
							CRACKING									10.0	10.0	10.0	10.0	9.1	9.0
							RIDE									7.9	7.8	7.7	7.7	7.7	7.7
																					8.0
																					7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT (MP	SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87270000	8.792	10.170	R	4	4	60	CRACKING	8.0	8.1	8.3	9.1	8.9	8.4	8.2	8.1	8.0	7.5	7.3	7.2	6.3*	
9A I95	8.8	10.2	4	3.8	206000	RIDE	8.7	8.8	8.6	8.1	8.1	7.8	7.2	7.8	5.8*	7.5	7.3	7.6	7.3		
					LDG																
4293003	5.171	10.511	R	2017	0217		CRACKING	5.4*	4.8*		9.3	9.3	9.1	9.0	8.9	8.8	8.7	7.9	7.7	7.0	6.5
				(2017)			RIDE	7.1	7.2		7.8	8.0	7.9	8.1	8.1	8.1	8.0	7.7	7.8	7.6	7.5
87270000	10.170	12.167	R	4	4	60	CRACKING	8.7	8.8	8.8	8.9	8.7	8.2	8.0	8.1	9.0	7.8	7.8	7.2	5.4*	
9A I95	10.2	12.2	4	3.8	210000	RIDE	8.6	8.6	8.6	8.1	8.1	7.8	7.8	7.0	7.8	5.6*	5.7*	5.8*	6.1*		
					LDG																
4307902	8.823	12.091	R	2015	0227		CRACKING	4.6*	2.7*		9.3	9.3	9.2	9.1	9.0	9.1	8.9	8.8	8.5	8.6	8.0
GOSALIA	CONCRETE	CONSTRUCT		(2017)			RIDE	6.4*	5.6*		7.9	8.1	7.9	8.3	8.2	8.2	8.0	8.0	8.1	8.0	7.9
4370533	10.791	12.087	R	2024	0213																
87270000	12.167	13.354	R	4	4	55	CRACKING	8.3	7.9	7.8	9.2	9.0	9.0	8.7	8.6	7.9	7.6	7.6	7.4	7.1	
9A I95	12.2	13.4	3	3.8	170500	RIDE	8.8	8.0	7.8	8.1	8.2	7.9	7.7	7.7	7.8	7.7	7.3	7.9	7.3		
					LDG																
4293011	12.131	13.368	R	2014	0227		CRACKING	7.0	6.3*		9.4	9.3	9.4	9.3	9.3	9.0	9.2	8.7	8.7	8.2	7.5
PCL CIVIL	CONSTRUCTORS,	IN		(2017)			RIDE	7.1	6.8		8.3	8.4	8.4	8.6	8.5	8.3	8.5	8.3	8.2	8.1	8.0
4370534	11.300	13.360	R	2024	0213																
87270000	13.354	14.315	R	4	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	
9 I95	13.4	14.3	4	3.8	170500	RIDE	7.9	8.4	8.2	8.2	8.1	8.1	8.1	7.8	8.2	8.0	8.0	8.0	8.0	7.9	
					OGFC																
				(2017)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	9.0	7.0
							RIDE			8.3	8.0	8.0	8.2	8.5	8.0	8.1	8.1	8.1	7.9	8.0	7.9
87270000	14.315	17.199	R	4	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	
9 I95	14.3	17.2	5	3.8	171000	RIDE	8.6	8.8	8.6	8.2	8.1	8.1	8.1	7.8	8.2	8.0	8.0	8.0	8.0	7.9	
					OGFC																
				(2017)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	9.0	7.0
							RIDE			8.3	8.2	8.2	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.2
87270000	15.429	17.199	L	4	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	
9 I95	15.4	17.2	5	3.8	171000	RIDE	8.5	8.8	8.6	8.0	7.9	7.9	7.5	8.1	8.2	8.1	8.0	7.8	7.7		
					OGFC																
				(2017)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.4	8.4	6.5
							RIDE			8.4	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.1	8.4	8.3
87270000	13.354	15.429	L	4	1	55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	
9 I95	13.4	15.4	3	3.8	170500	RIDE	8.5	8.8	8.6	8.0	7.9	7.9	7.5	8.1	8.2	8.1	8.0	7.8	7.7		
					OGFC																
				(2017)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	6.0*
							RIDE			8.4	8.1	8.1	8.5	8.1	8.1	8.1	7.9	7.9	8.2	8.2	8.1
87270000	12.091	13.354	L	4	4	55	CRACKING	9.3	8.7	8.1	8.6	9.0	7.8	7.5	7.5	7.5	5.6*	5.1*	4.6*	4.6*	
9A I95	12.1	13.4	3	3.8	170500	RIDE	8.6	8.5	8.6	7.6	7.5	7.4	7.7	7.7	7.6	7.6	7.2	6.8	7.1	6.7	
					LDG																
4293011	12.131	13.172	L	2014	0227		CRACKING	4.1*	2.7*	4.8*	9.2	9.3	9.2	8.9	9.1	8.3	8.3	8.8	8.7	8.3	7.5
PCL CIVIL	CONSTRUCTORS,	IN		(2017)			RIDE	6.2*	6.2*	7.4	8.1	8.1	8.0	7.8	8.2	8.1	8.1	8.3	7.9	7.6	7.5
87270000	10.202	12.091	L	4	4	60	CRACKING	9.4	8.8	8.7	8.7	8.6	7.3	7.0	7.0	6.1*	5.9*	4.1*	3.7*	2.9*	
9A I95	10.2	12.1	4	3.8	210000	RIDE	8.6	8.7	7.8	7.6	7.4	7.2	7.1	6.6	6.5	6.4*	5.4*	5.7*	5.4*		
					LDG																
4275151	10.985	11.938	L	2013	0227		CRACKING	3.3*	8.9	8.9	8.8	8.8	8.7	8.6	8.3	8.4	8.3	7.6	7.6	7.3	6.5
RUSSELL	ENGINEERING, INC			(2015)			RIDE	5.2*	4.6*	7.7	7.8	7.9	7.7	8.0	7.9	7.9	7.8	7.7	7.7	6.8	6.7
87270000	8.823	10.202	L	4	4	60	CRACKING	9.4	9.3	9.2	9.1	9.1	8.2	8.0	8.0	7.6	7.6	7.1	6.6	6.0*	
9A I95	8.8	10.2	4	3.8	206000	RIDE	8.7	8.8	8.7	7.9	7.8	7.9	6.4*	6.9	7.4	7.3	6.2*	6.2*	5.9*		
					LDG																
4307901	8.823	10.163	L	2015	0227		CRACKING	5.6*	5.2*	8.5	9.1	9.3	9.1	8.9	8.8	8.2	7.8	8.0	7.9	7.0	6.5
GOSALIA	CONCRETE	CONSTRUCT		(2016)			RIDE	5.8*	5.4*	8.2	8.0	8.1	7.9	8.2	8.2	8.1	8.0	7.8	7.6	7.5	7.4
87270000	7.039	8.823	L	4	4	60	CRACKING	9.1	9.1	8.9	9.1	9.1	7.8	7.4	7.3	7.4	6.6	5.9*	5.0*	4.6*	
9A I95	7.0	8.8	4	3.8	210000	RIDE	8.7	8.8	7.8	8.1	8.0	7.8	7.9	7.0	7.9	7.9	7.9	5.7*	7.0	6.4*	
					LDG																
4293003	5.671	10.511	L	2017	0217		CRACKING	3.7*	3.4*	</											

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																									
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE			
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013
INTERSECT	AT	(MP	SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_FY	W_TYP	W_SPD	W_DISTRESS											2031			
CONTRACTOR	(AGE	ONE	YEAR)	W_BMP	W_EMP	W_RW	W_LN	W_FY	W_TYP	W_SPD	W_DISTRESS											(PMRS)			
ITMSEG-F	W_BMP	W_EMP	W_RW	W_FY	W_TYP	W_SPD	W_DISTRESS																		
87270000				5.121	6.707	L	4	4	55	CRACKING	9.3	9.0	9.1	9.1	9.2	9.2	9.0	8.9	8.3	8.8	8.5	7.5	7.2		
9A I95				5.1	6.7	4	9.1	192500		RIDE	8.3	8.2	7.6	7.4	6.8	7.8	6.4*	7.7	7.2	6.9	6.6	7.2	6.5		
SIDE ROAD(5.6C)									LDG															
4293003				5.671	10.511	L	2017	0217		CRACKING	6.8	6.4*	6.4*	7.5	7.3	7.6		9.9	9.5	9.4	9.4	9.4	9.4	9.0	
							(2021)			RIDE	5.9*	5.8*	6.9	7.4	7.6			8.3	8.3	8.2	8.0	8.2	7.8	7.7	
87270000				4.800	5.121	L	4	4	55	CRACKING	9.3	9.2	9.1	9.1	9.2	9.1	9.0	9.0	8.5	8.1	8.1	7.3	6.7		
9A I95				4.8	5.1	4	3.8	192000		RIDE	8.2	8.2	8.2	7.4	6.8	7.4	6.3*	7.4	7.4	7.4	7.1	7.1	6.6		
										LDG															
4293003				4.261	5.671	L	2017	0217		CRACKING	6.6	6.0*	6.1*	5.8*	4.9*	6.1*		9.9	9.4	9.4	9.5	9.4	9.4	9.0	
							(2021)			RIDE	6.3*	6.7	7.6	7.8	6.9	6.9		8.0	8.0	7.8	7.6	8.1	7.8	7.7	
87270000				3.417	4.800	L	4	4	55	CRACKING	9.3	9.2	9.1	9.1	9.2	9.1	9.0	9.0	8.5	8.1	8.1	7.3	6.7		
9A I95				3.4	4.8	5	3.8	192000		RIDE	8.2	8.2	8.2	7.4	6.8	7.4	6.3*	7.4	7.4	7.4	7.1	7.1	6.6		
SIDE ROAD(4.0C)									LDG															
4293002				3.435	4.253	L	2017	0217		CRACKING	6.6	6.0*	6.1*	5.8*	7.2	7.1		9.4	9.3	9.4	9.4	9.4	9.3	9.0	
							(2022)			RIDE	6.3*	6.7	7.6	7.8	8.0	8.0		8.2	8.1	8.1	8.1	8.1	7.8	7.7	
87270000				2.666	3.417	L	4	4	55	CRACKING	9.3	9.2	9.1	9.1	9.2	9.1	9.0	9.0	8.5	8.1	8.1	7.3	6.7		
9A I95				2.7	3.4	3	3.8	184500		RIDE	8.2	8.2	8.2	7.4	6.8	7.4	6.3*	7.4	7.4	7.4	7.1	7.1	6.6		
										LDG															
4293002				2.671	3.435	L	2017	0217		CRACKING	6.6	6.0*	6.1*	5.8*	7.2	7.1		9.4	9.4	9.4	9.4	9.3	9.0		
							(2023)			RIDE	6.3*	6.7	7.6	7.8	8.0	8.0		8.2	8.1	8.1	8.1	8.1	7.8	7.7	
87270000				0.975	1.547	L	4	4	55	CRACKING	8.6	7.9	8.1	8.3	8.3	8.2	8.0	7.9	9.4	9.0	9.0	8.8	8.6		
5 I95				1.0	1.5	3	2.7	64000		RIDE	6.5	6.7	6.3*	5.6*	5.1*	5.0*	5.5*	5.6*	7.8	8.1	8.1	7.4	8.3		
										LDG															
2515111				0.000	5.000	C	1983	9917		CRACKING	8.7	8.6	8.6	8.6	8.8	8.4	8.4	8.8	8.7	8.3	8.6	8.6	8.4	7.5	
							(1983)			RIDE	8.2	7.6	8.3	8.4	8.4	8.1	8.4	8.3	8.2	8.4	8.1	8.1	7.5	7.4	
4439421				0.000	1.547	C	2023	0227																	
87270000				0.145	0.975	L	4	4	55	CRACKING	9.0	9.1	9.0	8.9	8.6	8.5	8.3	8.2	9.5	9.2	9.3	9.1	9.1		
5 I95				0.1	1.0	2	2.7	64000		RIDE	7.9	7.5	7.7	6.3*	6.2*	6.3*	5.9*	6.2*	7.9	7.8	7.7	8.2	8.0		
										LDG															
2515111				0.000	5.000	C	1983	9917		CRACKING	9.1	9.0	8.8	9.0	9.0	9.0	9.0	9.0	9.1	9.0	8.9	8.9	9.0	8.0	
							(1983)			RIDE	7.9	8.0	8.4	8.4	8.3	7.9	8.6	8.3	8.1	8.3	8.5	8.4	7.9	7.8	
4439421				0.000	1.547	C	2023	0227																	
87270000				0.000	0.145	L	4	1	45	CRACKING	9.0	9.1	9.0	8.9	8.6	8.5	8.3	8.2	9.5	9.2	9.3	9.1	9.1		
5 I95				0.0	0.1	2	2.7	35500		RIDE	7.9	7.5	7.7	6.3*	6.2*	6.3	5.9	6.2	7.9	7.8	7.7	8.2	8.0		
										OGFC															
							(1990)			CRACKING	9.1	9.0	8.8	9.0	9.3	9.0	9.0	9.0	9.1	8.8	8.8	7.6	0.0*		
										RIDE	7.9	8.0	8.4	8.4	8.3	8.3	8.2	8.3	8.3	8.6	8.2	6.6	6.6	0.0*	
4439421				0.000	1.547	C	2023	0227															6.5		
87270160				0.000	0.068	C	1	1	30	CRACKING												3.5*	3.5*		
961						4	2.6	30000		RIDE												2.7*	2.7*		
4460002				0.009	0.068	C	2024	0012																	
87270901				0.000	2.302	C	4	4		CRACKING															
9A I95						2	2.5	37500		RIDE															
										CONC															
							(2021)			CRACKING								9.0	9.7	9.4	9.5	9.4	9.4	9.0	
										RIDE								7.6	8.1	8.1	8.4	8.4	8.3	7.9	7.8
87270901				2.586	7.281	C	4	4		CRACKING															
9A I95						2	3.3	32000		RIDE															
										CONC															
							(2020)			CRACKING								9.2	9.0	9.1	9.1	9.1	9.0	9.0	
										RIDE								8.4	8.4	8.3	8.3	8.3	8.4	8.3	8.2
87270901				7.281	7.733	C	4	2		CRACKING															
9A I95						1	3.3	32000		RIDE															
										CONC															
							(2020)			CRACKING								9.2	9.0	9.1				8.3	8.0
										RIDE								8.4	8.4	8.3				8.2	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																						
CONTRACTOR (AGE_ONE YEAR) ASTYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						
87270902	10.548	12.982	C	4	4		CRACKING															
9A I95			2	3.8	39000		RIDE															
I 95(12.2C)							CONC															
				(2021)			CRACKING							9.3	9.9	9.5	9.4	9.5	9.4	9.5	9.4	9.0
							RIDE							6.9	8.1	8.0	8.1	8.1	8.1	8.1	7.7	7.6
87281000	0.000	0.400	R	1	1	35	CRACKING	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
953			2	3.0	22000		RIDE	7.6	7.5	6.9	6.8	6.4	6.2	6.7	5.1*	5.6	5.3*	5.5	5.3*	5.5	5.9	
DIXIE HWY S(0.0C)							FC95															
4284821	0.213	0.397	C	2011	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.3	7.0
H & J ASPHALT, INC				(2013)			RIDE	5.8	5.5	5.4*	5.2*	5.5	5.3*	5.3*	5.1*	5.0*	5.1*	4.8*	5.0*	4.9*	4.5*	
4460021	0.034	0.462	C	2025	0012																	
87281000	0.400	2.600	R	1	1	40	CRACKING	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5		
953			2	5.6	38500		RIDE	7.6	7.5	6.9	6.8	6.4	6.2	6.7		7.6	7.5	7.3	7.1	7.2		
ALTARA AVE(0.5R)							FC95															
				(2019)			CRACKING	9.5	9.5	9.5	9.5		9.0	8.0	8.0	8.0	8.0	8.0	8.1	7.7	7.0	
							RIDE	7.2	6.8	6.9	6.8		7.1	6.9	6.8	6.9	6.8	6.6	6.6	6.8	6.4	
4478291	0.453	2.559	C	2029	0012																	
87281000	2.600	4.060	R	1	1	40	CRACKING	9.5	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0		
953			3	5.6	47500		RIDE	7.6	7.6	7.5	6.5	6.4	6.0		7.1	7.0	7.0	6.9	6.8	6.8		
SR 90(2.6C)							DGFC															
				(2008)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0		8.0	8.0	8.0	8.0	8.8	8.3	7.0
							RIDE	6.7	6.3	6.6	6.4	6.6	6.6	6.7		6.8	6.8	6.9	6.7	6.7	6.7	6.3
4478091	2.636	3.837	C	2025	0012																	
87281000	4.060	5.494	R	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0		
953			3	5.2	48000		RIDE	6.4*	6.1	6.7	7.0	6.7	5.6	5.8		7.8	7.7	7.6	7.6	7.6		
FOURTEENTH ST NW(4.1C)							DGFC															
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.0	9.0	9.0	8.9	8.8	7.5
							RIDE	7.5	7.2	6.8	6.6	7.2	7.1	7.0		7.2	7.1	6.9	6.9	7.0	7.1	6.7
87281000	5.494	5.945	R	1	1	35	CRACKING	9.5	9.5	9.5	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
953			3	5.6	53000		RIDE	6.4*	6.1	6.7	6.6		6.7	6.9	7.0	6.9	6.9	6.8	6.7	6.3		
SR 948(5.6C)							FC125M															
4259792	5.536	5.945	R	2018	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	9.1	10.0	9.0	
H & J ASPHALT, INC				(2021)			RIDE	6.5	5.4*											6.3	5.9	
87281000	5.945	8.232	R	1	1	40	CRACKING	9.5	9.0	9.0	9.0	7.5	7.5	7.5	7.5	5.5*	5.5*	5.5*	5.5*	5.5*		
953			2	2.6	36500		RIDE	7.6	7.3	7.3	6.6	7.0	6.9	6.7	6.7	6.6	6.3	6.6	6.4	6.1		
ELEVENTH PL SE(6.0C)							DGFC															
4274201	5.945	8.177	R	2012	0226		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.9	8.7	7.5	
H & J ASPHALT, INC				(2015)			RIDE		6.6	5.9	6.0	6.0	6.3	6.2	6.2	6.1	6.0	6.0	5.9	5.9	6.0	5.6
87281000	8.232	9.738	R	1	7	40	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
953			2	5.6	41500		RIDE	5.4*	8.5	8.4	7.7	7.5	7.6	7.5	7.7	6.7	7.4	6.8	6.8	6.8		
E 26 ST(8.2C)							FC125															
				(2026)			CRACKING	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.7	10.0	9.5
							RIDE	6.4	6.1	6.6	6.3	6.7	6.6	6.5	6.3	6.5	6.5	6.4	6.3	6.9	6.5	
87281000	9.738	11.735	R	1	1	40	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
953			3	10.2	20300		RIDE	5.9*	5.4*	5.8	7.5	7.1	7.1	7.1	7.2	6.8	7.1	6.8	6.8	6.7		
E 52 ST(9.9C)							FC125															
4056561	9.704	11.735	C	2002	0012		CRACKING	9.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.5*	
COMMUNITY ASPHALT CORP.				(2004)			RIDE	6.8	6.5	6.4	6.5	6.6	6.4	6.5	6.6	6.5	6.3	6.4	6.7	6.3		
4478031	9.717	11.695	C	2027	0012																	
87281000	9.787	11.735	L	1	1	40	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
953			3	10.2	20300		RIDE	6.6	6.8	6.3	7.8	7.7	7.6	7.3	7.6	7.6	7.7	7.5	7.6	7.5		
E 51 ST(9.8L)							FC125															
4056561	9.704	11.735	C	2002	0012		CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.5	8.1	6.5	
COMMUNITY ASPHALT CORP.				(2004)			RIDE	7.4	7.2	6.6	6.4	7.0	7.1	7.0	7.0	7.1	7.1	6.9	6.9	7.1	6.7	
4478031	9.717	11.695	C	2027	0012																	
87281000	8.227	9.787	L	1	7	40	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
953			2	5.6	41500		RIDE	6.6	8.3	7.8	7.8	7.8	7.7	7.7	7.8	7.6	7.5	7.4	7.6	7.5		
E 26 ST(8.2C)							FC125															
				(2026)			CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.1	10.0	9.5	
							RIDE	7.1	6.8	7.3	6.8	7.5	7.4	7.3	7.2	7.3	7.2	7.3	7.2	7.1	6.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR		FY-F	WKM-X-F																(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW																		
ITMSEG-F																					
87281000	5.945	8.227	L	1	1 40	CRACKING		9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*
953			2	2.6	36500	RIDE		7.9	7.6	7.5	6.6	7.0	6.8	6.8	6.7	6.4	6.5	6.4	5.8	6.0	
ELEVETH PL SE(6.0C)																					
4274201	5.945	8.177	L	2012	0226	CRACKING			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.6	7.5
H & J ASPHALT, INC (2015) DGFC																					
						RIDE		6.0	6.0	6.0	5.6	6.2	6.0	5.9	5.9	5.7	5.7	5.8	5.7	5.7	5.3*
87281000	5.494	5.945	L	1	1 35	CRACKING		9.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
953			4	5.6	53000	RIDE		6.3*	5.9	6.3	6.6		6.7	6.5	6.4	6.4	6.4	6.1	6.0	5.9	
SR 948 WYE(5.6L)																					
						CRACKING		9.5	9.5	9.5	9.5	8.0	8.0	7.0	10.0	10.0	10.0	10.0	8.9	9.5	8.5
(2021) RIDE 5.9 5.7																					
87281000	4.060	5.494	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	
953			3	5.2	48000	RIDE		6.3*	5.9	6.3	6.5	5.6	4.7*	5.2*			7.5	7.5	7.4	7.3	
NW 12 DR(4.1L)																					
						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	8.8	7.5
(2010) RIDE 7.2 6.6 6.8 6.9 6.7 6.9 6.9 6.8 6.9 6.9 6.7 6.8 6.9 6.7 6.8 7.2 6.8																					
87281000	2.600	4.060	L	1	1 40	CRACKING		8.5	8.5	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
953			3	5.6	47500	RIDE		7.4	7.3	6.8	6.5	6.5	6.4		7.3	6.1	6.6	6.5	6.2	6.4	
SR 90(2.6C)																					
						CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.9	8.6	7.5
(2008) RIDE 6.5 6.3 6.7 6.0 6.4 6.4 6.3 6.2 6.4 6.4 6.3 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.0																					
4478091	2.636	3.837	C	2025	0012																
87281000	0.400	2.600	L	1	1 40	CRACKING		8.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	
953			2	5.6	38500	RIDE		6.1*	6.5	6.1	5.7	5.0*	5.5	6.5	6.5	6.0	6.7	6.4	6.2	5.7	
BIRD RD(0.6C)																					
						CRACKING		9.0	9.0	9.0	9.0		9.0	8.0	8.0	7.5	7.5	7.5	7.9	7.5	6.5
(2019) RIDE 6.1 6.1 5.7 5.8 5.8 5.6 5.5 5.5 5.6 5.3* 5.4* 5.4* 5.0*																					
4478291	0.453	2.559	C	2029	0012																
87281000	0.000	0.400	L	1	1 35	CRACKING		8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
953			2	3.0	22000	RIDE		6.1*	6.5	6.1	5.7	5.0*	5.5	4.9*	4.8*	5.8	5.1*	5.3*	5.6	5.8	
DIXIE HWY S(0.0C)																					
4284821	0.213	0.397	C	2011	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	7.5
H & J ASPHALT, INC (2013) RIDE 5.9 5.2* 4.0*																					
4460021	0.034	0.462	C	2025	0012																

87290000	0.000	0.774	R	1	1 30	CRACKING															
998			2	7.0	23500	RIDE															
FC95M																					
						CRACKING								8.0		10.0	10.0	10.0	10.0	10.0	9.0
(2022) RIDE 5.4* 7.1 7.0 6.4 6.7 6.4 6.0																					

87290000	0.000	0.774	L	1	1 30	CRACKING															
998			2	7.0	23500	RIDE															
FC95M																					
						CRACKING								7.5		10.0	10.0	10.0	9.6	10.0	9.0
(2022) RIDE 4.0* 7.0 6.5 6.5 6.4 6.2 5.8																					

87300000	0.000	1.340	R	3	1 60	CRACKING		9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
924			3	9.2	64500	RIDE		8.3	8.8	8.4	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.0	8.1	
EAST END OF SR 93 BRIDGE(0.0C) OGFC																					
						CRACKING		8.5	8.5	8.5	8.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	8.1	7.2	6.0*
(2020) RIDE 8.0 8.1 8.3 8.3 8.3 8.2 8.0 8.3 8.3 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.2 8.1																					
87300000	1.340	4.851	R	3	1 60	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	
924			3	13.9	59500	RIDE		8.3	8.2	8.4	8.1	8.0	7.8	7.8	7.7	7.8	7.7	7.7	8.3	8.3	
TN LN TO NW 119 ST(4.6R)																					
						CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	9.0	7.0
(2012) RIDE 8.3 8.3 8.4 8.4 8.4 8.3 8.2 8.3 8.2 8.3 8.3 8.2 8.2 8.2 8.3 8.3 8.3 8.3 8.3 8.3 8.2																					
87300000	4.851	5.378	R	1	1 45	CRACKING		10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	
924			4	4.0	46500	RIDE		7.6	7.3	7.2	6.6	7.5	7.3	7.4	7.2	7.2	7.1	7.1	8.3	8.3	
NW 32 AVE(4.9C)																					
						CRACKING		10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.5
(2016) RIDE 8.3 7.4 7.8 7.6 7.4 7.4 7.6 7.4 7.6 7.4 7.6 7.4 7.6 7.4 7.6 7.5 7.5 7.5 7.5 7.1																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
87471000	0.538	2.371	R	5	1	65	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	0.5	2.4	2	7.3	51000	RIDE	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			7.9	7.8	
							FC5M														
4404231	0.538	2.500	C	2020	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5		10.0	10.0	10.0	9.7	10.0	8.5
HALLEY ENGINEERING CONTRAC(2022)						SPRIDE	7.8	7.7	8.2	8.1	8.1	8.2	8.3		8.4	8.4	8.4	8.3	8.3	8.3	
87471000	2.371	3.163	R	5	1	65	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	2.4	3.2	2	7.3	51000	RIDE	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			7.9	7.8	
							OGFC														
				(2020)		CRACKING	10.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.8	8.0
						RIDE	7.8	7.7	8.2	8.1			8.1	8.8	8.2	8.1	8.1	8.1	8.1	8.0	7.9
87471000	3.163	3.759	R	5	1	65	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	3.2	3.8	2	5.9	79310	RIDE	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			7.9	7.8	
							OGFC														
				(2020)		CRACKING	10.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.3	7.5
						RIDE	7.8	7.7	8.2	8.1			8.3	9.1	8.3	8.2	8.2	8.2	8.2	8.1	8.0
4441111	3.289	6.824	C	2025	0213																
87471000	3.759	5.112	R	5	1	65	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	3.8	5.1	2	5.9	79310	RIDE	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			7.9	7.8	
							FC5M														
4404231	3.800	5.100	C	2020	0012	CRACKING	10.0	9.0	9.0	9.0			9.0	7.5	10.0	10.0	10.0	10.0	9.7	10.0	8.5
HALLEY ENGINEERING CONTRAC(2022)						SPRIDE	7.8	7.7	8.2	8.1			8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3
4441111	3.289	6.824	C	2025	0213																
87471000	5.112	11.940	R	5	1	65	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	5.1	11.9	3	7.3	114600	RIDE	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7			7.9	7.8	
							FC5M														
SIDE ROAD(6.2C)																					
4233722	5.290	9.945	R	2015	0213	CRACKING	10.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	9.7	10.0	8.5
				(2021)		RIDE	7.8	7.7	8.2	8.1				9.0	8.1	8.1	8.1	8.1	8.1	8.1	8.0
4372111	7.200	12.878	C	2025	9924																
87471000	11.940	12.571	R	5	1	65	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0
821	11.9	12.6	3	7.3	181000	RIDE	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	7.7	7.5	7.8	7.9	7.8	7.9	7.8
							FC5M														
4154881	11.767	12.300	R	2013	0213	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.2	7.5
MASTEC CIVIL, LLC				(2018)		SPRIDE	7.8					8.1	8.0	8.2	7.9	8.2	8.0	8.1	8.1	7.9	7.8
4372111	7.200	12.878	C	2025	9924																
87471000	12.571	14.100	R	5	1	60	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0
821	12.6	14.1	5	7.3	181000	RIDE	8.4	8.3	8.2	7.4	7.3	7.2	7.2	7.2	7.4	7.2	7.4	7.2	7.7	7.9	7.7
							FC5M														
4154881	12.300	14.473	R	2013	0213	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.8	8.0
MASTEC CIVIL, LLC				(2018)		SPRIDE	7.7					7.5	7.6	7.6	7.6	7.7	7.7	7.6	7.7	7.7	7.6
87471000	14.100	17.482	R	5	1	60	CRACKING		8.0	8.0	7.0	6.5	6.5	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0
821	14.1	17.5	6	7.3	210200	RIDE		8.3	8.1	7.2	7.2	7.2	7.2	7.2	7.3	7.2	7.0	7.8	7.8	7.7	7.7
							FC5M														
				(2021)		CRACKING	10.0								10.0	10.0	10.0	10.0	10.0	9.7	10.0
						RIDE	7.6							8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2
87471000	17.482	18.750	R	5	1	60	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*
821	17.5	18.8	4	7.3	240500	RIDE	8.7	8.5	8.5	7.7	7.6	7.5	7.4	7.6	7.6	7.6	7.2	7.3	7.3	7.3	7.2
							FC5M														
				(2021)		CRACKING	4.5*	4.5*						10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5
						RIDE	6.9	7.0						8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.9
87471000	18.750	19.907	R	5	1	60	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*
821	18.8	19.9	4	7.3	139200	RIDE	8.7	8.5	8.5	7.7	7.6	7.5	7.4	7.6	7.6	7.6	7.2	7.3	7.3	7.3	7.2
							FC5M														
				(2022)		CRACKING	10.0	10.0	10.0												
						RIDE	7.9	8.0	8.3												
87471000	19.907	21.569	R	5	1	60	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0
821	19.9	21.6	5	7.3	158900	RIDE	8.9	8.8	8.5	7.7	7.6	7.5	7.4	7.6	7.6	7.6	7.9	7.9	8.1	7.7	
							FC5M														
				(2022)		CRACKING	10.0	10.0	10.0												
						RIDE	7.7	7.8	7.9												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP	SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F																
87471000	21.569	23.742	R	5	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	10.0	10.0	10.0	10.0	
821		21.6		5	7.3	158900	RIDE		8.6	8.4	8.1	8.0	7.6	7.5	7.6	7.6	7.9	7.9	8.1	7.7		
							FC5M															
				(2021)			CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	8.5	
							RIDE	7.7	7.8	7.9					8.2	8.2	8.1	8.1	8.1	8.0	7.9	
87471000	23.742	26.500	R	5	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			10.0	
821		23.7		5	7.3	173200	RIDE	8.8	8.8	8.6	8.3	8.2	7.6	7.5	7.6	8.0	7.7	7.9			7.7	
SR 836(26.5R)		26.5					FC5M															
				(2023)			CRACKING	10.0	10.0	10.0	10.0						10.0	10.0	9.3	10.0	8.5	
							RIDE	7.8	7.9	8.1	8.1						8.3	8.2	8.2	8.2	8.1	
87471000	26.500	32.404	R	5	1	60	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
821		26.5		4	7.3	119800	RIDE	8.8			7.8	7.7	7.8	8.1	8.1	7.6	7.8	7.9	7.8	7.8	7.8	
		32.4					FC5M															
				(2024)			CRACKING	10.0	9.0	6.5	6.5	6.5	6.5	6.5			10.0	9.5	10.0	8.5	8.5	
							RIDE	7.7	7.8	8.2	8.2	8.0	8.2	8.2			8.5	8.4	8.4	8.4	8.3	
87471000	32.404	33.000	R	5	8	60	CRACKING	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
821		32.4		3	7.3	119800	RIDE	8.8			7.7	7.7	7.7	7.7	7.8	7.8	7.4	7.6	7.6	7.5	7.5	
		33.0					FC2															
4276851	31.543	33.275	R	2013		0548	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0							
HALLEY ENGINEERING CONTRAC	(2016)						SPRIDE	7.4		8.6	8.5	8.5	8.5	8.6	8.4							
87471000	33.000	34.909	R	5	8	60	CRACKING	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
821		33.0		3	7.3	115900	RIDE	8.8			7.7	7.7	7.7	7.7	7.8	7.8	7.4	7.6	7.6	7.5	7.5	
		34.9					FC2															
2519291	31.747	39.623	C	2000		0218	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*						
COMMUNITY ASPHALT CORP.	(2004)						SPRIDE	7.4	7.4	7.7	7.6	7.4	7.6	7.7	7.7	7.8						
87471000	34.909	35.445	R	5	8	60	CRACKING	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
821		34.9		3	7.3	115900	RIDE	8.8			7.7	7.7	7.7	7.7	7.8	7.8	7.4	7.6	7.6	7.5	7.5	
		35.4					FC2															
				(2019)			CRACKING	9.0	6.5	6.5		3.5*	10.0	10.0	10.0							
							RIDE	7.4	7.4	7.7		8.3	8.6	8.7	8.7							
87471000	35.445	38.580	R	5	8	60	CRACKING	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
821		35.4		3	7.3	107000	RIDE	8.8			7.7	7.7	7.7	7.7	7.8	7.8	7.4	7.6	7.6	7.5	7.5	
		38.6					FC2															
2519291	31.747	39.623	C	2000		0218	CRACKING	9.0	6.5	6.5		3.5*	3.5*	6.5	6.5							
COMMUNITY ASPHALT CORP.	(2004)						SPRIDE	7.4	7.4	7.7		8.3	8.3	8.5	8.4							
87471000	38.580	39.500	R	5	8	60	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	
821		38.6		3	7.3	107000	RIDE	8.8			7.7	7.7	7.8	7.8	7.9	7.9	7.4	7.6	7.6	7.4	7.4	
		39.5					FC5M															
4355421	38.764	39.438	R	2020		0213	CRACKING	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0		
AGI DE MOYA JOINT VENTURE	(2020)						SPRIDE	7.4	7.3	7.7				8.2	7.9	8.1	8.1	8.1	8.1	8.1		
87471000	39.500	40.150	R	5	1	60	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821		39.5		4	7.3	91500	RIDE	8.8	8.6	8.6	8.1	8.0	8.0	8.0	8.2	8.2	7.7	8.0	8.2	8.2	8.2	
		40.2					FC5M															
				(2023)			CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	9.4	10.0	8.5	
							RIDE	8.2	8.2	8.5	8.5	8.5	8.5	8.1			8.2	8.2	8.2	8.2	8.1	
87471000	39.326	40.150	L	5	1	60	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0		
821		39.3		2	7.3	91500	RIDE	8.9	8.9	8.8	8.4	8.3	7.9	8.1	8.4	8.3	8.2	8.0	8.3	8.3		
		40.2					FC5M															
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	9.1	10.0	8.5	
							RIDE	8.3	8.3	8.5	8.6	8.6	8.7	8.4			8.2	8.3	8.3	8.3	8.2	
87471000	38.524	39.326	L	5	1	60	CRACKING	9.5			10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	10.0	10.0		
821		38.5		3	7.3	107000	RIDE	8.9			7.6	7.6	7.6	7.7	7.8	7.8	7.6	8.0	8.3	8.3		
		39.3					OGFC															
4355421	33.273	39.095	L	2020		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.1	7.5
AGI DE MOYA JOINT VENTURE	(2020)						SPRIDE	8.3	8.3	8.5				8.2	8.1	8.0	8.1	7.7	7.6	7.8	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)
87471000	3.485	5.120	L	5	1	65	CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	3.5	5.1	2	5.9	79310		RIDE	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9	7.8			8.3	8.2
							FC5M														
4404231	3.800	5.100	C	2020		0012	CRACKING	10.0	10.0	9.0	9.0			7.5		10.0	10.0	10.0	9.6	10.0	8.5
HALLEY ENGINEERING	CONTRAC(2022)						SPRIDE	8.1	8.0	8.3	8.3			8.4		8.4	8.4	8.4	8.4	8.4	8.3
4441111	3.289	6.824	C	2025		0213															
87471000	2.350	3.485	L	5	1	65	CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	2.4	3.5	2	7.3	51000		RIDE	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9	7.8			8.3	8.2
							OGFC														
							CRACKING	10.0	10.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	9.7	9.3	7.5
				(2020)			RIDE	8.1	8.0	8.3	8.3			8.3	8.1	8.2	8.2	8.1	8.2	8.2	8.1
87471000	0.538	2.350	L	5	1	65	CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5			10.0	10.0
821	0.5	2.4	2	7.3	51000		RIDE	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9	7.8			8.3	8.2
							FC5M														
4404231	0.538	2.500	C	2020		0012	CRACKING	10.0	10.0	9.0	9.0	7.5	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5
HALLEY ENGINEERING	CONTRAC(2022)						SPRIDE	8.1	8.0	8.3	8.3	8.1	8.0	8.2		8.5	8.4	8.4	8.4	8.4	8.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).