

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
88003000	0.000	0.715	R	1	1	45	CRACKING	7.5	7.5	7.5	7.5			10.0	10.0	10.0	9.5	7.0	7.0	7.0	
656			2	5.0		10500	RIDE	5.9*	6.2*	6.1*	5.8*			7.0	6.8	7.3	7.1	7.1	7.0	7.0	
SR 5( 0.0C)						FC125M															
4305932	0.000	0.716	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0		7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)		SPRIDE	6.7	6.8	6.8	6.6		6.2	6.3	6.1		7.5	7.4	7.3	7.9	7.8	7.8
88003000	1.611	1.978	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	
656			2	7.8		1950	RIDE	5.3*	5.2*	5.1*	5.2*			6.8	6.6	6.9	6.8	6.7	6.4	6.7	
INDIAN BAY DR( 1.7R)						FC125															
2286071	0.000	1.971	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.1
COMMUNITY ASPHALT CORP.				(2005)		SPRIDE	6.6	6.6	6.7	6.5	5.9	5.7	5.5	5.5	5.2*	5.2*	5.2*	5.2*	5.2*	5.2*	4.6
88003000	1.612	1.978	L	1	1	45	CRACKING	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	
656			2	7.8		1950	RIDE	5.9*	4.8*	5.1*	5.2*			7.0	6.1	6.7	6.6	6.6	6.7	6.7	
SR ALA( 2.0C)						FC125															
2286071	0.000	1.971	C	2002	0012	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*		6.0*	6.0*	3.7
COMMUNITY ASPHALT CORP.				(2005)		SPRIDE	6.3	6.5	6.3	6.3	6.1	5.5	5.3*	5.3*	5.2*	5.1*		5.1*	5.0*	4.5	
88003000	0.000	0.709	L	1	1	45	CRACKING	7.5	7.5	6.5	6.5			10.0	10.0	10.0	9.5	7.0	7.0	7.0	
656			2	5.0		10500	RIDE	6.3*	6.2*	6.3*	6.3*			7.5	7.3	7.5	7.4	7.0	7.0	7.1	
SR 5( 0.0C)						FC125M															
4305932	0.000	0.716	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)		SPRIDE	6.6	6.5	6.6	6.4	6.2	6.2	5.9			7.2	7.2	7.5	7.7	7.5	7.5
88010000	0.000	1.829	R	1	1	50	CRACKING	6.0*	4.0*	4.0*	3.5*	3.5*	3.5*	4.0*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	
5 1			3	5.4		27000	RIDE	8.7	8.7	8.6	8.4	8.2	7.2	7.2	6.8	7.1	7.1	7.4	7.2	6.9	
21 ST SE( 0.4R)						FC5															
2285834	0.427	1.829	C	2012	0213	CRACKING	1.0*	1.0*					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9
				(2017)		RIDE	6.9	6.7					7.8	7.7	7.5	7.5	7.4	7.5	7.5	7.1	6.9
88010000	1.829	3.550	R	1	1	45	CRACKING	6.0*	4.0*	4.0*	3.5*	3.5*	3.5*	4.0*	3.5*	3.5*	1.0*	1.0*			
5 1			3	4.4		37500	RIDE	8.7	8.7	8.6	8.4	8.2	7.2	7.2	6.8	7.1	7.1	7.4			
ELEVENTH ST( 1.8R)						FC95															
2285835	1.829	3.533	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
SHELTRA & SON CONST. CO.				I(2012)		SPRIDE	8.7	8.4	8.4	8.4	8.3	8.1	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	7.8
88010000	3.550	4.058	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0	
5 1			3	2.7		22000	RIDE	8.4	8.4	8.4	8.1	8.0	7.5	7.6			8.3	8.2	8.3	8.2	
VISTA GARDENS( 3.6R)						FC95															
2285833	3.432	4.071	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4
SHELTRA & SON CONST. CO.				I(2008)		SPRIDE	8.1	8.1	7.9	8.0	7.9	7.9	7.6	7.6	7.7	7.7	7.3	7.6	7.7	7.6	7.2
88010000	4.058	4.779	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	4.0*			10.0	10.0	10.0	10.0	
5 1			2	2.7		23500	RIDE	8.0	7.9	7.7	7.7	7.3	6.9	6.6			8.3	7.6	7.5	7.2	7.4
CR 612( 4.3C)						FC95															
4035981	3.920	5.846	R	2005	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	5.5*	4.8
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE	7.3	7.3	7.4	7.3	6.7	6.8	6.7	7.4	7.1	6.7	6.7	6.7	6.7	6.3	6.2
4461071	4.039	4.779	C	2023	0012																
88010000	4.779	5.845	R	1	1	35	CRACKING	7.5	8.0	8.0	8.0	8.0	7.0	6.0*			10.0	10.0	10.0	10.0	
5 1			2	4.3		22450	RIDE	8.3	8.3	8.1	7.3	7.5	6.9	7.0			7.7	7.6	7.5	7.2	7.4
TWELFTH ST( 4.8C)						FC95															
4035981	3.920	5.846	R	2005	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.3
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE	7.3	7.3	7.4	7.3	6.7	6.8	6.7	6.6	6.5	6.6	6.5	6.6	6.2	6.4	6.4
4476481	4.779	5.845	C	2025	0012																
88010000	5.845	7.268	R	1	1	35	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*		10.0	
5 1			2	6.1		21000	RIDE	8.2	8.0	8.0	7.5	7.7	7.3	7.2	7.0	7.2	7.3	7.2		8.3	
SR 60 WB( 5.9C)						FC95															
4152911	5.846	7.294	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.9
COMMUNITY ASPHALT CORP.				(2011)		SPRIDE	8.3	8.2	8.1	8.0	10.0	7.7	7.3	7.6	7.4	6.7	7.2	7.2	7.4	7.0	6.4
88010000	7.268	7.930	R	1	1	45	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*			10.0	10.0	
5 1			2	2.8		32500	RIDE	8.2	8.0	8.0	7.5	7.7	7.3	7.2	7.0	7.2			8.2	7.7	7.9
BEACON RD( 7.3R)						FC95															
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE	7.9	8.0	7.9	7.9	7.3	7.4	7.4	7.4	7.3	7.2	7.2	7.1	7.2	7.2	6.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP	SIDE)				*****													(REG)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
88010000	7.930	13.625	R	1	1	55	CRACKING	7.0	6.0*	6.0*	4.0*	4.0*	4.0*	4.5*	3.5*	3.5*		10.0	10.0	10.0	
5	1		2	9.5		26000	RIDE	8.8	8.7	8.7	7.6	8.1	7.1	6.8	6.5	6.6		8.1	8.0	8.0	
38 ST( 8.0R)																					
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.3
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
88010000	13.625	14.860	R	1	1	45	CRACKING	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	4.0*	4.0*		10.0	10.0	10.0	
5	1		2	9.5		26000	RIDE	8.9	8.9	8.9	7.8	8.4	7.8	7.1	7.1			7.8	7.7	7.7	
81 ST(13.7C)																					
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.7
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
88010000	14.860	18.770	R	1	1	50	CRACKING	8.0	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	1.5*	1.5*		10.0	10.0	10.0	
5	1		2	9.2		23500	RIDE	8.8	8.8	8.8	7.7	8.3	7.2	6.7	6.4*	6.6		7.8	7.7	7.7	
IRBY LN(15.6R)																					
2286151	14.911	18.806	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
4498121	14.548	18.770	C	2027		0012		7.7	7.7	7.8	7.7	8.0	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0	8.0
88010000	18.770	19.940	R	1	1	35	CRACKING	6.5	6.5	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5	1		2	4.3		22000	RIDE	7.4	7.3	7.3	6.9		7.7	7.5	7.1	7.5	7.6	7.5	7.3	7.3	
CR 512(18.8C)																					
2286031	18.740	22.269	C	2001		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.3
COMMUNITY ASPHALT CORP. (2004) SPRIDE																					
4323251	18.760	20.221	C	2023		0012		7.3	7.2	7.4	7.2	7.4	7.3	7.1	7.0	7.0	6.8	7.0	6.9	6.8	6.7
88010000	19.940	22.269	R	1	1	45	CRACKING	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
5	1		2	4.3		22500	RIDE	8.8	8.8	8.7	8.6	8.5	7.9	7.9	7.8	8.1	8.1	8.1	7.9	7.9	
MADISON ST(20.2R)																					
2286031	18.740	22.269	C	2001		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.7
COMMUNITY ASPHALT CORP. (2004) SPRIDE																					
4476461	20.215	22.269	C	2024		0012		7.8	7.7	7.8	7.8	7.7	7.7	7.6	7.5	7.5	7.5	7.4	7.5	7.4	7.3
88010000	19.940	22.269	L	1	1	45	CRACKING	7.0	7.0	5.0*	5.0*	5.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
5	1		2	4.3		22500	RIDE	8.9	8.9	8.9	8.5	8.6	7.8	7.8	7.6	8.0	8.0	8.0	8.0	8.0	
DAVIS ST(20.2L)																					
2286031	18.740	22.269	C	2001		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.0
COMMUNITY ASPHALT CORP. (2004) SPRIDE																					
4476461	20.215	22.269	C	2024		0012		7.7	7.9	7.9	7.9	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.6	7.5	7.5
88010000	18.770	19.940	L	1	1	35	CRACKING	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	4.3		22000	RIDE	7.5	7.4	7.4	7.0		7.6	7.4	7.2	7.5	7.5	7.5	7.4	7.3	
CR 512(18.8C)																					
2286031	18.740	22.269	C	2001		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	6.9	6.0*	6.0*	6.0*	6.0*	5.1
COMMUNITY ASPHALT CORP. (2004) SPRIDE																					
4323251	18.760	20.221	C	2023		0012		7.3	7.2	7.2	7.1	7.2	7.0	7.1	6.9	6.9	6.9	6.9	6.8	6.7	6.6
88010000	14.860	18.770	L	1	1	50	CRACKING	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	3.5*		10.0	10.0	10.0	
5	1		2	9.2		23500	RIDE	8.7	8.7	8.6	7.3	8.3	7.2	6.9	6.7	6.9		7.6	7.5	7.5	
93 ST(15.4L)																					
2286151	14.911	18.806	C	2006		0012	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	2.5
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
4498121	14.548	18.770	C	2027		0012		7.5	7.5	7.6	7.5	7.8	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8
88010000	13.625	14.860	L	1	1	45	CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	
5	1		2	9.5		26000	RIDE	8.8	8.9	8.8	8.2	8.5	7.8	7.6	7.4	7.6		8.3	8.2	8.2	
81 ST(13.7C)																					
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.7
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
88010000	7.930	13.625	L	1	1	55	CRACKING	7.0	6.0*	4.0*	4.0*	4.0*	3.5*	4.0*	3.5*	3.5*		10.0	10.0	10.0	
5	1		2	9.5		26000	RIDE	8.8	8.8	8.6	8.0	8.1	6.7	6.4*	6.1*	6.5		8.2	8.1	8.2	
CR 5A( 8.0L)																					
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.3
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
88010000	7.268	7.930	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*		10.0	10.0	10.0	
5	1		2	2.8		32500	RIDE	8.2	8.2	8.1	7.2	7.8	7.1	7.1	7.1	7.2		8.3	8.3	8.2	
SIDE ROAD( 7.5C)																					
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.8
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT	AT	(MP		SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)	
88010000	5.845	7.268	L	1	1	35	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*	3.5*			10.0	
5	1			2	6.1	21000	RIDE	8.2	8.2	8.1	7.2	7.8	7.1	7.1	7.1	7.2	6.9	6.9			8.1	
SR 60 WB( 5.9C)																						
4152911	5.846	7.294	L	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.7	
COMMUNITY ASPHALT CORP. (2011) SPRIDE																						
88010000	4.779	5.845	L	1	1	35	CRACKING	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
5	1			2	4.3	22450	RIDE	8.2	8.1	8.0	7.1	7.7	6.9	6.9		7.7	7.5	7.5	7.4	7.4	7.4	
TWELFTH ST( 4.8C)																						
4035981	3.920	5.846	L	2005		0012	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	6.4	
COMMUNITY ASPHALT CORP. (2007) SPRIDE																						
4476481	4.779	5.845	C	2025		0012		7.3	7.3	7.3	7.3	6.8	6.6	6.7	6.6	6.5	6.6	6.6	6.7	6.3	6.0	
FC95																						
88010000	4.058	4.779	L	1	1	45	CRACKING	7.0	5.0*	5.0*	4.0*	4.0*	4.0*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
5	1			2	2.7	23500	RIDE	7.8	7.7	7.6	7.2	7.1	6.3*	6.0*		7.6	7.5	7.5	7.4	7.4	7.4	
CR 612( 4.3C)																						
4035981	3.920	5.846	L	2005		0012	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.1	
COMMUNITY ASPHALT CORP. (2007) SPRIDE																						
4461071	4.039	4.779	C	2023		0012		7.3	7.3	7.3	7.3	6.8	6.6	6.7	7.6	7.1	6.8	6.8	6.6	6.5	6.4	
FC95																						
88010000	1.829	4.058	L	1	1	45	CRACKING	8.0	8.0	8.0	7.0	6.0*	4.0*	4.0*	4.0*	4.0*	1.0*	0.0*				
5	1			3	4.4	37500	RIDE	8.7	8.7	8.7	8.2	8.5	7.7	7.6	7.4	7.6	7.5	7.5				
CR 606( 2.1C)																						
2285835	1.829	3.533	C	2008		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	
SHELTRA & SON CONST. CO. I(2012) SPRIDE																						
88010000	0.000	1.829	L	1	1	50	CRACKING	8.0	8.0	8.0	7.0	6.0*	4.0*	4.0*	4.0*	4.0*	1.0*	0.0*	0.0*	0.0*	0.0*	
5	1			3	5.4	27000	RIDE	8.7	8.7	8.7	8.2	8.5	7.7	7.6	7.4	7.6	7.5	7.5	7.5	7.5	7.3	
UNSIGN( 0.4L)																						
2285834	0.427	1.829	C	2012		0213	CRACKING	0.0*	0.0*				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9	
(2017) RIDE																						
-----																						
88050000	5.879	6.390	C	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5				4.5*	3.5*	1.0*			4.5*	
510				2	6.3	14500	RIDE	6.6	6.5	6.3*	6.7	5.9				5.4*	5.2*	5.6			4.5*	
SR 5( 5.9C)																						
4270221	5.860	6.380	C	2013		0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	
COMMUNITY ASPHALT CORP. (2015) RIDE																						
88050000	6.390	6.582	C	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5				4.5*	3.5*	1.0*			10.0	
510				2	6.3	14500	RIDE	6.6	6.5	6.3*	6.7	5.9				5.4*	5.2*	5.6			7.7	
WABASSO CAUSEWAY PAR( 6.5C)																						
4138031	6.378	7.697	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
CONE & GRAHAM, INC. (2011) SPRIDE																						
88050000	6.838	7.217	C	1	1	40	CRACKING	6.5	6.5	6.5	6.5	6.5				4.5*	3.5*	1.0*			10.0	
510				2	6.3	14500	RIDE	6.6	6.5	6.3*	6.7	5.9				5.4*	5.2*	5.6			7.7	
PARK ENTR( 6.9C)																						
4138031	6.378	7.697	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	
CONE & GRAHAM, INC. (2011) SPRIDE																						
88050000	7.538	8.485	R	1	1	40	CRACKING	7.0	5.5*	5.5*	3.5*	8.0				4.5*	3.5*	1.0*			10.0	
510				1	6.3	14500	RIDE	5.7*	5.5*	6.2*	6.3	5.8				5.4*	5.2*	5.6			7.7	
MICHAEL CREEK CIR( 7.8R)																						
4138031	8.038	8.485	R	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.0	8.0	8.0	8.0	6.6	
CONE & GRAHAM, INC. (2011) SPRIDE																						
88050000	7.538	8.485	L	1	1	40	CRACKING	7.0	5.5*	5.5*	3.5*	8.0				4.5*	3.5*	1.0*			10.0	
510				1	6.3	14500	RIDE	5.7*	5.5*	6.2*	6.3	5.8				5.4*	5.2*	5.6			7.7	
JUNGLE TR( 8.0C)																						
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	7.7	
							RIDE	7.6	7.6	7.6	7.4	7.5	7.2	7.2	7.0	6.9	6.6	6.9	6.8	6.6	6.2	
-----																						
88060000	0.000	0.825	R	1	1	65	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0							10.0	10.0	
60				2	22.7	8175	RIDE	7.3	7.2	8.5	8.2	8.3	8.1							8.1	8.2	
FC5M																						
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.3	
							RIDE	8.3	8.1	8.2	8.1	8.4	8.3	8.3	8.2	8.4	8.4	8.4	8.4	8.4	8.4	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE			
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)		
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	P	*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	*****																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	*****																
88060000	0.825	11.628	R	1	1	65	CRACKING	10.0	10.0	9.5	9.5	7.0	7.0					10.0	10.0	10.0			
60				2	22.7	8175	RIDE	9.0	9.0	8.9	8.3	8.6	7.7					8.2	8.1	8.1			
NO NAME( 2.3C)							FC5M																
					(2009)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	7.5	6.5	6.5	6.2		
							RIDE	8.1	8.1	8.0	8.0	8.2	8.1	8.0	7.8	8.2	8.1	8.1	8.1	8.1	8.1		
88060000	11.628	14.634	R	1	1	65	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0				
60				2	22.7	8175	RIDE	9.1	9.1	9.0	8.0	8.7	8.1			8.2	8.2	8.0	8.0				
SIDE ROAD(14.5R)							FC5M																
2285971	11.628	14.634	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	5.9			
VEZINA, LAWRENCE & PISCITE(2008)							S	8.0	8.0	7.9	7.8	8.0	7.9	7.8	7.6	7.8	7.7	7.7	7.6	7.6	7.4		
4484441	7.900	15.040	C	2026	0012																		
88060000	14.634	19.000	R	1	1	65	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0				
60				2	22.7	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1			8.3	8.4	8.2	8.1				
154 AVE(16.0R)							FC5M																
2285961	14.634	19.000	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.9			
VEZINA, LAWRENCE & PISCITE(2008)							S	8.1	8.1	8.0	7.9	8.3	8.3	8.3	8.1	8.5	8.5	8.5	8.5	8.5	8.5		
4476471	15.056	22.395	C	2024	0012																		
88060000	19.000	22.389	R	1	1	65	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0				
60				2	22.7	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1			8.2	8.2	8.1	8.0				
122 AVE(19.1R)							FC5M																
2285951	19.000	22.500	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	7.5	6.5	6.5	6.4			
VEZINA, LAWRENCE & PISCITE(2008)							SPRIDE	8.0	8.0	7.9	7.9	8.2	8.1	8.2	8.0	8.4	8.4	8.4	8.4	8.4	8.4		
4476471	15.056	22.395	C	2024	0012																		
88060000	22.389	22.920	R	1	1	45	CRACKING	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0			
60				3	16.1	16200	RIDE	7.9	7.7	7.8	8.2	8.5	7.9	7.4	7.2	7.9	7.7	7.8	7.0	7.2			
							FC125																
					(2016)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
							RIDE	8.3	8.2	8.1	8.1	7.9	8.0	7.9	8.0	7.8	7.8	7.9	7.9	7.8	7.8		
88060000	22.920	26.184	R	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.0*	3.0*	3.0*	1.0*	1.0*	0.0*	0.0*					
60				3	19.8	18300	RIDE	7.2	7.2	7.0	6.6	6.4*	5.3*	5.1*	4.7*	5.1*	4.9*	4.7*					
AMERICAN WAY(23.0R)							FC95																
2286271	23.923	26.072	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6			
RANGER CONSTRUCTION INDUST(2012)							SPRIDE	8.8	8.6	8.6	8.6	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	7.9	
88060000	26.184	27.151	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5	6.5			
60				3	16.0	32500	RIDE	8.9	9.0	8.9	8.2	8.7	8.2	8.0	8.1	8.3	8.0	8.2	8.0	8.1			
63 CT(26.4R)							FC95R																
4246381	26.184	27.111	C	2012	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	8.9			
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.5	7.2	8.5	8.5	8.3	8.2	8.3	8.2	8.1	8.1	8.0	8.1	8.0	8.1	7.7	
88060000	27.151	27.920	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5			
60				3	6.3	28000	RIDE	7.7	7.7	7.7	6.7	7.3	7.0	6.8		8.5	8.0	8.0	7.9	8.0			
CR 613(27.2C)							FC125																
2285681	27.101	28.086	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.6		
COMMUNITY ASPHALT CORP. (2007)							SPRIDE	7.8	7.5	7.9	7.7	8.1	7.8	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.1	7.9
88060000	27.920	28.448	R	1	7	45	CRACKING	6.0*	6.0*	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5			
60				3	2.8	32000	RIDE	7.7	7.7	7.7	6.7	7.3	7.2	7.0	6.8	7.1	6.4	7.1	7.0	6.9			
WINN DIXIE(28.0R)							FC95MR																
					(2024)		CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0			
							RIDE	6.9	6.9	6.9	6.8	6.4	6.4	6.6	6.3	6.5	6.4	6.2	6.3	7.7			
88060000	28.448	29.564	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5			
60				3	2.8	32000	RIDE	7.7	7.7	7.7	6.7	7.3	7.2	7.0	6.8	7.1	6.4	7.1	7.0	6.9			
38 AVE(28.5R)							FC125M																
4360951	28.408	29.545	R	2018	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0			
RANGER CONSTRUCTION INDUST(2020)							SPRIDE	6.9	6.9	6.9	6.8	6.4	6.4	6.6	6.3	8.1	8.1	8.1	8.1	8.1	7.9	7.8	
88060000	29.564	30.665	C	1	1	40	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0	10.0	10.0			
60				3	9.5	10500	RIDE	8.2	8.2	8.1	8.0	8.2	7.4	7.0	7.2	7.5	7.2	7.6	7.4	7.4			
VERO BEACH AVE(29.6L)							FC125																
4035961	29.518	30.620	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.3			
COMMUNITY ASPHALT CORP. (2009)							SPRIDE	7.4	7.2	7.2	7.5	7.3	6.9	7.1	6.8	6.9	6.7	6.9	6.9	6.9	6.9	6.9	6.5
4484431	29.564	31.253	C	2028	0012																		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP	SIDE)				=====														(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
88060000	30.665	30.920	C	1	6	40	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	
60			2	9.5	10500		RIDE	7.6	7.8	7.6	7.4	6.9	6.7	7.4	7.5	7.1	7.0	6.8	7.5	7.4	
SR 5(30.7C)																					
4035961	30.620	30.868	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.3
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
4484431	29.564	31.253	C	2028	0012																
88060000	30.920	31.196	R	1	1	40	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	
60			2	5.2	8400		RIDE	8.6	8.5	8.5	7.9	8.1	7.8	6.9	7.5	7.6	7.2	7.1	8.0	7.9	
SIXTH AVE(30.9C)																					
4035961	30.868	33.296	R	2007	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484431	29.564	31.253	C	2028	0012																
88060000	31.196	31.798	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	3.5*		10.0	10.0	
60			2	8.1	34000		RIDE	7.7	7.7	7.6	6.8	7.3	6.2*	6.1*	5.8	6.2	6.0		7.9	7.5	
INDIAN RIVER BLVD(31.2R)																					
4035961	30.868	33.296	R	2007	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.5
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	31.798	32.316	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5		10.0	10.0	
60			2	4.8	32000		RIDE	7.2	7.1	7.1	6.9	6.8	6.4*	6.9	6.1	6.1	5.7		7.4	7.1	
FRONTAGE ROAD(31.8R)																					
4035961	30.868	33.296	R	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	33.042	33.639	R	1	1	35	CRACKING	7.0	6.0*	6.0*	6.0*	9.5	9.5	9.5	9.0	6.5	6.5		10.0	10.0	
60			2	6.4	20500		RIDE	5.5*	4.2*	4.3*	6.7	7.9	7.2	7.1	6.6	6.9	7.1		7.7	7.9	
INDIAN RIVER DR(33.2R)																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.9
							RIDE	7.6	7.7	7.9	7.4	7.2	5.8	6.5	6.9	6.5	6.2	6.7	6.6	6.5	5.6
88060000	33.042	33.639	L	1	1	35	CRACKING	7.0	7.0	7.0	6.0*	10.0	9.5	9.5	9.0	7.5	6.5		10.0	10.0	
60			2	6.4	20500		RIDE	5.5*	4.5*	4.7*	4.7*	7.9	7.4	7.5	7.1	7.2	7.2		7.8	7.8	
INDIAN RIVER DRIVE E(33.2L)																					
							CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	5.6
							RIDE	7.7	7.5	7.7	7.0	6.7	6.2	6.4	6.2	5.9	6.2	6.3	6.4	6.1	5.1
88060000	31.798	32.316	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5		10.0	10.0	
60			2	4.8	32000		RIDE	8.1	8.1	7.8	7.6	7.7	7.1	7.0	6.8	6.7	6.8		7.6	7.2	
SPUR(31.8L)																					
4035961	30.868	33.296	L	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	31.196	31.798	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*		10.0	10.0	
60			2	8.1	34000		RIDE	6.5	6.4*	6.3*	6.6	6.0*	5.7*	5.5*	5.1*	5.5	5.5		7.4	7.5	
SPUR(31.2L)																					
4035961	30.868	33.296	L	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	30.920	31.196	L	1	1	40	CRACKING	10.0	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	
60			2	5.2	8400		RIDE	8.3	7.7	7.9	7.1	7.5	7.0	7.3	6.9	7.1	7.2	7.5	6.7	6.4	
88060001/20 ST(30.9L)																					
4035961	30.868	33.296	L	2007	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.2
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484431	29.564	31.253	C	2028	0012																
88060000	28.448	29.564	L	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
60			3	2.8	32000		RIDE	7.9	7.9	7.8	7.2	7.5	7.3	7.2	7.0	7.2	7.3	7.3	7.2	7.1	
38 AVE(28.5L)																					
4360951	28.408	29.545	L	2018	0012		CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2020) SPRIDE																					
88060000	27.920	28.448	L	1	7	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
60			3	2.8	32000		RIDE	7.9	7.9	7.8	7.2	7.5	7.3	7.2	7.0	7.2	7.3	7.3	7.2	7.1	
CLEMAN(28.1C)																					
							CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0
							RIDE	7.1	7.0	7.1	7.0	6.6	6.8	6.8	6.7	6.8	6.7	6.4		7.8	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP		SIDE)	SURFTYPE	*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															2029	
																				(REG)	
88060000	27.151	27.920	L	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	
60				3	6.3	28000	RIDE	7.9	7.9	7.8	7.2	7.5	7.3	7.1		8.2	7.9	8.1	8.0	8.1	
CR 613(27.2C)																					
2285681	27.101	28.086	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.3
COMMUNITY ASPHALT CORP. (2007) SPRIDE																					
88060000	26.184	27.151	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5	
60				3	16.0	32500	RIDE	8.7	8.9	8.7	8.1	8.3	8.1	8.0	8.0	8.2	8.3	8.0	7.7	7.4	
63 CT(26.5L)																					
4246381	26.184	27.111	C	2012		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	8.9	
RANGER CONSTRUCTION INDUST(2014) SPRIDE																					
88060000	22.920	26.184	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.0*	4.0*			
60				3	19.8	18300	RIDE	8.0	8.0	7.9	8.1	7.5	6.9	7.1	6.9	6.7	6.9	6.8			
NINETEETH AVE(23.1C)																					
2286271	23.923	26.072	C	2008		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
RANGER CONSTRUCTION INDUST(2012) SPRIDE																					
88060000	22.389	22.920	L	1	1	45	CRACKING	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	6.5	
60				3	16.1	16200	RIDE	7.8	7.5	7.8	8.1	8.1	7.6	7.4	6.9	7.3	6.6	7.4	7.4	7.5	
FC125																					
(2016) CRACKING																					
RIDE 10.0																					
88060000	19.000	22.389	L	1	1	65	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0		
60				2	22.7	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1			8.1	8.2	8.0	8.0		
GREEN ACRES RANCH(21.2C)																					
2285951	19.000	22.500	C	2002		0213	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	5.9
VEZINA, LAWRENCE & PISCITE(2008) SPRIDE																					
4476471	15.056	22.395	C	2024		0012		8.0	7.9	7.9	7.7	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.9	7.8
88060000	14.634	19.000	L	1	1	65	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0		
60				2	22.7	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1			8.2	8.2	8.0	8.0		
CR 512(15.1L)																					
2285961	14.634	19.000	C	2002		0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.9
VEZINA, LAWRENCE & PISCITE(2008) S RIDE																					
4476471	15.056	22.395	C	2024		0012		8.0	7.9	7.8	7.7	8.0	7.9	7.9	7.8	8.0	7.9	7.9	7.9	7.9	7.8
88060000	11.628	14.634	L	1	1	65	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0		
60				2	22.7	8175	RIDE	9.1	9.1	9.0	8.0	8.7	8.1			8.2	8.2	8.0	8.1		
FC5M																					
2285971	11.628	14.634	C	2002		0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	5.8
VEZINA, LAWRENCE & PISCITE(2008) S RIDE																					
4484441	7.900	15.040	C	2026		0012		8.0	7.9	7.9	7.8	7.7	7.8	7.7	7.5	7.6	7.5	7.5	7.4	7.4	7.1
88060000	0.900	11.628	L	1	1	65	CRACKING	10.0	10.0	9.5	9.5	7.0	7.0			10.0	10.0	10.0	10.0		
60				2	22.7	8175	RIDE	9.0	9.0	8.9	8.3	8.6	7.7			8.2	8.2	8.2	8.2		
BLUE CYPRESS RD( 1.5L)																					
(2009) CRACKING																					
RIDE 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 7.5 7.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.2																					
88060000	0.000	0.900	L	1	1	65	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0					10.0	10.0		
60				2	22.7	8175	RIDE	7.3	7.2	8.5	8.2	8.3	8.1					8.2	8.2		
FC5M																					
(2010) CRACKING																					
RIDE 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4																					
88060001	0.000	1.364	C	1	1	40	CRACKING	9.5	9.5	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*		10.0	10.0	
60				4	11.0	8600	RIDE	7.9	7.8	7.7	7.0	7.3	7.2	6.6	6.7	6.9	6.7		7.5	7.4	
SIXTH AVE( 0.0C)																					
4035961	0.268	0.895	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	5.9	
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484431	0.000	1.364	C	2028		0012		7.3	7.5	7.3	7.2	7.1	6.6	6.8	7.0	6.7	6.6	6.9	6.8	6.6	6.3
88060009	0.057	0.114	C	1	6	35	CRACKING							10.0	10.0	7.0	7.0	7.0	7.0		
60				2	9.4	3400	RIDE														
SR 5( 0.1C)																					
(2005) CRACKING																					
RIDE 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 6.5 6.5 6.5 6.5 4.5* 4.5																					
4484431	0.057	0.114	C	2028		0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)																					(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
88070000	0.000	5.474	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*
ALA			2	5.4		6600	RIDE	8.8	8.9	8.9	8.4	8.5	8.0	7.9	7.8	7.9	7.8	7.6	7.5	7.4	
OCEAN TRAIL LN( 0.1R) DGFC																					
4216951	0.000	5.474	C	2011	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	6.5	4.9
RANGER CONSTRUCTION INDUST(2013)							RIDE	8.6	8.5	8.5	8.3	8.2	8.2	8.1	8.0	7.9	7.9	7.9	7.8	7.4	
4498181	0.000	5.459	C	2027	0012																
88070000	5.474	7.135	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0
ALA			2	10.8		14600	RIDE	8.4	8.3	8.2	7.8	7.9	7.4	7.4	7.0	7.2	7.2	7.1	7.0	7.0	7.0
JASMINE LN( 5.5R) DGFC																					
2285781	5.646	7.263	C	1995	0213		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.3
(1996)							RIDE	7.0	6.8	6.8	6.8	7.2	7.1	7.1	6.9	6.8	6.9	6.7	6.9	6.8	6.1
88070000	7.135	8.658	C	1	1	35	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2	5.9		16800	RIDE	7.2	7.5	7.5	6.8		7.4	7.3	7.2	7.4	7.4	7.3	7.3	7.2	
ACACIA RD( 7.2C) FC125																					
2286041	7.135	10.330	C	2001	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.9
RANGER CONSTRUCTION INDUST(2004)							SPRIDE	7.1	7.1	7.2	7.1	6.8	6.6	6.6	6.4	6.4	6.2	6.4	6.3	6.3	5.9
88070000	8.658	15.395	C	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
ALA			2	5.1		10100	RIDE	8.7	8.7	8.6	7.8	8.2	7.8	7.8	7.6	7.9	7.8	7.8	7.6	7.5	
SILVER SHORES DR( 8.7L) FC125M																					
							CRACKING	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	
(2023)							RIDE	7.2	7.0	6.9	7.0	6.9	6.8	6.8	6.7	6.7	6.6		7.9	7.8	
88070000	15.395	22.364	C	1	1	50	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5
ALA			2	6.8		6800	RIDE	8.1	8.0	7.9	7.4	7.6	8.2	8.2	8.0	8.2	8.2	8.1	7.9	7.9	7.9
SANDPIPER W(15.4L) FC125																					
2286051	15.184	22.686	C	2002	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	5.9
COMMUNITY ASPHALT CORP. (2004)							SPRIDE	7.7	7.6	7.5	7.5	7.4	7.4	7.3	7.2	7.2	7.0	7.1	7.0	6.9	6.5
4456182	15.395	21.945	C	2026	0012																
88081000	0.000	6.400	R	4	1	70	CRACKING	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	
9 I95			3	16.1		56000	RIDE	8.6	8.6		8.4	8.7	8.1	7.9	7.8	7.9	7.8	7.7	7.3	7.0	
FC5M																					
4130481	0.000	6.840	C	2011	0213		CRACKING	5.5*					10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5
(2017)							RIDE	6.9					8.6	8.6	8.5	8.6	8.6	8.6	8.6	8.6	8.6
88081000	6.400	19.198	R	4	1	70	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	
9 I95			3	16.1		57000	RIDE	8.8	8.8	9.0	8.5	8.8	8.2	8.2	8.1	8.3	7.8	8.1	7.9	7.8	
FC5M																					
(2020)							CRACKING	6.5	6.5	6.5						10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	8.1	8.0						8.6	8.6	8.6	8.6	8.6	8.6
88081000	6.400	19.198	L	4	1	70	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	5.5*	
9 I95			3	16.1		57000	RIDE	8.7	8.6	8.9	8.4	8.8	8.2	8.1	8.0	8.3	8.2	8.0	7.9	7.7	
FC5M																					
(2020)							CRACKING	5.5*	5.5*	5.5*						10.0	10.0	10.0	9.0	9.0	7.5
							RIDE	7.8	7.6	7.6						8.6	8.6	8.6	8.5	8.6	8.5
88081000	0.000	6.400	L	4	1	70	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	
9 I95			3	16.1		56000	RIDE	8.7	8.6		8.4	8.7	8.1	8.0	7.9	8.0	8.0	7.9	7.6	7.4	
FC5M																					
4130481	0.000	6.840	C	2011	0213		CRACKING	5.5*					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9
(2017)							RIDE	7.3					8.6	8.5	8.5	8.6	8.6	8.6	8.6	8.5	8.5
88470000	0.000	5.200	R	5	1	70	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*	4.5*	10.0	
91			2	10.4		36700	RIDE	8.9	8.9	8.9	8.3	8.5	7.6	7.2	6.7	7.2	6.8	7.4	7.3	8.4	
FC5M																					
4217201	0.000	5.200	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	5.1
DICKERSON FLORIDA INC. (2011)							SPRIDE	8.4	8.4	8.3	8.3	8.6	8.5	8.5	8.5	8.7	8.6	8.5	8.5	8.4	8.4
4444031	0.000	5.287	C	2024	0012																
88470000	5.200	7.992	R	5	1	70	CRACKING	9.5	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	
91			2	10.4		36700	RIDE	9.0	9.0	8.8	8.0	8.4		8.0	8.0	8.2	8.1	8.1	8.0	8.0	
FC5M																					
4351671	5.200	8.000	C	2017	0012		CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2020)							SPRIDE	7.9	7.8	7.7	7.6	8.0	7.9	7.9		9.1	9.0	9.0	9.0	9.0	8.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P												
		(AGE_ONE YEAR)						ASTYPE												(REG)		
		W_BMP		W_EMP		RW		FY-F		WKMX-F												
88470000	15.464	17.452	R	5	1	70	CRACKING	9.5	8.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91				2	10.4	36700	RIDE	9.2	9.0	9.0	7.5	8.9	8.1	7.7	7.7	7.9	7.9	7.9	7.7	7.8		
FC5M																						
4351681	15.464	17.444	C	2017		0012	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2020)						SPRIDE		7.8	7.6	7.7	7.5	7.7	7.4	7.7		8.9	8.9	8.8	8.9	8.9	8.9	
-----																						
88470000	15.464	17.452	L	5	1	70	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91				2	10.4	36700	RIDE	8.9	9.0	8.9	7.6	8.5	7.6	7.2	7.1	7.5	7.6	7.5	7.4	7.4		
FC5M																						
4351681	15.464	17.444	C	2017		0012	CRACKING	10.0	10.0	9.5	8.0	8.0	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2020)						SPRIDE		7.1	7.2	7.2	7.2	7.1	7.0	7.2		9.0	8.9	8.9	8.9	8.9	8.8	
-----																						
88470000	5.200	7.992	L	5	1	70	CRACKING	9.5	9.5	9.5	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
91				2	10.4	36700	RIDE	9.0	9.0	8.9	8.3	8.5		7.7	7.8	8.0	8.0	8.0	7.9	7.9		
FC5M																						
4351671	5.200	8.000	C	2017		0012	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2020)		SPRIDE		7.9	7.8	7.8	7.7	7.9	7.8	7.8	7.8	9.1	9.1	9.1	9.1	9.1	9.1	
-----																						
88470000	0.000	5.200	L	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	6.5	6.5	4.5*	4.5*	10.0		
91				2	10.4	36700	RIDE	8.9	8.9	8.9	8.3	8.6	7.8	7.6	7.2	7.4	7.2	7.0	6.5	8.4		
FC5M																						
4217201	0.000	5.200	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	5.7	
DICKERSON FLORIDA INC.				(2011)		SPRIDE		8.5	8.5	8.5	8.4	8.6	8.5	8.5	8.4	8.6	8.6	8.5	8.4	8.4	8.4	
4444031				2024		0012																
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).