

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(PMRS)	
88010000	7.930	13.625	R	1	1	55	CRACKING	6.0*	4.0*	4.0*	4.0*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
5	1		2	9.2		25500	RIDE	8.7	7.6	8.1	7.1	6.8	6.5	6.6		8.1	8.0	8.0	8.1	8.0		
38 ST(8.0R)																						
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	7.9	5.5*	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						
88010000	13.625	14.860	R	1	1	45	CRACKING	7.0	6.5	6.5	5.5*	5.5*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0		
5	1		2	9.2		25500	RIDE	8.9	7.8	8.4	7.8	7.3	7.1	7.1		7.8	7.7	7.7	7.6	7.6		
81 ST(13.7C)																						
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.7	7.6	6.0*	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						
88010000	14.860	18.770	R	1	1	50	CRACKING	6.0*	5.5*	3.5*	3.5*	3.5*	1.5*	1.5*		10.0	10.0	10.0	10.0	10.0		
5	1		2	4.8		24500	RIDE	8.8	7.7	8.3	7.2	6.7	6.4*	6.6		7.8	7.7	7.7	7.7	7.7		
IRBY LN(15.6R)																						
2286151	14.911	18.806	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	4.0*	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						
4498121	14.548	18.770	C	2027		0012		7.8	7.7	8.0	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9	
88010000	18.770	20.250	R	1	1	35	CRACKING	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
5	1		2	4.8		22000	RIDE	7.3	6.9		7.7	7.5	7.1	7.5	7.6	7.5	7.3	7.3	7.3	7.2		
CR 512(18.8C)																						
4323251	18.760	20.221	R	2023		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	
RANGER CONSTRUCTION INDUST(2025) SPRIDE																						
88010000	20.250	22.269	R	1	1	45	CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5	1		2	4.8		22500	RIDE	8.7	8.6	8.5	7.9	7.9	7.8	8.1	8.1	8.1	7.9	7.9	7.8	7.7		
JACKSON ST(20.3C)																						
2286031	18.740	22.269	C	2001		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*	
COMMUNITY ASPHALT CORP. (2004) SPRIDE																						
4476461	20.215	22.269	C	2024		0012		7.8	7.8	7.7	7.7	7.7	7.6	7.5	7.5	7.4	7.5	7.4	7.6	7.5	7.2	
88010000	20.250	22.269	L	1	1	45	CRACKING	5.0*	5.0*	5.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
5	1		2	4.8		22500	RIDE	8.9	8.5	8.6	7.8	7.8	7.6	8.0	8.0	8.0	8.0	8.0	7.7	7.9		
JACKSON ST(20.3C)																						
2286031	18.740	22.269	C	2001		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.0*	
COMMUNITY ASPHALT CORP. (2004) SPRIDE																						
4476461	20.215	22.269	C	2024		0012		7.9	7.9	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.6	7.5	7.4	7.3	7.0	
88010000	18.770	20.250	L	1	1	35	CRACKING	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
5	1		2	4.8		22000	RIDE	7.4	7.0		7.6	7.4	7.2	7.5	7.5	7.5	7.4	7.3	7.3	7.2		
CR 512(18.8C)																						
4323251	18.760	20.221	L	2023		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	6.9	6.0*	6.0*	6.0*	6.0*	10.0	10.0	9.5	
RANGER CONSTRUCTION INDUST(2025) SPRIDE																						
88010000	14.860	18.770	L	1	1	50	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	3.5*		10.0	10.0	10.0	10.0	9.5		
5	1		2	4.8		24500	RIDE	8.6	7.3	8.3	7.2	6.9	6.7	6.9		7.6	7.5	7.5	7.5	7.5		
93 ST(15.4L)																						
2286151	14.911	18.806	C	2006		0012	CRACKING	9.5	8.0	8.0	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						
4498121	14.548	18.770	C	2027		0012		7.6	7.5	7.8	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.6	
88010000	13.625	14.860	L	1	1	45	CRACKING	7.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
5	1		2	9.2		25500	RIDE	8.8	8.2	8.5	7.8	7.6	7.4	7.6		8.3	8.2	8.2	8.2	8.2		
81 ST(13.7C)																						
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.1	8.0	6.5	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						
88010000	7.930	13.625	L	1	1	55	CRACKING	4.0*	4.0*	4.0*	3.5*	4.0*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
5	1		2	9.2		25500	RIDE	8.6	8.0	8.1	6.7	6.4*	6.1*	6.5		8.2	8.1	8.2	8.1	8.1		
CR 5A(8.0L)																						
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.4	6.0*	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						
88010000	7.268	7.930	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0		
5	1		2	2.8		33500	RIDE	8.1	7.2	7.8	7.1	7.1	7.1	7.2		8.3	8.3	8.2	8.1	8.1		
SIDE ROAD(7.5C)																						
2286231	7.277	14.800	C	2006		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	9.2	8.5	7.0	
COMMUNITY ASPHALT CORP. (2009) SPRIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			*****														(PMRS)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
88050000	7.538	8.245	L	1	1	40	CRACKING	5.5*	3.5*	8.0				4.5*	3.5*	1.0*		10.0	10.0	10.0		
510				1	6.3	15800	RIDE	6.2*	6.3	5.8				5.4*	5.2*	5.6		7.7	7.6	7.6		
JUNGLE TR(8.0C)							FC95															
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	7.0
							RIDE	7.6	7.4	7.5	7.2	7.2	7.0	6.9	6.6	6.9	6.8	6.6	6.4	6.4	6.4	6.1
88060000	0.000	0.825	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0		
60				2	24.3	8313	RIDE	8.5	8.2	8.3	8.1						8.1	8.2	8.3	8.1		
							FC5M															
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	5.3*	4.7*	2.0*	
							RIDE	8.2	8.1	8.4	8.3	8.3	8.2	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.2	
88060000	0.825	11.628	R	1	1	65	CRACKING	9.5	9.5	7.0	7.0					10.0	10.0	10.0	10.0	10.0		
60				2	24.3	8313	RIDE	8.9	8.3	8.6	7.7					8.2	8.1	8.1	8.1	8.1		
NO NAME(2.3C)							FC5M															
				(2009)			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	7.5	6.5	6.5	4.8*	4.2*	1.5*	
							RIDE	8.0	8.0	8.2	8.1	8.0	7.8	8.2	8.1	8.1	8.1	8.1	8.0	7.9	7.8	
88060000	11.628	14.634	R	1	1	65	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0		
60				2	24.3	8313	RIDE	9.0	8.0	8.7	8.1				8.2	8.2	8.0	8.0	8.0	8.0		
SIDE ROAD(14.5R)							FC5M															
2285971	11.628	14.634	C	2002		0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	4.3*	3.7*	1.0*	
VEZINA, LAWRENCE & PISCITE(2008)							S RIDE	7.9	7.8	8.0	7.9	7.8	7.6	7.8	7.7	7.7	7.6	7.6	7.6	7.4	7.3	
4484441	7.916	15.056	C	2030		0012																
88060000	14.634	15.052	R	1	1	65	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0		
60				2	24.3	8313	RIDE	9.0	8.0	8.7	8.1				8.3	8.4	8.2	8.1	8.1	8.1		
							FC5M															
2285961	14.634	19.000	C	2002		0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.5	4.3*	1.5*	
VEZINA, LAWRENCE & PISCITE(2008)							S RIDE	8.0	7.9	8.3	8.3	8.3	8.1	8.5	8.5	8.5	8.5	8.5	8.4	8.1	8.0	
4484441	7.916	15.056	C	2030		0012																
88060000	15.052	22.389	R	1	7	65	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0		
60				2	23.1	7100	RIDE	9.0	8.0	8.7	8.1				8.3	8.4	8.2	8.1	8.1	8.1		
154 AVE(16.0R)							FC5M															
4476471	15.056	22.395	R	2024		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.5	10.0	9.0	
RANGER CONSTRUCTION INDUST(2026)							RIDE	8.0	7.9	8.3	8.3	8.3	8.1	8.5	8.5	8.5	8.5	8.5	8.4	8.7	8.6	
88060000	22.389	22.920	R	1	1	45	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	10.0	10.0		
60				3	12.8	15300	RIDE	7.8	8.2	8.5	7.9	7.4	7.2	7.9	7.7	7.8	7.0	7.2	8.3	8.2		
							FC125															
				(2016)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.1	7.0	
							RIDE	8.1	8.1	7.9	8.0	7.9	8.0	7.8	7.8	7.9	7.9	7.8	7.7	7.7	7.4	
88060000	22.920	26.184	R	1	1	45	CRACKING	3.5*	3.5*	3.0*	3.0*	3.0*	1.0*	1.0*	0.0*	0.0*			10.0	10.0		
60				3	22.0	18500	RIDE	7.0	6.6	6.4*	5.3*	5.1*	4.7*	5.1*	4.9*	4.7*			8.8	8.6		
AMERICAN WAY(23.0R)							FC95															
2286271	23.923	26.072	C	2008		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.1	9.1	8.0	
RANGER CONSTRUCTION INDUST(2012)							SPRIDE	8.6	8.6	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9	
88060000	26.184	27.151	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
60				3	6.4	33500	RIDE	8.9	8.2	8.7	8.2	8.0	8.1	8.3	8.0	8.2	8.0	8.1	7.5	7.2		
63 CT(26.4R)							FC95R															
4246381	26.184	27.111	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	7.9	8.5	7.5	
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	8.5	8.5	8.3	8.2	8.3	8.2	8.1	8.1	8.0	8.1	8.0	8.0	8.0	7.7	
88060000	27.151	27.920	R	1	1	45	CRACKING	6.0*	4.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5		
60				3	5.6	32500	RIDE	7.7	6.7	7.3	7.0	6.8		8.5	8.0	8.0	7.9	8.0	7.8	7.5		
CR 613(27.2C)							FC125															
2285681	27.101	28.086	C	2004		0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.8	7.5	
COMMUNITY ASPHALT CORP.(2007)							SPRIDE	7.9	7.7	8.1	7.8	7.9	8.0	8.0	8.0	8.0	8.0	8.1	7.8	7.9	7.6	
88060000	27.920	28.448	R	1	1	45	CRACKING	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0		
60				3	2.8	29500	RIDE	7.7	6.7	7.3	7.2	7.0	6.8	7.1	6.4	7.1	7.0	6.9	6.9	6.9		
WINN DIXIE(28.0R)							FC95MR															
				(2024)			CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	9.1	10.0	9.0	
							RIDE	6.9	6.8	6.4	6.4	6.6	6.3	6.5	6.4	6.2	6.3	7.7	7.6	7.6	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
88060000	28.448	29.564	R	1	1	45	CRACKING	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
60				3	2.8	29500	RIDE	7.7	6.7	7.3	7.2	7.0	6.8	7.1	6.4	7.1	7.0	6.9	6.9	6.9	
38 AVE(28.5R)																					
4360951	28.408	29.545	R	2018	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.5
RANGER CONSTRUCTION INDUST(2020) SPRIDE																					
88060000	29.564	30.665	C	1	1	40	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
60				3	2.9	9200	RIDE	8.1	8.0	8.2	7.4	7.0	7.2	7.5	7.6	7.6	7.4	7.4	7.4	7.2	
VERO BEACH AVE(29.6L)																					
4035961	29.518	30.620	C	2007	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP. (2009) SPRIDE																					
4484431	29.564	31.253	C	2029	0012			7.2	7.5	7.3	6.9	7.1	6.8	6.9	6.7	6.9	6.9	6.9	6.9	6.6	6.3
88060000	30.665	30.920	C	1	1	40	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
60				2	2.9	9200	RIDE	7.6	7.4	6.9	6.7	7.4	7.5	7.1	7.0	6.8	7.5	7.4	6.8	6.6	
SR 5(30.7C)																					
4035961	30.620	30.868	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.8	7.5	6.0*
COMMUNITY ASPHALT CORP. (2011) SPRIDE																					
4484431	29.564	31.253	C	2029	0012			6.7	5.9	5.6										6.2	5.9
88060000	30.920	31.196	R	1	1	40	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
60				2	4.2	8500	RIDE	8.5	7.9	8.1	7.8	6.9	7.5	7.6	7.2	7.1	8.0	7.9	7.6	7.7	
SIXTH AVE(30.9C)																					
4035961	30.868	33.296	R	2007	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.3	7.3	6.0*
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484431	29.564	31.253	C	2029	0012			7.7	7.9	7.3	6.7	6.7	6.8	7.0	7.0	7.0	6.7	6.4	6.4	6.1	
88060000	31.196	31.798	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
60				2	3.5	30500	RIDE	7.6	6.8	7.3	6.2*	6.1*	5.8	6.2	6.0		7.9	7.5	7.5	7.6	
INDIAN RIVER BLVD(31.2R)																					
4035961	30.868	33.296	R	2007	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.4	8.4	7.0
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	31.798	32.316	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5		10.0	10.0	10.0	10.0	
60				2	3.5	33000	RIDE	7.1	6.9	6.8	6.4*	6.9	6.1	6.1	5.7		7.4	7.1	7.6	7.6	
FRONTAGE ROAD(31.8R)																					
4035961	30.868	33.296	R	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	7.6	6.7	5.5*
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	33.042	33.639	R	1	1	35	CRACKING	6.0*	6.0*	9.5	9.5	9.5	9.0	6.5	6.5		10.0	10.0	10.0	10.0	
60				2	13.6	23400	RIDE	4.3*	6.7	7.9	7.2	7.1	6.6	6.9	7.1		7.7	7.9	7.6	7.7	
INDIAN RIVER DR(33.2R)																					
				(2010)		CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.9	8.6	7.0
						RIDE		7.9	7.4	7.2	5.8	6.5	6.9	6.5	6.2	6.7	6.6	6.5	6.8	6.2	5.9
88060000	33.042	33.639	L	1	1	35	CRACKING	7.0	6.0*	10.0	9.5	9.5	9.0	7.5	6.5		10.0	10.0	10.0	10.0	
60				2	13.6	23400	RIDE	4.7*	4.7*	7.9	7.4	7.5	7.1	7.2	7.2		7.8	7.8	7.7	7.5	
INDIAN RIVER DRIVE E(33.2L)																					
				(2025)		CRACKING		10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	8.6	8.5	8.0
						RIDE		7.7	7.0	6.7	6.2	6.4	6.2	5.9	6.2	6.3	6.4	6.1	5.9	6.2	5.9
88060000	31.798	32.316	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5		10.0	10.0	10.0	10.0	
60				2	3.5	33000	RIDE	7.8	7.6	7.7	7.1	7.0	6.8	6.7	6.8		7.6	7.2	7.6	7.6	
SPUR(31.8L)																					
4035961	30.868	33.296	L	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	8.4	7.0
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	31.196	31.798	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
60				2	3.5	30500	RIDE	6.3*	6.6	6.0*	5.7*	5.5*	5.1*	5.5	5.5		7.4	7.5	7.2	7.3	
SPUR(31.2L)																					
4035961	30.868	33.296	L	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	9.0	7.5
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
88060000	30.920	31.196	L	1	1	40	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
60				2	4.2	8500	RIDE	7.9	7.1	7.5	7.0	7.3	6.9	7.1	7.2	7.5	6.7	6.4	7.0	6.7	
88060001/20 ST(30.9L)																					
4035961	30.868	33.296	L	2007	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.3	6.8	5.5*
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484431	29.564	31.253	C	2029	0012			6.9	6.9	7.2	7.1	6.9	6.6	6.9	6.4	6.5	6.4	5.9		6.5	6.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
88060000	28.448	29.564	L	1	1	45	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
60				3	2.8	29500	RIDE	7.8	7.2	7.5	7.3	7.2	7.0	7.2	7.3	7.3	7.2	7.1	7.1	7.0	
38 AVE(28.5L)																					
4360951	28.408	29.545	L	2018	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.5
RANGER CONSTRUCTION INDUST(2020)																					
FC125M																					
88060000	27.920	28.448	L	1	1	45	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
60				3	2.8	29500	RIDE	7.8	7.2	7.5	7.3	7.2	7.0	7.2	7.3	7.3	7.2	7.1	7.1	7.0	
CLEMAN(28.1C)																					
FC95MR																					
				(2024)		CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	9.1	10.0	9.0
						RIDE	7.1	7.0	6.6	6.8	6.8	6.7	6.8	6.7	6.4			7.8	7.7	7.3	7.0
88060000	27.151	27.920	L	1	1	45	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
60				3	5.6	32500	RIDE	7.8	7.2	7.5	7.3	7.1		8.2	7.9	8.1	8.0	8.1	7.8	7.6	
CR 613(27.2C)																					
2285681	27.101	28.086	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.8	9.1	7.5
COMMUNITY ASPHALT CORP.(2007)																					
FC125																					
88060000	26.184	27.151	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
60				3	6.4	33500	RIDE	8.7	8.1	8.3	8.1	8.0	8.0	8.2	8.3	8.0	7.7	7.4	7.4	7.5	
63 CT(26.5L)																					
4246381	26.184	27.111	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	8.3	8.0	7.0
RANGER CONSTRUCTION INDUST(2014)																					
FC95R																					
88060000	22.920	26.184	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.0*	4.0*			10.0	10.0	
60				3	22.0	18500	RIDE	7.9	8.1	7.5	6.9	7.1	6.9	6.7	6.9	6.8			8.7	8.5	
NINETIETH AVE(23.1C)																					
FC95																					
				(2025)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	9.5
						RIDE	8.5	8.5	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	7.8
88060000	22.426	22.920	L	1	1	45	CRACKING	3.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	6.5	10.0	10.0	
60				3	12.8	15300	RIDE	7.8	8.1	8.1	7.6	7.4	6.9	7.3	6.6	7.4	7.4	7.5	8.4	8.2	
FC125																					
				(2016)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.3	7.0
						RIDE	8.3	8.1	8.5	8.4	8.2	8.2	8.1	8.1	8.1	8.0	8.0	8.0	7.7	7.4	
88060000	15.023	22.426	L	1	7	65	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	
60				2	23.1	7100	RIDE	9.0	8.0	8.7	8.1				8.2	8.2	8.0	8.0	8.0	7.9	
CR 512(15.1L)																					
4476471	15.056	22.395	L	2024	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.0*	10.0	9.0
RANGER CONSTRUCTION INDUST(2026)																					
FC5M																					
88060000	14.634	15.023	L	1	1	65	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	
60				2	24.3	8313	RIDE	9.0	8.0	8.7	8.1				8.2	8.2	8.0	8.0	8.0	7.9	
FC5M																					
2285961	14.634	19.000	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	6.0*	5.5*	3.0*
VEZINA, LAWRENCE & PISCITE(2008)																					
4484441	7.916	15.056	C	2030	0012	S RIDE	7.8	7.7	8.0	7.9	7.9	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4
88060000	11.628	14.634	L	1	1	65	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	
60				2	24.3	8313	RIDE	9.0	8.0	8.7	8.1				8.2	8.2	8.0	8.1	8.0	7.9	
FC5M																					
2285971	11.628	14.634	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.9*	5.4*	2.5*
VEZINA, LAWRENCE & PISCITE(2008)																					
4484441	7.916	15.056	C	2030	0012	S RIDE	7.9	7.8	7.7	7.8	7.7	7.5	7.6	7.5	7.5	7.4	7.4	7.4	7.3	7.2	7.1
88060000	0.900	11.628	L	1	1	65	CRACKING	9.5	9.5	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	
60				2	24.3	8313	RIDE	8.9	8.3	8.6	7.7				8.2	8.2	8.2	8.2	8.3	8.2	
BLUE CYPRESS RD(1.5L)																					
FC5M																					
				(2009)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	5.4*	4.6*	2.0*
						RIDE	8.2	8.1	8.3	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.0
88060000	0.000	0.900	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	
60				2	24.3	8313	RIDE	8.5	8.2	8.3	8.1					8.2	8.2	8.2	8.2	8.2	
FC5M																					
				(2010)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	4.5*
						RIDE	8.2	8.1	8.4	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = INDIAN RIVER -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE														(PMRS)
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F	WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR																					
ITMSEG-F																					
88060001	0.000	1.364	C	1	1	40	CRACKING	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*		10.0	10.0	10.0	10.0	
60			4	3.4		8400	RIDE	7.7	7.0	7.3	7.2	6.6	6.7	6.9	6.7		7.5	7.4	7.3	7.5	
88060000/20TH ST(0.0L) DGFC																					
4035961	0.268	0.895	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP. (2010) SPRIDE																					
4484431	0.000	1.364	C	2029	0012																6.3

88060009	0.057	0.114	C	1	6	35	CRACKING					10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
60			2	3.8		2900	RIDE														7.0
SR 5(0.1C)																					
(2005) CRACKING RIDE																					
4484431	0.057	0.114	C	2029	0012			7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.0*

88070000	0.000	5.474	C	1	1	45	CRACKING	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*		10.0
A1A			2	5.4		7000	RIDE	8.9	8.4	8.5	8.0	7.9	7.8	7.9	7.8	7.6	7.5	7.4			8.6
OCEAN TRAIL LN(0.1R) DGFC																					
4216951	0.000	5.474	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*
RANGER CONSTRUCTION INDUST(2013)																					
4498181	0.000	5.459	C	2027	0012			8.5	8.5	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.9	7.8	7.8	7.7	7.4

88070000	5.474	7.280	C	1	1	45	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0
A1A			2	16.7		11300	RIDE	8.2	7.8	7.9	7.4	7.4	7.0	7.2	7.2	7.1	7.0	7.0	7.0	6.8	
JASMINE LN(5.5R) FC95M																					
4439961	5.459	7.257	C	2022	0012		CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	9.5
(2025) RIDE																					
88070000	7.280	8.658	C	1	1	35	CRACKING	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
A1A			2	4.0		14100	RIDE	8.1	7.7		7.4	7.3	7.2	7.4	7.4	7.3	7.3	7.2	7.1	7.1	
CYPRESS RD(7.3C) FC125																					
2286041	7.135	10.330	C	2001	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.9	8.7	7.0
RANGER CONSTRUCTION INDUST(2004) SPRIDE																					
88070000	8.658	15.395	C	1	1	50	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	
A1A			2	16.7		10300	RIDE	8.6	7.8	8.2	7.8	7.8	7.6	7.9	7.8	7.8	7.6	7.5	7.2	7.0	
SILVER SHORES DR(8.7L) FC125M																					
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	9.5	9.5	8.5
(2023) RIDE																					
88070000	15.395	22.364	C	1	1	50	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	
A1A			2	6.8		8800	RIDE	7.9	7.4	7.6	8.2	8.2	8.0	8.2	8.2	8.1	7.9	7.9	7.7	7.6	
SANDPIPER W(15.4L) FC125																					
2286051	15.184	22.686	C	2002	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP. (2004) SPRIDE																					
4456182	15.395	21.905	C	2029	0012			7.5	7.5	7.4	7.4	7.3	7.2	7.2	7.0	7.1	7.0	6.9	6.9	6.9	6.6

88081000	0.000	6.400	R	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	5.5*		
9	I95	140.6	147.0	3	14.7	51000	RIDE		8.4	8.7	8.1	7.9	7.8	7.9	7.8	7.7	7.3	7.0	6.9		
FC5M																					
4130481	0.000	6.840	C	2011	0213		CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	7.9	6.0*
(2017) RIDE																					
88081000	6.400	19.198	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	6.5	6.5	
9	I95	147.0	159.8	3	14.7	50000	RIDE	9.0	8.5	8.8	8.2	8.2	8.1	8.3	7.8	8.1	7.9	7.8	8.0	8.1	
FC5M																					
							CRACKING	6.5						10.0	10.0	10.0	10.0	10.0	9.1	8.7	7.0
(2020) RIDE																					
88081000	6.400	19.198	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	
9	I95	147.0	159.8	3	14.7	50000	RIDE	8.9	8.4	8.8	8.2	8.1	8.0	8.3	8.2	8.0	7.9	7.7	7.8	7.6	
FC5M																					
							CRACKING	5.5*						10.0	10.0	10.0	9.0	9.0	8.8	8.5	7.0
(2020) RIDE																					
88081000	0.000	6.400	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	5.5*		
9	I95	140.6	147.0	3	14.7	51000	RIDE		8.4	8.7	8.1	8.0	7.9	8.0	8.0	7.9	7.6	7.4	7.3		
FC5M																					
4130481	0.000	6.840	C	2011	0213		CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1	7.6	5.5*
(2017) RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

