FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / %T / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	SYS / AADT / WKMX-P / WKMX-F	TYP / RATINGS	SPD	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
89010000	0.000	5.050	R	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5														
5	1		2	7.3	18100		RIDE	8.9	8.6	8.8	8.3	8.3	8.1	8.1	8.0	7.6	7.9	7.9	7.8	7.7														
FRONTAGE RD(0.2R)						FC5																														
4270231	0.000	5.050	C	2013		0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.9	7.0												
J.W. CHEATHAM, LLC				(2016)			SPRIDE	7.5		8.4	8.3	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4													
89010000	5.050	7.256	R	1	1	45	CRACKING	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
5	1		2	7.3	18100		RIDE	7.9	7.5	8.4	7.7	7.7	7.7	7.8	7.6	7.5	7.7	7.7	7.6	7.6														
CR A1A R(5.6R)						FC5																														
2288291	5.050	7.042	C	2001		0012	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	7.0	6.6	3.5*													
				(2003)			SPRIDE	7.5	7.6	7.7	7.7	7.7	7.8	7.8	7.8	7.6	7.6	7.8	7.7	7.6	7.5													
4484471	5.025	10.130	C	2026		0012																														
89010000	7.256	9.171	R	1	1	45	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	10.0	10.0															
5	1		2	5.2	26500		RIDE	7.9	7.5	7.7	6.4*	6.2*	5.6		7.4	7.4	7.5	7.5	7.4	7.5															
SIDE ROAD(7.5R)						FC5																														
2288511	7.268	9.171	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.5	6.0*													
COMMUNITY ASPHALT CORP.				(2008)			SPRIDE	7.4	7.1	7.6	7.4	7.4	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.4													
4484471	5.025	10.130	C	2026		0012																														
89010000	9.171	11.156	R	1	1	55	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
5	1		2	4.8	31000		RIDE	7.9	7.5	7.7	6.4*	6.2*	7.5	7.5	7.5	7.5	7.7	7.6	7.6	7.6														
HOBE TERR(10.0R)						FC5																														
2288581	9.170	11.996	C	2003		0012	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*													
DICKERSON FLORIDA INC.				(2006)			SPRIDE	7.6	7.5	7.7	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.5													
89010000	11.156	14.722	R	1	1	45	CRACKING	2.0*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0														
5	1		3	4.8	31000		RIDE	7.9	7.5			7.2	7.2	7.2	7.0	7.0	7.1	7.1	7.0	6.9														
HERITAGE BLVD SE(11.3C)						FC5M																														
4378381	11.596	14.710	R	2019		0012	CRACKING	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.4	9.7	8.5													
J.W. CHEATHAM, LLC				(2022)			SPRIDE	6.8	6.8	6.8	6.7	6.8	6.8	6.8		8.4	8.4	8.4	8.4	8.3	8.2													
89010000	14.722	16.295	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5														
5	1		3	5.0	38000		RIDE	8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9	7.1														
BROOK ST SE R(14.8R)						FC95M																														
4360961	14.710	16.320	C	2018		0012	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0														
COMMUNITY ASPHALT CORP.				(2021)			SPRIDE	6.8	6.8	7.3	7.1	7.1	7.3		8.1	8.1	8.1	8.1	8.1	8.1	7.8														
89010000	16.295	18.040	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	9.0														
5	1		3	12.6	36000		RIDE	8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9	6.4														
INDIAN ST SE(16.5C)						FC3																														
							CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	8.3	8.2	7.0													
				(2013)			RIDE	6.3	5.8	6.3	5.8	5.8	6.2	6.2	6.1	5.8	6.1	6.0	6.2	5.7	5.4*													
4476491	16.294	18.018	C	2025		0012																														
89010000	18.040	19.558	R	1	7	40	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5														
5	1		3	3.0	42000		RIDE	7.3	6.3	7.1	6.6	6.4		8.0	7.5	7.4	7.4	7.5	7.4	7.2														
DIXIE CUT OFF RD(18.3R)						FC95M																														
4461101	18.018	19.545	C	2023		0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.5													
OHLA USA, INC.				(2026)			SPRIDE	7.3	7.2	6.8	6.5	6.9	6.9	6.8	6.6	6.4	6.5	6.5		7.3	7.0													
89010000	20.880	22.224	R	1	2	45	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0														
5	1		3	5.3	52500		RIDE	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1														
FORK RD(20.9R)						FC95M																														
4461101	20.890	22.224	R	2023		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.5													
OHLA USA, INC.				(2026)			RIDE	8.2	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.7		8.1	7.8													
89010000	22.224	22.540	R	1	2	45	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0														
5	1		4	5.3	52500		RIDE	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1														
BRITT RD(22.4C)						FC95M																														
4461101	22.224	22.547	R	2023		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.5													
OHLA USA, INC.				(2026)			RIDE	8.2	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.7		8.1	7.8													
89010000	22.540	23.060	R	1	1	45	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0														
5	1		4	13.4	57000		RIDE	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1														
CR 707A(23.0R)						UNKW																														
4461101	22.547	22.810	R	2023		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	9.5													
OHLA USA, INC.				(2026)			RIDE	8.2	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.7		7.9	7.6													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
89010000	23.060	24.476	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0														
5	1		4	13.4	57000		RIDE	8.1	8.9	9.0	8.5	8.5	7.5	7.7	6.5	7.6	6.5	7.2	7.2	7.2														
JACK WILLIAMS NW(23.1R)							FC125M																											
4439921	23.050	24.476	R	2022	0012		CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.5	10.0	9.0													
OHLA USA, INC.				(2024)			SPRIDE	7.0	6.9	6.9	6.9	6.9	6.8	7.0	6.9	6.8	6.7	7.8	7.6	7.5	7.2													
89010000	23.060	24.476	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5														
5	1		4	13.4	57000		RIDE	8.1	8.0	8.7	8.1	7.9	8.0	7.4	7.8	7.7	7.9	7.5	7.7	7.6														
HOME DEPOT(23.2L)							FC125M																											
4439921	23.258	24.476	L	2022	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	9.7	10.0	9.0													
OHLA USA, INC.				(2024)			SPRIDE	7.5	7.2	6.5	6.3	7.0	7.0	7.0	6.9	7.0	7.2	7.9	7.8	7.6	7.3													
89010000	20.880	23.060	L	1	7	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0														
5	1		3	5.3	52500		RIDE	8.0	8.0	7.9	6.9	6.8	6.6	6.5	8.3	8.1	8.2	8.1	8.0	8.1														
NW FORK RD(20.9L)							FC95M																											
4461101	20.890	23.013	L	2023	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.5													
OHLA USA, INC.				(2026)			RIDE	8.0	7.5	7.3	7.7	7.8	7.7	7.7	7.7	7.5	7.4	7.3		8.1	7.8													
89010000	18.040	19.558	L	1	7	40	CRACKING	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5														
5	1		3	3.0	42000		RIDE	7.0	7.0	6.6	6.2	6.3		8.1	7.2	7.2	7.3	7.2	7.2	7.1														
SE TRESSLER DR(18.3L)							FC95M																											
4461101	18.018	19.545	C	2023	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0		10.0	9.5													
OHLA USA, INC.				(2026)			SPRIDE	7.0	6.7	6.2	6.6	6.7	6.7	6.5	6.3	6.2	6.0	6.1		6.9	6.6													
89010000	16.295	18.040	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5														
5	1		3	12.6	36000		RIDE	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2	6.7														
INDIAN ST SE(16.5C)							FC3																											
							CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*													
				(2014)			RIDE	6.7	6.0	6.0	6.2	6.2	6.4	6.2	6.3	6.3	6.1	5.8	5.9	5.8	5.5													
4476491	16.294	18.018	C	2025	0012																													
89010000	14.722	16.295	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	9.0														
5	1		3	5.0	38000		RIDE	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2	7.5														
SUNSHINE NOB MANOR(14.8L)							FC95M																											
4360961	14.710	16.320	C	2018	0012		CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0													
COMMUNITY ASPHALT CORP.				(2021)			SPRIDE	7.4	7.3	7.4	7.2	7.4	7.4		8.0	8.0	7.9	8.0	8.0	8.0	7.7													
89010000	11.156	14.722	L	1	1	45	CRACKING	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0														
5	1		3	4.8	31000		RIDE	8.1	8.1			7.3	7.2	7.1	6.9	6.7	6.7	6.7	6.6	6.5														
HERITAGE BLVD SE(11.3C)							FC5M																											
4378381	11.596	14.710	L	2019	0012		CRACKING	9.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.5	10.0	8.5													
J.W. CHEATHAM, LLC				(2022)			SPRIDE	6.4	6.2	6.6	6.4	6.6	6.7	6.6		8.3	8.2	8.1	8.1	8.1	8.0													
89010000	9.171	11.156	L	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
5	1		2	4.8	31000		RIDE	8.1	8.1	7.9	7.0	6.8	7.5	7.7	7.6	7.6	7.7	7.7	7.7	7.6														
OSPREY ST(10.1L)							FC5																											
2288581	9.170	11.996	C	2003	0012		CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	3.5*													
DICKERSON FLORIDA INC.				(2006)			SPRIDE	7.5	7.3	7.6	7.5	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.4	7.3	7.2													
89010000	7.256	9.171	L	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0														
5	1		2	5.2	26500		RIDE	8.1	8.1	7.9	7.0	6.8	6.2		7.2	7.2	7.3	7.3	7.2	7.2														
ALGOZZINI ST SE(7.5L)							FC5																											
2288511	7.268	9.171	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.6	6.0*													
COMMUNITY ASPHALT CORP.				(2008)			SPRIDE	7.2	7.1	7.2	7.1	7.2	7.2	7.2	7.2	7.1	7.1	7.2	7.1	7.1	7.0													
4484471	5.025	10.130	C	2026	0012																													
89010000	5.050	7.256	L	1	1	45	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0														
5	1		2	7.3	18100		RIDE	8.1	8.1	8.3	7.7	7.7	7.7	7.6	7.5	7.5	7.6	7.5	7.5	7.5														
HIGHBORN WAY SE L(5.7L)							FC5																											
2288291	5.050	7.042	C	2001	0012		CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	7.0	6.5	3.5*													
				(2003)			SPRIDE	7.4	7.3	7.8	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.5	7.6	7.6	7.5													
4484471	5.025	10.130	C	2026	0012																													
89010000	0.000	5.050	L	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	4.5*														
5	1		2	7.3	18100		RIDE	8.9	8.9	8.9	8.5	8.5	8.0	8.3	8.0	7.5	8.0	8.3	8.1	6.7														
SIDE ROAD(0.9C)							FC5																											
4270231	0.000	5.050	C	2013	0012		CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.8	7.0												
J.W. CHEATHAM, LLC				(2016)			SPRIDE	6.5		8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.5												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
89015000	0.000	0.123	R	1	1	45	1	5.3	58239	RIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*													
5	1			3		FC95M																																
JOAN JEFFERSON WAY(0.0C)											CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0											
		(2022)									RIDE									8.0	8.1	8.1	8.0	8.2	7.9											
89015000	0.968	1.171	R	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	4.5*													
5	1			3	5.3	58239				RIDE																												
WRIGHT BLVD(1.2R)						FC95M																																
											CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0											
		(2022)									RIDE									8.4	8.4	8.4	8.3	8.4	8.1											
89015000	0.968	1.171	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0													
5	1			3	5.3	58239				RIDE																												
RAMP TO DIXIE HWY(1.1L)						FC95M																																
											CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0											
		(2022)									RIDE									8.5	8.5	8.4	8.5	8.4	8.1											
89015000	0.000	0.123	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0													
5	1			3	5.3	58239				RIDE																												
JOAN JEFFERSON WAY(0.0C)						FC95M																																
											CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0											
		(2022)									RIDE									8.3	8.2	8.0	8.1	7.9	7.6											
89020000	0.552	6.124	R	1	4	60				CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5	6.5												
710				2	13.9	8700				RIDE	7.7	8.1	8.3	7.8	7.9	7.8	7.8	7.7	7.6	7.3	7.6	7.5	7.3												
						LDG																																
4327051	0.552	6.124	C	2017		0213				CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		9.4	9.9	9.4	9.4	9.4	9.4	9.4	9.0											
RANGER CONSTRUCTION INDUST				(2020)						RIDE	7.1	7.0	7.1	7.2	7.2		9.2	9.1	8.9	9.1	9.0	8.7	8.7	8.6											
89020000	0.552	6.124	L	1	4	60				CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5	6.5												
710				2	13.9	8700				RIDE	7.7	8.1	8.3	7.8	7.9	7.8	7.8	7.7	7.6	7.3	7.6	7.5	7.3												
						LDG																																
4327051	0.552	6.124	C	2017		0213				CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*			10.0	9.5	9.5	9.4	9.4	9.4	9.0												
RANGER CONSTRUCTION INDUST				(2021)						RIDE	7.1	7.0	7.1	7.2	7.2			9.1	9.2	9.1	9.2	8.8	9.0	8.9												
89040000	1.750	2.537	R	1	1	35				CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0												
A1A				2	8.3	28000				RIDE	6.0*	5.8	5.8	5.7	5.3*	5.0*			6.7	7.4	7.4	7.2	7.4	7.4												
MONTEREY RD(1.8R)						FC95																																
2288531	1.600	2.537	C	2005		0012				CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.5	8.3	7.0												
CAROLINA CONSULTING CORP.				(2008)		SPRIDE				RIDE	7.2	6.8	6.8	6.6	6.5	6.4	6.3	6.4	6.2	6.0	5.9	5.9	5.9	5.6												
89040000	3.143	3.519	C	1	1	40				CRACKING	9.5	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5													
A1A				2	5.4	30000				RIDE	5.8*	4.0*				6.1	5.6	6.0	6.2	5.9	6.4	6.3	6.3												
RIVER RD(3.2C)						FC125																																
4246391	3.143	3.436	L	2012		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.6	7.5												
DICKERSON FLORIDA INC.				(2014)						RIDE	8.0	7.2	6.4	6.8	7.2	6.7	7.1	6.7	6.9	7.0	7.0	6.9	6.8	6.5												
89040000	4.401	5.738	C	1	1	45				CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0													
A1A				2	4.1	8479				RIDE	7.4	7.6	7.3	6.8	6.7	7.4	7.3	7.0	7.4	7.5	7.4	7.4	7.3													
EAST ISLAND ACCESS(4.5R)						FC95																																
2288371	4.547	5.685	C	2003		0012				CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	9.0	7.5												
DICKERSON FLORIDA INC.				(2006)		SPRIDE				RIDE	7.3	6.8	6.2	6.4	6.7	6.6	6.6	6.4	6.4	6.5	6.4	6.3	6.4	6.1												
89040000	5.738	7.632	C	1	1	45				CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0													
A1A				2	4.1	8479				RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	7.9													
NE SHORE VILLAGE TER(5.7L)						FC95																																
4051671	5.685	8.669	C	2004		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*												
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE				RIDE	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.8	7.5												
4476501	5.738	8.015	C	2026		0012																																
89040000	7.632	7.954	R	1	1	35				CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0													
A1A				2	4.1	8479				RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	7.9													
						DGFC																																
											CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5												
		(2026)									RIDE	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.6	5.6	5.3*												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP SPD / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
89040000	7.954	8.110	R	1	1 35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0															
A1A			2	4.1	8479	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	7.9															
BEACH ENT(8.0R)					FC95																												
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.4	6.0*														
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE		8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.6	5.4*	5.1*														
89040000	8.110	8.460	R	1	1 35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5															
A1A			1	4.6	17900	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	7.6	7.8															
					FC95																												
4051671	5.685	8.669	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5														
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE		7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	7.2	6.9														
89040000	8.460	8.630	C	1	1 35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5															
A1A			1	4.6	17900	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	7.6	7.8															
THE DUNE(8.6R)					FC95																												
4051671	5.685	8.669	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.5	7.0														
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE		7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	7.4	7.1														
89040000	1.750	2.537	L	1	1 35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0															
A1A			2	8.3	28000	RIDE	5.9*	7.8	7.9	6.3	5.6	5.2*		7.1	7.0	7.4	7.4	7.5	7.4															
SMITHFIELD PLAZA(1.8L)					FC95																												
2288531	1.600	2.537	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.7	7.5														
CAROLINA CONSULTING CORP.				(2008)	SPRIDE		7.5	7.2	6.9	6.8	7.0	6.9	6.8	6.7	6.8	6.8	6.7	6.6	6.6	6.3														
89050000	0.000	1.718	C	1	7 55	CRACKING	6.0*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*		10.0	10.0	10.0	9.5	9.0															
15 98			2	33.4	4800	RIDE	7.8	7.6	7.5	7.0	6.6	6.3*	6.2*		8.4	8.3	8.3	8.2	8.0															
KANNER HWY(1.4R)					FC125H																												
4461711	0.000	1.184	C	2023	0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5														
RANGER CONSTRUCTION INDUST				(2026)	SPRIDE		7.9	7.5	7.3	7.3	7.1	6.9	6.7	6.3*	6.2*	6.0*	6.0*		8.2	7.9														
89050000	2.184	12.333	C	1	7 55	CRACKING	10.0	9.5	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0															
15 98			2	37.9	3100	RIDE	8.5	8.3	8.3	7.4	7.3	7.0	7.2	6.7	6.4*	6.3*	6.2*	8.5	8.3															
ACCES RD(2.5L)					FC125H																												
4461711	7.076	12.333	C	2023	0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5														
				(2026)		RIDE	8.1	7.8	7.6	7.1	7.4	7.2	7.1	6.8	6.7	6.3*	6.2*		8.1	7.8														
89060000	0.000	1.843	C	1	1 55	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.0	6.0*															
76			2	30.1	2500	RIDE	7.4	8.5	8.5	7.8	7.6	7.6	7.4	7.4	7.0	7.1	7.1	7.1	7.0															
CONNERS HWY(0.0C)					FC125M																												
4342751	0.000	1.843	C	2017	0012	CRACKING	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	8.0														
LYNCH PAVING & CONSTRUCTIO				(2018)	SPRIDE		7.0	6.8	5.9*	6.0*	8.0	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.0														
89060000	1.843	9.918	C	1	1 55	CRACKING	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*																
76			2	43.8	2300	RIDE	8.4	8.3	8.3	7.3	7.4	7.2	7.1	7.0	6.6	6.8	6.7	6.4*																
LAKE POINT CIR SW(2.1R)					FC95																												
4229531	1.810	9.918	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.5	8.5	7.5														
COMMUNITY ASPHALT CORP.				(2014)	SPRIDE		8.7	7.7	6.8	7.3	8.0	8.0	7.9	7.8	7.6	7.4	7.5	7.4	7.2	6.9														
89060000	9.918	12.487	C	1	1 45	CRACKING	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0															
76			2	43.8	2300	RIDE	8.9	8.8	8.8	8.3	8.4	8.3	8.2	8.0	7.7	7.8	7.8	7.7	8.4															
INDIANTOWN AVE SW(11.5R)					FC125																												
4216801	9.918	12.486	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.3	8.0														
DICKERSON FLORIDA INC.				(2013)	SPRIDE		8.6	7.5	7.3	7.7	8.3	8.3	8.2	8.1	8.1	7.9	8.0	8.1	8.0	7.7														
89060000	12.487	14.400	C	1	1 55	CRACKING	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	10.0	10.0															
76			2	11.2	4500	RIDE	8.5	8.5	8.6	8.1	7.8	7.6	7.5	7.3	7.7	7.6	7.8	7.8	7.7															
					FC125H																												
4461121	12.487	14.400	C	2023	0012	CRACKING	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	5.5*	3.5*	10.0	10.0	9.5														
J.W. CHEATHAM, LLC				(2025)	SPRIDE		7.7	7.6	7.7	7.7	7.8	7.8	7.8	7.8	7.8	7.6	7.7	8.3	8.2	7.9														
89060000	14.400	20.452	C	1	1 55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0															
76			2	11.2	4500	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6															
GROVESIDE DR SW(18.0R)					FC125																												
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0														
DICKERSON FLORIDA INC.				(2013)	SPRIDE		8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP SPD / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
89060000	20.452	20.873	C	1	8 55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0																
76			2	11.2	4500	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6																
					FC125																															
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7																	
DICKERSON FLORIDA INC.				(2013)		SPRIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8																	
89060000	20.873	21.510	C	1	1 55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0																
76			2	13.0	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6																
BRIDGE RD(20.9R)					FC125																															
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	9.5	8.5															
DICKERSON FLORIDA INC.				(2013)		SPRIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.5	7.2															
89060000	21.510	22.104	C	1	8 55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0																
76			2	13.0	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6																
					FC125																															
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7																	
DICKERSON FLORIDA INC.				(2013)		SPRIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8																	
89060000	22.104	22.411	C	1	1 55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0																
76			2	13.0	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6																
					FC125																															
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.1	7.0															
DICKERSON FLORIDA INC.				(2013)		SPRIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	8.0	7.7															
89060000	22.411	23.185	C	1	8 55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	1.0*	1.0*	0.0*	0.0*	0.0*		10.0																
76			2	13.0	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	6.6	6.1*	6.2*	7.1	6.4*		8.6																
					DGFC																															
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7																	
DICKERSON FLORIDA INC.				(2013)		SPRIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8																	
89060000	23.185	23.381	C	1	1 50	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	1.0*	1.0*	0.0*	0.0*	0.0*		10.0																
76			2	13.0	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	6.6	6.1*	6.2*	7.1	6.4*		8.6																
					FC5M																															
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	10.0	8.0															
DICKERSON FLORIDA INC.				(2013)		SPRIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.9	7.8															
89060000	23.381	25.162	R	1	1 50	CRACKING	10.0	9.5	9.5	9.5	9.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0																
76			2	10.5	21000	RIDE	8.3	8.4	7.6	8.0	7.8	7.8	7.7	6.9	7.2	7.9	8.1	8.0	8.0																
CR-711 / PRATT WHITN(23.6R)					FC5M																															
						CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.5															
				(2022)		RIDE	7.9	7.6	7.8	7.3	7.7	7.8	7.7	7.8	8.4	8.3	8.3	8.3	8.3	8.2															
89060000	25.162	25.935	R	1	1 45	CRACKING	10.0	9.5	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	7.5	4.5*																
76			3	6.4	48500	RIDE	8.4	8.5	8.5	8.0	7.8	7.7	7.6	7.0	7.1	6.9	6.6	7.5	6.6																
SPUR(25.2R)					DGFC																															
						CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0															
				(2021)		RIDE	7.6	7.6	8.0	7.7				7.1	6.9	6.9	7.0	6.9	6.6	6.3															
89060000	25.935	28.932	R	1	1 45	CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5																
76			3	11.8	40500	RIDE	8.3	8.3	8.2	8.0	8.2	8.0	8.0	7.6	7.9	7.8	7.8	7.5	7.6																
COVE RD(26.1R)					FC95M																															
4226413	26.121	29.063	R	2015	0213	CRACKING	6.5	6.5	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0															
				(2021)		RIDE	7.5	7.3	7.6	7.4				7.9	7.9	7.9	7.9	7.8	7.8	7.5															
89060000	28.932	29.289	R	1	1 45	CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5																	
76			3	11.8	40500	RIDE	8.3	8.3	8.2	8.0	8.2	8.0	8.0	7.6	7.9	7.8	7.8	7.5																	
INDIAN ST(29.1R)					FC95M																															
						CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.0	8.7	8.0															
				(2021)		RIDE		7.6	6.9	7.1				7.2	6.7	7.0	7.0	6.9	6.7	6.4															
89060000	29.289	30.060	R	1	1 45	CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5																
76			3	11.8	40500	RIDE	8.3	8.3	8.2	8.0	8.2	8.0	8.0	7.6	7.9	7.8	7.8	7.5	7.8																
					FC95M																															
4226413	29.200	29.710	R	2015	0213	CRACKING	7.5	7.5	6.5	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0															
				(2021)		RIDE	7.6	7.7	7.9	7.8				8.4	8.3	8.2	8.3	8.1	7.8	7.5															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / ASTYPE / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD	DISTRESS / RATINGS / SURFTYPE	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
89060000	30.060	31.448	R	1	1	40	CRACKING	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5															
76			3	12.3	42500		RIDE	7.0	7.1	6.3	6.4	6.2	6.1	8.0	8.1	7.7	7.5	7.3	7.8	7.3															
COLORADO AVE(30.4C)							FC125M																												
4439951	30.039	31.289	R	2022	0012		CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.0		10.0	10.0	9.5															
OHLA USA, INC.				(2025)			SPRIDE	7.5	7.2	6.7	6.6	7.0	7.1	6.9	7.1	6.8	7.0		7.8	7.7	7.4															
89060000	30.060	31.448	L	1	1	40	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5															
76			3	12.3	42500		RIDE	7.1	7.4	6.6	6.0	5.3*	5.9	7.7	7.5	7.3	7.5	7.3	7.1	7.2															
DE LA BAHIA(30.2L)							FC125M																												
4439951	30.442	31.337	L	2022	0012		CRACKING	9.5	9.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	9.5															
OHLA USA, INC.				(2025)			SPRIDE	7.1	6.9	5.9	5.6	5.9	5.9	6.0	5.8	5.4*	5.3*		7.0	6.8	6.5															
89060000	29.289	30.060	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	4.5*															
76			3	11.8	40500		RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	8.3															
CALM WATER CRESS(29.7L)							FC95M																												
4226413	29.347	29.830	L	2015	0213		CRACKING	4.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	9.5	8.5															
				(2021)			RIDE	7.8	8.0	7.8	7.6				8.1	8.1	7.9	7.9	7.6	7.5	7.2															
89060000	28.932	29.289	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5																
76			3	11.8	40500		RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0																
SW MARTIN HWY(29.1L)							FC95M																												
4226413	29.026	29.347	L	2015	0213		CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	8.6	8.6	7.5															
				(2021)			RIDE		8.1	7.4	6.7				7.5	7.6	7.4	7.4	7.1	7.2	6.9															
89060000	25.935	28.932	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	4.5*															
76			3	11.8	40500		RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	8.0															
GAINES AVE W(26.3L)							FC95M																												
4226413	26.121	29.026	L	2015	0213		CRACKING	4.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0															
				(2021)			RIDE	7.8	7.6	7.7	7.7				8.0	8.0	8.0	8.0	7.9	7.9	7.6															
89060000	25.162	25.935	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5															
76			3	6.4	48500		RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	7.7															
JACK JAMES DR(25.2C)							DGFC																												
							CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0															
				(2021)			RIDE	7.7	7.6	7.9	7.9				6.9	6.9	6.8	6.9	6.8	6.9	6.6															
89060000	24.600	25.162	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	10.0	10.0															
76			2	10.5	21000		RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	7.9	7.8															
KANSAS AVE SW(24.8L)							FC5M																												
4226412	24.699	25.159	L	2018	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	9.6	10.0	8.5															
RANGER CONSTRUCTION INDUST				(2022)			SPRIDE	7.8	7.7	8.1	8.0	8.0	8.1	8.1	7.2	8.3	8.2	8.1	8.2	8.1	8.0														
89060000	23.381	24.600	L	1	1	50	CRACKING	3.0*	3.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
76			2	10.5	21000		RIDE	6.9	7.3	7.5	6.8	6.5	6.6	7.7	7.5	7.3	7.9	8.1	8.0	8.0															
CR 711(23.6L)							FC5M																												
4226412	23.948	24.699	L	2018	0213		CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.5															
RANGER CONSTRUCTION INDUST				(2022)			SPRIDE	7.9	7.6	7.8	7.3	7.7	7.8	7.7	7.8	8.7	8.6	8.6	8.6	8.5	8.4														
89070000	0.000	2.000	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0															
710			2	30.1	8400		RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4															
CR 714(0.0L)							FC95																												
4138441	0.154	14.648	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.2	7.5	6.0*															
J.W. CHEATHAM, LLC				(2010)			RIDE	8.4	7.9	7.7	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.8	8.0	8.0	7.7														
4533332	0.000	9.771	C	2031	0213																														
89070000	2.000	4.059	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0															
710			2	30.1	8400		RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4															
							FC95MR																												
4327071	2.000	12.600	C	2014	0213		CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.4	8.5															
				(2018)			RIDE	8.4	7.9	7.7		8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.9	7.8	7.5															
4533332	0.000	9.771	C	2031	0213																														
89070000	4.059	6.241	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0															
710			2	30.1	8400		RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4															
HIGH HORSE RANCH(4.2L)							FC95																												
4327071	2.000	12.600	C	2014	0213		CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	8.0	7.0															
				(2018)			RIDE	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.2	7.9															
4533332	0.000	9.771	C	2031	0213																														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 4 COUNTY = MARTIN ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / RATINGS	BMP / EMP / RW / SYS / TYP / SPD	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
INTERSECT AT (MP|SIDE) / SURFTYPE / ========																
ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P																
CONTRACTOR (AGE_ONE YEAR) / ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F																(PMRS)
89070000 / 710	6.241 / 6.630 / C / 1 / 5 / 60 / 2 30.1 / 8400	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	
SW TOMMY CLEMENTS ST(6.4R) / OGFC		RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4	
		CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	10.0	9.0
(2026)		RIDE	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	7.5	7.4
4533332	0.000 / 9.771 / C / 2031 / 0213															
89070000 / 710	6.630 / 10.430 / C / 1 / 1 / 60 / 2 30.1 / 8400	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	
SPRING HAVEN AVE(7.3L) / FC95		RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4	
4327071	2.000 / 12.600 / C / 2014 / 0213	CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	7.9	7.0
(2018)		RIDE	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	7.8
4533332	0.000 / 9.771 / C / 2031 / 0213															
89070000 / 710	10.430 / 12.446 / C / 1 / 1 / 60 / 3 30.1 / 8400	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	
NO NAME(10.9L) / FC95MR		RIDE	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4	8.4	
4327071	2.000 / 12.600 / C / 2014 / 0213	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.3	8.5
(2018)		RIDE	8.4	7.9	7.7		8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.5	7.2
4533331	9.771 / 14.872 / C / 2031 / 0213															
89070000 / 710	12.446 / 14.648 / C / 1 / 1 / 55 / 2 30.1 / 8400	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	
SIDE ROAD(12.5L) / FC95		RIDE	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4	8.4	
4138441	0.154 / 14.648 / C / 2008 / 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.6	7.0
J.W. CHEATHAM, LLC / (2010)		RIDE	8.4	7.9	7.7	7.7	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9
4533331	9.771 / 14.872 / C / 2031 / 0213															
89070000 / 710	14.648 / 15.700 / R / 1 / 1 / 40 / 2 18.3 / 14400	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	
M L KING DR SW(14.7R) / FC95		RIDE	8.9	8.8	8.9	8.5	8.5	8.5	8.4	8.5	8.3	8.3	8.3	8.3	9.0	
4271121	14.648 / 15.720 / C / 2011 / 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.6	7.5
DICKERSON FLORIDA INC. / (2013) / SPRIDE		RIDE	9.0	8.6	8.5	7.9	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.1
4533334	14.872 / 15.710 / C / 2030 / 0213															
89070000 / 710	15.700 / 16.456 / R / 1 / 1 / 35 / 4 18.3 / 14400	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		10.0	10.0	10.0	
SW JEFFERSON AVE(15.9R) / FC95		RIDE	8.1	8.1	8.0	7.5	7.7	7.1	7.3	7.4	7.3		7.8	8.1	8.0	
4138451	15.747 / 16.605 / R / 2008 / 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.7	7.5
HARDRIVES OF DELRAY, INC. / (2011) / SPRIDE		RIDE	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0	6.8	6.5
89070000 / 710	16.456 / 16.985 / R / 1 / 1 / 35 / 2 18.3 / 14400	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		10.0	10.0	10.0	
FERNWOOD FOREST RD(16.5R) / FC5M		RIDE	8.1	8.1	8.0	7.5	7.7	7.1	7.3	7.4	7.3		7.8	8.1	8.0	
		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.7	6.0*
(2016)		RIDE			7.8	7.6	7.7	7.6	7.7	7.7	7.8	7.4	7.5	7.6	7.5	7.4
89070000 / 710	17.165 / 17.722 / R / 1 / 1 / 45 / 2 18.3 / 14400	CRACKING	9.0	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	1.0*		10.0	10.0	10.0	
SR 710(17.7C) / FC5M		RIDE	8.6	8.3	8.4	7.7	7.3	7.0	6.9	6.6	6.7		8.2	8.1	8.1	
		CRACKING			10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	7.6	7.2	5.5*
(2020)		RIDE			7.9	7.8	7.8		7.8	7.6	7.7	7.7	7.6	7.5	7.6	7.5
89070000 / 710	17.173 / 17.722 / L / 1 / 1 / 45 / 2 18.3 / 14400	CRACKING	9.0	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	1.0*		10.0	10.0	10.0	
SR 710(17.7C) / FC5M		RIDE	8.6	8.3	8.4	7.7	7.3	7.0	6.9	6.6	6.7		8.2	8.1	8.1	
		CRACKING			10.0	10.0	10.0		10.0	10.0	10.0	9.0	9.0	6.9	7.0	5.5*
(2020)		RIDE			7.9	7.8	7.7		7.7	7.7	7.5	7.5	7.5	7.5	7.4	7.3
89070000 / 710	16.456 / 16.992 / L / 1 / 1 / 35 / 2 18.3 / 14400	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	
SEMINOLE DR SW(16.5L) / FC5M		RIDE	8.1	8.1	8.2	7.8	7.0	7.5	6.8	7.4	7.2		7.8	8.1	8.0	
		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	7.9	6.0*
(2016)		RIDE			7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.7	7.7	7.6
89070000 / 710	15.700 / 16.456 / L / 1 / 1 / 35 / 2 18.3 / 14400	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	
SW VAN BUREN AVE(15.7L) / FC95		RIDE	8.1	8.1	8.2	7.8	7.0	7.5	6.8	7.4	7.2		7.8	8.1	8.0	
4138451	15.803 / 16.545 / L / 2008 / 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	9.5	8.0
HARDRIVES OF DELRAY, INC. / (2011) / SPRIDE		RIDE	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0	7.0	6.7

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / FY-F	TYP SPD / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
89090000	5.222	6.375	R	1	1 45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	7.5		10.0	10.0	10.0	10.0	10.0															
714			2	11.9	15200	RIDE	8.2	7.7	8.2	7.7	7.5	7.2	6.7		8.2	8.2	8.2	8.1	8.0															
ACCESS RD(5.2R)					DGFC																												
4114351	5.222	6.137	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0													
COMMUNITY ASPHALT CORP.				(2009)		RIDE	7.9	7.8	7.6	7.5	7.7	7.7	7.6	7.6	7.6	7.7	7.6	7.6	7.6	7.3													
89090000	6.375	9.703	C	1	1 50	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0															
714			2	11.9	15200	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5															
MARTIN COUNTY LANDFILL R(7.0L)					DGFC																												
4114351	7.209	9.965	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.7	8.5	7.0													
COMMUNITY ASPHALT CORP.				(2009)		RIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.3	8.2	7.9													
4484461	6.375	9.689	C	2026	0012																												
89090000	9.703	11.154	R	1	7 45	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0															
714			2	9.4	28500	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5															
CITRUS BLVD SW(10.0C)					FC125M																												
4368701	10.320	11.050	R	2021	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0		10.0	9.5													
C. W. ROBERTS CONTRACTING,				(2026)		SPRIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1		7.5	7.2													
89090000	13.849	14.226	R	1	1 35	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
714			2	5.0	41000	RIDE	6.2*	6.2	6.2	5.2*	5.6	6.6	6.2	6.6	6.7	6.4	6.7	6.7	6.6														
FEROE AVE SW(13.9C)					DGFC																												
2288501	13.835	14.660	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.6	7.4	6.0*													
COMMUNITY ASPHALT CORP.				(2006)		SPRIDE	6.6	6.6	5.7	5.4*	5.6	5.7	5.6	5.3*	5.1*	5.3*	5.2*	5.3*	5.2*	4.9*													
89090000	14.576	14.660	R	1	1 35	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0														
714			2	5.0	41000	RIDE								7.6	7.2																		
US 1/SR 5(14.7C)					DGFC																												
						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	8.7	8.4	7.5													
				(2025)		RIDE													4.9*	4.6*													
4498291	14.571	14.660	C	2028	0012																												
89090000	14.576	14.660	L	1	1 35	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0														
714			2	5.0	41000	RIDE								7.6	7.9																		
PALM CITY RD(14.7L)					DGFC																												
2288501	13.835	14.660	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5													
COMMUNITY ASPHALT CORP.				(2008)		SPRIDE													7.1	6.8													
4498291	14.571	14.660	C	2028	0012																												
89090000	13.849	14.226	L	1	1 35	CRACKING	6.5	6.5	6.5	6.5	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0														
714			2	5.0	41000	RIDE						5.8	5.7	5.7	5.9	5.7	5.7	5.7	5.5														
FEROE AVE SW(13.9C)					DGFC																												
2288501	13.835	14.660	C	2004	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.0													
COMMUNITY ASPHALT CORP.				(2006)		SPRIDE	5.3*	5.7	5.2*	5.4*	5.8	5.5	5.4*	5.3*	5.2*	5.1*	5.1*	5.1*	5.1*	4.8*													
89090000	9.703	11.154	L	1	5 45	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0															
714			2	9.4	28500	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5															
CITRUS BLVD SW(10.0C)					FC125M																												
4368701	10.320	11.050	L	2021	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0		10.0	9.5													
C. W. ROBERTS CONTRACTING,				(2026)		SPRIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1		7.0	6.7													
89090000	5.222	6.375	L	1	1 45	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0		10.0	10.0	10.0	10.0	10.0															
714			2	11.9	15200	RIDE	7.6	7.2	8.3	7.7	7.4	7.4	7.1		7.1	8.1	8.1	8.0	8.0															
					DGFC																												
4114351	5.222	6.291	L	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.7	8.5													
COMMUNITY ASPHALT CORP.				(2009)		RIDE	7.9	7.8	7.5	7.4	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.6	7.5	7.2													
89091000	0.000	2.475	R	1	1 45	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0														
714			2	5.4	35000	RIDE	8.4	8.3	8.3	7.5	7.8	7.1	7.3	7.2	7.1	7.2	7.0	6.9	8.5														
CR 714(0.0C)					FC125																												
4216811	0.013	2.458	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.5													
COMMUNITY ASPHALT CORP.				(2013)		SPRIDE	8.4	8.0	7.9	7.8	8.1	8.1	8.1	8.0	7.9	8.0	8.0	8.0	7.9	7.6													
89091000	0.000	2.475	L	1	1 45	CRACKING	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0														
714			2	5.4	35000	RIDE	8.5	8.2	8.3	7.6	7.8	7.6	7.6	7.5	6.7	6.7	6.3	6.0	8.6														
CR 714(0.0C)					FC125																												
4216811	0.013	2.458	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.2	9.1	8.0													
COMMUNITY ASPHALT CORP.				(2013)		SPRIDE	8.4	8.0	7.3	7.7	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.6													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	AADT / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
89092000	0.000	1.314	R	1	1	40		CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0													
714			2	2.7	37500			RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5	6.1													
CR 714(0.0C)							DGFC																											
2288621	0.000	1.800	C	2006		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.9	6.5												
RANGER CONSTRUCTION INDUST				(2008)				RIDE	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6	5.9	5.9	5.5	5.7	5.4*												
4498291	0.000	1.310	C	2028		0012																												
89092000	1.314	1.633	R	1	1	40		CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0														
714			2	3.9	27000			RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5	6.1													
CR A1A(1.6C)							DGFC																											
2288621	0.000	1.800	C	2006		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	9.5	8.0													
RANGER CONSTRUCTION INDUST				(2008)				RIDE	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6			4.9*	4.6*													
89092000	1.633	3.166	R	1	1	40		CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0													
714			2	5.9	19600			RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7		7.7	7.9	7.9	7.8	7.8													
FLYING FORTRESS LN(2.5R)							DGFC																											
2288612	1.730	2.773	C	2007		0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.2	8.0												
				(2009)				RIDE	7.7	7.1	7.0	7.4	7.7	7.6	7.5	7.5	7.3	7.4	7.4	7.3	7.3	7.0												
89092000	1.633	3.166	L	1	1	40		CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0													
714			2	5.9	19600			RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	7.8	8.0	7.9	7.8													
CHILD CARE(2.9L)							DGFC																											
2288612	1.730	2.773	C	2007		0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.0												
				(2009)				RIDE	7.8	7.6	6.6	6.5	7.3	7.6	7.5	7.5	7.1	7.2	7.3	7.2	7.2	6.9												
89092000	1.314	1.633	L	1	1	40		CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0													
714			2	3.9	27000			RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6	6.8	6.0	6.5	6.8	6.8	6.8													
SPUR(1.3L)							DGFC																											
2288621	0.000	1.800	C	2006		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	8.7	7.5													
RANGER CONSTRUCTION INDUST				(2008)				RIDE	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7			4.0*	3.7*													
89092000	0.000	1.314	L	1	1	40		CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0													
714			2	2.7	37500			RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6	6.8	6.0	6.5	6.8	6.8	6.8													
SW PALM CITY RD(0.0L)							DGFC																											
2288621	0.000	1.800	C	2006		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.8	8.6	7.0													
RANGER CONSTRUCTION INDUST				(2008)				RIDE	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7	6.2	6.3	6.2	6.3	6.0												
4498291	0.000	1.310	C	2028		0012																												
89095000	0.000	7.849	R	4	1	70		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.0	8.0	7.0													
9 I95	88.6	96.4	3	8.0	101000			RIDE	8.4	8.5	8.6	7.8	7.7	7.7	7.6	7.5	7.4	7.2	7.1	7.3	7.2													
							FC5M																											
4342731	0.000	7.825	R	2017		0012		CRACKING	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	9.4	10.0	8.5												
COMMUNITY ASPHALT CORP.				(2021)			SPRIDE	RIDE	7.2	7.2	7.6	7.6	7.7			8.6	8.6	8.6	8.6	8.6	8.6	8.5												
89095000	7.849	11.490	R	4	1	70		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	10.0	10.0													
9 I95	96.4	100.0	3	10.8	115500			RIDE	8.8	8.7	8.8	8.3	8.3	8.1	8.0	7.9	7.7	7.6	7.6	8.0	8.0													
							FC5																											
4153951	7.849	11.490	R	2010		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.0*												
				(2012)				RIDE	8.0	8.0	8.2	8.3	8.3	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.2												
4491591	7.815	11.490	C	2025		0012																												
89095000	11.490	24.817	R	4	1	70		CRACKING	9.5	8.0	8.0	7.5	7.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0													
9 I95	100.0	113.4	3	12.7	81500			RIDE	8.8	8.6	8.6	7.7	7.4	7.2	7.0	6.5	6.7	8.3	8.0	8.3	8.2													
							FC5M																											
4153961	11.494	24.835	C	2008		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*												
DICKERSON FLORIDA INC.				(2010)				RIDE	8.2	8.0	8.6	8.6	8.7	8.9	8.9	8.9	8.9	8.8	8.8	8.9	8.8	8.7												
4491601	11.490	24.817	C	2025		0012																												
89095000	11.490	24.817	L	4	1	70		CRACKING	9.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
9 I95	100.0	113.4	3	12.7	81500			RIDE	8.8	8.2	8.4	7.5	7.4	7.4	7.2	7.0	6.8	8.3	8.0	8.2	8.2													
							FC5M																											
4153961	11.494	24.835	C	2008		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*												
DICKERSON FLORIDA INC.				(2010)				RIDE	8.2	8.1	8.5	8.5	8.6	8.7	8.8	8.7	8.7	8.6	8.6	8.7	8.6	8.5												
4491601	11.490	24.817	C	2025		0012																												
89095000	7.849	11.490	L	4	1	70		CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	10.0	10.0													
9 I95	96.4	100.0	3	10.8	115500			RIDE	8.8	8.5	8.6	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.4	7.7	7.8													
							FC5																											
4153951	7.849	11.490	L	2010		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.3*	3.8*	1.0*												
J.W. CHEATHAM, LLC				(2012)			SPRIDE	RIDE	7.8	7.7	8.3	8.3	8.3	8.4	8.5	8.5	8.5	8.4	8.3	8.3	8.2	8.1												
4491591	7.815	11.490	C	2025		0012																												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN

RDWYID / SR / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / US / W_BMP	EMP / G_BMP / G_EMP	RW / SYS / W_EMP	LN / %T / RW	TYP SPD / AADT / FY-P	DISTRESS RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2031 (PMRS)
89095000	0.000	7.849	L	4	1 70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	
9 I95	88.6	96.4	3	8.0	101000	RIDE		8.1	8.5	7.7	7.7	7.7	7.6	7.4	7.4	7.2	7.1	7.3	7.2	
					FC5M															
4342731	0.000	7.825	L	2017	0012	CRACKING	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	8.8	9.0	7.5
COMMUNITY ASPHALT CORP.				(2021)		RIDE	7.2	7.2	7.6	7.5	7.5			8.8	8.7	8.7	8.7	8.7	8.7	8.6
89470000	0.000	8.689	R	5	1 70	CRACKING	8.0	8.0	7.5	7.5	7.5	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
91	117.9	126.6	2	19.0	57200	RIDE	9.0	8.4	8.8	8.3	8.1	7.8	7.7	7.3	7.7	7.9	8.1	7.9	7.9	
					FC5M															
						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	10.0	10.0	8.5
				(2024)		RIDE	7.8	7.8	8.1	8.1	8.1	8.2	8.3	8.2	8.1		8.7	8.7	8.7	8.6
89470000	8.689	12.952	R	5	1 70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	
91	126.6	130.9	2	19.0	57200	RIDE	8.9	8.5	8.8	8.1	7.7	7.5	7.4		7.7	7.6	7.6	7.6	7.6	
					FC5M															
4379921	0.000	20.194	C	2019	0012	CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	8.5
CENTRAL MORRISON COBALT JV				(2023)		RIDE	7.5	7.4	7.8	7.7	7.8	7.9	8.0	7.9		8.8	8.8	8.8	8.7	8.6
89470000	13.474	20.249	R	5	1 70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.0	
91	131.4	138.2	2	19.0	64900	RIDE	8.8	8.3	8.4	8.1	7.7	7.5	7.3		7.5	7.7	7.7	7.7	7.6	
					FC5M															
4379921	0.000	20.194	C	2019	0012	CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.2	8.0
CENTRAL MORRISON COBALT JV				(2023)		RIDE	7.5	7.4	7.9	7.8	7.8	7.9	7.9	7.7		8.6	8.6	8.6	8.6	8.5
89470000	13.474	20.249	L	5	1 70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	
91	131.4	138.2	2	19.0	64900	RIDE	8.7	8.3	8.2	7.5	7.6	7.1	7.1		7.7	7.8	7.8	7.8	7.6	
					FC5M															
4379921	0.000	20.194	C	2019	0012	CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*			10.0	10.0	10.0	8.9	7.5
CENTRAL MORRISON COBALT JV				(2023)		RIDE	7.6	7.5	7.9	7.8	7.8	7.9	8.0			8.6	8.6	8.6	8.6	8.5
89470000	5.967	12.952	L	5	1 70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	
91	123.9	130.9	2	19.0	57200	RIDE	8.8	8.4	8.6	7.8	7.6	7.2	7.1		7.7	7.8	7.9	7.8	7.7	
					FC5M															
4379921	0.000	20.194	C	2019	0012	CRACKING	9.5	9.5	9.5	8.0	8.0	6.5	6.5			10.0	10.0	10.0	10.0	8.5
CENTRAL MORRISON COBALT JV				(2023)		RIDE	7.7	7.4	8.1	8.0	8.0	8.2	8.2			8.9	8.9	8.9	8.9	8.8
89470000	0.000	5.967	L	5	1 70	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	10.0	10.0	
91	117.9	123.9	2	19.0	57200	RIDE	8.9	8.7	8.7	8.0	7.7	7.6	7.3	6.9	7.7	7.9	8.0	7.9	7.8	
					FC5M															
						CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0		10.0	10.0	10.0	8.5
				(2024)		RIDE	7.7	7.5	8.2	8.0	8.1	8.2	8.2	8.2	8.1		8.6	8.6	8.6	8.5

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).