

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----

RDWYID	SR	US	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																			FUTURE							
											1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017		2018	2019	2020	2021	2022	2023	2024
INTERSECT AT (MP SIDE)											ADT RATINGS											SURFTYPE															
ITMSEG-P W_BMP W_EMP RW FY-P WKM-X-P											CONTRACTOR (AGE_ONE YEAR) ASTYPE											ITMSEG-F W_BMP W_EMP RW FY-F WKM-X-F															
89060000	76		14.400	23.381	C	1	1	55	4300	CRACKING	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*												
GROVESIDE DR SW(18.0R)											FC125																										
4216971	76		14.400	23.381	C	2011	0012	SPRIDE				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
DICKERSON FLORIDA INC.											(2013)																										
89060000	76		23.381	25.162	R	1	1	50	21500	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	10.0	10.0									
CR-711 / PRATT WHITT(23.6R)											FC5M																										
						(2022)		CRACKING RIDE				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
89060000	76		25.162	25.935	R	1	1	45	41000	CRACKING	10.0	10.0	10.0	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5									
SPUR(25.2R)											DGFC																										
						(2021)		CRACKING RIDE				7.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
89060000	76		25.935	28.932	R	1	1	45	46000	CRACKING	10.0	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5									
COVE RD(26.1R)											FC95M																										
4226413	76		26.121	29.063	R	2015	0213	CRACKING RIDE				7.5	7.5	6.5	6.5	4.5*	4.5*						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
INDIAN ST(29.1R)											(2021)																										
89060000	76		28.932	29.289	R	1	1	45	46000	CRACKING	10.0	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5									
BLACKSTONE LN(29.9L)											FC95																										
4226413	76		29.200	29.710	R	2015	0213	CRACKING RIDE				7.5	7.5	7.5	7.5	6.5	4.5*	4.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
CALM WATER CRESS(29.7L)											(2021)																										
89060000	76		29.828	31.448	R	1	8	40	50500	CRACKING	6.5	6.5	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COLORADO AVE(30.4C)											FC95																										
2288521	76		29.901	31.390	C	2004	0012	SPRIDE				10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
DICKERSON FLORIDA INC.											(2007)																										
89060000	76		29.828	31.448	L	1	8	40	50500	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
BLACKSTONE LN(29.9L)											FC95																										
2288521	76		29.901	31.390	C	2004	0012	SPRIDE				10.0	9.5	9.5	9.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	
DICKERSON FLORIDA INC.											(2007)																										
4439951	76		30.039	31.448	L	2022	0012					7.1	7.2	7.1	6.9	5.9	5.6	5.9	5.9	5.9	6.0	5.8	5.8	5.4*	5.3*												
89060000	76		29.289	29.828	L	1	1	45	46000	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5												
CALM WATER CRESS(29.7L)											FC95M																										
4226413	76		29.347	29.830	L	2015	0213	CRACKING RIDE				6.5	4.5*	4.5*	4.5*	4.5*	4.5*						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
SW MARTIN HWY(29.1L)											(2021)																										
89060000	76		28.932	29.289	L	1	1	45	46000	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5											
GAINES AVE W(26.3L)											FC95M																										
4226413	76		26.121	29.026	L	2015	0213	CRACKING RIDE				6.5	4.5*	4.5*	4.5*	4.5*	4.5*						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
INDIAN ST(29.1R)											(2021)																										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN

Table with columns: RDWYID, SR, US, G_BMP, EMP LN, RW, SYS TYP, SPD, DISTRESS RATINGS, SURVEYED YEAR (2012-2024), and FUTURE (2029). Rows include project details like 'JACK JAMES DR(25.2C)', 'KANSAS AVE SW(24.8L)', 'CR 711(23.6L)', etc.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----

RDWYID	SR	US	BMP	G_BMP	EMP	G_EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			2005	2006	2007	2008	2009	2010	2011	FUTURE				
													1999	2000	2001								2029				

INTERSECT AT (MP SIDE)																											
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																											
CONTRACTOR (AGE_ONE YEAR) ASTYPE																											
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																											
89095000	9	I95	11.490		24.817	L	4	3	12.0	1	70	CRACKING	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0
												RIDE	9.0	8.8	8.8	8.2	8.4	7.5	7.4	7.4	7.2	7.0	6.8	8.3	8.0		
												FC5M															
4153961			11.494		24.835	C	2008			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	5.6
DICKERSON												RIDE	8.2	8.2	8.2	8.1	8.5	8.5	8.6	8.7	8.8	8.7	8.7	8.6	8.6	8.6	8.6
4491601			11.490		24.817	C	2025			0012																	
89095000	9	I95	7.849		11.490	L	4	3	10.8	1	70	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*
												RIDE	9.0	8.9	8.8	8.5	8.6	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.4		
												FC5															
4153951			7.849		11.490	L	2010			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.9	
J.W. CHEATHAM, LLC												SPRIDE	7.7	7.8	7.8	7.7	8.3	8.3	8.3	8.4	8.5	8.5	8.5	8.4	8.3	8.3	8.3
4491591			7.815		11.490	C	2025			0012																	
89095000	9	I95	0.000		7.849	L	4	3	7.6	1	70	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5		
												RIDE	8.6	8.4		8.1	8.5	7.7	7.7	7.7	7.6	7.4	7.4	7.2	7.1		
												FC5M															
4342731			0.000		7.825	L	2017			0012	CRACKING	8.0	7.0	7.0	7.0	5.5*	5.5*	5.5*					10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.												SPRIDE	7.3	7.2	7.2	7.2	7.6	7.5	7.5				8.8	8.7	8.7	8.7	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).