

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR																			(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
89010000	0.000	5.050	R	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
5	1		2	7.3	18100	RIDE		8.9	8.6	8.8	8.3	8.3	8.1	8.1	8.0	7.6	7.9	7.9	7.8	7.7	
FRONTAGE RD( 0.2R)																					
4270231	0.000	5.050	C	2013	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.9	7.0
J.W. CHEATHAM, LLC (2016) SPRIDE 7.5 8.4 8.3 8.4 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.4																					
89010000	5.050	7.256	R	1	1	45	CRACKING	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1		2	7.3	18100	RIDE		7.9	7.5	8.4	7.7	7.7	7.7	7.8	7.6	7.5	7.7	7.7	7.6	7.6	
CR A1A R( 5.6R)																					
2288291	5.050	7.042	C	2001	0012	CRACKING		10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	7.0	6.6	3.5*
4484471 5.025 10.130 C 2026 0012 SPRIDE 7.5 7.6 7.7 7.7 7.7 7.8 7.8 7.8 7.6 7.6 7.8 7.7 7.6 7.6 7.8 7.7 7.6 7.6 7.5 7.5																					
89010000	7.256	9.171	R	1	1	45	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1		2	5.2	26500	RIDE		7.9	7.5	7.7	6.4*	6.2*	5.6		7.4	7.4	7.5	7.5	7.4	7.5	
SIDE ROAD( 7.5R)																					
2288511	7.268	9.171	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.5	6.0*
4484471 5.025 10.130 C 2026 0012 SPRIDE 7.4 7.1 7.6 7.4 7.4 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.4																					
89010000	9.171	11.156	R	1	1	55	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1		2	4.8	31000	RIDE		7.9	7.5	7.7	6.4*	6.2*	7.5	7.5	7.5	7.5	7.7	7.6	7.6	7.6	
HOBE TERR(10.0R)																					
2288581	9.170	11.996	C	2003	0012	CRACKING		10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*
DICKERSON FLORIDA INC. (2006) SPRIDE 7.6 7.5 7.7 7.6 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.6 7.6 7.6 7.6 7.5																					
89010000	11.156	14.722	R	1	1	45	CRACKING	2.0*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
5	1		3	4.8	31000	RIDE		7.9	7.5			7.2	7.2	7.2	7.0	7.0	7.1	7.1	7.0	6.9	
HERITAGE BLVD SE(11.3C)																					
4378381	11.596	14.710	R	2019	0012	CRACKING		8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.4	9.7	8.5
J.W. CHEATHAM, LLC (2022) SPRIDE 6.8 6.8 6.8 6.7 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8 8.4 8.4 8.4 8.4 8.3 8.2																					
89010000	14.722	16.295	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	
5	1		3	5.0	38000	RIDE		8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9	7.1	
BROOK ST SE R(14.8R)																					
4360961	14.710	16.320	C	2018	0012	CRACKING		4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP. (2021) SPRIDE 6.8 6.8 7.3 7.1 7.1 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 8.1 8.1 8.1 8.1 8.1 8.1 8.1 7.8																					
89010000	16.295	18.040	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	9.0	
5	1		3	12.6	36000	RIDE		8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9	6.4	
INDIAN ST SE(16.5C)																					
4476491	16.294	18.018	C	2025	0012	CRACKING		9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	8.3	7.0
(2013) RIDE 6.3 5.8 6.3 5.8 5.8 5.8 5.8 6.2 6.2 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 5.4*																					
89010000	18.040	19.558	R	1	7	40	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	
5	1		3	3.0	42000	RIDE		7.3	6.3	7.1	6.6	6.4		8.0	7.5	7.4	7.4	7.5	7.4	7.2	
DIXIE CUT OFF RD(18.3R)																					
4461101	18.018	19.545	C	2023	0012	CRACKING		9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
OHLA USA, INC. (2026) SPRIDE 7.3 7.2 6.8 6.5 6.9 6.9 6.9 6.8 6.6 6.4 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 7.3 7.0																					
89010000	20.880	22.224	R	1	2	45	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
5	1		3	5.3	52500	RIDE		8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1	
FORK RD(20.9R)																					
4461101	20.890	22.224	R	2023	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
OHLA USA, INC. (2026) RIDE 8.2 8.0 7.9 8.0 8.0 7.9 7.9 7.9 7.9 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 8.1 7.8																					
89010000	22.224	22.540	R	1	2	45	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
5	1		4	5.3	52500	RIDE		8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1	
BRITT RD(22.4C)																					
4461101	22.224	22.547	R	2023	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
OHLA USA, INC. (2026) RIDE 8.2 8.0 7.9 8.0 8.0 7.9 7.9 7.9 7.9 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 8.1 7.8																					
89010000	22.540	23.060	R	1	1	45	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
5	1		4	13.4	57000	RIDE		8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1	
CR 707A(23.0R)																					
4461101	22.547	22.810	R	2023	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
OHLA USA, INC. (2026) RIDE 8.2 8.0 7.9 8.0 8.0 7.9 7.9 7.9 7.9 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.9 7.6																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
89010000	23.060	24.476	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0		
5	1		4	13.4		57000	RIDE	8.1	8.9	9.0	8.5	8.5	7.5	7.7	6.5	7.6	6.5	7.2	7.2	7.2		
JACK WILLIAMS NW(23.1R)																						
4439921	23.050	24.476	R	2022		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.5	10.0	9.0	
OHLA USA, INC.	(2024)						SPRIDE	7.0	6.9	6.9	6.9	6.9	6.8	7.0	6.9	6.8	6.7	7.8	7.6	7.5	7.2	
-----																						
89010000	23.060	24.476	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	
5	1		4	13.4		57000	RIDE	8.1	8.0	8.7	8.1	7.9	8.0	7.4	7.8	7.7	7.9	7.5	7.7	7.6		
HOME DEPOT(23.2L)																						
4439921	23.258	24.476	L	2022		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	9.7	10.0	9.0	
OHLA USA, INC.	(2024)						SPRIDE	7.5	7.2	6.5	6.3	7.0	7.0	7.0	6.9	7.0	7.2	7.9	7.8	7.6	7.3	
-----																						
89010000	20.880	23.060	L	1	7	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0		
5	1		3	5.3		52500	RIDE	8.0	8.0	7.9	6.9	6.8	6.6	6.5	8.3	8.1	8.2	8.1	8.0	8.1		
NW FORK RD(20.9L)																						
4461101	20.890	23.013	L	2023		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
OHLA USA, INC.	(2026)						RIDE	8.0	7.5	7.3	7.7	7.8	7.7	7.7	7.5	7.4	7.3			8.1	7.8	
-----																						
89010000	18.040	19.558	L	1	7	40	CRACKING	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5	1		3	3.0		42000	RIDE	7.0	7.0	6.6	6.2	6.3		8.1	7.2	7.2	7.3	7.2	7.2	7.1		
SE TRESSLER DR(18.3L)																						
4461101	18.018	19.545	C	2023		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0		10.0	9.5	
OHLA USA, INC.	(2026)						SPRIDE	7.0	6.7	6.2	6.6	6.7	6.7	6.5	6.3	6.2	6.0	6.1		6.9	6.6	
-----																						
89010000	16.295	18.040	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5		
5	1		3	12.6		36000	RIDE	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2	6.7		
INDIAN ST SE(16.5C)																						
4476491	16.294	18.018	C	2025		0012	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	
							RIDE	6.7	6.0	6.0	6.2	6.2	6.4	6.2	6.3	6.3	6.1	5.8	5.9	5.8	5.5	
-----																						
89010000	14.722	16.295	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	9.0		
5	1		3	5.0		38000	RIDE	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2	7.5		
SUNSHINE NOB MANOR(14.8L)																						
4360961	14.710	16.320	C	2018		0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	
COMMUNITY ASPHALT CORP.	(2021)						SPRIDE	7.4	7.3	7.4	7.2	7.4	7.4		8.0	8.0	7.9	8.0	8.0	8.0	7.7	
-----																						
89010000	11.156	14.722	L	1	1	45	CRACKING	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
5	1		3	4.8		31000	RIDE	8.1	8.1			7.3	7.2	7.1	6.9	6.7	6.7	6.7	6.6	6.5		
HERITAGE BLVD SE(11.3C)																						
4378381	11.596	14.710	L	2019		0012	CRACKING	9.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.5	10.0	8.5	
J.W. CHEATHAM, LLC	(2022)						SPRIDE	6.4	6.2	6.6	6.4	6.6	6.7	6.6		8.3	8.2	8.1	8.1	8.1	8.0	
-----																						
89010000	9.171	11.156	L	1	1	55	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	4.8		31000	RIDE	8.1	8.1	7.9	7.0	6.8	7.5	7.7	7.6	7.6	7.7	7.7	7.7	7.6		
OSPREY ST(10.1L)																						
2288581	9.170	11.996	C	2003		0012	CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	3.5*	
DICKERSON FLORIDA INC.	(2006)						SPRIDE	7.5	7.3	7.6	7.5	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.4	7.3	7.2	
-----																						
89010000	7.256	9.171	L	1	1	45	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	5.2		26500	RIDE	8.1	8.1	7.9	7.0	6.8	6.2		7.2	7.2	7.3	7.3	7.2	7.2		
ALGOZZINI ST SE( 7.5L)																						
2288511	7.268	9.171	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.6	6.0*	
COMMUNITY ASPHALT CORP.	(2008)						SPRIDE	7.2	7.1	7.2	7.1	7.2	7.2	7.2	7.2	7.1	7.1	7.2	7.1	7.1	7.0	
4484471	5.025	10.130	C	2026		0012																
-----																						
89010000	5.050	7.256	L	1	1	45	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
5	1		2	7.3		18100	RIDE	8.1	8.1	8.3	7.7	7.7	7.7	7.6	7.5	7.5	7.6	7.5	7.5	7.5		
HIGHBORN WAY SE L( 5.7L)																						
2288291	5.050	7.042	C	2001		0012	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	7.0	3.5*	
	(2003)						SPRIDE	7.4	7.3	7.8	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.5	7.6	7.6	7.5	
4484471	5.025	10.130	C	2026		0012																
-----																						
89010000	0.000	5.050	L	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	4.5*		
5	1		2	7.3		18100	RIDE	8.9	8.9	8.9	8.5	8.5	8.0	8.3	8.0	7.5	8.0	8.3	8.1	6.7		
SIDE ROAD( 0.9C)																						
4270231	0.000	5.050	C	2013		0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.8	
J.W. CHEATHAM, LLC	(2016)						SPRIDE	6.5		8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.5	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	ASTYPE	*****															
ITMSEG-P	(AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M																	
89015000	0.000	0.123	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*		
5	1			3	5.3	58239	RIDE															
JOAN JEFFERSON WAY( 0.0C)																						
							FC95M															
							(2022)	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
							RIDE									8.0	8.1	8.1	8.0	8.0	7.9	
89015000	0.968	1.171	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	4.5*		
5	1			3	5.3	58239	RIDE															
WRIGHT BLVD( 1.2R)																						
							FC95M															
							(2022)	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
							RIDE									8.4	8.4	8.4	8.3	8.4	8.1	
89015000	0.968	1.171	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	
5	1			3	5.3	58239	RIDE															
RAMP TO DIXIE HWY( 1.1L)																						
							FC95M															
							(2022)	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
							RIDE									8.5	8.5	8.4	8.5	8.4	8.1	
89015000	0.000	0.123	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
5	1			3	5.3	58239	RIDE															
JOAN JEFFERSON WAY( 0.0C)																						
							FC95M															
							(2022)	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	
							RIDE									8.3	8.2	8.0	8.1	7.9	7.6	
89020000	0.552	6.124	R	1	4	60	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5	6.5	
710				2	13.9	8700	RIDE	7.7	8.1	8.3	7.8	7.9	7.8	7.8	7.7	7.6	7.3	7.6	7.5	7.3		
LDG																						
4327051	0.552	6.124	C	2017	0213	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		9.4	9.9	9.4	9.4	9.4	9.4	9.4	9.4	9.0	
RANGER CONSTRUCTION INDUST(2020)								7.1	7.0	7.1	7.2	7.2		9.2	9.1	8.9	9.1	9.0	8.7	8.7	8.6	
89020000	0.552	6.124	L	1	4	60	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5	6.5	
710				2	13.9	8700	RIDE	7.7	8.1	8.3	7.8	7.9	7.8	7.8	7.7	7.6	7.3	7.6	7.5	7.3		
LDG																						
4327051	0.552	6.124	C	2017	0213	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	9.5	9.5	9.4	9.4	9.4	9.4	9.4	9.0	
RANGER CONSTRUCTION INDUST(2021)								7.1	7.0	7.1	7.2	7.2		9.1	9.2	9.1	9.2	8.8	9.0	8.9		
89040000	1.750	2.537	R	1	1	35	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
ALA				2	8.3	28000	RIDE	6.0*	5.8	5.8	5.7	5.3*	5.0*		6.7	7.4	7.4	7.2	7.4	7.4		
MONTEREY RD( 1.8R)																						
2288531	1.600	2.537	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.5	8.3	7.0	
CAROLINA CONSULTING CORP.(2008)								7.2	6.8	6.8	6.6	6.5	6.4	6.3	6.4	6.2	6.0	5.9	5.9	5.9	5.9	
89040000	3.143	3.519	C	1	1	40	CRACKING	9.5	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
ALA				2	5.4	30000	RIDE	5.8*	4.0*			6.1	5.6	6.0	6.2	5.9	6.4	6.3	6.3	6.3		
RIVER RD( 3.2C)																						
4246391	3.143	3.436	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.6	7.5	
DICKERSON FLORIDA INC.(2014)								8.0	7.2	6.4	6.8	7.2	6.7	7.1	6.7	6.9	7.0	7.0	6.9	6.8	6.5	
89040000	4.401	5.738	C	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
ALA				2	4.1	8479	RIDE	7.4	7.6	7.3	6.8	6.7	7.4	7.3	7.0	7.4	7.5	7.4	7.4	7.3		
EAST ISLAND ACCESS( 4.5R)																						
2288371	4.547	5.685	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	9.0	7.5	
DICKERSON FLORIDA INC.(2006)								7.3	6.8	6.2	6.4	6.7	6.6	6.4	6.4	6.5	6.4	6.3	6.4	6.3	6.4	
89040000	5.738	7.632	C	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ALA				2	4.1	8479	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	7.9		
NE SHORE VILLAGE TER( 5.7L)																						
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*	
COMMUNITY ASPHALT CORP.(2007)								8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.8
4476501	5.738	8.015	C	2026	0012																	
89040000	7.632	7.954	R	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ALA				2	4.1	8479	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	7.9		
DGFC																						
							(2026)	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
							RIDE									8.0	7.5	7.5	7.5	7.5	5.3*	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
89040000	7.954	8.110	R	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	4.1		8479	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	7.9		
BEACH ENT( 8.0R)						FC95																
4051671	5.685	8.669	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.4	6.0*
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE		8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.6	5.4*	5.1*
89040000	8.110	8.460	R	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
ALA			1	4.6		17900	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	7.6	7.8		
4051671	5.685	8.669	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE		7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	7.2	7.2	6.9
89040000	8.460	8.630	C	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
ALA			1	4.6		17900	RIDE	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	7.6	7.8		
THE DUNE( 8.6R)						FC95																
4051671	5.685	8.669	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.5	7.0
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE		7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	7.4	7.4	7.1
89040000	1.750	2.537	L	1	1	35	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	8.3		28000	RIDE	5.9*	7.8	7.9	6.3	5.6	5.2*		7.1	7.0	7.4	7.4	7.5	7.4		
SMITHFIELD PLAZA( 1.8L)						FC95																
2288531	1.600	2.537	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.7	7.5	
CAROLINA CONSULTING CORP.				(2008)		SPRIDE		7.5	7.2	6.9	6.8	7.0	6.9	6.8	6.7	6.8	6.7	6.6	6.6	6.6	6.6	
89050000	0.000	1.718	C	1	7	55	CRACKING	6.0*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*		10.0	10.0	10.0	9.5	9.0		
15 98			2	33.4		4800	RIDE	7.8	7.6	7.5	7.0	6.6	6.3*	6.2*		8.4	8.3	8.3	8.2	8.0		
KANNER HWY( 1.4R)						FC125H																
4461711	0.000	1.184	C	2023		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5	
RANGER CONSTRUCTION INDUST				(2026)		SPRIDE		7.9	7.5	7.3	7.3	7.1	6.9	6.7	6.3*	6.2*	6.0*	6.0*		8.2	7.9	
89050000	2.184	12.333	C	1	7	55	CRACKING	10.0	9.5	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
15 98			2	37.9		3100	RIDE	8.5	8.3	8.3	7.4	7.3	7.0	7.2	6.7	6.4*	6.3*	6.2*	8.5	8.3		
ACCES RD( 2.5L)						FC125H																
4461711	7.076	12.333	C	2023		0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5	
(2026)						RIDE		8.1	7.8	7.6	7.1	7.4	7.2	7.1	6.8	6.7	6.3*	6.2*		8.1	7.8	
89060000	0.000	1.843	C	1	1	55	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.0	6.0*		
76			2	30.1		2500	RIDE	7.4	8.5	8.5	7.8	7.6	7.6	7.4	7.4	7.0	7.1	7.1	7.1	7.0		
CONNERS HWY( 0.0C)						FC125M																
4342751	0.000	1.843	C	2017		0012	CRACKING	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	8.0	
LYNCH PAVING & CONSTRUCTIO				(2018)		SPRIDE		7.0	6.8	5.9*	6.0*	8.0	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.0	
89060000	1.843	9.918	C	1	1	55	CRACKING	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*		
76			2	43.8		2300	RIDE	8.4	8.3	8.3	7.3	7.4	7.2	7.1	7.0	6.6	6.8	6.7	6.7	6.4*		
LAKE POINT CIR SW( 2.1R)						FC95																
4229531	1.810	9.918	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.5	8.5	7.5	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		8.7	7.7	6.8	7.3	8.0	8.0	7.9	7.8	7.6	7.4	7.5	7.4	7.2	6.9	
89060000	9.918	12.487	C	1	1	45	CRACKING	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0		
76			2	43.8		2300	RIDE	8.9	8.8	8.8	8.3	8.4	8.3	8.2	8.0	7.7	7.8	7.8	7.7	8.4		
INDIANTOWN AVE SW(11.5R)						FC125																
4216801	9.918	12.486	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.3	8.0	
DICKERSON FLORIDA INC.				(2013)		SPRIDE		8.6	7.5	7.3	7.7	8.3	8.3	8.2	8.1	8.1	7.9	8.0	8.1	8.0	7.7	
89060000	12.487	14.400	C	1	1	55	CRACKING	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	10.0	10.0		
76			2	11.2		4500	RIDE	8.5	8.5	8.6	8.1	7.8	7.6	7.5	7.3	7.7	7.6	7.8	7.8	7.7		
FC125H																						
4461121	12.487	14.400	C	2023		0012	CRACKING	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	5.5*	3.5*	10.0	10.0	9.5	
J.W. CHEATHAM, LLC				(2025)		SPRIDE		7.7	7.6	7.7	7.7	7.8	7.8	7.8	7.8	7.8	7.6	7.7	8.3	8.2	7.9	
89060000	14.400	20.452	C	1	1	55	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0		
76			2	11.2		4500	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6		
GROVESIDE DR SW(18.0R)						FC125																
4216971	14.400	23.381	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0	
DICKERSON FLORIDA INC.				(2013)		SPRIDE		8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
89060000	20.452	20.873	C	1	8 55	CRACKING		10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	11.2	4500	RIDE		8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
					FC125																
4216971	14.400	23.381	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7		
DICKERSON	FLORIDA	INC.		(2013)	SPRIDE			8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8		
89060000	20.873	21.510	C	1	1 55	CRACKING		10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	13.0	3288	RIDE		8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
					FC125																
BRIDGE RD(20.9R)					0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	9.5	8.5
DICKERSON	FLORIDA	INC.		(2013)	SPRIDE			8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.5	7.2
89060000	21.510	22.104	C	1	8 55	CRACKING		10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	13.0	3288	RIDE		8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
					FC125																
4216971	14.400	23.381	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7		
DICKERSON	FLORIDA	INC.		(2013)	SPRIDE			8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8		
89060000	22.104	22.411	C	1	1 55	CRACKING		10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	13.0	3288	RIDE		8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
					FC125																
4216971	14.400	23.381	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7		
DICKERSON	FLORIDA	INC.		(2013)	SPRIDE			8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8		
89060000	22.411	23.185	C	1	8 55	CRACKING		10.0	9.0	9.0	6.5	6.5	6.5	1.0*	1.0*	0.0*	0.0*	0.0*		10.0	
76			2	13.0	3288	RIDE		8.7	8.7	8.6	8.1	8.0	7.8	6.6	6.1*	6.2*	7.1	6.4*		8.6	
					DGFC																
4216971	14.400	23.381	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7		
DICKERSON	FLORIDA	INC.		(2013)	SPRIDE			8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8		
89060000	23.185	23.381	C	1	1 50	CRACKING		10.0	9.0	9.0	6.5	6.5	6.5	1.0*	1.0*	0.0*	0.0*	0.0*		10.0	
76			2	13.0	3288	RIDE		8.7	8.7	8.6	8.1	8.0	7.8	6.6	6.1*	6.2*	7.1	6.4*		8.6	
					FC5M																
4216971	14.400	23.381	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	10.0	8.0
DICKERSON	FLORIDA	INC.		(2013)	SPRIDE			8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.9	7.8
89060000	23.381	25.162	R	1	1 50	CRACKING		10.0	9.5	9.5	9.5	9.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0
76			2	10.5	21000	RIDE		8.3	8.4	7.6	8.0	7.8	7.8	7.7	6.9	7.2	7.9	8.1	8.0	8.0	8.0
					FC5M																
CR-711 / PRATT WHITN(23.6R)				(2022)		CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.5
						RIDE		7.9	7.6	7.8	7.3	7.7	7.8	7.7	7.8	8.4	8.3	8.3	8.3	8.3	8.2
89060000	25.162	25.935	R	1	1 45	CRACKING		10.0	9.5	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	7.5	4.5*	
76			3	6.4	48500	RIDE		8.4	8.5	8.5	8.0	7.8	7.7	7.6	7.0	7.1	6.9	6.6	7.5	6.6	
					DGFC																
SPUR(25.2R)				(2021)		CRACKING		10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0
						RIDE		7.6	7.6	8.0	7.7				7.1	6.9	6.9	7.0	6.9	6.6	6.3
89060000	25.935	28.932	R	1	1 45	CRACKING		9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
76			3	11.8	40500	RIDE		8.3	8.3	8.2	8.0	8.2	8.0	8.0	7.6	7.9	7.8	7.8	7.5	7.6	
					FC95M																
COVE RD(26.1R)					0213	CRACKING		6.5	6.5	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0
4226413	26.121	29.063	R	2015		RIDE		7.5	7.3	7.6	7.4				7.9	7.9	7.9	7.9	7.8	7.8	7.5
				(2021)																	
89060000	28.932	29.289	R	1	1 45	CRACKING		9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
76			3	11.8	40500	RIDE		8.3	8.3	8.2	8.0	8.2	8.0	8.0	7.6	7.9	7.8	7.8	7.5	7.5	
					FC95M																
INDIAN ST(29.1R)				(2021)		CRACKING			10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.0	8.7	8.0
						RIDE			7.6	6.9	7.1				7.2	6.7	7.0	7.0	6.9	6.7	6.4
89060000	29.289	30.060	R	1	1 45	CRACKING		9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
76			3	11.8	40500	RIDE		8.3	8.3	8.2	8.0	8.2	8.0	8.0	7.6	7.9	7.8	7.8	7.5	7.5	7.8
					FC95M																
4226413	29.200	29.710	R	2015	0213	CRACKING		7.5	7.5	6.5	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0
				(2021)		RIDE		7.6	7.7	7.9	7.8				8.4	8.3	8.2	8.3	8.1	7.8	7.5

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
89060000	30.060	31.448	R	1	1	40	CRACKING	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
76			3	12.3		42500	RIDE	7.0	7.1	6.3	6.4	6.2	6.1	8.0	8.1	7.7	7.5	7.3	7.8	7.3		
COLORADO AVE(30.4C)																						
4439951	30.039	31.289	R	2022		0012	CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.0		10.0	10.0	9.5	
4439951	30.442	31.337		(2025)			SPRIDE	7.5	7.2	6.7	6.6	7.0	7.1	6.9	7.1	6.8	7.0		7.8	7.7	7.4	
OHLA USA, INC.																						
89060000	30.060	31.448	L	1	1	40	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
76			3	12.3		42500	RIDE	7.1	7.4	6.6	6.0	5.3*	5.9	7.7	7.5	7.3	7.5	7.3	7.1	7.2		
DE LA BAHIA(30.2L)																						
4439951	30.442	31.337	L	2022		0012	CRACKING	9.5	9.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	9.5	
4439951	30.442	31.337		(2025)			SPRIDE	7.1	6.9	5.9	5.6	5.9	5.9	6.0	5.8	5.4*	5.3*		7.0	6.8	6.5	
OHLA USA, INC.																						
89060000	29.289	30.060	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	4.5*		
76			3	11.8		40500	RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	8.3		
CALM WATER CRESS(29.7L)																						
4226413	29.347	29.830	L	2015		0213	CRACKING	4.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	9.5	8.5	
4226413	29.347	29.830		(2021)			RIDE	7.8	8.0	7.8	7.6				8.1	8.1	7.9	7.9	7.6	7.5	7.2	
OHLA USA, INC.																						
89060000	28.932	29.289	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5			
76			3	11.8		40500	RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	8.0		
SW MARTIN HWY(29.1L)																						
4226413	29.026	29.347	L	2015		0213	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	8.6	8.6	7.5	
4226413	29.026	29.347		(2021)			RIDE		8.1	7.4	6.7				7.5	7.6	7.4	7.4	7.1	7.2	6.9	
OHLA USA, INC.																						
89060000	25.935	28.932	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	4.5*		
76			3	11.8		40500	RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	8.0		
GAINES AVE W(26.3L)																						
4226413	26.121	29.026	L	2015		0213	CRACKING	4.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	
4226413	26.121	29.026		(2021)			RIDE	7.8	7.6	7.7	7.7				8.0	8.0	8.0	8.0	7.9	7.9	7.6	
OHLA USA, INC.																						
89060000	25.162	25.935	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5		
76			3	6.4		48500	RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0	8.0	7.7	
JACK JAMES DR(25.2C)																						
				(2021)		DGFC	CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	
				(2021)			RIDE	7.7	7.6	7.9	7.9				6.9	6.9	6.8	6.9	6.8	6.9	6.6	
OHLA USA, INC.																						
89060000	24.600	25.162	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	10.0	10.0		
76			2	10.5		21000	RIDE	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	7.9	7.8		
KANSAS AVE SW(24.8L)																						
4226412	24.699	25.159	L	2018		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	9.6	10.0	8.5	
4226412	24.699	25.159		(2022)			SPRIDE	7.8	7.7	8.1	8.0	8.0	8.1	8.1	7.2	8.3	8.2	8.1	8.2	8.1	8.0	
RANGER CONSTRUCTION INDUST																						
89060000	23.381	24.600	L	1	1	50	CRACKING	3.0*	3.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
76			2	10.5		21000	RIDE	6.9	7.3	7.5	6.8	6.5	6.6	7.7	7.5	7.3	7.9	8.1	8.0	8.0		
CR 711(23.6L)																						
4226412	23.948	24.699	L	2018		0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.5	
4226412	23.948	24.699		(2022)			SPRIDE	7.9	7.6	7.8	7.3	7.7	7.8	7.7	7.8	8.7	8.6	8.6	8.6	8.5	8.4	
RANGER CONSTRUCTION INDUST																						
89070000	0.000	2.000	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0		
710			2	30.1		8400	RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4		
CR 714( 0.0L)																						
4138441	0.154	14.648	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.2	7.5	6.0*	
4138441	0.154	14.648		(2010)			RIDE	8.4	7.9	7.7	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.8	8.0	8.0	7.7	
J.W. CHEATHAM, LLC																						
4533332	0.000	9.771	C	2031		0213																
4533332	0.000	9.771		(2031)																		
OHLA USA, INC.																						
89070000	2.000	4.059	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0		
710			2	30.1		8400	RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4		
CR 714( 0.0L)																						
4327071	2.000	12.600	C	2014		0213	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.4	8.5	
4327071	2.000	12.600		(2018)			RIDE	8.4	7.9	7.7		8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.9	7.8	7.5	
OHLA USA, INC.																						
4533332	0.000	9.771	C	2031		0213																
4533332	0.000	9.771		(2031)																		
OHLA USA, INC.																						
89070000	4.059	6.241	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0		
710			2	30.1		8400	RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4		
HIGH HORSE RANCH( 4.2L)																						
4327071	2.000	12.600	C	2014		0213	CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	8.0	7.0	
4327071	2.000	12.600		(2018)			RIDE	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.2	7.9	
OHLA USA, INC.																						
4533332	0.000	9.771	C	2031		0213																
4533332	0.000	9.771		(2031)																		
OHLA USA, INC.																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
89070000	6.241	6.630	C	1	5	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	
710				2	30.1	8400	RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4	
SW TOMMY CLEMENTS ST( 6.4R)							OGFC														
							CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	10.0	9.0
							RIDE	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	7.5	7.4
4533332	0.000	9.771	C	2031		0213															
89070000	6.630	10.430	C	1	1	60	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	
710				2	30.1	8400	RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4	
SPRING HAVEN AVE( 7.3L)							FC95														
4327071	2.000	12.600	C	2014	0213		CRACKING	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	7.9	7.0
							RIDE	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	7.8
4533332	0.000	9.771	C	2031		0213															
89070000	10.430	12.446	C	1	1	60	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	
710				3	30.1	8400	RIDE	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4	8.4	
NO NAME(10.9L)							FC95MR														
4327071	2.000	12.600	C	2014	0213		CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.3	8.5
							RIDE	8.4	7.9	7.7		8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.5	7.2
4533331	9.771	14.872	C	2031		0213															
89070000	12.446	14.648	C	1	1	55	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	
710				2	30.1	8400	RIDE	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4	8.4	
SIDE ROAD(12.5L)							FC95														
4138441	0.154	14.648	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.6	7.0
							RIDE	8.4	7.9	7.7	7.7	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9
J.W. CHEATHAM, LLC (2010)																					
4533331	9.771	14.872	C	2031		0213															
89070000	14.648	15.700	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	
710				2	18.3	14400	RIDE	8.9	8.8	8.9	8.5	8.5	8.5	8.4	8.5	8.3	8.3	8.3	8.3	8.3	9.0
M L KING DR SW(14.7R)							FC95														
4271121	14.648	15.720	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.6	7.5
							SPRIDE	9.0	8.6	8.5	7.9	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.1
DICKERSON FLORIDA INC. (2013)																					
4533334	14.872	15.710	C	2030		0213															
89070000	15.700	16.456	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		10.0	10.0	10.0	
710				4	18.3	14400	RIDE	8.1	8.1	8.0	7.5	7.7	7.1	7.3	7.4	7.3		7.8	8.1	8.0	
SW JEFFERSON AVE(15.9R)							FC95														
4138451	15.747	16.605	R	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.7	7.5
							SPRIDE	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0	6.8	6.5
HARDRIVES OF DELRAY, INC. (2011)																					
89070000	16.456	16.985	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		10.0	10.0	10.0	
710				2	18.3	14400	RIDE	8.1	8.1	8.0	7.5	7.7	7.1	7.3	7.4	7.3		7.8	8.1	8.0	
FERNWOOD FOREST RD(16.5R)							FC5M														
							CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.7	6.0*
							RIDE			7.8	7.6	7.7	7.6	7.7	7.7	7.8	7.4	7.5	7.6	7.5	7.4
89070000	17.165	17.722	R	1	1	45	CRACKING	9.0	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	1.0*		10.0	10.0	10.0	
710				2	18.3	14400	RIDE	8.6	8.3	8.4	7.7	7.3	7.0	6.9	6.6	6.7		8.2	8.1	8.1	
SR 710(17.7C)							FC5M														
							CRACKING			10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	7.6	7.2	5.5*
							RIDE			7.9	7.8	7.8		7.8	7.6	7.7	7.7	7.6	7.5	7.6	7.5
89070000	17.173	17.722	L	1	1	45	CRACKING	9.0	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	1.0*		10.0	10.0	10.0	
710				2	18.3	14400	RIDE	8.6	8.3	8.4	7.7	7.3	7.0	6.9	6.6	6.7		8.2	8.1	8.1	
SR 710(17.7C)							FC5M														
							CRACKING			10.0	10.0	10.0		10.0	10.0	10.0	9.0	9.0	6.9	7.0	5.5*
							RIDE			7.9	7.8	7.7		7.7	7.7	7.5	7.5	7.5	7.5	7.4	7.3
89070000	16.456	16.992	L	1	1	35	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	
710				2	18.3	14400	RIDE	8.1	8.1	8.2	7.8	7.0	7.5	6.8	7.4	7.2		7.8	8.1	8.0	
SEMINOLE DR SW(16.5L)							FC5M														
							CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	7.9	6.0*
							RIDE			7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.7	7.7	7.6
89070000	15.700	16.456	L	1	1	35	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	
710				2	18.3	14400	RIDE	8.1	8.1	8.2	7.8	7.0	7.5	6.8	7.4	7.2		7.8	8.1	8.0	
SW VAN BUREN AVE(15.7L)							FC95														
4138451	15.803	16.545	L	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	9.5	8.0
							SPRIDE	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0	7.0	6.7
HARDRIVES OF DELRAY, INC. (2011)																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
89090000	5.222	6.375	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	7.5		10.0	10.0	10.0	10.0	10.0		
714				2	11.9	15200	RIDE	8.2	7.7	8.2	7.7	7.5	7.2	6.7		8.2	8.2	8.2	8.1	8.0		
ACCESS RD( 5.2R)							DGFC															
4114351	5.222	6.137	R	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
COMMUNITY ASPHALT CORP. (2009)							RIDE	7.9	7.8	7.6	7.5	7.7	7.7	7.6	7.6	7.6	7.7	7.6	7.6	7.6	7.3	
89090000	6.375	9.703	C	1	1	50	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
714				2	11.9	15200	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5		
MARTIN COUNTY LANDFILL R( 7.0L)							DGFC															
4114351	7.209	9.965	C	2006	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.7	8.5	7.0	
COMMUNITY ASPHALT CORP. (2009)							RIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.3	8.2	7.9	
4484461	6.375	9.689	C	2026	0012																	
89090000	9.703	11.154	R	1	7	45	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
714				2	9.4	28500	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5		
CITRUS BLVD SW(10.0C)							FC125M															
4368701	10.320	11.050	R	2021	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5	
C. W. ROBERTS CONTRACTING, (2026)							SPRIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	7.5	7.2	
89090000	13.849	14.226	R	1	1	35	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
714				2	5.0	41000	RIDE	6.2*	6.2	6.2	5.2*	5.6	6.6	6.2	6.6	6.7	6.4	6.7	6.7	6.7	6.6	
FEROE AVE SW(13.9C)							DGFC															
2288501	13.835	14.660	C	2004	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.6	7.4	6.0*	
COMMUNITY ASPHALT CORP. (2006)							SPRIDE	6.6	6.6	5.7	5.4*	5.6	5.7	5.6	5.3*	5.1*	5.3*	5.2*	5.3*	5.2*	4.9*	
89090000	14.576	14.660	R	1	1	35	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0		
714				2	5.0	41000	RIDE								7.6	7.2						
US 1/SR 5(14.7C)							DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	8.7	8.4	7.5	
							RIDE												4.9*	4.6*		
4498291	14.571	14.660	C	2028	0012																	
89090000	14.576	14.660	L	1	1	35	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0		
714				2	5.0	41000	RIDE								7.6	7.9						
PALM CITY RD(14.7L)							DGFC															
2288501	13.835	14.660	C	2004	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
COMMUNITY ASPHALT CORP. (2008)							SPRIDE														7.1	
4498291	14.571	14.660	C	2028	0012																6.8	
89090000	13.849	14.226	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
714				2	5.0	41000	RIDE						5.8	5.7	5.7	5.9	5.7	5.7	5.7	5.7	5.5	
FEROE AVE SW(13.9C)							DGFC															
2288501	13.835	14.660	C	2004	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.0
COMMUNITY ASPHALT CORP. (2006)							SPRIDE	5.3*	5.7	5.2*	5.4*	5.8	5.5	5.4*	5.3*	5.2*	5.1*	5.1*	5.1*	5.1*	4.8*	
89090000	9.703	11.154	L	1	5	45	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
714				2	9.4	28500	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5		
CITRUS BLVD SW(10.0C)							FC125M															
4368701	10.320	11.050	L	2021	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5	
C. W. ROBERTS CONTRACTING, (2026)							SPRIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.1	7.0	6.7	
89090000	5.222	6.375	L	1	1	45	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0		10.0	10.0	10.0	10.0	10.0		
714				2	11.9	15200	RIDE	7.6	7.2	8.3	7.7	7.4	7.4	7.1		7.1	8.1	8.1	8.0	8.0		
							DGFC															
4114351	5.222	6.291	L	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.7	8.5	
COMMUNITY ASPHALT CORP. (2009)							RIDE	7.9	7.8	7.5	7.4	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.6	7.5	7.2	
89091000	0.000	2.475	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
714				2	5.4	35000	RIDE	8.4	8.3	8.3	7.5	7.8	7.1	7.3	7.2	7.1	7.2	7.0	6.9	8.5		
CR 714( 0.0C)							FC125															
4216811	0.013	2.458	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.5
COMMUNITY ASPHALT CORP. (2013)							SPRIDE	8.4	8.0	7.9	7.8	8.1	8.1	8.1	8.0	7.9	8.0	8.0	8.0	7.9	7.6	
89091000	0.000	2.475	L	1	1	45	CRACKING	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
714				2	5.4	35000	RIDE	8.5	8.2	8.3	7.6	7.8	7.6	7.6	7.5	6.7	6.7	6.3	6.0	8.6		
CR 714( 0.0C)							FC125															
4216811	0.013	2.458	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.2	9.1	8.0
COMMUNITY ASPHALT CORP. (2013)							SPRIDE	8.4	8.0	7.3	7.7	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.6	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

															DISTRICT = 4		COUNTY = MARTIN																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE													
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031												
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****																										
ITMSEG-P	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031												
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																												
ITMSEG-F																																	
89092000	0.000	1.314	R	1	1	40	CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0													
714				2	2.7	37500	RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5	6.1													
CR 714( 0.0C)																																	
2288621	0.000	1.800	C	2006	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.9	6.5												
RANGER CONSTRUCTION INDUST(2008)																																	
4498291	0.000	1.310	C	2028	0012		RIDE	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.6	5.9	5.9	5.5	5.7	5.7	5.4*												
DGFC																																	
89092000	1.314	1.633	R	1	1	40	CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0													
714				2	3.9	27000	RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5	6.1													
CR A1A( 1.6C)																																	
2288621	0.000	1.800	C	2006	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	9.5	8.0												
RANGER CONSTRUCTION INDUST(2008)																																	
4498291	0.000	1.310	C	2028	0012		RIDE	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6			4.9*	4.6*													
DGFC																																	
89092000	1.633	3.166	R	1	1	40	CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0													
714				2	5.9	19600	RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7		7.7	7.9	7.9	7.8	7.8													
FLYING FORTRESS LN( 2.5R)																																	
2288612	1.730	2.773	C	2007	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.2	8.0												
(2009)																																	
4498291	0.000	1.310	C	2028	0012		RIDE	7.7	7.1	7.0	7.4	7.7	7.6	7.5	7.5	7.3	7.4	7.4	7.3	7.3	7.0												
DGFC																																	
89092000	1.633	3.166	L	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0													
714				2	5.9	19600	RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	7.8	8.0	7.9	7.8													
CHILD CARE( 2.9L)																																	
2288612	1.730	2.773	C	2007	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.0												
(2009)																																	
4498291	0.000	1.310	C	2028	0012		RIDE	7.8	7.6	6.6	6.5	7.3	7.6	7.5	7.5	7.1	7.2	7.3	7.2	7.2	6.9												
DGFC																																	
89092000	1.314	1.633	L	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0													
714				2	3.9	27000	RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	6.0	6.5	6.8	6.8													
SPUR( 1.3L)																																	
2288621	0.000	1.800	C	2006	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	8.7	7.5												
RANGER CONSTRUCTION INDUST(2008)																																	
4498291	0.000	1.310	C	2028	0012		RIDE	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7			4.0*	3.7*													
DGFC																																	
89092000	0.000	1.314	L	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0													
714				2	2.7	37500	RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	6.0	6.5	6.8	6.8													
SW PALM CITY RD( 0.0L)																																	
2288621	0.000	1.800	C	2006	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.8	8.6	7.0												
RANGER CONSTRUCTION INDUST(2008)																																	
4498291	0.000	1.310	C	2028	0012		RIDE	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7	6.2	6.3	6.2	6.3	6.0												
DGFC																																	
89095000	0.000	7.849	R	4	1	70	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.0	8.0	7.0													
9195	88.6	96.4		3	8.0	101000	RIDE	8.4	8.5	8.6	7.8	7.7	7.7	7.6		7.5	7.4	7.2	7.1	7.3	7.2												
FC5M																																	
4342731	0.000	7.825	R	2017	0012		CRACKING	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	9.4	10.0	8.5												
COMMUNITY ASPHALT CORP.(2021)																																	
4498291	0.000	1.310	C	2028	0012		SPRIDE	7.2	7.2	7.6	7.6	7.7			8.6	8.6	8.6	8.6	8.6	8.6	8.5												
DGFC																																	
89095000	7.849	11.490	R	4	1	70	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	10.0	10.0													
9195	96.4	100.0		3	10.8	115500	RIDE	8.8	8.7	8.8	8.3	8.3	8.1	8.0		7.9	7.7	7.6	7.6	8.0	8.0												
FC5																																	
4153951	7.849	11.490	R	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.0*												
(2012)																																	
4491591	7.815	11.490	C	2025	0012		RIDE	8.0	8.0	8.2	8.3	8.3	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.2												
FC5																																	
89095000	11.490	24.817	R	4	1	70	CRACKING	9.5	8.0	8.0	7.5	7.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0													
9195	100.0	113.4		3	12.7	81500	RIDE	8.8	8.6	8.6	7.7	7.4	7.2	7.0		6.5	6.7	8.3	8.0	8.3	8.2												
FC5M																																	
4153961	11.494	24.835	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*												
DICKERSON FLORIDA INC.(2010)																																	
4491601	11.490	24.817	C	2025	0012		RIDE	8.2	8.0	8.6	8.6	8.7	8.9	8.9	8.9	8.9	8.8	8.8	8.9	8.8	8.7												
FC5																																	
89095000	11.490	24.817	L	4	1	70	CRACKING	9.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
9195	100.0	113.4		3	12.7	81500	RIDE	8.8	8.2	8.4	7.5	7.4	7.4	7.2		7.0	6.8	8.3	8.0	8.2	8.2												
FC5M																																	
4153961	11.494	24.835	C	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*												
DICKERSON FLORIDA INC.(2010)																																	
4491601	11.490	24.817	C	2025	0012		RIDE	8.2	8.1	8.5	8.5	8.6	8.7	8.8	8.7	8.7	8.7	8.6	8.6	8.7	8.6												
FC5																																	
89095000	7.849	11.490	L	4	1	70	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0												
9195	96.4	100.0		3	10.8	115500	RIDE	8.8	8.5	8.6	8.0	8.0	8.0	8.0		7.9	7.9	7.8	7.9	7.4	7.7												
FC5																																	
4153951	7.849	11.490	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.3*	3.8*	1.0*												
(2012)																																	
4491591	7.815	11.490	C	2025	0012		SPRIDE	7.8	7.7	8.3	8.3	8.3	8.4	8.5	8.5	8.5	8.4	8.3	8.3	8.2	8.1												
J.W. CHEATHAM, LLC																																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = MARTIN -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
89095000	0.000	7.849	L	4	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0
91	I95	88.6	3	8.0	101000		RIDE		8.1	8.5	7.7	7.7	7.7	7.6	7.4	7.4	7.2	7.1	7.3	7.2	
							FC5M														
4342731	0.000	7.825	L	2017	0012		CRACKING	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	8.8	9.0	7.5
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	7.2	7.2	7.6	7.5	7.5			8.8	8.7	8.7	8.7	8.7	8.7	8.6
89470000	0.000	8.689	R	5	1	70	CRACKING	8.0	8.0	7.5	7.5	7.5	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
91		117.9	2	19.0	57200		RIDE	9.0	8.4	8.8	8.3	8.1	7.8	7.7	7.3	7.7	7.9	8.1	7.9	7.9	
							FC5M														
				(2024)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	10.0	10.0	8.5
							RIDE	7.8	7.8	8.1	8.1	8.1	8.2	8.3	8.2	8.1		8.7	8.7	8.7	8.6
89470000	8.689	12.952	R	5	1	70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0
91	126.6	130.9	2	19.0	57200		RIDE	8.9	8.5	8.8	8.1	7.7	7.5	7.4	7.7	7.6	7.6	7.6	7.6	7.6	
							FC5M														
4379921	0.000	20.194	C	2019	0012		CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	8.5
CENTRAL	MORRISON	COBALT	JV	(2023)			SPRIDE	7.5	7.4	7.8	7.7	7.8	7.9	8.0	7.9		8.8	8.8	8.8	8.7	8.6
89470000	13.474	20.249	R	5	1	70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.0	
91	131.4	138.2	2	19.0	64900		RIDE	8.8	8.3	8.4	8.1	7.7	7.5	7.3	7.5	7.7	7.7	7.7	7.7	7.6	
							FC5M														
4379921	0.000	20.194	C	2019	0012		CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.2	8.0
CENTRAL	MORRISON	COBALT	JV	(2023)			SPRIDE	7.5	7.4	7.9	7.8	7.8	7.9	7.9	7.7		8.6	8.6	8.6	8.6	8.6
89470000	13.474	20.249	L	5	1	70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	
91	131.4	138.2	2	19.0	64900		RIDE	8.7	8.3	8.2	7.5	7.6	7.1	7.1	7.7	7.8	7.8	7.8	7.8	7.6	
							FC5M														
4379921	0.000	20.194	C	2019	0012		CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	8.9	7.5	
CENTRAL	MORRISON	COBALT	JV	(2023)			SPRIDE	7.6	7.5	7.9	7.8	7.8	7.9	8.0		8.6	8.6	8.6	8.6	8.6	8.5
89470000	5.967	12.952	L	5	1	70	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	
91	123.9	130.9	2	19.0	57200		RIDE	8.8	8.4	8.6	7.8	7.6	7.2	7.1	7.7	7.8	7.9	7.8	7.8	7.7	
							FC5M														
4379921	0.000	20.194	C	2019	0012		CRACKING	9.5	9.5	9.5	8.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	8.8	
CENTRAL	MORRISON	COBALT	JV	(2023)			SPRIDE	7.7	7.4	8.1	8.0	8.0	8.2	8.2		8.9	8.9	8.9	8.9	8.9	8.8
89470000	0.000	5.967	L	5	1	70	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
91	117.9	123.9	2	19.0	57200		RIDE	8.9	8.7	8.7	8.0	7.7	7.6	7.3	6.9	7.7	7.9	8.0	7.9	7.8	
							FC5M														
				(2024)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0		10.0	10.0	10.0	8.5
							RIDE	7.7	7.5	8.2	8.0	8.1	8.2	8.2	8.2	8.1		8.6	8.6	8.6	8.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).